

1 ViT-B/16

Table 1: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	Sample Count	F	F	C	C	$R^u_{\mathcal{E}}$	$R^p_{\mathcal{E}}$	$R^s_{\mathcal{E}}$	$R^+_{\mathcal{E}}$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	2005	0.071322	0.225935	0.114879	0.281131	-0.042727	-0.013965	-0.005154	0.012303
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	2005	0.070158	0.222943	0.110058	0.278637	-0.041397	-0.015794	-0.003824	0.014963
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	2005	0.069825	0.221945	0.108229	0.276309	-0.040399	-0.020449	-0.001995	0.020449
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	2005	0.067498	0.224273	0.105902	0.280798	-0.037905	-0.014298	-0.002993	0.015461
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	2005	0.069327	0.22394	0.107731	0.278803	-0.038903	-0.018953	-0.009975	0.013466
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	2005	0.07049	0.226766	0.110058	0.282793	-0.040565	-0.018953	-0.005819	0.011804
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	2005	0.071322	0.221945	0.107731	0.276309	-0.0399	-0.017456	-0.009476	0.01596
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	2005	0.068828	0.226434	0.109061	0.281131	-0.04123	-0.017124	-0.005154	0.014796
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	2005	0.068828	0.223441	0.109726	0.277805	-0.040399	-0.017456	-0.005486	0.018454
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	2005	0.070823	0.226933	0.110723	0.281629	-0.042228	-0.017955	-0.005653	0.012136
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	2005	0.068828	0.222943	0.110723	0.276808	-0.0399	-0.014464	-0.005985	0.018454

Table 2: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$R^a_{C_c}$	$R^p_{C_c}$	$R^a_{C_c}$	$R^p_{C_c}$	$R^a_{C_c}$	$R^p_{C_c}$	$R^a_{C_c}$	$R^p_{C_c}$	$R^a_{C_c}$	$R^p_{C_c}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	-0.053865	-0.000499	0.007149	-0.004655	0.172402	0.133666	0.102743	-0.014796	0.19335	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	-0.047382	0.005653	0.014131	0.000831	0.169909	0.131006	0.101413	-0.016625	0.19069	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	-0.046384	0.005486	0.014464	0.009476	0.169576	0.130175	0.099751	-0.013466	0.189027	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	-0.043059	0.008479	0.015628	0.002161	0.171571	0.132502	0.103242	-0.014131	0.192851	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	-0.046883	0.004489	0.009476	0.001995	0.171072	0.132668	0.102244	-0.013965	0.191022	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	-0.048047	0.005819	0.011471	-0.000665	0.173899	0.135328	0.105403	-0.012136	0.195012	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	-0.044888	0.008978	0.011471	0.006983	0.169576	0.130673	0.100249	-0.014464	0.189027	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	-0.048047	0.006983	0.013965	0.001663	0.173732	0.135328	0.103076	-0.011804	0.193516	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	-0.047382	0.001995	0.012469	0.006983	0.171571	0.132668	0.102244	-0.011471	0.191022	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	-0.049875	0.005653	0.013799	-0.000665	0.174231	0.135827	0.104904	-0.01197	0.194015	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	-0.047382	0.004489	0.010973	0.004988	0.171072	0.131671	0.103741	-0.014464	0.190025	

Table 3: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$R^p_{\mathcal{C}}$	$R^s_{\mathcal{C}}$	$R^p_{\mathcal{C}_0}$	$F^p_{\text{structuroid}}$	$F^s_{\text{structuroid}}$	$C^p_{\text{structuroid}}$	$C^s_{\text{structuroid}}$	$F^p_{\text{structuroid}}$	$F^s_{\text{structuroid}}$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.132336	0.099086	-0.016459	0.028595	0.053533	0.061014	0.087781	0.057357	0.092269
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.129343	0.097922	-0.01862	0.028761	0.053034	0.062677	0.087947	0.054364	0.091937
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.127182	0.096259	-0.016958	0.029426	0.052369	0.061845	0.087282	0.049377	0.091771
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.131671	0.100249	-0.014963	0.029593	0.052702	0.062843	0.087947	0.0532	0.091771
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.130175	0.097756	-0.016459	0.030424	0.052868	0.060848	0.087781	0.050374	0.091272
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.134165	0.102244	-0.013466	0.029925	0.052868	0.062012	0.087781	0.051538	0.091438
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.127681	0.097257	-0.017456	0.031421	0.052369	0.062843	0.087282	0.053865	0.091272
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.132668	0.099751	-0.014298	0.027598	0.052702	0.061014	0.087614	0.051704	0.091106
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.129676	0.099252	-0.015461	0.028429	0.05187	0.062344	0.086783	0.051372	0.090773
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.133333	0.101081	-0.015129	0.028595	0.052702	0.060848	0.087614	0.052868	0.091106
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.12818	0.099751	-0.019451	0.028928	0.05187	0.063342	0.086783	0.054364	0.091272

Table 4: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$C^p_{\text{unperturbed}}$	$C^p_{\text{perturbed}}$	$F^s_{\text{unperturbed}}$	$F^s_{\text{perturbed}}$	$C^s_{\text{unperturbed}}$	$C^s_{\text{perturbed}}$	$F^a_{\text{unperturbed}}$	$F^a_{\text{perturbed}}$	$C^a_{\text{unperturbed}}$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.114381	0.148795	0.066168	0.123192	0.122028	0.182045	0.083624	0.240732	0.110224
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.115711	0.149293	0.066334	0.12153	0.12419	0.180715	0.085121	0.239568	0.110889
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.113716	0.149127	0.06783	0.122195	0.122693	0.18005	0.090274	0.235411	0.117706
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.114381	0.149127	0.064505	0.121031	0.12153	0.180549	0.082959	0.238404	0.108063
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.112219	0.148628	0.059352	0.121696	0.117207	0.181047	0.082793	0.237905	0.109726
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.115877	0.148628	0.064672	0.121363	0.12153	0.180549	0.082294	0.238903	0.109393
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.116708	0.148628	0.061845	0.121696	0.119202	0.179052	0.087282	0.236409	0.114713
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.116043	0.148462	0.063674	0.123358	0.123026	0.18138	0.083624	0.238238	0.110723
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.111721	0.14813	0.063342	0.121197	0.122195	0.178554	0.087282	0.234913	0.116708
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.116376	0.148296	0.06517	0.122028	0.124522	0.180549	0.082959	0.238903	0.110058
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.115212	0.148628	0.062843	0.119202	0.121696	0.177057	0.087282	0.237406	0.115711

Table 5: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$C^*_{\text{estimated}}$	$SD(F)$	$SD(\hat{F})$	$SD(C)$	$SD(\hat{C})$	$SD(R^*_\rho)$	$SD(R^*_\rho)$	$SD(R^*_\rho)$	$SD(R^*_\rho)$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.297589	0.000864	0.004261	0.005561	0.000762	0.002249	0.003491	0.001255	0.004634
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.297257	0.004153	0.001798	0.003608	0.001152	0.002639	0.004	0.001524	0.003271
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.293267								
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.295761	0.001603	0.001255	0.004242	0.000499	0.003034	0.000762	0.002286	0.00132
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.295262								
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.296259	0.002357	0.002016	0.003047	0.002286	0.003874	0.00132	0.003395	0.002249
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.293766								
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.295428	0.002286	0.002777	0.001603	0.001524	0.003503	0.001255	0.001255	0.003776
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.293267								
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.296758	0.00132	0.002286	0.002592	0.001038	0.003503	0.00132	0.000762	0.003168
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.296259								

Table 6: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{C}}^e)$	$SD(R_{\mathcal{C}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.006484	0.007193	0.005992	0.006735	0.004	0.003597	0.002777	0.002249	0.001255
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.000998	0.002076	0.00251	0.001752	0.001603	0.001524	0.001888	0.001888	0.001038
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.007828	0.004348	0.003168	0.003676	0.001496	0.001152	0.000998	0.001152	0.000762
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.003321	0.003809	0.002592	0.003538	0.002016	0.002016	0.003006	0.001038	0.002286
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.001752	0.002286	0.00132	0.001888	0.003006	0.002357	0.003006	0.004793	0.001798
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.003115	0.002922	0.00251	0.001888	0.00251	0.002016	0.002249	0.004489	0.00132
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11									

Table 7: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(R^u_C)$	$SD(R^v_C)$	$SD(R^a_C)$	$SD(F^u_{\text{averaged}})$	$SD(F^v_{\text{averaged}})$	$SD(C^u_{\text{averaged}})$	$SD(C^v_{\text{averaged}})$	$SD(F^u_{\text{averaged}})$	$SD(F^v_{\text{averaged}})$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.00144	0.001603	0.000998	0.001603	0.000288	0.001255	0.000499	0.002639	0.000864
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.000762	0.001524	0.001752	0.001524	0.000288	0.003676	0.000288	0.000864	0.000762
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.000998	0.000499	0.00132	0.002747	0.000288	0.004261	0.000288	0.001038	0.000499
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.002286	0.003115	0.000864	0.002286	0	0.002016	0	0.001255	0.000762
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.000998	0.002174	0.002747	0.001255	0.000288	0.001255	0.000288	0.001038	0.000576
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.000762	0.001038	0.002357	0.002249	0.000288	0.002286	0.000288	0.002639	0.000288
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11									

Table 8: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(C^e_{\text{perturbed}})$	$SD(C^p_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^p_{\text{perturbed}})$	$SD(C^e_{\text{perturbed}})$	$SD(C^p_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^p_{\text{perturbed}})$	$SD(C^e_{\text{perturbed}})$	$SD(C^p_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^p_{\text{perturbed}})$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.001752	0.000762	0.001603	0.001496	0.003743	0.000998	0.004062	0.002016	0.002286			
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.002494	0.000762	0.002639	0.000288	0.001798	0.000576	0.001752	0.001152	0.002249			
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11												
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.001255	0.000499	0.001255	0.001255	0.001255	0	0.001038	0.001798	0.001603			
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11												
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.000762	0.000864	0.001603	0.00144	0.001038	0.001496	0.001798	0.003034	0.001255			
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11												
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.001152	0.000576	0.003503	0.000762	0.002249	0.000762	0.004526	0.003321	0.003455			
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11												
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.000576	0.000288	0.002016	0.000576	0.003809	0.000499	0.003809	0.003455	0.003743			
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11												

Table 9: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(C_{\text{parameter}}^*)$	Selected Individual
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.000762	{"C*": "Occlusion", "Cbar*": "Gradient Shap*", "F*": "Occlusion", "Fbar*": "Occlusion"}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.002174	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.00132	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.002592	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.002747	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.002639	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11		

Table 10: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	Sample Count	F	F	C	$\hat{C}$	R^u_F	R^p_F	R^s_F	$R^+_{\hat{F}}$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	2005	0.074979	0.2266	0.123857	0.288446	-0.03059	-0.018121	-0.001829	-0.004156
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	2005	0.076309	0.225436	0.119534	0.287116	-0.031754	-0.023774	-0.00532	-0.011638
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	2005	0.077805	0.224439	0.129177	0.287282	-0.029925	-0.024439	-0.00798	-0.005985
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	2005	0.070823	0.229094	0.119036	0.290607	-0.027431	-0.019618	-0.004821	-0.005154
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	2005	0.075312	0.225935	0.122693	0.287781	-0.029925	-0.023441	-0.004988	-0.003491
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	2005	0.07049	0.228429	0.118869	0.289443	-0.028096	-0.018953	-0.000333	-0.002993
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	2005	0.077805	0.225436	0.12818	0.287781	-0.032419	-0.020948	-0.005985	-0.007481
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	2005	0.073649	0.228595	0.120865	0.289942	-0.031421	-0.021114	-0.00399	-0.005653
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	2005	0.0798	0.225935	0.131172	0.286783	-0.034913	-0.024439	-0.009975	-0.006983
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	2005	0.072984	0.227764	0.120366	0.289609	-0.030258	-0.020781	-0.00399	-0.004655
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	2005	0.082793	0.227431	0.132668	0.289277	-0.037905	-0.026933	-0.014963	-0.013466

Table 11: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$R^a_{\mathcal{C}}$	$R^b_{\mathcal{C}}$	$R^c_{\mathcal{C}}$	$R^a_{\mathcal{C}}$	$R^b_{\mathcal{C}}$	$R^c_{\mathcal{C}}$	$R^a_{\mathcal{E}}$	$R^b_{\mathcal{E}}$	$R^c_{\mathcal{E}}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	-0.028263	-0.00133	0.003325	-0.022943	0.148296	0.133167	0.097922	-0.009144	0.1468
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	-0.020781	-0.003159	0.004489	-0.027431	0.147132	0.132668	0.098753	-0.014131	0.145636
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	-0.02793	-0.013965	-0.008978	-0.030923	0.146135	0.132668	0.098254	-0.014464	0.146633
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	-0.021779	-0.002826	-0.000665	-0.027764	0.151455	0.135827	0.101081	-0.012635	0.14946
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	-0.023441	-0.00399	-0.001995	-0.025436	0.147631	0.133666	0.097756	-0.010474	0.146135
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	-0.021446	-0.003824	0.001164	-0.0266	0.150457	0.135495	0.101912	-0.011305	0.147963
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	-0.025935	-0.010973	-0.006983	-0.032918	0.147631	0.132668	0.098753	-0.01197	0.147631
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	-0.023774	-0.00665	0.000166	-0.027431	0.150125	0.135993	0.101247	-0.01197	0.148795
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	-0.033915	-0.012968	-0.008479	-0.031421	0.147132	0.133167	0.099751	-0.012469	0.145636
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	-0.023608	-0.005486	0.000333	-0.026268	0.14946	0.13483	0.101081	-0.012801	0.148628
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	-0.033915	-0.016459	-0.007481	-0.036409	0.149127	0.134663	0.101746	-0.011471	0.148628

Table 12: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$R^p_{\mathcal{C}}$	$R^s_{\mathcal{C}}$	$R^p_{\mathcal{C}_0}$	$F^p_{\text{structuroid}}$	$F^s_{\text{structuroid}}$	$C^p_{\text{structuroid}}$	$C^s_{\text{structuroid}}$	$F^p_{\text{structuroid}}$	$F^s_{\text{structuroid}}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.122527	0.093766	-0.009809	0.044389	0.078304	0.095594	0.141646	0.056858	0.093433
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.121696	0.094264	-0.017124	0.044555	0.078304	0.098753	0.14148	0.052535	0.092768
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.121696	0.095262	-0.015461	0.04788	0.078304	0.101247	0.140648	0.053367	0.091771
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.125021	0.097423	-0.014796	0.043392	0.077639	0.097257	0.141147	0.051205	0.093267
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.123192	0.092768	-0.012968	0.045387	0.078304	0.099252	0.141646	0.05187	0.092269
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.124356	0.096924	-0.015628	0.042394	0.077972	0.097423	0.14148	0.051538	0.092934
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.123192	0.095761	-0.013965	0.045387	0.077805	0.102244	0.14015	0.056858	0.092768
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.125187	0.097589	-0.017124	0.042228	0.07847	0.097091	0.141147	0.052535	0.092602
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.122195	0.095761	-0.016459	0.044888	0.078803	0.097257	0.141147	0.055362	0.092768
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.124688	0.097091	-0.01729	0.042727	0.078304	0.096758	0.140981	0.052203	0.092934
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.124688	0.099252	-0.013965	0.044888	0.078304	0.098753	0.140648	0.05586	0.092768

Table 13: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$C^p_{\text{unperturbed}}$	$C^p_{\text{perturbed}}$	$F^s_{\text{unperturbed}}$	$F^s_{\text{perturbed}}$	$C^s_{\text{unperturbed}}$	$C^s_{\text{perturbed}}$	$F^a_{\text{unperturbed}}$	$F^a_{\text{perturbed}}$	$C^a_{\text{unperturbed}}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.122527	0.165919	0.07315	0.128678	0.127182	0.19468	0.070823	0.235744	0.100914
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.116376	0.16542	0.070989	0.126683	0.124023	0.192851	0.064672	0.239568	0.092103
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.115212	0.165586	0.069825	0.126185	0.1202	0.19202	0.07182	0.238903	0.098254
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.116209	0.165586	0.066002	0.128013	0.118371	0.193184	0.065669	0.241729	0.091272
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.118703	0.164589	0.070324	0.12818	0.120698	0.195012	0.07182	0.236409	0.097257
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.115046	0.165087	0.070158	0.126517	0.120033	0.192519	0.067498	0.239734	0.092269
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.117207	0.164589	0.07182	0.126683	0.121197	0.19202	0.070324	0.237406	0.095262
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.114214	0.164755	0.069659	0.127348	0.121031	0.192352	0.067997	0.240565	0.093433
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.118204	0.164589	0.069825	0.126185	0.122693	0.191022	0.072818	0.238404	0.099751
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.114879	0.164921	0.068994	0.126683	0.120698	0.192519	0.068329	0.240565	0.094098
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.116209	0.164589	0.06783	0.125686	0.125187	0.190025	0.069327	0.238903	0.096259

Table 14: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$C^*_{\text{out-of-dataset}}$	$SD(F)$	$SD(\hat{F})$	$SD(C)$	$SD(\hat{C})$	$SD(R^*_p)$	$SD(R^*_p)$	$SD(R^*_p)$	$SD(R^*_p)$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.298254	0.003321	0.00246	0.003776	0.000288	0.00246	0.002357	0.001038	0.001752
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.304239	0.009975	0.003959	0.009585	0.004031	0.00747	0.009481	0.007302	0.005021
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.302743								
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.305403	0.006911	0.003538	0.006013	0.00251	0.007791	0.006642	0.007635	0.006432
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.300748								
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.305071	0.002836	0.001798	0.002922	0.002016	0.003809	0.003271	0.00246	0.002777
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.301746								
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.307066	0.002747	0.002016	0.001603	0.00251	0.002174	0.003538	0.002592	0.003538
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.303242								
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.306899	0.003874	0.003321	0.002076	0.003503	0.00251	0.003676	0.002174	0.007006
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.303242								

Table 15: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{C}}^e)$	$SD(R_{\mathcal{C}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.002747	0.002836	0.002016	0.002174	0.00246	0.002639	0.002016	0.002076	0.000288
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.006156	0.007487	0.003115	0.00399	0.003959	0.003959	0.001496	0.003207	0.004571
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.006276	0.004844	0.006236	0.002747	0.003676	0.003245	0.002357	0.003207	0.002747
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.002777	0.00246	0.002559	0.000576	0.001888	0.001255	0.000762	0.001152	0.001888
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.001524	0.002016	0.002357	0.001995	0.000864	0.001603	0.001496	0.002286	0.001152
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.000288	0.001798	0.003676	0.004634	0.002747	0.003245	0.003503	0.001752	0.002592
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11									

Table 16: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(R^e_{\mathcal{C}})$	$SD(R^s_{\mathcal{C}})$	$SD(R^a_{\mathcal{C}})$	$SD(F^s_{\text{scratched}})$	$SD(F^s_{\text{scratched}})$	$SD(C^s_{\text{scratched}})$	$SD(C^s_{\text{scratched}})$	$SD(F^s_{\text{scratched}})$	$SD(F^s_{\text{scratched}})$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.000288	0.00132	0.001603	0.000998	0	0.001255	0.000499	0.005621	0.000762
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.004433	0.003115	0.00447	0.003321	0	0.003491	0.000576	0.000576	0
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.00251	0.001752	0.000762	0.000998	0.000576	0.00132	0.00132	0.000576	0.000499
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.001524	0.000762	0.002249	0.000998	0.000288	0.001524	0.001038	0.001255	0.000762
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.002494	0.002249	0.002304	0.002076	0.00144	0.002836	0.001728	0.001152	0.000576
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11									
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.003766	0.003207	0.001255	0.00144	0.00132	0.001798	0.001603	0.000288	0.000576
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11									

Table 17: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(C^e_{\text{perturbed}})$	$SD(C^p_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^p_{\text{perturbed}})$	$SD(C^e_{\text{perturbed}})$	$SD(C^p_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^p_{\text{perturbed}})$	$SD(C^e_{\text{perturbed}})$	$SD(C^p_{\text{perturbed}})$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.001603	0.000288	0.002357	0.00132	0.004261	0.001603	0.00399	0.002016	0.003321	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.002304	0.000762	0.002922	0.002592	0.006509	0.001038	0.005021	0.002559	0.005672	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11										
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.00132	0	0.000762	0.001255	0.001888	0.001888	0.001888	0.000762	0.003271	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11										
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.002076	0.000499	0.001038	0.001255	0.003776	0.001728	0.001752	0.002357	0.002592	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11										
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.000499	0.000288	0.00246	0.000576	0.003047	0.000288	0.001603	0.000762	0.001255	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11										
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.000288	0.000288	0.003047	0.000499	0.005621	0.000998	0.003271	0.001603	0.002559	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11										

Table 18: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(C_{\text{predicted}}^*)$	Selected Individual
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.00132	{*C*:*Occlusion*,*Cbar*:*Occlusion*,*F*:*Occlusion*,*Fbar*:*Occlusion*}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.002592	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.002016	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.003608	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.001524	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.002249	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11		

Table 19: DermaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
DermaMNIST	ViT-B/16	ViT	Test	Best Individual	2005	0.099252	0.201995	0.152618	0.253865	-0.060848	0.150125	-0.081297	0.166085	-0.025436	0.111222	-0.026434	0.106234
DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	2005	0.106733	0.206983	0.153117	0.260349	-0.066833	0.154115	-0.0798	0.17207	-0.034414	0.116209	-0.026434	0.111721
DermaMNIST	ViT-B/16	ViT	Test	Borda	2005	0.100748	0.20798	0.141147	0.258354	-0.061845	0.155112	-0.070324	0.171072	-0.027431	0.117207	-0.008479	0.109227
DermaMNIST	ViT-B/16	ViT	Test	Kemeny	2005	0.105237	0.206484	0.15212	0.257357	-0.064838	0.153616	-0.076808	0.170075	-0.031421	0.115711	-0.019451	0.109227
DermaMNIST	ViT-B/16	ViT	Test	RRF	2005	0.109227	0.206983	0.15212	0.25985	-0.068329	0.154115	-0.077805	0.172569	-0.032918	0.116209	-0.016459	0.111721
DermaMNIST	ViT-B/16	ViT	Test	Schulze	2005	0.108728	0.20798	0.151122	0.260349	-0.069327	0.15611	-0.077805	0.173566	-0.033416	0.117706	-0.01596	0.112219

Table 20: DermaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	R^c_L	R^s_L	R^c_C	R^s_C	R^c_F	R^s_F	R^c_V	R^s_V	F^s	$\bar{F}^s$	C^s	$\bar{C}^s$	F^P
DermaMNIST	ViT-B/16	ViT	Test	Best Individual	-0.009476	0.084289	-0.016958	0.077805	0.0399	-0.034913	0.034414	-0.036409	0.038404	0.05187	0.071322	0.087781	0.073815
DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	-0.018454	0.089776	-0.008978	0.086783	-0.001995	-0.01995	-0.010474	-0.020449	0.0399	0.052868	0.073317	0.088279	0.072319
DermaMNIST	ViT-B/16	ViT	Test	Borda	-0.016459	0.093267	0.000998	0.083292	0.013965	-0.017955	0.014963	-0.019451	0.038903	0.052868	0.070823	0.087282	0.073317
DermaMNIST	ViT-B/16	ViT	Test	Kemeny	-0.013466	0.092768	-0.004988	0.084289	0.002993	-0.020449	-0.00399	-0.022444	0.040399	0.052868	0.075312	0.087282	0.073815
DermaMNIST	ViT-B/16	ViT	Test	RRF	-0.017955	0.090274	-0.007481	0.083791	-0.000499	-0.022444	-0.00399	-0.022943	0.040898	0.052868	0.074314	0.087282	0.076309
DermaMNIST	ViT-B/16	ViT	Test	Schulze	-0.018454	0.092768	-0.003491	0.085786	0.004489	-0.022444	0.002494	-0.022943	0.039401	0.05187	0.073317	0.086783	0.075312

Table 21: DermaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	$F^p_{\text{perturbed}}$	$C^p_{\text{perturbed}}$	$\bar{C}^p_{\text{perturbed}}$	$F^s_{\text{perturbed}}$	$F^u_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	$\bar{C}^s_{\text{perturbed}}$	$F^a_{\text{perturbed}}$	$F^b_{\text{perturbed}}$	$C^a_{\text{perturbed}}$	$\bar{C}^a_{\text{perturbed}}$	Selected Sources
DermaMNIST	ViT-B/16	ViT	Test	Best Individual	0.090773	0.126185	0.147631	0.089776	0.117706	0.135661	0.17606	0.139152	0.236908	0.187032	0.290274	81fbc3ad271a7f8aea403c4a5cdafec0a30f2fb30352af70f8e0dbfb2f0c46cc
DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	0.090773	0.126683	0.148628	0.088279	0.117207	0.14414	0.173566	0.104738	0.226933	0.142643	0.280798	
DermaMNIST	ViT-B/16	ViT	Test	Borda	0.090773	0.132668	0.149127	0.084289	0.114713	0.142145	0.175062	0.114713	0.225935	0.15611	0.277805	
DermaMNIST	ViT-B/16	ViT	Test	Kemeny	0.090773	0.132668	0.14813	0.091771	0.113716	0.147132	0.173067	0.108229	0.226933	0.14813	0.2798	
DermaMNIST	ViT-B/16	ViT	Test	RRF	0.090773	0.135661	0.14813	0.091272	0.116708	0.144638	0.17606	0.108728	0.229426	0.14813	0.282793	
DermaMNIST	ViT-B/16	ViT	Test	Schulze	0.090274	0.135162	0.14813	0.090274	0.115212	0.147631	0.174564	0.113217	0.230424	0.153616	0.283292	

Table 22: DermaMNIST-ViT-B/16

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	All	20	7						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	All	20	2	12	1	7			
DermaMNIST	ViT-B/16	Borda	Dataset Model	All	20	6	12	0	8	14	0	6
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	All	20	0	12	0	8	11	0	9
DermaMNIST	ViT-B/16	RRF	Dataset Model	All	20	1	12	0	8	11	4	5
DermaMNIST	ViT-B/16	Schulze	Dataset Model	All	20	4	12	0	8	12	2	6
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Quality	4	2						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Quality	4	1	2	0	2			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Quality	4	0	1	0	3	1	0	3
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Quality	4	0	1	0	3	2	0	2
DermaMNIST	ViT-B/16	RRF	Dataset Model	Quality	4	1	1	0	3	2	1	1
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Quality	4	0	1	0	3	1	1	2
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Robustness All	16	5						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Robustness All	16	1	10	1	5			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Robustness All	16	6	11	0	5	13	0	3
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Robustness All	16	0	11	0	5	9	0	7
DermaMNIST	ViT-B/16	RRF	Dataset Model	Robustness All	16	0	11	0	5	9	3	4
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Robustness All	16	4	11	0	5	11	1	4
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Gaussian	4	1						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Gaussian	4	0	3	0	1			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Gaussian	4	1	3	0	1	3	0	1
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Gaussian	4	0	3	0	1	2	0	2
DermaMNIST	ViT-B/16	RRF	Dataset Model	Gaussian	4	0	3	0	1	2	1	1
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Gaussian	4	2	3	0	1	3	0	1
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Salt Pepper	4	1						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Salt Pepper	4	0	2	1	1			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Salt Pepper	4	1	3	0	1	3	0	1
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Salt Pepper	4	0	3	0	1	2	0	2
DermaMNIST	ViT-B/16	RRF	Dataset Model	Salt Pepper	4	0	3	0	1	2	2	0
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Salt Pepper	4	2	3	0	1	4	0	0
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Speckle	4	1						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Speckle	4	1	3	0	1			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Speckle	4	2	3	0	1	3	0	1
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Speckle	4	0	3	0	1	3	0	1
DermaMNIST	ViT-B/16	RRF	Dataset Model	Speckle	4	0	3	0	1	3	0	1
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Speckle	4	0	3	0	1	3	0	1
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Adversarial	4	2						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Adversarial	4	0	2	0	2			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Adversarial	4	2	2	0	2	4	0	0
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Adversarial	4	0	2	0	2	2	0	2
DermaMNIST	ViT-B/16	RRF	Dataset Model	Adversarial	4	0	2	0	2	2	0	2
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Adversarial	4	0	2	0	2	2	0	2
DermaMNIST	ViT-B/16	Best Individual	Overall	All	80	28						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	All	80	10	40	2	38			
DermaMNIST	ViT-B/16	Borda	Overall	All	80	20	45	1	34	54	3	23
DermaMNIST	ViT-B/16	Kemeny	Overall	All	80	19	49	1	30	44	3	33
DermaMNIST	ViT-B/16	RRF	Overall	All	80	5	44	1	35	49	4	27
DermaMNIST	ViT-B/16	Schulze	Overall	All	80	7	50	0	30	48	4	28
DermaMNIST	ViT-B/16	Best Individual	Overall	Quality	16	14						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Quality	16	2	2	1	13			
DermaMNIST	ViT-B/16	Borda	Overall	Quality	16	0	1	0	15	2	0	14
DermaMNIST	ViT-B/16	Kemeny	Overall	Quality	16	0	1	0	15	2	0	14
DermaMNIST	ViT-B/16	RRF	Overall	Quality	16	1	1	0	15	5	1	10
DermaMNIST	ViT-B/16	Schulze	Overall	Quality	16	0	1	0	15	1	2	13
DermaMNIST	ViT-B/16	Best Individual	Overall	Robustness All	64	14						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Robustness All	64	8	38	1	25			
DermaMNIST	ViT-B/16	Borda	Overall	Robustness All	64	20	44	1	19	52	3	9
DermaMNIST	ViT-B/16	Kemeny	Overall	Robustness All	64	19	48	1	15	42	3	19
DermaMNIST	ViT-B/16	RRF	Overall	Robustness All	64	4	43	1	20	44	3	17
DermaMNIST	ViT-B/16	Schulze	Overall	Robustness All	64	7	49	0	15	47	2	15
DermaMNIST	ViT-B/16	Best Individual	Overall	Gaussian	16	1						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Gaussian	16	1	10	0	6			
DermaMNIST	ViT-B/16	Borda	Overall	Gaussian	16	6	13	0	3	14	0	2
DermaMNIST	ViT-B/16	Kemeny	Overall	Gaussian	16	8	14	0	2	12	1	3
DermaMNIST	ViT-B/16	RRF	Overall	Gaussian	16	0	12	0	4	11	1	4
DermaMNIST	ViT-B/16	Schulze	Overall	Gaussian	16	3	14	0	2	12	0	4
DermaMNIST	ViT-B/16	Best Individual	Overall	Salt Pepper	16	2						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Salt Pepper	16	1	11	1	4			
DermaMNIST	ViT-B/16	Borda	Overall	Salt Pepper	16	3	13	0	3	13	0	3
DermaMNIST	ViT-B/16	Kemeny	Overall	Salt Pepper	16	6	14	0	2	10	0	6
DermaMNIST	ViT-B/16	RRF	Overall	Salt Pepper	16	2	14	0	2	12	2	2
DermaMNIST	ViT-B/16	Schulze	Overall	Salt Pepper	16	2	14	0	2	14	0	2
DermaMNIST	ViT-B/16	Best Individual	Overall	Speckle	16	3						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Speckle	16	4	11	0	5			
DermaMNIST	ViT-B/16	Borda	Overall	Speckle	16	5	10	1	5	12	1	3
DermaMNIST	ViT-B/16	Kemeny	Overall	Speckle	16	5	13	0	3	9	2	5
DermaMNIST	ViT-B/16	RRF	Overall	Speckle	16	0	11	0	5	9	0	7
DermaMNIST	ViT-B/16	Schulze	Overall	Speckle	16	2	13	0	3	9	2	5
DermaMNIST	ViT-B/16	Best Individual	Overall	Adversarial	16	8						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Adversarial	16	2	6	0	10			
DermaMNIST	ViT-B/16	Borda	Overall	Adversarial	16	6	8	0	8	13	2	1
DermaMNIST	ViT-B/16	Kemeny	Overall	Adversarial	16	0	7	1	8	11	0	5
DermaMNIST	ViT-B/16	RRF	Overall	Adversarial	16	2	6	1	9	12	0	4

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	8	0	8	12	0	4

Table 23: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Distance Model	Selected Size	Candidate Count	Forced Fallback	Selection Rule	Scope	Alpha	Selected Methods	Ordered Methods	Prefix P Values	Task Id	Task Digest	Artifact Root	Manifest Content Digest	Manifest Assumpti on Id
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	11	True	Largest Not Rejected	Global In Sample	0.05	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Shape Occlusion", "PartialLRP", "Gradients", "InputXG ent", "Attention GradCAM", "FullLR	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Shape Occlusion", "PartialLRP", "Gradients", "InputXG ent", "Attention GradCAM", "FullLR	["size":2,"value":0.0016,"size":16,"value":0.0016,"size":16,"value":0.002}, {"size":9,"p__value":0.002}, {"size":10,"p__value":0.002}, {"size":11,"p__value":0.002}]	select-- 0016	f78504c4eb449be2bc80340db9c90c5d244236c3449Be2Bc8048859cede0588pacc0b05cb5dd244236C368879Cede0A88Eacc0B05Cb5	selection/ dermannist--Vit B16/Spearman/ F78504C4Eb 449Be2Bc80 7009480702 fe4d14567bb961	e9fe68b7ee066812c7164ab6bd8ae530a2012b5b7009480702 fe4d14567bb961	paper-assumptions-v1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	11	True	Largest Not Rejected	Global In Sample	0.05	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Shape Occlusion", "PartialLRP", "Gradients", "InputXG ent", "Attention GradCAM", "FullLR	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Shape Occlusion", "PartialLRP", "Gradients", "InputXG ent", "Attention GradCAM", "FullLR	["size":2,"value":0.0016,"size":16,"value":0.0016,"size":16,"value":0.002}, {"size":9,"p__value":0.002}, {"size":10,"p__value":0.002}, {"size":11,"p__value":0.002}]	select-- 0016	64925d49e9328ab5613a54ba947443f2857acd04C95F0d2048537152cbb087	selection/ dermannist--Vit B16/Kendall/ 64925D49E9 A328Ab5613 3F2857Acd 04C95F0D20 48537152Cbb087	8446610d93ff04559a5a2c55258822e2a4d242d4dfa8d046ffe5868645d8bb59	paper-assumptions-v1

Table 24: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Distance Model	Selected Size	Manifest Assumpti on Digest
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	1c7b548112db6d5428f6 de085c24e9480fb37feb 4de4f9cc49617c6493ae 9bad
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	1c7b548112db6d5428f6 de085c24e9480fb37feb 4de4f9cc49617c6493ae 9bad

Table 25: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	Sample Count	F	$\hat{F}$	C	$\hat{C}$	R^s_F	R^s	$R^s_{\hat{C}}$	R^s	R^s_F
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	Spearman	2005	0.103741	0.216958	0.162594	0.278803	0	0.137656	0.012469	0.135661	0.003491
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Naive	Spearman	2005	0.114713	0.211471	0.170574	0.271322	0.05985	0.132668	0.061845	0.129177	0.04389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Spearman	2005	0.114713	0.211471	0.170574	0.271322	0.05985	0.132668	0.061845	0.129177	0.04389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Naive	Spearman	2005	0.109726	0.211471	0.166085	0.270823	0.050873	0.133167	0.05187	0.128678	0.038404
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NOISE	Spearman	2005	0.109726	0.211471	0.166085	0.270823	0.050873	0.133167	0.05187	0.128678	0.038404
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Naive	Spearman	2005	0.116209	0.210973	0.173067	0.27182	0.057855	0.134663	0.056858	0.133167	0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NOISE	Spearman	2005	0.116209	0.210973	0.173067	0.27182	0.057855	0.134663	0.056858	0.133167	0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Naive	Spearman	2005	0.116209	0.213965	0.173067	0.272319	0.058354	0.138653	0.058354	0.134165	0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NOISE	Spearman	2005	0.116209	0.213965	0.173067	0.272319	0.058354	0.138653	0.058354	0.134165	0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Naive	Spearman	2005	0.119202	0.210474	0.175062	0.271322	0.05985	0.133666	0.057855	0.132668	0.044888
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NOISE	Spearman	2005	0.119202	0.210474	0.175062	0.271322	0.05985	0.133666	0.057855	0.132668	0.044888
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	Kendall	2005	0.103741	0.216958	0.162594	0.278803	0	0.137656	0.012469	0.135661	0.003491
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Naive	Kendall	2005	0.114713	0.211471	0.170574	0.271322	0.05985	0.132668	0.061845	0.129177	0.04389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Kendall	2005	0.114713	0.211471	0.170574	0.271322	0.05985	0.132668	0.061845	0.129177	0.04389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Naive	Kendall	2005	0.109726	0.211471	0.166085	0.270823	0.050873	0.133167	0.05187	0.128678	0.038404
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NOISE	Kendall	2005	0.109726	0.211471	0.166085	0.270823	0.050873	0.133167	0.05187	0.128678	0.038404
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Naive	Kendall	2005	0.116209	0.210973	0.173067	0.27182	0.057855	0.134663	0.056858	0.133167	0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NOISE	Kendall	2005	0.116209	0.210973	0.173067	0.27182	0.057855	0.134663	0.056858	0.133167	0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Naive	Kendall	2005	0.116209	0.213965	0.173067	0.272319	0.058354	0.138653	0.058354	0.134165	0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NOISE	Kendall	2005	0.116209	0.213965	0.173067	0.272319	0.058354	0.138653	0.058354	0.134165	0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Naive	Kendall	2005	0.119202	0.210474	0.175062	0.271322	0.05985	0.133666	0.057855	0.132668	0.044888
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NOISE	Kendall	2005	0.119202	0.210474	0.175062	0.271322	0.05985	0.133666	0.057855	0.132668	0.044888

Table 26: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R^p_{μ}	R^p_{σ}	R^p_{ρ}	R^p_{τ}	R^s_{μ}	R^s_{σ}	R^s_{ρ}	R^s_{τ}	R^a_{μ}	R^a_{σ}	R^a_{ρ}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	Spearman	0.123691	0.001496	0.113716	0.000998	0.088778	0.002993	0.083292	0	0.000499	0.003491	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Naive	Spearman	0.1202	0.033416	0.107232	0.022943	0.091272	0.022444	0.083791	0.020449	0.016958	0.046883	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Spearman	0.1202	0.033416	0.107232	0.022943	0.091272	0.022444	0.083791	0.020449	0.016958	0.046883	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Naive	Spearman	0.1202	0.028928	0.107731	0.018454	0.092269	0.017955	0.082793	0.021945	0.016459	0.045885	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NOISE	Spearman	0.1202	0.028928	0.107731	0.018454	0.092269	0.017955	0.082793	0.021945	0.016459	0.045885	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Naive	Spearman	0.121696	0.032419	0.109726	0.020948	0.092269	0.019451	0.086284	0.024938	0.018953	0.048878	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NOISE	Spearman	0.121696	0.032419	0.109726	0.020948	0.092269	0.019451	0.086284	0.024938	0.018953	0.048878	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Naive	Spearman	0.12419	0.033416	0.110224	0.019451	0.094763	0.021945	0.086783	0.021945	0.017955	0.049377	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NOISE	Spearman	0.12419	0.033416	0.110224	0.019451	0.094763	0.021945	0.086783	0.021945	0.017955	0.049377	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Naive	Spearman	0.120698	0.032918	0.109227	0.023441	0.091272	0.022943	0.084289	0.029925	0.022943	0.05187	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NOISE	Spearman	0.120698	0.032918	0.109227	0.023441	0.091272	0.022943	0.084289	0.029925	0.022943	0.05187	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	Kendall	0.123691	0.001496	0.113716	0.000998	0.088778	0.002993	0.083292	0	0.000499	0.003491	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Naive	Kendall	0.1202	0.033416	0.107232	0.022943	0.091272	0.022444	0.083791	0.020449	0.016958	0.046883	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Kendall	0.1202	0.033416	0.107232	0.022943	0.091272	0.022444	0.083791	0.020449	0.016958	0.046883	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Naive	Kendall	0.1202	0.028928	0.107731	0.018454	0.092269	0.017955	0.082793	0.021945	0.016459	0.045885	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NOISE	Kendall	0.1202	0.028928	0.107731	0.018454	0.092269	0.017955	0.082793	0.021945	0.016459	0.045885	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Naive	Kendall	0.121696	0.032419	0.109726	0.020948	0.092269	0.019451	0.086284	0.024938	0.018953	0.048878	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NOISE	Kendall	0.121696	0.032419	0.109726	0.020948	0.092269	0.019451	0.086284	0.024938	0.018953	0.048878	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Naive	Kendall	0.12419	0.033416	0.110224	0.019451	0.094763	0.021945	0.086783	0.021945	0.017955	0.049377	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NOISE	Kendall	0.12419	0.033416	0.110224	0.019451	0.094763	0.021945	0.086783	0.021945	0.017955	0.049377	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Naive	Kendall	0.120698	0.032918	0.109227	0.023441	0.091272	0.022943	0.084289	0.029925	0.022943	0.05187	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NOISE	Kendall	0.120698	0.032918	0.109227	0.023441	0.091272	0.022943	0.084289	0.029925	0.022943	0.05187	

Table 27: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R_s	Selected Sources
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	Spearman	0	d7b6764b4046752dceb3 74706fc6dc3680734778 161d77b607c39a8808fc d987
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Naive	Spearman	0.015461	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Spearman	0.015461	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Naive	Spearman	0.017456	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NOISE	Spearman	0.017456	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Naive	Spearman	0.018454	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NOISE	Spearman	0.018454	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Naive	Spearman	0.019451	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NOISE	Spearman	0.019451	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Naive	Spearman	0.021446	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NOISE	Spearman	0.021446	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	Kendall	0	d7b6764b4046752dceb3 74706fc6dc3680734778 161d77b607c39a8808fc d987
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Naive	Kendall	0.015461	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Kendall	0.015461	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Naive	Kendall	0.017456	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NOISE	Kendall	0.017456	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Naive	Kendall	0.018454	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NOISE	Kendall	0.018454	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Naive	Kendall	0.019451	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NOISE	Kendall	0.019451	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Naive	Kendall	0.021446	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NOISE	Kendall	0.021446	

Table 28: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	Sample Count	F	$\hat{F}$	C	$\hat{C}$	R^s_F	R^s	R^s_C	R^s	R^s_F
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	Spearman	2005	0.103741	0.216958	0.162594	0.278803	-0.050374	0.137656	-0.052868	0.135661	-0.036908
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Naive	Spearman	2005	0.114713	0.211471	0.170574	0.271322	-0.05985	0.132668	-0.061845	0.129177	-0.04389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Spearman	2005	0.114713	0.211471	0.170574	0.271322	-0.05985	0.132668	-0.061845	0.129177	-0.04389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Naive	Spearman	2005	0.109726	0.211471	0.166085	0.270823	-0.050873	0.133167	-0.05187	0.128678	-0.038404
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NOISE	Spearman	2005	0.109726	0.211471	0.166085	0.270823	-0.050873	0.133167	-0.05187	0.128678	-0.038404
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Naive	Spearman	2005	0.116209	0.210973	0.173067	0.27182	-0.057855	0.134663	-0.056858	0.133167	-0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NOISE	Spearman	2005	0.116209	0.210973	0.173067	0.27182	-0.057855	0.134663	-0.056858	0.133167	-0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Naive	Spearman	2005	0.116209	0.213965	0.173067	0.272319	-0.058354	0.138653	-0.058354	0.134165	-0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NOISE	Spearman	2005	0.116209	0.213965	0.173067	0.272319	-0.058354	0.138653	-0.058354	0.134165	-0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Naive	Spearman	2005	0.119202	0.210474	0.175062	0.271322	-0.05985	0.133666	-0.057855	0.132668	-0.044888
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NOISE	Spearman	2005	0.119202	0.210474	0.175062	0.271322	-0.05985	0.133666	-0.057855	0.132668	-0.044888
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	Kendall	2005	0.103741	0.216958	0.162594	0.278803	-0.050374	0.137656	-0.052868	0.135661	-0.036908
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Naive	Kendall	2005	0.114713	0.211471	0.170574	0.271322	-0.05985	0.132668	-0.061845	0.129177	-0.04389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Kendall	2005	0.114713	0.211471	0.170574	0.271322	-0.05985	0.132668	-0.061845	0.129177	-0.04389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Naive	Kendall	2005	0.109726	0.211471	0.166085	0.270823	-0.050873	0.133167	-0.05187	0.128678	-0.038404
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NOISE	Kendall	2005	0.109726	0.211471	0.166085	0.270823	-0.050873	0.133167	-0.05187	0.128678	-0.038404
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Naive	Kendall	2005	0.116209	0.210973	0.173067	0.27182	-0.057855	0.134663	-0.056858	0.133167	-0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NOISE	Kendall	2005	0.116209	0.210973	0.173067	0.27182	-0.057855	0.134663	-0.056858	0.133167	-0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Naive	Kendall	2005	0.116209	0.213965	0.173067	0.272319	-0.058354	0.138653	-0.058354	0.134165	-0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NOISE	Kendall	2005	0.116209	0.213965	0.173067	0.272319	-0.058354	0.138653	-0.058354	0.134165	-0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Naive	Kendall	2005	0.119202	0.210474	0.175062	0.271322	-0.05985	0.133666	-0.057855	0.132668	-0.044888
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NOISE	Kendall	2005	0.119202	0.210474	0.175062	0.271322	-0.05985	0.133666	-0.057855	0.132668	-0.044888

Table 29: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R^p_{θ}	R^p_{ϕ}	R^p_{ψ}	R^p_{τ}	R^p_{ϵ}	R^p_{ν}	R^p_{ζ}	R^p_{ξ}	R^p_{η}	R^p_{θ}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	Spearman	0.123691	-0.033416	0.113716	-0.010474	0.088778	-0.021446	0.083292	-0.015461	-0.016459	-0.040898
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Naive	Spearman	0.1202	-0.033416	0.107232	-0.022943	0.091272	-0.022444	0.083791	-0.020449	-0.016958	-0.046883
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Spearman	0.1202	-0.033416	0.107232	-0.022943	0.091272	-0.022444	0.083791	-0.020449	-0.016958	-0.046883
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Naive	Spearman	0.1202	-0.028928	0.107731	-0.018454	0.092269	-0.017955	0.082793	-0.021945	-0.016459	-0.045885
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NOISE	Spearman	0.1202	-0.028928	0.107731	-0.018454	0.092269	-0.017955	0.082793	-0.021945	-0.016459	-0.045885
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Naive	Spearman	0.121696	-0.032419	0.109726	-0.020948	0.092269	-0.019451	0.086284	-0.024938	-0.018953	-0.048878
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NOISE	Spearman	0.121696	-0.032419	0.109726	-0.020948	0.092269	-0.019451	0.086284	-0.024938	-0.018953	-0.048878
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Naive	Spearman	0.12419	-0.033416	0.110224	-0.019451	0.094763	-0.021945	0.086783	-0.021945	-0.017955	-0.049377
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NOISE	Spearman	0.12419	-0.033416	0.110224	-0.019451	0.094763	-0.021945	0.086783	-0.021945	-0.017955	-0.049377
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Naive	Spearman	0.120698	-0.032918	0.109227	-0.023441	0.091272	-0.022943	0.084289	-0.029925	-0.022943	-0.05187
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NOISE	Spearman	0.120698	-0.032918	0.109227	-0.023441	0.091272	-0.022943	0.084289	-0.029925	-0.022943	-0.05187
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	Kendall	0.123691	-0.033416	0.113716	-0.010474	0.088778	-0.021446	0.083292	-0.015461	-0.016459	-0.040898
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Naive	Kendall	0.1202	-0.033416	0.107232	-0.022943	0.091272	-0.022444	0.083791	-0.020449	-0.016958	-0.046883
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Kendall	0.1202	-0.033416	0.107232	-0.022943	0.091272	-0.022444	0.083791	-0.020449	-0.016958	-0.046883
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Naive	Kendall	0.1202	-0.028928	0.107731	-0.018454	0.092269	-0.017955	0.082793	-0.021945	-0.016459	-0.045885
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NOISE	Kendall	0.1202	-0.028928	0.107731	-0.018454	0.092269	-0.017955	0.082793	-0.021945	-0.016459	-0.045885
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Naive	Kendall	0.121696	-0.032419	0.109726	-0.020948	0.092269	-0.019451	0.086284	-0.024938	-0.018953	-0.048878
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NOISE	Kendall	0.121696	-0.032419	0.109726	-0.020948	0.092269	-0.019451	0.086284	-0.024938	-0.018953	-0.048878
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Naive	Kendall	0.12419	-0.033416	0.110224	-0.019451	0.094763	-0.021945	0.086783	-0.021945	-0.017955	-0.049377
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NOISE	Kendall	0.12419	-0.033416	0.110224	-0.019451	0.094763	-0.021945	0.086783	-0.021945	-0.017955	-0.049377
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Naive	Kendall	0.120698	-0.032918	0.109227	-0.023441	0.091272	-0.022943	0.084289	-0.029925	-0.022943	-0.05187
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NOISE	Kendall	0.120698	-0.032918	0.109227	-0.023441	0.091272	-0.022943	0.084289	-0.029925	-0.022943	-0.05187

Table 30: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R^s_C	F^s_{attached}	F^s_{detached}	C^s_{attached}	C^s_{detached}	F^p_{attached}	F^p_{detached}	C^p_{attached}	C^p_{detached}	F^s_{detached}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	Spearman	-0.017456	0.053367	0.079302	0.109726	0.143142	0.066833	0.093267	0.129177	0.165087	0.093267
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Naive	Spearman	-0.015461	0.054863	0.078803	0.108728	0.142145	0.070823	0.091272	0.137157	0.16409	0.091771
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Spearman	-0.015461	0.054863	0.078803	0.108728	0.142145	0.070823	0.091272	0.137157	0.16409	0.091771
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Naive	Spearman	-0.017456	0.058853	0.078304	0.114214	0.142145	0.071322	0.091272	0.137157	0.163092	0.091272
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NOISE	Spearman	-0.017456	0.058853	0.078304	0.114214	0.142145	0.071322	0.091272	0.137157	0.163092	0.091272
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Naive	Naive	Spearman	-0.018454	0.058354	0.076309	0.116209	0.138653	0.074813	0.089277	0.140648	0.162095	0.095262
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NOISE	Spearman	-0.018454	0.058354	0.076309	0.116209	0.138653	0.074813	0.089277	0.140648	0.162095	0.095262
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Naive	Spearman	-0.019451	0.057855	0.075312	0.114713	0.138155	0.074813	0.089776	0.139651	0.162095	0.096758
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NOISE	Spearman	-0.019451	0.057855	0.075312	0.114713	0.138155	0.074813	0.089776	0.139651	0.162095	0.096758
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Naive	Spearman	-0.021446	0.059352	0.076808	0.117207	0.138653	0.074314	0.089776	0.142145	0.162095	0.095761
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NOISE	Spearman	-0.021446	0.059352	0.076808	0.117207	0.138653	0.074314	0.089776	0.142145	0.162095	0.095761
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	Kendall	-0.017456	0.053367	0.079302	0.109726	0.143142	0.066833	0.093267	0.129177	0.165087	0.093267
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Naive	Kendall	-0.015461	0.054863	0.078803	0.108728	0.142145	0.070823	0.091272	0.137157	0.16409	0.091771
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Kendall	-0.015461	0.054863	0.078803	0.108728	0.142145	0.070823	0.091272	0.137157	0.16409	0.091771
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Naive	Kendall	-0.017456	0.058853	0.078304	0.114214	0.142145	0.071322	0.091272	0.137157	0.163092	0.091272
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NOISE	Kendall	-0.017456	0.058853	0.078304	0.114214	0.142145	0.071322	0.091272	0.137157	0.163092	0.091272
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Naive	Kendall	-0.018454	0.058354	0.076309	0.116209	0.138653	0.074813	0.089277	0.140648	0.162095	0.095262
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NOISE	Kendall	-0.018454	0.058354	0.076309	0.116209	0.138653	0.074813	0.089277	0.140648	0.162095	0.095262
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Naive	Kendall	-0.019451	0.057855	0.075312	0.114713	0.138155	0.074813	0.089776	0.139651	0.162095	0.096758
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NOISE	Kendall	-0.019451	0.057855	0.075312	0.114713	0.138155	0.074813	0.089776	0.139651	0.162095	0.096758
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Naive	Kendall	-0.021446	0.059352	0.076808	0.117207	0.138653	0.074314	0.089776	0.142145	0.162095	0.095761
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NOISE	Kendall	-0.021446	0.059352	0.076808	0.117207	0.138653	0.074314	0.089776	0.142145	0.162095	0.095761

Table 31: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	$F^s_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	$C^u_{\text{perturbed}}$	$F^s_{\text{perturbed}}$	$F^u_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	$C^u_{\text{perturbed}}$	Selected Sources
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	Spearman	0.12818	0.141147	0.195511	0.088279	0.233416	0.121696	0.296259	9a1b8984dd454c066003a47923e068e5c1073f0d2723fd5a3c52cc169685bbc0
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Naive	Spearman	0.1202	0.14813	0.187531	0.094264	0.228429	0.123691	0.286783	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Spearman	0.1202	0.14813	0.187531	0.094264	0.228429	0.123691	0.286783	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Naive	Spearman	0.119202	0.14813	0.18803	0.087781	0.22793	0.1202	0.288279	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NOISE	Spearman	0.119202	0.14813	0.18803	0.087781	0.22793	0.1202	0.288279	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Naive	Spearman	0.118703	0.153616	0.185536	0.091272	0.229925	0.12419	0.290274	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NOISE	Spearman	0.118703	0.153616	0.185536	0.091272	0.229925	0.12419	0.290274	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Naive	Spearman	0.119202	0.151122	0.185536	0.094264	0.23192	0.123691	0.291771	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NOISE	Spearman	0.119202	0.151122	0.185536	0.094264	0.23192	0.123691	0.291771	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Naive	Spearman	0.119202	0.15212	0.187032	0.089277	0.233416	0.123192	0.292768	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NOISE	Spearman	0.119202	0.15212	0.187032	0.089277	0.233416	0.123192	0.292768	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	Kendall	0.12818	0.141147	0.195511	0.088279	0.233416	0.121696	0.296259	9a1b8984dd454c066003a47923e068e5c1073f0d2723fd5a3c52cc169685bbc0
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Naive	Kendall	0.1202	0.14813	0.187531	0.094264	0.228429	0.123691	0.286783	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Kendall	0.1202	0.14813	0.187531	0.094264	0.228429	0.123691	0.286783	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	Naive	Kendall	0.119202	0.14813	0.18803	0.087781	0.22793	0.1202	0.288279	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Borda	NOISE	Kendall	0.119202	0.14813	0.18803	0.087781	0.22793	0.1202	0.288279	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	Naive	Kendall	0.118703	0.153616	0.185536	0.091272	0.229925	0.12419	0.290274	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Kemeny	NOISE	Kendall	0.118703	0.153616	0.185536	0.091272	0.229925	0.12419	0.290274	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	Naive	Kendall	0.119202	0.151122	0.185536	0.094264	0.23192	0.123691	0.291771	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	RRF	NOISE	Kendall	0.119202	0.151122	0.185536	0.094264	0.23192	0.123691	0.291771	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	Naive	Kendall	0.119202	0.15212	0.187032	0.089277	0.233416	0.123192	0.292768	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	ViT	Test	Schulze	NOISE	Kendall	0.119202	0.15212	0.187032	0.089277	0.233416	0.123192	0.292768	

34

[illegible]

Cell	Dataset	Model	q	Geometry	Geometry Label	Center Rule	Rule	Method Prefix	Quality	Perturbed Quality	Robustness
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Kendall	NOISE-K	kemeny	RRF	["Gradient Attention Rollout", "Chefesformer Attribution", "In Gradients", "Occlusion", "Shap"]	{'C':0.157107234, 'Cbar':0.201995, 'F':0.10476809, 'Fbar':0.1546137, 'F':0.123967538528, 'Fbar':0.1733167, 'Fbar':0.4314215}, 'gaussian-0.15': {'C':0.074678296452, 'Cbar':0.8104738, 'Cbar':0.0572817955, 'F':0.01122195, 'F':0.000002993643, 'Fbar':0.765586, 'Fbar':0.394015}, 'salt-pepper-0.05': {'C':0.1298575369, 'Fbar':0.7381546, 'Cbar':0.1047382, 'F':0.00744139675, 'Fbar':0.8104738, 'Fbar':0.0007730673, 'speckle-0.15': {'C':0.146384052, 'Cbar':0.5885286, 'Cbar':0.0572817955, 'F':0.00952369, 'F':0.00952369, 'Fbar':0.6608478, 'Fbar':0.6084788}}}	{'adversarial-sara-2-0.0104738154, 'Cbar':0.123967538528, 'Fbar':0.239068807, 'Fbar':0.02244384, 'Fbar':0.0164588528, 'gaussian-0.0572817955, 'Cbar':0.8104738, 'Cbar':0.0572817955, 'F':0.01122195, 'F':0.000002993643, 'Fbar':0.765586, 'Fbar':0.394015}, 'salt-pepper-0.05': {'C':0.1298575369, 'Fbar':0.7381546, 'Cbar':0.1047382, 'F':0.00744139675, 'Fbar':0.8104738, 'Fbar':0.0007730673, 'speckle-0.15': {'C':0.146384052, 'Cbar':0.5885286, 'Cbar':0.0572817955, 'F':0.00952369, 'F':0.00952369, 'Fbar':0.6608478, 'Fbar':0.6084788}}}	
								["Gradient Attention Rollout", "Chefesformer Attribution", "In Gradients", "Occlusion", "Shap"]	{'C':0.157605985, 'Cbar':0.3740647, 'Cbar':0.0221695, 'F':0.10274314, 'Fbar':0.0699088}, 'gaussian-0.15': {'C':0.07336678324, 'Cbar':0.2942643, 'Cbar':0.0572817955, 'F':0.01122195, 'F':0.000002993643, 'Fbar':0.765586, 'Fbar':0.394015}, 'salt-pepper-0.05': {'C':0.13266833252, 'Fbar':0.7705737, 'Cbar':0.1047382, 'F':0.00744139675, 'Fbar':0.8104738, 'Fbar':0.0007730673, 'speckle-0.15': {'C':0.146384052, 'Cbar':0.5885286, 'Cbar':0.0572817955, 'F':0.00952369, 'F':0.00952369, 'Fbar':0.6608478, 'Fbar':0.6084788}}}	{'adversarial-sara-2-0.00054862842, 'Cbar':0.32726883408, 'Fbar':0.531172, 'F':0.123967538528, 'Fbar':0.02244384, 'Fbar':0.0134663341, 'Fbar':0.0184538653, 'gaussian-0.0572817955, 'Cbar':0.8104738, 'Cbar':0.0572817955, 'F':0.01122195, 'F':0.000002993643, 'Fbar':0.765586, 'Fbar':0.394015}, 'salt-pepper-0.05': {'C':0.13266833252, 'Fbar':0.7705737, 'Cbar':0.1047382, 'F':0.00744139675, 'Fbar':0.8104738, 'Fbar':0.0007730673, 'speckle-0.15': {'C':0.146384052, 'Cbar':0.5885286, 'Cbar':0.0572817955, 'F':0.00952369, 'F':0.00952369, 'Fbar':0.6608478, 'Fbar':0.6084788}}}	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Kendall	NOISE-K	kemeny	Kemeny	["Gradient Attention Rollout", "Chefesformer Attribution", "In Gradients", "Occlusion", "Shap"]	{'C':0.157605985, 'Cbar':0.3740647, 'Cbar':0.0221695, 'F':0.10274314, 'Fbar':0.0699088}, 'gaussian-0.15': {'C':0.07336678324, 'Cbar':0.2942643, 'Cbar':0.0572817955, 'F':0.01122195, 'F':0.000002993643, 'Fbar':0.765586, 'Fbar':0.394015}, 'salt-pepper-0.05': {'C':0.13266833252, 'Fbar':0.7705737, 'Cbar':0.1047382, 'F':0.00744139675, 'Fbar':0.8104738, 'Fbar':0.0007730673, 'speckle-0.15': {'C':0.146384052, 'Cbar':0.5885286, 'Cbar':0.0572817955, 'F':0.00952369, 'F':0.00952369, 'Fbar':0.6608478, 'Fbar':0.6084788}}}	{'adversarial-sara-2-0.00054862842, 'Cbar':0.32726883408, 'Fbar':0.531172, 'F':0.123967538528, 'Fbar':0.02244384, 'Fbar':0.0134663341, 'Fbar':0.0184538653, 'gaussian-0.0572817955, 'Cbar':0.8104738, 'Cbar':0.0572817955, 'F':0.01122195, 'F':0.000002993643, 'Fbar':0.765586, 'Fbar':0.394015}, 'salt-pepper-0.05': {'C':0.13266833252, 'Fbar':0.7705737, 'Cbar':0.1047382, 'F':0.00744139675, 'Fbar':0.8104738, 'Fbar':0.0007730673, 'speckle-0.15': {'C':0.146384052, 'Cbar':0.5885286, 'Cbar':0.0572817955, 'F':0.00952369, 'F':0.00952369, 'Fbar':0.6608478, 'Fbar':0.6084788}}}	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Kendall	NOISE-K	kemeny	Schulze	["Gradient Attention Rollout", "Chefesformer Attribution", "In Gradients", "Occlusion", "Shap"]	{'C':0.156109725, 'Cbar':0.8578554, 'Cbar':0.02512703241, 'F':0.103391521, 'Fbar':0.0491199}, 'gaussian-0.15': {'C':0.07336678324, 'Cbar':0.4663342, 'Cbar':0.0572817955, 'F':0.01122195, 'F':0.000002993643, 'Fbar':0.765586, 'Fbar':0.394015}, 'salt-pepper-0.05': {'C':0.1298575369, 'Fbar':0.7381546, 'Cbar':0.1047382, 'F':0.00744139675, 'Fbar':0.8104738, 'Fbar':0.0007730673, 'speckle-0.15': {'C':0.146384052, 'Cbar':0.5885286, 'Cbar':0.0572817955, 'F':0.00952369, 'F':0.00952369, 'Fbar':0.6608478, 'Fbar':0.6084788}}}	{'adversarial-sara-2-0.0169576059, 'Cbar':0.652758106738, 'Fbar':0.1260839386496, 'Fbar':0.2233668092, 'Fbar':0.0179551122, 'Fbar':0.0214463840, 'gaussian-0.0572817955, 'Cbar':0.8104738, 'Cbar':0.0572817955, 'F':0.01122195, 'F':0.000002993643, 'Fbar':0.765586, 'Fbar':0.394015}, 'salt-pepper-0.05': {'C':0.1298575369, 'Fbar':0.7381546, 'Cbar':0.1047382, 'F':0.00744139675, 'Fbar':0.8104738, 'Fbar':0.0007730673, 'speckle-0.15': {'C':0.146384052, 'Cbar':0.5885286, 'Cbar':0.0572817955, 'F':0.00952369, 'F':0.00952369, 'Fbar':0.6608478, 'Fbar':0.6084788}}}	

Table 33: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.18404	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.176559	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.177556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.172569	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.175561	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.167581	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.161596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.156608	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.157107	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.15611	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.18404	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.178554	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.178554	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.163092	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.155611	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.151621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.147631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.147631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.149127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.14813	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.186035	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.17606	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.173566	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.167581	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.161596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.158105	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.153117	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.151621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.149127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.14813	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.18404	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.176559	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.179052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.173067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.164589	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.157606	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.151621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.146633	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.153616	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.183042	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.163092	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.155112	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.154115	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.151621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.151122	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.145636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.146135	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.146135	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.142643	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.286783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.2798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.278803	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.278803	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.278304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.2798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.274813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.2798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.276309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.277805	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.286783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.279302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.2798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.2798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.283292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.285287	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.283292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.283292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.279302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.2798	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.284788	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.280798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.276808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.27581	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.280299	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.284788	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.276808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.281297	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.279302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.282793	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.286783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.281796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.276309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.27581	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.278803	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.283292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.283292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.279302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.278803	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.283292	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.284788	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.278803	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.280299	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.2798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.281297	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.280798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.279302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.280299	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.280299	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.280798	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.135162	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.133167	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.132668	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.125686	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.130175	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.121197	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.118204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.118204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.116708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.114713	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.135162	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.131671	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.134165	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.123691	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.116708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.113217	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.110723	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.108229	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.108728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.108229	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.13616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.133167	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.131671	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.123691	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.118703	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.116708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.113217	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.110723	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.107232	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.108728	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.135162	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.133167	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.134663	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.126185	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.121696	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.115212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.109227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.110224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.104239	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.113217	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.137157	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.119202	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.112718	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.112219	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.108728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.110224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.110723	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.108728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.108229	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.104738	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.232918	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.228928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.225935	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.227431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.226933	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.22793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.221945	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.226933	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.222943	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.225935	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.232918	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.225935	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.227431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.224439	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.229426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.229925	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.229925	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.231421	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.226434	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.226933	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.231421	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.229426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.22394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.224439	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.226434	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.230424	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.22394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.227431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.225935	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.229426	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.232918	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.229925	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.224439	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.222444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.227431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.230424	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.229426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.225935	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.225935	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.230424	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.231421	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.226434	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.228429	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.228429	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.228928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.227431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.226434	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.22793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.226933	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.226933	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Borda	Conditioned Quality	0.069825	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Borda	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Borda	Conditioned Quality	0.067332	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Borda	Conditioned Quality	0.068828	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Borda	Conditioned Quality	0.069327	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Borda	Conditioned Quality	0.069825	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Borda	Conditioned Quality	0.069825	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Borda	Conditioned Quality	0.070324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Borda	Conditioned Quality	0.071322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Borda	Conditioned Quality	0.070823	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.069825	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.074314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.072818	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.073317	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.07581	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.076309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.076309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.075312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.07581	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.075312	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	RRF	Conditioned Quality	0.070823	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	RRF	Conditioned Quality	0.073317	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	RRF	Conditioned Quality	0.070823	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	RRF	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	RRF	Conditioned Quality	0.075312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	RRF	Conditioned Quality	0.073815	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	RRF	Conditioned Quality	0.072319	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	RRF	Conditioned Quality	0.073815	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	RRF	Conditioned Quality	0.072319	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	RRF	Conditioned Quality	0.074314	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Schulze	Conditioned Quality	0.069825	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Schulze	Conditioned Quality	0.07581	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Schulze	Conditioned Quality	0.072319	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Schulze	Conditioned Quality	0.073815	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Schulze	Conditioned Quality	0.07581	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Schulze	Conditioned Quality	0.07581	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Schulze	Conditioned Quality	0.074314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Schulze	Conditioned Quality	0.07581	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Schulze	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Schulze	Conditioned Quality	0.073317	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.069327	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.070324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.069327	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.071322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.073815	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.074314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.072818	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.072319	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.072319	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.073317	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.086783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.088778	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.087781	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.087781	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.087781	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.087781	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.087282	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.086284	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.086284	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.086783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.086783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.087282	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.086783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.087282	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.086783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.086783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.086783	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.087781	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.086284	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.087781	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.086783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.087781	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.088279	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Borda	Conditioned Quality	0.0399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Borda	Conditioned Quality	0.042394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Borda	Conditioned Quality	0.034414	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Borda	Conditioned Quality	0.036908	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Borda	Conditioned Quality	0.038404	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Borda	Conditioned Quality	0.038903	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Borda	Conditioned Quality	0.037905	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Borda	Conditioned Quality	0.039401	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Borda	Conditioned Quality	0.037905	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Borda	Conditioned Quality	0.038903	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.0399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.040898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.040898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.039401	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.042893	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.041397	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.041397	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.041397	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.041397	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.040399	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	RRF	Conditioned Quality	0.040399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	RRF	Conditioned Quality	0.040399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	RRF	Conditioned Quality	0.038404	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	RRF	Conditioned Quality	0.0399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	RRF	Conditioned Quality	0.040898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	RRF	Conditioned Quality	0.040898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	RRF	Conditioned Quality	0.0399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	RRF	Conditioned Quality	0.040898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	RRF	Conditioned Quality	0.0399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	RRF	Conditioned Quality	0.040898	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Schulze	Conditioned Quality	0.0399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Schulze	Conditioned Quality	0.041895	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Schulze	Conditioned Quality	0.040898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Schulze	Conditioned Quality	0.041895	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Schulze	Conditioned Quality	0.040898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Schulze	Conditioned Quality	0.042394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Schulze	Conditioned Quality	0.040898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Schulze	Conditioned Quality	0.042893	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Schulze	Conditioned Quality	0.040898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Schulze	Conditioned Quality	0.039401	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.039401	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.0399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.036908	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.038404	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.039401	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.0399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.040399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.040898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.039401	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.0399	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.05187	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.052369	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.053367	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.053367	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.053367	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.053367	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbolition"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.053367	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbolition", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.053367	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbolition", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.052868	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbolition", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.05187	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.05187	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.05187	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.052369	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.052369	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.052369	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.052868	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.05187	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.05187	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.052369	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.052868	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.05187	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.05187	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.052369	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.052369	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.052369	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.05187	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.052369	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.05187	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.05187	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.05187	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.052369	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.052868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.052868	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.126185	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.129177	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.126185	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.12818	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.131671	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.131172	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.130175	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.12818	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.128678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.132668	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.126185	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.130175	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.129676	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.132668	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.133666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.133167	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.132668	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.135162	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.134663	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.132668	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.127182	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.129177	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.127681	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.129676	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.132668	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.133167	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.135162	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.133167	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.134663	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.135661	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.126185	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.129177	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.129676	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.129676	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.133167	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.131671	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.132668	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.134663	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.133167	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.135162	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.127182	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.129676	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.122693	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.124688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.124688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.126185	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.128678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.129676	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.127182	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.126683	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.147631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.147631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.149127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.149626	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.149127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.149127	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.147631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.14813	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.147631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.14813	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.147631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.147631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.14813	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.148628	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.070823	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.074314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.073815	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.073815	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.073317	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.072319	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.07182	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.073317	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.075312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.075312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.074314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.076808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.073815	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.077307	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.07581	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.076309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.076309	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.076808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.076309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.075312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.076309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.076808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.075312	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.074314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.068828	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.070823	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.070324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.073317	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.073317	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.073317	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.072319	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.091272	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.091771	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.091771	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.091272	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.090773	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.091272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090773	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.091272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090773	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbolition"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbolition", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbolition", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090274	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbolition", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbolition"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.090773	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Borda	Conditioned Quality	0.146633	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Borda	Conditioned Quality	0.147132	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Borda	Conditioned Quality	0.135162	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Borda	Conditioned Quality	0.137157	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Borda	Conditioned Quality	0.140648	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Borda	Conditioned Quality	0.143641	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Borda	Conditioned Quality	0.13616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Borda	Conditioned Quality	0.140648	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Borda	Conditioned Quality	0.14015	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Borda	Conditioned Quality	0.142145	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Kemeny	Conditioned Quality	0.146633	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Kemeny	Conditioned Quality	0.146135	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Kemeny	Conditioned Quality	0.147132	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Kemeny	Conditioned Quality	0.145137	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Kemeny	Conditioned Quality	0.149127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Kemeny	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Kemeny	Conditioned Quality	0.149127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Kemeny	Conditioned Quality	0.149626	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Kemeny	Conditioned Quality	0.147132	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Kemeny	Conditioned Quality	0.147132	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	RRF	Conditioned Quality	0.146135	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	RRF	Conditioned Quality	0.149127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	RRF	Conditioned Quality	0.147132	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	RRF	Conditioned Quality	0.146633	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	RRF	Conditioned Quality	0.149626	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	RRF	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	RRF	Conditioned Quality	0.149127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	RRF	Conditioned Quality	0.147631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	RRF	Conditioned Quality	0.144638	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	RRF	Conditioned Quality	0.144638	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Schulze	Conditioned Quality	0.146633	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Schulze	Conditioned Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Schulze	Conditioned Quality	0.146633	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Schulze	Conditioned Quality	0.147631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Schulze	Conditioned Quality	0.145636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Schulze	Conditioned Quality	0.149626	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Schulze	Conditioned Quality	0.146633	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb sorption"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Schulze	Conditioned Quality	0.150125	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb sorption", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Schulze	Conditioned Quality	0.146633	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb sorption", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Schulze	Conditioned Quality	0.147631	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb sorption", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.146633	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.147631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.142643	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.143142	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.142145	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.142145	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.141147	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.14414	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.14414	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.14414	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.174564	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.174564	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.177556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.177556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.177556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.175561	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.177556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.177057	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.177057	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.175062	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.174564	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.175561	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.173067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.174564	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.173067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.173566	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.175062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.173067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.173067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.173067	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.175062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.174065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.174065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.174065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.176559	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.175062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.175062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.175062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.174065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.17606	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.174564	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.174065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.174564	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.17207	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.17207	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.174564	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.174065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.173067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.174564	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.174564	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.175561	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.174564	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.175062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.175062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.174564	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.175062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.175062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.174065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.174564	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.173566	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Borda	Conditioned Quality	0.092269	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Borda	Conditioned Quality	0.089776	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Borda	Conditioned Quality	0.0798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Borda	Conditioned Quality	0.080299	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Borda	Conditioned Quality	0.083791	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Borda	Conditioned Quality	0.086284	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Borda	Conditioned Quality	0.082294	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Borda	Conditioned Quality	0.084788	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Borda	Conditioned Quality	0.085287	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Borda	Conditioned Quality	0.084289	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Kemeny	Conditioned Quality	0.092269	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Kemeny	Conditioned Quality	0.092269	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Kemeny	Conditioned Quality	0.094264	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Kemeny	Conditioned Quality	0.089776	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Kemeny	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Kemeny	Conditioned Quality	0.089277	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Kemeny	Conditioned Quality	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Kemeny	Conditioned Quality	0.089776	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Kemeny	Conditioned Quality	0.091272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Kemeny	Conditioned Quality	0.091771	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	RRF	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	RRF	Conditioned Quality	0.091272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	RRF	Conditioned Quality	0.093267	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	RRF	Conditioned Quality	0.091771	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	RRF	Conditioned Quality	0.092269	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	RRF	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	RRF	Conditioned Quality	0.091272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	RRF	Conditioned Quality	0.091771	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	RRF	Conditioned Quality	0.089776	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	RRF	Conditioned Quality	0.091272	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Schulze	Conditioned Quality	0.092269	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Schulze	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Schulze	Conditioned Quality	0.092768	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Schulze	Conditioned Quality	0.091771	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Schulze	Conditioned Quality	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Schulze	Conditioned Quality	0.091771	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Schulze	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Schulze	Conditioned Quality	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Schulze	Conditioned Quality	0.091771	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Schulze	Conditioned Quality	0.090274	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.091272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.091272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.085287	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.089776	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.086783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.088778	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.088279	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.114713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.115212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.118703	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.117706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.117706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.116708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.119202	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.117706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.118703	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.114713	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.114713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.116708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.113716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.116708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.112718	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.111721	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.114214	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.113716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.113716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.113716	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.115212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.115212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.117207	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.117706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.117207	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.113716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.114713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.115711	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.115711	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.116708	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.114713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.114713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.116209	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.115212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.113217	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.114214	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.115711	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.113716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.116209	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.115212	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.117207	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.115711	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.116209	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.115711	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.117706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.118204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.118703	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbolition"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.117706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbolition", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.118204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbolition", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.117207	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbolition", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	Borda	Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	Borda	Quality	0.155611	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	Borda	Quality	0.142643	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Borda	Quality	0.142643	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	Borda	Quality	0.150623	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Borda	Quality	0.153616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Borda	Quality	0.145636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbolition"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	Borda	Quality	0.143641	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	Borda	Quality	0.14414	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	Borda	Quality	0.141147	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	Kemeny	Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	Kemeny	Quality	0.153616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	Kemeny	Quality	0.161596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kemeny	Quality	0.157606	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	Kemeny	Quality	0.163092	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Kemeny	Quality	0.150623	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Kemeny	Quality	0.15611	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	Kemeny	Quality	0.156608	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	Kemeny	Quality	0.155611	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	Kemeny	Quality	0.15212	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	RRF	Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	RRF	Quality	0.159102	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	RRF	Quality	0.155611	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	RRF	Quality	0.157107	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	RRF	Quality	0.160599	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	RRF	Quality	0.159102	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	RRF	Quality	0.157606	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	RRF	Quality	0.156608	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	RRF	Quality	0.157107	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	RRF	Quality	0.15212	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	Schulze	Quality	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	Schulze	Quality	0.154115	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	Schulze	Quality	0.158603	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Schulze	Quality	0.15611	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	Schulze	Quality	0.158105	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Schulze	Quality	0.150623	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Schulze	Quality	0.161097	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	Schulze	Quality	0.157107	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	Schulze	Quality	0.154613	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	Schulze	Quality	0.151122	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	Simple Averaging	Quality	0.153616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	Simple Averaging	Quality	0.157107	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	Simple Averaging	Quality	0.154613	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Simple Averaging	Quality	0.155611	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	Simple Averaging	Quality	0.155611	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Simple Averaging	Quality	0.155112	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Simple Averaging	Quality	0.156608	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	Simple Averaging	Quality	0.157107	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	Simple Averaging	Quality	0.155611	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	Simple Averaging	Quality	0.153117	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	Borda	Quality	0.252868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	Borda	Quality	0.252369	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	Borda	Quality	0.256359	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Borda	Quality	0.258853	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	Borda	Quality	0.258853	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Borda	Quality	0.25586	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Borda	Quality	0.255362	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	Borda	Quality	0.258853	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	Borda	Quality	0.257855	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	Borda	Quality	0.258354	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	Kemeny	Quality	0.252868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	Kemeny	Quality	0.250374	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	Kemeny	Quality	0.25187	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kemeny	Quality	0.258354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	Kemeny	Quality	0.252868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Kemeny	Quality	0.255362	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Kemeny	Quality	0.257855	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	Kemeny	Quality	0.257855	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	Kemeny	Quality	0.254364	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	Kemeny	Quality	0.257357	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	RRF	Quality	0.254364	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	RRF	Quality	0.249875	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	RRF	Quality	0.257357	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	RRF	Quality	0.259352	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	RRF	Quality	0.254364	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	RRF	Quality	0.257357	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	RRF	Quality	0.254364	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	RRF	Quality	0.259352	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	RRF	Quality	0.255362	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	RRF	Quality	0.25985	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	Schulze	Quality	0.252868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	Schulze	Quality	0.252369	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	Schulze	Quality	0.254364	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Schulze	Quality	0.25187	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	Schulze	Quality	0.252868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Schulze	Quality	0.253865	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Schulze	Quality	0.254364	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	Schulze	Quality	0.257357	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	Schulze	Quality	0.256359	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	Schulze	Quality	0.260349	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	Simple Averaging	Quality	0.256858	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	Simple Averaging	Quality	0.254863	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	Simple Averaging	Quality	0.256858	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Simple Averaging	Quality	0.254364	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	Simple Averaging	Quality	0.253367	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Simple Averaging	Quality	0.251372	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Simple Averaging	Quality	0.254863	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	Simple Averaging	Quality	0.254863	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	Simple Averaging	Quality	0.258853	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	Simple Averaging	Quality	0.260349	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	Borda	Quality	0.102743	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	Borda	Quality	0.108728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	Borda	Quality	0.098753	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Borda	Quality	0.098753	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	Borda	Quality	0.101746	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Borda	Quality	0.105736	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Borda	Quality	0.100748	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	Borda	Quality	0.100249	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	Borda	Quality	0.102743	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	Borda	Quality	0.100748	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	Kemeny	Quality	0.102743	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	Kemeny	Quality	0.105237	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	Kemeny	Quality	0.111721	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kemeny	Quality	0.110224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	Kemeny	Quality	0.109726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Kemeny	Quality	0.102743	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Kemeny	Quality	0.107731	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	Kemeny	Quality	0.109227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	Kemeny	Quality	0.109726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	Kemeny	Quality	0.105237	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	RRF	Quality	0.102743	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	RRF	Quality	0.107731	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	RRF	Quality	0.108728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	RRF	Quality	0.106234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	RRF	Quality	0.106733	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	RRF	Quality	0.107232	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	RRF	Quality	0.106733	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	RRF	Quality	0.108229	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	RRF	Quality	0.110224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	RRF	Quality	0.109227	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	Schulze	Quality	0.102743	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	Schulze	Quality	0.108728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	Schulze	Quality	0.112219	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Schulze	Quality	0.108229	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	Schulze	Quality	0.107232	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Schulze	Quality	0.101247	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Schulze	Quality	0.109726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	Schulze	Quality	0.110723	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	Schulze	Quality	0.109726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	Schulze	Quality	0.108728	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	Simple Averaging	Quality	0.107232	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	Simple Averaging	Quality	0.109726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	Simple Averaging	Quality	0.109227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Simple Averaging	Quality	0.110723	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	Simple Averaging	Quality	0.110723	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Simple Averaging	Quality	0.110224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Simple Averaging	Quality	0.111222	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	Simple Averaging	Quality	0.113716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	Simple Averaging	Quality	0.108728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	Simple Averaging	Quality	0.106733	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	Borda	Quality	0.200998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	Borda	Quality	0.200499	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	Borda	Quality	0.204489	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Borda	Quality	0.205985	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	Borda	Quality	0.206983	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Borda	Quality	0.204489	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Borda	Quality	0.202993	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	Borda	Quality	0.207481	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	Borda	Quality	0.204988	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	Borda	Quality	0.20798	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	Kemeny	Quality	0.200998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	Kemeny	Quality	0.200499	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	Kemeny	Quality	0.200499	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kemeny	Quality	0.205985	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	Kemeny	Quality	0.201995	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Kemeny	Quality	0.201995	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Kemeny	Quality	0.205486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	Kemeny	Quality	0.20399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	Kemeny	Quality	0.202993	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	Kemeny	Quality	0.206484	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	RRF	Quality	0.202494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	RRF	Quality	0.197506	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	RRF	Quality	0.204988	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	RRF	Quality	0.20798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	RRF	Quality	0.202494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	RRF	Quality	0.204988	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	RRF	Quality	0.202993	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	RRF	Quality	0.20798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	RRF	Quality	0.204489	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	RRF	Quality	0.206983	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	Schulze	Quality	0.200998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	Schulze	Quality	0.201995	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	Schulze	Quality	0.202993	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Schulze	Quality	0.200998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	Schulze	Quality	0.200499	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Schulze	Quality	0.201496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Schulze	Quality	0.202494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	Schulze	Quality	0.204489	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	Schulze	Quality	0.204988	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	Schulze	Quality	0.20798	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	Simple Averaging	Quality	0.20399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	Simple Averaging	Quality	0.20399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	Simple Averaging	Quality	0.204988	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Simple Averaging	Quality	0.202993	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	Simple Averaging	Quality	0.201995	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Simple Averaging	Quality	0.2	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Simple Averaging	Quality	0.202494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	Simple Averaging	Quality	0.205486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	Simple Averaging	Quality	0.206484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	Simple Averaging	Quality	0.206983	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Borda	Robustness	0.03591	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Borda	Robustness	0.020948	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Borda	Robustness	0.034913	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Borda	Robustness	0.029925	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Borda	Robustness	0.024938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Borda	Robustness	0.013965	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Borda	Robustness	0.01596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Borda	Robustness	0.012968	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Borda	Robustness	0.012968	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Borda	Robustness	0.014963	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Kemeny	Robustness	0.03591	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Kemeny	Robustness	0.024938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.016958	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.005486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.007481	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Kemeny	Robustness	0.000998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.008479	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.008978	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.006484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.00399	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	RRF	Robustness	0.037905	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	RRF	Robustness	0.016958	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	RRF	Robustness	0.017955	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	RRF	Robustness	0.010474	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	RRF	Robustness	0.000998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	RRF	Robustness	-0.000998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	RRF	Robustness	-0.004489	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	RRF	Robustness	-0.004988	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	RRF	Robustness	-0.00798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	RRF	Robustness	-0.00399	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Schulze	Robustness	0.03591	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Schulze	Robustness	0.02244	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Schulze	Robustness	0.02044	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Schulze	Robustness	0.01695	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Schulze	Robustness	0.00648	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Schulze	Robustness	0.00698	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Schulze	Robustness	-0.00947	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Schulze	Robustness	-0.00847	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Schulze	Robustness	-0.00798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255 C		Schulze	Robustness	0.002494	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.029426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.005985	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.000499	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.001496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.00399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.00399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.010973	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.010973	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.009476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.010474	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 Cbar		Borda	Robustness	-0.033915	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.027431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.022444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.01995	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.019451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.02394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.019451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.020948	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.018454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.019451	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.033915	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.028928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.021446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.030424	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.029925	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.025436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.025436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.024938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.022444	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.030424	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.030923	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.019451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.016459	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.025935	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.027431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.022444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.021945	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.02394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.022943	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.033915	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.029426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.021945	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.02394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.025935	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.029426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.028928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.021945	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.022444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.022943	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.02394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.023441	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.025436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.029426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.024439	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.025436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.021446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.020449	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Borda	Robustness	0.032419	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Borda	Robustness	0.024439	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Borda	Robustness	0.033915	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Borda	Robustness	0.026933	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Borda	Robustness	0.028429	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Borda	Robustness	0.015461	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Borda	Robustness	0.017456	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Borda	Robustness	0.017955	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Borda	Robustness	0.013965	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Borda	Robustness	0.013965	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Kemeny	Robustness	0.032419	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Kemeny	Robustness	0.026434	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Kemeny	Robustness	0.022444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Kemeny	Robustness	0.013466	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Kemeny	Robustness	0.006983	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Kemeny	Robustness	0.010474	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Kemeny	Robustness	0.002993	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.000998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.000998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Kemeny	Robustness	0.002993	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	RRF	Robustness	0.033416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	RRF	Robustness	0.025436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	RRF	Robustness	0.022943	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255 F	F	RRF	Robustness	0.017456	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255 F	F	RRF	Robustness	0.01197	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255 F	F	RRF	Robustness	0.009476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255 F	F	RRF	Robustness	0.006484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255 F	F	RRF	Robustness	0.002494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.002993	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.000499	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F	F	Schulze	Robustness	0.032419	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	Schulze	Robustness	0.024439	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	Schulze	Robustness	0.022444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.017955	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.014464	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.013965	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Schulze	Robustness	-0.000499	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Schulze	Robustness	-0.000499	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Schulze	Robustness	-0.005486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Schulze	Robustness	0.004489	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.029925	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.009476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.003491	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.001496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.001995	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.000499	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.004988	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.000499	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.001995	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.03192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.028429	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.021446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.021446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.01995	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.023441	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.018953	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.019451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.017955	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.017955	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.03192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.025436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.026933	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.018454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.027431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.024439	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.027431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.023441	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.020449	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.028928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.03192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.018953	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.016459	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.02394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.025436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.020948	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.019451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.021446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.022444	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.03192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.021446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.021446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.026933	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.028928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.026933	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.021446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.020948	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.022444	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.027431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.022444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.023441	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.025436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.026933	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.027431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.02394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.022444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.020449	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.01995	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Borda	Robustness	-0.078304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Borda	Robustness	-0.080798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Borda	Robustness	-0.075312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Borda	Robustness	-0.073815	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Borda	Robustness	-0.081297	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Borda	Robustness	-0.083791	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Borda	Robustness	-0.07581	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Borda	Robustness	-0.073317	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Borda	Robustness	-0.072818	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Borda	Robustness	-0.070324	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Kemeny	Robustness	-0.078304	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Kemeny	Robustness	-0.079302	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Kemeny	Robustness	-0.088778	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Kemeny	Robustness	-0.084289	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Kemeny	Robustness	-0.087282	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Kemeny	Robustness	-0.074314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Kemeny	Robustness	-0.0798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Kemeny	Robustness	-0.081297	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Kemeny	Robustness	-0.0798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Kemeny	Robustness	-0.076808	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	RRF	Robustness	-0.077307	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	RRF	Robustness	-0.085786	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	RRF	Robustness	-0.084788	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	RRF	Robustness	-0.082294	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	RRF	Robustness	-0.085287	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	RRF	Robustness	-0.085287	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	RRF	Robustness	-0.085287	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	RRF	Robustness	-0.082793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	RRF	Robustness	-0.084788	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	RRF	Robustness	-0.077805	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Schulze	Robustness	-0.078304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Schulze	Robustness	-0.078304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Schulze	Robustness	-0.086284	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Schulze	Robustness	-0.082294	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Schulze	Robustness	-0.082294	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Schulze	Robustness	-0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Schulze	Robustness	-0.086783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Schulze	Robustness	-0.081297	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Schulze	Robustness	-0.0798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Schulze	Robustness	-0.077805	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Simple Averaging	Robustness	-0.084289	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Simple Averaging	Robustness	-0.086783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Simple Averaging	Robustness	-0.085287	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Simple Averaging	Robustness	-0.084289	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Simple Averaging	Robustness	-0.081796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Simple Averaging	Robustness	-0.080798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Simple Averaging	Robustness	-0.083791	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Simple Averaging	Robustness	-0.084788	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Simple Averaging	Robustness	-0.083292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Simple Averaging	Robustness	-0.0798	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Borda	Robustness	0.165586	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Borda	Robustness	0.165586	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Borda	Robustness	0.167581	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Borda	Robustness	0.170574	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Borda	Robustness	0.170574	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Borda	Robustness	0.16808	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Borda	Robustness	0.167581	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Borda	Robustness	0.171072	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Borda	Robustness	0.170075	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Borda	Robustness	0.171072	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.165586	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.16409	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.165586	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.171072	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.166085	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.168579	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.170574	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.170574	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.166085	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.170075	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	RRF	Robustness	0.167082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	RRF	Robustness	0.163092	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	RRF	Robustness	0.169077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	RRF	Robustness	0.17207	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	RRF	Robustness	0.167082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	RRF	Robustness	0.170075	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	RRF	Robustness	0.167082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	RRF	Robustness	0.171072	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	RRF	Robustness	0.167082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	RRF	Robustness	0.172569	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.165586	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.165586	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.167082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.164589	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.165586	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.166584	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.167581	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.170075	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.169077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.173566	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.169077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.168579	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.169077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.167082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.166085	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.164589	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.166584	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.167082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.170574	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.17207	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Borda	Robustness	-0.062843	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Borda	Robustness	-0.066334	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Borda	Robustness	-0.064339	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Borda	Robustness	-0.061845	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Borda	Robustness	-0.063342	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Borda	Robustness	-0.066833	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Borda	Robustness	-0.062843	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Borda	Robustness	-0.060848	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Borda	Robustness	-0.064838	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Borda	Robustness	-0.061845	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Kemeny	Robustness	-0.062843	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Kemeny	Robustness	-0.064339	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Kemeny	Robustness	-0.070823	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Kemeny	Robustness	-0.070823	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Kemeny	Robustness	-0.066833	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Kemeny	Robustness	-0.061347	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Kemeny	Robustness	-0.066334	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Kemeny	Robustness	-0.06783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Kemeny	Robustness	-0.068329	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Kemeny	Robustness	-0.064838	True	["Gradient Attribution", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	RRF	Robustness	-0.062344	False	["Gradient Attribution", "CheferTranformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	RRF	Robustness	-0.067332	False	["Gradient Attribution", "CheferTranformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	RRF	Robustness	-0.070324	False	["Gradient Attribution", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	RRF	Robustness	-0.066334	False	["Gradient Attribution", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	RRF	Robustness	-0.065835	False	["Gradient Attribution", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	RRF	Robustness	-0.066334	False	["Gradient Attribution", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	RRF	Robustness	-0.066833	False	["Gradient Attribution", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	RRF	Robustness	-0.067332	False	["Gradient Attribution", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	RRF	Robustness	-0.070324	False	["Gradient Attribution", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	RRF	Robustness	-0.068329	True	["Gradient Attribution", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Schulze	Robustness	-0.062843	False	["Gradient Attribution", "CheferTranformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Schulze	Robustness	-0.066833	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Schulze	Robustness	-0.071322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Schulze	Robustness	-0.066334	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Schulze	Robustness	-0.066334	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Schulze	Robustness	-0.058853	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Schulze	Robustness	-0.068828	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Schulze	Robustness	-0.06783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Schulze	Robustness	-0.068828	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Schulze	Robustness	-0.069327	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Simple Averaging	Robustness	-0.06783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Simple Averaging	Robustness	-0.069825	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Simple Averaging	Robustness	-0.072319	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Simple Averaging	Robustness	-0.072319	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Simple Averaging	Robustness	-0.071322	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Simple Averaging	Robustness	-0.070324	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Simple Averaging	Robustness	-0.070823	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Simple Averaging	Robustness	-0.072818	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Simple Averaging	Robustness	-0.069327	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Simple Averaging	Robustness	-0.066833	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Borda	Robustness	0.149127	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Borda	Robustness	0.14813	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Borda	Robustness	0.151621	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Borda	Robustness	0.152618	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Borda	Robustness	0.153616	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Borda	Robustness	0.151122	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Borda	Robustness	0.149626	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Borda	Robustness	0.154115	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Borda	Robustness	0.151621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Borda	Robustness	0.155112	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.149127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.153117	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.149626	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.149626	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.152618	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.151122	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.150623	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.153616	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	RRF	Robustness	0.150623	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	RRF	Robustness	0.145636	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	RRF	Robustness	0.152618	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	RRF	Robustness	0.155112	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	RRF	Robustness	0.149626	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	RRF	Robustness	0.15212	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	RRF	Robustness	0.150125	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	RRF	Robustness	0.155112	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	RRF	Robustness	0.151621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	RRF	Robustness	0.154115	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.149127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.150125	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.150125	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.14813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.148628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.150125	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.15212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.15212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.15611	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.151621	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.15212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.15212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.151122	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.150125	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.147631	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.149626	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.152618	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.153616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.154115	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Borda	Robustness	-0.021945	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Borda	Robustness	-0.026434	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Borda	Robustness	-0.016459	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Borda	Robustness	-0.014464	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Borda	Robustness	-0.018953	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Borda	Robustness	-0.022444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Borda	Robustness	-0.015461	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Borda	Robustness	-0.015461	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Borda	Robustness	-0.015461	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Borda	Robustness	-0.008479	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Kemeny	Robustness	-0.021945	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Kemeny	Robustness	-0.023441	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Kemeny	Robustness	-0.03192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Kemeny	Robustness	-0.024938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Kemeny	Robustness	-0.029426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Kemeny	Robustness	-0.017456	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Kemeny	Robustness	-0.023441	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Kemeny	Robustness	-0.021446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Kemeny	Robustness	-0.020948	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Kemeny	Robustness	-0.019451	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	RRF	Robustness	-0.020948	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	RRF	Robustness	-0.029925	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	RRF	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	RRF	Robustness	-0.027431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	RRF	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	RRF	Robustness	-0.025935	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	RRF	Robustness	-0.022444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	RRF	Robustness	-0.023441	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	RRF	Robustness	-0.022444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	RRF	Robustness	-0.016459	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Schulze	Robustness	-0.021945	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Schulze	Robustness	-0.024938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Schulze	Robustness	-0.028928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Schulze	Robustness	-0.026434	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Schulze	Robustness	-0.024938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Schulze	Robustness	-0.018953	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Schulze	Robustness	-0.028429	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Schulze	Robustness	-0.022444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Schulze	Robustness	-0.021446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Schulze	Robustness	-0.01596	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.026434	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.027431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.03192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.030923	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.030923	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.028928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.027431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.028429	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.026434	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.105237	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.104738	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.107731	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.109726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.110224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.107731	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.105736	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.109726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.109227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.109227	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.105237	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.102244	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.103741	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.110224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.104239	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.106733	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.109726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.109726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.106234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.109227	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.106733	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.101746	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.108728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.111222	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.106234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.105736	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.111222	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.107232	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.111721	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.105237	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.104738	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.106234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.103741	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.104239	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.105237	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.105736	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.108229	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.112219	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.108728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.106733	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.108728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.106234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.105237	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.103242	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.106234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.106733	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.110224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.111721	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Borda	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Borda	Robustness	-0.033915	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Borda	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Borda	Robustness	-0.024439	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Borda	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Borda	Robustness	-0.03192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Borda	Robustness	-0.027431	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Borda	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Borda	Robustness	-0.030923	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Borda	Robustness	-0.027431	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Kemeny	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Kemeny	Robustness	-0.029925	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Kemeny	Robustness	-0.036409	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Kemeny	Robustness	-0.03591	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Kemeny	Robustness	-0.032918	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Kemeny	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Kemeny	Robustness	-0.032918	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Kemeny	Robustness	-0.034414	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Kemeny	Robustness	-0.034913	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Kemeny	Robustness	-0.031421	True	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	RRF	Robustness	-0.028429	False	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	RRF	Robustness	-0.032918	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	RRF	Robustness	-0.034414	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	RRF	Robustness	-0.031421	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	RRF	Robustness	-0.029426	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	RRF	Robustness	-0.031421	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	RRF	Robustness	-0.03192	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	RRF	Robustness	-0.03192	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	RRF	Robustness	-0.035411	False	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	RRF	Robustness	-0.032918	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Schulze	Robustness	-0.02793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Schulze	Robustness	-0.033915	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Schulze	Robustness	-0.035411	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Schulze	Robustness	-0.03192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Schulze	Robustness	-0.03192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Schulze	Robustness	-0.026434	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Schulze	Robustness	-0.034913	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Schulze	Robustness	-0.034414	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Schulze	Robustness	-0.032918	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Schulze	Robustness	-0.033416	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.032918	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.034913	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.040399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.0399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.040399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.036908	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.037905	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.038903	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.035411	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.034414	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.110723	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.110224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.113716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.114713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.116209	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.113716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.111222	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115711	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.113716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.117207	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.110723	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.109227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.109726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.115212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.111222	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.111222	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.114713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.113217	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.112718	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.115711	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.112219	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.106733	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.113716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.117207	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.112219	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.114214	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.112219	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.117706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.113716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.116209	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.110723	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.111721	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.112219	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.110224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.109726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.110723	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.112219	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.114214	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.114713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.117706	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.113217	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.113217	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.114713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.112718	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.111721	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.109227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.111721	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.114713	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.115711	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.116209	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Borda	Robustness	-0.001496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Borda	Robustness	-0.008479	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Borda	Robustness	-0.007481	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Borda	Robustness	-0.005486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Borda	Robustness	-0.009975	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Borda	Robustness	-0.009975	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Borda	Robustness	-0.009476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Borda	Robustness	-0.002993	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Borda	Robustness	-0.00399	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Borda	Robustness	0.000998	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Kemeny	Robustness	-0.001496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Kemeny	Robustness	-0.007481	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Kemeny	Robustness	-0.014464	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Kemeny	Robustness	-0.012469	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Kemeny	Robustness	-0.013965	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Kemeny	Robustness	-0.002494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Kemeny	Robustness	-0.006983	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Kemeny	Robustness	-0.006983	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Kemeny	Robustness	-0.008479	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Kemeny	Robustness	-0.004988	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	RRF	Robustness	-0.001995	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	RRF	Robustness	-0.009975	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	RRF	Robustness	-0.008479	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	RRF	Robustness	-0.010474	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	RRF	Robustness	-0.010973	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	RRF	Robustness	-0.010973	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	RRF	Robustness	-0.008479	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	RRF	Robustness	-0.008978	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	RRF	Robustness	-0.012469	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	RRF	Robustness	-0.007481	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Schulze	Robustness	-0.001496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Schulze	Robustness	-0.005985	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Schulze	Robustness	-0.01197	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Schulze	Robustness	-0.008479	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Schulze	Robustness	-0.012469	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Schulze	Robustness	-0.000998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Schulze	Robustness	-0.014464	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Schulze	Robustness	-0.006983	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Schulze	Robustness	-0.00798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Schulze	Robustness	-0.003491	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Simple Averaging	Robustness	-0.006983	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Simple Averaging	Robustness	-0.009476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Simple Averaging	Robustness	-0.01197	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Simple Averaging	Robustness	-0.012469	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Simple Averaging	Robustness	-0.013466	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Simple Averaging	Robustness	-0.012968	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Simple Averaging	Robustness	-0.015461	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Simple Averaging	Robustness	-0.012968	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Simple Averaging	Robustness	-0.011471	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Simple Averaging	Robustness	-0.008978	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Borda	Robustness	0.078304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Borda	Robustness	0.077805	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Borda	Robustness	0.078803	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Borda	Robustness	0.081297	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Borda	Robustness	0.081297	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Borda	Robustness	0.080299	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Borda	Robustness	0.077805	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Borda	Robustness	0.081796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Borda	Robustness	0.080798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Borda	Robustness	0.083292	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.078304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.074813	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.078803	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.083791	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.0798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.081796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.082793	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.084788	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.081297	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.084289	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	RRF	Robustness	0.079302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	RRF	Robustness	0.07581	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	RRF	Robustness	0.083292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	RRF	Robustness	0.085287	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	RRF	Robustness	0.077805	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	RRF	Robustness	0.082294	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	RRF	Robustness	0.079302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	RRF	Robustness	0.084289	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	RRF	Robustness	0.081297	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	RRF	Robustness	0.083791	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGGrad ient", "FeatureAb ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Schulze	Robustness	0.078304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Schulze	Robustness	0.078304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Schulze	Robustness	0.0798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Schulze	Robustness	0.0798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Schulze	Robustness	0.080798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Schulze	Robustness	0.079302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Schulze	Robustness	0.080299	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Schulze	Robustness	0.084289	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Schulze	Robustness	0.081796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Schulze	Robustness	0.085786	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lention", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.081297	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.080299	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.081796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.079302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.078803	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.076309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.080798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084289	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.086783	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Borda	Robustness	-0.010474	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Borda	Robustness	-0.018953	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Borda	Robustness	-0.018953	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Borda	Robustness	-0.018454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Borda	Robustness	-0.017955	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Borda	Robustness	-0.019451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Borda	Robustness	-0.018454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbliation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Borda	Robustness	-0.015461	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbliation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Borda	Robustness	-0.017456	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbliation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Borda	Robustness	-0.016459	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbliation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Kemeny	Robustness	-0.010474	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbliation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Kemeny	Robustness	-0.012968	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Kemeny	Robustness	-0.017456	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Kemeny	Robustness	-0.020449	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Kemeny	Robustness	-0.019451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Kemeny	Robustness	-0.013466	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Kemeny	Robustness	-0.019451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Kemeny	Robustness	-0.019451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Kemeny	Robustness	-0.018454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Kemeny	Robustness	-0.013466	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	RRF	Robustness	-0.01197	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	RRF	Robustness	-0.016459	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	RRF	Robustness	-0.015461	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	RRF	Robustness	-0.014464	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	RRF	Robustness	-0.014464	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	RRF	Robustness	-0.016958	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	RRF	Robustness	-0.015461	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	RRF	Robustness	-0.016459	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	RRF	Robustness	-0.020449	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	RRF	Robustness	-0.017955	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Schulze	Robustness	-0.010474	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Schulze	Robustness	-0.018454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Schulze	Robustness	-0.019451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Schulze	Robustness	-0.016459	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Schulze	Robustness	-0.018953	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Schulze	Robustness	-0.009476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Schulze	Robustness	-0.019451	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Schulze	Robustness	-0.01995	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Schulze	Robustness	-0.017955	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Schulze	Robustness	-0.018454	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Simple Averaging	Robustness	-0.01596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Simple Averaging	Robustness	-0.018454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Simple Averaging	Robustness	-0.02394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Simple Averaging	Robustness	-0.023441	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Simple Averaging	Robustness	-0.020948	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Simple Averaging	Robustness	-0.01995	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Simple Averaging	Robustness	-0.024439	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Simple Averaging	Robustness	-0.024938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Simple Averaging	Robustness	-0.020449	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Simple Averaging	Robustness	-0.018454	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Borda	Robustness	0.086284	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Borda	Robustness	0.085287	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Borda	Robustness	0.085786	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Borda	Robustness	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Borda	Robustness	0.089277	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Borda	Robustness	0.087781	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Borda	Robustness	0.083791	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Borda	Robustness	0.089776	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Borda	Robustness	0.086284	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Borda	Robustness	0.093267	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.086284	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.083791	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.086783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.089277	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.089277	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.091272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.089277	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.092768	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb lation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	RRF	Robustness	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	RRF	Robustness	0.082294	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	RRF	Robustness	0.087781	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	RRF	Robustness	0.090274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	RRF	Robustness	0.085287	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	RRF	Robustness	0.091272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	RRF	Robustness	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lition"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	RRF	Robustness	0.092269	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lition"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	RRF	Robustness	0.088778	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lition", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	RRF	Robustness	0.090274	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lition", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Schulze	Robustness	0.086284	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAb lition", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Schulze	Robustness	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Schulze	Robustness	0.086783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Schulze	Robustness	0.085786	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Schulze	Robustness	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Schulze	Robustness	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Schulze	Robustness	0.086783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Schulze	Robustness	0.090773	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Schulze	Robustness	0.088778	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Schulze	Robustness	0.092768	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.086783	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.088778	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.087282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.084289	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.081796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.083791	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.087781	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.088279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.089776	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]

Table 34: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Borda	Quality	max	3	0.155611	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Borda	Quality	min	3	0.252369	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Borda	Quality	max	3	0.108728	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Borda	Quality	min	3	0.200499	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Borda	Robustness	max	2	0.03591	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Borda	Robustness	max	10	-0.018454	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Borda	Robustness	max	4	0.033915	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Borda	Robustness	max	10	-0.017955	[10,11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Borda	Robustness	max	11	-0.070324	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Borda	Robustness	max	9	0.171072	[9,11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Borda	Robustness	max	9	-0.060848	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAb", "PartialLRP"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Borda	Robustness	max	11	0.155112	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Borda	Robustness	max	11	-0.008479	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Borda	Robustness	max	6	0.110224	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Borda	Robustness	max	5	-0.024439	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Borda	Robustness	max	11	0.117207	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Borda	Robustness	max	11	0.000998	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Borda	Robustness	max	11	0.083292	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Borda	Robustness	max	2	-0.010474	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Borda	Robustness	max	11	0.093267	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Kemeny	Quality	max	6	0.163092	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Kemeny	Quality	min	3	0.250374	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Kemeny	Quality	max	4	0.111721	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Kemeny	Quality	min	3	0.200499	[3,4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Kemeny	Robustness	max	2	0.03591	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	max	5	-0.021446	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Kemeny	Robustness	max	2	0.032419	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	max	5	-0.018454	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Kemeny	Robustness	max	7	-0.074314	[7]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Kemeny	Robustness	max	5	0.171072	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Kemeny	Robustness	max	7	-0.061347	[7]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Kemeny	Robustness	max	11	0.153616	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Kemeny	Robustness	max	7	-0.017456	[7]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Kemeny	Robustness	max	5	0.110224	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Kemeny	Robustness	max	2	-0.02793	[2,7]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Kemeny	Robustness	max	11	0.115711	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Kemeny	Robustness	max	2	-0.001496	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Kemeny	Robustness	max	9	0.084788	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Kemeny	Robustness	max	2	-0.010474	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Kemeny	Robustness	max	11	0.092768	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	RRF	Quality	max	6	0.160599	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	RRF	Quality	min	3	0.249875	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	RRF	Quality	max	10	0.110224	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	RRF	Quality	min	3	0.197506	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	RRF	Robustness	max	2	0.037905	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	RRF	Robustness	max	5	-0.016459	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	RRF	Robustness	max	2	0.033416	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	RRF	Robustness	max	5	-0.016459	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	RRF	Robustness	max	2	-0.077307	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	RRF	Robustness	max	11	0.172569	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	RRF	Robustness	max	2	-0.062344	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	RRF	Robustness	max	5	0.155112	[5,9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	RRF	Robustness	max	11	-0.016459	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	RRF	Robustness	max	11	0.111721	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	RRF	Robustness	max	2	-0.028429	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	RRF	Robustness	max	9	0.117706	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	RRF	Robustness	max	2	-0.001995	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	RRF	Robustness	max	5	0.085287	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	RRF	Robustness	max	2	-0.01197	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	RRF	Robustness	max	9	0.092269	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Schulze	Quality	max	8	0.161097	[8]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Schulze	Quality	min	5	0.25187	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Schulze	Quality	max	4	0.112219	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Schulze	Quality	min	6	0.200499	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Schulze	Robustness	max	2	0.03591	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Schulze	Robustness	max	4	-0.021945	[4,9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Schulze	Robustness	max	2	0.032419	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Schulze	Robustness	max	10	-0.020948	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Schulze	Robustness	max	7	-0.074813	[7]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Schulze	Robustness	max	11	0.173566	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Schulze	Robustness	max	7	-0.058853	[7]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Schulze	Robustness	max	11	0.15611	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAbelation", "PartialLRP", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Schulze	Robustness	max	11	-0.01596	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Schulze	Robustness	max	11	0.112219	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Schulze	Robustness	max	7	-0.026434	[7]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Schulze	Robustness	max	11	0.117706	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Schulze	Robustness	max	7	-0.000998	[7]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Schulze	Robustness	max	11	0.085786	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Schulze	Robustness	max	7	-0.009476	[7]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Schulze	Robustness	max	11	0.092768	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Simple Averaging	Quality	max	3	0.157107	[3,9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Simple Averaging	Quality	min	7	0.251372	[7]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Simple Averaging	Quality	max	9	0.113716	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblication", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Simple Averaging	Quality	min	7	0.2	[7]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Simple Averaging	Robustness	max	2	0.029426	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	max	11	-0.020449	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblication", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Simple Averaging	Robustness	max	2	0.029925	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	max	11	-0.01995	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblication", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Simple Averaging	Robustness	max	11	-0.0798	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblication", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Simple Averaging	Robustness	max	11	0.17207	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblication", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Simple Averaging	Robustness	max	11	-0.066833	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblication", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Simple Averaging	Robustness	max	11	0.154115	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblication", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Simple Averaging	Robustness	max	2	-0.026434	[2,11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	max	11	0.111721	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Simple Averaging	Robustness	max	2	-0.032918	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	max	11	0.116209	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Simple Averaging	Robustness	max	2	-0.006983	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Simple Averaging	Robustness	max	11	0.086783	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Simple Averaging	Robustness	max	2	-0.01596	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Simple Averaging	Robustness	max	11	0.089776	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGradient", "FeatureAblation", "PartialLRP", "Attention GradCAM", "FullLRP"]

Table 35: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.107232	0.20399	0.153616	0.256858	0.039401	0.052369	0.069327	0.087781	0.074314	0.090773	0.127182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.102743	0.200998	0.14813	0.252868	0.0399	0.05187	0.069825	0.087282	0.074813	0.090274	0.126185
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.102743	0.202494	0.14813	0.254364	0.040399	0.05187	0.070823	0.087282	0.074314	0.090274	0.127182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.102743	0.200998	0.14813	0.252868	0.0399	0.05187	0.069825	0.087282	0.074813	0.090274	0.126185
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.102743	0.200998	0.14813	0.252868	0.0399	0.05187	0.069825	0.087282	0.074813	0.090274	0.126185
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]	0.109726	0.20399	0.157107	0.254863	0.0399	0.05187	0.070324	0.086284	0.074813	0.090773	0.129676
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]	0.108728	0.200499	0.155611	0.252369	0.042394	0.052369	0.074813	0.086783	0.074813	0.090274	0.129177
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]	0.107731	0.197506	0.159102	0.249875	0.040399	0.05187	0.073317	0.086783	0.074813	0.090773	0.129177
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]	0.105237	0.200499	0.153616	0.250374	0.040898	0.05187	0.074314	0.086284	0.075312	0.091272	0.130175
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients"]	0.108728	0.201995	0.154115	0.252369	0.041895	0.05187	0.07581	0.086783	0.074813	0.090274	0.129177
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]	0.109227	0.204988	0.154613	0.256858	0.036908	0.052868	0.069327	0.087781	0.068828	0.090274	0.122693
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]	0.098753	0.204489	0.142643	0.256359	0.034414	0.052868	0.067332	0.088778	0.070823	0.090773	0.126185
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]	0.108728	0.204988	0.155611	0.257357	0.038404	0.052369	0.070823	0.088279	0.074314	0.091272	0.127681
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]	0.111721	0.200499	0.161596	0.25187	0.040898	0.05187	0.072818	0.086284	0.075312	0.090773	0.129676
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion"]	0.112219	0.202993	0.158603	0.254364	0.040898	0.052868	0.072319	0.087282	0.076808	0.090773	0.129676

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Simple Averaging	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Integrated Gradients', 'Occlusion', 'Gradient Shap']	0.110723	0.202993	0.155611	0.254364	0.038404	0.05187	0.071322	0.087282	0.070823	0.090274	0.124688
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Borda	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Integrated Gradients', 'Occlusion', 'Gradient Shap']	0.098753	0.205985	0.142643	0.258853	0.036908	0.053367	0.068828	0.088279	0.074314	0.091272	0.12818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	RRF	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Integrated Gradients', 'Occlusion', 'Gradient Shap']	0.106234	0.20798	0.157107	0.259352	0.0399	0.052868	0.074813	0.087282	0.074813	0.090773	0.129676
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Kemeny	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Integrated Gradients', 'Occlusion', 'Gradient Shap']	0.110224	0.205985	0.157606	0.258354	0.039401	0.052868	0.073317	0.087282	0.074314	0.090773	0.132668
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Schulze	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Integrated Gradients', 'Occlusion', 'Gradient Shap']	0.108229	0.200998	0.15611	0.25187	0.041895	0.052868	0.073815	0.087282	0.076309	0.090773	0.129676
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Simple Averaging	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Integrated Gradients', 'Occlusion', 'Gradient Shap']	0.110723	0.201995	0.155611	0.253367	0.039401	0.05187	0.073815	0.087282	0.070324	0.090274	0.124688
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Borda	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Integrated Gradients', 'Occlusion', 'Gradient Shap', 'Saliency']	0.101746	0.206983	0.150623	0.258853	0.038404	0.053367	0.069327	0.088279	0.073815	0.090773	0.131671
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	RRF	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Integrated Gradients', 'Occlusion', 'Gradient Shap', 'Saliency']	0.106733	0.202494	0.160599	0.254364	0.040898	0.052868	0.075312	0.087282	0.077307	0.090274	0.132668
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Kemeny	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Integrated Gradients', 'Occlusion', 'Gradient Shap', 'Saliency']	0.109726	0.201995	0.163092	0.252868	0.042893	0.052369	0.07581	0.086783	0.076808	0.090773	0.133666
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Schulze	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Integrated Gradients', 'Occlusion', 'Gradient Shap', 'Saliency']	0.107232	0.200499	0.158105	0.252868	0.040898	0.052369	0.07581	0.087282	0.075312	0.090773	0.133167
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Simple Averaging	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Integrated Gradients', 'Occlusion', 'Gradient Shap', 'Saliency']	0.110224	0.2	0.155112	0.251372	0.0399	0.052369	0.074314	0.086783	0.073317	0.090773	0.126185
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Borda	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Integrated Gradients', 'Occlusion', 'Gradient Shap', 'Saliency', 'InputXGrad ient']	0.105736	0.204489	0.153616	0.25586	0.038903	0.053367	0.069825	0.087781	0.073815	0.090773	0.131172

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{dirty}	C_{clean}	C_{dirty}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]	0.107232	0.204988	0.159102	0.257357	0.040898	0.052868	0.073815	0.087282	0.07581	0.090773	0.133167
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]	0.102743	0.201995	0.150623	0.255362	0.041397	0.052369	0.076309	0.086783	0.074813	0.090773	0.133167
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]	0.101247	0.201496	0.150623	0.253865	0.042394	0.052868	0.07581	0.087282	0.074813	0.090773	0.131671
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient"]	0.111222	0.202494	0.156608	0.254863	0.040399	0.052868	0.072818	0.088279	0.073317	0.090773	0.128678
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]	0.100748	0.202993	0.145636	0.255362	0.037905	0.053367	0.069825	0.087781	0.073317	0.091771	0.130175
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]	0.106733	0.202993	0.157606	0.254364	0.0399	0.052868	0.072319	0.087282	0.074813	0.090773	0.135162
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]	0.107731	0.205486	0.15611	0.257855	0.041397	0.052868	0.076309	0.087282	0.074813	0.090773	0.132668
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]	0.109726	0.202494	0.161097	0.254364	0.040898	0.052369	0.074314	0.086783	0.074813	0.090274	0.132668
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation"]	0.113716	0.205486	0.157107	0.254863	0.040898	0.052868	0.072319	0.087781	0.074813	0.090773	0.129676
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]	0.100249	0.207481	0.143641	0.258853	0.039401	0.053367	0.070324	0.087781	0.072319	0.091771	0.12818

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{data}	C_{clean}	C_{data}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]	0.108229	0.20798	0.156608	0.259352	0.040898	0.052868	0.073815	0.088279	0.076309	0.090274	0.133167
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]	0.109227	0.20399	0.156608	0.257855	0.041397	0.052868	0.075312	0.087282	0.074813	0.090773	0.135162
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]	0.110723	0.204489	0.157107	0.257357	0.042893	0.052369	0.07581	0.087282	0.076309	0.090274	0.134663
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP"]	0.108728	0.206484	0.155611	0.258853	0.039401	0.052868	0.072319	0.088279	0.073317	0.090773	0.127182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]	0.102743	0.204988	0.14414	0.257855	0.037905	0.053367	0.071322	0.087781	0.07182	0.091272	0.128678
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]	0.110224	0.204489	0.157107	0.255362	0.0399	0.052868	0.072319	0.088279	0.074813	0.090773	0.134663
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]	0.109726	0.202993	0.155611	0.254364	0.041397	0.052369	0.07581	0.088279	0.074813	0.090274	0.134663
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM"]	0.109726	0.204988	0.154613	0.256359	0.040898	0.052868	0.074813	0.087282	0.076808	0.090274	0.133167
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Simple Averaging	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]	0.106733	0.206983	0.153117	0.260349	0.0399	0.052868	0.073317	0.088279	0.072319	0.090773	0.126683

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	$\bar{F}$ Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Borda	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]	0.100748	0.20798	0.141147	0.258354	0.038903	0.052868	0.070823	0.087282	0.073317	0.090773	0.132668
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	RRF	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]	0.109227	0.206983	0.15212	0.25985	0.040898	0.052868	0.074314	0.087282	0.076309	0.090773	0.135661
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Kemeny	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]	0.105237	0.206484	0.15212	0.257357	0.040399	0.052868	0.075312	0.087282	0.073815	0.090773	0.132668
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Schulze	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Integrated Gradients", "Occlusion", "Gradient Shap", "Saliency", "InputXGrad ient", "FeatureAbl ation", "PartialLRP", "Attention GradCAM", "FullLRP"]	0.108728	0.20798	0.151122	0.260349	0.039401	0.05187	0.073317	0.086783	0.075312	0.090274	0.135162

Table 36: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Q	C Perturbed Salt-pep per-0.05	F Perturbed Speckle- 0.15	F Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	F Perturbed Adversar ial-sara -2-255	F Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	R_F Gaussian- 0.15	R_F Gaussian- 0.15	R_C Gaussian- 0.15	R_C Gaussian- 0.15	R_F Salt-pepper-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.14813	0.091272	0.117207	0.146633	0.175561	0.137157	0.231421	0.183042	0.284788	-0.06783	0.151621	-0.084289	0.169077	-0.032918
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.147631	0.092269	0.114713	0.146633	0.174564	0.135162	0.232918	0.18404	0.286783	-0.062843	0.149127	-0.078304	0.165586	-0.02793
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.147631	0.090773	0.115212	0.146135	0.175062	0.13616	0.231421	0.186035	0.284788	-0.062344	0.150623	-0.077307	0.167082	-0.028429
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.147631	0.092269	0.114713	0.146633	0.174564	0.135162	0.232918	0.18404	0.286783	-0.062843	0.149127	-0.078304	0.165586	-0.02793
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.147631	0.092269	0.114713	0.146633	0.174564	0.135162	0.232918	0.18404	0.286783	-0.062843	0.149127	-0.078304	0.165586	-0.02793
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.14813	0.091272	0.115711	0.147631	0.174564	0.119202	0.226434	0.163092	0.278803	-0.069825	0.15212	-0.086783	0.168579	-0.034913
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.147631	0.089776	0.115212	0.147132	0.174564	0.133167	0.228928	0.176559	0.2798	-0.066334	0.14813	-0.080798	0.165586	-0.033915
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.14813	0.091272	0.115212	0.149127	0.174065	0.133167	0.229426	0.17606	0.280798	-0.067332	0.145636	-0.085786	0.163092	-0.032918
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.14813	0.092269	0.116708	0.146135	0.175561	0.131671	0.225935	0.176554	0.279302	-0.064339	0.148628	-0.079302	0.16409	-0.029925
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.147631	0.090274	0.114713	0.14813	0.174065	0.133167	0.229925	0.176554	0.281796	-0.066833	0.150125	-0.078304	0.165586	-0.033915
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.14813	0.085287	0.116209	0.142643	0.175062	0.112718	0.228429	0.155112	0.280299	-0.072319	0.15212	-0.085287	0.169077	-0.040399
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.148628	0.0798	0.118703	0.135162	0.177556	0.132668	0.225935	0.177556	0.278803	-0.064339	0.151621	-0.075312	0.167581	-0.02793
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.148628	0.093267	0.117207	0.147132	0.174065	0.131671	0.22394	0.173566	0.276808	-0.070324	0.152618	-0.084788	0.169077	-0.034414
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.14813	0.094264	0.113716	0.147132	0.173067	0.134165	0.227431	0.178554	0.2798	-0.070823	0.148628	-0.088778	0.165586	-0.036409
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.14813	0.092768	0.116209	0.146633	0.174564	0.134663	0.224439	0.179052	0.276309	-0.071322	0.150125	-0.086284	0.167082	-0.035411
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.14813	0.087282	0.115711	0.143142	0.175062	0.112219	0.228429	0.154115	0.2798	-0.072319	0.151122	-0.084289	0.167082	-0.0399
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.149127	0.080299	0.117706	0.137157	0.177556	0.125686	0.227431	0.172569	0.278803	-0.061845	0.152618	-0.073815	0.170574	-0.024439
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.14813	0.091771	0.117706	0.146633	0.174065	0.123691	0.224439	0.167581	0.27581	-0.066334	0.155112	-0.082294	0.17207	-0.031421
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.14813	0.089776	0.116708	0.145137	0.174564	0.123691	0.224439	0.163092	0.2798	-0.070823	0.153117	-0.084289	0.171072	-0.03591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.14813	0.091771	0.115212	0.147631	0.17207	0.126185	0.222444	0.173067	0.27581	-0.066334	0.14813	-0.082294	0.164589	-0.03192
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.14813	0.089776	0.117706	0.142145	0.174564	0.108728	0.228928	0.151621	0.281297	-0.071322	0.150125	-0.081796	0.166085	-0.040399
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.148628	0.083791	0.117706	0.140648	0.177556	0.130175	0.226933	0.175561	0.278304	-0.063342	0.153616	-0.081297	0.170574	-0.02793
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.14813	0.092269	0.117207	0.149626	0.176559	0.118703	0.226434	0.161596	0.280299	-0.065835	0.149626	-0.085287	0.167082	-0.029426
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.148628	0.090274	0.112718	0.149127	0.173067	0.116708	0.229426	0.155611	0.283292	-0.066833	0.149626	-0.087282	0.166085	-0.032918
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.148628	0.088279	0.113217	0.145636	0.17207	0.121696	0.227431	0.164589	0.278803	-0.066334	0.14813	-0.082294	0.165586	-0.03192
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.14813	0.090274	0.118204	0.142145	0.175062	0.110224	0.227431	0.151122	0.280798	-0.070324	0.147631	-0.080798	0.164589	-0.036908
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.14813	0.086284	0.116708	0.143641	0.175561	0.121197	0.22793	0.167581	0.2798	-0.066833	0.151122	-0.083791	0.16808	-0.03192
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.14813	0.090274	0.113716	0.14813	0.175062	0.116708	0.230424	0.158105	0.284788	-0.066334	0.15212	-0.085287	0.170075	-0.031421
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.148628	0.089277	0.111721	0.14813	0.173566	0.113217	0.229925	0.151621	0.285287	-0.061347	0.149626	-0.074314	0.168579	-0.02793
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.148628	0.091771	0.114214	0.149626	0.174564	0.115212	0.230424	0.157606	0.283292	-0.058853	0.148628	-0.074813	0.166584	-0.026434
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.148628	0.086783	0.118703	0.141147	0.175062	0.110723	0.226434	0.145636	0.279302	-0.070823	0.149626	-0.083791	0.166584	-0.037905
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.149626	0.082294	0.119202	0.13616	0.177556	0.118204	0.221945	0.161596	0.274813	-0.062843	0.149626	-0.07581	0.167581	-0.027431
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.148628	0.091272	0.114713	0.149127	0.175062	0.113217	0.22394	0.153117	0.276808	-0.066833	0.150125	-0.085287	0.167082	-0.03192
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.14813	0.088279	0.114214	0.149127	0.175062	0.110723	0.229925	0.147631	0.283292	-0.066334	0.152618	-0.0798	0.170574	-0.032918
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.148628	0.090274	0.115711	0.146633	0.174065	0.109227	0.229426	0.151621	0.283292	-0.068828	0.150125	-0.086783	0.167581	-0.034913
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.14813	0.088778	0.117706	0.14414	0.174065	0.108728	0.22793	0.146135	0.280299	-0.072818	0.152618	-0.084788	0.167082	-0.038903
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.149127	0.084788	0.117706	0.140648	0.177057	0.118204	0.226933	0.156608	0.2798	-0.060848	0.154115	-0.073317	0.171072	-0.02793
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.14813	0.091771	0.115711	0.147631	0.175062	0.110723	0.227431	0.151621	0.281297	-0.067332	0.155112	-0.082793	0.171072	-0.03192
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.14813	0.089776	0.113716	0.149626	0.173067	0.108229	0.231421	0.147631	0.283292	-0.06783	0.151122	-0.081297	0.170574	-0.034414
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.14813	0.090773	0.113716	0.150125	0.173067	0.110224	0.225935	0.148628	0.279302	-0.06783	0.15212	-0.081297	0.170075	-0.034414
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.148628	0.088279	0.118204	0.14414	0.174564	0.108229	0.226933	0.146135	0.280299	-0.069327	0.153616	-0.083292	0.170574	-0.035411
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.148628	0.085287	0.118703	0.14015	0.177057	0.116708	0.222943	0.157107	0.276309	-0.064838	0.151621	-0.072818	0.170075	-0.030923
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.14813	0.089776	0.115711	0.144638	0.174065	0.107232	0.225935	0.149127	0.279302	-0.070324	0.151621	-0.084788	0.167082	-0.035411
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.14813	0.091272	0.113716	0.147132	0.173067	0.108728	0.226434	0.149127	0.279302	-0.068329	0.150623	-0.0798	0.166085	-0.034913
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.14813	0.091771	0.116209	0.146633	0.174564	0.104239	0.225935	0.146633	0.278803	-0.068828	0.15212	-0.0798	0.169077	-0.032918
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.148628	0.088279	0.117207	0.14414	0.173566	0.104738	0.226933	0.142643	0.280798	-0.066833	0.154115	-0.0798	0.17207	-0.034414
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.149127	0.084289	0.114713	0.142145	0.175062	0.114713	0.225935	0.15611	0.277805	-0.061845	0.155112	-0.070324	0.171072	-0.027431
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.14813	0.091272	0.116708	0.144638	0.17606	0.108728	0.229426	0.14813	0.282793	-0.068329	0.154115	-0.077805	0.172569	-0.032918
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.14813	0.091771	0.113716	0.147132	0.173067	0.108229	0.226933	0.14813	0.2798	-0.064838	0.153616	-0.076808	0.170075	-0.031421
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.14813	0.090274	0.115212	0.147631	0.174564	0.113217	0.230424	0.153616	0.283292	-0.069327	0.15611	-0.077805	0.173566	-0.033416

Table 37: DermaMNIST-ViT-B/16

Cell	Dataset	Model	q	R_F Salt-pepper	R_C Salt-pepper	R_G Salt-pepper	R_F Speckle-0	R_C Speckle-0	R_G Speckle-0	R_F Speckle-0	R_C Speckle-0	R_G Speckle-0	R_F Multisaria	R_C Multisaria	R_G Multisaria	R_F Adversarial	R_C Adversarial	R_G Adversarial	R_F Adversarial	R_C Adversarial	R_G Adversarial
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.113217	-0.026434	0.108728	-0.01596	0.086783	-0.006983	0.081297	0.029925	-0.027431	0.029426	-0.02793	-0.02793	-0.02793	-0.02793	-0.02793	-0.02793	-0.02793	-0.02793
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.110723	-0.021945	0.105237	-0.010474	0.086284	-0.001496	0.078304	0.032419	-0.03192	0.03591	-0.033915	-0.033915	-0.033915	-0.033915	-0.033915	-0.033915	-0.033915	-0.033915
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.112219	-0.020948	0.106733	-0.01197	0.087282	-0.001995	0.079302	0.033416	-0.028928	0.037905	-0.030424	-0.030424	-0.030424	-0.030424	-0.030424	-0.030424	-0.030424	-0.030424
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.110723	-0.021945	0.105237	-0.010474	0.086284	-0.001496	0.078304	0.032419	-0.03192	0.03591	-0.033915	-0.033915	-0.033915	-0.033915	-0.033915	-0.033915	-0.033915	-0.033915
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.110723	-0.021945	0.105237	-0.010474	0.086284	-0.001496	0.078304	0.032419	-0.03192	0.03591	-0.033915	-0.033915	-0.033915	-0.033915	-0.033915	-0.033915	-0.033915	-0.033915
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.113217	-0.027431	0.106733	-0.018454	0.088279	-0.009476	0.080299	0.009476	-0.022444	0.005985	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.110224	-0.026434	0.104738	-0.018953	0.085287	-0.008479	0.077805	0.024439	-0.028429	0.020948	-0.027431	-0.027431	-0.027431	-0.027431	-0.027431	-0.027431	-0.027431	-0.027431
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.106733	-0.029925	0.101746	-0.016459	0.089294	-0.009975	0.07581	0.025436	-0.03192	0.016958	-0.030923	-0.030923	-0.030923	-0.030923	-0.030923	-0.030923	-0.030923	-0.030923
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.109227	-0.023441	0.102244	-0.012968	0.083791	-0.007481	0.074813	0.026434	-0.025436	0.024938	-0.028928	-0.028928	-0.028928	-0.028928	-0.028928	-0.028928	-0.028928	-0.028928
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.111721	-0.024938	0.104738	-0.018454	0.087282	-0.005985	0.078304	0.024439	-0.02793	0.022444	-0.029426	-0.029426	-0.029426	-0.029426	-0.029426	-0.029426	-0.029426	-0.029426
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.114713	-0.03192	0.108728	-0.02394	0.088778	-0.01197	0.081796	0.003491	-0.023441	0.000499	-0.023441	-0.023441	-0.023441	-0.023441	-0.023441	-0.023441	-0.023441	-0.023441
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.113716	-0.016459	0.107731	-0.018953	0.085786	-0.007481	0.078803	0.033915	-0.021446	0.034913	-0.022444	-0.022444	-0.022444	-0.022444	-0.022444	-0.022444	-0.022444	-0.022444
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.113716	-0.02793	0.108728	-0.015461	0.087781	-0.008479	0.083292	0.022943	-0.018953	0.017955	-0.019451	-0.019451	-0.019451	-0.019451	-0.019451	-0.019451	-0.019451	-0.019451
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.109726	-0.03192	0.103741	-0.017456	0.086783	-0.014464	0.078803	0.022444	-0.026933	0.016958	-0.02793	-0.02793	-0.02793	-0.02793	-0.02793	-0.02793	-0.02793	-0.02793
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.112219	-0.028928	0.106234	-0.019451	0.086783	-0.01197	0.0798	0.022444	-0.021446	0.020449	-0.021945	-0.021945	-0.021945	-0.021945	-0.021945	-0.021945	-0.021945	-0.021945
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.112718	-0.030923	0.106234	-0.023441	0.087282	-0.012469	0.079302	0.001496	-0.025436	-0.001496	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.114713	-0.014464	0.109726	-0.018454	0.088279	-0.005486	0.081297	0.026933	-0.021446	0.029925	-0.01995	-0.01995	-0.01995	-0.01995	-0.01995	-0.01995	-0.01995	-0.01995
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.117207	-0.027431	0.111222	-0.014464	0.090274	-0.010474	0.085287	0.017456	-0.016459	0.010474	-0.016459	-0.016459	-0.016459	-0.016459	-0.016459	-0.016459	-0.016459	-0.016459
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.115212	-0.024938	0.110224	-0.020449	0.089277	-0.012469	0.083791	0.013466	-0.018454	0.005486	-0.021446	-0.021446	-0.021446	-0.021446	-0.021446	-0.021446	-0.021446	-0.021446
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.110224	-0.026434	0.103741	-0.016459	0.085786	-0.008479	0.0798	0.017955	-0.021446	0.016958	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.111721	-0.030923	0.105237	-0.020948	0.084289	-0.013466	0.078803	-0.001995	-0.026933	-0.00399	-0.02793	-0.02793	-0.02793	-0.02793	-0.02793	-0.02793	-0.02793	-0.02793
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.116209	-0.018953	0.110224	-0.017955	0.089277	-0.009975	0.081297	0.028429	-0.01995	0.024938	-0.019451	-0.019451	-0.019451	-0.019451	-0.019451	-0.019451	-0.019451	-0.019451
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.112219	-0.02793	0.106234	-0.014464	0.085287	-0.010973	0.077805	0.01197	-0.02394	0.000998	-0.025935	-0.025935	-0.025935	-0.025935	-0.025935	-0.025935	-0.025935	-0.025935
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.111222	-0.029426	0.104239	-0.019451	0.089277	-0.013965	0.0798	0.006983	-0.027431	-0.007481	-0.030424	-0.030424	-0.030424	-0.030424	-0.030424	-0.030424	-0.030424	-0.030424
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.109726	-0.024938	0.104239	-0.018953	0.087282	-0.012469	0.080798	0.014464	-0.026933	0.006484	-0.025935	-0.025935	-0.025935	-0.025935	-0.025935	-0.025935	-0.025935	-0.025935
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.109227	-0.028928	0.103242	-0.01995	0.081796	-0.012968	0.076309	0	-0.027431	-0.00399	-0.029426	-0.029426	-0.029426	-0.029426	-0.029426	-0.029426	-0.029426	-0.029426
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.113716	-0.022444	0.107731	-0.019451	0.087781	-0.009975	0.080299	0.015461	-0.023441	0.013965	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.114214	-0.025935	0.109227	-0.016958	0.091272	-0.010973	0.082294	0.009476	-0.025436	-0.000998	-0.027431	-0.027431	-0.027431	-0.027431	-0.027431	-0.027431	-0.027431	-0.027431
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.111222	-0.017456	0.106733	-0.013466	0.090274	-0.002494	0.081796	0.010474	-0.02793	0.000998	-0.029925	-0.029925	-0.029925	-0.029925	-0.029925	-0.029925	-0.029925	-0.029925
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.110723	-0.018953	0.105237	-0.009476	0.087282	-0.000998	0.079302	0.013965	-0.028928	0.006983	-0.029426	-0.029426	-0.029426	-0.029426	-0.029426	-0.029426	-0.029426	-0.029426
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.111721	-0.02793	0.106234	-0.024439	0.083791	-0.015461	0.0798	-0.000499	-0.02394	-0.010973	-0.024439	-0.024439	-0.024439	-0.024439	-0.024439	-0.024439	-0.024439	-0.024439
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.111222	-0.015461	0.105736	-0.018454	0.083791	-0.009476	0.077805	0.017456	-0.018953	0.01596	-0.019451	-0.019451	-0.019451	-0.019451	-0.019451	-0.019451	-0.019451	-0.019451
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.112219	-0.022444	0.105736	-0.015461	0.088279	-0.008479	0.079302	0.006484	-0.020948	-0.004489	-0.022444	-0.022444	-0.022444	-0.022444	-0.022444	-0.022444	-0.022444	-0.022444
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.114713	-0.023441	0.109726	-0.019451	0.091272	-0.006983	0.082793	0.002993	-0.024439	-0.008479	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.112219	-0.028429	0.105736	-0.019451	0.086783	-0.014464	0.080299	-0.000499	-0.026933	-0.009476	-0.028928	-0.028928	-0.028928	-0.028928	-0.028928	-0.028928	-0.028928	-0.028928
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.114713	-0.027431	0.106733	-0.024938	0.087781	-0.012968	0.080798	-0.004988	-0.022444	-0.010973	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.115711	-0.015461	0.109726	-0.015461	0.089776	-0.002993	0.081796	0.017955	-0.019451	0.012968	-0.020948	-0.020948	-0.020948	-0.020948	-0.020948	-0.020948	-0.020948	-0.020948
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.117706	-0.023441	0.111222	-0.016459	0.092269	-0.008978	0.084289	0.002494	-0.019451	-0.004988	-0.021945	-0.021945	-0.021945	-0.021945	-0.021945	-0.021945	-0.021945	-0.021945
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.113217	-0.021446	0.109726	-0.019451	0.090274	-0.006983	0.084788	-0.000998	-0.027431	-0.008978	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436	-0.025436
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.114214	-0.022444	0.109227	-0.01995	0.090773	-0.006983	0.084289	-0.000499	-0.021446	-0.008479	-0.021945	-0.021945	-0.021945	-0.021945	-0.021945	-0.021945	-0.021945	-0.021945
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.115711	-0.028429	0.110224	-0.020449	0.088279	-0.011471	0.084289	-0.000499	-0.020449	-0.009476	-0.021446	-0.021446	-0.021446	-0.021446	-0.021446	-0.021446	-0.021446	-0.021446
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.113716	-0.015461	0.109227	-0.017456	0.086284	-0.00399	0.080798	0.013965	-0.017955	0.012968	-0.018454	-0.018454	-0.018454	-0.018454	-0.018454	-0.018454	-0.018454	-0.018454
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.113716	-0.022444	0.107232	-0.020449	0.088778	-0.012469	0.081297	-0.002993	-0.021446	-0.00798	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394	-0.02394
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.1																	

Table 38: DermaMNIST-ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Simple Averaging	F	quality	0.117706	clean__selected_best_individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Simple Averaging	Fbar	quality	0.213466	clean__selected_best_individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Simple Averaging	C	quality	0.176559	clean__selected_best_individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Simple Averaging	Cbar	quality	0.272818	clean__selected_best_individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Simple Averaging	R_F_g	robustness	0.065337	clean__selected_best_individual	0.050374	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.133167	clean__selected_best_individual	0.137656	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Simple Averaging	R_C_g	robustness	0.067332	clean__selected_best_individual	0.052868	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.130175	clean__selected_best_individual	0.135661	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.048878	clean__selected_best_individual	0.036908	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.122195	clean__selected_best_individual	0.123691	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.040898	clean__selected_best_individual	0.033416	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.110723	clean__selected_best_individual	0.113716	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Simple Averaging	R_F_s	robustness	0.023441	clean__selected_best_individual	0.010474	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.092269	clean__selected_best_individual	0.088778	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Simple Averaging	R_C_s	robustness	0.030923	clean__selected_best_individual	0.021446	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.084788	clean__selected_best_individual	0.083292	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Simple Averaging	R_F_a	robustness	0.023441	clean__selected_best_individual	0.015461	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.011471	clean__selected_best_individual	0.016459	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Simple Averaging	R_C_a	robustness	0.052868	clean__selected_best_individual	0.040898	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.011471	clean__selected_best_individual	0.017456	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Simple Averaging	F	quality	0.117706	naive_q11	0.114713	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Simple Averaging	Fbar	quality	0.213466	naive_q11	0.211471	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Simple Averaging	C	quality	0.176559	naive_q11	0.170574	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Simple Averaging	Cbar	quality	0.272818	naive_q11	0.271322	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Simple Averaging	R_F_g	robustness	0.065337	naive_q11	0.05985	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.133167	naive_q11	0.132668	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Simple Averaging	R_C_g	robustness	0.067332	naive_q11	0.061845	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.130175	naive_q11	0.129177	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.048878	naive_q11	0.04389	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.122195	naive_q11	0.1202	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.040898	naive_q11	0.033416	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.110723	naive_q11	0.107232	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Simple Averaging	R_F_s	robustness	0.023441	naive_q11	0.022943	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.092269	naive_q11	0.091272	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Simple Averaging	R_C_s	robustness	0.030923	naive_q11	0.022444	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.084788	naive_q11	0.083791	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Simple Averaging	R_F_a	robustness	0.023441	naive_q11	0.020449	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.011471	naive_q11	0.016958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Simple Averaging	R_C_a	robustness	0.052868	naive_q11	0.046883	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.011471	naive_q11	0.015461	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Simple Averaging	F	quality	0.117706	NOISE__spearman	0.114713	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Simple Averaging	Fbar	quality	0.213466	NOISE__spearman	0.211471	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Simple Averaging	C	quality	0.176559	NOISE__spearman	0.170574	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Simple Averaging	Cbar	quality	0.272818	NOISE__spearman	0.271322	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Simple Averaging	R_F_g	robustness	0.065337	NOISE_ spearman	0.05985	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.133167	NOISE_ spearman	0.132668	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Simple Averaging	R_C_g	robustness	0.067332	NOISE_ spearman	0.061845	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.130175	NOISE_ spearman	0.129177	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.048878	NOISE_ spearman	0.04389	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.122195	NOISE_ spearman	0.1202	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.040898	NOISE_ spearman	0.033416	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.110723	NOISE_ spearman	0.107232	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Simple Averaging	R_F_s	robustness	0.023441	NOISE_ spearman	0.022943	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.092269	NOISE_ spearman	0.091272	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Simple Averaging	R_C_s	robustness	0.030923	NOISE_ spearman	0.022444	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.084788	NOISE_ spearman	0.083791	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Simple Averaging	R_F_a	robustness	0.023441	NOISE_ spearman	0.020449	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.011471	NOISE_ spearman	0.016958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Simple Averaging	R_C_a	robustness	0.052868	NOISE_ spearman	0.046883	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.011471	NOISE_ spearman	0.015461	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Simple Averaging	F	quality	0.117706	NOISE_ kendall	0.114713	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Simple Averaging	Fbar	quality	0.213466	NOISE_ kendall	0.211471	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Simple Averaging	C	quality	0.176559	NOISE_ kendall	0.170574	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Simple Averaging	Cbar	quality	0.272818	NOISE_ kendall	0.271322	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Simple Averaging	R_F_g	robustness	0.065337	NOISE_ kendall	0.05985	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.133167	NOISE_ kendall	0.132668	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Simple Averaging	R_C_g	robustness	0.067332	NOISE_ kendall	0.061845	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.130175	NOISE_ kendall	0.129177	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.048878	NOISE_ kendall	0.04389	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.122195	NOISE_ kendall	0.1202	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.040898	NOISE_ kendall	0.033416	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.110723	NOISE_ kendall	0.107232	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Simple Averaging	R_F_s	robustness	0.023441	NOISE_ kendall	0.022943	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.092269	NOISE_ kendall	0.091272	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Simple Averaging	R_C_s	robustness	0.030923	NOISE_ kendall	0.022444	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.084788	NOISE_ kendall	0.083791	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Simple Averaging	R_F_a	robustness	0.023441	NOISE_ kendall	0.020449	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.011471	NOISE_ kendall	0.016958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Simple Averaging	R_C_a	robustness	0.052868	NOISE_ kendall	0.046883	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.011471	NOISE_ kendall	0.015461	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Borda	F	quality	0.116708	clean_ selected_best_ individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Borda	Fbar	quality	0.205486	clean_ selected_best_ individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Borda	C	quality	0.169077	clean_ selected_best_ individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Borda	Cbar	quality	0.264838	clean_ selected_best_ individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Borda	R_F_g	robustness	0.061845	clean_ selected_best_ individual	0.050374	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.127182	clean_ selected_best_ individual	0.137656	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Borda	R_C_g	robustness	0.060349	clean__selected_best_individual	0.052868	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.123192	clean__selected_best_individual	0.135661	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Borda	R_F_p	robustness	0.047382	clean__selected_best_individual	0.036908	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.115212	clean__selected_best_individual	0.123691	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Borda	R_C_p	robustness	0.028928	clean__selected_best_individual	0.033416	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.103741	clean__selected_best_individual	0.113716	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Borda	R_F_s	robustness	0.028928	clean__selected_best_individual	0.010474	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.087781	clean__selected_best_individual	0.088778	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Borda	R_C_s	robustness	0.028928	clean__selected_best_individual	0.021446	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.076309	clean__selected_best_individual	0.083292	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Borda	R_F_a	robustness	0.021945	clean__selected_best_individual	0.015461	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.027431	clean__selected_best_individual	0.016459	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Borda	R_C_a	robustness	0.039401	clean__selected_best_individual	0.040898	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.027431	clean__selected_best_individual	0.017456	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Borda	F	quality	0.116708	naive_q11	0.109726	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Borda	Fbar	quality	0.205486	naive_q11	0.211471	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Borda	C	quality	0.169077	naive_q11	0.166085	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Borda	Cbar	quality	0.264838	naive_q11	0.270823	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Borda	R_F_g	robustness	0.061845	naive_q11	0.050873	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.127182	naive_q11	0.133167	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Borda	R_C_g	robustness	0.060349	naive_q11	0.05187	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.123192	naive_q11	0.128678	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Borda	R_F_p	robustness	0.047382	naive_q11	0.038404	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.115212	naive_q11	0.1202	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Borda	R_C_p	robustness	0.028928	naive_q11	0.028928	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.103741	naive_q11	0.107731	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Borda	R_F_s	robustness	0.028928	naive_q11	0.018454	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.087781	naive_q11	0.092269	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Borda	R_C_s	robustness	0.028928	naive_q11	0.017955	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.076309	naive_q11	0.082793	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Borda	R_F_a	robustness	0.021945	naive_q11	0.021945	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.027431	naive_q11	0.016459	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Borda	R_C_a	robustness	0.039401	naive_q11	0.045885	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.027431	naive_q11	0.017456	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Borda	F	quality	0.116708	NOISE__spearman	0.109726	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Borda	Fbar	quality	0.205486	NOISE__spearman	0.211471	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Borda	C	quality	0.169077	NOISE__spearman	0.166085	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Borda	Cbar	quality	0.264838	NOISE__spearman	0.270823	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Borda	R_F_g	robustness	0.061845	NOISE__spearman	0.050873	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.127182	NOISE__spearman	0.133167	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Borda	R_C_g	robustness	0.060349	NOISE__spearman	0.05187	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.123192	NOISE__spearman	0.128678	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Borda	R_F_p	robustness	0.047382	NOISE__spearman	0.038404	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.115212	NOISE__spearman	0.1202	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Borda	R_C_p	robustness	0.028928	NOISE__spearman	0.028928	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.103741	NOISE__spearman	0.107731	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Borda	R_F_s	robustness	0.028928	NOISE__spearman	0.018454	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.087781	NOISE__spearman	0.092269	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Borda	R_C_s	robustness	0.028928	NOISE__spearman	0.017955	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.076309	NOISE_spearman	0.082793	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Borda	R_F_a	robustness	0.021945	NOISE_spearman	0.021945	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.027431	NOISE_spearman	0.016459	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Borda	R_C_a	robustness	0.039401	NOISE_spearman	0.045885	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.027431	NOISE_spearman	0.017456	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Borda	F	quality	0.116708	NOISE_kendall	0.109726	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Borda	Fbar	quality	0.205486	NOISE_kendall	0.211471	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Borda	C	quality	0.169077	NOISE_kendall	0.166085	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Borda	Cbar	quality	0.264838	NOISE_kendall	0.270823	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Borda	R_F_g	robustness	0.061845	NOISE_kendall	0.050873	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.127182	NOISE_kendall	0.133167	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Borda	R_C_g	robustness	0.060349	NOISE_kendall	0.05187	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.123192	NOISE_kendall	0.128678	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Borda	R_F_p	robustness	0.047382	NOISE_kendall	0.038404	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.115212	NOISE_kendall	0.1202	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Borda	R_C_p	robustness	0.028928	NOISE_kendall	0.028928	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.103741	NOISE_kendall	0.107731	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Borda	R_F_s	robustness	0.028928	NOISE_kendall	0.018454	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.087781	NOISE_kendall	0.092269	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Borda	R_C_s	robustness	0.028928	NOISE_kendall	0.017955	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.076309	NOISE_kendall	0.082793	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Borda	R_F_a	robustness	0.021945	NOISE_kendall	0.021945	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.027431	NOISE_kendall	0.016459	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Borda	R_C_a	robustness	0.039401	NOISE_kendall	0.045885	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.027431	NOISE_kendall	0.017456	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Kemeny	F	quality	0.123192	clean_selected_best_individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Kemeny	Fbar	quality	0.210973	clean_selected_best_individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Kemeny	C	quality	0.182544	clean_selected_best_individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Kemeny	Cbar	quality	0.271322	clean_selected_best_individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Kemeny	R_F_g	robustness	0.065337	clean_selected_best_individual	0.050374	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.134165	clean_selected_best_individual	0.137656	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Kemeny	R_C_g	robustness	0.066334	clean_selected_best_individual	0.052868	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.130673	clean_selected_best_individual	0.135661	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Kemeny	R_F_p	robustness	0.050374	clean_selected_best_individual	0.036908	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.122195	clean_selected_best_individual	0.123691	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Kemeny	R_C_p	robustness	0.042893	clean_selected_best_individual	0.033416	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.108229	clean_selected_best_individual	0.113716	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Kemeny	R_F_s	robustness	0.028429	clean_selected_best_individual	0.010474	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.091272	clean_selected_best_individual	0.088778	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference clean_ selected_best_ individual	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Kemeny	R_C_s	robustness	0.03192	clean_ selected_best_ individual	0.021446	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.082793	clean_ selected_best_ individual	0.083292	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Kemeny	R_F_a	robustness	0.025935	clean_ selected_best_ individual	0.015461	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.024938	clean_ selected_best_ individual	0.016459	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Kemeny	R_C_a	robustness	0.052369	clean_ selected_best_ individual	0.040898	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.024439	clean_ selected_best_ individual	0.017456	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Kemeny	F	quality	0.123192	naive_q11	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Kemeny	Fbar	quality	0.210973	naive_q11	0.210973	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Kemeny	C	quality	0.182544	naive_q11	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Kemeny	Cbar	quality	0.271322	naive_q11	0.27182	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Kemeny	R_F_g	robustness	0.065337	naive_q11	0.057855	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.134165	naive_q11	0.134663	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Kemeny	R_C_g	robustness	0.066334	naive_q11	0.056858	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.130673	naive_q11	0.133167	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Kemeny	R_F_p	robustness	0.050374	naive_q11	0.041397	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.122195	naive_q11	0.121696	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Kemeny	R_C_p	robustness	0.042893	naive_q11	0.032419	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.108229	naive_q11	0.109726	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Kemeny	R_F_s	robustness	0.028429	naive_q11	0.020948	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.091272	naive_q11	0.092269	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Kemeny	R_C_s	robustness	0.03192	naive_q11	0.019451	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.082793	naive_q11	0.086284	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Kemeny	R_F_a	robustness	0.025935	naive_q11	0.024938	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.024938	naive_q11	0.018953	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Kemeny	R_C_a	robustness	0.052369	naive_q11	0.048878	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.024439	naive_q11	0.018454	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Kemeny	F	quality	0.123192	NOISE_ spearman	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Kemeny	Fbar	quality	0.210973	NOISE_ spearman	0.210973	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Kemeny	C	quality	0.182544	NOISE_ spearman	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Kemeny	Cbar	quality	0.271322	NOISE_ spearman	0.27182	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Kemeny	R_F_g	robustness	0.065337	NOISE_ spearman	0.057855	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.134165	NOISE_ spearman	0.134663	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Kemeny	R_C_g	robustness	0.066334	NOISE_ spearman	0.056858	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.130673	NOISE_ spearman	0.133167	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Kemeny	R_F_p	robustness	0.050374	NOISE_ spearman	0.041397	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.122195	NOISE_ spearman	0.121696	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Kemeny	R_C_p	robustness	0.042893	NOISE_ spearman	0.032419	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.108229	NOISE_ spearman	0.109726	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Kemeny	R_F_s	robustness	0.028429	NOISE_ spearman	0.020948	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.091272	NOISE_ spearman	0.092269	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Kemeny	R_C_s	robustness	0.03192	NOISE_ spearman	0.019451	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.082793	NOISE_ spearman	0.086284	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Kemeny	R_F_a	robustness	0.025935	NOISE_ spearman	0.024938	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.024938	NOISE_ spearman	0.018953	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Kemeny	R_C_a	robustness	0.052369	NOISE_ spearman	0.048878	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.024439	NOISE_ spearman	0.018454	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Kemeny	F	quality	0.123192	NOISE_ kendall	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Kemeny	Fbar	quality	0.210973	NOISE_ kendall	0.210973	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Kemeny	C	quality	0.182544	NOISE_ kendall	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Kemeny	Cbar	quality	0.271322	NOISE_ kendall	0.27182	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Kemeny	R_F_g	robustness	0.065337	NOISE_ kendall	0.057855	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.134165	NOISE_ kendall	0.134663	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Kemeny	R_C_g	robustness	0.066334	NOISE_kendall	0.056858	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.130673	NOISE_kendall	0.133167	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Kemeny	R_F_p	robustness	0.050374	NOISE_kendall	0.041397	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.122195	NOISE_kendall	0.121696	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Kemeny	R_C_p	robustness	0.042893	NOISE_kendall	0.032419	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.108229	NOISE_kendall	0.109726	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Kemeny	R_F_s	robustness	0.028429	NOISE_kendall	0.020948	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.091272	NOISE_kendall	0.092269	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Kemeny	R_C_s	robustness	0.03192	NOISE_kendall	0.019451	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.082793	NOISE_kendall	0.086284	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Kemeny	R_F_a	robustness	0.025935	NOISE_kendall	0.024938	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.024938	NOISE_kendall	0.018953	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Kemeny	R_C_a	robustness	0.052369	NOISE_kendall	0.048878	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.024439	NOISE_kendall	0.018454	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	RRF	F	quality	0.121197	clean_selected_best_individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	RRF	Fbar	quality	0.209476	clean_selected_best_individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	RRF	C	quality	0.182544	clean_selected_best_individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	RRF	Cbar	quality	0.268828	clean_selected_best_individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	RRF	R_F_g	robustness	0.063342	clean_selected_best_individual	0.050374	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.131671	clean_selected_best_individual	0.137656	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	RRF	R_C_g	robustness	0.067332	clean_selected_best_individual	0.052868	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.12818	clean_selected_best_individual	0.135661	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	RRF	R_F_p	robustness	0.046883	clean_selected_best_individual	0.036908	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.119701	clean_selected_best_individual	0.123691	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	RRF	R_C_p	robustness	0.0399	clean_selected_best_individual	0.033416	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.108229	clean_selected_best_individual	0.113716	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	RRF	R_F_s	robustness	0.025935	clean_selected_best_individual	0.010474	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.090274	clean_selected_best_individual	0.088778	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	RRF	R_C_s	robustness	0.032918	clean_selected_best_individual	0.021446	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.081796	clean_selected_best_individual	0.083292	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	RRF	R_F_a	robustness	0.026434	clean_selected_best_individual	0.015461	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.01995	clean_selected_best_individual	0.016459	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	RRF	R_C_a	robustness	0.05187	clean_selected_best_individual	0.040898	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.020449	clean_selected_best_individual	0.017456	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	RRF	F	quality	0.121197	naive_q11	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	RRF	Fbar	quality	0.209476	naive_q11	0.213965	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	RRF	C	quality	0.182544	naive_q11	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	RRF	Cbar	quality	0.268828	naive_q11	0.272319	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	RRF	R_F_g	robustness	0.063342	naive_q11	0.058354	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.131671	naive_q11	0.138653	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	RRF	R_C_g	robustness	0.067332	naive_q11	0.058354	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.12818	naive_q11	0.134165	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	RRF	R_F_p	robustness	0.046883	naive_q11	0.041397	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.119701	naive_q11	0.12419	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	RRF	R_C_p	robustness	0.0399	naive_q11	0.033416	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.108229	naive_q11	0.110224	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	RRF	R_F_s	robustness	0.025935	naive_q11	0.019451	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.090274	naive_q11	0.094763	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	RRF	R_C_s	robustness	0.032918	naive_q11	0.021945	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.081796	naive_q11	0.086783	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	RRF	R_F_a	robustness	0.026434	naive_q11	0.021945	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.01995	naive_q11	0.017955	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	RRF	R_C_a	robustness	0.05187	naive_q11	0.049377	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.020449	naive_q11	0.019451	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	RRF	F	quality	0.121197	NOISE_ spearman	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	RRF	Fbar	quality	0.209476	NOISE_ spearman	0.213965	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	RRF	C	quality	0.182544	NOISE_ spearman	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	RRF	Cbar	quality	0.268828	NOISE_ spearman	0.272319	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	RRF	R_F_g	robustness	0.063342	NOISE_ spearman	0.058354	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.131671	NOISE_ spearman	0.138653	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	RRF	R_C_g	robustness	0.067332	NOISE_ spearman	0.058354	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.12818	NOISE_ spearman	0.134165	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	RRF	R_F_p	robustness	0.046883	NOISE_ spearman	0.041397	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.119701	NOISE_ spearman	0.12419	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	RRF	R_C_p	robustness	0.0399	NOISE_ spearman	0.033416	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.108229	NOISE_ spearman	0.110224	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	RRF	R_F_s	robustness	0.025935	NOISE_ spearman	0.019451	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.090274	NOISE_ spearman	0.094763	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	RRF	R_C_s	robustness	0.032918	NOISE_ spearman	0.021945	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.081796	NOISE_ spearman	0.086783	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	RRF	R_F_a	robustness	0.026434	NOISE_ spearman	0.021945	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.01995	NOISE_ spearman	0.017955	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	RRF	R_C_a	robustness	0.05187	NOISE_ spearman	0.049377	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.020449	NOISE_ spearman	0.019451	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	RRF	F	quality	0.121197	NOISE_ kendall	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	RRF	Fbar	quality	0.209476	NOISE_ kendall	0.213965	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	RRF	C	quality	0.182544	NOISE_ kendall	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	RRF	Cbar	quality	0.268828	NOISE_ kendall	0.272319	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	RRF	R_F_g	robustness	0.063342	NOISE_ kendall	0.058354	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.131671	NOISE_ kendall	0.138653	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	RRF	R_C_g	robustness	0.067332	NOISE_ kendall	0.058354	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.12818	NOISE_ kendall	0.134165	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	RRF	R_F_p	robustness	0.046883	NOISE_ kendall	0.041397	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.119701	NOISE_ kendall	0.12419	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	RRF	R_C_p	robustness	0.0399	NOISE_ kendall	0.033416	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.108229	NOISE_ kendall	0.110224	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	RRF	R_F_s	robustness	0.025935	NOISE_ kendall	0.019451	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.090274	NOISE_ kendall	0.094763	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	RRF	R_C_s	robustness	0.032918	NOISE_ kendall	0.021945	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.081796	NOISE_ kendall	0.086783	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	RRF	R_F_a	robustness	0.026434	NOISE_ kendall	0.021945	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.01995	NOISE_kendall	0.017955	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	RRF	R_C_a	robustness	0.05187	NOISE_kendall	0.049377	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.020449	NOISE_kendall	0.019451	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Schulze	F	quality	0.121696	clean_selected_best_individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Schulze	Fbar	quality	0.207481	clean_selected_best_individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Schulze	C	quality	0.18005	clean_selected_best_individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Schulze	Cbar	quality	0.26783	clean_selected_best_individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Schulze	R_F_g	robustness	0.064339	clean_selected_best_individual	0.050374	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.129676	clean_selected_best_individual	0.137656	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Schulze	R_C_g	robustness	0.065337	clean_selected_best_individual	0.052868	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.127182	clean_selected_best_individual	0.135661	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Schulze	R_F_p	robustness	0.04788	clean_selected_best_individual	0.036908	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.119202	clean_selected_best_individual	0.123691	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Schulze	R_C_p	robustness	0.038903	clean_selected_best_individual	0.033416	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.106733	clean_selected_best_individual	0.113716	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Schulze	R_F_s	robustness	0.024439	clean_selected_best_individual	0.010474	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.088279	clean_selected_best_individual	0.088778	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Schulze	R_C_s	robustness	0.026933	clean_selected_best_individual	0.021446	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.080299	clean_selected_best_individual	0.083292	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Schulze	R_F_a	robustness	0.025935	clean_selected_best_individual	0.015461	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.022943	clean_selected_best_individual	0.016459	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Schulze	R_C_a	robustness	0.048878	clean_selected_best_individual	0.040898	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.02394	clean_selected_best_individual	0.017456	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Schulze	F	quality	0.121696	naive_q11	0.119202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Schulze	Fbar	quality	0.207481	naive_q11	0.210474	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Schulze	C	quality	0.18005	naive_q11	0.175062	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Schulze	Cbar	quality	0.26783	naive_q11	0.271322	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Schulze	R_F_g	robustness	0.064339	naive_q11	0.05985	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.129676	naive_q11	0.133666	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Schulze	R_C_g	robustness	0.065337	naive_q11	0.057855	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.127182	naive_q11	0.132668	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Schulze	R_F_p	robustness	0.04788	naive_q11	0.044888	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.119202	naive_q11	0.120698	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Schulze	R_C_p	robustness	0.038903	naive_q11	0.032918	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.106733	naive_q11	0.109227	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Schulze	R_F_s	robustness	0.024439	naive_q11	0.023441	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.088279	naive_q11	0.091272	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Schulze	R_C_s	robustness	0.026933	naive_q11	0.022943	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.080299	naive_q11	0.084289	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Schulze	R_F_a	robustness	0.025935	naive_q11	0.029925	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.022943	naive_q11	0.022943	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Schulze	R_C_a	robustness	0.048878	naive_q11	0.05187	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.02394	naive_q11	0.021446	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Schulze	F	quality	0.121696	NOISE_spearman	0.119202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Schulze	Fbar	quality	0.207481	NOISE_spearman	0.210474	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Schulze	C	quality	0.18005	NOISE_spearman	0.175062	max	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Schulze	Cbar	quality	0.26783	NOISE_ spearman	0.271322	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Schulze	R_F_g	robustness	0.064339	NOISE_ spearman	0.05985	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.129676	NOISE_ spearman	0.133666	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Schulze	R_C_g	robustness	0.065337	NOISE_ spearman	0.057855	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.127182	NOISE_ spearman	0.132668	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Schulze	R_F_p	robustness	0.04788	NOISE_ spearman	0.044888	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.119202	NOISE_ spearman	0.120698	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Schulze	R_C_p	robustness	0.038903	NOISE_ spearman	0.032918	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.106733	NOISE_ spearman	0.109227	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Schulze	R_F_s	robustness	0.024439	NOISE_ spearman	0.023441	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.088279	NOISE_ spearman	0.091272	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Schulze	R_C_s	robustness	0.026933	NOISE_ spearman	0.022943	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.080299	NOISE_ spearman	0.084289	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Schulze	R_F_a	robustness	0.025935	NOISE_ spearman	0.029925	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.022943	NOISE_ spearman	0.022943	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Schulze	R_C_a	robustness	0.048878	NOISE_ spearman	0.05187	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.02394	NOISE_ spearman	0.021446	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Schulze	F	quality	0.121696	NOISE_ kendall	0.119202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Schulze	Fbar	quality	0.207481	NOISE_ kendall	0.210474	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Schulze	C	quality	0.18005	NOISE_ kendall	0.175062	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Schulze	Cbar	quality	0.26783	NOISE_ kendall	0.271322	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Schulze	R_F_g	robustness	0.064339	NOISE_ kendall	0.05985	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.129676	NOISE_ kendall	0.133666	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Schulze	R_C_g	robustness	0.065337	NOISE_ kendall	0.057855	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.127182	NOISE_ kendall	0.132668	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Schulze	R_F_p	robustness	0.04788	NOISE_ kendall	0.044888	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.119202	NOISE_ kendall	0.120698	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Schulze	R_C_p	robustness	0.038903	NOISE_ kendall	0.032918	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.106733	NOISE_ kendall	0.109227	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Schulze	R_F_s	robustness	0.024439	NOISE_ kendall	0.023441	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.088279	NOISE_ kendall	0.091272	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Schulze	R_C_s	robustness	0.026933	NOISE_ kendall	0.022943	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.080299	NOISE_ kendall	0.084289	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Schulze	R_F_a	robustness	0.025935	NOISE_ kendall	0.029925	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.022943	NOISE_ kendall	0.022943	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Schulze	R_C_a	robustness	0.048878	NOISE_ kendall	0.05187	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.02394	NOISE_ kendall	0.021446	min	Worse

Table 39: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	Methods	F	F	C	C	R^s	R^s	R^s	R^s	R^s	R^s	R^s
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	Dual Geometry Noise	7	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]	0.117706	0.213466	0.176559	0.272818	0.065337	0.133167	0.067332	0.130175	0.048878	0.122195	0.040898
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	Dual Geometry Noise	7	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]	0.116708	0.205486	0.169077	0.264838	0.061845	0.127182	0.060349	0.123192	0.047382	0.115212	0.028928
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	Dual Geometry Noise	7	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]	0.123192	0.210973	0.182544	0.271322	0.065337	0.134165	0.066334	0.130673	0.050374	0.122195	0.042893
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	Dual Geometry Noise	7	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]	0.121197	0.209476	0.182544	0.268828	0.063342	0.131671	0.067332	0.12818	0.046883	0.119701	0.0399
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	Dual Geometry Noise	7	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]	0.121696	0.207481	0.18005	0.26783	0.064339	0.129676	0.065337	0.127182	0.04788	0.119202	0.038903

Table 40: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	$R^o_{\mathcal{D}}$	$R^o_{\mathcal{F}}$	R^o_E	$R^o_{\mathcal{C}}$	$R^o_{\mathcal{S}}$	$R^o_{\mathcal{F}}$	$R^o_{\mathcal{C}}$	$R^o_{\mathcal{S}}$	$R^o_{\mathcal{S}}$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	Dual Geometry Noise	7	0.110723	0.023441	0.092269	0.030923	0.084788	0.023441	0.011471	0.052868	0.011471
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Borda	Dual Geometry Noise	7	0.103741	0.028928	0.087781	0.028928	0.076309	0.021945	0.027431	0.039401	0.027431
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	Dual Geometry Noise	7	0.108229	0.028429	0.091272	0.03192	0.082793	0.025935	0.024938	0.052369	0.024439
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	RRF	Dual Geometry Noise	7	0.108229	0.025935	0.090274	0.032918	0.081796	0.026434	0.01995	0.05187	0.020449
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Schulze	Dual Geometry Noise	7	0.106733	0.024439	0.088279	0.026933	0.080299	0.025935	0.022943	0.048878	0.02394

Table 41: DermaMNIST-ViT-B/16

Group Dimension	Group Value	Measure	Endpoints	Excluded Zero Clean Boundaries	Wins	Ties	Losses	Win Rate	Mean NOISE	Mean NAIVE	Mean Difference	Median Difference
Overall	All	A	640	0	469	39	132	0.732812	0.452892	0.426762	0.02613	0.013929
Overall	All	Q	640	0	127	310	203	0.198437	0.843397	0.846121	-0.002724	0
Overall	All	G	640	0	425	30	185	0.664062	0.590378	0.572137	0.018241	0.012502
Geometry	NOISE-K	A	320	0	214	23	83	0.66875	0.447236	0.426762	0.020475	0.011605
Geometry	NOISE-K	Q	320	0	49	155	116	0.153125	0.839543	0.846121	-0.006578	0
Geometry	NOISE-K	G	320	0	192	16	112	0.6	0.585161	0.572137	0.013024	0.008906
Geometry	NOISE-S	A	320	0	255	16	49	0.796875	0.458548	0.426762	0.031786	0.016326
Geometry	NOISE-S	Q	320	0	78	155	87	0.24375	0.847252	0.846121	0.001131	0
Geometry	NOISE-S	G	320	0	233	14	73	0.728125	0.595595	0.572137	0.023458	0.01612
Cell	DermaMNIST-ResNet-18	A	160	0	104	18	38	0.65	0.413823	0.406371	0.007452	0.006916
Cell	DermaMNIST-ResNet-18	Q	160	0	22	90	48	0.1375	0.793295	0.803071	-0.009776	0
Cell	DermaMNIST-ResNet-18	G	160	0	84	16	60	0.525	0.558124	0.552566	0.005558	0.00359
Cell	DermaMNIST-ViT-B/16	A	160	0	70	20	70	0.4375	0.470379	0.469939	0.00044	0
Cell	DermaMNIST-ViT-B/16	Q	160	0	27	60	73	0.16875	0.877105	0.884256	-0.007151	0
Cell	DermaMNIST-ViT-B/16	G	160	0	55	13	92	0.34375	0.599925	0.600957	-0.001032	-0.000538
Cell	ImageNet-ResNet-18	A	160	0	137	0	23	0.85625	0.496722	0.469438	0.027284	0.031843
Cell	ImageNet-ResNet-18	Q	160	0	39	80	41	0.24375	0.812409	0.814995	-0.002586	0
Cell	ImageNet-ResNet-18	G	160	0	128	0	32	0.8	0.628333	0.611403	0.016929	0.022846
Cell	ImageNet-ViT-B/16	A	160	0	158	1	1	0.9875	0.430644	0.3613	0.069345	0.044877
Cell	ImageNet-ViT-B/16	Q	160	0	39	80	41	0.24375	0.890781	0.882162	0.008618	0
Cell	ImageNet-ViT-B/16	G	160	0	158	1	1	0.9875	0.575131	0.523623	0.051508	0.046306
Rule	Borda	A	128	0	93	8	27	0.726562	0.453264	0.425375	0.027889	0.016037
Rule	Borda	Q	128	0	25	62	41	0.195312	0.845777	0.848649	-0.002873	0
Rule	Borda	G	128	0	85	8	35	0.664062	0.590026	0.570834	0.019192	0.015577
Rule	Kemeny	A	128	0	104	8	16	0.8125	0.461085	0.425041	0.036044	0.021968
Rule	Kemeny	Q	128	0	20	62	46	0.15625	0.848248	0.852649	-0.004401	0
Rule	Kemeny	G	128	0	94	7	27	0.734375	0.597992	0.573777	0.024215	0.018785
Rule	RRF	A	128	0	95	9	24	0.742188	0.459029	0.430432	0.028598	0.019214
Rule	RRF	Q	128	0	27	62	39	0.210938	0.845835	0.848603	-0.002768	0
Rule	RRF	G	128	0	87	7	34	0.679688	0.595753	0.575579	0.020174	0.016809
Rule	Schulze	A	128	0	99	6	23	0.773438	0.457597	0.427735	0.029862	0.015907
Rule	Schulze	Q	128	0	24	62	42	0.1875	0.844968	0.848161	-0.003193	0
Rule	Schulze	G	128	0	86	5	37	0.671875	0.594291	0.57383	0.020461	0.019537
Rule	Simple Averaging	A	128	0	78	8	42	0.609375	0.433484	0.425226	0.008257	0.001855
Rule	Simple Averaging	Q	128	0	31	62	35	0.242188	0.83216	0.832543	-0.000383	0
Rule	Simple Averaging	G	128	0	73	3	52	0.570312	0.573829	0.566666	0.007162	0.001469
Metric	C	A	160	0	130	5	25	0.8125	0.235397	0.220297	0.015101	0.011985
Metric	C	Q	160	0	26	80	54	0.1625	0.766951	0.77309	-0.006139	0
Metric	C	G	160	0	107	1	52	0.66875	0.411791	0.398947	0.012845	0.012893
Metric	Cbar	A	160	0	120	8	32	0.75	0.572949	0.531761	0.041188	0.0281
Metric	Cbar	Q	160	0	43	50	67	0.26875	0.845468	0.849271	-0.003803	0
Metric	Cbar	G	160	0	109	6	45	0.68125	0.686305	0.661284	0.025021	0.01781
Metric	F	A	160	0	120	5	35	0.75	0.243922	0.227401	0.016522	0.01198
Metric	F	Q	160	0	21	100	39	0.13125	0.857996	0.862183	-0.004187	0
Metric	F	G	160	0	113	2	45	0.70625	0.436868	0.421013	0.015856	0.013696
Metric	Fbar	A	160	0	99	21	40	0.61875	0.7593	0.72759	0.03171	0.004836
Metric	Fbar	Q	160	0	37	80	43	0.23125	0.903175	0.89994	0.003234	0
Metric	Fbar	G	160	0	96	21	43	0.6	0.826548	0.807306	0.019242	0.003817
Noise	A	A	160	0	143	3	14	0.89375	0.391845	0.352173	0.039672	0.019188
Noise	A	Q	160	0	65	60	35	0.40625	0.763842	0.747725	0.016117	0
Noise	A	G	160	0	132	0	28	0.825	0.521881	0.487109	0.034682	0.023838
Noise	G	A	160	0	106	13	41	0.6625	0.458924	0.439154	0.01977	0.007812
Noise	G	Q	160	0	22	80	58	0.1375	0.807618	0.81805	-0.010431	0
Noise	G	G	160	0	94	11	55	0.5875	0.584233	0.573649	0.010584	0.00565
Noise	P	A	160	0	106	16	38	0.6625	0.465449	0.445013	0.020436	0.004444
Noise	P	Q	160	0	20	80	60	0.125	0.847572	0.856296	-0.008724	0
Noise	P	G	160	0	90	13	57	0.5625	0.599936	0.588599	0.011337	0.001782
Noise	S	A	160	0	114	7	39	0.7125	0.495349	0.470707	0.024642	0.0181
Noise	S	Q	160	0	20	90	50	0.125	0.954557	0.962414	-0.007856	0
Noise	S	G	160	0	109	6	45	0.68125	0.655462	0.639101	0.016361	0.01453

Table 42: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparis on Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	7ed6db1ee8 6641f44e8d 8b2273eb93 27abc15942 98fc394dcd 5109a610ea dfc3	a069b70740 4eb5ea42cd 4275309023 d1252b0b25 3199d1d693 48dfc1f65 c28f	abd28bf307 8f51b5ea64 cb0fb0eb56 8bc887d96b 7986b6169d c68dea8b7e a983	Spearman	NOISE-S	Simple Averaging	g	0.072	0.073333	- 0.001333	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	59bdd74997 711f8cd7d9 f1fdf880b6 997d1ac46e 1752a5c24 e3f8456b10 9070	53e7318771 f898a8c3a3 e2b497da56 7b63d117c8 0d2f7071c6 fc2ef90ff c0d3	677833069a cc1841f025 5122e5cd5b 45536b6e2e e29af41e8d bd3b093b5d 4acf	Spearman	NOISE-S	Simple Averaging	g	0.893333	0.894667	- 0.001333	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	1feaac728a 4221cccd43 5f082c9eb7 4d7317f200 00ae1b52a4 d47f751977 7262	6fd230d78 a7155a4af5 5c7ebb5887 baf8487fdf f7aec0767e 40d8b76951 b26b	b6bfb7f40c 64973dcc4c b062f6be87 2dd351702b dd7065647d 63b8b4faf7 ee68	Spearman	NOISE-S	Simple Averaging	g	0.108229	0.108728	- 0.000499	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	4754220ff9 8c288464b1 b03132d4fd 91c4e03e4a f149015e63 00dd16c4fb 3ba2	e286196e7e 8ce5c88314 10891d1d2c a21ea3dc55 bbc3a2b21e 1c3b8250c7 45de	7fc99aa142 b410d6a04b b37e93be15 35c05f2a60 eb8ca9bd5d f864cce587 830e	Spearman	NOISE-S	Simple Averaging	g	0.857855	0.857855	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	90349b4e93 b79709dc7 5026d406a6 754024d61a cb080af813 9da3cbcd4b d473	f9812cdcc4 584e6aa3d2 459e5d1442 9a98642bf7 f0c6309066 d7957e87a8 46be	5688b5f7f3 44c08309d4 1f8ace88e3 04975c22f9 db5666dec5 0ffba36d00 4b10	Spearman	NOISE-S	Simple Averaging	p	0.092097	0.09275	- 0.000653	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	90428a8ce1 b0c8406037 e3c1685a83 a8d7e64ad1 6b27544a70 47cc550270 1c02	5c7abf0e10 b95b05b003 b7099258fd f4c0b3180c 42c4f7bd8d 9577543221 e5b9	858fd4f0b 5ef5c3b6d8 79b3766233 14aa36701 32de62957a 1042b86fff 5051	Spearman	NOISE-S	Simple Averaging	p	0.879817	0.88047	- 0.000653	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	f16b17fff4 9a1a10fef5 d2a9f99573 65cbe1bbe9 39cbe18fbc8 ab06acd217 af68	248f7a65b4 2aaaf4bf57 fe03b48212 f9b4407743 655ae18f4c cb032424b4 18ea	a12cd6d22c 0def193f5 6299812309 99053e8c7b dddd220198 7e7cd3a6ab e460	Spearman	NOISE-S	Simple Averaging	p	0.136658	0.137157	- 0.000499	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	8c0c5ef8be 4a700d9372 eba6125d06 8fdad1431 d7c69e593f 9659e4983c 821f	a0909d0e82 dd07f2bca0 2272343db6 43fc78be43 179f163069 56f662aa5c 4324	1a3b12a722 fe4b202177 1abada4e1fa d51b57f986 3907e69e1e f1c283f89c e8c0	Spearman	NOISE-S	Simple Averaging	p	0.837406	0.83591	0.001496	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	3837817a76 21898b39a0 2d10800077 a2a0d2e510 c74e4e293e 310da91091 3010	cd2b9d8a25 e6546b2f6a 2bb95c639a d75f56c06d 2515082bdf 9a669a6329 3759	629922f9f3 6a3adaad418 22b90e8cbb 23dfef2eec 40fd23b6e6 8e2fbfb74d 462f	Spearman	NOISE-S	Simple Averaging	s	0.115148	0.1133	0.001847	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	695c3b851b f2f32fb0ef 663274e2e9 1dfa93f3d5 05178c5520 93b76bb440 790f	3135ff924 9b777e5709 f71e10bd06 18bc79440c 80e4f8939f d3c4cd5104 9e3c	343295f832 324103a132 bedff484a1 231b6a871c f05e711aa5 dd289a01b9 e722	Spearman	NOISE-S	Simple Averaging	s	0.850985	0.851601	- 0.000616	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	e548e63f18 b6a6529da fd0cdae6dc 43371d1ce3 8f388cdbe2 b5dddde50c 0a9f	2fc9dbce2b 63b6529da 084b053c59 45be63425f 1724aaa3da dc90283f14 ed90	e5005d79c1 eeb5553f4 7cf902278a 8b253e4628 253603e45e 5798437f3f 7b2a	Spearman	NOISE-S	Simple Averaging	s	0.147132	0.14813	- 0.000998	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	515386cc45 dd29c5cfa9 588224e283 55f7300f7e a4d14a6a5c fb9983df62 4a14	45eb15ecd0 bace506de5 4106b1b8d7 1c822a1fe7 abf73e4855 4a44286a37 ffd3	923e2759fb c1abcbf115 d03c969aab 1c822a1fe7 8863afa663 e788cc19f4 4ade0ad34d 94ac	Spearman	NOISE-S	Simple Averaging	s	0.81197	0.812469	- 0.000499	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	b54eb8242 8248067739 1a7f2183f 60a5456e42 d3ac6219fd6 87a486b55a 7195	b9f7a726fa 575472eda5 c68586764c 8439342b73 92c364977a 886e8f3fb4 b112	89cde808f1 23bd580c64 d5bb3c05ed d261e01bed 92cafeb253 3e92250d9d 8abf	Spearman	NOISE-S	Simple Averaging	a	0.099946	0.101558	-0.001612	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	20b0916017 21c15a2116 d11ecb9d2c 27f02f199b f60364548b b31dc00c2a 9318	d5d59e48f0 b0f0b12716 c7eb7da683 4f6ac4d099 cca3f527d0 3acbb0be9 d1f4	c4d1fb0f77 00420bd000 a779a325d1 15f5da434a 286e1bcd46 218ee6a41f 9f22	Spearman	NOISE-S	Simple Averaging	a	0.755508	0.753896	0.001612	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	3e47e70436 9f7a5cbeaf b8949e5ad9 6df14bf1e5 0b9acc054a 18c1141e66 1570	138f7dc037 081962e2a8 ffadb31624 7afe024ed0 583cd964ea d4c53e5800 153b	aafb00213a 6b7a3bb965 c511702490 8b2addef60 5b822d2d8d 658c179389 f26c	Spearman	NOISE-S	Simple Averaging	a	0.12419	0.123691	0.000499	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	ab54de1a53 4cbb6b7c99 79c4ef96b6 bcb6bfa57b 3bf8a2b8a7 510737c51b 7a9e	81751b3641 2e31c78287 8ebaa390ed a363ef1eed 444f5256e7 c7ae0328e6 d595	27b5504b68 65400f22d0 6dfbb8e6a0 52675edf59 a874b0b07d efeb62f038 6951	Spearman	NOISE-S	Simple Averaging	a	0.712718	0.713217	-0.000499	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	0c1ce41fa2 045bd1579 5772f2ed5c 09e962fe49 9c17eba808 e7fe07641 05bc	5846bc10ec d9399aa784 45a0322f5d 44b58769e8 de2e3532d5 b5ed7acaa cb4d	1297818bf6 abfbf99029 496768ec7 a8f806c6cf 346c56723c 558cd25c2d 588b	Spearman	NOISE-S	Borda	g	0.076	0.078667	-0.002667	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	a8e7d299d7 5df1e04866 b40d242830 d4a2ce4694 61a3cad627 a0928e483f 9eff	eddb894788 ddc21e929b 51739be739 e9230fb49b fa9d64c90f a818ba417a 0460	10ca5278c1 55cab76687 056e51c1fc f569d263c5 5dfe466003 5efe96da01 c69f	Spearman	NOISE-S	Borda	g	0.894667	0.895333	-0.000667	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	8af1a9583e 71225dc52c 4bd132260b 7da36b6ce3 624dedc8a6 25a0bd8dad 8459	c273f6fa8 6ba042c56e 947f7a0e0f 7ed243466 ae7adb6d68 7391fd9cd5 4c96	eb0d9c3454 6de730889b 37ca9f56ad 3c20be391c d0c62824f7 793ad7a188 fa4d	Spearman	NOISE-S	Borda	g	0.112718	0.114214	-0.001496	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	463754faf0 17a878db14 c5ecba9ccb 748806b7be 36f1d7420c 65cdhca329 6978	f3831e2bb 3881585d4a 6ec97c1041 78bcde1028 57abc6c70e 24d3cf2ec3 ff6b	2f17bf8ff8 dbb7be1566 9861f2fd51 5273683707 44e2596b38 d0955017f4 1169	Spearman	NOISE-S	Borda	g	0.858354	0.857855	0.000499	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	1c6a5c50f6 e59ca3f91d 4c84f85efd 0c6790354f e70306824e a64180fb33 9f5f	f10ff2e0cb 7f9642355a 11f567d6f9 eca9c73bac e5f321d440 0931079e63 cd64	a0cc153350 c2c784a4ab 2a8dc16d42 2351a361a1 fed23ac824 89549d38ff bc9c	Spearman	NOISE-S	Borda	p	0.096669	0.093403	0.003266	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	94bce1aabe 745aa11c2 7ff5573fa 66eefd95b 018faeb9d a1780c3a55 22ca	69291c2c84 96f56d0902 f320e6625d 90093feb75 f164b23046 2bdd112858 bb78	c55e809520 b5f977ced5 fe6148ee00 9754e2db69 2370ff54a0 fb451d7f6c 979e	Spearman	NOISE-S	Borda	p	0.88047	0.88047	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	0a4c05f04e dceec19e0a2 5e1e727214 e9dd45721b3 78e340ff48 93fb21bf16 4f2b	bad5821900 f82dae1dae 9b3e7a1f3e fe8e13e0bc 2e49c81e34 e7aef26f0f be4a	09eb1e807b 7a2581970a eeb121e2a2 c5cc2a3a5 785449a65d e3406d6aae 8412	Spearman	NOISE-S	Borda	p	0.141646	0.137157	0.004489	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	53e21ae4b1 3a638c32a2 a6dacce6a54 1ab4a596fa c512505361 f6d84ab8b0 c017	dfc0a5694 471d08bafb 48a55b4329 f4698f2ec4 4d889b1ab5 20b9d289eb f93b	c497957a74 61385200d8 d2d72c1611 a48abf97ac f770f9980 c184870dce 726d	Spearman	NOISE-S	Borda	p	0.837406	0.836908	0.000499	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	ab2ddcb2af 546207e38b ea484fd9d2 bcd7a118ee 1e6ebb30b1 18ba0fe5fc 9383	0660d71a25 b4c3dcb12 069e761de1 17631f80dd c035654300 08252d8c60 6093	2b54e4fc47 160d7daf4d 242ad8f352 dd8fa69ef0 119b231ee2 179cdc115b 46ab	Spearman	NOISE-S	Borda	s	0.114532	0.112685	0.001847	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	ee52e5a4c8f37a8a4f507a645d4aea7aee8cbb5348007f3da050249df4f12086	26f62f3723df03c9aea1b445629a2dcfe71c73c426f9b9cc33953b5d44d6b020064bdf204	336865931f51f8d85bd42dcfe71c73c426f9b9cc33953b5d44d6b020064bd754	Spearman	NOISE-S	Kemeny	p	0.142145	0.140648	0.001496	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	564f51c44f57b757786a858110f28e2d00c9683e9fe6e518cd4d8ea584b64639	d53dc26647e917012425a8166e611ee6a5bc8d6c804d81c46f432ea3b378cb6e	52b54997219d36698ddb24092a02f1848a86e59c48587e947588d881bdc0b61	Spearman	NOISE-S	Kemeny	p	0.838903	0.837905	0.000998	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	beb312cc15f9bf345e1bdb3306d04d7150936802f84adf612d754e674a25d79	d44071038cb1d634f2e39d8813ca87e7297033d5a03e635cee3b5508bacad774	5767d6066d6c4b93877e8019b3066012fd5c1492ec85f7f37fe167e80a0b71e	Spearman	NOISE-S	Kemeny	s	0.121305	0.117611	0.003695	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	48585f5fe71244059bb89c80c6f897bb65974b6e98f7ba6cfbb15d62e6ea03f7	04e018332055c3e78349049556d9ff36f95d505149bb449041b391584a2b641e	51dc16d1f2d725e04bbbb4dd94f4a12e1c512b3f9c2543562ee9874aa99f128	Spearman	NOISE-S	Kemeny	s	0.852833	0.853448	-0.000616	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	17bc81a1d81574f8d6a779974c922cea08386a7e59317d064529c03c8ba3681	b5fdb42b7162f77699c53ccf9a4450e20021a2d91db57e89f54026a2f6012a05	242e02dc3489b5eb27e106d4d926cc0b4d4cd333722817caa0a82baeff7a2f81f	Spearman	NOISE-S	Kemeny	s	0.152618	0.153616	-0.000998	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	9c8296c5587b5bc15335c3586848e0bc3fda0a8897c3a85b5f4085a3786b38ef9e	2c5f2a7fe609b1ae5c2dc377f42c5a0cddae38fde4349cf525b740700502d1b51	e01ef9fd0426c215eb6177ba1018e670e07041e41f01eb797c2125068b64fe4c	Spearman	NOISE-S	Kemeny	s	0.814464	0.814464	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	d3b61af2d7daea3187d225c83c29685494475c6345374298b274b87ba6b327e1	902446993e16c04e0c1711d9db0159d5e85385d24002e330195628ec686bd46b	513dc3ac57030b61e824f4b4962267948c0fb61a2335e67edccf605113b0ad12d	Spearman	NOISE-S	Kemeny	a	0.101021	0.098334	0.002687	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	cf1f21379fa94d10845466c5a77baa8f86e574ff34a04df134181b1213235a82d	79959dcf269797e6967b775ed7ba8814f70c323058435850910b1f014e2b709a	7ed489dfaf88238e0573a719ff40d2b94c503bbf4a544196d0a8f8c529f1a9c	Spearman	NOISE-S	Kemeny	a	0.750134	0.752284	-0.002149	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	bb260c3c786337321d585012ea87ba3775b567dac8918dd239286430db8501ee	28c0a3982555c007f4b4885c17afe73828e7d8426da04832c0e1f5aa9f7cd37d	4f8048aa4f90321f816b1ad27c597e812569fc1c9a758f836a85418fecd0ef93	Spearman	NOISE-S	Kemeny	a	0.126683	0.12419	0.002494	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	c29a0cd4bb8379cd29278c6a08e64bc0ce151be6134b061d84fe23094cef31125	3911b97d3cf29df448d90e2de1fd7aa0e49daf15d862af4a343225420837dab22	3b20465b666374acdce34db3f9708fed2985078b7f414a452a8152668ba2c5c	Spearman	NOISE-S	Kemeny	a	0.708229	0.709726	-0.001496	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	949a56c4d4940d67f696c4a74fa0767bd3967b2440e2f9ac51703ac828e3a765	06eb77709390235c1ca8e319057da26c2a43461e218bbcb84295ea1939d5ca1d	f43ed37d6d68c8777086f00c784ca0a45455ae0d56e03234036a011e0d62162	Spearman	NOISE-S	RRF	g	0.079333	0.077333	0.002	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	424b97c9bf6d22b9d89559adc8bc4e33f794d8fe279c332033194c7c7359ebb5	0b7beded5d8d42207e518b12d589812ca43191e6026ad9b9b61211ce0b19c362	4e779d129a25e8347852d92605ce4777d5e15eb60f29df7a66c26fd65ff27b057	Spearman	NOISE-S	RRF	g	0.897333	0.899333	-0.002	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	79cccc01edc6c121c6d5ef49dbaea3b51f3cbeb9e8f8915e0b57211561338c51	888cf6f3924c7a5ba8fec1fdc84ad72189e2dd4942d8f96cd273ccc57b227b3e	a663ea24b48909a531c12bbd5c907ad00fc3e7a2c411d47a23ec368fe1b97647	Spearman	NOISE-S	RRF	g	0.115711	0.114713	0.000998	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	d8fb4786bf a527eb8ac2 1c14e6fe8f 646a77453b 3a95ddc6aa 6a9b1ba4fe 5f72	efba346df4 085321b4bb 696f956c8f 5efff883e8 c37ec11871 9ec0b83578 5189	3e98cb750f 651e5d6f2f 356654766b 46d9e77c8e c945fda884 b7d53ccddc 3874	Spearman	NOISE-S	Schulze	g	0.078667	0.079333	- 0.000667	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	37d343f513 352df18962 54e8265953 5a5eb0a9a 99c75ed6f0 33ae14014c 1761	a71e04956d 1545c71add 61d877ef17 c69377ca9b e6e8e47fb9 bc230563aa fa17	4815e6da77 49433c9615 216adf3fd8 4db9a7218a b5a0e89afd 2c3f8595e 2603	Spearman	NOISE-S	Schulze	g	0.898	0.897333	0.000667	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	ad45b31e51 9dc4c58227 99bf233fd5 8580a7879a f1dd2a8889 6e6059fb61 9e18	0639273353 5af669396e 92c24e96e9 39f9a35ae8 e3af768692 a2655ecc3c 6e46	235304d723 a3191d470d e35e8936e1 29fd017566 4b6952621d f028fde562 7fa1	Spearman	NOISE-S	Schulze	g	0.115212	0.117207	- 0.001995	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	4eeaf7c222 aee7396708 9f76af6136 cb025da710 241316ae33 8d4c857a51 d579	9e081e3139 cd22131658 bf6681e3dd fe215e0027 878cc4b132 f6f6903a26 08ac	2f2557c496 cb16f94f93 e084374837 5225f45fd9 6f947b30d3 06e13259b2 f941	Spearman	NOISE-S	Schulze	g	0.860349	0.861347	- 0.000998	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	f7401e7a8e 21829b5122 9dbbf2a247 200a054382 d64077dc71 feb521344b 46cb	5640139458 1ae6dc3a4c 4bd97e8fab 96e7891225 6a176de82b 173342891e 14c1	82827fc140 191a05f4e9 1ac02880c5 46cb413984 b81288e64e b8e425173b 20a9	Spearman	NOISE-S	Schulze	p	0.096016	0.097322	- 0.001306	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	14bd6792a0 783d647dda 553a171534 e96493f527 9a91fe0641 44841cb1d6 2970	a4e9682057 12a56b26b5 4292fe7ec3 a3aaeb9e28 3b49c59f5e a7c5d8e0ec ad92	01ed56c368 5100649b5b 62b7e5adff2 6f0c4b2793 f1d5b94272 935da5d589 6703	Spearman	NOISE-S	Schulze	p	0.884389	0.88243	0.00196	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	1cd542f629 202a1e0c69 e41669e429 c3e649fb9f d72759cb6d 767b5e93cf 7424	4223ba31fe 904765ecb2 ccfaae0262 e6087babcb 95aba1fd8e 0bd666e416 b142	f2bcf28db1 30ad7df7ea 94fde9d9f8 5895df9d11 a4cd1e79e6 dc9e213a24 d8ff	Spearman	NOISE-S	Schulze	p	0.142643	0.142145	0.000499	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	709c9bf095 08cc45b101 809b0a19e1 97bd18754c e6eb536e4c 3b79a8bf75 8634	e9fb7ac388 cccd48b26b 6bf833e091 19ce5d3a21 9bd25a280e 3a5330f24 86b2	006d77012d 33a81d3258 d23ccde95c bdc541de6d 1be7873f05 44e5e291e0 86b2	Spearman	NOISE-S	Schulze	p	0.838903	0.837905	0.000998	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	cccab38161 012770ae55 2c2c3a6b9b f76637a522 bb7a66e142 e288156500 cf2c	58bc0ef7a3 da4c64a490 884ea7ed32 0a1b86ef7d 96ac82fe58 b33545b3ac 9aaa	323a4a988e 4e5e69c349 e1f8d85fce f617669e58 74d1770100 5c4f23be4d f025	Spearman	NOISE-S	Schulze	s	0.119458	0.118227	0.001232	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	515fc06a8c 649f88fb84 b323899126 ae47c83a5d 1be4807aed 559f2ced26 b0d9	7410dd5837 1536941190 9533d6a527 9fba9a4ef3 c4451aff26 695addfecf 21a4	6780d8db9c 6a4f4964e3 d755f9f97f 96e7a4eb44 25ee07bc0d 24b601980a be58	Spearman	NOISE-S	Schulze	s	0.856527	0.852833	0.003695	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	c2afcdde8b2 1b218c5a87 1767828420 98968dd1e4 0580c396d4 3c3d440981 8d95	e417da0333 fb8a27b78d ebc9f65f72 7f991b01ef bdadc87712 95c8449fbd 2d7b	a8ded43388 9ae2bc5ba5 efe61a12cf a74cf66562 eb0a659ced b74de9b35b 9c5c	Spearman	NOISE-S	Schulze	s	0.15212	0.15212	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	eb4a8c9919 a1d0acb660 47d006db52 df4fb4441a 7ab93dcfb3 c8c7	37a593ddfe ec9d3108cd eb6b69256b 14cbac1c208 d72edd43261 bce8fe0444 82f3	b7802d4ea8 a7a938ef86 c471642b8d 335824c886 cc1a52d7fd 96a49528c8 900e	Spearman	NOISE-S	Schulze	s	0.816958	0.812968	0.00399	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	1e3cee7d5 81e90d0381 f5ac639e9c 26d703defb 22566cc482 9fe25a9ce0a ca65	bb1bbcd2ad 8cffe809cc 1d1b376a33 eeb6a9a88f 32046b3c3a 9fe25a9ce0a 9a47	93dd4be642 a9c08e9f4e 320c1cdc7e 4af5d115a8 d165673442 d8cf9af237a 01ec	Spearman	NOISE-S	Schulze	a	0.10532	0.096185	0.009135	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	3ad2cce1bc 693238f5f8 2649c2999f 25792120c1 e73507af15 cb89a52fbc e0b4	e34ebd85f6 fd14988b18 c28297116c fe0c5c7c9 e0e08ae44e feb18185c2 10cc	e5005d79c1 ecb555f3f4 7c3f02278a 8b253e4628 253603e45e 5798437f3f 7b2a	Kendall	NOISE-K	Simple Averaging	s	0.144638	0.14813	-0.003491	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	57d0254833 715e8eec77 5ca9e6f142 ac87749dce ab0e04784d 42c894be85 25c9	b9a681ee29 25354634ad 71ddaa4646 9c45c1aa6b d7293d65fb bd2e84bebb bf58	923e2759fb clabcbf115 d03c969aab 8863afae63 e788cc19f4 4ade0ad34d 94ac	Kendall	NOISE-K	Simple Averaging	s	0.812968	0.812469	0.000499	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	a0029950ad 7099aa684a f4de320e79 a8a55514d9 1c3e0143bc 1e83348cd3 af0a	940d942630 5452444538 a5488ffada a8740c1fb4 dc90e8b9c0 0836d76390 c60a	89cde808f1 23bd580c64 d5bb3c05ed d261e01bed 92cafeb253 369225049d 8abf	Kendall	NOISE-K	Simple Averaging	a	0.101558	0.101558	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	000e4daaa2 e526de4782 7c92ad696a 979cf6750d c08f15b6fb eefae788aa 4731	41dda158c0 be4b53bb21 e36b7de846 d8cce339fe d839646b57 e7432b80f2 da90	c4d1fb0f77 00420bd000 a779a325d1 15f5da434a 286e1bcd46 218ee6a41f 9f22	Kendall	NOISE-K	Simple Averaging	a	0.75497	0.753896	0.001075	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	8251f2711c 74da29fa07 fe26526fd0 d02e908d81 d76ab3f4b0 ccceca67de 7ad7	555584f5a9 243e7fb9e4 54598c2772 0173b59631 38e2a61cd7 4050ae61d0 6a0f	aa6f00213a 6b7a3bb965 c511702d90 8b2addf60 5b822d2d8d 658c179389 f26e	Kendall	NOISE-K	Simple Averaging	a	0.124688	0.123691	0.000998	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	081f328f85 3260de9775 b9d1f7044b 72e71462e8 a85cd12d40 da5537a6ad df12	d8a5b7aebd 9b59313273 460cc3e3ea 378f22b453 67473b7ac2 0b97f77899 e309	27b504b68 65400f22d0 6dffb5e6a0 52675adf59 a874b0b07d efeb62f038 6951	Kendall	NOISE-K	Simple Averaging	a	0.713217	0.713217	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	e6c6aa0cc7 4f15d426b8 cb2fca9f8a 1bfc23b2e2 ab88cb8925 3b8c29501b e852	3bb3c998d3 ab5c91e2e5 b0c875d078 d8912b72e5 fcb40b88e0 33f9a42e94 e8a8	1297818bf6 abfbf99029 4967688cc7 a8f806ecfc 346e56723c 558cd25c2d 588b	Kendall	NOISE-K	Borda	g	0.068667	0.078667	-0.01	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	f59b3d39cd b53d812a68 de2e158797 ea8f2b54ad 605636bf70 1a105fc47f 73a2	c9010dbbb9 b08cccf0c 4e4f60780e d0f9aed596 035c40a124 a4abc0a0ec fb3e	10ca5278c1 55cab76687 056e51c1fc f569d263c5 5dfe466003 5efef96da01 c69f	Kendall	NOISE-K	Borda	g	0.895333	0.895333	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	82260220ac 1d304b1403 5fb7971aeb 38ec638d86 7cfd19ae77 4db2b81078 69fc	d9e74858ab 82a950cc7a 22d5550101 8e2fdab5f3 324ab6f694 ad477c3ff0 6053	eb0d9c3454 6de730889b 37ca9f56ad 3c20be391c dbc62824f7 793ad7a188 fa4d	Kendall	NOISE-K	Borda	g	0.105237	0.114214	-0.008978	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	9e843c3eb7 8f777e8665 66b19197ee 602991eef9 37d1826e5e 25a194fed5 5139	1927aa25ea c340d2d232 9e8af7d3ce 28780cafc3 2c796d2908 803ea2befe d16b	21f7bf899 dbb7be1566 9861f2fd51 5273683707 44e2596b38 d0955017f4 1160	Kendall	NOISE-K	Borda	g	0.858853	0.857855	0.000998	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	35d8ecb337 6a6082fae7 d59f2c3c5e 88e4c08894 6706fc1fc7 e3b2d841f2 3a9e	4a152b94a9 1d3d28ea63 93bab60e0a 7fea1994a7 0bca84bea7 c8d7fdb8db 9ea0	a0ce153350 c2c784a4ab 2a8dc16d42 2351a361a1 fcd23ac824 89549d38ff bc9c	Kendall	NOISE-K	Borda	p	0.089484	0.093403	-0.003919	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	977ed1f586 14df98186e 94ddaa4673 449b281d72 fc401e9c19 a3f74a0196 85de	fd43a22f1e acf5fe5bef 84cbbb83bf ef4ca74d23 cd809ae951 72e71fd8e6 c23f	c55e809520 b5f977ced5 fe6148ee00 9754e2db69 2370ff54a0 fb451d7f6c 979e	Kendall	NOISE-K	Borda	p	0.878511	0.88047	-0.00196	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	3002a6038d ce8fbf73fe 7ce6eced96 01dad31413 1a2913e955 bdad1112826 2a48	229fc3d89c 2e559b2129 bc412ddce8 13459cd873 e53b13a82b 8cc8d52688 fc10	09eb1e807b 7a2581970a eeb121e2a2 c5ccc2a3a5 785449a65d e3406d6aae 8412	Kendall	NOISE-K	Borda	p	0.138155	0.137157	0.000998	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	4bad61124e0c700b5c11013fc44b305631208a5be5f61235d42523ab1a2149cf	f567cf8a4e1926dbb9050ac9cfa17c945618aa1f0e5f61235d42523ab1a2149cf	c497957a7461385200d8d2d72c1611a48ebf97ac177109980c184870dce726d	Kendall	NOISE-K	Borda	p	0.83591	0.836908	-0.000998	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	07c215ff4f02742b5a803f3719bdd189f753ffde1e862a22f1140fa7cd7040c0	d4fa17a590cd6ef3fe011e209cbfc23e024c51df8cfa24d71b7fd1cfb0fcb982e	2b54e4fc47160d7daf4d242ad8f352dd8fa69ef0119b231ee2179cdc115b46ab	Kendall	NOISE-K	Borda	s	0.106527	0.112685	-0.006158	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	6d43cc9f72d741204ac2c7c25f17b0c76ee47fb0944da3799bc0a104802c092	4d8a6d50bc776c40b6a4d1337f91239fc8ca61b157aeacc3d25088fa382fc092	b2c17aa26b7daab7377ff5847e3505ccb7971281cae5071d7b6926247f4e8d	Kendall	NOISE-K	Borda	s	0.855911	0.852833	0.003079	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	704fa005e4ff74925379ec6a6c8e6d654673af3fc40f038bbab4aa9e111df2ba	571a08a0be071f543bf2d1bc76ed365b5a84555bbeafaf999da7e036451c3	70fd4e15c5a86475167e069aaa382ce59406e3e6bb7b6768e4d00c9cec0b0df	Kendall	NOISE-K	Borda	s	0.139651	0.14813	-0.008479	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	e4664dcc856361134d5828d39275032ceda56da9287c7b9d1198482a8e898cdd7ded11890f	2cb2be6b30828d39275032ceda56da9287c7b9d11b0598739e3ac146d2759308d	e8b0dc6d2881eb43de03d615ed5610eda3cd6dbd5827c3f1e88c2b2875ef1adff	Kendall	NOISE-K	Borda	s	0.813466	0.81197	0.001496	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	2d0016a862adef1526d6cad0427d2d22c18e9e76c36ed262e0ca9122d7595159	944757b7afa341cce31e4285624cf5a54c988492ee70bd4837a6d1be40076ef	9450c9fe7f4a361ec7c45771057c5a281656cf823a57dd7d53c3573e1f147274b	Kendall	NOISE-K	Borda	a	0.110156	0.094573	0.015583	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	e0ef6edac2684d517e8f08ec00dbb4c9da558423dd87cb2456287b6de5d011c9	83bc307e4b4b85bc15112edfd19a853e9345da016303173716168114c585bada	452ac04d3c80cf81b77cace0e6a8e2fd9f3f15fd944c3a48c9b61648799646a7	Kendall	NOISE-K	Borda	a	0.753358	0.754433	-0.001075	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	9935b214fc444e885824d55ea0e1b66818367cad4f3d456635715165f3b36091	b369ccb0590d160738baa88c1cf4bd477705fd728c70d222e7513cc4eefec93	91fb4728393eff1bf53144c73f53429166293945572a0ee2b52eb1e1f4ec93	Kendall	NOISE-K	Borda	a	0.138155	0.1202	0.017955	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	f5f20af5f8737d06c590cc9b9d70cc5974aba71b2b351e5c958015a0f4eeed9d	d1747649f71c0e9725af4b329e69acc4ea05f66cc4eaf62c3531806a8944a3d6	52edabe21ff78ef3087c54182cabcc76b232f830b666a245c1c2275c8d8e7e67	Kendall	NOISE-K	Borda	a	0.712718	0.711721	0.000998	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	d52e205dc14cf94eccdd851f1814f51899826dd14f3b9cc2a4ec64c5bd60aeae	d37ef634c57ac5fde9e9c84ad247c924c3f001c4dfaf8fa88d455ca06e7c88ab0ad1726c78	513651442d7ac8ad247c95ef2be6578388a579982a7c9aa2c9aa753a8edce804c	Kendall	NOISE-K	Kemeny	g	0.077333	0.078	-0.000667	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	32610aecbabb3cf0fb2367d85afce77cad849cac3efea360094751a54f64ea	as5280b16d2b304059f3abab9cb89a634bb09a7c345a1fe28b0f4111f6709e41	51bab2d44cfec81363eac00d0f678df8b94ac35ee4762a735e4ee42242842f52	Kendall	NOISE-K	Kemeny	g	0.899333	0.898	0.001333	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	42f1891f41ec96cb3e4d0e1dafb53b63b263d477faaf8b347bf89f719163ef90	ea0b50c75d63a04b5c1fe74bf754f6b8eeaa9bab7ce642b6a0ead69074620c44	3fed6863d82820d876fb157be0876f91211e7883931a2b7ae99a5dd17d6df915	Kendall	NOISE-K	Kemeny	g	0.114214	0.116209	-0.001995	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	209bcb7ae49b3bde77c5993a8baf65744279d2f8557ec04fe74bfb3133a72d46	d3fcd333a4cb02c13b07db5e07528560666a8d1c1fad7c73eb3122e99f51cf68	dbf5b2fc6182bbc8af099638273d9fb6b830b5367e027055b7ddede7a824d973	Kendall	NOISE-K	Kemeny	g	0.861347	0.861347	0	tie

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparis on Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	bb427de32a 897bb38c05 4701517826 94783482d4 8768d45d0b cd85f058a1 0aad	b2c30ced65 946a84903d 41b7166a3d 9fd65f453a 9eef44c2cc 62f359a4a8 3bbd	31881fe13a a560e70943 6b00061f4a 60119acc550 fe2b45d534 51cfba5e05 286d	Kendall	NOISE-K	Kemeny	p	0.094709	0.097975	- 0.003266	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	9e730e1020 a5dcf4b4ae 58a8e2400a 7909db02ec 66bcdc8036 7aae37bcb5 0b55	08b422531b 2860336ae1 ba6c6c2411 420eeae7b7 b169edb5ab f778dd0cb de52	2b6146b5c8 037ad4546b 0194d70f0e 255cb53185 008413cb0e 4ee5f6ce1b cc48	Kendall	NOISE-K	Kemeny	p	0.881123	0.883083	- 0.00196	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	90dc6bd0bb 278f5d34fa 3b4a92d77a 68a42e7aee e08915c57e c75457f16a f63d	123dd724a5 948d0756a2 f63bd57632 376bd2e1c3 0612405275 4d86572ab2 d754	336865931f 51f8d85bd4 2dcfe71c73 c4f26f9bec 33953b5d44 d6b020064b d754	Kendall	NOISE-K	Kemeny	p	0.137656	0.140648	- 0.002993	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	2cb3962432 fe0f7500a 03a021c883 2c9c4c2b5b 9e9c6b0e23 52ec776c1b cccd	b0f3144a7d 8bf6aa23a8 c112971075 bab9e0fd8f ff65c1375e bdad74c492 0451	52b5499721 9436698ddb d24092a02f 1848a86e59 c48587e947 588d881bdc 0b61	Kendall	NOISE-K	Kemeny	p	0.837905	0.837905	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	f28bf75e0a 3eb9bd03e6 320589e965 db829dbad4 52b47fb788 a98b392f55 4214	fa1534c6d9 f11d4438ec 1151d33e47 8257867be0 297f6dc7a5 9f2c487d3d 8544	5767d6066d 6c4b93877e 8019b30660 12fd5c1492 ec857f737f ef167e80a0 b71e	Kendall	NOISE-K	Kemeny	s	0.118842	0.117611	0.001232	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	d7452ab218 5dc07866db 63dac7f817 5692220e99 155a267187 8abc2558b7 b1b0	e226166c49 7ab65037f4 7322634586 84ab0192d9 f455fb989 4c7b35a06a 5e64	51dc16d1f2 d725e80dbb bb4dd94f4a 12e1c512b3 f9c2543562 ee9874aa99 f128	Kendall	NOISE-K	Kemeny	s	0.854064	0.853448	0.000616	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	5a63d60775 879cfbab33 6e51d031e2 f25bffc52d 9e16b51a49 ee6e1f846d ab62	76f08e1f3a 21ab32af98 9e9ae933a9 c177835caf abb42fe7fb 68ece8a742 fc32	2d2e02dc3a 89b5eb27e1 06dd926cc0 b4ddcd3337 22817caa0a 82baef7a2 f81f	Kendall	NOISE-K	Kemeny	s	0.149127	0.153616	- 0.004489	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	a2b06c13dc 8d1bd84017 2d566d638f 561bb40afe 7eba043b2c 7c57ece0c0 a6c8	9d84fa0cf0 d3e57bab4e 5fa6d8abb7 281420fb99 16a41cf780 d534de0179 a6c9	e01ef9fd04 26c215eb61 17ba1018e6 70e07041e4 1f01eb797c 2125068b64 f64c	Kendall	NOISE-K	Kemeny	s	0.815461	0.814464	0.000998	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	cd79d776e1 4cc9971225 43c1d9f162 cd3a32ed97 652ad5c32e 2a2db617cc 5149	96e0075634 d25e4be0d2 49932b93f2 5e8922b68c da53d7e86d ec7b496f02 41db	513de3ac57 030b61e824 f4b4962267 948c0fb61a 2335e67edc f605113b0a d12d	Kendall	NOISE-K	Kemeny	a	0.104245	0.098334	0.005911	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	43ad315856 70a69db84d a5d36fd48b 33c2234c7c 9c1d6c88ed 28afe2c1d0 b399	07505a5f8c 51193b3c89 3feb0cf996 f1e1da01fd a8b517bce9 896f6ae8c0 fbd4	7ed489dfda f88238e057 3a719ff40d 2b94c503bb f4a544196d 0e8f8c529f 1a9c	Kendall	NOISE-K	Kemeny	a	0.755508	0.752284	0.003224	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	flae5f1465 5155057dcb e6fba562ae b5bda43f0d ec98af98f7 0d8bbdc5b5 1fa1	0ff263beb 609b045413 43e0805299 ec41380241 d1d777ebd7 035b16d82c cea0	4f8048a4f9 0321f816b1 ad27c597e8 12569f1c9 a758f836a8 5418fecd0 ef93	Kendall	NOISE-K	Kemeny	a	0.13217	0.12419	0.00798	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	2657ab6c73 a1a3066c2d b4d437d768 790a5d8aa4 b1ed14211f bea148e7e6 a7c6	ebe0210f8b 9c6cc233bf 70f93a8242 c52834eeafa a1cc6b8bf5 bc4d602b17 3775	3b20465b66 6374acdccc 3dd3b9708 fcdd2985078 b7f414a452 a8152668ba c25c	Kendall	NOISE-K	Kemeny	a	0.709726	0.709726	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	42c4c722b8 0b442de76b a80eacf57d 30dc2068f1 1934479779 41ef9b325a3 656e	1154dbd3c4 00a7f8a499 fa560c4168 661618ee0d 94662a5b42 36a5cac04ed 0136	f43de37d6d 68c8777086 f0cc784ca 0a45455ae0 d56e032340 36a011e0d6 2162	Kendall	NOISE-K	RRF	g	0.077333	0.077333	0	tie

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparis on Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	1e53446302 5b660ec2cc 93861c06ad 6ea84ee1b4 d4cbad380a c1a01edbd9 bf51	f38d34a53c f7088756ac 59373304ed 237dfcfb19 9f307b8e3 d119f5b491 7026	4e779d129a 25e8347852 d92605ce47 77d5e15eb6 0f29d7a66c 26fd65f27 b057	Kendall	NOISE-K	RRF	g	0.896667	0.899333	- 0.002667	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	52f3995d01 5139d60efe d567d12028 27cdcbf3b5 0f2d68e3e4 29053298af 5f49	d07beb5c67 5ad552fb68 003489ed3c 12f1aa9385 d9c20c0cfa d406d1165c 182c	a663ea24b4 8909a531c1 2bbd5c907a d00fc3e7a2 c411d47a23 ec368fe1b9 7647	Kendall	NOISE-K	RRF	g	0.113716	0.114713	- 0.000998	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	20c0c90939 8a6418da86 88915ad7e1 9447543186 765043ca1f 277c2fb3d3 7469	4c0b81c504 6630bac248 610957250c a999b238e3 37d94490aa e0d1be24d6 5897	93d94ae046 fc99d053a8 3c930ce0d3 d269c38e2a 9528ce1ea8 b66f1b0cde 25bb	Kendall	NOISE-K	RRF	g	0.85985	0.861845	- 0.001995	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	d88ae8f1f6 7a1ed3bf4b 66d5326aea 4d54dd55cf b6c250bad2 55e3c0930e 543f	2eed0182e4 c5b378c408 4f01b23244 7736c3781c 959eeafa6d5 7dad076897 a777	a24f33455c 86fe1b5783 2c6fb8cd1e 8ae23d619c 943a602929 3f9eee45be 578d	Kendall	NOISE-K	RRF	p	0.096669	0.097975	- 0.001306	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	cf83128ff3 2eecc68cc35 8da12a15c7 65b2a6238a bf45189680 8dea2a7c39 8f7d	0f94cd1d2d e6af83a063 8da12a15c7 aa739709f4 a226b6ab0e 04c8a0a9cd 8827	d1020bf8bd de2dc4f4a1 926766e9e1 af6d925f7f 04486be903 e4340d8f62 56ff	Kendall	NOISE-K	RRF	p	0.881123	0.88243	- 0.001306	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	87bfb843c3 cf0faf5cd 8b22147f68 556759b4e1 d0bbe29948 9155f14502 35da	96fab381a9 24a18fc8f4 3288b6b8c9 b28b30c264 51c074f9df 0faa0d382c 7a5d	605673a2a4 47fe5f4b7d 1d77bfe92a 1c35c48b4d d4d437952d f59c5ef659 d579	Kendall	NOISE-K	RRF	p	0.139152	0.139651	- 0.000499	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	e9118595b9 c024dad62c 0dee13724d a45ceb30ee e915b83f43 f66c3c78b1 5a8e	349661c2c9 e086498e70 175a14cef6 20132cbbec a87e98af6e 23c603bbba ec19	a41ac8862e 7f40d4aa28 5cff19c48d db67175986 421058205e f045dad408 9cae	Kendall	NOISE-K	RRF	p	0.837905	0.837905	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	801cfl1706 5f7ab2905e 0d3307ef03 bada820226 f0e48a11e5 a9598df1a e8e0	728521d9f7 9297128530 45e162510c e4ee89db91 1f1b1b42f2 61cf23abfb cd31	86574e5518 ae148f354d d5679b646c df4ae26f56 9ac0c844aa b96e11cdd3 32ed	Kendall	NOISE-K	RRF	s	0.115764	0.119458	- 0.003695	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	e55a8675b5 cf918596cf 35ed198f2c 93af07af72 22488f625f ba7834640e dea2	11920dc75a 8222dd6b96 9a1ec65f46 4303e871c1 bb57707bed e7e7bf7b12 1c9b	d07ac7b552 ab18629601 d4d38b70cc 6a2139dd70 a823e4541c 2f5ccc2cf0 1c80	Kendall	NOISE-K	RRF	s	0.852833	0.852833	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	57c808321b 08656694eb 8ce1d03590 1dc3f0b75f e96e20924b 32101b0b5c eebc	3637a9cf5f 96f798851b 978d37cb5f 9f513d2a1a af128f8828 3823b57941 da11	38484931c5 8ea09b2b77 5bf793fb9c 8ef5a67387 b4facdde5c 3f9f95ced3 6d9d	Kendall	NOISE-K	RRF	s	0.14813	0.151122	- 0.002993	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	3d12a11333 06e1001356 4d7e2a6593 478a0b9aa3 ce384b2fa4 09bd92f3d 2e14	3bcd737612 25c1aad4e9 007fddc819 bdca2621bc ce845651d7 eeeddf7eb9 a5c5	0ac2fcdfff ee58577ea8 e147e90372 8c045dfb8f bfbecb14a6 8a212b7753 81dd	Kendall	NOISE-K	RRF	s	0.813965	0.814464	- 0.000499	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	bdb2c48397 dde4524e71 34471fe27e e400b54a08 eaa396634d 6cb8e1088e 764e	91f796a8f0 8fc2398703 771562e621 7a4131558b ec1c62da02 aebcef42a1 07e9	992a95e80d 0fe46469fd 87e4288f32 989e8d4ab8 55d2528625 e9aadf358a ead3	Kendall	NOISE-K	RRF	a	0.104782	0.101558	0.003224	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	2b8fc0d5e8 ae0c3ec5f2 b037772add cc87d4e64d 22bd53702ae 2c75245ecc 38c5	d41140d805 7a34b23874 4cd6a739c6 14b8ca3684 d81fa07d0 d24d019109d 7fed	b55ceb5902 b899fd5198 bdccb6354c 6265fd2439 520a5295bd d24d005e81 658e	Kendall	NOISE-K	RRF	a	0.754433	0.750134	0.004299	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	3dc4ca3a5e6582923ba4627abb1cc59589a0008e766dedc0e2cb700c207b6934	fea55749e245a2a874ec0a52a919cdac8034cf7b7c46a1774e652d0956f45275	2cd7b72ecdff7f5e166d583e73bafca2d8dc839b5029d2c89a71af882af3cdf	Kendall	NOISE-K	RRF	a	0.13217	0.123691	0.008479	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	46e9c8496659ae2dd371b163c892bd91c51999044e48bb38abb5c484c31e9725	a54104218bd585d519cb0bb1da1b36f31aa189c89e18f639cf347279d9b841	ccce6ef545ade7bd5b147349f66e9ca9ec7d9da9b34a39c007abf2196188ad8b	Kendall	NOISE-K	RRF	a	0.710224	0.708229	0.001995	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	460f16bd39ecd68c8e1579a9ac61cc3d4a9079b150b5dd0821cd02b3f8d169c	098933e43c4200c35a7bcd8a6f4d2edab2b88beeac9ab3c2b673b9ef6f715b3	3e98cb750f651e5d6f2f356654766b46d9e77c8ec9d5fda884b7d53ccddc3874	Kendall	NOISE-K	Schulze	g	0.076	0.079333	-0.003333	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	91ac9ed2fec6fbd0a48dee9af971adce894a091d5dc7d3add93c4126439878660	4c7ce5de0a30c68d4e7deeaac700deceb7f2415f5a1e50363414e53fbc4abdf1	4815e6da7749433c9615216ad3fd84db9a7218ab5a0e89afdb2e38f8595e2603	Kendall	NOISE-K	Schulze	g	0.897333	0.897333	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	f9eddb6e30245e0e08a855e806f8b2f5e64b59978970e2ad01d5820c00eeal	81601f321f2439fc368ca9019443d5b2f0da7ba09b933ab5242870e0f9a452d	235304d723a311d4470dc35c8936e129fd0175664b6952621df028fde5627faf	Kendall	NOISE-K	Schulze	g	0.112718	0.117207	-0.004489	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	19afa43112f666e6b054ca5e51936a84e6001ff668776a8003d562542c15462f	c4db30e334a9fe7439313ec4f3b5b0f0b18ba0830ec53fcfd69ba52cacbbdc3	2f25575496cb16f9493c0843748375225f45d96f947b30d306e13259b2f941	Kendall	NOISE-K	Schulze	g	0.860349	0.861347	-0.000998	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	40ff56a558651badb0ad72b92da314770bdc2f494e49fb2e0812aa14ebaaecdc	da0cbf5d4445ec4bad44002f7fdeb547fe11bdcdfbcb434e7a4ac70d978df7a18	82827fc149191a05f4e91ac02880c546cb413984b51288e64eb8e425173b20a9	Kendall	NOISE-K	Schulze	p	0.094709	0.097322	-0.002613	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	5608a404c40d3c8b35c27761fe3c001fd55af0189bd2afb568f4754dac15f9b2	d2a032980e52d1a5d3f38c1a5592278419e1e5685cbb9ee61d04a49fec8567093	01ed56c3685100649b5b62b7e5adf26f0c4b2793f1d5b94272935da5d58967093	Kendall	NOISE-K	Schulze	p	0.879164	0.88243	-0.003266	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	0f21652a952ba0261198ee23761761676a666797b20fd22698bd89d479d3c001	6cd9687632d92ac9425510ff07f56cf23043df080aab5299cab589d5be9b3a5	f2bcf82db130ad7df7ea94fde9d9f85895df9d11a4cd1e79e6dc9e213a24d8f	Kendall	NOISE-K	Schulze	p	0.138653	0.142145	-0.003491	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	0ae6c809aa4ae47dba16a225d5f4c1c793a7250dde27809c955c4c5686d07f82	5fa6ea0afd6c525ce15401ef8742234d552d6db25b6caa169c22e66cfabcbd98	006d77012d33a81d33258d23ccde95cbdc541de6d1be7873f0544e5e291e086b2	Kendall	NOISE-K	Schulze	p	0.836908	0.837905	-0.000998	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	71cd10377ddc8b40a94810855f004cfbc6ba20950711b255242de0b55866647	6f412dceb752b4697882adc191569f49df7cc81b1c0c8333e53dac11d00d725	323a4a988e4e5e69c349e18d85fcee1766965874d17701005c4f23be4df025	Kendall	NOISE-K	Schulze	s	0.112069	0.118227	-0.006158	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	eb31f19236a8667239b07fe92bfdf9380c19107356a9bc100bdag6cd37770b20a	a9311926943b1117d3c6a9dfc1c102800fb1d008c1e25d108c143af28f9554	6780d8db9c6a4f4964e3d756f9f97f96c7a4eb4425e07bc0d24b601980abe58	Kendall	NOISE-K	Schulze	s	0.850369	0.852833	-0.002463	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	163e95bb7e80b91e67fc0cf7f83a5dacfd9af8092ddfd4c1f690584e2f2c8d	b281d453a9d0b23b244b75429c8a0e5568bb913918acd1ec6e9f4c0bccc201e899	a8ded433889a2bc5ba5efef61a12cf74cf66562eb0a659cedb744de9b35b9c5c	Kendall	NOISE-K	Schulze	s	0.145137	0.15212	-0.006983	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	0792f8fbc8cac946baaa6c390683d391b1a0b8cd312600bb167f1ccf89e041cc	740a3ba9972f66ec2514cca4367acc3599338e4b313559ee21023a7a1456a9fc	b7802d4ea8a7a938ef86c471642b8dc35824c886cc1a52d7fd96a49528c8900e	Kendall	NOISE-K	Schulze	s	0.811471	0.812968	-0.001496	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	afc47cbb9f840c88b7b5b50a0397b4f08d89981a9e6d8fa29a43ede32e9dc993	dadd8076d7a6d92f5e29e2c3f667aab64f42c1b3b2f211ba82bce8d491234adc	93dd4be642a9c08e9f4e320c1cdc7e4af5d115a8d165673442d8c9af237a01ec	Kendall	NOISE-K	Schulze	a	0.108544	0.096185	0.012359	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	766ac5aaae1df537c1644469c479ff8179001cfbfbd2bcac2e01e86330bfb583c	7cde07701bf02786135cea5adb765e2f8e894bc7df5991c28193bf5a98a558d3	b2609cb56c7ba423f2a494182a21e6b9ea696b8828a8f4ea368b6e56172fc992	Kendall	NOISE-K	Schulze	a	0.752821	0.748522	0.004299	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	2462bc3a10572bbeaa3660a98786f529844d617620flb4d066932fbd55410428	bd890b732f66191d7a3a474f57acc96305944e0457fb8f04eca834e34aebf53	4d43ae2e3bb58cf1d7447b468b385b7c16bd6df6bc3977dcfdcc0d111b8953e62	Kendall	NOISE-K	Schulze	a	0.135661	0.123192	0.012469	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	9cda08f7dd6469c7be998b0e6b3f9f5cf0fb1cb4917a632e0cfc8f1af6eabb0a	0b24ec818c6fbb14491d7185c8240e854164ca020d36e260db7c7a49a2369338	105b2830602968fb9c8f1ba9f8e1e4c780ac1b7ff70566d92c1cab4e8df4d5eb	Kendall	NOISE-K	Schulze	a	0.710723	0.707232	0.003491	win

Table 43: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison on Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	7ed6db1ee8d 6641f44e8d 8b2273eb93 27abc15942 98fc394dcd 5109a610ea dfc3	0.575073	0.593362	-0.018289	loss	0.203483	0.208598	-0.005115	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	59bdd74997 711f8cd7d9 f1fd880b6 997d1ac46e 1f752a5c24 e3f8456b10 9070	1	1	0	tie	0.945163	0.945868	-0.000705	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	1feaac728a 4221cccd43 5f082c9eb7 4d7317f200 00aeb52a4 d47f751977 7262	0.616477	0.637427	-0.02095	loss	0.258304	0.263261	-0.004957	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	d754220ff9 8c288464b1 b03132d4fd 91c4e03e4a f149015e63 00dd16c4fb 3ba2	1	1	0	tie	0.926205	0.926205	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	90349b4e93 b797f09dc7 5026d406a6 754024d61a cb080af813 9da3cbcd4b d473	0.735588	0.750467	-0.01488	loss	0.260279	0.263829	-0.00355	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	90428a8ce1 b0c8406037 e3c1685e83 a8d7e64ad1 6b27544a70 47cc550270 1c02	1	1	0	tie	0.937986	0.938334	-0.000348	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	f16b17fff4 9a1a10fef5 d2a9f99573 65cbeffb9e 39cb49bbc8 ab06acd217 af68	0.778409	0.804094	-0.025684	loss	0.326153	0.332095	-0.005942	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	8c0c5ef8be 4a700d9372 eba6125d06 8fdfad1431 47c69a593f 9659e4983c821f	1	1	0	tie	0.915099	0.914281	0.000818	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	3837817a76 21898b39a0 2d10800077 a2a0d2e510 c74e4e293e 310da91091 3010	0.9197	0.916749	0.002951	win	0.325425	0.322286	0.003139	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	695c3b851b f2f32fb0ef 663274e2e9 1dfa93f3d5 05178c5520 93b76bb440 790f	1	1	0	tie	0.922489	0.922822	-0.000334	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	e548e63f18 b6a62e789c fd0cdac6dc 43371d1ce3 8f388cdbe2 b5dddde50c 0a9f	0.838068	0.868421	-0.030353	loss	0.351151	0.358663	-0.007512	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	515386cc45 dd29c5cfa9 588224e283 55f7300b7e a4d14a6a5c fb9983df62 4a14	1	1	0	tie	0.901094	0.901371	-0.000277	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	bf54eb8242 8248067739 1a7f21f83f 60a5456e42 dac6219fd6 87a486b55a 7195	0.798283	0.821739	-0.023456	loss	0.282463	0.288885	-0.006422	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	20b0916017 21c15a2116 d11ecb9d2c 27f02f199b f60364548b b31dc00c2a 9318	0.980474	0.97634	0.004135	win	0.860672	0.857938	0.002733	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	3e47e70436 9f7a5cbeaf b8949e5ad9 6df14bf1e5 0b9acc054a 18c1141e66 1570	0.707386	0.725146	-0.01776	loss	0.296395	0.299489	-0.003094	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	ab5d4e1a53 4cbb6b7c99 79c46f96b6 bcb6bfa57b 3bf8a2b8a7 510737c51b 7a9e	0.979438	0.978782	0.000656	win	0.835502	0.835514	-1.221e-05	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	0c1ce41fa2 04f5bd1579 577f2fed5c 09e962fe49 9c17eba808 e7ffe0764105bc	0.609638	0.665448	-0.055811	loss	0.21525	0.228798	-0.013548	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	a8e7d299d7 5df1e04866 b40d242830 dfa2ce4694 61a3cad627 a0928e483f9eff	1	1	0	tie	0.945868	0.946221	-0.000352	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	8af1a9583e 71225dc52c 4bd132260b 7da36b6ce3 6244dedc8a6 25a0bd8dad 8459	0.660819	0.687688	-0.026869	loss	0.272922	0.280257	-0.007335	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	463754fa0 17a878db14 c5ecba9ccb 748806b7be 36f1d7420c 65cdbc329 6979	1	1	0	tie	0.926474	0.926205	0.000269	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	1c6a5c50f6 e59ca3f91d 4c84f85efd 0c6790354f e70306824e a64180fb339f51	0.775434	0.790105	-0.01467	loss	0.273789	0.271658	0.002131	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	9dbcc1aabe 745eaa11e2 7ff5573fa 66eefdf95b 018faeab9d a1780c3a55 22ca	1	1	0	tie	0.938334	0.938334	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	0a4c05f04e dcec19e0a2 5e1e727214 e9dd5721b3 78e340ff48 93fb21bf164f2b	0.830409	0.825826	0.004584	win	0.342964	0.336553	0.006411	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	53e21ae4b1 3a638c32a2 a6dace6a54 1eba4596fa c512505361 f6d84ab8b0 c017	1	1	0	tie	0.915099	0.914827	0.000273	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	ab2ddcb2af 546207e38b ea484fd9d2 bcd7a118ee 1c6ebb30b1 18ba0fe5fc9383	0.918725	0.95321	-0.034486	loss	0.324382	0.327738	-0.003357	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	ce206eda55 1f27fd176d c0874027f4 d250a881b4 3da7d4c32e 81be6b920f 5633	1	1	0	tie	0.92582	0.923489	0.002331	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	2a0fd1d9f8 6fd855f189 1f9c603bc9 908f82fa8f a7a66calff 922b86d5c7 c735	0.853801	0.891892	-0.038091	loss	0.352625	0.363477	-0.010853	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	ac85512ee6 3aabb8f0cb3 bc59753b15 e4bd47f664 35a47dc2f4 deec4ce1e8 ca4b	1	1	0	tie	0.901371	0.901094	0.000277	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	37a7e3e9a7 bf9fea9563 b0095023d9 3c824f6999 da9e6aacc8 80b21a0df0 da10	0.827586	0.8	0.027586	win	0.292203	0.27506	0.017142	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	6fa43f51f9 fb1b9ac033 61b383588b b196116353 0060a8ed43 26c1b2007b 4f4c	0.97228	0.977035	-0.004756	loss	0.856153	0.85855	-0.002397	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	72f7227a09 e524561ddc a280ec30cb e582fd12c7 51e29a52e5 5b80880d99 7361	0.751462	0.723724	0.027738	win	0.310358	0.294943	0.015415	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	54006e74d9 0ec96dc772 8a44c2ee7e 7513a992c3 4c53148566 6e43429bef8fb0	0.972052	0.97606	-0.004008	loss	0.831471	0.833476	-0.002005	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	e40783771a 576b0f317b 76bf3696ba a03092d21b 2fbc7ad2df 0155ef512a5ee7	0.641362	0.622996	0.018366	win	0.228395	0.22044	0.007955	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	60ec96dffa a3ca67cc70 79263ca020 cf0cd8ae77 c74aaa36b9 a082b9755f a231	1	1	0	tie	0.94798	0.947629	0.000352	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	0bc9abe603 542214ac67 3e11586c32 b84a51aa23 34a2fc41ea 28b31012c1 929b	0.66289	0.67147	-0.00858	loss	0.278145	0.279341	-0.001196	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	93fe15e0d4 47aedb46dd 3b14e62ca5 ebcb1d2d1d 9da9a93c0f fbc7e8674b 58a8	1	1	0	tie	0.92755	0.928088	-0.000538	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	f8abac11c2 527eb07485 e83f503a99 d88a18730e 8b1c72cb2e e967da5f7d9ffe	0.767442	0.78254	-0.015098	loss	0.273293	0.276893	-0.0036	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	a0e5869607 8cd7f9b151 d2c7217cc6 4415a21b23 a24aeeda14 2e1f433c06fb8a	1	1	0	tie	0.939725	0.939725	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	ee52e544c8 f37a8a4f50 7a645d4aea 7aee8cbb53 48007f3da0 50249df4f12086	0.807365	0.81268	-0.005315	loss	0.338766	0.338086	0.00068	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	564f51c44f 57b757786a 85811028e 2400c9683e 9fc6e518cd d68ea584b6 4639	1	1	0	tie	0.915916	0.915372	0.000545	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	beb312cc15 f9bf345e1b db3306d04d 7150936802 f84ad612d 754e674a25 dc79	0.956565	0.939372	0.017193	win	0.340641	0.332386	0.008255	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	48585f5fe7 1244059bb8 9c80c6f897 bb65974b6e 98f7ba6cfb b15d62e6ea 03f7	1	1	0	tie	0.923489	0.923823	-0.000333	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	17bc81a1d8 1574f8d6a7 7f9974c922 cea80386a7 e59317d064 529e03c8ba 3681	0.866856	0.887608	-0.020753	loss	0.363728	0.369257	-0.005529	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	9c8296c558 7b5bc15335 c3586848e0 bc3fd9a889 7c3a85bf40 85a3786b38 ef9e	1	1	0	tie	0.902477	0.902477	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	d3b61af2d7 daea3187d2 25c83c2968 5494475c63 45374298b2 74b87ba6b3 27e1	0.79661	0.785408	0.011202	win	0.28368	0.277907	0.005773	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	c1f1f21379f a94d108454 66c5a77baa ff86e574ff 3da04dfd34 181b213235 a82d	0.965422	0.973574	-0.008153	loss	0.850997	0.855806	-0.004809	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	bb260c3c78 6337321458 5012ea87ba 3775b567da c8918dd239 286430db85 01ee	0.719547	0.717579	0.001967	win	0.301918	0.298523	0.003395	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	c29a0cd4bb 8379cd2927 8c6a08e64b 0ce151be61 34b061d84f e23094ce31125	0.967302	0.974658	-0.007355	loss	0.827691	0.831709	-0.004018	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	9d9a56cad4 9d0d67fe96 c4a74fa076 7bd3967b24 40e2f9ac51 703ac828e3 a765	0.60261	0.617671	-0.015061	loss	0.218648	0.218556	9.2561e-05	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	424b97c9bf d622b9d895 59adc8bc4e 33f794d8fe 279e332033 194c7c7359 ebb5	1	1	0	tie	0.947277	0.948332	-0.001055	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	79cccc01ed c6c121e6d5 ef49dbena3 b51f3cbeb9 e8f8915e0b 5721156133 8c51	0.640884	0.662824	-0.02194	loss	0.272318	0.275744	-0.003426	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	32c4a822bf dae21fa137 995c27efe4 15d3cea5b4 d8cd46ca19 4001ec8814 6b90	1	1	0	tie	0.927012	0.928356	-0.001344	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	174a758a6e 3932f03a03 d5d38825fa 29f9bdddde 254bfc3bf0 72888a41c4 6b5a	0.749173	0.78254	-0.033367	loss	0.271827	0.276893	-0.005066	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	9b75c337de 2263c8a920 a569737df3 b5b3296d88 6917989b71 4f423c4b1a 6c70	1	1	0	tie	0.939725	0.939377	0.000348	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	3c3390c292 28eb38dbff f974baffd9 f33f9c916c b2c8201400 6e5a62d054 c1e3 d5b12a1e8f 882e0a4683 15f4002f27 f4d38d1c0a 66a5d41c82 bb78986bc1 3bd1	0.787293	0.806916	-0.019624	loss	0.334529	0.335688	-0.00116	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	d5b12a1e8f 882e0a4683 15f4002f27 f4d38d1c0a 66a5d41c82 bb78986bc1 3bd1	1	1	0	tie	0.915644	0.915372	0.000272	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	353485b348 df2867933e 2bbb092f92 b7c0dc122d 6747354a8b a4a7484261 b81f	0.912071	0.954127	-0.042055	loss	0.330932	0.337607	-0.006675	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	8c3d448235 1a526a9d13 4734308fdb c438107de5 898054737f 55d434c7b8 70ed	1	1	0	tie	0.923489	0.923489	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	49f5fa1cf4 805b3399a1 6e7de2f014 03779065d9 c3ce695357 ef63a317ad e711	0.831492	0.873199	-0.041707	loss	0.353309	0.363263	-0.009953	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	ed77abf1ad c6d03c5d90 82aa37674b bb0d7b0ffe 52014e20a0 71e5a95796 7d14	1	1	0	tie	0.9022	0.902477	-0.000276	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	b8a8e42ca7 80980f0b66 d97b2889b3 513f142285 744aed687d 0f87611dbc 931e	0.742857	0.811159	-0.068302	loss	0.269535	0.287019	-0.017484	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	7191f6b05e a145e1a7cc 6c44050d09 a1133311d4 3b48393f10 2aa427684e 72b5	0.977051	0.97486	0.002191	win	0.858863	0.855147	0.003716	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	989e27cea0 6fba15184f f03b8ee72a 616a6e5319 8bea470648 55dae8e51b 401e	0.687845	0.714697	-0.026852	loss	0.292272	0.297324	-0.005051	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	57729cd1cf b2a6dea6a1 306216e879 b80fd899e8 79fc2c47fb 1a75786fc96f0	0.975376	0.973269	0.002107	win	0.832892	0.83024	0.002652	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	d8fb4786bf a527eb8ac2 1c14e6fe8f 646a77453b 3a95ddc6aa 6a9b1ba4fe5f72	0.607463	0.617738	-0.010274	loss	0.218603	0.221376	-0.002773	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	37d343f513 352df18962 54e8265953 5a5eb0af9a 99c75ed6f0 33ae14014c 1761	1	1	0	tie	0.947629	0.947277	0.000352	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	ad45b31e51 9dc4c58227 99bf233fd5 8580a7879a f1dd2a8889 6e6059fb61 9818	0.641667	0.669516	-0.027849	loss	0.271896	0.280128	-0.008232	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	4eeaf7c222 aee7396708 9f76af6136 cb025da710 241316ae33 8d4c857a51 d579	1	1	0	tie	0.92755	0.928088	-0.000538	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	f7401e7a8e 21829b5122 9bbfbf2a27 200a054382 d64077dc71 feb521344b 46cb	0.741432	0.757809	-0.016376	loss	0.266813	0.271572	-0.004759	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	14bd6792a0 783d647dda 553a171534 c96493f527 9a91fe0641 44841cb1d6 2970	1	1	0	tie	0.94042	0.939377	0.001042	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	1cd542f629 202a1e0c69 e41669e429 c3e649fb9f d72759cb6d 767b5e93cf 7424	0.794444	0.811966	-0.017521	loss	0.336634	0.33973	-0.003096	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	709c9bf095 08cc45b101 809b0a19e1 97bd18754c e6eb536e4c 3b79a8bf75 862a	1	1	0	tie	0.915916	0.915372	0.000545	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	cceab38161 012770ae55 2c2c3a69b f76637a522 bb7a66e142 e288156500cf2c	0.922455	0.920585	0.00187	win	0.331956	0.329905	0.00205	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	515fc06a8c 6d9f88fb84 b323899126 ae47c83a5d 1be4807aed 559f2ced26 b0d9	1	1	0	tie	0.925487	0.923489	0.001998	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	c2afcd8eb2 1b218c5a87 1767828420 98968dd1e4 0580c396d4 3c3d440981 8d95	0.847222	0.868946	-0.021724	loss	0.358997	0.363571	-0.004573	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	eb4a8c9919 a1d0acb660 ac7881514a d7d006db52 def4b4441a 7ab93dcfb3 c8c7	1	1	0	tie	0.903857	0.901647	0.00221	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	1c3ceea7d5 81e90d0381 f5ac639e9c 26d703defb 22566cc482 9fe25a9c0aca65	0.813278	0.748954	0.064324	win	0.292667	0.268399	0.024268	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	f226b9bc1e 01ae94f80b e72c0a4eb7 29575d80ab f8267f1094 8d51dc344d 0740	0.974965	0.968033	0.006932	win	0.857029	0.851231	0.005798	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	9cecf68488 aelaa5d70b 35714897f5 44c2520a8b 121430dc6f f2a14f82d04633	0.722222	0.703704	0.018519	win	0.306031	0.294433	0.011598	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	9507aaa1c4 1c29384d95 2a71aa74fc 457f835056 d2fc233959 51ad94bba9 79fa	0.978738	0.970568	0.00817	win	0.834619	0.828503	0.006116	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	d6d27fa922 b652c1ece6 a30a74b275 288c11a7f1 b778b6f67c 56cd4973d2 64a0	0.580052	0.593362	-0.01331	loss	0.204362	0.208598	-0.004236	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	4094d08580 53a411b0c1 d3e0d27721 5786694006 8d2315d559 0ca731641 2be8	1	1	0	tie	0.945516	0.945868	-0.000352	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	d81ea39de2 c9f4be030d f8ebdd9666 cb646125ea c48d2fc35b eb7d663098 9ebf	0.614085	0.637427	-0.023342	loss	0.258396	0.263261	-0.004865	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	b1ae43f8f6 7c4af693dd bb67e29358 6a83b565c2 9858b5f3a3 6ab8394b91 eb69	1	1	0	tie	0.926205	0.926205	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	38936b90c2 61d49043022 a500c16742 6888c01304 dd9bb5126 f71968d629 3dca	0.747218	0.750467	-0.003249	loss	0.263257	0.263829	-0.000572	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	6fbc2cd38e 80eec545aa 199f1998d6 de4ba8b90c 007e484c4c 975ec5926d 50b2	1	1	0	tie	0.937289	0.938334	-0.001045	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	1f5fbbae38 8824afe90 76cd42fcb4 7cc50068f0 234c3a0a59 99bad651ef a919	0.783099	0.804094	-0.020995	loss	0.329514	0.332095	-0.002581	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	585ab6952f 5a8c970914 246125a123 ebc883ff30 4bf221b749 cfe9697d1a 1830	1	1	0	tie	0.914827	0.914281	0.000545	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	4ccb2848f4 6359b46c59 e9c0e46180 645cf1fd9e 72e5a4e063 01de6b8765 c489	0.917741	0.916749	0.000992	win	0.323335	0.322286	0.001049	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	1c40a97228 f846f43ba2 f68bd8a585 f21f42a4aa 6b6ad1de21 dc84e86065 f504	1	1	0	tie	0.922822	0.922822	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	3ad2ccce1bc 6932385f8 2649c2999f 25792120c1 e73507aff5 cb89a52fbe e0b4	0.816901	0.868421	-0.05152	loss	0.343737	0.358663	-0.014925	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	57d0254833 715e8ec77 5ca9e6f142 ac87749dce ab0e04784d 42c894be85 25c9	1	1	0	tie	0.901647	0.901371	0.000277	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	a0029950ad 7099aa684a f4de320e79 a8a55514d9 1c3e0143bc 1e83348cd3aff6	0.818182	0.821739	-0.003557	loss	0.288259	0.288885	-0.000626	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	000e4daa2e526de47827c92ad696a979eef6750dc08f15b6fbecfae788aa4731	0.975017	0.97634	-0.001322	loss	0.857968	0.857938	2.9725e-05	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	8251f2711c74da29fa07f626526fd0d02e908d81d76ab3f4b0ccccac67de7ad7	0.704225	0.725146	-0.020921	loss	0.296325	0.299489	-0.003164	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	081f328f853260de9775b9d17f044b72e71462e8a85cd12d40da5537a6addf12	0.976109	0.978782	-0.002672	loss	0.834373	0.835514	-0.001141	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	6ec6aa0cc74f15d426b8cb2fca9f8a1bfc23b2e2a58ec869253b8c29501be852	0.597143	0.665448	-0.068305	loss	0.202494	0.228798	-0.026304	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	f59b3d39cd b53d812a68de2e158797ea8f2b54ad605636bf701e105fc477fda2	1	1	0	tie	0.946221	0.946221	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	82260220ac1d304b14035fb7971aeb38ec638d867cfd19ae774db2b8107869fc	0.629851	0.687688	-0.057837	loss	0.257456	0.280257	-0.022801	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	9c8d3c3eb78f77e866566b19197ee602991ee937d1826e5e25a194fed55139	1	1	0	tie	0.926743	0.926205	0.000538	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	35d8ecb3376a6082fae7d59f2c3c5e88e4ce88946706fc1fc7e3b2d841f23a9e	0.778176	0.790105	-0.011928	loss	0.263883	0.271658	-0.007775	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	977cd1f58614df98186e94ddaa46734d9b281d72fc401e9c19a3f74a019685de	1	1	0	tie	0.937289	0.938334	-0.001045	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	3002a6038dce8fbf73fe7ce6eced9601dad314131a2913e955bda11128262a48	0.826866	0.825826	0.00104	win	0.337987	0.336553	0.001434	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	4bad61124e0c700b5c11013fc44b30563d208a5be5f61235d42523ab1a2149cf	1	1	0	tie	0.914281	0.914827	-0.000545	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	07c215ff4ff02742b2a803f3719bdd189f753fd1e862a22f1140fa7cd7040c0	0.926387	0.95321	-0.026823	loss	0.314142	0.327738	-0.013596	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	6d43cc9f72d741204ac2c7c25f17b0c76ee47fb0944da3799b3c0a104802c092	1	1	0	tie	0.925155	0.923489	0.001665	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	794fa005e4f74925379ec6a6c8e6d654673a3fc40f038bba b4aa9e111d f2ba	0.835821	0.891892	-0.056071	loss	0.341648	0.363477	-0.02183	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	e4664dcc85f6361134d5432ea560ab287c7b9d11198482a8e898cd47ded11890f	1	1	0	tie	0.901924	0.901094	0.00083	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	240016a862adcf1526d6cad0427d2df2cf8e9e76c36ed262e0ca9122d7595159	0.957944	0.8	0.157944	win	0.324843	0.27506	0.049783	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	e0ef6edac2684d517e8f08ec00dbb4c9da558423dd87cb2456287b6de5d011c9	0.970914	0.977035	-0.006121	loss	0.855246	0.85855	-0.003304	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	444e88524d55ea0e1b66818367cad4f3d456635715165f3b36091	0.826866	0.723724	0.103142	win	0.337987	0.294943	0.043044	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	f5f20af5f8737d06c590ce9b9d70cc5974aba71b2b351e5c958015a0f4ee	0.969471	0.97606	-0.006589	loss	0.83124	0.833476	-0.002236	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	ed9dd52e205dc1dcf94ecdd851f1814f51899826dd14f3b9cc2a4ec64c5bd60	0.5947	0.622996	-0.028296	loss	0.214453	0.22044	-0.005987	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	aeae32610aebcabfa3cf0fb2367d85afce77cad849cac3cfeaa360094751a54f64ea	1	1	0	tie	0.948332	0.947629	0.000703	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	42f1891f41ec96cb3e4d0e1dafb53b63b263d477faafb8347bf89f719163ef90	0.629121	0.67147	-0.042349	loss	0.268057	0.279341	-0.011283	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	209bcb7ae49b3bde77c5993a8baf65744279d2f8557ec04fe74bfb3133a72d46	1	1	0	tie	0.928088	0.928088	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	bb427de32a897bb38c05470151752694783d82d48768d45d0bcd85f058a10aad	0.728323	0.78254	-0.054217	loss	0.262638	0.276893	-0.014254	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	9e730e1020a5dcf4b4ae58a8e2400a7909db02ec66bcdc80367aae37bcb50b55	1	1	0	tie	0.938682	0.939725	-0.001043	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	90dc6bd0bb278f5d34fa3b4a92d77a68a42e7aee08915c57ec75457f16af63c	0.758242	0.81268	-0.054438	loss	0.323073	0.338086	-0.015013	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	2eb3962432 fe0f7f500a 03a021c883 2e9c4e2b5b 9e9c6b0e23 52ec776c1b cccd f28bf75e0a 3eb9bd03e6 320589e965 db829dbad4 52b47fb788 a98b392f55 4214 d7452ab218 5dc07866db 63dec7f817 5692220e99 155a267187 8abc2558b7 b1b0 5a63d60775 879cfbab33 6e51d031e2 f25bbfc52d 9e16b51a49 ee6e1f846d ab62 a2b06c13dc 8411b484017 24566d638f 561bb40afe 7eba043b2c 7e57ece0c069c8 cd79d776e1 4cc9971225 43c1d9f162 cd3a32ed97 652ad5c32e 2a2db617cc 5149 43ad315856 70a69db84d a5d36fd48b 33c2234c7c 9c1d6c88ed 28afe2c1d0 b399 flae5f1465 5155057dcb c6fba562ae b5bdad3f0d ec98af98f7 0d8bbdc5b5 1fa1 2657ab6c73 a1a3066c2d b4d437d768 790a5d8aa4 b1e414211f bea148e7e6 a7c6 42c4c722b8 0b442de76b a80eacf57d 30dc2068f1 1934479779 41e9b325a3 656e 1e53446302 5b660ec2cc 93861e06ad 6ea84ee1b4 d4cbad380a c1a01edbd9 bf51 52f3995d01 5139d60efe d567d12028 27cdcbf3b5 0f2d68e3e4 29053298a5f49 20c0c90939 8a6418da86 88915ad7e1 9447543186 765043ca1f 277c2fb3d3 7d69	1	1	0	tie	0.915372	0.915372	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	f28bf75e0a 3eb9bd03e6 320589e965 db829dbad4 52b47fb788 a98b392f55 4214 d7452ab218 5dc07866db 63dec7f817 5692220e99 155a267187 8abc2558b7 b1b0 5a63d60775 879cfbab33 6e51d031e2 f25bbfc52d 9e16b51a49 ee6e1f846d ab62 a2b06c13dc 8411b484017 24566d638f 561bb40afe 7eba043b2c 7e57ece0c069c8 cd79d776e1 4cc9971225 43c1d9f162 cd3a32ed97 652ad5c32e 2a2db617cc 5149 43ad315856 70a69db84d a5d36fd48b 33c2234c7c 9c1d6c88ed 28afe2c1d0 b399 flae5f1465 5155057dcb c6fba562ae b5bdad3f0d ec98af98f7 0d8bbdc5b5 1fa1 2657ab6c73 a1a3066c2d b4d437d768 790a5d8aa4 b1e414211f bea148e7e6 a7c6 42c4c722b8 0b442de76b a80eacf57d 30dc2068f1 1934479779 41e9b325a3 656e 1e53446302 5b660ec2cc 93861e06ad 6ea84ee1b4 d4cbad380a c1a01edbd9 bf51 52f3995d01 5139d60efe d567d12028 27cdcbf3b5 0f2d68e3e4 29053298a5f49 20c0c90939 8a6418da86 88915ad7e1 9447543186 765043ca1f 277c2fb3d3 7d69	0.913908	0.939372	-0.025465	loss	0.329562	0.332386	-0.002824	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	d7452ab218 5dc07866db 63dec7f817 5692220e99 155a267187 8abc2558b7 b1b0 5a63d60775 879cfbab33 6e51d031e2 f25bbfc52d 9e16b51a49 ee6e1f846d ab62 a2b06c13dc 8411b484017 24566d638f 561bb40afe 7eba043b2c 7e57ece0c069c8 cd79d776e1 4cc9971225 43c1d9f162 cd3a32ed97 652ad5c32e 2a2db617cc 5149 43ad315856 70a69db84d a5d36fd48b 33c2234c7c 9c1d6c88ed 28afe2c1d0 b399 flae5f1465 5155057dcb c6fba562ae b5bdad3f0d ec98af98f7 0d8bbdc5b5 1fa1 2657ab6c73 a1a3066c2d b4d437d768 790a5d8aa4 b1e414211f bea148e7e6 a7c6 42c4c722b8 0b442de76b a80eacf57d 30dc2068f1 1934479779 41e9b325a3 656e 1e53446302 5b660ec2cc 93861e06ad 6ea84ee1b4 d4cbad380a c1a01edbd9 bf51 52f3995d01 5139d60efe d567d12028 27cdcbf3b5 0f2d68e3e4 29053298a5f49 20c0c90939 8a6418da86 88915ad7e1 9447543186 765043ca1f 277c2fb3d3 7d69	1	1	0	tie	0.924156	0.923823	0.000333	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	5a63d60775 879cfbab33 6e51d031e2 f25bbfc52d 9e16b51a49 ee6e1f846d ab62 a2b06c13dc 8411b484017 24566d638f 561bb40afe 7eba043b2c 7e57ece0c069c8 cd79d776e1 4cc9971225 43c1d9f162 cd3a32ed97 652ad5c32e 2a2db617cc 5149 43ad315856 70a69db84d a5d36fd48b 33c2234c7c 9c1d6c88ed 28afe2c1d0 b399 flae5f1465 5155057dcb c6fba562ae b5bdad3f0d ec98af98f7 0d8bbdc5b5 1fa1 2657ab6c73 a1a3066c2d b4d437d768 790a5d8aa4 b1e414211f bea148e7e6 a7c6 42c4c722b8 0b442de76b a80eacf57d 30dc2068f1 1934479779 41e9b325a3 656e 1e53446302 5b660ec2cc 93861e06ad 6ea84ee1b4 d4cbad380a c1a01edbd9 bf51 52f3995d01 5139d60efe d567d12028 27cdcbf3b5 0f2d68e3e4 29053298a5f49 20c0c90939 8a6418da86 88915ad7e1 9447543186 765043ca1f 277c2fb3d3 7d69	0.821429	0.887608	-0.066179	loss	0.349996	0.369257	-0.019261	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	a2b06c13dc 8411b484017 24566d638f 561bb40afe 7eba043b2c 7e57ece0c069c8 cd79d776e1 4cc9971225 43c1d9f162 cd3a32ed97 652ad5c32e 2a2db617cc 5149 43ad315856 70a69db84d a5d36fd48b 33c2234c7c 9c1d6c88ed 28afe2c1d0 b399 flae5f1465 5155057dcb c6fba562ae b5bdad3f0d ec98af98f7 0d8bbdc5b5 1fa1 2657ab6c73 a1a3066c2d b4d437d768 790a5d8aa4 b1e414211f bea148e7e6 a7c6 42c4c722b8 0b442de76b a80eacf57d 30dc2068f1 1934479779 41e9b325a3 656e 1e53446302 5b660ec2cc 93861e06ad 6ea84ee1b4 d4cbad380a c1a01edbd9 bf51 52f3995d01 5139d60efe d567d12028 27cdcbf3b5 0f2d68e3e4 29053298a5f49 20c0c90939 8a6418da86 88915ad7e1 9447543186 765043ca1f 277c2fb3d3 7d69	1	1	0	tie	0.903029	0.902477	0.000552	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	cd79d776e1 4cc9971225 43c1d9f162 cd3a32ed97 652ad5c32e 2a2db617cc 5149 43ad315856 70a69db84d a5d36fd48b 33c2234c7c 9c1d6c88ed 28afe2c1d0 b399 flae5f1465 5155057dcb c6fba562ae b5bdad3f0d ec98af98f7 0d8bbdc5b5 1fa1 2657ab6c73 a1a3066c2d b4d437d768 790a5d8aa4 b1e414211f bea148e7e6 a7c6 42c4c722b8 0b442de76b a80eacf57d 30dc2068f1 1934479779 41e9b325a3 656e 1e53446302 5b660ec2cc 93861e06ad 6ea84ee1b4 d4cbad380a c1a01edbd9 bf51 52f3995d01 5139d60efe d567d12028 27cdcbf3b5 0f2d68e3e4 29053298a5f49 20c0c90939 8a6418da86 88915ad7e1 9447543186 765043ca1f 277c2fb3d3 7d69	0.801653	0.785408	0.016245	win	0.289082	0.277907	0.011175	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	43ad315856 70a69db84d a5d36fd48b 33c2234c7c 9c1d6c88ed 28afe2c1d0 b399 flae5f1465 5155057dcb c6fba562ae b5bdad3f0d ec98af98f7 0d8bbdc5b5 1fa1 2657ab6c73 a1a3066c2d b4d437d768 790a5d8aa4 b1e414211f bea148e7e6 a7c6 42c4c722b8 0b442de76b a80eacf57d 30dc2068f1 1934479779 41e9b325a3 656e 1e53446302 5b660ec2cc 93861e06ad 6ea84ee1b4 d4cbad380a c1a01edbd9 bf51 52f3995d01 5139d60efe d567d12028 27cdcbf3b5 0f2d68e3e4 29053298a5f49 20c0c90939 8a6418da86 88915ad7e1 9447543186 765043ca1f 277c2fb3d3 7d69	0.97301	0.973574	-0.000564	loss	0.85739	0.855806	0.001583	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	flae5f1465 5155057dcb c6fba562ae b5bdad3f0d ec98af98f7 0d8bbdc5b5 1fa1 2657ab6c73 a1a3066c2d b4d437d768 790a5d8aa4 b1e414211f bea148e7e6 a7c6 42c4c722b8 0b442de76b a80eacf57d 30dc2068f1 1934479779 41e9b325a3 656e 1e53446302 5b660ec2cc 93861e06ad 6ea84ee1b4 d4cbad380a c1a01edbd9 bf51 52f3995d01 5139d60efe d567d12028 27cdcbf3b5 0f2d68e3e4 29053298a5f49 20c0c90939 8a6418da86 88915ad7e1 9447543186 765043ca1f 277c2fb3d3 7d69	0.728022	0.717579	0.010443	win	0.310197	0.298523	0.011675	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	2657ab6c73 a1a3066c2d b4d437d768 790a5d8aa4 b1e414211f bea148e7e6 a7c6 42c4c722b8 0b442de76b a80eacf57d 30dc2068f1 1934479779 41e9b325a3 656e 1e53446302 5b660ec2cc 93861e06ad 6ea84ee1b4 d4cbad380a c1a01edbd9 bf51 52f3995d01 5139d60efe d567d12028 27cdcbf3b5 0f2d68e3e4 29053298a5f49 20c0c90939 8a6418da86 88915ad7e1 9447543186 765043ca1f 277c2fb3d3 7d69	0.968027	0.974658	-0.00663	loss	0.828875	0.831709	-0.002834	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	42c4c722b8 0b442de76b a80eacf57d 30dc2068f1 1934479779 41e9b325a3 656e 1e53446302 5b660ec2cc 93861e06ad 6ea84ee1b4 d4cbad380a c1a01edbd9 bf51 52f3995d01 5139d60efe d567d12028 27cdcbf3b5 0f2d68e3e4 29053298a5f49 20c0c90939 8a6418da86 88915ad7e1 9447543186 765043ca1f 277c2fb3d3 7d69	0.607246	0.617671	-0.010425	loss	0.216703	0.218556	-0.001852	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	1e53446302 5b660ec2cc 93861e06ad 6ea84ee1b4 d4cbad380a c1a01edbd9 bf51 52f3995d01 5139d60efe d567d12028 27cdcbf3b5 0f2d68e3e4 29053298a5f49 20c0c90939 8a6418da86 88915ad7e1 9447543186 765043ca1f 277c2fb3d3 7d69	1	1	0	tie	0.946925	0.948332	-0.001407	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	52f3995d01 5139d60efe d567d12028 27cdcbf3b5 0f2d68e3e4 29053298a5f49 20c0c90939 8a6418da86 88915ad7e1 9447543186 765043ca1f 277c2fb3d3 7d69	0.642254	0.662824	-0.020571	loss	0.270249	0.275744	-0.005495	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	20c0c90939 8a6418da86 88915ad7e1 9447543186 765043ca1f 277c2fb3d3 7d69	1	1	0	tie	0.927281	0.928356	-0.001075	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	d88ae8f1f6 7a1ed3bf4b 66d5326aea 44544d55cf b6c250bad2 55e3c0930e543f	0.759075	0.78254	-0.023465	loss	0.270885	0.276893	-0.006007	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	cf83128f3 2eec68cc35 6da5466499 65b2a6238a bf45189680 8dea2a7c39 8f7d	1	1	0	tie	0.938682	0.939377	-0.000696	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	87bf843c3 cf0fa5ed 8b22147f68 556759b4e1 d0bbe29948 9155f14502	0.785915	0.806916	-0.021001	loss	0.330699	0.335688	-0.004989	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	35da e9118595b9 c024dad62c 0dee13724d a45ceb30ee c915b83f43	1	1	0	tie	0.915372	0.915372	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	f66c3c78b15a8e 801cf11706 5f7ab2905e 0d3307ef03 bada820226 f0e48a11e5	0.909012	0.954127	-0.045114	loss	0.324393	0.337607	-0.013214	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	af9598df1a08c0 e55a8675b5 cf918596cf 35ed198f2c 93af07af72 22488f625f	1	1	0	tie	0.923489	0.923489	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	ba7834640e dea2 57c808321b 08656694eb 8ce1d03590 1dc3f0b75f	0.83662	0.873199	-0.036579	loss	0.352034	0.363263	-0.011228	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	e96e20924b 32101b0b5c eebc 3412a11333 06e1001356	1	1	0	tie	0.9022	0.902477	-0.000276	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	4dbc2a6593 478a0b9aa3 ce384b2fa4 09bde92f3d 2e14 bdb2c48397	0.822785	0.811159	0.011626	win	0.293621	0.287019	0.006602	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	dde4524e71 3d471fe27e e400b54a08 eea396634d 6cb8e1088e 764e 2b8fc0d5e8	0.972973	0.97486	-0.001887	loss	0.856763	0.855147	0.001616	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	ae0c3ec5f2 b037772add cc87d4e64d 22b53702ae 2c75245ecc 38c5 3dc4ca3a5e	0.746479	0.714697	0.031781	win	0.314105	0.297324	0.016781	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	6582923ba4 627abb1cc5 9589a0008e 7e6d4dc0e2 cb700c207b 6934 46e9c84966	0.970027	0.973269	-0.003242	loss	0.830022	0.83024	-0.000217	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	59ae2dd371 b163c892bd 91c5199904 4e48bb38ab b5c48c31e 9725 460f16bd39	0.589317	0.617738	-0.028421	loss	0.211632	0.221376	-0.009744	loss
							ecd68c8e1 579a9ac61c c3d4a9079b 150b5dd082 1cd02b3f8d 169c								

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	91ac9ed2fe c6fbd0a48d ee9a971ad c894a091d5 dc7d3ad493 c412643987 8660	1	1	0	tie	0.947277	0.947277	0	tie
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	f9edd1b6e30 24e5e0e08a 8e55e806f8 b2f5e64b59 978970e2ad 01d5820c00 eeal	0.624309	0.669516	-0.045206	loss	0.265275	0.280128	-0.014853	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	19afa43112 f666eb054 ca5e51936a 84e6001ff6 68776a8003 d562542c15 462f	1	1	0	tie	0.92755	0.928088	-0.000538	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	40ff56a558 651badb0ad 72b92da314 770bcd2f49 4e49fb2e08 12aa14ebaa ecdc	0.734392	0.757809	-0.023417	loss	0.263731	0.271572	-0.007842	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	5608a404c4 0d3e8b35c2 7761fe3c00 1fd55af018 9bd2afb568 f4754dac15f9b2	1	1	0	tie	0.937637	0.939377	-0.00174	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	0f21652a95 2ba0261198 ee23761761 676a666797 b20fd22698 bd89d479d3 c001	0.767956	0.811966	-0.04401	loss	0.326312	0.33973	-0.013418	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	0ae6c809aa f4e47dba16 a225d5f4c1 c793a7250d de27809c95 5c4c5686d0 7f82	1	1	0	tie	0.914827	0.915372	-0.000545	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	71cd10377d dc8b40a948 10855f004c fbcb6ba209 50711b2552 42de0b5586 6647	0.869001	0.920585	-0.051583	loss	0.312071	0.329905	-0.017835	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	eb31f19236 a8667239b0 7fe92bfd93 09c1910735 6a9bc100bd a6cdb37770 b20a	1	1	0	tie	0.922155	0.923489	-0.001335	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	163e95bbb7 e80b91e67f c0cf7f83a5 dacfd9af80 92ddfd4c1 f690584e2f2c8d	0.803867	0.868946	-0.065078	loss	0.341571	0.363571	-0.021999	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	0792f8fbc8 cac946baaa 6c390683d3 91b1a0b8cd fd2600bb16 7f1ccf89e041cc	1	1	0	tie	0.900817	0.901647	-0.00083	loss
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	afc47cbb9f 840c88b7b5 b50a0397b4 f08d89981a 9e6d8fa29a 43ede32e9d c993	0.841667	0.748954	0.092713	win	0.302254	0.268399	0.033855	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	766ac5aaae 1df537c164 4469c479ff 8179001cfb fbd2bcac2e 01e86330bf 183c	0.965541	0.968033	-0.002492	loss	0.852572	0.851231	0.001341	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	2462bc3a10572bbeaa3660a98786f529844d617620f1b4d066932fbd55410428	0.751381	0.703704	0.047678	win	0.319269	0.294433	0.024837	win
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	9cda08f7dde469e7be098b0e6b3f9f5cf0fb1cb4917a632e0ccf8f1af6eabb0a	0.965447	0.970568	-0.005121	loss	0.828351	0.828503	-0.000152	loss

Table 44: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	a069b70740 4eb5ea42cd 4275309023 d7252b0b25 3199d1d693 48dfc1f65 c28f	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran former Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	g	0.116209	0.053865	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	53e7318771 f898a8c3a3 e2b497da56 7b63d117c8 0d27071c6 fe26ef90ff c0d3	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran former Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	g	0.212968	0.0798	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	6fd230d78 a7155a4af5 5c7ebb5887 ba8487fdf f7aec0767e 40d8b76951 b23b	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran former Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	g	0.175561	0.108229	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	e286196e7e 8ce5c88314 10891d1d2c a21ea3dc55 bbc3a2b21e 1c3b8250c7 45de	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran former Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	g	0.272319	0.142145	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	f9812cdcc4 584c6aa3d2 459e5d1442 9a98642bf7 f0c6309066 d7957e87a8 46be	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran former Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	p	0.116209	0.070324	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	5c7abf0e10 b95b05b003 b7099258fd fdc0b3180c 42c4f7bd8d 9577543221 e5b9	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran former Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	p	0.212968	0.091771	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	248f7a65b4 2aaaf4bf57 fe03b48212 f9b4407743 655ae18ff4 cb032424b4 18ea	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran former Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	p	0.175561	0.136658	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	a0909d0e82 d407f2bca0 2272343db6 43fc78be43 179f163069 56f662aa5c 4324	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran former Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	p	0.272319	0.162594	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	cd2b9d8a25 e6546b2f6a 2bb95c639a d75f56c06d 2515082bdf 9a669a6329 3759	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran former Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	s	0.116209	0.093267	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	a8135ff924 9b7777e5709 f71e10bd06 18bc79440c 80e4f8939f d3c4cd5104 9e3c	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran former Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	s	0.212968	0.120698	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	2fc9dbce2b fd6b059cda 084b053c59 45be63425f 1724aaa3da dc90283f14 ed90	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran former Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	s	0.175561	0.147132	0.92818	0.809975

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	45eb15ecd0bace506de54106b1b8d71c822a1fe7abf73e48554a44286a37ffd3	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb ation PartialLRP Saliency Gradients	s	0.272319	0.18803	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	b9f7a726fa575472eda5c68586764c8d39342b73653b6497aa886e8f3fb4b112	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb ation PartialLRP Saliency Gradients	a	0.116209	0.092768	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	d5d59e48f0b0f0b12716c7eb7da6834f6ac4d099cca3f527d03acbbe0be9d1f4	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb ation PartialLRP Saliency Gradients	a	0.212968	0.226933	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	138f7dc037081962e2a8ffadb316247afe024ed0583cd964ead4c53e5800153b	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb ation PartialLRP Saliency Gradients	a	0.175561	0.12419	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	81751b36412e31c782878ebaa390eda363efleed444f5256e7c7ae0328e6d595	NOISE	Spearman	NOISE-S	Simple Averaging	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb ation PartialLRP Saliency Gradients	a	0.272319	0.287282	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	5846bc10ecd9399aa78445a9322f5d44b58769e8de2e3532d5b65ed7acaa cb4d	NOISE	Spearman	NOISE-S	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb ation PartialLRP Saliency Gradients	g	0.115711	0.056858	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	edd8b894788ddc21e929b51739be739e9230fb49bfa9d64c90fa818ba417a0460	NOISE	Spearman	NOISE-S	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb ation PartialLRP Saliency Gradients	g	0.208479	0.078803	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	c273f6fa86ba042c56e947f7a0e0f7edd243d66ae7ab6fd687391fd9cd54c96	NOISE	Spearman	NOISE-S	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb ation PartialLRP Saliency Gradients	g	0.170574	0.112718	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	f3f831e2bb3881585d4a6ec97c104178bcd102857abc6c70e2dd3cf2ec3ff6b	NOISE	Spearman	NOISE-S	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb ation PartialLRP Saliency Gradients	g	0.268329	0.141646	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	f10f2e0cb7f9642355a11f567d6f9eca9c73bac e5f321d4400931079e63cd64	NOISE	Spearman	NOISE-S	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb ation PartialLRP Saliency Gradients	p	0.115711	0.073815	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	69291c2c8496f56d0902f320e6625d90093feb75f164b230462bdd112858bb78	NOISE	Spearman	NOISE-S	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb ation PartialLRP Saliency Gradients	p	0.208479	0.091272	0.92818	0.763591

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A _{clean}	A _{perturbed}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	bad5821900f82dae1dae9b387a1f3efc8e13e0bc2e49c81e34e7aef26f0fbc4a	NOISE	Spearman	NOISE-S	Borda	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	p	0.1705740.141646	0.92818	0.763591	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	dffc0a5694471d08bafb48a55b4329f4698f2ec44d889b1ab520b9d289ebf93b	NOISE	Spearman	NOISE-S	Borda	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	p	0.2683290.162594	0.92818	0.763591	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	0660d71a25b84c3dcb12069e761de117631f80ddc0356543008252d8c606093	NOISE	Spearman	NOISE-S	Borda	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	s	0.1157110.092768	0.92818	0.809975	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	9d38e7da7a4a7aee4a9a8138a4e1a75cfd1f4231fe21d8939eb5f05df845d080	NOISE	Spearman	NOISE-S	Borda	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	s	0.2084790.115711	0.92818	0.809975	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	4760965c8c85cb3b3c6ffab4d7612e4bdbf797eb7b6eea6222bc50016b91c3d0f	NOISE	Spearman	NOISE-S	Borda	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	s	0.1705740.145636	0.92818	0.809975	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	7287b3f8b143917c208a1966e90bd3c73e51c45b0c7dc786ff516681b94407b6	NOISE	Spearman	NOISE-S	Borda	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	s	0.2683290.187531	0.92818	0.809975	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	93065b742c71c52511504bf4cea186de759ef60aa1ad96973bc8898bf991f8d	NOISE	Spearman	NOISE-S	Borda	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.1157110.095761	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	a5bb7c01a945fd2dc7b6aefa28dad1807858fa2c8681c3421e59c98dde5878b	NOISE	Spearman	NOISE-S	Borda	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.2084790.228429	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	20182e387afae4139a7c48de8941271fe052f13f2288298532c1d23fc257979	NOISE	Spearman	NOISE-S	Borda	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.1705740.12818	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	adc43154f684a30422c7489555f88b7288752b52f5e0e56e48801d54fb5b0e40	NOISE	Spearman	NOISE-S	Borda	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.2683290.288778	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	de08572cfae7a36284a79141a56b2773a9abe93219b6a6cea2f68d0dc7735824	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	g	0.1177060.060848	0.92818	0.74813	

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	e72a59ce5d86abe7763577cb1d46a4095a343959b49e1774e8c50f47527afa78	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	g	0.206983	0.07581	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	4c0068afaf074c7f35cb2259c7abf61bb9860a45d994b52e00fb5436d81fc9d3	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	g	0.17606	0.116708	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	22f8827ff40f4440752aedcf71db05e113401173d1c886f5d50ccdf41c7bd7df	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	g	0.26783	0.139651	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	e16bf925b3715cd3f247657b8c91842038ff37f3dd176563eb1853df6e482	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	p	0.117706	0.074314	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	83845ef7f1452f48bf18821607ae4ab885656eb72a156b7b0d0da8e24c39f036	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	p	0.206983	0.089277	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	26f62f3723df03c9aea1b445629a1e8e32b669788d5d30b04611f07341f204	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	p	0.17606	0.142145	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	d53dc26647e917012425a8166e611ee6a5bc8d6c804d81c46f432ea3b378cb6e	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	p	0.26783	0.161097	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	9444071038cb1d634f2e39d8813ca87e7297033d5a03e635ce3b5508bac97d4	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	s	0.117706	0.098254	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	04e018332055c3e78349049556d9ff36f95d505149bb449041b391584a2b641e	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	s	0.206983	0.119202	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	b5fdb42b7162777669c63ccfaa4d50e20021a2d91db57e89f54026a2f6012a05	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	s	0.17606	0.152618	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	2c5f2a7fe609b1a05e2de377f42c5acdcae38fde349cf525b740700502d1b51	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	s	0.26783	0.185536	0.92818	0.809975

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A _{clean}	A _{perturbed}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	902446993e16c04e0c1711d9db0159d5e85385d2d002e330195628ec686bd46b	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.1177060.093766	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	79959dcf269797e6967b775ed7ba8814f70c323058435850910b1f014e2b709a	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.2069830.23192	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	28c0a3982555c007f4b4885c17afe73828e7d8426da04832c0e1f5aa9f7cd37d	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.176060.126683	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	391b97d3cf29df448d90e2de1fd7aae49daf15d862af4a343225420837dab22	NOISE	Spearman	NOISE-S	Kemeny	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.267830.291771	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	06eb77709390235c1ca8e319057da26c2a43461ec218bbc84295ea1939d5ca1d	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	g	0.1221950.059352	0.92818	0.74813	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	0b7beded5d8d42207e518b12d589812ca43191e60268d9b9b61211ce0b19c362	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	g	0.2109730.076808	0.92818	0.74813	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	888cf6f3924c7a5ba8fec1fdc84ad72189e2dd9492d8f96cd273ccc57b227b3e	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	g	0.1805490.115711	0.92818	0.74813	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	f588684013c0766872a2e5e517d606b042bdf023a32f17d96d3a7da4811f5872	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	g	0.2708230.140648	0.92818	0.74813	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	894f70fb68f0766a92b01e8149d9c43df3076877ce79ea4a01963a4eb217eafb	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	p	0.1221950.075312	0.92818	0.763591	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	3728cc74aa07fc7604a8af766088abb6e5a6f53427a19299e22d9ff96ca0e50c	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	p	0.2109730.089277	0.92818	0.763591	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	42c16b8981ccfe0a2efb0a23fc2349ba3e089ba2614a1bd463abeda0b18f87b9	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	p	0.1805490.142145	0.92818	0.763591	

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	29d59254c94f56349aa0357d41cc00cac5a18a75544c4815ef651c47600a567e	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	p	0.270823	0.161596	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	1a0d03e6cdff30a18affdbbfd27db284260956f365fdd3ac1fb9c535f6c1107	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	s	0.122195	0.097257	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	69f813d190311b30ec0ea7bdd3247819cfb1c35496f183e5b33a59318e2e5727	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	s	0.210973	0.119202	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	72a334ce1a5ec007656120cfd4d3e3c936d03716bbb861b0d27a98f58e85859	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	s	0.180549	0.150125	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	d5be735fd70198d155845efb979ee5ddff1febd52d6f59452781656d8be677	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	s	0.270823	0.186035	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	cc1bff2c654699920fec7a36dffa6d853357e287c66d033482352ce44fa4b6f3	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.122195	0.090773	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	85d4a77b9e2d2a0168182f45962b2988532522f69be2138908005c66d7468a03	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.210973	0.227431	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	34dcc39181f11607e9e67ad09f4f55cdd51c410061c3a7f4696afa17d93f26ab	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.180549	0.12419	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	907c159ee21510bd6095cf9c6eaa4fa64ac52d505f75a77c2c2e8b4763a52e77	NOISE	Spearman	NOISE-S	RRF	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.270823	0.288778	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	cfba346df4085321b4bb696f956c8f5eff683e08f37ec118719ec0b835785189	NOISE	Spearman	NOISE-S	Schulze	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	g	0.1202	0.058853	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	a71e04956d1545c71add61d877ef17c69377ca9be6e8e47fb9bc230563aafa17	NOISE	Spearman	NOISE-S	Schulze	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	g	0.210973	0.076309	0.92818	0.74813

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	0639273353 5af669396e 92c24e96e9 39f9a35ae8 c3af768692 a2655ecc3c 6ed6	NOISE	Spearman	NOISE-S	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	g	0.179551	0.115212	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	9e081e3139 cd22131658 bf6681e3dd fe215e0027 878cc4b132 f6f6903a26 08ac	NOISE	Spearman	NOISE-S	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	g	0.272818	0.139651	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	5640139458 bae6de3a4c 4bd97e8fab 96e7891225 6a176de82b 173342891e 14c1	NOISE	Spearman	NOISE-S	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	p	0.1202	0.073317	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	a4e9682057 12a56b26b5 4292fe7ec3 a3aaeb9a28 3b49c59f5e a7c5d8e0ec ad92	NOISE	Spearman	NOISE-S	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	p	0.210973	0.088279	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	4223ba31fc 904765ecb2 ccfaae0262 e6087babcb 95aba1fd8e 0bd666e416 b142	NOISE	Spearman	NOISE-S	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	p	0.179551	0.142643	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	e9fb7ac388 cccdab26b 6bf833e091 19ce5d3a21 9bd25a280e 3a53380f24 5a34	NOISE	Spearman	NOISE-S	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	p	0.272818	0.161097	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	58bc0ef7a3 da4c64a490 884ea7ed32 0a1b86ef7d 96ac82fe58 b33545b3ac 9aaa	NOISE	Spearman	NOISE-S	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	s	0.1202	0.096758	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	7410dd5837 1536941190 9533d6a527 9fba9a4ef3 c4451aff26 695addfecf 21a4	NOISE	Spearman	NOISE-S	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	s	0.210973	0.116209	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	e417da0333 fb8a27b78d e6c9f6f572 7f991b01ef bdadc87712 95c8449fbd 2d7b	NOISE	Spearman	NOISE-S	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	s	0.179551	0.15212	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	37a593ddfe ec9d3108cd eb6b69256b 14cba1c208 d72edd3261 bce8fe0444 82f3	NOISE	Spearman	NOISE-S	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	s	0.272818	0.183042	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	bb1bbcd2ad 8cfff809cc 1d1b376a33 eeb6a9a88f 32046b3c3a be7e7cca6b 9a47	NOISE	Spearman	NOISE-S	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation PartialLRP Saliency Gradients	a	0.1202	0.097756	0.92818	0.92818

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	3fb73dccc82f359095f2cebc3426ee3ce75bf9b26af63b0f750d933e1c4c24722	NOISE	Spearman	NOISE-S	Schulze	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.2109730.228928	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	171337311ae3b0789509eaa14708ba0291bdc3bd6cf7771e483ade775fa6312f	NOISE	Spearman	NOISE-S	Schulze	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.1795510.129676	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	189bd7e21a29c6750a01d66b5050f7bd33587e3aba141da242bd2dae096f7c80	NOISE	Spearman	NOISE-S	Schulze	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	a	0.2728180.288279	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	58d402b822f073a840bce3a284d067b07b3cc3701e8d425d8224f9cceb102e6e3	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	g	0.1152120.053865	0.92818	0.74813	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	cfd4b5dceb3fcfbcd2e9c90814e9a56d9e4d8ece858d0bb6e302a89d20b26f0	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	g	0.2094760.079302	0.92818	0.74813	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	920b7f1164ede1d0e46812af83e0e5142db545afa77f18039a9fad84ac0ae053	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	g	0.1770570.108728	0.92818	0.74813	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	3cd94ec08b20740a1f6e1b752b7bab8697ceb4b9830230c7908f4a4fc69c9788c	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	g	0.2693270.142145	0.92818	0.74813	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	5c395c1f998173f5a64e921092573d7cdc793d61e8fad54e06fe176ff9286f09	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	p	0.1152120.070823	0.92818	0.763591	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	c7d0a17e1ac20182d640b9f4cd8d9d27ba3778622bef0b58398e4de803084582	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	p	0.2094760.092768	0.92818	0.763591	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	8ea538bd95ec557a7f6d7d074632d819404bb5a6986f85ca3a70d2faf9f9942a	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	p	0.1770570.138653	0.92818	0.763591	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	072e848e8cac1f81a894becab266b79a0efa976c2f2364d411861d9cf7a5c18c	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	p	0.2693270.163092	0.92818	0.763591	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	8a923cfa5d3579dc131c3ba3d47d3a101c319e9443f2836aa1810f1353644169	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	s	0.1152120.092269	0.92818	0.809975	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	0b6645155df097a966fcaaa26f176281eccc29af65f751a74c8a12a8f375f5a364	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTranformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb lation PartialLRP Saliency Gradients	s	0.2094760.1202	0.92818	0.809975	

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	e346bd85f6 fd14988b18 c28297116c fe0c5c7cb9 e0e08ae44e feb18185c2 10cc	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	s	0.177057	0.144638	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	b9a681ee29 25354634ad 71ddaa4646 9c45e1aa6b d7293d65fb bd2c84bebb b5f8	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	s	0.269327	0.187032	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	940d942630 5452444538 a5488fada a8740c1fb4 dc90e8b9c0 0836d76390 c60a	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	a	0.115212	0.094264	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	41dda158c0 b64b53bb21 e36b7de846 d8cce339fe d839646b57 e7432b80f2 da90	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	a	0.209476	0.227431	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	555584f5a9 243e7fb6e4 5d598c2772 9173b59631 38e2a61cd7 4050ae61d0 6a0f	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	a	0.177057	0.124688	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	d8a5b7aebd 9b59313273 460cc3e3ea 378f22b453 67473b7ac2 0b97777899 e309	NOISE	Kendall	NOISE-K	Simple Averaging	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	a	0.269327	0.286783	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	3bb3c998d3 ab5c91e2e5 b0c875d078 d8912b72e5 fcb40b88e0 33f9a42e94 e8a8	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	g	0.106733	0.051372	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	c9010dbbb9 b08cccf0c 4e4f60780e d0f9aed596 035c40a124 a4abc0a0ec fb3e	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	g	0.20798	0.078304	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	49e74858ab 82a950cc7a 22d5550101 8e2fdab5f3 324ab6f694 ad477c3ff0 6053	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	g	0.167082	0.105237	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	1927aa25ea e340d2d232 9e8af7d3ce 28780cafc3 2c796d2908 803ea2befe d16b	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	g	0.264838	0.141147	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	4a152b94a9 1d3d28ea63 93babd60e0 7fa1994a7 0bca84bea7 c8d7fdb8db 9ea0	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	p	0.106733	0.068329	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	fd43a22f1e acf5fe5bef 84cbb83bf ef4ca74f23 cd809ae951 72e71fde86 c23f	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	p	0.20798	0.092768	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	229fc3d89c 2e559b2129 bc412ddce8 13459cd873 e53b13a82b 8cc8d52688 fe10	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	p	0.167082	0.138155	0.92818	0.763591

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	f567cf8a4e1926ddb9050ac9cfa17c945618aaf10f7e489ece2591b18e630edf5	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbblation	p	0.264838	0.16409	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	dffa17a590cd6ef3fe011e209cbfc23e024c51df8cfa24d71b7fd1cfb0fcb982c	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbblation	s	0.106733	0.086284	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	4d8a6d50bc7f6c40b6a4d1337f91239fc8ca61b157aeacc3d25088fa382f14a0	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbblation	s	0.20798	0.116708	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	571a08a0be7f1f543bf241bc76ed365b5a84555bbeafa1aff999da7e036451c3	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbblation	s	0.167082	0.139651	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	2cb2be6b30828d39275032c0ed4da90262c29ee5b0598739e3ac146d2759308d	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbblation	s	0.264838	0.186534	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	944757b7afb341cce31e4285624cf5a54c988492ee70bd4837a6d1be40076ef	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbblation	a	0.106733	0.102244	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	83bc307e4b4b85bc15112edfd19a853e9345da016303173716168114c585bada	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbblation	a	0.20798	0.228928	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	b369caba0590d160738baa88c1cf4bd477705fd728c70d222e7513cc4eef7f73	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbblation	a	0.167082	0.138155	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	d1747649f71c0e9725af4b329e69acc4ea05f66cbeafb62c3531806a8944a3d6	NOISE	Kendall	NOISE-K	Borda	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbblation	a	0.264838	0.287282	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	d37cf634c57ac5fde9c924c3f001e4dfa8fa88d455ca06e7c88ab0ad1726c78	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbblation	g	0.120698	0.057855	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	a85280b16d2b304059f3abab9cb89a634bb09a7c345a1fe28b0f4111f6709e41	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbblation	g	0.207481	0.075312	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	ea0b50c75d63a04b5c1fe74bf754f6be8eeaf9ab7ce642b6a0eadd59074620c44	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbblation	g	0.181546	0.114214	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	d3fcd333a4cb02c13b07db5e07528560666a8d1c1fad7c73eb3122e99f51cf68	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbblation	g	0.266833	0.138653	0.92818	0.74813

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	b2c30ced65 946a84903d 41b7166a3d 9fd65f453a 9ee6f4c2cc 62f359a4a8 3bdd	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	p	0.120698	0.072319	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	08b422531b 2860336ae1 ba6c6c2411 420eeae7b7 b169edb5ab f778ddd0cb 4e52	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	p	0.207481	0.090773	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	123dd724a5 948d0756a2 f63bd57632 376bd2e1c3 0612405275 4d86572ab2 790d	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	p	0.181546	0.137656	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	b0f3144a7d 8bf66a23a8 c112971075 bab9e0fd8f ff65c1375e bdad74c492 0451	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	p	0.266833	0.162095	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	fa1534c6d9 f11d4438ec 1151d33e47 8257867be0 297f6dc7a5 9f2c487d3d 8544	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	s	0.120698	0.096259	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	e226166c49 7ab65037f4 7322634586 84ab0192d9 f4555fb989 4c7b35a06a 5e64	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	s	0.207481	0.118204	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	76f08e1f3a 21ab32af98 9e9ae933a9 c177835caf abb42fe7b 68eece8a742 fc32	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	s	0.181546	0.149127	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	9d84fa0cf0 d3e57bab4e 5fa6d8abb7 281420fb99 16a41cf780 d534de0179 a659	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	s	0.266833	0.184539	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	96e0075634 425e4be0d2 49932b93f2 5e8922b68c da53d7e86d ec7b496f02 41db	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	a	0.120698	0.096758	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	07565a5f8c 51193b3c89 3feb0cf996 f1e1da01fd a8b517bce9 896f6ae8c0 fb44	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	a	0.207481	0.226933	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	0ff2f63beb 609b045413 43e0865299 ec41380241 d1d777ebd7 035b16d82c cea0	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	a	0.181546	0.13217	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	ebe0210f8b 9c6cc233bf 70f93a8242 e52834eeef a1cc0b8bf5 bc4d602b17 3775	NOISE	Kendall	NOISE-K	Kemeny	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	a	0.266833	0.290274	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	1154dbd3c4 00a7f8a499 fa560c4168 661618ee0d 94662a5b42 0b5cac04ed 0136	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	g	0.118204	0.057855	0.92818	0.74813

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	f38d34a53c f7088756ac 59373304ed 237dfcfb19 9f3f07b8e3 d119f5b491 7026	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	g	0.208479	0.077307	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	d07be5c67 5ad552fb68 003489ed3c 12flaa9385 d9c20c0cfa d406d1165c 182c	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	g	0.177057	0.113716	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	4c0b81c504 6630bac248 610957250c a999b238e3 37d94490aa e0d1be24d6 5897	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	g	0.26783	0.14015	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	2eed0182e4 e5b378c408 4f01b23244 7736e3781c 959eefa6d5 7dad076897 a777	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	p	0.118204	0.073815	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	0f94ed1d2d e6af83a063 85d12a15c7 aa739709f4 a226b6ab0e 04c8a0a9cd 8827	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	p	0.208479	0.090773	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	96fab381a9 24a18fc8f4 3288b6b8c9 b28b30e264 51c074f9df 0faa0d382c 7a5d	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	p	0.177057	0.139152	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	349661c2c9 e086498e70 175a14cef6 20132cbbec a87e98af6e 23c603bbba ec19	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	p	0.26783	0.162095	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	728521d9f7 9297128530 45e162510c e4ee89db91 1f1b1b42f2 61cf23abfb cd31	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	s	0.118204	0.093766	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	11920dc75a 8222d46b96 9a1ec65f46 4303e871c1 bb57707bed e7e7bf7b12 1c9b	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	s	0.208479	0.119202	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	3637a9cf5f 96f798851b 978d37cb5f 9f513d2a1a af128f8828 3823b57941 da11	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	s	0.177057	0.14813	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	3bcd737612 25c1aad4e9 007fddc819 bdca2621bc ce845651d7 eeddf7eb9 a5c5	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	s	0.26783	0.186035	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	91f796a8f0 8fc2398703 771562e621 7a413b558b ec1c62da02 aebccf42a1 07e9	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	a	0.118204	0.097257	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	d41140d805 7a34b23874 4cd6a739c6 14b8ca3684 df81fa07d0 ded019109d 7fed	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAbl ation	a	0.208479	0.22793	0.92818	0.92818

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	fea55749e245a2a874ec0a52a919cdac8034cf7bc4f6a1774e65240956f45275	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	a	0.177057	0.13217	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	a54104218b db585d519c0bb1da1b36f31aa189c89ef8f639cf347279d9b e841	NOISE	Kendall	NOISE-K	RRF	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	a	0.26783	0.289776	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	098933e43c4200c35a7b cd8a6f4d2e dab2b88bee eac9ab3c2b673b9ef6f75fb3	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	g	0.119701	0.056858	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	4e7ee5de0a30c6844e7d eeac700de ceb7f2415f5a1e50363414e53fbc4a bdf1	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	g	0.204489	0.076808	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	81601f321f2d39fc368c a9019443d54ee0da7ba09b933ab5242870e0f9a452d	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	g	0.180549	0.112718	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	c4db30e334a9fe7439313ec4f3b5b0f0b18ba0830ec53fcf8d69ba52cacb bdc3	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	g	0.26384	0.139651	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	da0cb5d4445ec4bad44002f7fdeb547fe11bdcfbeb434e7a4ac70d978df7a18	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	p	0.119701	0.072319	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	42a032980e52d1a5d3f38c1a5592278419e1e5685ccb9eee61d04a49fc85919a	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	p	0.204489	0.092269	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	6e49687632492ac9425510ff07f56cf23043d4f080aab5299cab589d5be9b3a5	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	p	0.180549	0.138653	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	5fa6ea0afd bc525ce15401ef87422344552d6db25b6caa169c22e66cfabc bd98	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	p	0.26384	0.163092	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	6f412dceb752b4697882adc191569f49d47ec81b1c0c08333e53dac11d00d725	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	s	0.119701	0.090773	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	a9311926943b1117d3c6a9dfc1c102800f0b1d008ce1e25d108c143af28f9554	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	s	0.204489	0.121197	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	b281d453a9d0b23b244b75429c8a0e5568bb913918acd1ec6e9fcebcc201e899	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	s	0.180549	0.145137	0.92818	0.809975

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	740a3ba9972f66ec2514cca4367acc3599338e4b313559ee21923a7a1456a9fc	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	s	0.26384	0.188529	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	dadd8076d7a6d92f5e29e2c3f667aab64f42c1b3b2f211ba82bce8d491234ad	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	a	0.119701	0.100748	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	7cdc07701bf02786135cea5adb765e2f8e894bc7df5991c28193bf5a98a558d3	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	a	0.204489	0.229426	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	bd890b732f66191d7a3a474577acc96305944e0457fb8f04eca834e34aebf53	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	a	0.180549	0.135661	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	0b24ec81c6fbb14491d7185c8240e854164ea020d36e260db7c7a49a2369338	NOISE	Kendall	NOISE-K	Schulze	CheferTran sformer Attribution Gradient Attention Rollout Gradient Shap Occlusion FeatureAb	a	0.26384	0.289277	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	F	abd28bf3078f51b5ea64cb0fbee568bc887d96b7986b6169dc68dea8b7ea983	NAIVE			Simple Averaging	Saliency InputXGrad Integrated Gradients FeatureAb Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.114713	0.054863	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	677833069acc1841f0255122e5cd5b45536b6e2ee29af41e8dbd3b093b5d4acf	NAIVE			Simple Averaging	Saliency InputXGrad Integrated Gradients FeatureAb Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.211471	0.078803	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	C	b6fbb7f40c64973dce4cb062f6be872dd351702bdd7065647d63b8b4faf7ee68	NAIVE			Simple Averaging	Saliency InputXGrad Integrated Gradients FeatureAb Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.170574	0.108728	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	7fc99aa142b410d6a04bb37e93be1535c05f2a60eb8ca9bd5df864cce587830e	NAIVE			Simple Averaging	Saliency InputXGrad Integrated Gradients FeatureAb Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.271322	0.142145	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	5688b8f7f344c083f99d1f8ace88e304975c22f9db5666dec50fba36d004b10	NAIVE			Simple Averaging	Saliency InputXGrad Integrated Gradients FeatureAb Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.114713	0.070823	0.92818	0.763591

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	858fd4f0b5ef5c3b6d879b376623314aaf3670132de62957a1042b86ff5051	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.211471	0.091272	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	a12cd6d22c0def193f5629981230999053a8e7b4dd42201987e7cd3a6abe460	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.170574	0.137157	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	1a3b12a722fe4b2021771abada4ffa451b57f9863907e69e1ef1e283f89ce8c0	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.271322	0.16409	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	F	629922f9f36a3adad41822b90e8cbb23dfef2eec40fd23b6e68e2fbfb74d462f	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.114713	0.091771	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	343295f832324103a132bedff484a1231b6a871cf05e711aa5dd289a01b9e722	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.211471	0.1202	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	C	e5005d79e1ecb555f3f47cf302278a8b253e4628253603e45e5798437f3f7b2a	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.170574	0.14813	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	923e2759fbc1abcbf115d03c969aab8863afae63e788cc19f44ade0ad34d94ac	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.271322	0.187531	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	F	89cde808f123bd580e64d5bb3c05ed4261e01bed92cafeb2533e92250d9d8abf	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.114713	0.094264	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	c4d1fbf07700420bd000a779a325d115f5da434a286e1bcd46218ee6a41f9f22	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.211471	0.228429	0.92818	0.92818

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	C	aafb00213a6b7a3bb965c511702d908b2addef605b822d2d8d658c179389f26e	NAIVE			Simple Averaging	Saliency InputXGrad Integrated Gradients FeatureAblation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.1705740.123691	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	27bb504b6865400f22d06dfbb8e6a052675edf59a874b0b07defeb62f0386951	NAIVE			Simple Averaging	Saliency InputXGrad Integrated Gradients FeatureAblation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2713220.286783	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	F	1297818bf6abfbf990294967688cc7a8f806c6cf346c56723c558cd25c2d588b	NAIVE			Borda	Saliency InputXGrad Integrated Gradients FeatureAblation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.1097260.058853	0.92818	0.74813	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	10ca5278c155cab76687056e51c1cf569d263c55dfe4660035efe96da01c69f	NAIVE			Borda	Saliency InputXGrad Integrated Gradients FeatureAblation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2114710.078304	0.92818	0.74813	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	C	eb0d9c34546de730889b37ca9f56ad3c20be391cdbe62824f793ad7a188fa4d	NAIVE			Borda	Saliency InputXGrad Integrated Gradients FeatureAblation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.1660850.114214	0.92818	0.74813	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	2f17fbff89dbb7be15669861f2fd51527368370744e2596b3840955017f41160	NAIVE			Borda	Saliency InputXGrad Integrated Gradients FeatureAblation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2708230.142145	0.92818	0.74813	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	a0ce153350c2c784a4ab2a8dc16d422351a361a1fcd23ac82489549d38ffbc9c	NAIVE			Borda	Saliency InputXGrad Integrated Gradients FeatureAblation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.1097260.071322	0.92818	0.763591	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	c55e809520b5f977ced5fe6148ee009754e2db692370ff54a0fb451d7f6c979e	NAIVE			Borda	Saliency InputXGrad Integrated Gradients FeatureAblation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2114710.091272	0.92818	0.763591	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	09eb1e807b7a2581970aeeb121e2a2c5ccc2a3a5785449a65de3406d6aae8412	NAIVE			Borda	Saliency InputXGrad Integrated Gradients FeatureAblation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.1660850.137157	0.92818	0.763591	

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A _{clean}	A _{perturbed}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	c497957a7461385200d8d2d72c1611a48ebf97acf77f0f9980c184870dce726d	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2708230.163092	0.92818	0.763591	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	F	2b54e4fc47160d7daf4d242ad8f352d48fa69e6f0119b231ee2179cdc115b46ab	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.1097260.091272	0.92818	0.809975	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	b2c17aa26b7daab7377fd5847e3505ecb7971281cae5071d7b692624fa7de8d	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2114710.119202	0.92818	0.809975	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	C	70fd4e15c5a86475167ee69aaa382ce59406e3e6bb7b6768e4d00c9cecf0b0df	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.1660850.14813	0.92818	0.809975	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	e8b0dc6d2881eb43de03d615ed5610eda3cd6dbd5827c3f1e88cdeb2875ef1adf	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2708230.18803	0.92818	0.809975	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	F	9459c9fe76a361ec7c45771057c5a28b65fcf823a57dd7d53c3573e1f147274b	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.1097260.087781	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	452eac04d380cf81b77cace0e6a8e2fd93f15fd9d4e3a48c9b61648799646a7	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2114710.22793	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	C	91fb47283936ff1bbf533144c73f53429166293945572a0ee2b82eb1e1f4ec93	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.1660850.1202	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	52edabe21f78ef3f087c54182cabcc76b232f830be66a245c1c2275c8d8e7e67	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2708230.288279	0.92818	0.92818	

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	F	513651442d c84ad247c9 5ef2be6578 388a579982 a7c9aa2c9a a753a8edce 804c	NAIVE			Kemeny	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.116209	0.058354	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	51bab2d44c fe8c1363ea c00d46f78d f8b94ac35e e4762a735e dee4224284 2f52	NAIVE			Kemeny	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.210973	0.076309	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	C	3fed6863d8 2820d876fb 157be0876f 91211e7883 931a2b7ae9 9a5dd17d6d f915	NAIVE			Kemeny	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.173067	0.116209	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	4bf5b2fe61 82bbc8a09 963827349f b6b830b536 7e027055b7 ddede7a824 d973	NAIVE			Kemeny	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.27182	0.138653	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	31881fe13a a560e70943 6b00061f4a 60119ec650 fe2bf5d534 51cfba5e05 286d	NAIVE			Kemeny	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.116209	0.074813	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	2b6146b5c8 037ad4546b 0194d70f0e 255cb53185 008413cb0e 4ee5f6ce1b cc48	NAIVE			Kemeny	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.210973	0.089277	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	336865931f 51f8d85bd4 2dcfe71c73 e4f26f9bec 33953b5d44 d6b020064b d754	NAIVE			Kemeny	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.173067	0.140648	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	52b5499721 9436984ddb 424092a02f 1848a86e59 c48587e947 588d881bdc 0b61	NAIVE			Kemeny	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.27182	0.162095	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	F	5767d6066d 6c4b93877e 8019b30660 12fdc51492 ec85f7f37f ef167e80a0 b71e	NAIVE			Kemeny	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.116209	0.095262	0.92818	0.809975

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A _{clean}	A _{perturbed}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	51dc16d1f2d725e80dbbb4dd94f4a12e1c512b3f9c2543562ee9874aa99f128	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTransformer		0.210973	0.118703	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	C	2d2e02dc3489b5eb27e106dd926cc0b4d4cd333722817caa0a82baeff7a2f81f	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTransformer		0.173067	0.153616	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	e01ef9fd0426c215eb6117ba1018e670e07041e41f01eb797c2125068b64fe4c	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTransformer		0.27182	0.185536	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	F	513de3ac57030b61e824f4b4962267948c0fb61a2335e67edcf605113b0ad12d	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTransformer		0.116209	0.091272	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	7edd89fdfaf88238e0573a719ff40d2b94c503bbf4a544196d0e8f8c529f1a9c	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTransformer		0.210973	0.229925	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	C	4f8048a4f90321f816b1ad27c597e812569fclc9a758f836a85418febcd0ef93	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTransformer		0.173067	0.12419	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	3b20465b666374acdccc3ddb3f9708fcd2985078b7f414a452a8152668bac25c	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTransformer		0.27182	0.290274	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	F	f43ed37d6d68c8777086f00cc784ca0a45455ae0d56e03234036a011e0d62162	NAIVE			RRF	Saliency InputXGradient IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTransformer		0.116209	0.057855	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	4e779d129a25e8347852d92605ce4777d5e15cb60f29d7a66c26fd65ff27b057	NAIVE			RRF	Saliency InputXGradient IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTransformer		0.213965	0.075312	0.92818	0.74813

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	C	a668ea24b48909a531c12bbd5c907ad00fc3e7a2c411d47a23ec368fe1b97647	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.173067	0.114713	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	93d94ae046fe99d053a83c930ce0d3d269c38e2a9528ce1ea8b66f1b0cde2bbb	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.272319	0.138155	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	a24f33455c86fe1b57832c6fb8ed1e8ae23d619c943a6029293f9eee45be578d	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.116209	0.074813	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	d1020bf8bdde2dccc4fa4926766e961af6d925f7f04486be903e4340d8f625e6f	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.213965	0.089776	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	605673a2a447fe5f4b7d1d77bfe92e1d35c48b4dd4d437952df59c5efd59d579	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.173067	0.139651	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	a41ac886267f40d4aa285cff19c48d4b67175986421058205ef045dadd089cae	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.272319	0.162095	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	F	86574e5518ae148f354dd5679b646cd44ae26f569ac0c844aab96e11cdd332ed	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.116209	0.096758	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	d07ac7b552ab1862960144d38b70cc6a2139dd70a823e4541c2f5ccc2cf01c80	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.213965	0.119202	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	C	38484931c58ea09b2b775bf793fb9c8ef5a67387b4facdde5c3f9f95cd636d9d	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.173067	0.151122	0.92818	0.809975

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	0ac2fcdff ee58577ea8 e147e90372 8c045dfb8f bfbecb14a6 8a212b7753 81dd	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2723190	0.185536	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	F	992a95e80d 0fe46469fd 87e4288f32 989e8d4ab8 55d2528625 e9aadf358a ead3	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.1162090	0.094264	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	b55ceb5902 b899fd5198 bdcceb354c 6265fd2439 520a5295bd d24d005c81 658e	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.213965	0.23192	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	C	2cd7b72ecd ff7f5e166 d583e73baf ca2d8dc839 b5029d2c89 a71af882af 3cdf	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.1730670	0.123691	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	cccf6ef545 ade7bd5b14 7349f66e9c a9ec7d9da9 b34a39c007 abf2196188 ad8b	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2723190	0.291771	0.92818	0.92818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	F	3e98cb750f 651e5d6f2f 356654766b 46d9e77c8e e945fda884 b7d53ccddc 3874	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.1192020	0.059352	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	4815e6da77 49433c9615 216adf3fd8 4db9a7218a b5a0e89afd 2e38f8595e 2603	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2104740	0.076808	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	C	235304d723 a3191d470d e35e8936e1 29fd017566 4b6952621d f028fde562 7faf	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.1750620	0.117207	0.92818	0.74813
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	2f25575496 cb16f94f93 e084374837 5225f45fd9 6f947b30d3 06e13259b2 f941	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2713220	0.138653	0.92818	0.74813

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	82827fc140191a05f4e91ac02880c546cb413984b81288e64eb8e425173b20a9	NAIVE			Schulze	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.119202	0.074314	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	01ed56c3685100649b5b62b7e5adf260c4b2793f1d5b94272935da5d5896703	NAIVE			Schulze	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.210474	0.089776	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	f2bcf28db130ad7d77ea94fde9d9f85895df9d11a4cd1e79e6dc9e213a24d8ff	NAIVE			Schulze	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.175062	0.142145	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	006477012d33a81d3258d23ccde95cbdc541de6d1be7873f0544e5e291e086b2	NAIVE			Schulze	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.271322	0.162095	0.92818	0.763591
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	F	323a4a988e4e5e69c349e1f8d85fcef61766965874d17701005c4f23be4df025	NAIVE			Schulze	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.119202	0.095761	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	6780d8db9c6a4f4964e3d756f9f97f96e7a4eb4425ee07bc0d24b601980abe58	NAIVE			Schulze	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.210474	0.119202	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	C	a8ded433889ae2bc5ba5efe61a12cfa74ef66562eb0a659cedb74de9b35b9c5c	NAIVE			Schulze	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.175062	0.15212	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	b7802d4ea8a7a938ef86c471642b8d335824c886cc1a52d7fd96a49528c8900e	NAIVE			Schulze	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.271322	0.187032	0.92818	0.809975
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	F	93dd4be642a9c08e9f4e320c1cdc7e4af5d115a8d165673442d8c9af237a01ec	NAIVE			Schulze	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.119202	0.089277	0.92818	0.92818

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A ^{clean}	A ^{perturbed}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	b2609cb56c7ba423f2a494182a21e6b9ea696b8828a8f4ea368b6e56172fc992	NAIVE			Schulze	Saliency InputXGradient Integrated Gradients Feature Ablation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2104740.233416	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	C	4d43ae2e3b58cfd7447b468b385b7c16bd6df6bd3977dcfdcc0d111b8953e62	NAIVE			Schulze	Saliency InputXGradient Integrated Gradients Feature Ablation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.1750620.123192	0.92818	0.92818	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	105b2830602968fb9e8f1ba9ffe1e4c780ac1b7cf70566d92c1cab4e8df4d5eb	NAIVE			Schulze	Saliency InputXGradient Integrated Gradients Feature Ablation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2713220.292768	0.92818	0.92818	

Table 45: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Setting	q	Condition	Metric	Normaliz ed Clean Raw	Normaliz ed Perturbed Raw	q_{clean}	$q_{perturbed}$	A	Q	Q Raw	G	Clean Clipped	Perturbed Clipped	Retention Capped
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	0.125202	0.072	0.125202	0.072	0.072	0.575073	0.575073	0.203483	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	0.770553	0.893333	0.770553	0.893333	0.893333	1	1.15934	0.945163	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	0.175561	0.108229	0.175561	0.108229	0.108229	0.616477	0.616477	0.258304	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	0.727681	0.857855	0.727681	0.857855	0.857855	1	1.17889	0.926205	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	0.125202	0.092097	0.125202	0.092097	0.092097	0.735588	0.735588	0.260279	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	0.770553	0.879817	0.770553	0.879817	0.879817	1	1.141799	0.937986	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	0.175561	0.136658	0.175561	0.136658	0.136658	0.778409	0.778409	0.326153	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	0.727681	0.837406	0.727681	0.837406	0.837406	1	1.150788	0.915099	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	0.125202	0.115148	0.125202	0.115148	0.115148	0.9197	0.9197	0.325425	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	0.770553	0.850985	0.770553	0.850985	0.850985	1	1.104382	0.922489	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	0.175561	0.147132	0.175561	0.147132	0.147132	0.838068	0.838068	0.351151	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	0.727681	0.811197	0.727681	0.811197	0.811197	1	1.115833	0.901094	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	0.125202	0.090946	0.125202	0.090946	0.090946	0.798283	0.798283	0.282463	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	0.770553	0.755508	0.770553	0.755508	0.755508	0.980474	0.980474	0.860672	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	0.175561	0.12419	0.175561	0.12419	0.12419	0.707386	0.707386	0.296395	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	0.727681	0.712718	0.727681	0.712718	0.712718	0.979438	0.979438	0.835502	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	0.124664	0.076	0.124664	0.076	0.076	0.609638	0.609638	0.21525	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	0.77539	0.894667	0.77539	0.894667	0.894667	1	1.153829	0.945868	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	0.170574	0.112718	0.170574	0.112718	0.112718	0.660819	0.660819	0.272922	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	0.731671	0.858354	0.731671	0.858354	0.858354	1	1.173142	0.926474	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	0.124664	0.096669	0.124664	0.096669	0.096669	0.775434	0.775434	0.273789	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	0.77539	0.88047	0.77539	0.88047	0.88047	1	1.13552	0.938334	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	0.170574	0.141646	0.170574	0.141646	0.141646	0.830409	0.830409	0.342964	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	0.731671	0.837406	0.731671	0.837406	0.837406	1	1.144513	0.915099	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	0.124664	0.114532	0.124664	0.114532	0.114532	0.918725	0.918725	0.324382	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	0.77539	0.857143	0.77539	0.857143	0.857143	1	1.105435	0.92582	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	0.170574	0.145636	0.170574	0.145636	0.145636	0.853801	0.853801	0.352625	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	0.731671	0.812469	0.731671	0.812469	0.812469	1	1.110429	0.901371	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	0.124664	0.10317	0.124664	0.10317	0.10317	0.827586	0.827586	0.292203	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	0.77539	0.753896	0.77539	0.753896	0.753896	0.97228	0.97228	0.856153	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	0.170574	0.12818	0.170574	0.12818	0.12818	0.751462	0.751462	0.310358	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	0.731671	0.711222	0.731671	0.711222	0.711222	0.972052	0.972052	0.831471	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	0.126814	0.081333	0.126814	0.081333	0.081333	0.641362	0.641362	0.228395	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	0.777002	0.898667	0.777002	0.898667	0.898667	1	1.155583	0.94798	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	0.17606	0.116708	0.17606	0.116708	0.116708	0.66289	0.66289	0.278145	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	0.73217	0.860349	0.73217	0.860349	0.860349	1	1.175068	0.92755	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	0.126814	0.097322	0.126814	0.097322	0.097322	0.767442	0.767442	0.273293	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	0.777002	0.883083	0.777002	0.883083	0.883083	1	1.136527	0.939725	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	0.17606	0.142145	0.17606	0.142145	0.142145	0.807365	0.807365	0.338766	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	0.73217	0.838903	0.73217	0.838903	0.838903	1	1.145777	0.915916	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	0.126814	0.121305	0.126814	0.121305	0.121305	0.956565	0.956565	0.340641	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	0.777002	0.852833	0.777002	0.852833	0.852833	1	1.097594	0.923489	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	0.17606	0.152618	0.17606	0.152618	0.152618	0.866856	0.866856	0.363728	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	0.73217	0.814464	0.73217	0.814464	0.814464	1	1.112398	0.902477	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	0.126814	0.101021	0.126814	0.101021	0.101021	0.79661	0.79661	0.28368	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	0.777002	0.750134	0.777002	0.750134	0.750134	0.965422	0.965422	0.850997	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	0.17606	0.126683	0.17606	0.126683	0.126683	0.719547	0.719547	0.301918	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	0.73217	0.708229	0.73217	0.708229	0.708229	0.967302	0.967302	0.827691	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	0.13165	0.079333	0.13165	0.079333	0.079333	0.60261	0.60261	0.218648	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	0.772703	0.897333	0.772703	0.897333	0.897333	1	1.161292	0.947277	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	C	0.180549	0.115711	0.180549	0.115711	0.115711	0.640884	0.640884	0.272318	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Cbar	0.729177	0.859352	0.729177	0.859352	0.859352	1	1.178523	0.927012	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	F	0.13165	0.098628	0.13165	0.098628	0.098628	0.749173	0.749173	0.271827	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Fbar	0.772703	0.883083	0.772703	0.883083	0.883083	1	1.142849	0.939725	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	C	0.180549	0.142145	0.180549	0.142145	0.142145	0.787293	0.787293	0.334529	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Salt Pepper	Cbar	0.729177	0.838404	0.729177	0.838404	0.838404	1	1.149795	0.915644	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	F	0.13165	0.120074	0.13165	0.120074	0.120074	0.912071	0.912071	0.330932	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Fbar	0.772703	0.852833	0.772703	0.852833	0.852833	1	1.1037	0.923489	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	C	0.180549	0.150125	0.180549	0.150125	0.150125	0.831492	0.831492	0.353309	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Speckle	Cbar	0.729177	0.813965	0.729177	0.813965	0.813965	1	1.116279	0.9022	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	F	0.13165	0.097797	0.13165	0.097797	0.097797	0.742857	0.742857	0.269535	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Fbar	0.772703	0.75497	0.772703	0.75497	0.75497	0.977051	0.977051	0.858863	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	C	0.180549	0.12419	0.180549	0.12419	0.12419	0.687845	0.687845	0.292272	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Adversarial	Cbar	0.729177	0.711222	0.729177	0.711222	0.711222	0.975376	0.975376	0.832892	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	F	0.1295	0.078667	0.1295	0.078667	0.078667	0.607463	0.607463	0.218603	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Gaussian	Fbar	0.772703	0.898	0.772703	0.898	0.898	1	1				

Cell	Dataset	Model	Setting	q	Condition	Metric	Normalized Clean Raw	Normalized Perturbed Raw	q_{clean}^*	$q_{perturbed}^*$	A	Q	Q Raw	G	Clean Clipped	Perturbed Clipped	Retention Capped
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	0.177057	0.108728	0.177057	0.108728	0.108728	0.614085	0.614085	0.258396	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	0.730673	0.857855	0.730673	0.857855	0.857855	1	1.174061	0.926205	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	0.124127	0.09275	0.124127	0.09275	0.09275	0.747218	0.747218	0.263257	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	0.774315	0.878511	0.774315	0.878511	0.878511	1	1.134565	0.937289	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	0.177057	0.138653	0.177057	0.138653	0.138653	0.783099	0.783099	0.329514	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	0.730673	0.836908	0.730673	0.836908	0.836908	1	1.145392	0.914827	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	0.124127	0.113916	0.124127	0.113916	0.113916	0.917741	0.917741	0.323335	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	0.774315	0.851601	0.774315	0.851601	0.851601	1	1.099812	0.922822	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	0.177057	0.144638	0.177057	0.144638	0.144638	0.816901	0.816901	0.343737	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	0.730673	0.812968	0.730673	0.812968	0.812968	1	1.112628	0.901647	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	0.124127	0.101558	0.124127	0.101558	0.101558	0.818182	0.818182	0.288958	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	0.774315	0.75497	0.774315	0.75497	0.75497	0.975017	0.975017	0.877963	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	0.177057	0.124688	0.177057	0.124688	0.124688	0.704225	0.704225	0.296325	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	0.730673	0.713217	0.730673	0.713217	0.713217	0.976109	0.976109	0.834373	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	0.114992	0.068667	0.114992	0.068667	0.068667	0.597143	0.597143	0.202494	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	0.775927	0.895333	0.775927	0.895333	0.895333	1	1.153889	0.946221	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	0.167082	0.105237	0.167082	0.105237	0.105237	0.629851	0.629851	0.257456	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	0.735162	0.858853	0.735162	0.858853	0.858853	1	1.16825	0.926743	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	0.114992	0.089484	0.114992	0.089484	0.089484	0.778176	0.778176	0.263883	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	0.775927	0.878511	0.775927	0.878511	0.878511	1	1.132208	0.937289	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	0.167082	0.138155	0.167082	0.138155	0.138155	0.826866	0.826866	0.337987	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	0.735162	0.83591	0.735162	0.83591	0.83591	1	1.137042	0.914281	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	0.114992	0.106527	0.114992	0.106527	0.106527	0.926387	0.926387	0.314142	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	0.775927	0.855911	0.775927	0.855911	0.855911	1	1.103082	0.925155	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	0.167082	0.139651	0.167082	0.139651	0.139651	0.835821	0.835821	0.341648	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	0.735162	0.813466	0.735162	0.813466	0.813466	1	1.106513	0.901924	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	0.114992	0.110156	0.114992	0.110156	0.110156	0.957944	0.957944	0.324843	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	0.775927	0.753358	0.775927	0.753358	0.753358	0.970914	0.970914	0.855246	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	0.167082	0.138155	0.167082	0.138155	0.138155	0.826866	0.826866	0.337987	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	0.735162	0.712718	0.735162	0.712718	0.712718	0.969471	0.969471	0.83124	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	0.130038	0.077333	0.130038	0.077333	0.077333	0.5947	0.5947	0.214453	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	0.776464	0.899333	0.776464	0.899333	0.899333	1	1.158242	0.948332	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	0.181546	0.114214	0.181546	0.114214	0.114214	0.629121	0.629121	0.268057	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	0.733167	0.861347	0.733167	0.861347	0.861347	1	1.17483	0.928088	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	0.130038	0.094709	0.130038	0.094709	0.094709	0.728323	0.728323	0.262038	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	0.776464	0.881123	0.776464	0.881123	0.881123	1	1.134789	0.938682	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	0.181546	0.137656	0.181546	0.137656	0.137656	0.758242	0.758242	0.323073	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	0.733167	0.837905	0.733167	0.837905	0.837905	1	1.142857	0.915372	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	0.130038	0.118842	0.130038	0.118842	0.118842	0.913908	0.913908	0.329562	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	0.776464	0.854064	0.776464	0.854064	0.854064	1	1.09994	0.924156	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	0.181546	0.149127	0.181546	0.149127	0.149127	0.821429	0.821429	0.349996	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	0.733167	0.815461	0.733167	0.815461	0.815461	1	1.112245	0.903029	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	0.130038	0.104245	0.130038	0.104245	0.104245	0.801653	0.801653	0.289082	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	0.776464	0.755508	0.776464	0.755508	0.755508	0.97301	0.97301	0.85739	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	0.181546	0.13217	0.181546	0.13217	0.13217	0.728022	0.728022	0.310197	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	0.733167	0.709726	0.733167	0.709726	0.709726	0.968027	0.968027	0.828875	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	0.127351	0.077333	0.127351	0.077333	0.077333	0.607246	0.607246	0.216703	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	0.77539	0.896667	0.77539	0.896667	0.896667	1	1.156408	0.946925	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	0.177057	0.113716	0.177057	0.113716	0.113716	0.642254	0.642254	0.270249	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	0.73217	0.85985	0.73217	0.85985	0.85985	1	1.174387	0.927281	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	F	0.127351	0.096669	0.127351	0.096669	0.096669	0.759075	0.759075	0.270885	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Fbar	0.77539	0.881123	0.77539	0.881123	0.881123	1	1.136362	0.938682	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	C	0.177057	0.139152	0.177057	0.139152	0.139152	0.785915	0.785915	0.330699	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Salt Pepper	Cbar	0.73217	0.837905	0.73217	0.837905	0.837905	1	1.144414	0.915372	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	F	0.127351	0.115764	0.127351	0.115764	0.115764	0.909012	0.909012	0.324393	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Fbar	0.77539	0.852833	0.77539	0.852833	0.852833	1	1.099876	0.923489	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	C	0.177057	0.14813	0.177057	0.14813	0.14813	0.83662	0.83662	0.352034	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Speckle	Cbar	0.73217	0.813965	0.73217	0.813965	0.813965	1	1.111717	0.9022	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	F	0.127351	0.104782	0.127351	0.104782	0.104782	0.822785	0.822785	0.293621	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Fbar	0.77539	0.754433	0.77539	0.754433	0.754433	0.972973	0.972973	0.856763	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	C	0.177057	0.13217	0.177057	0.13217	0.13217	0.746479	0.746479	0.314105	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Adversarial	Cbar	0.73217	0.710224	0.73217	0.710224	0.710224	0.970027	0.970027	0.830022	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	F	0.128963	0.076	0.128963	0.076	0.076	0.589317	0.589317	0.211632	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Fbar	0.779688	0.897333	0.779688	0.897333	0.897333	1	1.150887	0.947277	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	C	0.180549	0.112718	0.180549	0.112718	0.112718	0.624309	0.624309	0.265275	False	False	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Gaussian	Cbar	0.73616	0.860349	0.73616	0.8603							

Cell	Dataset	Model	Setting	q	Condition	Metric	Normalized Clean Raw	Normalized Perturbed Raw	$q_{clean}^{perturbed}$	$q_{perturbed}^{perturbed}$	A	Q	Q Raw	G	Clean Clipped	Perturbed Clipped	Retention Capped
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	0.728678	0.83591	0.728678	0.83591	0.83591	1	1.147159	0.914281	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	F	0.123589	0.1133	0.123589	0.1133	0.1133	0.916749	0.916749	0.322286	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	0.772166	0.851601	0.772166	0.851601	0.851601	1	1.102874	0.922822	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	C	0.170574	0.14813	0.170574	0.14813	0.14813	0.868421	0.868421	0.358663	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	0.728678	0.812469	0.728678	0.812469	0.812469	1	1.11499	0.901371	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	F	0.123589	0.101558	0.123589	0.101558	0.101558	0.821739	0.821739	0.288885	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	0.772166	0.753896	0.772166	0.753896	0.753896	0.97634	0.97634	0.857938	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	C	0.170574	0.123691	0.170574	0.123691	0.123691	0.725146	0.725146	0.299489	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	0.728678	0.713217	0.728678	0.713217	0.713217	0.978782	0.978782	0.835514	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	F	0.118216	0.078667	0.118216	0.078667	0.078667	0.665448	0.665448	0.228798	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	0.772166	0.895333	0.772166	0.895333	0.895333	1	1.15951	0.946221	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	C	0.166085	0.114214	0.166085	0.114214	0.114214	0.687688	0.687688	0.280257	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	0.729177	0.857855	0.729177	0.857855	0.857855	1	1.176471	0.926205	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	0.118216	0.093403	0.118216	0.093403	0.093403	0.790105	0.790105	0.271658	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	0.772166	0.88047	0.772166	0.88047	0.88047	1	1.140261	0.938334	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	0.166085	0.137157	0.166085	0.137157	0.137157	0.825826	0.825826	0.336553	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	0.729177	0.836908	0.729177	0.836908	0.836908	1	1.147743	0.914827	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	F	0.118216	0.112685	0.118216	0.112685	0.112685	0.95321	0.95321	0.327738	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	0.772166	0.852833	0.772166	0.852833	0.852833	1	1.104469	0.923489	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	C	0.166085	0.14813	0.166085	0.14813	0.14813	0.891892	0.891892	0.363477	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	0.729177	0.81197	0.729177	0.81197	0.81197	1	1.113543	0.901094	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	F	0.118216	0.094573	0.118216	0.094573	0.094573	0.8	0.8	0.27506	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	0.772166	0.754433	0.772166	0.754433	0.754433	0.977035	0.977035	0.85855	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	C	0.166085	0.1202	0.166085	0.1202	0.1202	0.723724	0.723724	0.294943	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	0.729177	0.711721	0.729177	0.711721	0.711721	0.97606	0.97606	0.833476	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	F	0.125202	0.078	0.125202	0.078	0.078	0.622996	0.622996	0.22044	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	0.772703	0.898	0.772703	0.898	0.898	1	1.162154	0.947629	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	C	0.173067	0.116209	0.173067	0.116209	0.116209	0.67147	0.67147	0.279341	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	0.72818	0.861347	0.72818	0.861347	0.861347	1	1.182877	0.928088	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	0.125202	0.097975	0.125202	0.097975	0.097975	0.78254	0.78254	0.276893	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	0.772703	0.883083	0.772703	0.883083	0.883083	1	1.142849	0.939725	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	0.173067	0.140648	0.173067	0.140648	0.140648	0.81268	0.81268	0.338086	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	0.72818	0.837905	0.72818	0.837905	0.837905	1	1.150685	0.915372	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	F	0.125202	0.117611	0.125202	0.117611	0.117611	0.939372	0.939372	0.332386	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	0.772703	0.853448	0.772703	0.853448	0.853448	1	1.104497	0.923823	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	C	0.173067	0.153616	0.173067	0.153616	0.153616	0.887608	0.887608	0.369257	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	0.72818	0.814464	0.72818	0.814464	0.814464	1	1.118493	0.902477	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	F	0.125202	0.098334	0.125202	0.098334	0.098334	0.785408	0.785408	0.277907	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	0.772703	0.752284	0.772703	0.752284	0.752284	0.973574	0.973574	0.855806	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	C	0.173067	0.12419	0.173067	0.12419	0.12419	0.717579	0.717579	0.298523	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	0.72818	0.709726	0.72818	0.709726	0.709726	0.974658	0.974658	0.831709	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	F	0.125202	0.077333	0.125202	0.077333	0.077333	0.617671	0.617671	0.218556	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	0.769479	0.899333	0.769479	0.899333	0.899333	1	1.168757	0.948332	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	C	0.173067	0.114713	0.173067	0.114713	0.114713	0.662824	0.662824	0.275744	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	0.727681	0.861845	0.727681	0.861845	0.861845	1	1.184373	0.928356	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	0.125202	0.097975	0.125202	0.097975	0.097975	0.78254	0.78254	0.276893	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	0.769479	0.88243	0.769479	0.88243	0.88243	1	1.146789	0.939377	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	0.173067	0.139651	0.173067	0.139651	0.139651	0.806916	0.806916	0.335688	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	0.727681	0.837905	0.727681	0.837905	0.837905	1	1.151474	0.915372	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	F	0.125202	0.119458	0.125202	0.119458	0.119458	0.954127	0.954127	0.337607	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	0.769479	0.852833	0.769479	0.852833	0.852833	1	1.108325	0.923489	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	C	0.173067	0.151122	0.173067	0.151122	0.151122	0.873199	0.873199	0.363263	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	0.727681	0.814464	0.727681	0.814464	0.814464	1	1.11926	0.902477	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	F	0.125202	0.101558	0.125202	0.101558	0.101558	0.811159	0.811159	0.287019	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	0.769479	0.750134	0.769479	0.750134	0.750134	0.97486	0.97486	0.855147	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	C	0.173067	0.123691	0.173067	0.123691	0.123691	0.714697	0.714697	0.297324	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	0.727681	0.708229	0.727681	0.708229	0.708229	0.973269	0.973269	0.83024	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	F	0.128426	0.079333	0.128426	0.079333	0.079333	0.617738	0.617738	0.221376	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	0.77324	0.897333	0.77324	0.897333	0.897333	1	1.160485	0.947277	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	C	0.175062	0.117207	0.175062	0.117207	0.117207	0.669516	0.669516	0.280128	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	0.728678	0.861347	0.728678	0.861347	0.861347	1	1.182067	0.928088	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	0.128426	0.097322	0.128426	0.097322	0.097322	0.757809	0.757809	0.271572	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	0.77324	0.88243	0.77324	0.88243	0.88243	1	1.14121	0.939377	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	0.175062	0.142145	0.175062	0.142145	0.142145	0.811966	0.811966	0.33973	False	False	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	0.728										

273

[illegible]

[illegible]

Table 47: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Setting	Q	Geometry	Geometry Label	Rule	Endpoint Count	NOISE A Mean	NAIVE A Mean	Delta A Mean	A Wins	A Ties	A Losses	NOISE Q Mean	NAIVE Q Mean	Delta Q Mean
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Kendall	NOISE-K	Borda	16	0.468756	0.468784	-2.8686e-05	7	1	8	0.894965	0.893187	0.001778
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Kendall	NOISE-K	Kemeny	16	0.471423	0.471052	0.00037	7	3	6	0.869777	0.885493	-0.015716
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Kendall	NOISE-K	RRF	16	0.47092	0.470792	0.000128	4	3	9	0.878274	0.885704	-0.00743
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Kendall	NOISE-K	Schulze	16	0.470164	0.470394	-0.000229	4	1	11	0.869555	0.877364	-0.007809
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	Kendall	NOISE-K	Simple Averaging	16	0.46856	0.468671	-0.000111	6	6	4	0.870789	0.879533	-0.008744
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Spearman	NOISE-S	Borda	16	0.470261	0.468784	0.001477	9	1	6	0.885763	0.893187	-0.007424
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Spearman	NOISE-S	Kemeny	16	0.471612	0.471052	0.00056	8	2	6	0.88446	0.885493	-0.001033
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Spearman	NOISE-S	RRF	16	0.471198	0.470792	0.000406	10	1	5	0.869166	0.885704	-0.016538
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Spearman	NOISE-S	Schulze	16	0.472457	0.470394	0.002064	11	1	4	0.877743	0.877364	0.000379
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	Spearman	NOISE-S	Simple Averaging	16	0.468437	0.468671	-0.000234	4	1	11	0.870556	0.879533	-0.008977

Table 48: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Setting	Q	Q Wins	Q Ties	Q Losses	NOISE G Mean	NAIVE G Mean	Delta G Mean	G Wins	G Ties	G Losses
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	3	6	7	0.601159	0.601292	-0.000134	6	1	9
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	2	6	8	0.599436	0.602341	-0.002905	6	2	8
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	2	6	8	0.600839	0.60218	-0.001341	3	2	11
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	2	6	8	0.598331	0.600256	-0.001925	3	1	12
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-K	5	1	6	9	0.596739	0.598715	-0.001975	4	2	10
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	3	6	7	0.601568	0.601292	0.000275	8	1	7
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	4	6	6	0.602774	0.602341	0.000433	7	2	7
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	2	6	8	0.599405	0.60218	-0.002776	5	1	10
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	5	6	5	0.602256	0.600256	0.002	10	0	6
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	NOISE-S	8	3	6	7	0.596741	0.598715	-0.001974	3	1	12

Table 49: DermaMNIST-ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Simple Averaging	F	quality	0.117706	clean__selected_best_individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Simple Averaging	Fbar	quality	0.213466	clean__selected_best_individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Simple Averaging	C	quality	0.176559	clean__selected_best_individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Simple Averaging	Cbar	quality	0.272818	clean__selected_best_individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Simple Averaging	R_F_g	robustness	-0.065337	clean__selected_best_individual	-0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.133167	clean__selected_best_individual	0.137656	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Simple Averaging	R_C_g	robustness	-0.067332	clean__selected_best_individual	-0.052868	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.130175	clean__selected_best_individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Simple Averaging	R_F_p	robustness	-0.048878	clean__selected_best_individual	-0.036908	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.122195	clean__selected_best_individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Simple Averaging	R_C_p	robustness	-0.040898	clean__selected_best_individual	-0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.110723	clean__selected_best_individual	0.113716	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Simple Averaging	R_F_s	robustness	-0.023441	clean__selected_best_individual	-0.010474	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.092269	clean__selected_best_individual	0.088778	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Simple Averaging	R_C_s	robustness	-0.030923	clean__selected_best_individual	-0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.084788	clean__selected_best_individual	0.083292	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Simple Averaging	R_F_a	robustness	-0.023441	clean__selected_best_individual	-0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	-0.011471	clean__selected_best_individual	-0.016459	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Simple Averaging	R_C_a	robustness	-0.052868	clean__selected_best_individual	-0.040898	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	-0.011471	clean__selected_best_individual	-0.017456	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Simple Averaging	F	quality	0.117706	naive_q11	0.114713	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Simple Averaging	Fbar	quality	0.213466	naive_q11	0.211471	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Simple Averaging	C	quality	0.176559	naive_q11	0.170574	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Simple Averaging	Cbar	quality	0.272818	naive_q11	0.271322	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Simple Averaging	R_F_g	robustness	-0.065337	naive_q11	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.133167	naive_q11	0.132668	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Simple Averaging	R_C_g	robustness	-0.067332	naive_q11	-0.061845	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.130175	naive_q11	0.129177	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Simple Averaging	R_F_p	robustness	-0.048878	naive_q11	-0.04389	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.122195	naive_q11	0.1202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Simple Averaging	R_C_p	robustness	-0.040898	naive_q11	-0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.110723	naive_q11	0.107232	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Simple Averaging	R_F_s	robustness	-0.023441	naive_q11	-0.022943	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.092269	naive_q11	0.091272	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Simple Averaging	R_C_s	robustness	-0.030923	naive_q11	-0.022444	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.084788	naive_q11	0.083791	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Simple Averaging	R_F_a	robustness	-0.023441	naive_q11	-0.020449	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	-0.011471	naive_q11	-0.016958	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Simple Averaging	R_C_a	robustness	-0.052868	naive_q11	-0.046883	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	-0.011471	naive_q11	-0.015461	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Simple Averaging	F	quality	0.117706	NOISE__spearman	0.114713	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Simple Averaging	Fbar	quality	0.213466	NOISE__spearman	0.211471	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Simple Averaging	C	quality	0.176559	NOISE__spearman	0.170574	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Simple Averaging	Cbar	quality	0.272818	NOISE__spearman	0.271322	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Simple Averaging	R_F_g	robustness	-0.065337	NOISE_ spearman_ kendall_	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.133167	NOISE_ spearman_ kendall_	0.132668	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Simple Averaging	R_C_g	robustness	-0.067332	NOISE_ spearman_ kendall_	-0.061845	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.130175	NOISE_ spearman_ kendall_	0.129177	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Simple Averaging	R_F_p	robustness	-0.048878	NOISE_ spearman_ kendall_	-0.04389	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.122195	NOISE_ spearman_ kendall_	0.1202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Simple Averaging	R_C_p	robustness	-0.040898	NOISE_ spearman_ kendall_	-0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.110723	NOISE_ spearman_ kendall_	0.107232	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Simple Averaging	R_F_s	robustness	-0.023441	NOISE_ spearman_ kendall_	-0.022943	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.092269	NOISE_ spearman_ kendall_	0.091272	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Simple Averaging	R_C_s	robustness	-0.030923	NOISE_ spearman_ kendall_	-0.022444	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.084788	NOISE_ spearman_ kendall_	0.083791	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Simple Averaging	R_F_a	robustness	-0.023441	NOISE_ spearman_ kendall_	-0.020449	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	-0.011471	NOISE_ spearman_ kendall_	-0.016958	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Simple Averaging	R_C_a	robustness	-0.052868	NOISE_ spearman_ kendall_	-0.046883	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	-0.011471	NOISE_ spearman_ kendall_	-0.015461	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Simple Averaging	F	quality	0.117706	NOISE_ spearman_ kendall_	0.114713	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Simple Averaging	Fbar	quality	0.213466	NOISE_ spearman_ kendall_	0.211471	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Simple Averaging	C	quality	0.176559	NOISE_ spearman_ kendall_	0.170574	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Simple Averaging	Cbar	quality	0.272818	NOISE_ spearman_ kendall_	0.271322	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Simple Averaging	R_F_g	robustness	-0.065337	NOISE_ spearman_ kendall_	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.133167	NOISE_ spearman_ kendall_	0.132668	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Simple Averaging	R_C_g	robustness	-0.067332	NOISE_ spearman_ kendall_	-0.061845	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.130175	NOISE_ spearman_ kendall_	0.129177	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Simple Averaging	R_F_p	robustness	-0.048878	NOISE_ spearman_ kendall_	-0.04389	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.122195	NOISE_ spearman_ kendall_	0.1202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Simple Averaging	R_C_p	robustness	-0.040898	NOISE_ spearman_ kendall_	-0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.110723	NOISE_ spearman_ kendall_	0.107232	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Simple Averaging	R_F_s	robustness	-0.023441	NOISE_ spearman_ kendall_	-0.022943	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.092269	NOISE_ spearman_ kendall_	0.091272	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Simple Averaging	R_C_s	robustness	-0.030923	NOISE_ spearman_ kendall_	-0.022444	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.084788	NOISE_ spearman_ kendall_	0.083791	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Simple Averaging	R_F_a	robustness	-0.023441	NOISE_ spearman_ kendall_	-0.020449	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	-0.011471	NOISE_ spearman_ kendall_	-0.016958	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Simple Averaging	R_C_a	robustness	-0.052868	NOISE_ spearman_ kendall_	-0.046883	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	-0.011471	NOISE_ spearman_ kendall_	-0.015461	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Borda	F	quality	0.116708	clean_ selected_best_ individual_	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Borda	Fbar	quality	0.205486	clean_ selected_best_ individual_	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Borda	C	quality	0.169077	clean_ selected_best_ individual_	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Borda	Cbar	quality	0.264838	clean_ selected_best_ individual_	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Borda	R_F_g	robustness	-0.061845	clean_ selected_best_ individual_	-0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.127182	clean_ selected_best_ individual_	0.137656	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Borda	R_C_g	robustness	-0.060349	clean__selected_best_individual	-0.052868	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.123192	clean__selected_best_individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Borda	R_F_p	robustness	-0.047382	clean__selected_best_individual	-0.036908	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.115212	clean__selected_best_individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Borda	R_C_p	robustness	-0.028928	clean__selected_best_individual	-0.033416	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.103741	clean__selected_best_individual	0.113716	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Borda	R_F_s	robustness	-0.028928	clean__selected_best_individual	-0.010474	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.087781	clean__selected_best_individual	0.088778	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Borda	R_C_s	robustness	-0.028928	clean__selected_best_individual	-0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.076309	clean__selected_best_individual	0.083292	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Borda	R_F_a	robustness	-0.021945	clean__selected_best_individual	-0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Borda	R_Fbar_a	robustness	-0.027431	clean__selected_best_individual	-0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Borda	R_C_a	robustness	-0.039401	clean__selected_best_individual	-0.040898	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Borda	R_Cbar_a	robustness	-0.027431	clean__selected_best_individual	-0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Borda	F	quality	0.116708	naive_q11	0.109726	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Borda	Fbar	quality	0.205486	naive_q11	0.211471	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Borda	C	quality	0.169077	naive_q11	0.166085	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Borda	Cbar	quality	0.264838	naive_q11	0.270823	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Borda	R_F_g	robustness	-0.061845	naive_q11	-0.050873	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.127182	naive_q11	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Borda	R_C_g	robustness	-0.060349	naive_q11	-0.05187	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.123192	naive_q11	0.128678	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Borda	R_F_p	robustness	-0.047382	naive_q11	-0.038404	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.115212	naive_q11	0.1202	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Borda	R_C_p	robustness	-0.028928	naive_q11	-0.028928	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.103741	naive_q11	0.107731	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Borda	R_F_s	robustness	-0.028928	naive_q11	-0.018454	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.087781	naive_q11	0.092269	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Borda	R_C_s	robustness	-0.028928	naive_q11	-0.017955	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.076309	naive_q11	0.082793	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Borda	R_F_a	robustness	-0.021945	naive_q11	-0.021945	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Borda	R_Fbar_a	robustness	-0.027431	naive_q11	-0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Borda	R_C_a	robustness	-0.039401	naive_q11	-0.045885	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Borda	R_Cbar_a	robustness	-0.027431	naive_q11	-0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Borda	F	quality	0.116708	NOISE__spearman	0.109726	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Borda	Fbar	quality	0.205486	NOISE__spearman	0.211471	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Borda	C	quality	0.169077	NOISE__spearman	0.166085	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Borda	Cbar	quality	0.264838	NOISE__spearman	0.270823	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Borda	R_F_g	robustness	-0.061845	NOISE__spearman	-0.050873	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.127182	NOISE__spearman	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Borda	R_C_g	robustness	-0.060349	NOISE__spearman	-0.05187	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Borda	R_Cbar_g	robustness	0.123192	NOISE__spearman	0.128678	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Borda	R_F_p	robustness	-0.047382	NOISE__spearman	-0.038404	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.115212	NOISE__spearman	0.1202	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Borda	R_C_p	robustness	-0.028928	NOISE__spearman	-0.028928	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.103741	NOISE__spearman	0.107731	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Borda	R_F_s	robustness	-0.028928	NOISE__spearman	-0.018454	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.087781	NOISE__spearman	0.092269	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Borda	R_C_s	robustness	-0.028928	NOISE__spearman	-0.017955	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.076309	NOISE_spearman	0.082793	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Borda	R_F_a	robustness	-0.021945	NOISE_spearman	-0.021945	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Borda	R_Fbar_a	robustness	-0.027431	NOISE_spearman	-0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Borda	R_C_a	robustness	-0.039401	NOISE_spearman	-0.045885	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Borda	R_Cbar_a	robustness	-0.027431	NOISE_spearman	-0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Borda	F	quality	0.116708	NOISE_kendall	0.109726	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Borda	Fbar	quality	0.205486	NOISE_kendall	0.211471	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Borda	C	quality	0.169077	NOISE_kendall	0.166085	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Borda	Cbar	quality	0.264838	NOISE_kendall	0.270823	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Borda	R_F_g	robustness	-0.061845	NOISE_kendall	-0.050873	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.127182	NOISE_kendall	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Borda	R_C_g	robustness	-0.060349	NOISE_kendall	-0.05187	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.123192	NOISE_kendall	0.128678	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Borda	R_F_p	robustness	-0.047382	NOISE_kendall	-0.038404	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.115212	NOISE_kendall	0.1202	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Borda	R_C_p	robustness	-0.028928	NOISE_kendall	-0.028928	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.103741	NOISE_kendall	0.107731	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Borda	R_F_s	robustness	-0.028928	NOISE_kendall	-0.018454	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.087781	NOISE_kendall	0.092269	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Borda	R_C_s	robustness	-0.028928	NOISE_kendall	-0.017955	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.076309	NOISE_kendall	0.082793	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Borda	R_F_a	robustness	-0.021945	NOISE_kendall	-0.021945	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Borda	R_Fbar_a	robustness	-0.027431	NOISE_kendall	-0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Borda	R_C_a	robustness	-0.039401	NOISE_kendall	-0.045885	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Borda	R_Cbar_a	robustness	-0.027431	NOISE_kendall	-0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Kemeny	F	quality	0.123192	clean_selected_best_individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Kemeny	Fbar	quality	0.210973	clean_selected_best_individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Kemeny	C	quality	0.182544	clean_selected_best_individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Kemeny	Cbar	quality	0.271322	clean_selected_best_individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Kemeny	R_F_g	robustness	-0.065337	clean_selected_best_individual	-0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.134165	clean_selected_best_individual	0.137656	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Kemeny	R_C_g	robustness	-0.066334	clean_selected_best_individual	-0.052868	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.130673	clean_selected_best_individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Kemeny	R_F_p	robustness	-0.050374	clean_selected_best_individual	-0.036908	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.122195	clean_selected_best_individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Kemeny	R_C_p	robustness	-0.042893	clean_selected_best_individual	-0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.108229	clean_selected_best_individual	0.113716	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Kemeny	R_F_s	robustness	-0.028429	clean_selected_best_individual	-0.010474	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.091272	clean_selected_best_individual	0.088778	max	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference clean_ selected_best_ individual	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Kemeny	R_C_s	robustness	-0.03192	clean_ selected_best_ individual	-0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.082793	clean_ selected_best_ individual	0.083292	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Kemeny	R_F_a	robustness	-0.025935	clean_ selected_best_ individual	-0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	-0.024938	clean_ selected_best_ individual	-0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Kemeny	R_C_a	robustness	-0.052369	clean_ selected_best_ individual	-0.040898	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	-0.024439	clean_ selected_best_ individual	-0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Kemeny	F	quality	0.123192	naive_q11	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Kemeny	Fbar	quality	0.210973	naive_q11	0.210973	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Kemeny	C	quality	0.182544	naive_q11	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Kemeny	Cbar	quality	0.271322	naive_q11	0.27182	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Kemeny	R_F_g	robustness	-0.065337	naive_q11	-0.057855	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.134165	naive_q11	0.134663	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Kemeny	R_C_g	robustness	-0.066334	naive_q11	-0.056858	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.130673	naive_q11	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Kemeny	R_F_p	robustness	-0.050374	naive_q11	-0.041397	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.122195	naive_q11	0.121696	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Kemeny	R_C_p	robustness	-0.042893	naive_q11	-0.032419	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.108229	naive_q11	0.109726	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Kemeny	R_F_s	robustness	-0.028429	naive_q11	-0.020948	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.091272	naive_q11	0.092269	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Kemeny	R_C_s	robustness	-0.03192	naive_q11	-0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.082793	naive_q11	0.086284	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Kemeny	R_F_a	robustness	-0.025935	naive_q11	-0.024938	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	-0.024938	naive_q11	-0.018953	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Kemeny	R_C_a	robustness	-0.052369	naive_q11	-0.048878	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	-0.024439	naive_q11	-0.018454	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Kemeny	F	quality	0.123192	NOISE_ spearman	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Kemeny	Fbar	quality	0.210973	NOISE_ spearman	0.210973	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Kemeny	C	quality	0.182544	NOISE_ spearman	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Kemeny	Cbar	quality	0.271322	NOISE_ spearman	0.27182	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Kemeny	R_F_g	robustness	-0.065337	NOISE_ spearman	-0.057855	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.134165	NOISE_ spearman	0.134663	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Kemeny	R_C_g	robustness	-0.066334	NOISE_ spearman	-0.056858	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.130673	NOISE_ spearman	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Kemeny	R_F_p	robustness	-0.050374	NOISE_ spearman	-0.041397	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.122195	NOISE_ spearman	0.121696	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Kemeny	R_C_p	robustness	-0.042893	NOISE_ spearman	-0.032419	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.108229	NOISE_ spearman	0.109726	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Kemeny	R_F_s	robustness	-0.028429	NOISE_ spearman	-0.020948	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.091272	NOISE_ spearman	0.092269	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Kemeny	R_C_s	robustness	-0.03192	NOISE_ spearman	-0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.082793	NOISE_ spearman	0.086284	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Kemeny	R_F_a	robustness	-0.025935	NOISE_ spearman	-0.024938	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	-0.024938	NOISE_ spearman	-0.018953	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Kemeny	R_C_a	robustness	-0.052369	NOISE_ spearman	-0.048878	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	-0.024439	NOISE_ spearman	-0.018454	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Kemeny	F	quality	0.123192	NOISE_ kendall	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Kemeny	Fbar	quality	0.210973	NOISE_ kendall	0.210973	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Kemeny	C	quality	0.182544	NOISE_ kendall	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Kemeny	Cbar	quality	0.271322	NOISE_ kendall	0.27182	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Kemeny	R_F_g	robustness	-0.065337	NOISE_ kendall	-0.057855	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.134165	NOISE_ kendall	0.134663	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Kemeny	R_C_g	robustness	-0.066334	NOISE_kendall	-0.056858	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.130673	NOISE_kendall	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Kemeny	R_F_p	robustness	-0.050374	NOISE_kendall	-0.041397	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.122195	NOISE_kendall	0.121696	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Kemeny	R_C_p	robustness	-0.042893	NOISE_kendall	-0.032419	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.108229	NOISE_kendall	0.109726	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Kemeny	R_F_s	robustness	-0.028429	NOISE_kendall	-0.020948	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.091272	NOISE_kendall	0.092269	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Kemeny	R_C_s	robustness	-0.03192	NOISE_kendall	-0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.082793	NOISE_kendall	0.086284	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Kemeny	R_F_a	robustness	-0.025935	NOISE_kendall	-0.024938	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	-0.024938	NOISE_kendall	-0.018953	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Kemeny	R_C_a	robustness	-0.052369	NOISE_kendall	-0.048878	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	-0.024439	NOISE_kendall	-0.018454	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	RRF	F	quality	0.121197	clean_selected_best_individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	RRF	Fbar	quality	0.209476	clean_selected_best_individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	RRF	C	quality	0.182544	clean_selected_best_individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	RRF	Cbar	quality	0.268828	clean_selected_best_individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	RRF	R_F_g	robustness	-0.063342	clean_selected_best_individual	-0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.131671	clean_selected_best_individual	0.137656	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	RRF	R_C_g	robustness	-0.067332	clean_selected_best_individual	-0.052868	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.12818	clean_selected_best_individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	RRF	R_F_p	robustness	-0.046883	clean_selected_best_individual	-0.036908	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.119701	clean_selected_best_individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	RRF	R_C_p	robustness	-0.0399	clean_selected_best_individual	-0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.108229	clean_selected_best_individual	0.113716	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	RRF	R_F_s	robustness	-0.025935	clean_selected_best_individual	-0.010474	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.090274	clean_selected_best_individual	0.088778	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	RRF	R_C_s	robustness	-0.032918	clean_selected_best_individual	-0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.081796	clean_selected_best_individual	0.083292	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	RRF	R_F_a	robustness	-0.026434	clean_selected_best_individual	-0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	RRF	R_Fbar_a	robustness	-0.01995	clean_selected_best_individual	-0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	RRF	R_C_a	robustness	-0.05187	clean_selected_best_individual	-0.040898	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	RRF	R_Cbar_a	robustness	-0.020449	clean_selected_best_individual	-0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	RRF	F	quality	0.121197	naive_q11	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	RRF	Fbar	quality	0.209476	naive_q11	0.213965	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	RRF	C	quality	0.182544	naive_q11	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	RRF	Cbar	quality	0.268828	naive_q11	0.272319	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	RRF	R_F_g	robustness	-0.063342	naive_q11	-0.058354	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.131671	naive_q11	0.138653	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	RRF	R_C_g	robustness	-0.067332	naive_q11	-0.058354	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.12818	naive_q11	0.134165	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	RRF	R_F_p	robustness	-0.046883	naive_q11	-0.041397	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.119701	naive_q11	0.12419	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	RRF	R_C_p	robustness	-0.0399	naive_q11	-0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.108229	naive_q11	0.110224	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	RRF	R_F_s	robustness	-0.025935	naive_q11	-0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.090274	naive_q11	0.094763	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	RRF	R_C_s	robustness	-0.032918	naive_q11	-0.021945	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.081796	naive_q11	0.086783	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	RRF	R_F_a	robustness	-0.026434	naive_q11	-0.021945	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	RRF	R_Fbar_a	robustness	-0.01995	naive_q11	-0.017955	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	RRF	R_C_a	robustness	-0.05187	naive_q11	-0.049377	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	RRF	R_Cbar_a	robustness	-0.020449	naive_q11	-0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	RRF	F	quality	0.121197	NOISE_ spearman	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	RRF	Fbar	quality	0.209476	NOISE_ spearman	0.213965	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	RRF	C	quality	0.182544	NOISE_ spearman	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	RRF	Cbar	quality	0.268828	NOISE_ spearman	0.272319	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	RRF	R_F_g	robustness	-0.063342	NOISE_ spearman	-0.058354	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.131671	NOISE_ spearman	0.138653	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	RRF	R_C_g	robustness	-0.067332	NOISE_ spearman	-0.058354	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.12818	NOISE_ spearman	0.134165	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	RRF	R_F_p	robustness	-0.046883	NOISE_ spearman	-0.041397	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.119701	NOISE_ spearman	0.12419	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	RRF	R_C_p	robustness	-0.0399	NOISE_ spearman	-0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.108229	NOISE_ spearman	0.110224	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	RRF	R_F_s	robustness	-0.025935	NOISE_ spearman	-0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.090274	NOISE_ spearman	0.094763	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	RRF	R_C_s	robustness	-0.032918	NOISE_ spearman	-0.021945	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.081796	NOISE_ spearman	0.086783	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	RRF	R_F_a	robustness	-0.026434	NOISE_ spearman	-0.021945	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	RRF	R_Fbar_a	robustness	-0.01995	NOISE_ spearman	-0.017955	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	RRF	R_C_a	robustness	-0.05187	NOISE_ spearman	-0.049377	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	RRF	R_Cbar_a	robustness	-0.020449	NOISE_ spearman	-0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	RRF	F	quality	0.121197	NOISE_ kendall	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	RRF	Fbar	quality	0.209476	NOISE_ kendall	0.213965	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	RRF	C	quality	0.182544	NOISE_ kendall	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	RRF	Cbar	quality	0.268828	NOISE_ kendall	0.272319	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	RRF	R_F_g	robustness	-0.063342	NOISE_ kendall	-0.058354	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.131671	NOISE_ kendall	0.138653	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	RRF	R_C_g	robustness	-0.067332	NOISE_ kendall	-0.058354	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.12818	NOISE_ kendall	0.134165	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	RRF	R_F_p	robustness	-0.046883	NOISE_ kendall	-0.041397	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.119701	NOISE_ kendall	0.12419	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	RRF	R_C_p	robustness	-0.0399	NOISE_ kendall	-0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.108229	NOISE_ kendall	0.110224	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	RRF	R_F_s	robustness	-0.025935	NOISE_ kendall	-0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.090274	NOISE_ kendall	0.094763	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	RRF	R_C_s	robustness	-0.032918	NOISE_ kendall	-0.021945	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.081796	NOISE_ kendall	0.086783	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	RRF	R_F_a	robustness	-0.026434	NOISE_ kendall	-0.021945	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	RRF	R_Fbar_a	robustness	-0.01995	NOISE_kendall	-0.017955	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	RRF	R_C_a	robustness	-0.05187	NOISE_kendall	-0.049377	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	RRF	R_Cbar_a	robustness	-0.020449	NOISE_kendall	-0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Schulze	F	quality	0.121696	clean_selected_best_individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Schulze	Fbar	quality	0.207481	clean_selected_best_individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Schulze	C	quality	0.18005	clean_selected_best_individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Schulze	Cbar	quality	0.26783	clean_selected_best_individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Schulze	R_F_g	robustness	-0.064339	clean_selected_best_individual	-0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.129676	clean_selected_best_individual	0.137656	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Schulze	R_C_g	robustness	-0.065337	clean_selected_best_individual	-0.052868	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.127182	clean_selected_best_individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Schulze	R_F_p	robustness	-0.04788	clean_selected_best_individual	-0.036908	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.119202	clean_selected_best_individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Schulze	R_C_p	robustness	-0.038903	clean_selected_best_individual	-0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.106733	clean_selected_best_individual	0.113716	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Schulze	R_F_s	robustness	-0.024439	clean_selected_best_individual	-0.010474	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.088279	clean_selected_best_individual	0.088778	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Schulze	R_C_s	robustness	-0.026933	clean_selected_best_individual	-0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.080299	clean_selected_best_individual	0.083292	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Schulze	R_F_a	robustness	-0.025935	clean_selected_best_individual	-0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	-0.022943	clean_selected_best_individual	-0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Schulze	R_C_a	robustness	-0.048878	clean_selected_best_individual	-0.040898	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	-0.02394	clean_selected_best_individual	-0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Schulze	F	quality	0.121696	naive_q11	0.119202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Schulze	Fbar	quality	0.207481	naive_q11	0.210474	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Schulze	C	quality	0.18005	naive_q11	0.175062	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Schulze	Cbar	quality	0.26783	naive_q11	0.271322	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Schulze	R_F_g	robustness	-0.064339	naive_q11	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.129676	naive_q11	0.133666	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Schulze	R_C_g	robustness	-0.065337	naive_q11	-0.057855	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.127182	naive_q11	0.132668	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Schulze	R_F_p	robustness	-0.04788	naive_q11	-0.044888	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.119202	naive_q11	0.120698	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Schulze	R_C_p	robustness	-0.038903	naive_q11	-0.032918	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.106733	naive_q11	0.109227	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Schulze	R_F_s	robustness	-0.024439	naive_q11	-0.023441	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.088279	naive_q11	0.091272	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Schulze	R_C_s	robustness	-0.026933	naive_q11	-0.022943	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.080299	naive_q11	0.084289	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Schulze	R_F_a	robustness	-0.025935	naive_q11	-0.029925	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	-0.022943	naive_q11	-0.022943	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Schulze	R_C_a	robustness	-0.048878	naive_q11	-0.05187	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	-0.02394	naive_q11	-0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Schulze	F	quality	0.121696	NOISE_spearman	0.119202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Schulze	Fbar	quality	0.207481	NOISE_spearman	0.210474	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Schulze	C	quality	0.18005	NOISE_spearman	0.175062	max	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Schulze	Cbar	quality	0.26783	NOISE_ spearman	0.271322	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Schulze	R_F_g	robustness	-0.064339	NOISE_ spearman	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.129676	NOISE_ spearman	0.133666	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Schulze	R_C_g	robustness	-0.065337	NOISE_ spearman	-0.057855	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.127182	NOISE_ spearman	0.132668	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Schulze	R_F_p	robustness	-0.04788	NOISE_ spearman	-0.044888	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.119202	NOISE_ spearman	0.120698	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Schulze	R_C_p	robustness	-0.038903	NOISE_ spearman	-0.032918	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.106733	NOISE_ spearman	0.109227	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Schulze	R_F_s	robustness	-0.024439	NOISE_ spearman	-0.023441	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.088279	NOISE_ spearman	0.091272	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Schulze	R_C_s	robustness	-0.026933	NOISE_ spearman	-0.022943	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.080299	NOISE_ spearman	0.084289	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Schulze	R_F_a	robustness	-0.025935	NOISE_ spearman	-0.029925	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	-0.022943	NOISE_ spearman	-0.022943	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Schulze	R_C_a	robustness	-0.048878	NOISE_ spearman	-0.05187	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	-0.02394	NOISE_ spearman	-0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Schulze	F	quality	0.121696	NOISE_ kendall	0.119202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Schulze	Fbar	quality	0.207481	NOISE_ kendall	0.210474	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Schulze	C	quality	0.18005	NOISE_ kendall	0.175062	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Schulze	Cbar	quality	0.26783	NOISE_ kendall	0.271322	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	F	Schulze	R_F_g	robustness	-0.064339	NOISE_ kendall	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.129676	NOISE_ kendall	0.133666	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	C	Schulze	R_C_g	robustness	-0.065337	NOISE_ kendall	-0.057855	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.127182	NOISE_ kendall	0.132668	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	F	Schulze	R_F_p	robustness	-0.04788	NOISE_ kendall	-0.044888	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.119202	NOISE_ kendall	0.120698	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	C	Schulze	R_C_p	robustness	-0.038903	NOISE_ kendall	-0.032918	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.106733	NOISE_ kendall	0.109227	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	F	Schulze	R_F_s	robustness	-0.024439	NOISE_ kendall	-0.023441	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.088279	NOISE_ kendall	0.091272	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	C	Schulze	R_C_s	robustness	-0.026933	NOISE_ kendall	-0.022943	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.080299	NOISE_ kendall	0.084289	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	F	Schulze	R_F_a	robustness	-0.025935	NOISE_ kendall	-0.029925	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	-0.022943	NOISE_ kendall	-0.022943	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	C	Schulze	R_C_a	robustness	-0.048878	NOISE_ kendall	-0.05187	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	-0.02394	NOISE_ kendall	-0.021446	max	Worse

Table 50: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Geometry	Selected Q	NOISE Q	Exact	Within One	Selected Is NOISE Tied	Selected Fidelity	NOISE Fidelity	Fidelity Regret	NOISE Tied q	Tie Policy
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	7	7	True	True	True	0.116708	0.116708	0	[7]	smallest_q_within_absolute_1e-12
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	7	7	True	True	True	0.123192	0.123192	0	[7]	smallest_q_within_absolute_1e-12

Table 51: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	Methods	F	F	C	C	R^s	R^s	R^s	R^s	R^s	R^s	R^s
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	Dual Geometry Noise	7	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]	0.117706	0.213466	0.176559	0.272818	-0.065337	0.133167	-0.067332	0.130175	-0.048878	0.122195	-0.040898
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	Dual Geometry Noise	7	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]	0.116708	0.205486	0.169077	0.264838	-0.061845	0.127182	-0.060349	0.123192	-0.047382	0.115212	-0.028928
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	Dual Geometry Noise	7	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]	0.123192	0.210973	0.182544	0.271322	-0.065337	0.134165	-0.066334	0.130673	-0.050374	0.122195	-0.042893
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	Dual Geometry Noise	7	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]	0.121197	0.209476	0.182544	0.268828	-0.063342	0.131671	-0.067332	0.12818	-0.046883	0.119701	-0.0399
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	Dual Geometry Noise	7	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]	0.121696	0.207481	0.18005	0.26783	-0.064339	0.129676	-0.065337	0.127182	-0.04788	0.119202	-0.038903

Table 52: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	R^o_{Noise}	R^o_P	R^o_C	$R^o_{G^*}$	R^o_{Noise}	R^o_P	$R^o_{G^*}$	R^o_{Noise}	R^o_P	$R^o_{G^*}$	F^o_{averaged}	F^o_{averaged}	C^o_{averaged}
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	Dual Geometry Noise	7	0.110723	-0.023441	0.092269	-0.030923	0.084788	-0.023441	-0.011471	-0.052868	-0.011471	0.052369	0.052369	0.080299	0.109227
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Borda	Dual Geometry Noise	7	0.103741	-0.028928	0.087781	-0.028928	0.076309	-0.021945	-0.027431	-0.039401	-0.027431	0.054863	0.078304	0.108728	
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	Dual Geometry Noise	7	0.108229	-0.028429	0.091272	-0.03192	0.082793	-0.025935	-0.024938	-0.052369	-0.024439	0.057855	0.076808	0.116209	
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	RRF	Dual Geometry Noise	7	0.108229	-0.025935	0.090274	-0.032918	0.081796	-0.026434	-0.01995	-0.05187	-0.020449	0.057855	0.077805	0.115212	
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Schulze	Dual Geometry Noise	7	0.106733	-0.024439	0.088279	-0.026933	0.080299	-0.025935	-0.022943	-0.048878	-0.02394	0.057357	0.077805	0.114713	

Table 53: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	C^q perturbed	F^p perturbed	F^p perturbed	C^p perturbed	C^p perturbed	F^s perturbed	F^s perturbed	C^s perturbed	C^s perturbed	F^s perturbed	F^s perturbed	C^s perturbed
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	Dual Geometry Noise	7	0.142643	0.068828	0.091272	0.135661	0.162095	0.094264	0.121197	0.145636	0.18803	0.094264	0.224938	0.123691
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Borda	Dual Geometry Noise	7	0.141646	0.069327	0.090274	0.14015	0.161097	0.087781	0.117706	0.14015	0.188529	0.094763	0.232918	0.129676
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	Dual Geometry Noise	7	0.140648	0.072818	0.088778	0.139651	0.163092	0.094763	0.119701	0.150623	0.188529	0.097257	0.23591	0.130175
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	RRF	Dual Geometry Noise	7	0.140648	0.074314	0.089776	0.142643	0.160599	0.095262	0.119202	0.149626	0.187032	0.094763	0.229426	0.130673
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Schulze	Dual Geometry Noise	7	0.140648	0.073815	0.088279	0.141147	0.161097	0.097257	0.119202	0.153117	0.187531	0.095761	0.230424	0.131172

Table 54: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	C^* geometric
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	Dual Geometry Noise	7	0.284289
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Borda	Dual Geometry Noise	7	0.292269
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	Dual Geometry Noise	7	0.295761
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	RRF	Dual Geometry Noise	7	0.289277
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Schulze	Dual Geometry Noise	7	0.291771

Table 55: DermaMNIST-ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.116209	clean_selected_best_individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.212968	clean_selected_best_individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.175561	clean_selected_best_individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.272319	clean_selected_best_individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	0.062344	clean_selected_best_individual	0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	0.133167	clean_selected_best_individual	0.137656	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	0.067332	clean_selected_best_individual	0.052868	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	0.130175	clean_selected_best_individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	0.045885	clean_selected_best_individual	0.036908	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	0.121197	clean_selected_best_individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	0.038903	clean_selected_best_individual	0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	0.109726	clean_selected_best_individual	0.113716	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	0.022943	clean_selected_best_individual	0.010474	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	0.092269	clean_selected_best_individual	0.088778	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.028429	clean_selected_best_individual	0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	0.084289	clean_selected_best_individual	0.083292	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	0.023441	clean_selected_best_individual	0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	-	clean_selected_best_individual	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	0.013965	clean_selected_best_individual	0.016459	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	0.051372	clean_selected_best_individual	0.040898	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	-	clean_selected_best_individual	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	0.014963	clean_selected_best_individual	0.017456	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.116209	naive_q11	0.114713	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.212968	naive_q11	0.211471	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.175561	naive_q11	0.170574	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.272319	naive_q11	0.271322	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	-	naive_q11	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	0.062344	naive_q11	0.132668	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	0.133167	naive_q11	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	0.067332	naive_q11	0.061845	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	0.130175	naive_q11	0.129177	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	-	naive_q11	-0.04389	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	0.045885	naive_q11	0.1202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	0.121197	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	-	naive_q11	0.033416	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	0.038903	naive_q11	0.107232	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	0.109726	naive_q11	0.022943	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	-	naive_q11	0.091272	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	0.092269	naive_q11	0.022444	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	0.028429	naive_q11	0.083791	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	0.084289	naive_q11	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	-	naive_q11	0.020449	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	0.023441	naive_q11	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.013965	naive_q11	0.016958	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	-	naive_q11	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.051372	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.046883	naive_q11	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	0.014963	naive_q11	0.015461	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	0.116209	naive_q11	0.114713	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	same_geometry	NOISE__	0.211471	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	0.212968	naive_q11	0.211471	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	same_geometry	NOISE__	0.170574	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	0.175561	naive_q11	0.170574	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	same_geometry	NOISE__	0.271322	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	0.272319	naive_q11	0.271322	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	same_geometry	NOISE__	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	-	naive_q11	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.062344	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	0.133167	naive_q11	0.132668	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	same_geometry	NOISE__	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	0.067332	naive_q11	0.061845	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	0.130175	naive_q11	0.129177	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	same_geometry	NOISE__	-0.04389	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	-	naive_q11	-0.04389	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	0.045885	naive_q11	0.1202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	0.121197	naive_q11	0.1202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	same_geometry	NOISE__	-	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	-	naive_q11	-	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.038903	naive_q11	0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	0.03903	naive_q11	0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	0.109726	naive_q11	0.107232	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	0.109726	naive_q11	0.107232	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	same_geometry	NOISE__	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.051372	naive_q11	0.046883	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	-	naive_q11	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.014963	naive_q11	0.015461	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.014963	naive_q11	0.015461	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.116209	naive_q11	0.117706	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.116209	naive_q11	0.117706	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.212968	naive_q11	0.213466	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.212968	naive_q11	0.213466	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.175561	naive_q11	0.176559	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.175561	naive_q11	0.176559	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.272319	naive_q11	0.272818	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.272319	naive_q11	0.272818	min	Better

Cell	Dataset	Model	Q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	- 0.062344	dual__ geometry__ shared_q	- 0.065337	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	0.133167	dual__ geometry__ shared_q	0.133167	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	- 0.067332	dual__ geometry__ shared_q	- 0.067332	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	0.130175	dual__ geometry__ shared_q	0.130175	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	- 0.045885	dual__ geometry__ shared_q	- 0.048878	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	0.121197	dual__ geometry__ shared_q	0.122195	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	- 0.038903	dual__ geometry__ shared_q	- 0.040898	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	0.109726	dual__ geometry__ shared_q	0.110723	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	- 0.022943	dual__ geometry__ shared_q	- 0.023441	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	0.092269	dual__ geometry__ shared_q	0.092269	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	- 0.028429	dual__ geometry__ shared_q	- 0.030923	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	0.084289	dual__ geometry__ shared_q	0.084788	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	- 0.023441	dual__ geometry__ shared_q	- 0.023441	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	- 0.013965	dual__ geometry__ shared_q	- 0.011471	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	- 0.051372	dual__ geometry__ shared_q	- 0.052868	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	- 0.014963	dual__ geometry__ shared_q	- 0.011471	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.115711	clean__ selected__ best__ individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.208479	clean__ selected__ best__ individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.170574	clean__ selected__ best__ individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.268329	clean__ selected__ best__ individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	- 0.058853	clean__ selected__ best__ individual	- 0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	0.129676	clean__ selected__ best__ individual	0.137656	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	- 0.057855	clean__ selected__ best__ individual	- 0.052868	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	0.126683	clean__ selected__ best__ individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	- 0.041895	clean__ selected__ best__ individual	- 0.036908	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	0.117207	clean__ selected__ best__ individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	- 0.028928	clean__ selected__ best__ individual	- 0.033416	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	0.105736	clean_selected_best_individual	0.113716	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	-0.022943	clean_selected_best_individual	0.010474	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	0.092768	clean_selected_best_individual	0.088778	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	-0.024938	clean_selected_best_individual	0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	0.080798	clean_selected_best_individual	0.083292	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	-0.01995	clean_selected_best_individual	0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	-0.01995	clean_selected_best_individual	0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	-0.042394	clean_selected_best_individual	0.040898	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	-0.020449	clean_selected_best_individual	0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.115711	naive_q11	0.109726	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.208479	naive_q11	0.211471	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.170574	naive_q11	0.166085	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.268329	naive_q11	0.270823	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	-0.058853	naive_q11	-0.050873	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	0.129676	naive_q11	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	-0.057855	naive_q11	-0.05187	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	0.126683	naive_q11	0.128678	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	0.041895	naive_q11	0.038404	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	-0.028928	naive_q11	-0.028928	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	0.105736	naive_q11	0.107731	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	-0.022943	naive_q11	-0.018454	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	0.092768	naive_q11	0.092269	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	-0.024938	naive_q11	-0.017955	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	0.080798	naive_q11	0.082793	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	-0.01995	naive_q11	-0.021945	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	-0.01995	naive_q11	0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	-0.042394	naive_q11	0.045885	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	-0.020449	naive_q11	0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.115711	NOISE_same_geometry	0.109726	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.208479	NOISE_same_geometry	0.211471	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.170574	NOISE_same_geometry	0.166085	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.268329	NOISE_same_geometry	0.270823	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	-0.058853	NOISE_same_geometry	-0.050873	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	0.129676	NOISE_same_geometry	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	-0.057855	NOISE_same_geometry	-0.05187	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	0.126683	NOISE_same_geometry	0.128678	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	-0.041895	NOISE_same_geometry	-0.038404	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference Value	Reference Direction	Outcome	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	0.117207	NOISE__same_geometry__NOISE__	0.1202	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	-0.028928	NOISE__same_geometry__NOISE__	-0.028928	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	0.105736	NOISE__same_geometry__NOISE__	0.107731	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	-0.022943	NOISE__same_geometry__NOISE__	-0.018454	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	0.092768	NOISE__same_geometry__NOISE__	0.092269	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	-0.024938	NOISE__same_geometry__NOISE__	-0.017955	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	0.080798	NOISE__same_geometry__NOISE__	0.082793	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	-0.01995	NOISE__same_geometry__NOISE__	-0.021945	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	-0.01995	NOISE__same_geometry__NOISE__	-0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	-0.042394	NOISE__same_geometry__NOISE__	-0.045885	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	-0.020449	NOISE__same_geometry__NOISE__	-0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.115711	dual__geometry__shared_q	0.116708	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.208479	dual__geometry__shared_q	0.205486	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.170574	dual__geometry__shared_q	0.169077	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.268329	dual__geometry__shared_q	0.264838	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	-0.058853	dual__geometry__shared_q	-0.061845	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	0.129676	dual__geometry__shared_q	0.127182	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	-0.057855	dual__geometry__shared_q	-0.060349	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	0.126683	dual__geometry__shared_q	0.123192	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	-0.041895	dual__geometry__shared_q	-0.047382	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	0.117207	dual__geometry__shared_q	0.115212	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	-0.028928	dual__geometry__shared_q	-0.028928	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	0.105736	dual__geometry__shared_q	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	-0.022943	dual__geometry__shared_q	-0.028928	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	0.092768	dual__geometry__shared_q	0.087781	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	-0.024938	dual__geometry__shared_q	-0.028928	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	0.080798	dual__geometry__shared_q	0.076309	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	-0.01995	dual__geometry__shared_q	-0.021945	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	-0.01995	dual__geometry__shared_q	-0.027431	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	-0.042394	dual__geometry__shared_q	-0.039401	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	-0.020449	dual__geometry__shared_q	-0.027431	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.117706	clean_selected_best_individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.206983	clean_selected_best_individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.17606	clean_selected_best_individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.26783	clean_selected_best_individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	-0.056858	clean_selected_best_individual	-0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	0.131172	clean_selected_best_individual	0.137656	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	-0.059352	clean_selected_best_individual	-0.052868	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	0.12818	clean_selected_best_individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	-0.043392	clean_selected_best_individual	-0.036908	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	0.117706	clean_selected_best_individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	-0.033915	clean_selected_best_individual	-0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	0.106733	clean_selected_best_individual	0.113716	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	-0.019451	clean_selected_best_individual	-0.010474	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	0.087781	clean_selected_best_individual	0.088778	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	-0.023441	clean_selected_best_individual	-0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	0.082294	clean_selected_best_individual	0.083292	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	-0.02394	clean_selected_best_individual	-0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	-0.024938	clean_selected_best_individual	-0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	-0.049377	clean_selected_best_individual	-0.040898	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	-0.02394	clean_selected_best_individual	-0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.117706	naive_q11	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.206983	naive_q11	0.210973	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.17606	naive_q11	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.26783	naive_q11	0.27182	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	-0.056858	naive_q11	-0.057855	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	0.131172	naive_q11	0.134663	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	-0.059352	naive_q11	-0.056858	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	0.12818	naive_q11	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	-0.043392	naive_q11	-0.041397	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	0.117706	naive_q11	0.121696	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	0.033915	naive_q11	0.032419	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.106733	naive_q11	0.109726	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.019451	naive_q11	0.020948	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.087781	naive_q11	0.092269	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.023441	naive_q11	0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	0.082294	naive_q11	0.086284	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	-0.02394	naive_q11	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	-	naive_q11	0.024938	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	0.024938	naive_q11	0.018953	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	0.049377	naive_q11	0.048878	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	-0.02394	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.117706	NOISE__same__geometry	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.206983	NOISE__same__geometry	0.210973	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.17606	NOISE__same__geometry	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.26783	NOISE__same__geometry	0.27182	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	-	NOISE__same__geometry	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	0.056858	NOISE__same__geometry	0.057855	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	0.131172	NOISE__same__geometry	0.134663	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	0.059352	NOISE__same__geometry	0.056858	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	0.12818	NOISE__same__geometry	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	0.043392	NOISE__same__geometry	0.041397	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	0.117706	NOISE__same__geometry	0.121696	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	0.033915	NOISE__same__geometry	0.032419	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	0.106733	NOISE__same__geometry	0.109726	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	-	NOISE__same__geometry	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	0.019451	NOISE__same__geometry	0.020948	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	0.087781	NOISE__same__geometry	0.092269	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.023441	NOISE__same__geometry	0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	0.082294	NOISE__same__geometry	0.086284	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	-0.02394	NOISE__same__geometry	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	0.024938	NOISE__same__geometry	0.018953	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	0.049377	NOISE__same__geometry	0.048878	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	-0.02394	NOISE__same__geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.117706	NOISE__dual__geometry__shared_q	0.123192	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.206983	NOISE__dual__geometry__shared_q	0.210973	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.17606	NOISE__dual__geometry__shared_q	0.182544	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.26783	NOISE__dual__geometry__shared_q	0.271322	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	-	NOISE__dual__geometry__shared_q	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	0.056858	NOISE__dual__geometry__shared_q	0.065337	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	0.131172	dual__geometry__shared_q	0.134165	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	-0.059352	dual__geometry__shared_q	0.066334	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	0.12818	dual__geometry__shared_q	0.130673	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	-0.043392	dual__geometry__shared_q	0.050374	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	0.117706	dual__geometry__shared_q	0.122195	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	-0.033915	dual__geometry__shared_q	0.042893	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	0.106733	dual__geometry__shared_q	0.108229	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	-0.019451	dual__geometry__shared_q	0.028429	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	0.087781	dual__geometry__shared_q	0.091272	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	-0.023441	dual__geometry__shared_q	-0.03192	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	0.082294	dual__geometry__shared_q	0.082793	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	-0.02394	dual__geometry__shared_q	0.025935	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	-0.024938	dual__geometry__shared_q	0.024938	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	-0.049377	dual__geometry__shared_q	0.052369	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	-0.02394	dual__geometry__shared_q	0.024439	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.122195	clean__selected__best__individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.210973	clean__selected__best__individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.180549	clean__selected__best__individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.270823	clean__selected__best__individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	-0.062843	clean__selected__best__individual	0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	0.134165	clean__selected__best__individual	0.137656	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	-0.064838	clean__selected__best__individual	0.052868	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	0.130175	clean__selected__best__individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	-0.046883	clean__selected__best__individual	0.036908	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	0.121696	clean__selected__best__individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	-0.038404	clean__selected__best__individual	0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	0.109227	clean__selected__best__individual	0.113716	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	0.024938	clean_selected_best_individual	0.010474	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	0.091771	clean_selected_best_individual	0.088778	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	0.030424	clean_selected_best_individual	0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	0.084788	clean_selected_best_individual	0.083292	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	0.031421	clean_selected_best_individual	0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	-	clean_selected_best_individual	-	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	0.016459	clean_selected_best_individual	0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	0.056359	clean_selected_best_individual	0.040898	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.017955	naive_q11	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.122195	naive_q11	0.213965	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.210973	naive_q11	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.180549	naive_q11	0.272319	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	0.270823	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	0.062843	naive_q11	0.058354	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	0.134165	naive_q11	0.138653	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	0.064838	naive_q11	0.058354	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	0.130175	naive_q11	0.134165	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	0.046883	naive_q11	0.12419	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	0.121696	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	0.091771	naive_q11	0.094763	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	0.030424	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	0.084788	naive_q11	0.086783	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	0.031421	naive_q11	0.021945	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	-	naive_q11	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	0.016459	naive_q11	0.017955	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	0.056359	naive_q11	0.049377	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.017955	NOISE_same_geometry	0.019451	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.122195	NOISE_same_geometry	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.210973	NOISE_same_geometry	0.213965	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.180549	NOISE_same_geometry	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.270823	NOISE_same_geometry	0.272319	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	0.062843	NOISE_same_geometry	0.058354	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	0.134165	NOISE_same_geometry	0.138653	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	0.064838	NOISE_same_geometry	0.058354	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	0.130175	NOISE_same_geometry	0.134165	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	0.046883	NOISE_same_geometry	0.041397	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	0.121696	NOISE_same_geometry	0.12419	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	- 0.038404	NOISE_ same_ geometry	- 0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	0.109227	NOISE_ same_ geometry	0.110224	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	- 0.024938	NOISE_ same_ geometry	- 0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	0.091771	NOISE_ same_ geometry	0.094763	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	- 0.030424	NOISE_ same_ geometry	- 0.021945	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	0.084788	NOISE_ same_ geometry	0.086783	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	- 0.031421	NOISE_ same_ geometry	- 0.021945	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	- 0.016459	NOISE_ same_ geometry	- 0.017955	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	- 0.056359	NOISE_ same_ geometry	- 0.049377	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	- 0.017955	NOISE_ same_ geometry	- 0.019451	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.122195	dual_ geometry_ shared_q	0.121197	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.210973	dual_ geometry_ shared_q	0.209476	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.180549	dual_ geometry_ shared_q	0.182544	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.270823	dual_ geometry_ shared_q	0.268828	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	- 0.062843	dual_ geometry_ shared_q	- 0.063342	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	0.134165	dual_ geometry_ shared_q	0.131671	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	- 0.064838	dual_ geometry_ shared_q	- 0.067332	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	0.130175	dual_ geometry_ shared_q	0.12818	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	- 0.046883	dual_ geometry_ shared_q	- 0.046883	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	0.121696	dual_ geometry_ shared_q	0.119701	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	- 0.038404	dual_ geometry_ shared_q	-0.0399	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	0.109227	dual_ geometry_ shared_q	0.108229	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	- 0.024938	dual_ geometry_ shared_q	- 0.025935	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	0.091771	dual_ geometry_ shared_q	0.090274	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	- 0.030424	dual_ geometry_ shared_q	- 0.032918	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	0.084788	dual_ geometry_ shared_q	0.081796	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	- 0.031421	dual_ geometry_ shared_q	- 0.026434	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	- 0.016459	dual_ geometry_ shared_q	-0.01995	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	- 0.056359	dual_ geometry_ shared_q	-0.05187	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	- 0.017955	dual_ geometry_ shared_q	- 0.020449	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.1202	clean_ selected_ best_ individual	0.103741	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.210973	clean_selected_best_individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.179551	clean_selected_best_individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.272818	clean_selected_best_individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	-	clean_selected_best_individual	0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	0.134663	clean_selected_best_individual	0.137656	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	0.133167	clean_selected_best_individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	0.122693	clean_selected_best_individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	0.111721	clean_selected_best_individual	0.113716	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	0.094763	clean_selected_best_individual	0.088778	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	0.089776	clean_selected_best_individual	0.083292	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	-	clean_selected_best_individual	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	-	clean_selected_best_individual	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.1202	naive_q11	0.119202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.210973	naive_q11	0.210474	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.179551	naive_q11	0.175062	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.272818	naive_q11	0.271322	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	-	naive_q11	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	0.134663	naive_q11	0.133666	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	0.133167	naive_q11	0.132668	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	0.122693	naive_q11	0.120698	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	0.111721	naive_q11	0.109227	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	-	naive_q11	-	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	0.023441	naive_q11	0.023441	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.094763	naive_q11	0.091272	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	-	naive_q11	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	0.027431	naive_q11	0.022943	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	0.089776	naive_q11	0.084289	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	0.022444	naive_q11	0.029925	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	0.017955	naive_q11	0.022943	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	-	naive_q11	-0.05187	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.049875	naive_q11	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.015461	naive_q11	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.1202	NOISE_same_geometry	0.021446	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.210973	NOISE_same_geometry	0.119202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.179551	NOISE_same_geometry	0.210474	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.272818	NOISE_same_geometry	0.175062	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	-	NOISE_same_geometry	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	0.061347	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	0.134663	NOISE_same_geometry	0.133666	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	0.064339	NOISE_same_geometry	0.057855	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	0.133167	NOISE_same_geometry	0.132668	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	0.046883	NOISE_same_geometry	0.044888	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.122693	NOISE_same_geometry	0.120698	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	0.036908	NOISE_same_geometry	0.032918	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.111721	NOISE_same_geometry	0.109227	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	-	NOISE_same_geometry	-	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.023441	NOISE_same_geometry	0.023441	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	0.094763	NOISE_same_geometry	0.091272	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	-	NOISE_same_geometry	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	0.027431	NOISE_same_geometry	0.022943	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	0.089776	NOISE_same_geometry	0.084289	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	-	NOISE_same_geometry	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.022444	NOISE_same_geometry	0.029925	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	-	NOISE_same_geometry	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.017955	NOISE_same_geometry	0.022943	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	-	NOISE_same_geometry	-0.05187	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	0.049875	NOISE_same_geometry	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	-	NOISE_same_geometry	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	0.015461	NOISE_same_geometry	0.021446	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	0.1202	NOISE_dual_geometry_shared_q	0.121696	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.210973	NOISE_dual_geometry_shared_q	0.207481	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.179551	NOISE_dual_geometry_shared_q	0.18005	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.272818	NOISE_dual_geometry_shared_q	0.26783	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	-	NOISE_dual_geometry_shared_q	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	0.061347	NOISE_dual_geometry_shared_q	0.064339	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	0.134663	NOISE_dual_geometry_shared_q	0.129676	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	- 0.064339	dual_ geometry_ shared_q	- 0.065337	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	0.133167	dual_ geometry_ shared_q	0.127182	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	- 0.046883	dual_ geometry_ shared_q	-0.04788	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	0.122693	dual_ geometry_ shared_q	0.119202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	- 0.036908	dual_ geometry_ shared_q	- 0.038903	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	0.111721	dual_ geometry_ shared_q	0.106733	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	- 0.023441	dual_ geometry_ shared_q	- 0.024439	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	0.094763	dual_ geometry_ shared_q	0.088279	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	- 0.027431	dual_ geometry_ shared_q	- 0.026933	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	0.089776	dual_ geometry_ shared_q	0.080299	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	- 0.022444	dual_ geometry_ shared_q	- 0.025935	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	- 0.017955	dual_ geometry_ shared_q	- 0.022943	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	- 0.049875	dual_ geometry_ shared_q	- 0.048878	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	- 0.015461	dual_ geometry_ shared_q	-0.02394	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	0.115212	clean_ selected_ best_ individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	Fbar	quality	0.209476	clean_ selected_ best_ individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.177057	clean_ selected_ best_ individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.269327	clean_ selected_ best_ individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_g	robustness	- 0.061347	clean_ selected_ best_ individual	- 0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	0.130175	clean_ selected_ best_ individual	0.137656	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	- 0.068329	clean_ selected_ best_ individual	- 0.052868	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	0.127182	clean_ selected_ best_ individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	- 0.044389	clean_ selected_ best_ individual	- 0.036908	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	0.116708	clean_ selected_ best_ individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	- 0.038404	clean_ selected_ best_ individual	- 0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	0.106234	clean_ selected_ best_ individual	0.113716	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	- 0.022943	clean_ selected_ best_ individual	- 0.010474	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	0.089277	clean_selected_best_individual	0.088778	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	-0.032419	clean_selected_best_individual	-0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	0.082294	clean_selected_best_individual	0.083292	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_a	robustness	-0.020948	clean_selected_best_individual	-0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	-0.017955	clean_selected_best_individual	-0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	-0.052369	clean_selected_best_individual	-0.040898	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	-0.017456	clean_selected_best_individual	-0.017456	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	0.115212	naive_q11	0.114713	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	Fbar	quality	0.209476	naive_q11	0.211471	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.177057	naive_q11	0.170574	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.269327	naive_q11	0.271322	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_g	robustness	-0.061347	naive_q11	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	0.130175	naive_q11	0.132668	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	-0.068329	naive_q11	-0.061845	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	0.127182	naive_q11	0.129177	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	-0.044389	naive_q11	-0.04389	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	0.116708	naive_q11	0.1202	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	-0.038404	naive_q11	-0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	0.106234	naive_q11	0.107232	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	-0.022943	naive_q11	-0.022943	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	0.089277	naive_q11	0.091272	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	-0.032419	naive_q11	-0.022444	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	0.082294	naive_q11	0.083791	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_a	robustness	-0.020948	naive_q11	-0.020449	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	-0.017955	naive_q11	-0.016958	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	-0.052369	naive_q11	-0.046883	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	-0.017456	naive_q11	-0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	0.115212	NOISE_same_geometry	0.114713	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	Fbar	quality	0.209476	NOISE_same_geometry	0.211471	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.177057	NOISE_same_geometry	0.170574	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.269327	NOISE_same_geometry	0.271322	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_g	robustness	-0.061347	NOISE_same_geometry	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	0.130175	NOISE_same_geometry	0.132668	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	-0.068329	NOISE_same_geometry	-0.061845	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	0.127182	NOISE_same_geometry	0.129177	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	-0.044389	NOISE_same_geometry	-0.04389	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	0.116708	NOISE_same_geometry	0.1202	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	-0.038404	NOISE_same_geometry	-0.033416	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	0.106234	NOISE__same_geometry__NOISE__	0.107232	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	-	NOISE__same_geometry__NOISE__	-	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	0.022943	NOISE__same_geometry__NOISE__	0.022943	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	0.089277	NOISE__same_geometry__NOISE__	0.091272	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	-	NOISE__same_geometry__NOISE__	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	0.032419	NOISE__same_geometry__NOISE__	0.022444	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_a	robustness	0.082294	NOISE__same_geometry__NOISE__	0.083791	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	-	NOISE__same_geometry__NOISE__	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	0.020948	NOISE__same_geometry__NOISE__	0.020449	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	-	NOISE__same_geometry__NOISE__	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	0.052369	NOISE__same_geometry__NOISE__	0.046883	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	-	NOISE__same_geometry__NOISE__	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	0.017456	NOISE__same_geometry__dual_geometry__shared_q	0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	Fbar	quality	0.115212	NOISE__same_geometry__dual_geometry__shared_q	0.117706	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.209476	NOISE__same_geometry__dual_geometry__shared_q	0.213466	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.177057	NOISE__same_geometry__dual_geometry__shared_q	0.176559	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.269327	NOISE__same_geometry__dual_geometry__shared_q	0.272818	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_g	robustness	-	NOISE__same_geometry__dual_geometry__shared_q	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	0.061347	NOISE__same_geometry__dual_geometry__shared_q	0.065337	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	0.130175	NOISE__same_geometry__dual_geometry__shared_q	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	-	NOISE__same_geometry__dual_geometry__shared_q	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	0.068329	NOISE__same_geometry__dual_geometry__shared_q	0.067332	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	0.127182	NOISE__same_geometry__dual_geometry__shared_q	0.130175	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	-	NOISE__same_geometry__dual_geometry__shared_q	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	0.044389	NOISE__same_geometry__dual_geometry__shared_q	0.048878	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	0.116708	NOISE__same_geometry__dual_geometry__shared_q	0.122195	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	-	NOISE__same_geometry__dual_geometry__shared_q	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	0.038404	NOISE__same_geometry__dual_geometry__shared_q	0.040898	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	0.106234	NOISE__same_geometry__dual_geometry__shared_q	0.110723	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	-	NOISE__same_geometry__dual_geometry__shared_q	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	0.022943	NOISE__same_geometry__dual_geometry__shared_q	0.023441	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	0.089277	NOISE__same_geometry__dual_geometry__shared_q	0.092269	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	-	NOISE__same_geometry__dual_geometry__shared_q	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	0.032419	NOISE__same_geometry__dual_geometry__shared_q	0.030923	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	0.082294	NOISE__same_geometry__dual_geometry__shared_q	0.084788	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_a	robustness	-	NOISE__same_geometry__dual_geometry__shared_q	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	0.020948	NOISE__same_geometry__dual_geometry__shared_q	0.023441	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	-	NOISE__same_geometry__dual_geometry__shared_q	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	0.017955	NOISE__same_geometry__dual_geometry__shared_q	0.011471	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	-	NOISE__same_geometry__dual_geometry__shared_q	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	0.052369	NOISE__same_geometry__dual_geometry__shared_q	0.052868	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	-	NOISE__same_geometry__dual_geometry__shared_q	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.017456	NOISE__same_geometry__clean_selected_best_individual	0.011471	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.106733	NOISE__same_geometry__clean_selected_best_individual	0.103741	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.20798	clean_selected_best_individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.167082	clean_selected_best_individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.264838	clean_selected_best_individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	-	clean_selected_best_individual	0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	0.129676	clean_selected_best_individual	0.137656	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	-	clean_selected_best_individual	0.052868	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	0.123691	clean_selected_best_individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	-	clean_selected_best_individual	0.036908	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	0.115212	clean_selected_best_individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	-	clean_selected_best_individual	0.033416	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	0.100748	clean_selected_best_individual	0.113716	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	-	clean_selected_best_individual	0.010474	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	0.091272	clean_selected_best_individual	0.088778	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	-	clean_selected_best_individual	0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	0.078304	clean_selected_best_individual	0.083292	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	-	clean_selected_best_individual	0.015461	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	-	clean_selected_best_individual	0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	-	clean_selected_best_individual	0.040898	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	-	clean_selected_best_individual	0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.106733	naive_q11	0.109726	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.20798	naive_q11	0.211471	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.167082	naive_q11	0.166085	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.264838	naive_q11	0.270823	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	-	naive_q11	0.050873	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	0.129676	naive_q11	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	-	naive_q11	-0.05187	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	0.123691	naive_q11	0.128678	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	-	naive_q11	-	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	0.115212	naive_q11	0.1202	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	-	naive_q11	-	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	0.100748	naive_q11	0.107731	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	0.020449	naive_q11	0.018454	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	0.091272	naive_q11	0.092269	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	0.027431	naive_q11	0.017955	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	0.078304	naive_q11	0.082793	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	-	naive_q11	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	0.028928	naive_q11	0.045885	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.022444	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.106733	NOISE_same_geometry	0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.20798	NOISE_same_geometry	0.109726	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.167082	NOISE_same_geometry	0.211471	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.264838	NOISE_same_geometry	0.166085	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	0.055362	NOISE_same_geometry	0.050873	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	0.129676	NOISE_same_geometry	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	-	NOISE_same_geometry	-0.05187	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	0.061845	NOISE_same_geometry	0.128678	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	0.123691	NOISE_same_geometry	0.038404	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	-	NOISE_same_geometry	-	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	0.028928	NOISE_same_geometry	0.028928	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	0.100748	NOISE_same_geometry	0.107731	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	0.020449	NOISE_same_geometry	0.018454	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	0.091272	NOISE_same_geometry	0.092269	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	-	NOISE_same_geometry	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	0.027431	NOISE_same_geometry	0.017955	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	0.078304	NOISE_same_geometry	0.082793	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.004489	NOISE_same_geometry	0.021945	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.020948	NOISE_same_geometry	0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	-	NOISE_same_geometry	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	0.028928	NOISE_same_geometry	0.045885	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	0.022444	NOISE_same_geometry	0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.106733	dual_geometry_shared_q	0.116708	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.20798	dual_geometry_shared_q	0.205486	min	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.167082	dual_geometry_shared_q	0.169077	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.264838	dual_geometry_shared_q	0.264838	min	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	-	dual_geometry_shared_q	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	0.055362	dual_geometry_shared_q	0.061845	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	0.129676	dual_geometry_shared_q	0.127182	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	- 0.061845	dual__ geometry__ shared_q	- 0.060349	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	0.123691	dual__ geometry__ shared_q	0.123192	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	- 0.038404	dual__ geometry__ shared_q	- 0.047382	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	0.115212	dual__ geometry__ shared_q	0.115212	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	- 0.028928	dual__ geometry__ shared_q	- 0.028928	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	0.100748	dual__ geometry__ shared_q	0.103741	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	- 0.020449	dual__ geometry__ shared_q	- 0.028928	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	0.091272	dual__ geometry__ shared_q	0.087781	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	- 0.027431	dual__ geometry__ shared_q	- 0.028928	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	0.078304	dual__ geometry__ shared_q	0.076309	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	- 0.004489	dual__ geometry__ shared_q	- 0.021945	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	- 0.020948	dual__ geometry__ shared_q	- 0.027431	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	- 0.028928	dual__ geometry__ shared_q	- 0.039401	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	- 0.022444	dual__ geometry__ shared_q	- 0.027431	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.120698	clean__ selected__ best__ individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.207481	clean__ selected__ best__ individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.181546	clean__ selected__ best__ individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.266833	clean__ selected__ best__ individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	- 0.062843	clean__ selected__ best__ individual	- 0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	0.13217	clean__ selected__ best__ individual	0.137656	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	- 0.067332	clean__ selected__ best__ individual	- 0.052868	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	0.12818	clean__ selected__ best__ individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	- 0.048379	clean__ selected__ best__ individual	- 0.036908	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	0.116708	clean__ selected__ best__ individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	-0.04389	clean__ selected__ best__ individual	- 0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_p	robustness	0.104738	clean__ selected__ best__ individual	0.113716	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_s	robustness	- 0.024439	clean__ selected__ best__ individual	- 0.010474	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_s	robustness	0.089277	clean_selected_best_individual	0.088778	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_s	robustness	-0.032419	clean_selected_best_individual	0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_s	robustness	0.082294	clean_selected_best_individual	0.083292	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_a	robustness	-0.02394	clean_selected_best_individual	0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_a	robustness	-0.019451	clean_selected_best_individual	0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_a	robustness	-0.049377	clean_selected_best_individual	0.040898	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_a	robustness	-0.023441	clean_selected_best_individual	0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.120698	naive_q11	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.207481	naive_q11	0.210973	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.181546	naive_q11	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.266833	naive_q11	0.27182	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	-0.062843	naive_q11	-0.057855	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	0.13217	naive_q11	0.134663	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	0.067332	naive_q11	0.056858	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	0.12818	naive_q11	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	0.048379	naive_q11	-0.041397	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	0.116708	naive_q11	0.121696	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	-0.04389	naive_q11	-0.032419	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_p	robustness	0.104738	naive_q11	0.109726	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_s	robustness	-0.024439	naive_q11	0.020948	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_s	robustness	0.089277	naive_q11	0.092269	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_s	robustness	-0.032419	naive_q11	-0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_s	robustness	0.082294	naive_q11	0.086284	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_a	robustness	-0.02394	naive_q11	0.024938	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_a	robustness	-0.019451	naive_q11	0.018953	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_a	robustness	-0.049377	naive_q11	-0.048878	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_a	robustness	-0.023441	naive_q11	-0.018454	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.120698	NOISE_same_geometry	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.207481	NOISE_same_geometry	0.210973	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.181546	NOISE_same_geometry	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.266833	NOISE_same_geometry	0.27182	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	-0.062843	NOISE_same_geometry	-0.057855	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	0.13217	NOISE_same_geometry	0.134663	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	-0.067332	NOISE_same_geometry	-0.056858	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	0.12818	NOISE_same_geometry	0.133167	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	-0.048379	NOISE_same_geometry	-0.041397	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	0.116708	NOISE_same_geometry	0.121696	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	-0.04389	NOISE_same_geometry	-0.032419	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.208479	clean_selected_best_individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.177057	clean_selected_best_individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.26783	clean_selected_best_individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	-	clean_selected_best_individual	0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	0.131172	clean_selected_best_individual	0.137656	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	-	clean_selected_best_individual	0.052868	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	0.127681	clean_selected_best_individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	-	clean_selected_best_individual	0.036908	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	0.117706	clean_selected_best_individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	-	clean_selected_best_individual	0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	0.105736	clean_selected_best_individual	0.113716	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	-	clean_selected_best_individual	0.010474	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	0.089277	clean_selected_best_individual	0.088778	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	-	clean_selected_best_individual	0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	0.081796	clean_selected_best_individual	0.083292	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	-	clean_selected_best_individual	0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	-	clean_selected_best_individual	0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	-	clean_selected_best_individual	0.040898	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	-	clean_selected_best_individual	0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.118204	naive_q11	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.208479	naive_q11	0.213965	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.177057	naive_q11	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.26783	naive_q11	0.272319	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	-	naive_q11	0.058354	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	0.131172	naive_q11	0.138653	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	-	naive_q11	0.058354	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	0.127681	naive_q11	0.134165	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	-	naive_q11	0.041397	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	0.117706	naive_q11	0.12419	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	-	naive_q11	0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	0.105736	naive_q11	0.110224	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	0.024439	naive_q11	0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	0.089277	naive_q11	0.094763	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	0.028928	naive_q11	0.021945	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	0.081796	naive_q11	0.086783	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	0.020948	naive_q11	0.021945	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	0.019451	naive_q11	0.017955	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.044888	naive_q11	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	-	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.021945	naive_q11	0.019451	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.044888	naive_q11	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	0.118204	NOISE_same_geometry	0.116209	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	0.208479	NOISE_same_geometry	0.213965	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	0.177057	NOISE_same_geometry	0.173067	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	0.26783	NOISE_same_geometry	0.272319	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	0.060349	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	0.060349	NOISE_same_geometry	0.058354	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	0.131172	NOISE_same_geometry	0.138653	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	0.063342	NOISE_same_geometry	0.058354	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	0.127681	NOISE_same_geometry	0.134165	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	0.044389	NOISE_same_geometry	0.041397	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	0.117706	NOISE_same_geometry	0.12419	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	-	NOISE_same_geometry	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	0.037905	NOISE_same_geometry	0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	0.105736	NOISE_same_geometry	0.110224	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	0.024439	NOISE_same_geometry	0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	0.089277	NOISE_same_geometry	0.094763	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	-	NOISE_same_geometry	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	0.020948	NOISE_same_geometry	0.021945	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	-	NOISE_same_geometry	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	0.044888	NOISE_same_geometry	0.049377	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.021945	NOISE_same_geometry	0.019451	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.118204	dual_geometry_shared_q	0.121197	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.208479	dual_geometry_shared_q	0.209476	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.177057	dual_geometry_shared_q	0.182544	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	0.26783	dual_geometry_shared_q	0.268828	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	-	dual_geometry_shared_q	-	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	0.060349	dual_geometry_shared_q	0.063342	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	0.131172	dual_geometry_shared_q	0.131671	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	- 0.063342	dual__ geometry__ shared_q	- 0.067332	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	0.127681	dual__ geometry__ shared_q	0.12818	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	- 0.044389	dual__ geometry__ shared_q	- 0.046883	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	0.117706	dual__ geometry__ shared_q	0.119701	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	- 0.037905	dual__ geometry__ shared_q	-0.0399	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	0.105736	dual__ geometry__ shared_q	0.108229	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	- 0.024439	dual__ geometry__ shared_q	- 0.025935	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	0.089277	dual__ geometry__ shared_q	0.090274	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	- 0.028928	dual__ geometry__ shared_q	- 0.032918	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	0.081796	dual__ geometry__ shared_q	0.081796	max	Equal
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	- 0.020948	dual__ geometry__ shared_q	- 0.026434	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	- 0.019451	dual__ geometry__ shared_q	-0.01995	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	- 0.044888	dual__ geometry__ shared_q	-0.05187	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	- 0.021945	dual__ geometry__ shared_q	- 0.020449	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.119701	clean__ selected__ best__ individual	0.103741	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.204489	clean__ selected__ best__ individual	0.216958	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.180549	clean__ selected__ best__ individual	0.162594	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.26384	clean__ selected__ best__ individual	0.278803	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	- 0.062843	clean__ selected__ best__ individual	- 0.050374	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	0.127681	clean__ selected__ best__ individual	0.137656	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	-0.06783	clean__ selected__ best__ individual	- 0.052868	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	0.12419	clean__ selected__ best__ individual	0.135661	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	- 0.047382	clean__ selected__ best__ individual	- 0.036908	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	0.112219	clean__ selected__ best__ individual	0.123691	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	- 0.041895	clean__ selected__ best__ individual	- 0.033416	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	0.100748	clean__ selected__ best__ individual	0.113716	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	- 0.028928	clean__ selected__ best__ individual	- 0.010474	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	0.083292	clean_selected_best_individual	0.088778	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	-0.035411	clean_selected_best_individual	0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	0.075312	clean_selected_best_individual	0.083292	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	-0.018953	clean_selected_best_individual	0.015461	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	-0.024938	clean_selected_best_individual	0.016459	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	-0.044888	clean_selected_best_individual	0.040898	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	-0.025436	clean_selected_best_individual	0.017456	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.119701	naive_q11	0.119202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.204489	naive_q11	0.210474	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.180549	naive_q11	0.175062	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.26384	naive_q11	0.271322	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	-0.062843	naive_q11	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	0.127681	naive_q11	0.133666	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	-0.06783	naive_q11	0.057855	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	0.12419	naive_q11	0.132668	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	0.047382	naive_q11	0.044888	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	0.112219	naive_q11	0.120698	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	-0.041895	naive_q11	-0.032918	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	0.100748	naive_q11	0.109227	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	-0.028928	naive_q11	0.023441	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	0.083292	naive_q11	0.091272	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	-0.035411	naive_q11	-0.022943	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	0.075312	naive_q11	0.084289	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	0.018953	naive_q11	0.029925	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	-0.024938	naive_q11	0.022943	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	-0.044888	naive_q11	-0.05187	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	-0.025436	naive_q11	-0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.119701	NOISE_same_geometry	0.119202	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.204489	NOISE_same_geometry	0.210474	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.180549	NOISE_same_geometry	0.175062	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.26384	NOISE_same_geometry	0.271322	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	-0.062843	NOISE_same_geometry	-0.05985	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	0.127681	NOISE_same_geometry	0.133666	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	-0.06783	NOISE_same_geometry	-0.057855	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	0.12419	NOISE_same_geometry	0.132668	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	-0.047382	NOISE_same_geometry	-0.044888	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	0.112219	NOISE_same_geometry	0.120698	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	-0.041895	NOISE_same_geometry	-0.032918	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	0.100748	NOISE__same_geometry	0.109227	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	-0.028928	NOISE__same_geometry	0.023441	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	0.083292	NOISE__same_geometry	0.091272	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	-0.035411	NOISE__same_geometry	0.022943	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	0.075312	NOISE__same_geometry	0.084289	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	-0.018953	NOISE__same_geometry	0.029925	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	-0.024938	NOISE__same_geometry	0.022943	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	-0.044888	NOISE__same_geometry	-0.05187	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	-0.025436	NOISE__same_geometry	0.021446	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.119701	dual_geometry__shared_q	0.121696	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.204489	dual_geometry__shared_q	0.207481	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.180549	dual_geometry__shared_q	0.18005	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.26384	dual_geometry__shared_q	0.26783	min	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	-0.062843	dual_geometry__shared_q	0.064339	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	0.127681	dual_geometry__shared_q	0.129676	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	-0.06783	dual_geometry__shared_q	0.065337	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	0.12419	dual_geometry__shared_q	0.127182	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	-0.047382	dual_geometry__shared_q	-0.04788	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	0.112219	dual_geometry__shared_q	0.119202	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	-0.041895	dual_geometry__shared_q	-0.038903	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	0.100748	dual_geometry__shared_q	0.106733	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	-0.028928	dual_geometry__shared_q	0.024439	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	0.083292	dual_geometry__shared_q	0.088279	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	-0.035411	dual_geometry__shared_q	0.026933	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	0.075312	dual_geometry__shared_q	0.080299	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	-0.018953	dual_geometry__shared_q	0.025935	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	-0.024938	dual_geometry__shared_q	0.022943	max	Worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	-0.044888	dual_geometry__shared_q	-0.048878	max	Better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	-0.025436	dual_geometry__shared_q	-0.02394	max	Worse

Table 56: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Geometry	Center Rule	Selected Q	NOISE Q	Exact	Within One	Selected Is NOISE Tied	Selected Fidelity	NOISE Fidelity	Fidelity Regret	NOISE Tied q	Tie Policy
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Spearman	borda	8	7	False	True	False	0.115711	0.116708	0.000998	[7]	smallest_q_within_absolute_1e-12
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Kendall	kemeny	5	7	False	False	False	0.120698	0.123192	0.002494	[7]	smallest_q_within_absolute_1e-12

Table 57: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	Geometry	Geometry Label	Center Rule	Methods	F	F	C	C	R^s_L	R^s_F	R^s_C	R^s_P
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	NOISE-S	8	Spearman	NOISE-S	borda	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "Partial LRP", "Saliency", "Integrated Gradients"]	0.116209	0.212968	0.175561	0.272319	-	0.133167	-	0.130175
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	NOISE-S	8	Spearman	NOISE-S	borda	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "Partial LRP", "Saliency", "Integrated Gradients"]	0.115711	0.208479	0.170574	0.268329	-	0.129676	-	0.126683
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	NOISE-S	8	Spearman	NOISE-S	borda	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "Partial LRP", "Saliency", "Integrated Gradients"]	0.117706	0.206983	0.17606	0.26783	-	0.131172	-	0.12818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	NOISE-S	8	Spearman	NOISE-S	borda	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "Partial LRP", "Saliency", "Integrated Gradients"]	0.122195	0.210973	0.180549	0.270823	-	0.134165	-	0.130175
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	NOISE-S	8	Spearman	NOISE-S	borda	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "Partial LRP", "Saliency", "Integrated Gradients"]	0.1202	0.210973	0.179551	0.272818	-	0.134663	-	0.133167
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	NOISE-K	5	Kendall	NOISE-K	kemeny	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]	0.115212	0.209476	0.177057	0.269327	-	0.130175	-	0.127182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	NOISE-K	5	Kendall	NOISE-K	kemeny	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]	0.106733	0.20798	0.167082	0.264838	-	0.129676	-	0.123691
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	NOISE-K	5	Kendall	NOISE-K	kemeny	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]	0.120698	0.207481	0.181546	0.266833	-	0.13217	-	0.12818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	NOISE-K	5	Kendall	NOISE-K	kemeny	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]	0.118204	0.208479	0.177057	0.26783	-	0.131172	-	0.127681
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	NOISE-K	5	Kendall	NOISE-K	kemeny	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]	0.119701	0.204489	0.180549	0.26384	-	0.127681	-0.06783	0.12419

Table 58: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	R^p_E	R^p_F	$R^p_{K_1}$	$R^p_{K_2}$	$R^p_{K_3}$	R^p_E	R^p_C	$R^p_{K_1}$	$R^p_{K_2}$	$R^p_{K_3}$	R^p_C	R^p_E	R^p_C
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	NOISE-S	8	-0.045885	0.121197	-0.038903	0.109726	-0.022943	0.092269	-0.028429	0.084289	-0.023441	-0.013965	-0.051372	-0.014963	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	NOISE-S	8	-0.041895	0.117207	-0.028928	0.105736	-0.022943	0.092768	-0.024938	0.080798	-0.01995	-0.01995	-0.042394	-0.020449	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	NOISE-S	8	-0.043392	0.117706	-0.033915	0.106733	-0.019451	0.087781	-0.023441	0.082294	-0.02394	-0.024938	-0.049377	-0.02394	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	NOISE-S	8	-0.046883	0.121696	-0.038404	0.109227	-0.024938	0.091771	-0.030424	0.084788	-0.031421	-0.016459	-0.056359	-0.017955	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	NOISE-S	8	-0.046883	0.122693	-0.036908	0.111721	-0.023441	0.094763	-0.027431	0.089776	-0.022444	-0.017955	-0.049875	-0.015461	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	NOISE-K	5	-0.044389	0.116708	-0.038404	0.106234	-0.022943	0.089277	-0.032419	0.082294	-0.020948	-0.017955	-0.052369	-0.017456	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	NOISE-K	5	-0.038404	0.115212	-0.028928	0.100748	-0.020449	0.091272	-0.027431	0.078304	-0.004489	-0.020948	-0.028928	-0.022444	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	NOISE-K	5	-0.048379	0.116708	-0.04389	0.104738	-0.024439	0.089277	-0.032419	0.082294	-0.02394	-0.019451	-0.049377	-0.023441	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	NOISE-K	5	-0.044389	0.117706	-0.037905	0.105736	-0.024439	0.089277	-0.028928	0.081796	-0.020948	-0.019451	-0.044888	-0.021945	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	NOISE-K	5	-0.047382	0.112219	-0.041895	0.100748	-0.028928	0.083292	-0.035411	0.075312	-0.018953	-0.024938	-0.044888	-0.025436	

Table 59: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	F^s perurbed	F^s perurbed	C^s perurbed	C^s perurbed	F^s perurbed	F^s perurbed	C^s perurbed	C^s perurbed	F^s perurbed	F^s perurbed	C^s perurbed	C^s perurbed
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	NOISE-S	8	0.053865	0.0798	0.108229	0.142145	0.070324	0.091771	0.136658	0.162594	0.093267	0.120698	0.147132	0.18803
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Borda	NOISE-S	8	0.056858	0.078803	0.112718	0.141646	0.073815	0.091272	0.141646	0.162594	0.092768	0.115711	0.145636	0.187531
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	NOISE-S	8	0.060848	0.07581	0.116708	0.139651	0.074314	0.089277	0.142145	0.161097	0.098254	0.119202	0.152618	0.185536
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	RRF	NOISE-S	8	0.059352	0.076808	0.115711	0.140648	0.075312	0.089277	0.142145	0.161596	0.097257	0.119202	0.150125	0.186035
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Schulze	NOISE-S	8	0.058853	0.076309	0.115212	0.139651	0.073317	0.088279	0.142643	0.161097	0.096758	0.116209	0.15212	0.183042
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	NOISE-K	5	0.053865	0.079302	0.108728	0.142145	0.070823	0.092768	0.138653	0.163092	0.092269	0.1202	0.144638	0.187032
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Borda	NOISE-K	5	0.051372	0.078304	0.105237	0.141147	0.068329	0.092768	0.138155	0.16409	0.086284	0.116708	0.139651	0.186534
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	NOISE-K	5	0.057855	0.075312	0.114214	0.138653	0.072319	0.090773	0.137656	0.162095	0.096259	0.118204	0.149127	0.184539
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	RRF	NOISE-K	5	0.057855	0.077307	0.113716	0.14015	0.073815	0.090773	0.139152	0.162095	0.093766	0.119202	0.14813	0.186035
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Schulze	NOISE-K	5	0.056858	0.076808	0.112718	0.139651	0.072319	0.092269	0.138653	0.163092	0.090773	0.121197	0.145137	0.188529

Table 60: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	$F^a_{\text{perturbed}}$	$F^a_{\text{perturbed}}$	$C^a_{\text{perturbed}}$	$C^a_{\text{perturbed}}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	NOISE-S	8	0.092768	0.226933	0.12419	0.287282
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	NOISE-S	8	0.095761	0.228429	0.12818	0.288778
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	NOISE-S	8	0.093766	0.23192	0.126683	0.291771
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	NOISE-S	8	0.090773	0.227431	0.12419	0.288778
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	NOISE-S	8	0.097756	0.228928	0.129676	0.288279
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	NOISE-K	5	0.094264	0.227431	0.124688	0.286783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	NOISE-K	5	0.102244	0.228928	0.138155	0.287282
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	NOISE-K	5	0.096758	0.226933	0.13217	0.290274
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	NOISE-K	5	0.097257	0.22793	0.13217	0.289776
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	NOISE-K	5	0.100748	0.229426	0.135661	0.289277

Table 61: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	Selection Rule	Methods	F	$\bar{F}$	C	$\bar{C}$	R^e_+	R^e_{++}	R^e_+	R^e_{++}	R^e_+	R^e_{++}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Best Individual	Best Individual			d7b6764b40 46752dceb3 74706fc6dc 3680734778 161d77b607 c39a8808fc d987	0.103741	0.216958	0.162594	0.278803	0	0.012469	0.003491	0.001496	0.000998	0.002993
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	Naive	11	Kemeny	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]	0.114713	0.211471	0.170574	0.271322	0.05985	0.061845	0.04389	0.033416	0.022943	0.022444
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	NOISE	7			0.117706	0.213466	0.176559	0.272818	0.065337	0.067332	0.048878	0.040898	0.023441	0.030923
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	Naive	11	Kemeny	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]	0.109726	0.211471	0.166085	0.270823	0.050873	0.05187	0.038404	0.028928	0.018454	0.017955
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	NOISE	7			0.116708	0.205486	0.169077	0.264838	0.061845	0.060349	0.047382	0.028928	0.028928	0.028928
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	Naive	11	Kemeny	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]	0.116209	0.210973	0.173067	0.27182	0.057855	0.056858	0.041397	0.032419	0.020948	0.019451
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	NOISE	7			0.123192	0.210973	0.182544	0.271322	0.065337	0.066334	0.050374	0.042893	0.028429	0.03192
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	Naive	11	Kemeny	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]	0.116209	0.213965	0.173067	0.272319	0.058354	0.058354	0.041397	0.033416	0.019451	0.021945
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	NOISE	7			0.121197	0.209476	0.182544	0.268828	0.063342	0.067332	0.046883	0.0399	0.025935	0.032918
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	Naive	11	Kemeny	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]	0.119202	0.210474	0.175062	0.271322	0.05985	0.057855	0.044888	0.032918	0.023441	0.022943
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	NOISE	7			0.121696	0.207481	0.18005	0.26783	0.064339	0.065337	0.04788	0.038903	0.024439	0.026933

Table 62: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	R^a_T	R^a_C	R^a_B	$R^a_{L_2}$	R^a_L	$R^a_{C_{\text{avg}}}$	R^a_B	$R^a_{L_2}$	R^a_L	$R^a_{C_{\text{avg}}}$	R^a_B	$R^a_{C_{\text{avg}}}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Best Individual	Best Individual		0	0.003491	0.137656	0.135661	0.123691	0.113716	0.088778	0.083292	0.000499	0		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	Naive	11	0.020449	0.046883	0.132668	0.129177	0.1202	0.107232	0.091272	0.083791	0.016958	0.015461		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	NOISE	7	0.023441	0.052868	0.133167	0.130175	0.122195	0.110723	0.092269	0.084788	0.011471	0.011471		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	Naive	11	0.021945	0.045885	0.133167	0.128678	0.1202	0.107731	0.092269	0.082793	0.016459	0.017456		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	NOISE	7	0.021945	0.039401	0.127182	0.123192	0.115212	0.103741	0.087781	0.076309	0.027431	0.027431		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	Naive	11	0.024938	0.048878	0.134663	0.133167	0.121696	0.109726	0.092269	0.086284	0.018953	0.018454		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	NOISE	7	0.025935	0.052369	0.134165	0.130673	0.122195	0.108229	0.091272	0.082793	0.024938	0.024439		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	Naive	11	0.021945	0.049377	0.138653	0.134165	0.12419	0.110224	0.094763	0.086783	0.017955	0.019451		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	NOISE	7	0.026434	0.05187	0.131671	0.12818	0.119701	0.108229	0.090274	0.081796	0.01995	0.020449		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	Naive	11	0.029925	0.05187	0.133666	0.132668	0.120698	0.109227	0.091272	0.084289	0.022943	0.021446		
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	NOISE	7	0.025935	0.048878	0.129676	0.127182	0.119202	0.106733	0.088279	0.080299	0.022943	0.02394		

Table 63: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	Selection Rule	Methods	F	$\bar{F}$	C	$\bar{C}$	R^e_+	R^e_{++}	R^e_+	R^e_{++}	R^e_+	R^e_{++}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Best Individual	Best Individual			d7b6764b40 46752dceb3 74706fc6dc 3680734778 161d77b607 c39a8808fc d987	0.103741	0.216958	0.162594	0.278803	0	0.012469	0.003491	0.001496	0.000998	0.002993
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	Naive	11	Borda	[*CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]	0.114713	0.211471	0.170574	0.271322	0.05985	0.061845	0.04389	0.033416	0.022943	0.022444
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	NOISE	7			0.117706	0.213466	0.176559	0.272818	0.065337	0.067332	0.048878	0.040898	0.023441	0.030923
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	Naive	11	Borda	[*CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]	0.109726	0.211471	0.166085	0.270823	0.050873	0.05187	0.038404	0.028928	0.018454	0.017955
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	NOISE	7			0.116708	0.205486	0.169077	0.264838	0.061845	0.060349	0.047382	0.028928	0.028928	0.028928
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	Naive	11	Borda	[*CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]	0.116209	0.210973	0.173067	0.27182	0.057855	0.056858	0.041397	0.032419	0.020948	0.019451
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	NOISE	7			0.123192	0.210973	0.182544	0.271322	0.065337	0.066334	0.050374	0.042893	0.028429	0.03192
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	Naive	11	Borda	[*CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]	0.116209	0.213965	0.173067	0.272319	0.058354	0.058354	0.041397	0.033416	0.019451	0.021945
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	NOISE	7			0.121197	0.209476	0.182544	0.268828	0.063342	0.067332	0.046883	0.0399	0.025935	0.032918
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	Naive	11	Borda	[*CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]	0.119202	0.210474	0.175062	0.271322	0.05985	0.057855	0.044888	0.032918	0.023441	0.022943
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	NOISE	7			0.121696	0.207481	0.18005	0.26783	0.064339	0.065337	0.04788	0.038903	0.024439	0.026933

Table 64: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	R^a_T	R^a_C	R^a_B	$R^a_{L_2}$	R^a_F	$R^a_{C_{\text{avg}}}$	R^a_{β}	$R^a_{L_1}$	R^a_D	R^a_C
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Best Individual	Best Individual		0	0.003491	0.137656	0.135661	0.123691	0.113716	0.088778	0.083292	0.000499	0
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	Naive	11	0.020449	0.046883	0.132668	0.129177	0.1202	0.107232	0.091272	0.083791	0.016958	0.015461
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	NOISE	7	0.023441	0.052868	0.133167	0.130175	0.122195	0.110723	0.092269	0.084788	0.011471	0.011471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	Naive	11	0.021945	0.045885	0.133167	0.128678	0.1202	0.107731	0.092269	0.082793	0.016459	0.017456
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Borda	NOISE	7	0.021945	0.039401	0.127182	0.123192	0.115212	0.103741	0.087781	0.076309	0.027431	0.027431
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	Naive	11	0.024938	0.048878	0.134663	0.133167	0.121696	0.109726	0.092269	0.086284	0.018953	0.018454
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	NOISE	7	0.025935	0.052369	0.134165	0.130673	0.122195	0.108229	0.091272	0.082793	0.024938	0.024439
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	Naive	11	0.021945	0.049377	0.138653	0.134165	0.12419	0.110224	0.094763	0.086783	0.017955	0.019451
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	RRF	NOISE	7	0.026434	0.05187	0.131671	0.12818	0.119701	0.108229	0.090274	0.081796	0.01995	0.020449
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	Naive	11	0.029925	0.05187	0.133666	0.132668	0.120698	0.109227	0.091272	0.084289	0.022943	0.021446
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Schulze	NOISE	7	0.025935	0.048878	0.129676	0.127182	0.119202	0.106733	0.088279	0.080299	0.022943	0.02394

Table 65: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Rule	F	$F(q)$	F	$F(q)$	C	$C(q)$	C	$C(q)$	R^p	$R^p(q)$	R^p	$R^p(q)$	R^p	$R^p(q)$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Simple Averaging	0.117706	7	0.209476	5	0.177057	5	0.269327	5	0.052369	3	0.130175	5	0.05586	2
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Borda	0.116708	7	0.205486	7	0.17207	3	0.264838	5	0.049377	4	0.127182	7	0.05187	11
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Kemeny	0.123192	7	0.206983	8	0.182544	7	0.266833	5	0.054863	9	0.131172	8	0.053367	9
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	RRF	0.122195	8	0.206484	4	0.182544	7	0.266833	4	0.052868	2	0.129676	4	0.057357	9
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Schulze	0.121696	7	0.204489	5	0.180549	4	0.26384	5	0.054863	9	0.127681	5	0.05586	10

Table 66: DermaMNIST–ViT-B/16

Cell	Dataset	Model	$R^p_{\mathcal{D}_L}$	$R^p_{\mathcal{D}_L}(q)$	$R^p_{\mathcal{D}_L}$	$R^p_{\mathcal{D}_L}(q)$	$R^p_{\mathcal{D}_L}$	$R^p_{\mathcal{D}_L}(q)$	$R^p_{\mathcal{D}_L}$	$R^p_{\mathcal{D}_L}(q)$	$R^p_{\mathcal{D}_L}$	$R^p_{\mathcal{D}_L}(q)$	$R^p_{\mathcal{D}_L}$	$R^p_{\mathcal{D}_L}(q)$	$R^p_{\mathcal{D}_L}$	$R^p_{\mathcal{D}_L}(q)$	$R^p_{\mathcal{D}_L}$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	0.127182	5	0.033915	2	0.116708	5	0.030424	2	0.106234	5	0.009975	2	0.089277	5	0.015461
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	0.123192	7	0.033416	4	0.113217	4	0.025935	10	0.100748	5	0.012469	4	0.087781	7	0.017955
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	0.12818	5	0.039401	2	0.116708	5	0.028928	9	0.104738	5	0.014464	2	0.087781	8	0.014464
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	0.127182	4	0.035411	2	0.115212	4	0.030424	9	0.104239	4	0.010973	2	0.089277	5	0.019451
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	0.12419	5	0.039401	2	0.112219	5	0.028429	10	0.100748	5	0.014464	2	0.083292	5	0.015461

Table 67: DermaMNIST–ViT-B/16

Cell	Dataset	Model	$R_{C'}^r(q)$	R_C^r	$R_C^s(q)$	R_F^s	$R_F^s(q)$	R_F^s	$R_F^s(q)$	R_C^s	$R_C^s(q)$	R_C^s	$R_C^s(q)$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	2	0.082294	5	0.013466	2	0.011471	7	0.038404	2	0.011471	7
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	11	0.076309	7	0.000499	4	0.014963	10	0.022444	4	0.017456	10
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	9	0.082294	5	0.016459	2	0.015461	9	0.044389	2	0.017955	9
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	2	0.081796	5	0.013466	2	0.016459	8	0.039401	4	0.017955	8
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	9	0.075312	5	0.012968	4	0.015461	9	0.040399	4	0.015461	8

Table 68: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Q	Rule	Methods	F	$\bar{F}$	C	$\bar{C}$	R^p_F	R^p_C	$R^p_{\bar{F}}$	$R^p_{\bar{C}}$	$R^p_{F_{\text{int}}}$	$R^p_{C_{\text{int}}}$	$R^p_{\bar{F}_{\text{int}}}$	$R^p_{\bar{C}_{\text{int}}}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Simple Averaging	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]	0.117706	0.213466	0.176559	0.272818	0.065337	0.133167	0.067332	0.130175	0.048878	0.122195	0.040898	0.110723
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Borda	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]	0.116708	0.205486	0.169077	0.264838	0.061845	0.127182	0.060349	0.123192	0.047382	0.115212	0.028928	0.103741
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Kemeny	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]	0.123192	0.210973	0.182544	0.271322	0.065337	0.134165	0.066334	0.130673	0.050374	0.122195	0.042893	0.108229
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	RRF	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]	0.122195	0.210973	0.180549	0.270823	0.062843	0.134165	0.064838	0.130175	0.046883	0.121696	0.038404	0.109227
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Schulze	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]	0.121696	0.207481	0.18005	0.26783	0.064339	0.129676	0.065337	0.127182	0.04788	0.119202	0.038903	0.106733

Table 69: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Q	R_F^*	R_F^*	R_G^*	R_G^*	R_F^*	R_F^*	R_G^*	R_G^*
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	7	0.023441	0.092269	0.030923	0.084788	0.023441	0.011471	0.052868	0.011471
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	7	0.028928	0.087781	0.028928	0.076309	0.021945	0.027431	0.039401	0.027431
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	7	0.028429	0.091272	0.03192	0.082793	0.025935	0.024938	0.052369	0.024439
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	0.024938	0.091771	0.030424	0.084788	0.031421	0.016459	0.056359	0.017955
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	7	0.024439	0.088279	0.026933	0.080299	0.025935	0.022943	0.048878	0.02394

Table 70: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Kemeny	1612.6	4010	kendall__mallows__exact__distance	0.336414	0.002	0.105896	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout"]	select--Dermamnist ViT-B/16 64925D49E9	64925d49e9a328ab5613a54ba947443f2857acd04c95f0d2048537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Kemeny	2644.7	6015	kendall__mallows__exact__distance	0.524811	0.002	0.061991	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap"]	select--Dermamnist ViT-B/16 64925D49E9	64925d49e9a328ab5613a54ba947443f2857acd04c95f0d2048537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Kemeny	3601.9	8020	kendall__mallows__exact__distance	0.458121	0.002	0.042725	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion"]	select--Dermamnist ViT-B/16 64925D49E9	64925d49e9a328ab5613a54ba947443f2857acd04c95f0d2048537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Kemeny	4244.2	10025	kendall__mallows__exact__distance	0.439905	0.002	0.034263	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbation"]	select--Dermamnist ViT-B/16 64925D49E9	64925d49e9a328ab5613a54ba947443f2857acd04c95f0d2048537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Kemeny	4164.7	12030	kendall__mallows__exact__distance	0.447216	0.002	0.035188	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbation", "PartialLRP"]	select--Dermamnist ViT-B/16 64925D49E9	64925d49e9a328ab5613a54ba947443f2857acd04c95f0d2048537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Kemeny	4256.2	14035	kendall__mallows__exact__distance	0.441927	0.002	0.034126	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency"]	select--Dermamnist ViT-B/16 64925D49E9	64925d49e9a328ab5613a54ba947443f2857acd04c95f0d2048537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Kemeny	4267.7	16040	kendall__mallows__exact__distance	0.453562	0.002	0.033996	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency", "Integrated Gradients"]	select--Dermamnist ViT-B/16 64925D49E9	64925d49e9a328ab5613a54ba947443f2857acd04c95f0d2048537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Kemeny	4188.1	18045	kendall__mallows__exact__distance	0.449333	0.002	0.034913	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]	select--Dermamnist ViT-B/16 64925D49E9	64925d49e9a328ab5613a54ba947443f2857acd04c95f0d2048537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Kemeny	4298.3	20050	kendall__mallows__exact__distance	0.448046	0.002	0.033651	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]	select--Dermamnist ViT-B/16 64925D49E9	64925d49e9a328ab5613a54ba947443f2857acd04c95f0d2048537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Kemeny	4747.4	22055	kendall__mallows__exact__distance	0.490753	0.002	0.029016	11	True	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]	select--Dermamnist ViT-B/16 64925D49E9	64925d49e9a328ab5613a54ba947443f2857acd04c95f0d2048537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Borda	57822	4010	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.351117	0.002	0.001332	11	False	True	["CheferTranformer Attribution", "Spearman Rollout"]	select--Dermamnist ViT-B/16 Spearman F78504C4Eb	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ced0a88eacc0b05cb5

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Borda	1.6441e+05	6015	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.342607	0.002	0.000505	11	False	True	["CheferTranformer Attribution", "CVAudio6 Attention Rollout", "GradE78504C4EbShap"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Borda	2.7006e+05	8020	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.561691	0.002	0.000209	11	False	True	["CheferTranformer Attribution", "CVAudio6 Attention Rollout", "GradE78504C4EbShap", "Occlusion"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Borda	3.5848e+05	10025	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.39588	0.002	0.000186	11	False	True	["CheferTranformer Attribution", "CVAudio6 Attention Rollout", "GradE78504C4EbShap", "Occlusion", "FeatureAbation"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Borda	3.514e+05	12030	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	0.002	0.000187	11	False	True	["CheferTranformer Attribution", "CVAudio6 Attention Rollout", "GradE78504C4EbShap", "Occlusion", "FeatureAbation", "PartialLRP"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Borda	3.5777e+05	14035	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.423683	0.002	0.000186	11	False	True	["CheferTranformer Attribution", "CVAudio6 Attention Rollout", "GradE78504C4EbShap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Borda	3.5481e+05	16040	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.435482	0.002	0.000186	11	False	True	["CheferTranformer Attribution", "CVAudio6 Attention Rollout", "GradE78504C4EbShap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency", "Integrated Gradients"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Borda	3.4418e+05	18045	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.460165	0.002	0.000189	11	False	True	["CheferTranformer Attribution", "CVAudio6 Attention Rollout", "GradE78504C4EbShap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Borda	3.576e+05	20050	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.426584	0.002	0.000186	11	False	True	["CheferTranformer Attribution", "CVAudio6 Attention Rollout", "GradE78504C4EbShap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Borda	4.3219e+05	22055	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	0.002	0.000161	11	True	True	["CheferTranformer Attribution", "CVAudio6 Attention Rollout", "GradE78504C4EbShap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5

Table 71: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Distance Model	Q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.8995180523820068,"theta":0.10589615644106633},"refit":true,"statistic":0.3364141766411624}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9398911537460701,"theta":0.06199120430987663},"refit":true,"statistic":0.5248106937613038}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9581745913879707,"theta":0.04272527190831428},"refit":true,"statistic":0.4581208883223901}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9663173008294146,"theta":0.03426302993616464},"refit":true,"statistic":0.4399053602296207}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9654241436152886,"theta":0.03518774714440133},"refit":true,"statistic":0.447216214381849}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9664497902282609,"theta":0.034125931783296794},"refit":true,"statistic":0.44192666855520646}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9665756433158659,"theta":0.033995718196244286},"refit":true,"statistic":0.45356171378640425}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9656897414122549,"theta":0.03491267502079403},"refit":true,"statistic":0.4493330896275739}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9669090296053915,"theta":0.033650862819319144},"refit":true,"statistic":0.44804600417124874}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.971400459424814,"theta":0.029016476119385577},"refit":true,"statistic":0.4907532006440617}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0013323811797337033,'upper__tail__probability__bound':0.002493339037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.3511168155025464}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation':,'p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric',"bin__count":795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669',"converged":true,'ess':3393.3187352208124,'exact':false,'full__support":true,'maximum__calibrated__distance":2509780,'maximum__symmetry__residual":0.9541754783417995,'maximum__unsampled__distance_gap__fraction":0.002012925435695559,'original__maximum__distance":1603644,'pilot__digest':"a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795',"pilot__seed":20260714,"r__hat":0.9999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion':"exact__reverse__symmetry',"theoretical__maximum__distance":2509780,"theta":0.000504593183607053,"upper__tail__probability__bound":0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit":true,'statistic":0.34260692429226114}

Cell	Dataset	Model	Distance Model	Q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0002086991412725384,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.5616913732920623}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00018561018958559148,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.39588020347767583}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00018711268019423115,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.4452458113312934}

Cell	Dataset	Model	Distance Model	Q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00018576254049676335,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.42368307932002647}

Cell	Dataset	Model	Distance Model	Q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation':,'p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric',"bin__count":795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669',"converged":true,'ess':3393.3187352208124,'exact':false,'full__support":true,'maximum__calibrated__distance":2509780,'maximum__symmetry__residual":0.9541754783417995,'maximum__unsampled__distance_gap__fraction":0.002012925435695559,'original__maximum__distance":1603644,'pilot__digest':"a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795',"pilot__seed":20260714,"r__hat":0.9999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion':"exact__reverse__symmetry',"theoretical__maximum__distance":2509780,"theta":0.0001863953822777944,'upper__tail__probability__bound":0.002493330037518726,'validation__bin__ess":1.005307755246587,'validation__distances__digest':"b571516ba9193a920925c33b5e94dd d031daa21e3eb02a97bb b1755591aa21fd"},'refit":true,'statistic":0.43548189829542827}

Cell	Dataset	Model	Distance Model	Q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00018860681975818756,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.46016500499155416}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	{ "B":499,"model__name":"spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__","p__value":0.002,"parameters":{"approximation":"multi__proposal__importance__binned__symmetric","bin__count":795,"boundary":false,"calibration__config__digest":"b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669","converged":true,"ess":3393.3187352208124,"exact":false,"full__support":true,"maximum__calibrated__distance":2509780,"maximum__symmetry__residual":0.9541754783417995,"maximum__unsampled__distance_gap__fraction":0.002012925435695559,"original__maximum__distance":1603644,"pilot__digest":"a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795","pilot__seed":20260714,"r__hat":0.9999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion":"exact__reverse__symmetry","theoretical__maximum__distance":2509780,"theta":0.00018579792367514502,"upper__tail__probability__bound":0.002493330037518726,"validation__bin__ess":1.005307755246587,"validation__distances__digest":"b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd"},"refit":true,"statistic":0.4265840991729622}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	{ "B":499,"model__name__":"spearman__", "mallows__multi__proposal__importance__binned__symmetric__approximation__", "p__value":0.002,"parameters":{"approximation__multi__proposal__importance__binned__symmetric__", "bin__count":795,"boundary":false,"calibration__config__digest__":"b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669", "converged":true,"ess":3393.3187352208124,"exact":false,"full__support":true,"maximum__calibrated__distance":2509780,"maximum__symmetry__residual":0.9541754783417995, "maximum__unsampled__distance_gap__fraction":0.002012925435695559,"original__maximum__distance":1603644,"pilot__digest__":"a8105aa5a3c782ae2f28aacf00235f5a35feacae", "f70f231824fd838eab4c8795", "pilot__seed":20260714,"r__hat":0.9999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion__":"exact__reverse__symmetry__", "theoretical__maximum__distance":2509780,"theta":0.0001613449244103805,"upper__tail__probability__bound":0.002493330037518726,"validation__bin__ess":1.005307755246587,"validation__distances__digest__":"b571516ba9193a920925c33b5e94dd", "d031daa21e3eb02a97bb", "b1755591aa21fd"}, "refit":true,"statistic":0.536941539433745}

Table 72: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Borda	Quality	max	3	0.17207	[3]	smallest_q_within_absolute_1e-12	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Borda	Quality	min	5	0.264838	[5,7]	smallest_q_within_absolute_1e-12	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Borda	Quality	max	7	0.116708	[7]	smallest_q_within_absolute_1e-12	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Borda	Quality	min	7	0.205486	[7]	smallest_q_within_absolute_1e-12	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Borda	Robustness	max	4	-0.022444	[4]	smallest_q_within_absolute_1e-12	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Borda	Robustness	max	10	-0.017456	[10,11]	smallest_q_within_absolute_1e-12	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Borda	Robustness	max	4	0.000499	[4]	smallest_q_within_absolute_1e-12	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Borda	Robustness	max	10	-0.014963	[10]	smallest_q_within_absolute_1e-12	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Borda	Robustness	max	11	-0.05187	[11]	smallest_q_within_absolute_1e-12	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Borda	Robustness	max	2	0.137157	[2]	smallest_q_within_absolute_1e-12	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Borda	Robustness	max	4	-0.049377	[4]	smallest_q_within_absolute_1e-12	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Borda	Robustness	max	2	0.140648	[2]	smallest_q_within_absolute_1e-12	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Borda	Robustness	max	10	-0.025935	[10]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Borda	Robustness	max	2	0.113217	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Borda	Robustness	max	4	-0.033416	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Borda	Robustness	max	2	0.124688	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Borda	Robustness	max	11	-0.017955	[11]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Borda	Robustness	max	2	0.090773	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Borda	Robustness	max	4	-0.012469	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Borda	Robustness	max	2	0.095262	[2, 10]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Kemeny	Quality	max	7	0.182544	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Kemeny	Quality	min	5	0.266833	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Kemeny	Quality	max	7	0.123192	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Kemeny	Quality	min	8	0.206983	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Kemeny	Robustness	max	2	-0.044389	[2, 4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	max	9	-0.017955 [9]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Kemeny	Robustness	max	2	-0.016459 [2]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	max	9	-0.015461 [9]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Kemeny	Robustness	max	9	-0.053367 [9]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Kemeny	Robustness	max	2	0.137157 [2]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Kemeny	Robustness	max	9	-0.054863 [9]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Kemeny	Robustness	max	2	0.140648 [2]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Kemeny	Robustness	max	9	-0.028928 [9]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Kemeny	Robustness	max	2	0.113217 [2,10]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Kemeny	Robustness	max	2	-0.039401 [2]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Kemeny	Robustness	max	10	0.125686 [10]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Kemeny	Robustness	max	9	-0.014464 [9]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Kemeny	Robustness	max	2	0.090773 [2]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Kemeny	Robustness	max	2	-0.014464	[2,6]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Kemeny	Robustness	max	2	0.095262	[2,3]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	RRF	Quality	max	7	0.182544	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	RRF	Quality	min	4	0.266833	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	RRF	Quality	max	8	0.122195	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	RRF	Quality	min	4	0.206484	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	RRF	Robustness	max	4	-0.039401	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	RRF	Robustness	max	8	-0.017955	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	RRF	Robustness	max	2	-0.013466	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	RRF	Robustness	max	8	-0.016459	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	RRF	Robustness	max	9	-0.057357	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	RRF	Robustness	max	2	0.137157	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	RRF	Robustness	max	2	-0.052868	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	RRF	Robustness	max	2	0.14015	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	RRF	Robustness	max	9	-0.030424	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	RRF	Robustness	max	2	0.112718	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	RRF	Robustness	max	2	-0.035411	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	RRF	Robustness	max	2	0.12419	[2,11]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	RRF	Robustness	max	2	-0.019451	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	RRF	Robustness	max	3	0.091771	[3]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	RRF	Robustness	max	2	-0.010973	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	RRF	Robustness	max	3	0.095761	[3]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Schulze	Quality	max	4	0.180549	[4,5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Schulze	Quality	min	5	0.26384	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Schulze	Quality	max	7	0.121696	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Schulze	Quality	min	5	0.204489	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Schulze	Robustness	max	4	-0.040399	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Schulze	Robustness	max	8	-0.015461	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Schulze	Robustness	max	4	-0.012968	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Schulze	Robustness	max	9	-0.015461	[9]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Schulze	Robustness	max	10	-0.05586	[10]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Schulze	Robustness	max	2	0.137157	[2]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Schulze	Robustness	max	9	-0.054863	[9]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Schulze	Robustness	max	2	0.140648	[2]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Schulze	Robustness	max	10	-0.028429	[10]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Schulze	Robustness	max	2	0.113217	[2]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Schulze	Robustness	max	2	-0.039401	[2,3,9]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Schulze	Robustness	max	2	0.124688	[2]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Schulze	Robustness	max	9	-0.015461	[9]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Schulze	Robustness	max	2	0.090773	[2]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Schulze	Robustness	max	2	-0.014464	[2]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Schulze	Robustness	max	4	0.095761	[4]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Simple Averaging	Quality	max	5	0.177057	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Simple Averaging	Quality	min	5	0.269327	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Simple Averaging	Quality	max	7	0.117706	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Simple Averaging	Quality	min	5	0.209476	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Simple Averaging	Robustness	max	2	-0.038404	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	max	7	-0.011471	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Simple Averaging	Robustness	max	2	-0.013466	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	max	7	-0.011471	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Simple Averaging	Robustness	max	2	-0.05586	[2,3]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Simple Averaging	Robustness	max	2	0.140648	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Simple Averaging	Robustness	max	3	-0.052369	[3]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Simple Averaging	Robustness	max	2	0.141147	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Simple Averaging	Robustness	max	2	-0.030424	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	max	2	0.115212	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Simple Averaging	Robustness	max	2	-0.033915	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	max	2	0.125686	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Simple Averaging	Robustness	max	2	-0.015461	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Simple Averaging	Robustness	max	2	0.088279	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Simple Averaging	Robustness	max	2	-0.009975	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Simple Averaging	Robustness	max	6	0.092269	[6,7,8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]

Table 73: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Simple Averaging	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]	0.104738	0.216459	0.160599	0.278803	0.05187	0.075312	0.104738	0.138155	0.070823	0.090773	0.130175
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Borda	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]	0.110224	0.214963	0.170574	0.27581	0.053367	0.074314	0.107232	0.138653	0.070823	0.090274	0.130175
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	RRF	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]	0.106733	0.214464	0.167082	0.275312	0.053865	0.074314	0.107232	0.138155	0.071322	0.090274	0.130175
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Kemeny	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]	0.110224	0.214963	0.170574	0.27581	0.053367	0.074314	0.107232	0.138653	0.070823	0.090274	0.130175
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Schulze	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]	0.110224	0.214963	0.170574	0.27581	0.053367	0.074314	0.107232	0.138653	0.070823	0.090274	0.130175
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Simple Averaging	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]	0.106234	0.212968	0.163092	0.273815	0.053865	0.07581	0.107232	0.138653	0.071322	0.091272	0.131671
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Borda	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]	0.112219	0.209975	0.17207	0.269825	0.056359	0.073317	0.112718	0.136658	0.073815	0.088279	0.136658
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	RRF	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]	0.114214	0.209975	0.174065	0.270324	0.056359	0.074314	0.114713	0.136658	0.074813	0.089277	0.138155
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Kemeny	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]	0.116209	0.208978	0.175561	0.26783	0.05586	0.07581	0.111721	0.138653	0.073317	0.089776	0.135661
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Schulze	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]	0.113716	0.209476	0.174065	0.268828	0.055362	0.073815	0.111721	0.136658	0.074314	0.088778	0.137157
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Simple Averaging	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]	0.115711	0.211471	0.17207	0.273317	0.054364	0.077805	0.105237	0.140648	0.068329	0.091771	0.134663
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Borda	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]	0.103242	0.206484	0.163092	0.265835	0.053865	0.076309	0.107232	0.139651	0.069825	0.093267	0.135162
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	RRF	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]	0.114713	0.206484	0.17606	0.266833	0.054364	0.076808	0.110224	0.139651	0.075312	0.091272	0.140648
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Kemeny	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]	0.117706	0.209476	0.18005	0.269327	0.055362	0.07581	0.112219	0.138155	0.073317	0.089776	0.136658
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Schulze	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]	0.117706	0.210474	0.180549	0.269825	0.056858	0.075312	0.110224	0.139152	0.070324	0.090773	0.135162

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{dirty}	C_{clean}	C_{dirty}	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Simple Averaging	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation"]	0.115212	0.209476	0.177057	0.269327	0.053865	0.079302	0.108728	0.142145	0.070823	0.092768	0.138653
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Borda	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation"]	0.106733	0.20798	0.167082	0.264838	0.051372	0.078304	0.105237	0.141147	0.068329	0.092768	0.138155
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	RRF	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation"]	0.118204	0.208479	0.177057	0.26783	0.057855	0.077307	0.113716	0.14015	0.073815	0.090773	0.139152
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Kemeny	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation"]	0.120698	0.207481	0.181546	0.266833	0.057855	0.075312	0.114214	0.138653	0.072319	0.090773	0.137656
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Schulze	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation"]	0.119701	0.204489	0.180549	0.26384	0.056858	0.076808	0.112718	0.139651	0.072319	0.092269	0.138653
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Simple Averaging	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP"]	0.115711	0.214464	0.176559	0.274314	0.05187	0.0798	0.108229	0.142643	0.068828	0.092269	0.138155
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Borda	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP"]	0.108229	0.21197	0.165586	0.268828	0.051372	0.078304	0.106733	0.141147	0.069327	0.092269	0.138155
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	RRF	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP"]	0.121696	0.21197	0.180549	0.272818	0.056359	0.077805	0.112718	0.140648	0.072818	0.090773	0.138155
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Kemeny	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP"]	0.114214	0.210973	0.173566	0.270823	0.057855	0.076808	0.115212	0.139651	0.072818	0.090773	0.138155
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Schulze	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP"]	0.1202	0.210973	0.178055	0.270823	0.056858	0.076808	0.114214	0.140648	0.072818	0.090274	0.138155
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Simple Averaging	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP"]	0.117706	0.213466	0.176559	0.272818	0.052369	0.080299	0.109227	0.142643	0.068828	0.091272	0.135661
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Borda	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP","Saliency"]	0.116708	0.205486	0.169077	0.264838	0.054863	0.078304	0.108728	0.141646	0.069327	0.090274	0.14015
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	RRF	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP","Saliency"]	0.121197	0.209476	0.182544	0.268828	0.057855	0.077805	0.115212	0.140648	0.074314	0.089776	0.142643

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{dirty}	C_{clean}	C_{dirty}	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Kemeny	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency']	0.123192	0.210973	0.182544	0.271322	0.057855	0.076808	0.116209	0.140648	0.072818	0.088778	0.139651
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Schulze	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency']	0.121696	0.207481	0.18005	0.26783	0.057357	0.077805	0.114713	0.140648	0.073815	0.088279	0.141147
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Simple Averaging	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency']	0.116209	0.212968	0.175561	0.272319	0.053865	0.0798	0.108229	0.142145	0.070324	0.091771	0.136658
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Borda	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients']	0.115711	0.208479	0.170574	0.268329	0.056858	0.078803	0.112718	0.141646	0.073815	0.091272	0.141646
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	RRF	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients']	0.122195	0.210973	0.180549	0.270823	0.059352	0.076808	0.115711	0.140648	0.075312	0.089277	0.142145
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Kemeny	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients']	0.117706	0.206983	0.17606	0.26783	0.060848	0.07581	0.116708	0.139651	0.074314	0.089277	0.142145
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Schulze	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients']	0.1202	0.210973	0.179551	0.272818	0.058853	0.076309	0.115212	0.139651	0.073317	0.088279	0.142643
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Simple Averaging	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGrad ient']	0.115212	0.21197	0.175561	0.270324	0.055362	0.078803	0.110224	0.142643	0.071322	0.091272	0.137656
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Borda	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGrad ient']	0.111222	0.206484	0.169576	0.266334	0.057357	0.077805	0.113217	0.14015	0.073815	0.090773	0.142643
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	RRF	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGrad ient']	0.115212	0.210973	0.174065	0.271322	0.059352	0.076808	0.116708	0.140648	0.074314	0.089776	0.143641
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Kemeny	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGrad ient']	0.114214	0.213965	0.171072	0.273815	0.059352	0.076808	0.117706	0.139651	0.073815	0.088778	0.142145

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{dirty}	C_{clean}	C_{dirty}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Schulze	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP',"Saliency',"Integrated Gradients',"InputXGrad ient"]	0.114214	0.212469	0.17207	0.271322	0.059352	0.076309	0.115711	0.139651	0.074813	0.088279	0.142643
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Simple Averaging	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP',"Saliency',"Integrated Gradients',"InputXGrad ient',"Attention GradCAM"]	0.115212	0.21197	0.171571	0.27182	0.054364	0.078803	0.109227	0.142145	0.069825	0.091272	0.135661
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Borda	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP',"Saliency',"Integrated Gradients',"InputXGrad ient',"Attention GradCAM"]	0.112219	0.213965	0.16808	0.272818	0.056858	0.077805	0.113716	0.140648	0.074314	0.090274	0.142145
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	RRF	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP',"Saliency',"Integrated Gradients',"InputXGrad ient',"Attention GradCAM"]	0.117207	0.213466	0.175062	0.270823	0.057855	0.076309	0.115711	0.139152	0.074314	0.090274	0.140648
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Kemeny	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP',"Saliency',"Integrated Gradients',"InputXGrad ient',"Attention GradCAM"]	0.115711	0.214963	0.174564	0.274813	0.060349	0.07581	0.117706	0.138155	0.074813	0.089277	0.143142
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Schulze	False	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP',"Saliency',"Integrated Gradients',"InputXGrad ient',"Attention GradCAM"]	0.113716	0.212968	0.171072	0.273317	0.05586	0.075312	0.115212	0.137656	0.073815	0.089277	0.142643
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Simple Averaging	True	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP',"Saliency',"Integrated Gradients',"InputXGrad ient',"Attention GradCAM"]	0.114713	0.211471	0.170574	0.271322	0.054863	0.078803	0.108728	0.142145	0.070823	0.091272	0.137157
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Borda	True	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP',"Saliency',"Integrated Gradients',"InputXGrad ient',"Attention GradCAM","FullLRP"]	0.109726	0.211471	0.166085	0.270823	0.058853	0.078304	0.114214	0.142145	0.071322	0.091272	0.137157
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	RRF	True	['CheferTran sformer Attribution',"Gradient Attention Rollout',"Gradient Shap',"Occlusion',"FeatureAbl ation',"PartialLRP',"Saliency',"Integrated Gradients',"InputXGrad ient',"Attention GradCAM","FullLRP"]	0.116209	0.213965	0.173067	0.272319	0.057855	0.075312	0.114713	0.138155	0.074813	0.089776	0.139651

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	$\bar{F}$ Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Kemeny	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]	0.116209	0.210973	0.173067	0.27182	0.058354	0.076309	0.116209	0.138653	0.074813	0.089277	0.140648
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Schulze	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]	0.119202	0.210474	0.175062	0.271322	0.059352	0.076808	0.117207	0.138653	0.074314	0.089776	0.142145

Table 74: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Q	C Perturbed Salt-pep per-0.05	F Perturbed Speckle- 0.15	F Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	F Perturbed Adversar ial-sara -2-255	F Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	R_F Gaussian-0.05	R_F Gaussian-0.05	R_C Gaussian-0.05	R_C Gaussian-0.05	R_F Salt-pepper-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.163591	0.094763	0.125187	0.145137	0.190524	0.091272	0.24389	0.122195	0.306733	-0.052868	0.141147	-0.05586	0.140648	-0.033915
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.162594	0.095761	0.119701	0.149127	0.185037	0.093766	0.244888	0.126185	0.307731	-0.056858	0.140648	-0.063342	0.137157	-0.039401
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.162594	0.095761	0.120698	0.147631	0.186035	0.093267	0.244888	0.12419	0.307731	-0.052868	0.14015	-0.05985	0.137157	-0.035411
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.162594	0.095761	0.119701	0.149127	0.185037	0.093766	0.244888	0.126185	0.307731	-0.056858	0.140648	-0.063342	0.137157	-0.039401
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.162594	0.095761	0.119701	0.149127	0.185037	0.093766	0.244888	0.126185	0.307731	-0.056858	0.140648	-0.063342	0.137157	-0.039401
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.163092	0.093766	0.123192	0.146135	0.189027	0.086284	0.239401	0.114214	0.302743	-0.052369	0.137157	-0.05586	0.135162	-0.034913
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.159102	0.094264	0.117207	0.150125	0.180549	0.096259	0.232918	0.130673	0.295262	-0.05586	0.136658	-0.059352	0.133167	-0.038404
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.160599	0.094264	0.114214	0.148628	0.178554	0.096259	0.238404	0.127681	0.300249	-0.057855	0.135661	-0.059352	0.133666	-0.039401
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.161596	0.096259	0.113716	0.150623	0.180549	0.095262	0.242394	0.125187	0.304738	-0.060349	0.133167	-0.06384	0.129177	-0.042893
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.159601	0.094264	0.117207	0.148628	0.181546	0.094763	0.233915	0.127182	0.297257	-0.058354	0.135661	-0.062344	0.13217	-0.039401
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.162095	0.092269	0.1202	0.141147	0.187531	0.099252	0.228429	0.133167	0.289776	-0.061347	0.133666	-0.066833	0.132668	-0.047382
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.163591	0.090773	0.116708	0.143142	0.182544	0.103741	0.229925	0.140648	0.291771	-0.049377	0.130175	-0.05586	0.126185	-0.033416
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.162594	0.096259	0.116209	0.149127	0.183042	0.098753	0.233416	0.136658	0.296758	-0.060349	0.129676	-0.065835	0.127182	-0.039401
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.161596	0.095761	0.116209	0.149626	0.183042	0.100748	0.234913	0.135661	0.297257	-0.062344	0.133666	-0.06783	0.131172	-0.044389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.162594	0.096259	0.114713	0.152618	0.181546	0.104738	0.23192	0.14015	0.294763	-0.060848	0.135162	-0.070324	0.130673	-0.047382
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.163092	0.092269	0.1202	0.144638	0.187032	0.094264	0.227431	0.124688	0.286783	-0.061347	0.130175	-0.068329	0.127182	-0.044389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.16409	0.086284	0.116708	0.139651	0.186534	0.102244	0.228928	0.138155	0.287282	-0.055362	0.129676	-0.061845	0.123691	-0.038404
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.162095	0.093766	0.119202	0.14813	0.186035	0.097257	0.22793	0.13217	0.289776	-0.060349	0.131172	-0.063342	0.127681	-0.044389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.162095	0.096259	0.118204	0.149127	0.184539	0.096758	0.226933	0.13217	0.290274	-0.062843	0.13217	-0.067332	0.12818	-0.048379
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.163092	0.090773	0.121197	0.145137	0.188529	0.100748	0.229426	0.135661	0.289277	-0.062843	0.127681	-0.06783	0.12419	-0.047382
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.163092	0.095761	0.122195	0.145636	0.189526	0.093766	0.228429	0.122693	0.287282	-0.06384	0.134663	-0.068329	0.131671	-0.046883
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.162594	0.086783	0.117706	0.138653	0.188529	0.099751	0.229426	0.133167	0.286783	-0.056858	0.133666	-0.058853	0.127681	-0.038903
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.161596	0.095262	0.118703	0.14813	0.185536	0.096758	0.230424	0.128678	0.293267	-0.065337	0.134165	-0.06783	0.13217	-0.048878
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.162594	0.099751	0.119701	0.152618	0.18803	0.096758	0.234913	0.12818	0.296259	-0.056359	0.134165	-0.058354	0.131172	-0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.161596	0.096758	0.119202	0.150623	0.190025	0.101247	0.229426	0.132668	0.289277	-0.063342	0.134165	-0.06384	0.130175	-0.047382
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.162095	0.094264	0.121197	0.145636	0.18803	0.094264	0.224938	0.123691	0.284289	-0.065337	0.133167	-0.067332	0.130175	-0.048878
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.161097	0.087781	0.117706	0.14015	0.188529	0.094763	0.232918	0.129676	0.292269	-0.061845	0.127182	-0.060349	0.123192	-0.047382
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.160599	0.095262	0.119202	0.149626	0.187032	0.094763	0.229426	0.130673	0.289277	-0.063342	0.131671	-0.067332	0.12818	-0.046883
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.163092	0.094763	0.119701	0.150623	0.188529	0.097257	0.23591	0.130175	0.295761	-0.065337	0.134165	-0.066334	0.130673	-0.050374
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.161097	0.097257	0.119202	0.153117	0.187531	0.095761	0.230424	0.131172	0.291771	-0.064339	0.129676	-0.065337	0.127182	-0.04788
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.162594	0.093267	0.120698	0.147132	0.18803	0.092768	0.226933	0.12419	0.287282	-0.062344	0.133167	-0.067332	0.130175	-0.045885
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.162594	0.092768	0.115711	0.145636	0.187531	0.095761	0.228429	0.12818	0.288778	-0.058853	0.129676	-0.057855	0.126683	-0.041895
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.161596	0.097257	0.119202	0.150125	0.186035	0.090773	0.227431	0.12419	0.288778	-0.062843	0.134165	-0.064838	0.130175	-0.046883
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.161097	0.098254	0.119202	0.152618	0.185536	0.093766	0.23192	0.126683	0.291771	-0.056858	0.131172	-0.059352	0.12818	-0.043392
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.161097	0.096758	0.116209	0.15212	0.183042	0.097756	0.228928	0.129676	0.288279	-0.061347	0.134663	-0.064339	0.133167	-0.046883
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.162095	0.092768	0.121197	0.146633	0.18803	0.091272	0.228429	0.121197	0.288778	-0.05985	0.133167	-0.065337	0.127681	-0.04389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.163092	0.092269	0.115711	0.147132	0.185536	0.092768	0.229925	0.123691	0.290773	-0.053865	0.128678	-0.056359	0.126185	-0.037406
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.162095	0.095262	0.1202	0.150623	0.186534	0.090773	0.230424	0.12419	0.291272	-0.05586	0.134165	-0.057357	0.130673	-0.040898
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.162095	0.098753	0.1202	0.156608	0.187531	0.090773	0.229426	0.125187	0.291771	-0.054863	0.137157	-0.053367	0.134165	-0.040399
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.161596	0.097756	0.118703	0.156608	0.185037	0.091771	0.22793	0.127182	0.289776	-0.054863	0.13616	-0.056359	0.131671	-0.039401
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.16409	0.092768	0.120698	0.14813	0.187531	0.093766	0.230424	0.125187	0.288778	-0.060848	0.133167	-0.062344	0.129676	-0.045387
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.162095	0.092768	0.118703	0.146633	0.187032	0.095761	0.228928	0.12818	0.290274	-0.055362	0.13616	-0.054364	0.13217	-0.037905
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.162095	0.097756	0.118204	0.15212	0.186534	0.090773	0.231421	0.121696	0.292768	-0.059352	0.137157	-0.059352	0.131671	-0.042893
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.161596	0.097756	0.121197	0.154613	0.188529	0.089776	0.231421	0.121696	0.294763	-0.055362	0.139152	-0.056858	0.136658	-0.040898
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.163092	0.097257	0.1202	0.153616	0.187032	0.089776	0.229925	0.121197	0.290274	-0.057855	0.137656	-0.05586	0.135661	-0.0399
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.16409	0.091771	0.1202	0.14813	0.187531	0.094264	0.228429	0.123691	0.286783	-0.05985	0.132668	-0.061845	0.129177	-0.04389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.163092	0.091272	0.119202	0.14813	0.18803	0.087781	0.22793	0.1202	0.288279	-0.050873	0.133167	-0.05187	0.128678	-0.038404
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.162095	0.096758	0.119202	0.151122	0.185536	0.094264	0.23192	0.123691	0.291771	-0.058354	0.138653	-0.058354	0.134165	-0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.162095	0.095262	0.118703	0.153616	0.185536	0.091272	0.229925	0.12419	0.290274	-0.057855	0.134663	-0.056858	0.133167	-0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.162095	0.095761	0.119202	0.15212	0.187032	0.089277	0.233416	0.123192	0.292768	-0.05985	0.133666	-0.057855	0.132668	-0.044888

Table 75: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Q	R_F Salt-pepper	R_C Salt-pepper	R_C Salt-pepper	R_F Salt-pepper	R_F Salt-pepper	R_C Salt-pepper	R_C Salt-pepper	R_F Salt-pepper	R_C Salt-pepper	R_C Salt-pepper	R_F Salt-pepper	R_F Salt-pepper	R_C Salt-pepper	R_C Salt-pepper
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.125686	-0.030424	0.115212	-0.009975	0.091272	-0.015461	0.088279	-0.013466	-0.027431	-0.038404	-0.02793			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.124688	-0.040399	0.113217	-0.014464	0.095262	-0.021446	0.090773	-0.016459	-0.029925	-0.044389	-0.03192			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.12419	-0.036908	0.112718	-0.010973	0.093766	-0.019451	0.089277	-0.013466	-0.030424	-0.042893	-0.032419			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.124688	-0.040399	0.113217	-0.014464	0.095262	-0.021446	0.090773	-0.016459	-0.029925	-0.044389	-0.03192			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.124688	-0.040399	0.113217	-0.014464	0.095262	-0.021446	0.090773	-0.016459	-0.029925	-0.044389	-0.03192			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.121696	-0.031421	0.110723	-0.012469	0.089776	-0.016958	0.084788	-0.01995	-0.026434	-0.048878	-0.028928			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.121696	-0.035411	0.110723	-0.017955	0.092768	-0.021945	0.089277	-0.01596	-0.022943	-0.041397	-0.025436			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.120698	-0.03591	0.109726	-0.01995	0.095761	-0.025436	0.091771	-0.017955	-0.028429	-0.046384	-0.028925			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.119202	-0.0399	0.106234	-0.01995	0.095262	-0.024938	0.087282	-0.020948	-0.033416	-0.050374	-0.036908			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.120698	-0.036908	0.109227	-0.019451	0.092269	-0.025436	0.087282	-0.018953	-0.024439	-0.046883	-0.028429			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.119701	-0.037406	0.111222	-0.023441	0.091272	-0.030923	0.085786	-0.016459	-0.016958	-0.038903	-0.016459			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.113217	-0.02793	0.102244	-0.012469	0.089776	-0.01995	0.083292	0.000499	-0.023441	-0.022444	-0.025935			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.115212	-0.035411	0.104239	-0.018454	0.090274	-0.026933	0.083791	-0.01596	-0.026933	-0.039401	-0.029925			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.119701	-0.043392	0.107731	-0.021945	0.093267	-0.030424	0.086284	-0.016958	-0.025436	-0.044389	-0.02793			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.119701	-0.045387	0.107232	-0.021446	0.095761	-0.02793	0.088279	-0.012968	-0.021446	-0.040399	-0.024938			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.116708	-0.038404	0.106234	-0.022943	0.089277	-0.032419	0.082294	-0.020948	-0.017955	-0.052369	-0.017456			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.115212	-0.028928	0.100748	-0.020449	0.091272	-0.027431	0.078304	-0.004489	-0.020948	-0.028928	-0.022444			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.117706	-0.037905	0.105736	-0.024439	0.089277	-0.028928	0.081796	-0.020948	-0.019451	-0.044888	-0.021945			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.116708	-0.04389	0.104738	-0.024439	0.089277	-0.032419	0.082294	-0.02394	-0.019451	-0.049377	-0.023441			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.112219	-0.041895	0.100748	-0.028928	0.083292	-0.035411	0.075312	-0.018953	-0.024938	-0.044888	-0.025436			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.122195	-0.038404	0.111222	-0.01995	0.092269	-0.030923	0.084788	-0.021945	-0.013965	-0.053865	-0.012968			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.119701	-0.027431	0.106234	-0.021446	0.094264	-0.026933	0.080299	-0.008479	-0.017456	-0.032419	-0.017955			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.121197	-0.042394	0.111222	-0.026434	0.093267	-0.032419	0.087282	-0.024938	-0.018454	-0.05187	-0.020449			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.1202	-0.035411	0.108229	-0.014464	0.091272	-0.020948	0.082793	-0.017456	-0.02394	-0.045387	-0.025436			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.120698	-0.0399	0.109227	-0.023441	0.091771	-0.027431	0.080798	-0.018953	-0.018454	-0.045387	-0.018454			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.122195	-0.040898	0.110723	-0.023441	0.092269	-0.030923	0.084788	-0.023441	-0.011471	-0.052868	-0.011471			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.115212	-0.028928	0.103741	-0.028928	0.087781	-0.028928	0.076309	-0.021945	-0.027431	-0.039401	-0.017431			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.119701	-0.0399	0.108229	-0.025935	0.090274	-0.032918	0.081796	-0.026434	-0.01995	-0.05187	-0.020449			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.122195	-0.042893	0.108229	-0.028429	0.091272	-0.03192	0.082793	-0.025935	-0.024938	-0.052369	-0.024439			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.119202	-0.038903	0.106733	-0.024439	0.088279	-0.026933	0.080299	-0.025935	-0.022943	-0.048878	-0.02394			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.121197	-0.038903	0.109726	-0.022943	0.092269	-0.028429	0.084289	-0.023441	-0.013965	-0.051372	-0.014963			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.117207	-0.028928	0.105736	-0.022943	0.092768	-0.024938	0.080798	-0.01995	-0.01995	-0.042394	-0.020449			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.121696	-0.038404	0.109227	-0.024938	0.091771	-0.030424	0.084788	-0.031421	-0.016459	-0.056359	-0.017955			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.117706	-0.033915	0.106733	-0.019451	0.087781	-0.023441	0.082294	-0.02394	-0.024938	-0.049377	-0.02394			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.122693	-0.036908	0.111721	-0.023441	0.094763	-0.027431	0.089776	-0.022444	-0.017955	-0.049875	-0.015461			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.120698	-0.037905	0.108229	-0.022444	0.090773	-0.028928	0.082294	-0.02394	-0.016459	-0.054364	-0.018454			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.115711	-0.026933	0.103242	-0.018953	0.090773	-0.022444	0.080798	-0.018454	-0.023441	-0.045885	-0.024439			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.121197	-0.030424	0.109227	-0.01995	0.090773	-0.023441	0.084788	-0.024439	-0.019451	-0.049875	-0.01995			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.125187	-0.028928	0.111721	-0.015461	0.093766	-0.014464	0.086284	-0.023441	-0.015461	-0.045885	-0.017955			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.12419	-0.029426	0.109726	-0.016459	0.093766	-0.015461	0.086284	-0.022444	-0.015461	-0.044888	-0.018454			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.120698	-0.03591	0.107731	-0.022444	0.091272	-0.023441	0.084289	-0.021446	-0.018454	-0.046384	-0.016958			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.123691	-0.025935	0.110723	-0.019451	0.095262	-0.021446	0.085786	-0.016459	-0.014963	-0.0399	-0.017456			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.123192	-0.034414	0.108728	-0.019451	0.095262	-0.022943	0.084289	-0.026434	-0.017955	-0.053367	-0.021945			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.125686	-0.031421	0.113217	-0.017955	0.093766	-0.01995	0.086284	-0.025935	-0.016459	-0.052868	-0.01995			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.123691	-0.028429	0.110224	-0.016459	0.092768	-0.017456	0.086284	-0.02394	-0.016958	-0.049875	-0.016958			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.1202	-0.033416	0.107232	-0.022943	0.091272	-0.022444	0.083791	-0.020449	-0.016958	-0.046883	-0.015461			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.1202	-0.028928	0.107731	-0.018454	0.092269	-0.017955	0.082793	-0.021945	-0.016459	-0.045885	-0.017456			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.12419	-0.033416	0.110224	-0.019451	0.094763	-0.021945	0.086783	-0.021945	-0.017955	-0.049377	-0.019451			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.121696	-0.032419	0.109726	-0.020948	0.092269	-0.019451	0.086284	-0.024938	-0.018953	-0.048878	-0.018454			
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.120698	-0.032918	0.109227	-0.023441	0.091272	-0.022943	0.084289	-0.029925	-0.022943	-0.05187	-0.021446			

5-sara-2-255

Table 76: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.126185	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.130673	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.140648	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.138155	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.133167	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.129676	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.12818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.123691	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.12818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.1202	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.126185	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.125187	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.135661	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.13217	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.12818	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.130175	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.126683	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.125187	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.121696	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.12419	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.12419	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.127681	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.136658	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.13217	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.128678	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.130673	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.12419	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.12419	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.121696	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.123691	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.126185	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.127182	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.14015	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.135661	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.132668	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.131172	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.129676	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.127182	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.121197	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.123192	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.122195	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.114214	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.133167	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.124688	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.122693	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.123691	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.12419	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.121197	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.125187	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.123691	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.307731	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.295262	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.291771	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.287282	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.286783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.292269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.288778	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.290773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.290274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.288279	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.307731	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.304738	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.297257	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.290274	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.296259	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.295761	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.291771	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.291771	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.294763	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.290274	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.307731	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.300249	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.296758	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.289776	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.293267	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.289277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.288778	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.291272	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.292768	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.291771	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.307731	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.297257	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.294763	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.289277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.289277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.291771	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.288279	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.289776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.290274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.292768	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.306733	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.302743	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.289776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.286783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.287282	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.284289	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.287282	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.288778	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.288778	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.286783	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.093766	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.096259	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.103741	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.102244	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.099751	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.094763	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.095761	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.092768	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.095761	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.087781	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.093766	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.095262	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.100748	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.096758	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.096758	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.097257	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.093766	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.090773	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.089776	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.091272	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.093267	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.096259	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.098753	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.097257	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.096758	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.094763	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.094264	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.093766	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.094763	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.104738	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.100748	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.101247	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.095761	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.097756	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.091771	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.089776	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.089277	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.091272	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.086284	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.099252	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.094264	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.093766	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.094264	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.092768	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.091272	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.093766	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.094264	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.244888	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.232918	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.229925	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.228928	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.229426	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.232918	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.228429	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.229925	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.228928	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.22793	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.244888	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.242394	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.234913	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.226933	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.234913	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.23591	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.23192	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.229426	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.231421	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.229925	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.244888	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.238404	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.233416	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.22793	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.230424	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.229426	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.227431	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.230424	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.231421	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.23192	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.244888	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.233915	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.23192	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.229426	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.229426	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.230424	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.228928	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.22793	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.229925	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.233416	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.24389	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.239401	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.228429	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.227431	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.228429	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.224938	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.226933	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.228429	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.230424	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.228429	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Borda	Conditioned Quality	0.107232	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Borda	Conditioned Quality	0.112718	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Borda	Conditioned Quality	0.107232	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Borda	Conditioned Quality	0.105237	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Borda	Conditioned Quality	0.106733	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Borda	Conditioned Quality	0.108728	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Borda	Conditioned Quality	0.112718	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Borda	Conditioned Quality	0.113217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Borda	Conditioned Quality	0.113716	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Borda	Conditioned Quality	0.114214	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.107232	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.111721	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.112219	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.114214	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.115212	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.116209	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.116708	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.117706	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.117706	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.116209	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	RRF	Conditioned Quality	0.107232	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	RRF	Conditioned Quality	0.114713	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	RRF	Conditioned Quality	0.110224	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	RRF	Conditioned Quality	0.113716	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	RRF	Conditioned Quality	0.112718	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	RRF	Conditioned Quality	0.115212	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	RRF	Conditioned Quality	0.115711	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	RRF	Conditioned Quality	0.116708	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	RRF	Conditioned Quality	0.115711	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	RRF	Conditioned Quality	0.114713	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Schulze	Conditioned Quality	0.107232	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Schulze	Conditioned Quality	0.111721	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Schulze	Conditioned Quality	0.110224	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Schulze	Conditioned Quality	0.112718	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Schulze	Conditioned Quality	0.114214	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Schulze	Conditioned Quality	0.114713	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Schulze	Conditioned Quality	0.115212	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Schulze	Conditioned Quality	0.115711	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Schulze	Conditioned Quality	0.115212	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Schulze	Conditioned Quality	0.117207	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.104738	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.107232	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.105237	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.108728	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.108229	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.109227	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.108229	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.110224	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.109227	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.108728	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.138653	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.136658	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.139651	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.141147	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.141147	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.141646	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.141646	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.14015	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.142145	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.138653	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.136658	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.14015	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.139152	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.138155	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.136658	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.139152	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.137656	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.138653	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.142145	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.142643	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.142643	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.142145	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.142643	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.142145	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.142145	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Borda	Conditioned Quality	0.053367	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Borda	Conditioned Quality	0.056359	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Borda	Conditioned Quality	0.053865	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Borda	Conditioned Quality	0.051372	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Borda	Conditioned Quality	0.051372	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Borda	Conditioned Quality	0.054863	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Borda	Conditioned Quality	0.056858	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Borda	Conditioned Quality	0.057357	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Borda	Conditioned Quality	0.056858	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Borda	Conditioned Quality	0.058853	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.053367	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.05586	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.055362	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.057855	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.057855	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.057855	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.060848	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.059352	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.060349	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.058354	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	RRF	Conditioned Quality	0.053865	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	RRF	Conditioned Quality	0.056359	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	RRF	Conditioned Quality	0.054364	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	RRF	Conditioned Quality	0.057855	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	RRF	Conditioned Quality	0.056359	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	RRF	Conditioned Quality	0.057855	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	RRF	Conditioned Quality	0.059352	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	RRF	Conditioned Quality	0.059352	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	RRF	Conditioned Quality	0.057855	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	RRF	Conditioned Quality	0.057855	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Schulze	Conditioned Quality	0.053367	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Schulze	Conditioned Quality	0.055362	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Schulze	Conditioned Quality	0.056858	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Schulze	Conditioned Quality	0.056858	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Schulze	Conditioned Quality	0.056858	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Schulze	Conditioned Quality	0.057357	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Schulze	Conditioned Quality	0.058853	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Schulze	Conditioned Quality	0.059352	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Schulze	Conditioned Quality	0.05586	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Schulze	Conditioned Quality	0.059352	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.05187	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.053865	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.054364	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.053865	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.05187	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.052369	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.053865	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.055362	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.054364	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.054863	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.073317	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.076309	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.078304	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.078304	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.078304	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.078803	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.077805	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.077805	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.078304	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.07581	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.07581	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.075312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.076808	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.076808	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.07581	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.076808	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.07581	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.076309	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.074314	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.074314	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.076808	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.077307	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.077805	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.077805	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.076808	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.076808	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.076309	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.075312	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.073815	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.075312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.076808	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.076808	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.077805	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.076309	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.076309	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.075312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.076808	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.075312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.07581	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.077805	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.079302	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.0798	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.080299	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.0798	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.078803	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.078803	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.078803	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.130175	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.136658	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.135162	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.138155	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.14015	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.141646	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.142643	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.142145	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.137157	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.135661	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.136658	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.137656	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.138155	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.139651	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.142145	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.142145	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.143142	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.140648	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.138155	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.140648	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.139152	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.138155	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.142643	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.142145	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.143641	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.140648	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.139651	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.137157	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.135162	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.138653	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.138155	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.141147	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.142643	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.142643	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.142643	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.142145	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FuILRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.130175	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.131671	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.134663	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.135661	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.136658	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.137656	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.135661	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.137157	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.162594	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.159102	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.163591	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.16409	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.162594	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.161097	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.162594	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.163092	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.162095	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.163092	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.162594	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.161596	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.161596	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.162095	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.162594	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.163092	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.161097	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.162095	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.161596	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.162095	True	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.162594	False	["CheferTran former Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.160599	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.162594	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.162095	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.161596	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.160599	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.161596	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.162095	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.162095	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.162095	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.162594	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.159601	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.162594	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.163092	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.161596	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.161097	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.161097	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.161596	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.163092	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.162095	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.163591	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.163092	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.162095	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.163092	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.163092	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.162095	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.162594	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.162095	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.16409	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.16409	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.070823	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.073815	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.069825	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.068329	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.069327	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.069327	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.073815	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.073815	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.074314	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.071322	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.070823	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.073317	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.073317	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.072319	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.072818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.072818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.073815	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.074813	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.074813	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.071322	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074813	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.075312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.073815	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.072818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.075312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074813	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.070823	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.070324	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.072319	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.072818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.073815	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.073317	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.074813	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.073815	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.074314	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.070823	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.071322	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.068329	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.070823	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.068828	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.068828	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.070324	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.071322	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.069825	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.070823	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.088279	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.093267	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.092768	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.092269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.091272	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.091272	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.089776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.089776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.088778	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.089277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.088778	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.089277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.089277	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.089277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.091272	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.089776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.089277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.089776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.089776	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.088778	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.092269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.088279	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.088279	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.088279	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.089277	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.089776	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.090773	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.091272	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.091771	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.092768	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.092269	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.091272	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.091771	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.091272	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.091272	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.091272	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Borda	Conditioned Quality	0.149127	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Borda	Conditioned Quality	0.150125	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Borda	Conditioned Quality	0.143142	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Borda	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Borda	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Borda	Conditioned Quality	0.14015	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Borda	Conditioned Quality	0.145636	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Borda	Conditioned Quality	0.147132	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Borda	Conditioned Quality	0.146633	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Borda	Conditioned Quality	0.14813	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Kemeny	Conditioned Quality	0.149127	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Kemeny	Conditioned Quality	0.150623	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Kemeny	Conditioned Quality	0.149626	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Kemeny	Conditioned Quality	0.149127	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Kemeny	Conditioned Quality	0.152618	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Kemeny	Conditioned Quality	0.150623	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Kemeny	Conditioned Quality	0.152618	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Kemeny	Conditioned Quality	0.156608	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Kemeny	Conditioned Quality	0.154613	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Kemeny	Conditioned Quality	0.153616	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	RRF	Conditioned Quality	0.147631	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	RRF	Conditioned Quality	0.148628	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	RRF	Conditioned Quality	0.149127	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	RRF	Conditioned Quality	0.14813	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	RRF	Conditioned Quality	0.14813	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	RRF	Conditioned Quality	0.149626	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	RRF	Conditioned Quality	0.150125	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	RRF	Conditioned Quality	0.150623	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	RRF	Conditioned Quality	0.15212	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	RRF	Conditioned Quality	0.151122	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Schulze	Conditioned Quality	0.149127	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Schulze	Conditioned Quality	0.148628	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Schulze	Conditioned Quality	0.152618	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Schulze	Conditioned Quality	0.145137	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Schulze	Conditioned Quality	0.150623	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Schulze	Conditioned Quality	0.153117	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Schulze	Conditioned Quality	0.15212	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Schulze	Conditioned Quality	0.156608	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Schulze	Conditioned Quality	0.153616	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Schulze	Conditioned Quality	0.15212	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.145137	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.146135	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.141147	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.144638	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.145636	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.145636	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.147132	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.146633	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.14813	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.14813	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.185037	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.180549	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.182544	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.186534	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.188529	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.188529	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.187531	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.185536	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.187032	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.18803	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.185037	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.180549	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.183042	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.184539	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.18803	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.188529	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.185536	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.187531	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.188529	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.185536	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.186035	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.178554	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.183042	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.186035	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.185536	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.187032	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.186035	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.186534	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.186534	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.185536	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.185037	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.181546	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.181546	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.188529	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.190025	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.187531	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.183042	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.185037	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.187032	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.187032	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.190524	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.189027	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.187531	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.187032	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.189526	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.18803	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.18803	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.18803	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.187531	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.187531	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Borda	Conditioned Quality	0.095761	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Borda	Conditioned Quality	0.094264	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Borda	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Borda	Conditioned Quality	0.086284	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Borda	Conditioned Quality	0.086783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Borda	Conditioned Quality	0.087781	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Borda	Conditioned Quality	0.092768	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Borda	Conditioned Quality	0.092269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Borda	Conditioned Quality	0.092768	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Borda	Conditioned Quality	0.091272	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Kemeny	Conditioned Quality	0.095761	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Kemeny	Conditioned Quality	0.096259	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Kemeny	Conditioned Quality	0.095761	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Kemeny	Conditioned Quality	0.096259	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Kemeny	Conditioned Quality	0.099751	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Kemeny	Conditioned Quality	0.094763	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Kemeny	Conditioned Quality	0.098254	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Kemeny	Conditioned Quality	0.098753	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Kemeny	Conditioned Quality	0.097756	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Kemeny	Conditioned Quality	0.095262	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	RRF	Conditioned Quality	0.095761	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	RRF	Conditioned Quality	0.094264	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	RRF	Conditioned Quality	0.096259	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	RRF	Conditioned Quality	0.093766	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	RRF	Conditioned Quality	0.095262	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	RRF	Conditioned Quality	0.095262	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	RRF	Conditioned Quality	0.097257	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	RRF	Conditioned Quality	0.095262	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	RRF	Conditioned Quality	0.097756	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	RRF	Conditioned Quality	0.096758	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Schulze	Conditioned Quality	0.095761	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Schulze	Conditioned Quality	0.094264	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Schulze	Conditioned Quality	0.096259	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Schulze	Conditioned Quality	0.090773	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Schulze	Conditioned Quality	0.096758	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Schulze	Conditioned Quality	0.097257	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Schulze	Conditioned Quality	0.096758	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Schulze	Conditioned Quality	0.097756	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Schulze	Conditioned Quality	0.097257	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Schulze	Conditioned Quality	0.095761	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.094763	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.093766	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.092269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.092269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.095761	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.094264	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.093267	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.092768	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.092768	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.091771	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.119701	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.117207	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.116708	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.116708	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.117706	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.117706	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.115711	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.115711	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.118703	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.119202	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.119701	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.113716	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.116209	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.118204	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.119701	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.119701	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.119202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.1202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.121197	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.118703	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.120698	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.114214	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.116209	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.119202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.118703	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.119202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.119202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.1202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.118204	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.119202	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.119701	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.117207	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.114713	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.121197	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.119202	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.119202	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.116209	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.118703	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.1202	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.119202	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.125187	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.123192	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1202	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1202	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.122195	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.121197	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.120698	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.121197	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.120698	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1202	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	Borda	Quality	0.170574	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	Borda	Quality	0.17207	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	Borda	Quality	0.163092	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Borda	Quality	0.167082	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	Borda	Quality	0.165586	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Borda	Quality	0.169077	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Borda	Quality	0.170574	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	Borda	Quality	0.169576	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	Borda	Quality	0.16808	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	Borda	Quality	0.166085	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	Kemeny	Quality	0.170574	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	Kemeny	Quality	0.175561	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	Kemeny	Quality	0.18005	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kemeny	Quality	0.181546	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	Kemeny	Quality	0.173566	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Kemeny	Quality	0.182544	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Kemeny	Quality	0.17606	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	Kemeny	Quality	0.171072	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	Kemeny	Quality	0.174564	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	Kemeny	Quality	0.173067	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	RRF	Quality	0.167082	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	RRF	Quality	0.174065	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	RRF	Quality	0.17606	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	RRF	Quality	0.177057	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	RRF	Quality	0.180549	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	RRF	Quality	0.182544	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	RRF	Quality	0.180549	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	RRF	Quality	0.174065	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	RRF	Quality	0.175062	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	RRF	Quality	0.173067	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	Schulze	Quality	0.170574	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	Schulze	Quality	0.174065	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	Schulze	Quality	0.180549	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Schulze	Quality	0.180549	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	Schulze	Quality	0.178055	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Schulze	Quality	0.18005	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Schulze	Quality	0.179551	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	Schulze	Quality	0.17207	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	Schulze	Quality	0.171072	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	Schulze	Quality	0.175062	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	Simple Averaging	Quality	0.160599	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	Simple Averaging	Quality	0.163092	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	Simple Averaging	Quality	0.17207	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Simple Averaging	Quality	0.177057	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	Simple Averaging	Quality	0.176559	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Simple Averaging	Quality	0.176559	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Simple Averaging	Quality	0.175561	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	Simple Averaging	Quality	0.175561	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	Simple Averaging	Quality	0.171571	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	Simple Averaging	Quality	0.170574	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	Borda	Quality	0.27581	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	Borda	Quality	0.269825	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	Borda	Quality	0.265835	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Borda	Quality	0.264838	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	Borda	Quality	0.268828	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Borda	Quality	0.264838	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Borda	Quality	0.268329	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	Borda	Quality	0.266334	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	Borda	Quality	0.272818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	Borda	Quality	0.270823	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	Kemeny	Quality	0.27581	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	Kemeny	Quality	0.26783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	Kemeny	Quality	0.269327	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kemeny	Quality	0.266833	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	Kemeny	Quality	0.270823	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Kemeny	Quality	0.271322	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Kemeny	Quality	0.26783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	Kemeny	Quality	0.273815	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	Kemeny	Quality	0.274813	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	Kemeny	Quality	0.27182	True	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	RRF	Quality	0.275312	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	RRF	Quality	0.270324	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	RRF	Quality	0.266833	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	RRF	Quality	0.26783	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	RRF	Quality	0.272818	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	RRF	Quality	0.268828	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	RRF	Quality	0.270823	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	RRF	Quality	0.271322	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	RRF	Quality	0.270823	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	RRF	Quality	0.272319	True	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	Schulze	Quality	0.27581	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	Schulze	Quality	0.268828	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	Schulze	Quality	0.269825	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Schulze	Quality	0.26384	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	Schulze	Quality	0.270823	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Schulze	Quality	0.26783	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Schulze	Quality	0.272818	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	Schulze	Quality	0.271322	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	Schulze	Quality	0.273317	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	Schulze	Quality	0.271322	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	Simple Averaging	Quality	0.278803	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	Simple Averaging	Quality	0.273815	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	Simple Averaging	Quality	0.273317	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Simple Averaging	Quality	0.269327	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	Simple Averaging	Quality	0.274314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Simple Averaging	Quality	0.272818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Simple Averaging	Quality	0.272319	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	Simple Averaging	Quality	0.270324	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	Simple Averaging	Quality	0.27182	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	Simple Averaging	Quality	0.271322	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	Borda	Quality	0.110224	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	Borda	Quality	0.112219	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	Borda	Quality	0.103242	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Borda	Quality	0.106733	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	Borda	Quality	0.108229	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Borda	Quality	0.116708	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Borda	Quality	0.115711	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	Borda	Quality	0.111222	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	Borda	Quality	0.112219	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	Borda	Quality	0.109726	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	Kemeny	Quality	0.110224	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	Kemeny	Quality	0.116209	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	Kemeny	Quality	0.117706	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kemeny	Quality	0.120698	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	Kemeny	Quality	0.114214	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Kemeny	Quality	0.123192	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Kemeny	Quality	0.117706	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	Kemeny	Quality	0.114214	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	Kemeny	Quality	0.115711	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	Kemeny	Quality	0.116209	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	RRF	Quality	0.106733	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	RRF	Quality	0.114214	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	RRF	Quality	0.114713	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	RRF	Quality	0.118204	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	RRF	Quality	0.121696	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	RRF	Quality	0.121197	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	RRF	Quality	0.122195	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	RRF	Quality	0.115212	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	RRF	Quality	0.117207	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	RRF	Quality	0.116209	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	Schulze	Quality	0.110224	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	Schulze	Quality	0.113716	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	Schulze	Quality	0.117706	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Schulze	Quality	0.119701	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	Schulze	Quality	0.1202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Schulze	Quality	0.121696	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Schulze	Quality	0.1202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	Schulze	Quality	0.114214	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	Schulze	Quality	0.113716	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	Schulze	Quality	0.119202	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	Simple Averaging	Quality	0.104738	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	Simple Averaging	Quality	0.106234	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	Simple Averaging	Quality	0.115711	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Simple Averaging	Quality	0.115212	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	Simple Averaging	Quality	0.115711	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Simple Averaging	Quality	0.117706	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Simple Averaging	Quality	0.116209	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	Simple Averaging	Quality	0.115212	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	Simple Averaging	Quality	0.115212	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	Simple Averaging	Quality	0.114713	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	Borda	Quality	0.214963	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	Borda	Quality	0.209975	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	Borda	Quality	0.206484	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Borda	Quality	0.20798	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	Borda	Quality	0.21197	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Borda	Quality	0.205486	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Borda	Quality	0.208479	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	Borda	Quality	0.206484	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	Borda	Quality	0.213965	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	Borda	Quality	0.211471	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	Kemeny	Quality	0.214963	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	Kemeny	Quality	0.208978	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	Kemeny	Quality	0.209476	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kemeny	Quality	0.207481	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	Kemeny	Quality	0.210973	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Kemeny	Quality	0.210973	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Kemeny	Quality	0.206983	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	Kemeny	Quality	0.213965	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	Kemeny	Quality	0.214963	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	Kemeny	Quality	0.210973	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	RRF	Quality	0.214464	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	RRF	Quality	0.209975	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	RRF	Quality	0.206484	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	RRF	Quality	0.208479	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	RRF	Quality	0.21197	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	RRF	Quality	0.209476	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	RRF	Quality	0.210973	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	RRF	Quality	0.210973	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	RRF	Quality	0.213466	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	RRF	Quality	0.213965	True	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	Schulze	Quality	0.214963	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	Schulze	Quality	0.209476	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	Schulze	Quality	0.210474	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Schulze	Quality	0.204489	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	Schulze	Quality	0.210973	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Schulze	Quality	0.207481	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Schulze	Quality	0.210973	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	Schulze	Quality	0.212469	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	Schulze	Quality	0.212968	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	Schulze	Quality	0.210474	True	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	Simple Averaging	Quality	0.216459	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	Simple Averaging	Quality	0.212968	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	Simple Averaging	Quality	0.211471	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Simple Averaging	Quality	0.209476	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	Simple Averaging	Quality	0.214464	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Simple Averaging	Quality	0.213466	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Simple Averaging	Quality	0.212968	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	Simple Averaging	Quality	0.21197	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	Simple Averaging	Quality	0.21197	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	Simple Averaging	Quality	0.211471	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Borda	Robustness	-0.044389	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Borda	Robustness	-0.041397	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Borda	Robustness	-0.022444	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Borda	Robustness	-0.028928	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Borda	Robustness	-0.032419	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Borda	Robustness	-0.039401	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Borda	Robustness	-0.042394	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Borda	Robustness	-0.045885	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Borda	Robustness	-0.0399	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Borda	Robustness	-0.045885	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.044389	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.050374	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.044389	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.049377	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.045387	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.052369	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.049377	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.045885	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.052868	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.048878	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	RRF	Robustness	-0.042893	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	RRF	Robustness	-0.046384	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	RRF	Robustness	-0.039401	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	RRF	Robustness	-0.044888	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	RRF	Robustness	-0.05187	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	RRF	Robustness	-0.05187	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	RRF	Robustness	-0.056359	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255 C		RRF	Robustness	-0.049875	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 C		RRF	Robustness	-0.053367	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255 C		RRF	Robustness	-0.049377	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 C		Schulze	Robustness	-0.044389	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 C		Schulze	Robustness	-0.046883	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 C		Schulze	Robustness	-0.040399	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255 C		Schulze	Robustness	-0.044888	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255 C		Schulze	Robustness	-0.045387	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255 C		Schulze	Robustness	-0.048878	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255 C		Schulze	Robustness	-0.049875	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255 C		Schulze	Robustness	-0.044888	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 C		Schulze	Robustness	-0.049875	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16								["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Schulze	Robustness	-0.05187	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.038404	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.048878	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.038903	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.052369	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.053865	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.052868	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.051372	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.054364	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.046384	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.046883	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.03192	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.025436	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.025935	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.022444	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.017955	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.027431	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.020449	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.024439	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.017456	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.017456	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.03192	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.036908	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.02793	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.023441	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.025436	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.024439	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.02394	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.018454	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.032419	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.029925	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.029925	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.021945	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.020449	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.020449	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.021945	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.019451	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.03192	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.028429	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.024938	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.025436	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.018454	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.02394	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.015461	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.018454	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.016958	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.021446	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.02793	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.028928	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.016459	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.017456	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.012968	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.011471	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.014963	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.018454	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.016958	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.015461	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.016459	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.01596	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	Borda	Robustness	0.000499	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.004489	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.008479	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.021945	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.018454	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.016459	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.021945	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.016459	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.020948	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.016958	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.02394	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.017456	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.025935	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.02394	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.025935	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.024938	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	RRF	Robustness	-0.013466	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	RRF	Robustness	-0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	RRF	Robustness	-0.01596	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	RRF	Robustness	-0.020948	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	RRF	Robustness	-0.024938	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	RRF	Robustness	-0.026434	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	RRF	Robustness	-0.031421	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	RRF	Robustness	-0.024439	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	RRF	Robustness	-0.026434	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	RRF	Robustness	-0.021945	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Schulze	Robustness	-0.016459	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Schulze	Robustness	-0.018953	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Schulze	Robustness	-0.012968	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Schulze	Robustness	-0.018953	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Schulze	Robustness	-0.018953	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Schulze	Robustness	-0.025935	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Schulze	Robustness	-0.022444	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Schulze	Robustness	-0.022444	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Schulze	Robustness	-0.02394	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Schulze	Robustness	-0.029925	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.013466	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.016459	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.020948	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.021945	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.02394	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.021446	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.020449	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.029925	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.022943	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.023441	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.020948	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.017456	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.027431	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.01995	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.023441	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.014963	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.016459	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.029925	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.033416	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.025436	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.019451	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.02394	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.024938	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.024938	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.015461	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.016459	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.018953	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.030424	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.028429	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.026933	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.019451	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.018454	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.016459	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.019451	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.017955	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.029925	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.024439	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.021446	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.024938	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.018454	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.022943	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.015461	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.016958	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.022943	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.027431	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.026434	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.016958	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.013965	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.011471	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.013965	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.016459	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.018454	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.016958	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Borda	Robustness	-0.063342	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FuILRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Borda	Robustness	-0.059352	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Borda	Robustness	-0.05586	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Borda	Robustness	-0.061845	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Borda	Robustness	-0.058853	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Borda	Robustness	-0.060349	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Borda	Robustness	-0.057855	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Borda	Robustness	-0.056359	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Borda	Robustness	-0.054364	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Borda	Robustness	-0.05187	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FuILRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Kemeny	Robustness	-0.063342	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Kemeny	Robustness	-0.06384	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Kemeny	Robustness	-0.06783	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Kemeny	Robustness	-0.067332	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Kemeny	Robustness	-0.058354	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Kemeny	Robustness	-0.066334	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Kemeny	Robustness	-0.059352	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Kemeny	Robustness	-0.053367	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Kemeny	Robustness	-0.056858	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Kemeny	Robustness	-0.056858	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	RRF	Robustness	-0.05985	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	RRF	Robustness	-0.059352	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	RRF	Robustness	-0.065835	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	RRF	Robustness	-0.063342	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	RRF	Robustness	-0.06783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	RRF	Robustness	-0.067332	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	RRF	Robustness	-0.064838	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	RRF	Robustness	-0.057357	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	RRF	Robustness	-0.059352	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	RRF	Robustness	-0.058354	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Schulze	Robustness	-0.063342	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Schulze	Robustness	-0.062344	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Schulze	Robustness	-0.070324	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Schulze	Robustness	-0.06783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Schulze	Robustness	-0.06384	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Schulze	Robustness	-0.065337	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Schulze	Robustness	-0.064339	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Schulze	Robustness	-0.056359	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Schulze	Robustness	-0.05586	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Schulze	Robustness	-0.057855	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Simple Averaging	Robustness	-0.05586	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Simple Averaging	Robustness	-0.05586	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Simple Averaging	Robustness	-0.066833	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Simple Averaging	Robustness	-0.068329	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Simple Averaging	Robustness	-0.068329	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Simple Averaging	Robustness	-0.067332	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Simple Averaging	Robustness	-0.067332	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Simple Averaging	Robustness	-0.065337	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Simple Averaging	Robustness	-0.062344	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Simple Averaging	Robustness	-0.061845	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Borda	Robustness	0.137157	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Borda	Robustness	0.133167	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Borda	Robustness	0.126185	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Borda	Robustness	0.123691	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Borda	Robustness	0.127681	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Borda	Robustness	0.123192	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Borda	Robustness	0.126683	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Borda	Robustness	0.126185	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Borda	Robustness	0.13217	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Borda	Robustness	0.128678	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.137157	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.129177	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.131172	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.12818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.131172	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.130673	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.12818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.134165	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.136658	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.133167	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	RRF	Robustness	0.137157	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	RRF	Robustness	0.133666	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	RRF	Robustness	0.127182	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	RRF	Robustness	0.127681	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	RRF	Robustness	0.13217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	RRF	Robustness	0.12818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	RRF	Robustness	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	RRF	Robustness	0.130673	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	RRF	Robustness	0.131671	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	RRF	Robustness	0.134165	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.137157	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.13217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.130673	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.12419	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.127182	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.133167	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.131671	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.135661	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.132668	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.140648	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.135162	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.132668	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.127182	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.131671	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.127681	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129676	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129177	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Borda	Robustness	-0.056858	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Borda	Robustness	-0.05586	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Borda	Robustness	-0.049377	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Borda	Robustness	-0.055362	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Borda	Robustness	-0.056858	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Borda	Robustness	-0.061845	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Borda	Robustness	-0.058853	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Borda	Robustness	-0.053865	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Borda	Robustness	-0.055362	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Borda	Robustness	-0.050873	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Kemeny	Robustness	-0.056858	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Kemeny	Robustness	-0.060349	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Kemeny	Robustness	-0.062344	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Kemeny	Robustness	-0.062843	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Kemeny	Robustness	-0.056359	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Kemeny	Robustness	-0.065337	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Kemeny	Robustness	-0.056858	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Kemeny	Robustness	-0.054863	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Kemeny	Robustness	-0.055362	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Kemeny	Robustness	-0.057855	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	RRF	Robustness	-0.052868	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	RRF	Robustness	-0.057855	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	RRF	Robustness	-0.060349	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	RRF	Robustness	-0.060349	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	RRF	Robustness	-0.065337	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	RRF	Robustness	-0.063342	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	RRF	Robustness	-0.062843	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	RRF	Robustness	-0.05586	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	RRF	Robustness	-0.059352	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	RRF	Robustness	-0.058354	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Schulze	Robustness	-0.056858	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Schulze	Robustness	-0.058354	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Schulze	Robustness	-0.060848	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Schulze	Robustness	-0.062843	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Schulze	Robustness	-0.063342	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Schulze	Robustness	-0.064339	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Schulze	Robustness	-0.061347	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Schulze	Robustness	-0.054863	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Schulze	Robustness	-0.057855	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Schulze	Robustness	-0.05985	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Simple Averaging	Robustness	-0.052868	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Simple Averaging	Robustness	-0.052369	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Simple Averaging	Robustness	-0.061347	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Simple Averaging	Robustness	-0.061347	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Simple Averaging	Robustness	-0.06384	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Simple Averaging	Robustness	-0.065337	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Simple Averaging	Robustness	-0.062344	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Simple Averaging	Robustness	-0.05985	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Simple Averaging	Robustness	-0.060848	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Simple Averaging	Robustness	-0.05985	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Borda	Robustness	0.140648	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Borda	Robustness	0.136658	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Borda	Robustness	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Borda	Robustness	0.129676	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Borda	Robustness	0.133666	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Borda	Robustness	0.127182	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Borda	Robustness	0.129676	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Borda	Robustness	0.128678	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Borda	Robustness	0.13616	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Borda	Robustness	0.133167	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.133167	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.133666	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.13217	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134165	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134165	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.131172	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.137157	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.139152	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134663	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	RRF	Robustness	0.14015	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	RRF	Robustness	0.135661	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	RRF	Robustness	0.129676	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	RRF	Robustness	0.131172	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	RRF	Robustness	0.131671	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	RRF	Robustness	0.137157	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	RRF	Robustness	0.138653	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.135661	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.135162	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.127681	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.134165	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.129676	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.134663	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.13616	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.137656	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.133666	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.141147	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.137157	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133666	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.134663	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb lation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb lation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb lation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb lation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.132668	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb lation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Borda	Robustness	-0.040399	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Borda	Robustness	-0.035411	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Borda	Robustness	-0.02793	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Borda	Robustness	-0.028928	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Borda	Robustness	-0.027431	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Borda	Robustness	-0.028928	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb lation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Borda	Robustness	-0.028928	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Borda	Robustness	-0.026933	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Borda	Robustness	-0.025935	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Borda	Robustness	-0.028928	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Kemeny	Robustness	-0.040399	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Kemeny	Robustness	-0.0399	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Kemeny	Robustness	-0.043392	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Kemeny	Robustness	-0.04389	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Kemeny	Robustness	-0.035411	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Kemeny	Robustness	-0.042893	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Kemeny	Robustness	-0.033915	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Kemeny	Robustness	-0.028928	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Kemeny	Robustness	-0.031421	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Kemeny	Robustness	-0.032419	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	RRF	Robustness	-0.036908	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	RRF	Robustness	-0.03591	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	RRF	Robustness	-0.035411	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	RRF	Robustness	-0.037905	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	RRF	Robustness	-0.042394	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	RRF	Robustness	-0.0399	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	RRF	Robustness	-0.038404	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	RRF	Robustness	-0.030424	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	RRF	Robustness	-0.034414	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	RRF	Robustness	-0.033416	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Schulze	Robustness	-0.040399	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Schulze	Robustness	-0.036908	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Schulze	Robustness	-0.045387	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Schulze	Robustness	-0.041895	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Schulze	Robustness	-0.0399	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Schulze	Robustness	-0.038903	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Schulze	Robustness	-0.036908	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Schulze	Robustness	-0.029426	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Schulze	Robustness	-0.028429	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Schulze	Robustness	-0.032918	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.030424	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.031421	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.037406	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.038404	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.038404	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.040898	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.038903	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.037905	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.03591	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.033416	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.113217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.110723	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.102244	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.100748	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.106234	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.103741	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.105736	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.103242	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.110723	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.107731	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.113217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.106234	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.107731	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.104738	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.108229	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.108229	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.106733	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.111721	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.113217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.109726	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.112718	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109726	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.104239	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.105736	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.111222	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.108229	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109227	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109227	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.108728	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.110224	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.113217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.107232	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.100748	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.106733	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.111721	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109726	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.110224	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.115212	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.110723	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.111222	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.106234	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.111222	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.110723	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.109726	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.108229	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.107731	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.107232	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Borda	Robustness	-0.039401	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Borda	Robustness	-0.038404	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Borda	Robustness	-0.033416	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Borda	Robustness	-0.038404	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Borda	Robustness	-0.038903	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Borda	Robustness	-0.047382	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Borda	Robustness	-0.041895	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Borda	Robustness	-0.037406	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Borda	Robustness	-0.037905	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Borda	Robustness	-0.038404	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Kemeny	Robustness	-0.039401	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Kemeny	Robustness	-0.042893	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Kemeny	Robustness	-0.044389	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Kemeny	Robustness	-0.048379	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Kemeny	Robustness	-0.041397	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Kemeny	Robustness	-0.050374	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Kemeny	Robustness	-0.043392	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Kemeny	Robustness	-0.040399	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Kemeny	Robustness	-0.040898	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Kemeny	Robustness	-0.041397	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	RRF	Robustness	-0.035411	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	RRF	Robustness	-0.039401	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	RRF	Robustness	-0.039401	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	RRF	Robustness	-0.044389	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	RRF	Robustness	-0.048878	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	RRF	Robustness	-0.046883	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	RRF	Robustness	-0.046883	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	RRF	Robustness	-0.040898	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	RRF	Robustness	-0.042893	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	RRF	Robustness	-0.041397	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Schulze	Robustness	-0.039401	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Schulze	Robustness	-0.039401	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Schulze	Robustness	-0.047382	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Schulze	Robustness	-0.047382	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Schulze	Robustness	-0.047382	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Schulze	Robustness	-0.04788	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Schulze	Robustness	-0.046883	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Schulze	Robustness	-0.039401	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Schulze	Robustness	-0.0399	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Schulze	Robustness	-0.044888	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.033915	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.034913	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.047382	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.044389	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.046883	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.048878	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.045885	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.04389	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.045387	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.04389	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.124688	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.121696	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.113217	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115212	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.119701	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115212	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.117207	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115711	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.123691	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1202	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.124688	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.119202	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.119701	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.116708	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1202	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.122195	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.117706	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.125187	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.125686	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.121696	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.12419	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.120698	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.115212	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.117706	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121197	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.119701	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121696	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121197	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.123192	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.12419	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.124688	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.119701	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.112219	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.119202	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.122693	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.12419	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.123691	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.125686	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.121696	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.119701	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.116708	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.122195	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.122195	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.121197	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.120698	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.120698	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1202	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Borda	Robustness	-0.021446	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Borda	Robustness	-0.021945	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Borda	Robustness	-0.01995	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Borda	Robustness	-0.027431	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Borda	Robustness	-0.026933	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Borda	Robustness	-0.028928	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Borda	Robustness	-0.024938	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Borda	Robustness	-0.022444	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Borda	Robustness	-0.021446	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Borda	Robustness	-0.017955	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Kemeny	Robustness	-0.021446	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Kemeny	Robustness	-0.024938	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Kemeny	Robustness	-0.030424	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Kemeny	Robustness	-0.032419	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Kemeny	Robustness	-0.020948	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Kemeny	Robustness	-0.03192	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Kemeny	Robustness	-0.023441	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Kemeny	Robustness	-0.014464	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Kemeny	Robustness	-0.01995	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Kemeny	Robustness	-0.019451	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	RRF	Robustness	-0.019451	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	RRF	Robustness	-0.025436	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	RRF	Robustness	-0.026933	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	RRF	Robustness	-0.028928	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	RRF	Robustness	-0.032419	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	RRF	Robustness	-0.032918	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	RRF	Robustness	-0.030424	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	RRF	Robustness	-0.023441	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	RRF	Robustness	-0.022943	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	RRF	Robustness	-0.021945	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Schulze	Robustness	-0.021446	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Schulze	Robustness	-0.025436	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Schulze	Robustness	-0.02793	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Schulze	Robustness	-0.035411	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Schulze	Robustness	-0.027431	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Schulze	Robustness	-0.026933	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Schulze	Robustness	-0.027431	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Schulze	Robustness	-0.015461	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Schulze	Robustness	-0.017456	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Schulze	Robustness	-0.022943	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Simple Averaging	Robustness	-0.015461	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Simple Averaging	Robustness	-0.016958	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Simple Averaging	Robustness	-0.030923	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Simple Averaging	Robustness	-0.032419	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Simple Averaging	Robustness	-0.030923	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Simple Averaging	Robustness	-0.030923	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Simple Averaging	Robustness	-0.028429	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Simple Averaging	Robustness	-0.028928	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Simple Averaging	Robustness	-0.023441	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Simple Averaging	Robustness	-0.022444	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Borda	Robustness	0.090773	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Borda	Robustness	0.089277	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Borda	Robustness	0.083292	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Borda	Robustness	0.078304	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Borda	Robustness	0.080299	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Borda	Robustness	0.076309	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Borda	Robustness	0.080798	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Borda	Robustness	0.080798	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Borda	Robustness	0.085786	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Borda	Robustness	0.082793	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.090773	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.087282	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.082294	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.082793	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.082793	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.082294	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	RRF	Robustness	0.089277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	RRF	Robustness	0.091771	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	RRF	Robustness	0.083791	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	RRF	Robustness	0.081796	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	RRF	Robustness	0.087282	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	RRF	Robustness	0.081796	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	RRF	Robustness	0.084788	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	RRF	Robustness	0.084788	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	RRF	Robustness	0.084289	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	RRF	Robustness	0.086783	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Schulze	Robustness	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Schulze	Robustness	0.087282	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Schulze	Robustness	0.088279	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Schulze	Robustness	0.075312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Schulze	Robustness	0.080798	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Schulze	Robustness	0.080299	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Schulze	Robustness	0.089776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Schulze	Robustness	0.086284	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Schulze	Robustness	0.086284	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Schulze	Robustness	0.084289	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.088279	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.085786	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.082294	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084289	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.082294	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084289	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.083791	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Borda	Robustness	-0.014464	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Borda	Robustness	-0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Borda	Robustness	-0.012469	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Borda	Robustness	-0.020449	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Borda	Robustness	-0.021446	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Borda	Robustness	-0.028928	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Borda	Robustness	-0.022943	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Borda	Robustness	-0.018953	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Borda	Robustness	-0.019451	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Borda	Robustness	-0.018454	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Kemeny	Robustness	-0.014464	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Kemeny	Robustness	-0.01995	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Kemeny	Robustness	-0.021945	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Kemeny	Robustness	-0.024439	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Kemeny	Robustness	-0.014464	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Kemeny	Robustness	-0.028429	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Kemeny	Robustness	-0.019451	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Kemeny	Robustness	-0.015461	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Kemeny	Robustness	-0.017955	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Kemeny	Robustness	-0.020948	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	RRF	Robustness	-0.010973	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	RRF	Robustness	-0.01995	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	RRF	Robustness	-0.018454	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	RRF	Robustness	-0.024439	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	RRF	Robustness	-0.026434	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	RRF	Robustness	-0.025935	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	RRF	Robustness	-0.024938	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	RRF	Robustness	-0.01995	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	RRF	Robustness	-0.019451	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	RRF	Robustness	-0.019451	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Schulze	Robustness	-0.014464	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Schulze	Robustness	-0.019451	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Schulze	Robustness	-0.021446	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Schulze	Robustness	-0.028928	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Schulze	Robustness	-0.023441	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Schulze	Robustness	-0.024439	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Schulze	Robustness	-0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Schulze	Robustness	-0.016459	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Schulze	Robustness	-0.016459	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Schulze	Robustness	-0.023441	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Simple Averaging	Robustness	-0.009975	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Simple Averaging	Robustness	-0.012469	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Simple Averaging	Robustness	-0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Simple Averaging	Robustness	-0.022943	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Simple Averaging	Robustness	-0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Simple Averaging	Robustness	-0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Simple Averaging	Robustness	-0.022943	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Simple Averaging	Robustness	-0.022444	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Simple Averaging	Robustness	-0.022444	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Simple Averaging	Robustness	-0.022943	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Borda	Robustness	0.095262	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Borda	Robustness	0.092768	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Borda	Robustness	0.089776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Borda	Robustness	0.091272	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Borda	Robustness	0.094264	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Borda	Robustness	0.087781	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Borda	Robustness	0.092768	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Borda	Robustness	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Borda	Robustness	0.095262	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Borda	Robustness	0.092269	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FuILRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.095262	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.095262	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.093267	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.089277	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.091272	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.091272	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.087781	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.093766	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.093766	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.092269	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	RRF	Robustness	0.093766	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	RRF	Robustness	0.095761	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	RRF	Robustness	0.090274	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	RRF	Robustness	0.089277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	RRF	Robustness	0.093267	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	RRF	Robustness	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	RRF	Robustness	0.091771	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	RRF	Robustness	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	RRF	Robustness	0.095262	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	RRF	Robustness	0.094763	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Schulze	Robustness	0.095262	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Schulze	Robustness	0.092269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Schulze	Robustness	0.095761	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Schulze	Robustness	0.083292	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Schulze	Robustness	0.091771	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Schulze	Robustness	0.088279	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Schulze	Robustness	0.094763	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Schulze	Robustness	0.093766	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Schulze	Robustness	0.092768	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Schulze	Robustness	0.091272	True	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	False	["CheferTran former Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.089776	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.089277	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "Fu ILRP"]

Table 77: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Kemeny	1612.6	4010	kendall__mallows__exact__distance	0.336414	0.002	0.105896	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout"]	select--Dermamnist a328ab5613 a54ba94744 3f2857acd 64925D49E9	64925d49e9 a328ab5613 a54ba94744 3f2857acd 04c95f0d20 48537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Kemeny	2644.7	6015	kendall__mallows__exact__distance	0.524811	0.002	0.061991	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap"]	select--Dermamnist a328ab5613 a54ba94744 3f2857acd 64925D49E9	64925d49e9 a328ab5613 a54ba94744 3f2857acd 04c95f0d20 48537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Kemeny	3601.9	8020	kendall__mallows__exact__distance	0.458121	0.002	0.042725	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion"]	select--Dermamnist a328ab5613 a54ba94744 3f2857acd 64925D49E9	64925d49e9 a328ab5613 a54ba94744 3f2857acd 04c95f0d20 48537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Kemeny	4244.2	10025	kendall__mallows__exact__distance	0.439905	0.002	0.034263	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]	select--Dermamnist a328ab5613 a54ba94744 3f2857acd 64925D49E9	64925d49e9 a328ab5613 a54ba94744 3f2857acd 04c95f0d20 48537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Kemeny	4164.7	12030	kendall__mallows__exact__distance	0.447216	0.002	0.035188	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]	select--Dermamnist a328ab5613 a54ba94744 3f2857acd 64925D49E9	64925d49e9 a328ab5613 a54ba94744 3f2857acd 04c95f0d20 48537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Kemeny	4256.2	14035	kendall__mallows__exact__distance	0.441927	0.002	0.034126	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]	select--Dermamnist a328ab5613 a54ba94744 3f2857acd 64925D49E9	64925d49e9 a328ab5613 a54ba94744 3f2857acd 04c95f0d20 48537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Kemeny	4267.7	16040	kendall__mallows__exact__distance	0.453562	0.002	0.033996	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]	select--Dermamnist a328ab5613 a54ba94744 3f2857acd 64925D49E9	64925d49e9 a328ab5613 a54ba94744 3f2857acd 04c95f0d20 48537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Kemeny	4188.1	18045	kendall__mallows__exact__distance	0.449333	0.002	0.034913	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]	select--Dermamnist a328ab5613 a54ba94744 3f2857acd 64925D49E9	64925d49e9 a328ab5613 a54ba94744 3f2857acd 04c95f0d20 48537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Kemeny	4298.3	20050	kendall__mallows__exact__distance	0.448046	0.002	0.033651	11	False	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]	select--Dermamnist a328ab5613 a54ba94744 3f2857acd 64925D49E9	64925d49e9 a328ab5613 a54ba94744 3f2857acd 04c95f0d20 48537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Kemeny	4747.4	22055	kendall__mallows__exact__distance	0.490753	0.002	0.029016	11	True	True	["CheferTranformer Attribution", "Kendall Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]	select--Dermamnist a328ab5613 a54ba94744 3f2857acd 64925D49E9	64925d49e9 a328ab5613 a54ba94744 3f2857acd 04c95f0d20 48537152cb b087
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Borda	57822	4010	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.351117	0.002	0.001332	11	False	True	["CheferTranformer Attribution", "Spearman Rollout"]	select--Dermamnist a328ab5613 a54ba94744 3f2857acd 64925D49E9	f78504c4eb 449be2bc80 34ddb9c90c dd244236c3 68879ced0a 88eacc0b05cb5

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Borda	1.6441e+05	6015	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.342607	0.002	0.000505	11	False	True	["CheferTranformer Attribution", "CvadiBn6 Attention Rollout", "GradE78504C4Eb Shap"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Borda	2.7006e+05	8020	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.561691	0.002	0.000209	11	False	True	["CheferTranformer Attribution", "CvadiBn6 Attention Rollout", "GradE78504C4Eb Shap", "Occlusion"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Borda	3.5848e+05	10025	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.39588	0.002	0.000186	11	False	True	["CheferTranformer Attribution", "CvadiBn6 Attention Rollout", "GradE78504C4Eb Shap", "Occlusion", "FeatureAbation"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Borda	3.514e+05	12030	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	0.002	0.000187	11	False	True	["CheferTranformer Attribution", "CvadiBn6 Attention Rollout", "GradE78504C4Eb Shap", "Occlusion", "FeatureAbation", "PartialLRP"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Borda	3.5777e+05	14035	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.423683	0.002	0.000186	11	False	True	["CheferTranformer Attribution", "CvadiBn6 Attention Rollout", "GradE78504C4Eb Shap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Borda	3.5481e+05	16040	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.435482	0.002	0.000186	11	False	True	["CheferTranformer Attribution", "CvadiBn6 Attention Rollout", "GradE78504C4Eb Shap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency", "Integrated Gradients"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Borda	3.4418e+05	18045	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.460165	0.002	0.000189	11	False	True	["CheferTranformer Attribution", "CvadiBn6 Attention Rollout", "GradE78504C4Eb Shap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Borda	3.576e+05	20050	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.426584	0.002	0.000186	11	False	True	["CheferTranformer Attribution", "CvadiBn6 Attention Rollout", "GradE78504C4Eb Shap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Borda	4.3219e+05	22055	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	0.002	0.000161	11	True	True	["CheferTranformer Attribution", "CvadiBn6 Attention Rollout", "GradE78504C4Eb Shap", "Occlusion", "FeatureAbation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]	select--Dermamnist Spearman	f78504c4eb449be2bc8034ddb9c90cdd244236c368879ceded0a88eacc0b05cb5

Table 78: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Distance Model	Q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.8995180523820068,"theta":0.10589615644106633},"refit":true,"statistic":0.3364141766411624}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9398911537460701,"theta":0.06199120430987663},"refit":true,"statistic":0.5248106937613038}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9581745913879707,"theta":0.04272527190831428},"refit":true,"statistic":0.4581208883223901}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9663173008294146,"theta":0.03426302993616464},"refit":true,"statistic":0.4399053602296207}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9654241436152886,"theta":0.03518774714440133},"refit":true,"statistic":0.447216214381849}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9664497902282609,"theta":0.034125931783296794},"refit":true,"statistic":0.44192666855520646}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9665756433158659,"theta":0.033995718196244286},"refit":true,"statistic":0.45356171378640425}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9656897414122549,"theta":0.03491267502079403},"refit":true,"statistic":0.4493330896275739}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9669090296053915,"theta":0.033650862819319144},"refit":true,"statistic":0.44804600417124874}
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.971400459424814,"theta":0.029016476119385577},"refit":true,"statistic":0.4907532006440617}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0013323811797337033,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.3511168155025464}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.000504593183607053,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.34260692429226114}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0002086991412725384,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.5616913732920623}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00018561018958559148,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.39588020347767583}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00018711268019423115,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.4452458113312934}

Cell	Dataset	Model	Distance Model	Q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00018576254049676335,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.42368307932002647}

Cell	Dataset	Model	Distance Model	Q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0001863953822777944,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.43548189829542827}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00018860681975818756,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.46016500499155416}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation':,'p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric',"bin__count":795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669',"converged":true,'ess':3393.3187352208124,'exact':false,'full__support":true,'maximum__calibrated__distance":2509780,'maximum__symmetry__residual":0.9541754783417995,'maximum__unsampled__distance_gap__fraction":0.002012925435695559,'original__maximum__distance":1603644,'pilot__digest':"a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795',"pilot__seed":20260714,"r__hat":0.9999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion':"exact__reverse__symmetry',"theoretical__maximum__distance":2509780,"theta":0.00018579792367514502,"upper__tail__probability__bound":0.002493330037518726,'validation__bin__ess":1.005307755246587,'validation__distances__digest':"b571516ba9193a920925c33b5e94dd d031daa21e3eb02a97bb b1755591aa21fd"},'refit":true,'statistic":0.4265840991729622}}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	{ "B":499,"model__name__":"spearman__", "mallows__multi__proposal__importance__binned__symmetric__approximation__", "p__value":0.002,"parameters":{"approximation__multi__proposal__importance__binned__symmetric__", "bin__count":795,"boundary":false,"calibration__config__digest__":"b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669", "converged":true,"ess":3393.3187352208124,"exact":false,"full__support":true,"maximum__calibrated__distance":2509780,"maximum__symmetry__residual":0.9541754783417995,"maximum__unsampled__distance_gap__fraction":0.002012925435695559,"original__maximum__distance":1603644,"pilot__digest__":"a8105aa5a3c782ae2f28aacf00235f5a35feacae", "f70f231824fd838eab4c8795", "pilot__seed":20260714,"r__hat":0.9999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion__":"exact__reverse__symmetry__", "theoretical__maximum__distance":2509780,"theta":0.0001613449244103805,"upper__tail__probability__bound":0.002493330037518726,"validation__bin__ess":1.005307755246587,"validation__distances__digest__":"b571516ba9193a920925c33b5e94dd", "d031daa21e3eb02a97bb", "b1755591aa21fd"}, "refit":true,"statistic":0.536941539433745}

Table 79: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Borda	Quality	max	3	0.17207	[3]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Borda	Quality	min	5	0.264838	[5,7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Borda	Quality	max	7	0.116708	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Borda	Quality	min	7	0.205486	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Borda	Robustness	max	4	-0.022444	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Borda	Robustness	max	10	-0.017456	[10,11]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Borda	Robustness	max	4	0.000499	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Borda	Robustness	max	10	-0.014963	[10]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Borda	Robustness	max	11	-0.05187	[11]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Borda	Robustness	max	2	0.137157	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Borda	Robustness	max	4	-0.049377	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Borda	Robustness	max	2	0.140648	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Borda	Robustness	max	10	-0.025935	[10]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Borda	Robustness	max	2	0.113217	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Borda	Robustness	max	4	-0.033416	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Borda	Robustness	max	2	0.124688	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Borda	Robustness	max	11	-0.017955	[11]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Borda	Robustness	max	2	0.090773	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Borda	Robustness	max	4	-0.012469	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Borda	Robustness	max	2	0.095262	[2, 10]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Kemeny	Quality	max	7	0.182544	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Kemeny	Quality	min	5	0.266833	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Kemeny	Quality	max	7	0.123192	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Kemeny	Quality	min	8	0.206983	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Kemeny	Robustness	max	2	-0.044389	[2, 4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	max	9	-0.017955 [9]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Kemeny	Robustness	max	2	-0.016459 [2]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	max	9	-0.015461 [9]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Kemeny	Robustness	max	9	-0.053367 [9]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Kemeny	Robustness	max	2	0.137157 [2]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Kemeny	Robustness	max	9	-0.054863 [9]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Kemeny	Robustness	max	2	0.140648 [2]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Kemeny	Robustness	max	9	-0.028928 [9]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Kemeny	Robustness	max	2	0.113217 [2,10]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Kemeny	Robustness	max	2	-0.039401 [2]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Kemeny	Robustness	max	10	0.125686 [10]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Kemeny	Robustness	max	9	-0.014464 [9]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Kemeny	Robustness	max	2	0.090773 [2]		smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Kemeny	Robustness	max	2	-0.014464	[2,6]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Kemeny	Robustness	max	2	0.095262	[2,3]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	RRF	Quality	max	7	0.182544	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	RRF	Quality	min	4	0.266833	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	RRF	Quality	max	8	0.122195	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	RRF	Quality	min	4	0.206484	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	RRF	Robustness	max	4	-0.039401	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	RRF	Robustness	max	8	-0.017955	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	RRF	Robustness	max	2	-0.013466	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	RRF	Robustness	max	8	-0.016459	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	RRF	Robustness	max	9	-0.057357	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	RRF	Robustness	max	2	0.137157	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	RRF	Robustness	max	2	-0.052868	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	RRF	Robustness	max	2	0.14015	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	RRF	Robustness	max	9	-0.030424	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	RRF	Robustness	max	2	0.112718	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	RRF	Robustness	max	2	-0.035411	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	RRF	Robustness	max	2	0.12419	[2,11]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	RRF	Robustness	max	2	-0.019451	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	RRF	Robustness	max	3	0.091771	[3]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	RRF	Robustness	max	2	-0.010973	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	RRF	Robustness	max	3	0.095761	[3]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Schulze	Quality	max	4	0.180549	[4,5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Schulze	Quality	min	5	0.26384	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Schulze	Quality	max	7	0.121696	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Schulze	Quality	min	5	0.204489	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Schulze	Robustness	max	4	-0.040399	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Schulze	Robustness	max	8	-0.015461	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Schulze	Robustness	max	4	-0.012968	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Schulze	Robustness	max	9	-0.015461	[9]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Schulze	Robustness	max	10	-0.05586	[10]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Schulze	Robustness	max	2	0.137157	[2]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Schulze	Robustness	max	9	-0.054863	[9]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Schulze	Robustness	max	2	0.140648	[2]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Schulze	Robustness	max	10	-0.028429	[10]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Schulze	Robustness	max	2	0.113217	[2]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Schulze	Robustness	max	2	-0.039401	[2,3,9]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Schulze	Robustness	max	2	0.124688	[2]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Schulze	Robustness	max	9	-0.015461	[9]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Schulze	Robustness	max	2	0.090773	[2]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Schulze	Robustness	max	2	-0.014464	[2]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Schulze	Robustness	max	4	0.095761	[4]	smallest_q_ within_ absolute_1e-12	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Simple Averaging	Quality	max	5	0.177057	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Simple Averaging	Quality	min	5	0.269327	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Simple Averaging	Quality	max	7	0.117706	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Simple Averaging	Quality	min	5	0.209476	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Simple Averaging	Robustness	max	2	-0.038404	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	max	7	-0.011471	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Simple Averaging	Robustness	max	2	-0.013466	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	max	7	-0.011471	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Simple Averaging	Robustness	max	2	-0.05586	[2,3]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Simple Averaging	Robustness	max	2	0.140648	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Simple Averaging	Robustness	max	3	-0.052369	[3]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Simple Averaging	Robustness	max	2	0.141147	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Simple Averaging	Robustness	max	2	-0.030424	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	max	2	0.115212	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Simple Averaging	Robustness	max	2	-0.033915	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	max	2	0.125686	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Simple Averaging	Robustness	max	2	-0.015461	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Simple Averaging	Robustness	max	2	0.088279	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Simple Averaging	Robustness	max	2	-0.009975	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Simple Averaging	Robustness	max	6	0.092269	[6,7,8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]

Table 80: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Simple Averaging	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]	0.104738	0.216459	0.160599	0.278803	0.05187	0.075312	0.104738	0.138155	0.070823	0.090773	0.130175
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Borda	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]	0.110224	0.214963	0.170574	0.27581	0.053367	0.074314	0.107232	0.138653	0.070823	0.090274	0.130175
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	RRF	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]	0.106733	0.214464	0.167082	0.275312	0.053865	0.074314	0.107232	0.138155	0.071322	0.090274	0.130175
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Kemeny	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]	0.110224	0.214963	0.170574	0.27581	0.053367	0.074314	0.107232	0.138653	0.070823	0.090274	0.130175
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Schulze	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]	0.110224	0.214963	0.170574	0.27581	0.053367	0.074314	0.107232	0.138653	0.070823	0.090274	0.130175
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Simple Averaging	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]	0.106234	0.212968	0.163092	0.273815	0.053865	0.07581	0.107232	0.138653	0.071322	0.091272	0.131671
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Borda	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]	0.112219	0.209975	0.17207	0.269825	0.056359	0.073317	0.112718	0.136658	0.073815	0.088279	0.136658
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	RRF	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]	0.114214	0.209975	0.174065	0.270324	0.056359	0.074314	0.114713	0.136658	0.074813	0.089277	0.138155
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Kemeny	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]	0.116209	0.208978	0.175561	0.26783	0.05586	0.07581	0.111721	0.138653	0.073317	0.089776	0.135661
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Schulze	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]	0.113716	0.209476	0.174065	0.268828	0.055362	0.073815	0.111721	0.136658	0.074314	0.088778	0.137157
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Simple Averaging	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]	0.115711	0.211471	0.17207	0.273317	0.054364	0.077805	0.105237	0.140648	0.068329	0.091771	0.134663
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Borda	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]	0.103242	0.206484	0.163092	0.265835	0.053865	0.076309	0.107232	0.139651	0.069825	0.093267	0.135162
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	RRF	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]	0.114713	0.206484	0.17606	0.266833	0.054364	0.076808	0.110224	0.139651	0.075312	0.091272	0.140648
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Kemeny	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]	0.117706	0.209476	0.18005	0.269327	0.055362	0.07581	0.112219	0.138155	0.073317	0.089776	0.136658
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Schulze	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]	0.117706	0.210474	0.180549	0.269825	0.056858	0.075312	0.110224	0.139152	0.070324	0.090773	0.135162

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{dirty}	C_{clean}	C_{dirty}	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Simple Averaging	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]	0.115212	0.209476	0.177057	0.269327	0.053865	0.079302	0.108728	0.142145	0.070823	0.092768	0.138653
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Borda	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]	0.106733	0.20798	0.167082	0.264838	0.051372	0.078304	0.105237	0.141147	0.068329	0.092768	0.138155
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	RRF	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]	0.118204	0.208479	0.177057	0.26783	0.057855	0.077307	0.113716	0.14015	0.073815	0.090773	0.139152
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Kemeny	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]	0.120698	0.207481	0.181546	0.266833	0.057855	0.075312	0.114214	0.138653	0.072319	0.090773	0.137656
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Schulze	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]	0.119701	0.204489	0.180549	0.26384	0.056858	0.076808	0.112718	0.139651	0.072319	0.092269	0.138653
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Simple Averaging	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]	0.115711	0.214464	0.176559	0.274314	0.05187	0.0798	0.108229	0.142643	0.068828	0.092269	0.138155
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Borda	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]	0.108229	0.21197	0.165586	0.268828	0.051372	0.078304	0.106733	0.141147	0.069327	0.092269	0.138155
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	RRF	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]	0.121696	0.21197	0.180549	0.272818	0.056359	0.077805	0.112718	0.140648	0.072818	0.090773	0.138155
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Kemeny	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]	0.114214	0.210973	0.173566	0.270823	0.057855	0.076808	0.115212	0.139651	0.072818	0.090773	0.138155
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Schulze	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]	0.1202	0.210973	0.178055	0.270823	0.056858	0.076808	0.114214	0.140648	0.072818	0.090274	0.138155
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Simple Averaging	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]	0.117706	0.213466	0.176559	0.272818	0.052369	0.080299	0.109227	0.142643	0.068828	0.091272	0.135661
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Borda	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]	0.116708	0.205486	0.169077	0.264838	0.054863	0.078304	0.108728	0.141646	0.069327	0.090274	0.14015
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	RRF	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]	0.121197	0.209476	0.182544	0.268828	0.057855	0.077805	0.115212	0.140648	0.074314	0.089776	0.142643

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{data}	C_{clean}	C_{data}	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Kemeny	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency']	0.123192	0.210973	0.182544	0.271322	0.057855	0.076808	0.116209	0.140648	0.072818	0.088778	0.139651
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Schulze	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency']	0.121696	0.207481	0.18005	0.26783	0.057357	0.077805	0.114713	0.140648	0.073815	0.088279	0.141147
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Simple Averaging	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency']	0.116209	0.212968	0.175561	0.272319	0.053865	0.0798	0.108229	0.142145	0.070324	0.091771	0.136658
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Borda	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients']	0.115711	0.208479	0.170574	0.268329	0.056858	0.078803	0.112718	0.141646	0.073815	0.091272	0.141646
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	RRF	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients']	0.122195	0.210973	0.180549	0.270823	0.059352	0.076808	0.115711	0.140648	0.075312	0.089277	0.142145
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Kemeny	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients']	0.117706	0.206983	0.17606	0.26783	0.060848	0.07581	0.116708	0.139651	0.074314	0.089277	0.142145
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Schulze	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients']	0.1202	0.210973	0.179551	0.272818	0.058853	0.076309	0.115212	0.139651	0.073317	0.088279	0.142643
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Simple Averaging	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGrad ient']	0.115212	0.21197	0.175561	0.270324	0.055362	0.078803	0.110224	0.142643	0.071322	0.091272	0.137656
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Borda	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGrad ient']	0.111222	0.206484	0.169576	0.266334	0.057357	0.077805	0.113217	0.14015	0.073815	0.090773	0.142643
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	RRF	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGrad ient']	0.115212	0.210973	0.174065	0.271322	0.059352	0.076808	0.116708	0.140648	0.074314	0.089776	0.143641
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Kemeny	False	['CheferTran sformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbl ation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGrad ient']	0.114214	0.213965	0.171072	0.273815	0.059352	0.076808	0.117706	0.139651	0.073815	0.088778	0.142145

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{dirty}	C_{clean}	C_{dirty}	F Perturbed Gaussian -0.15	$\hat{F}$ Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	$\hat{C}$ Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	$\hat{F}$ Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Schulze	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]	0.114214	0.212469	0.17207	0.271322	0.059352	0.076309	0.115711	0.139651	0.074813	0.088279	0.142643
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Simple Averaging	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]	0.115212	0.21197	0.171571	0.27182	0.054364	0.078803	0.109227	0.142145	0.069825	0.091272	0.135661
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Borda	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]	0.112219	0.213965	0.16808	0.272818	0.056858	0.077805	0.113716	0.140648	0.074314	0.090274	0.142145
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	RRF	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]	0.117207	0.213466	0.175062	0.270823	0.057855	0.076309	0.115711	0.139152	0.074314	0.090274	0.140648
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Kemeny	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]	0.115711	0.214963	0.174564	0.274813	0.060349	0.07581	0.117706	0.138155	0.074813	0.089277	0.143142
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Schulze	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]	0.113716	0.212968	0.171072	0.273317	0.05586	0.075312	0.115212	0.137656	0.073815	0.089277	0.142643
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Simple Averaging	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]	0.114713	0.211471	0.170574	0.271322	0.054863	0.078803	0.108728	0.142145	0.070823	0.091272	0.137157
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Borda	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]	0.109726	0.211471	0.166085	0.270823	0.058853	0.078304	0.114214	0.142145	0.071322	0.091272	0.137157
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	RRF	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]	0.116209	0.213965	0.173067	0.272319	0.057855	0.075312	0.114713	0.138155	0.074813	0.089776	0.139651

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	$\bar{F}$ Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Kemeny	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]	0.116209	0.210973	0.173067	0.27182	0.058354	0.076309	0.116209	0.138653	0.074813	0.089277	0.140648
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Schulze	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]	0.119202	0.210474	0.175062	0.271322	0.059352	0.076808	0.117207	0.138653	0.074314	0.089776	0.142145

Table 81: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Q	C Perturbed Salt-pep per-0.05	F Perturbed Speckle- 0.15	F Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	F Perturbed Adversar ial-sara -2-255	F Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	R_F Gaussian-0.05	R_F Gaussian-0.05	R_C Gaussian-0.05	R_C Gaussian-0.05	R_F Salt-pepper-0.05
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.163591	0.094763	0.125187	0.145137	0.190524	0.091272	0.24389	0.122195	0.306733	-0.052868	0.141147	-0.05586	0.140648	-0.033915
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.162594	0.095761	0.119701	0.149127	0.185037	0.093766	0.244888	0.126185	0.307731	-0.056858	0.140648	-0.063342	0.137157	-0.039401
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.162594	0.095761	0.120698	0.147631	0.186035	0.093267	0.244888	0.12419	0.307731	-0.052868	0.14015	-0.05985	0.137157	-0.035411
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.162594	0.095761	0.119701	0.149127	0.185037	0.093766	0.244888	0.126185	0.307731	-0.056858	0.140648	-0.063342	0.137157	-0.039401
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.162594	0.095761	0.119701	0.149127	0.185037	0.093766	0.244888	0.126185	0.307731	-0.056858	0.140648	-0.063342	0.137157	-0.039401
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.163092	0.093766	0.123192	0.146135	0.189027	0.086284	0.239401	0.114214	0.302743	-0.052369	0.137157	-0.05586	0.135162	-0.034913
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.159102	0.094264	0.117207	0.150125	0.180549	0.096259	0.232918	0.130673	0.295262	-0.05586	0.136658	-0.059352	0.133167	-0.038404
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.160599	0.094264	0.114214	0.148628	0.178554	0.096259	0.238404	0.127681	0.300249	-0.057855	0.135661	-0.059352	0.133666	-0.039401
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.161596	0.096259	0.113716	0.150623	0.180549	0.095262	0.242394	0.125187	0.304738	-0.060349	0.133167	-0.06384	0.129177	-0.042893
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.159601	0.094264	0.117207	0.148628	0.181546	0.094763	0.233915	0.127182	0.297257	-0.058354	0.135661	-0.062344	0.13217	-0.039401
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.162095	0.092269	0.1202	0.141147	0.187531	0.099252	0.228429	0.133167	0.289776	-0.061347	0.133666	-0.066833	0.132668	-0.047382
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.163591	0.090773	0.116708	0.143142	0.182544	0.103741	0.229925	0.140648	0.291771	-0.049377	0.130175	-0.05586	0.126185	-0.033416
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.162594	0.096259	0.116209	0.149127	0.183042	0.098753	0.233416	0.136658	0.296758	-0.060349	0.129676	-0.065835	0.127182	-0.039401
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.161596	0.095761	0.116209	0.149626	0.183042	0.100748	0.234913	0.135661	0.297257	-0.062344	0.133666	-0.06783	0.131172	-0.044389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.162594	0.096259	0.114713	0.152618	0.181546	0.104738	0.23192	0.14015	0.294763	-0.060848	0.135162	-0.070324	0.130673	-0.047382
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.163092	0.092269	0.1202	0.144638	0.187032	0.094264	0.227431	0.124688	0.286783	-0.061347	0.130175	-0.068329	0.127182	-0.044389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.16409	0.086284	0.116708	0.139651	0.186534	0.102244	0.228928	0.138155	0.287282	-0.055362	0.129676	-0.061845	0.123691	-0.038404
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.162095	0.093766	0.119202	0.14813	0.186035	0.097257	0.22793	0.13217	0.289776	-0.060349	0.131172	-0.063342	0.127681	-0.044389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.162095	0.096259	0.118204	0.149127	0.184539	0.096758	0.226933	0.13217	0.290274	-0.062843	0.13217	-0.067332	0.12818	-0.048379
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.163092	0.090773	0.121197	0.145137	0.188529	0.100748	0.229426	0.135661	0.289277	-0.062843	0.127681	-0.06783	0.12419	-0.047382
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.163092	0.095761	0.122195	0.145636	0.189526	0.093766	0.228429	0.122693	0.287282	-0.06384	0.134663	-0.068329	0.131671	-0.046883
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.162594	0.086783	0.117706	0.138653	0.188529	0.099751	0.229426	0.133167	0.286783	-0.056858	0.133666	-0.058853	0.127681	-0.038903
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.161596	0.095262	0.118703	0.14813	0.185536	0.096758	0.230424	0.128678	0.293267	-0.065337	0.134165	-0.06783	0.13217	-0.048878
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.162594	0.099751	0.119701	0.152618	0.18803	0.096758	0.234913	0.12818	0.296259	-0.056359	0.134165	-0.058354	0.131172	-0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.161596	0.096758	0.119202	0.150623	0.190025	0.101247	0.229426	0.132668	0.289277	-0.063342	0.134165	-0.06384	0.130175	-0.047382
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.162095	0.094264	0.121197	0.145636	0.18803	0.094264	0.224938	0.123691	0.284289	-0.065337	0.133167	-0.067332	0.130175	-0.048878
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.161097	0.087781	0.117706	0.14015	0.188529	0.094763	0.232918	0.129676	0.292269	-0.061845	0.127182	-0.060349	0.123192	-0.047382
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.160599	0.095262	0.119202	0.149626	0.187032	0.094763	0.229426	0.130673	0.289277	-0.063342	0.131671	-0.067332	0.12818	-0.046883
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.163092	0.094763	0.119701	0.150623	0.188529	0.097257	0.23591	0.130175	0.295761	-0.065337	0.134165	-0.066334	0.130673	-0.050374
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.161097	0.097257	0.119202	0.153117	0.187531	0.095761	0.230424	0.131172	0.291771	-0.064339	0.129676	-0.065337	0.127182	-0.04788
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.162594	0.093267	0.120698	0.147132	0.18803	0.092768	0.226933	0.12419	0.287282	-0.062344	0.133167	-0.067332	0.130175	-0.045885
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.162594	0.092768	0.115711	0.145636	0.187531	0.095761	0.228429	0.12818	0.288778	-0.058853	0.129676	-0.057855	0.126683	-0.041895
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.161596	0.097257	0.119202	0.150125	0.186035	0.090773	0.227431	0.12419	0.288778	-0.062843	0.134165	-0.064838	0.130175	-0.046883
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.161097	0.098254	0.119202	0.152618	0.185536	0.093766	0.23192	0.126683	0.291771	-0.056858	0.131172	-0.059352	0.12818	-0.043392
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.161097	0.096758	0.116209	0.15212	0.183042	0.097756	0.228928	0.129676	0.288279	-0.061347	0.134663	-0.064339	0.133167	-0.046883
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.162095	0.092768	0.121197	0.146633	0.18803	0.091272	0.228429	0.121197	0.288778	-0.05985	0.133167	-0.065337	0.127681	-0.04389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.163092	0.092269	0.115711	0.147132	0.185536	0.092768	0.229925	0.123691	0.290773	-0.053865	0.128678	-0.056359	0.126185	-0.037406
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.162095	0.095262	0.1202	0.150623	0.186534	0.090773	0.230424	0.12419	0.291272	-0.05586	0.134165	-0.057357	0.130673	-0.040898
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.162095	0.098753	0.1202	0.156608	0.187531	0.090773	0.229426	0.125187	0.291771	-0.054863	0.137157	-0.053367	0.134165	-0.040399
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.161596	0.097756	0.118703	0.156608	0.185037	0.091771	0.22793	0.127182	0.289776	-0.054863	0.13616	-0.056359	0.131671	-0.039401
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.16409	0.092768	0.120698	0.14813	0.187531	0.093766	0.230424	0.125187	0.288778	-0.060848	0.133167	-0.062344	0.129676	-0.045387
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.162095	0.092768	0.118703	0.146633	0.187032	0.095761	0.228928	0.12818	0.290274	-0.055362	0.13616	-0.054364	0.13217	-0.037905
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.162095	0.097756	0.118204	0.15212	0.186534	0.090773	0.231421	0.121696	0.292768	-0.059352	0.137157	-0.059352	0.131671	-0.042893
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.161596	0.097756	0.121197	0.154613	0.188529	0.089776	0.231421	0.121696	0.294763	-0.055362	0.139152	-0.056858	0.136658	-0.040898
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.163092	0.097257	0.1202	0.153616	0.187032	0.089776	0.229925	0.121197	0.290274	-0.057855	0.137656	-0.05586	0.135661	-0.0399
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.16409	0.091771	0.1202	0.14813	0.187531	0.094264	0.228429	0.123691	0.286783	-0.05985	0.132668	-0.061845	0.129177	-0.04389
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.163092	0.091272	0.119202	0.14813	0.18803	0.087781	0.22793	0.1202	0.288279	-0.050873	0.133167	-0.05187	0.128678	-0.038404
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.162095	0.096758	0.119202	0.151122	0.185536	0.094264	0.23192	0.123691	0.291771	-0.058354	0.138653	-0.058354	0.134165	-0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.162095	0.095262	0.118703	0.153616	0.185536	0.091272	0.229925	0.12419	0.290274	-0.057855	0.134663	-0.056858	0.133167	-0.041397
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.162095	0.095761	0.119202	0.15212	0.187032	0.089277	0.233416	0.123192	0.292768	-0.05985	0.133666	-0.057855	0.132668	-0.044888

Table 82: DermaMNIST-ViT-B/16

Cell	Dataset	Model	q	R_F Salt-pepper	R_C Salt-pepper	R_C Salt-pepper	R_F Salt-pepper	R_F Salt-pepper	R_C Salt-pepper	R_C Salt-pepper	R_F Salt-pepper	R_C Salt-pepper	R_C Salt-pepper	R_F Salt-pepper	R_F Salt-pepper	R_C Salt-pepper	R_C Salt-pepper	R_F Salt-pepper	R_C Salt-pepper
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.125686	-0.030424	0.115212	-0.009975	0.091272	-0.015461	0.088279	-0.013466	-0.027431	-0.038404	-0.02793					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.124688	-0.040399	0.113217	-0.014464	0.095262	-0.021446	0.090773	-0.016459	-0.029925	-0.044389	-0.03192					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.12419	-0.036908	0.112718	-0.010973	0.093766	-0.019451	0.089277	-0.013466	-0.030424	-0.042893	-0.032419					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.124688	-0.040399	0.113217	-0.014464	0.095262	-0.021446	0.090773	-0.016459	-0.029925	-0.044389	-0.03192					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	0.124688	-0.040399	0.113217	-0.014464	0.095262	-0.021446	0.090773	-0.016459	-0.029925	-0.044389	-0.03192					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.121696	-0.031421	0.110723	-0.012469	0.089776	-0.016958	0.084788	-0.01995	-0.026434	-0.048878	-0.028928					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.121696	-0.035411	0.110723	-0.017955	0.092768	-0.021945	0.089277	-0.01596	-0.022943	-0.041397	-0.025436					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.120698	-0.03591	0.109726	-0.01995	0.095761	-0.025436	0.091771	-0.017955	-0.028429	-0.046384	-0.028925					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.119202	-0.0399	0.106234	-0.01995	0.095262	-0.024938	0.087282	-0.020948	-0.033416	-0.050374	-0.036908					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	0.120698	-0.036908	0.109227	-0.019451	0.092269	-0.025436	0.087282	-0.018953	-0.024439	-0.046883	-0.028429					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.119701	-0.037406	0.111222	-0.023441	0.091272	-0.030923	0.085786	-0.016459	-0.016958	-0.038903	-0.016459					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.113217	-0.02793	0.102244	-0.012469	0.089776	-0.01995	0.083292	0.000499	-0.023441	-0.022444	-0.025935					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.115212	-0.035411	0.104239	-0.018454	0.090274	-0.026933	0.083791	-0.01596	-0.026933	-0.039401	-0.029925					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.119701	-0.043392	0.107731	-0.021945	0.093267	-0.030424	0.086284	-0.016958	-0.025436	-0.044389	-0.02793					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	0.119701	-0.045387	0.107232	-0.021446	0.095761	-0.02793	0.088279	-0.012968	-0.021446	-0.040399	-0.024938					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.116708	-0.038404	0.106234	-0.022943	0.089277	-0.032419	0.082294	-0.020948	-0.017955	-0.052369	-0.017456					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.115212	-0.028928	0.100748	-0.020449	0.091272	-0.027431	0.078304	-0.004489	-0.020948	-0.028928	-0.022444					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.117706	-0.037905	0.105736	-0.024439	0.089277	-0.028928	0.081796	-0.020948	-0.019451	-0.044888	-0.021945					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.116708	-0.04389	0.104738	-0.024439	0.089277	-0.032419	0.082294	-0.02394	-0.019451	-0.049377	-0.023441					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	0.112219	-0.041895	0.100748	-0.028928	0.083292	-0.035411	0.075312	-0.018953	-0.024938	-0.044888	-0.025436					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.122195	-0.038404	0.111222	-0.01995	0.092269	-0.030923	0.084788	-0.021945	-0.013965	-0.053865	-0.012968					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.119701	-0.027431	0.106234	-0.021446	0.094264	-0.026933	0.080299	-0.008479	-0.017456	-0.032419	-0.017955					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.121197	-0.042394	0.111222	-0.026434	0.093267	-0.032419	0.087282	-0.024938	-0.018454	-0.05187	-0.020449					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.1202	-0.035411	0.108229	-0.014464	0.091272	-0.020948	0.082793	-0.017456	-0.02394	-0.045387	-0.025436					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	0.120698	-0.0399	0.109227	-0.023441	0.091771	-0.027431	0.080798	-0.018953	-0.018454	-0.045387	-0.018454					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.122195	-0.040898	0.110723	-0.023441	0.092269	-0.030923	0.084788	-0.023441	-0.011471	-0.052868	-0.011471					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.115212	-0.028928	0.103741	-0.028928	0.087781	-0.028928	0.076309	-0.021945	-0.027431	-0.039401	-0.021431					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.119701	-0.0399	0.108229	-0.025935	0.090274	-0.032918	0.081796	-0.026434	-0.01995	-0.05187	-0.020449					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.122195	-0.042893	0.108229	-0.028429	0.091272	-0.03192	0.082793	-0.025935	-0.024938	-0.052369	-0.024439					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	0.119202	-0.038903	0.106733	-0.024439	0.088279	-0.026933	0.080299	-0.025935	-0.022943	-0.048878	-0.02394					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.121197	-0.038903	0.109726	-0.022943	0.092269	-0.028429	0.084289	-0.023441	-0.013965	-0.051372	-0.014963					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.117207	-0.028928	0.105736	-0.022943	0.092768	-0.024938	0.080798	-0.01995	-0.01995	-0.042394	-0.020449					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.121696	-0.038404	0.109227	-0.024938	0.091771	-0.030424	0.084788	-0.031421	-0.016459	-0.056359	-0.017955					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.117706	-0.033915	0.106733	-0.019451	0.087781	-0.023441	0.082294	-0.02394	-0.024938	-0.049377	-0.02394					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	0.122693	-0.036908	0.111721	-0.023441	0.094763	-0.027431	0.089776	-0.022444	-0.017955	-0.049875	-0.015461					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.120698	-0.037905	0.108229	-0.022444	0.090773	-0.028928	0.082294	-0.02394	-0.016459	-0.054364	-0.018454					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.115711	-0.026933	0.103242	-0.018953	0.090773	-0.022444	0.080798	-0.018454	-0.023441	-0.045885	-0.024439					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.121197	-0.030424	0.109227	-0.01995	0.090773	-0.023441	0.084788	-0.024439	-0.019451	-0.049875	-0.01995					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.125187	-0.028928	0.111721	-0.015461	0.093766	-0.014464	0.086284	-0.023441	-0.015461	-0.045885	-0.017955					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	0.12419	-0.029426	0.109726	-0.016459	0.093766	-0.015461	0.086284	-0.022444	-0.015461	-0.044888	-0.018454					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.120698	-0.03591	0.107731	-0.022444	0.091272	-0.023441	0.084289	-0.021446	-0.018454	-0.046384	-0.016958					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.123691	-0.025935	0.110723	-0.019451	0.095262	-0.021446	0.085786	-0.016459	-0.014963	-0.0399	-0.017456					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.123192	-0.034414	0.108728	-0.019451	0.095262	-0.022943	0.084289	-0.026434	-0.017955	-0.053367	-0.021945					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.125686	-0.031421	0.113217	-0.017955	0.093766	-0.01995	0.086284	-0.025935	-0.016459	-0.052868	-0.01995					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	0.123691	-0.028429	0.110224	-0.016459	0.092768	-0.017456	0.086284	-0.02394	-0.016958	-0.049875	-0.016958					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.1202	-0.033416	0.107232	-0.022943	0.091272	-0.022444	0.083791	-0.020449	-0.016958	-0.046883	-0.015461					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.1202	-0.028928	0.107731	-0.018454	0.092269	-0.017955	0.082793	-0.021945	-0.016459	-0.045885	-0.017456					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.12419	-0.033416	0.110224	-0.019451	0.094763	-0.021945	0.086783	-0.021945	-0.017955	-0.049377	-0.019451					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.121696	-0.032419	0.109726	-0.020948	0.092269	-0.019451	0.086284	-0.024938	-0.018953	-0.048878	-0.018454					
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	0.120698	-0.032918	0.109227	-0.023441	0.091272	-0.022943	0.084289	-0.029925	-0.022943	-0.05187	-0.021446					

Table 83: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	Borda	Quality	0.170574	max	0.170574	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	Borda	Quality	0.17207	max	0.17207	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	Borda	Quality	0.163092	max	0.163092	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	Borda	Quality	0.167082	max	0.167082	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	Borda	Quality	0.165586	max	0.165586	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	Borda	Quality	0.169077	max	0.169077	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	Borda	Quality	0.170574	max	0.170574	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	Borda	Quality	0.169576	max	0.169576	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	Borda	Quality	0.16808	max	0.16808	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	Borda	Quality	0.166085	max	0.166085	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	Kemeny	Quality	0.170574	max	0.170574	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	Kemeny	Quality	0.175561	max	0.175561	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	Kemeny	Quality	0.18005	max	0.18005	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	Kemeny	Quality	0.181546	max	0.181546	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	Kemeny	Quality	0.173566	max	0.173566	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	Kemeny	Quality	0.182544	max	0.182544	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	Kemeny	Quality	0.17606	max	0.17606	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	Kemeny	Quality	0.171072	max	0.171072	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	Kemeny	Quality	0.174564	max	0.174564	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	Kemeny	Quality	0.173067	max	0.173067	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	RRF	Quality	0.167082	max	0.167082	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	RRF	Quality	0.174065	max	0.174065	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	RRF	Quality	0.17606	max	0.17606	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	RRF	Quality	0.177057	max	0.177057	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	RRF	Quality	0.180549	max	0.180549	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	RRF	Quality	0.182544	max	0.182544	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	RRF	Quality	0.180549	max	0.180549	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	RRF	Quality	0.174065	max	0.174065	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	RRF	Quality	0.175062	max	0.175062	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	RRF	Quality	0.173067	max	0.173067	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	Schulze	Quality	0.170574	max	0.170574	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	Schulze	Quality	0.174065	max	0.174065	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	Schulze	Quality	0.180549	max	0.180549	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	Schulze	Quality	0.180549	max	0.180549	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	Schulze	Quality	0.178055	max	0.178055	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	Schulze	Quality	0.18005	max	0.18005	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	Schulze	Quality	0.179551	max	0.179551	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	Schulze	Quality	0.17207	max	0.17207	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	Schulze	Quality	0.171072	max	0.171072	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	Schulze	Quality	0.175062	max	0.175062	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	Simple Averaging	Quality	0.160599	max	0.160599	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	Simple Averaging	Quality	0.163092	max	0.163092	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	Simple Averaging	Quality	0.17207	max	0.17207	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	Simple Averaging	Quality	0.177057	max	0.177057	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	Simple Averaging	Quality	0.176559	max	0.176559	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	Simple Averaging	Quality	0.176559	max	0.176559	kendall__mallows__exact__distance	0.441927	-	0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	Simple Averaging	Quality	0.175561	max	0.175561	kendall__mallows__exact__distance	0.453562	0.453562	0.002	4267.7	11	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	Simple Averaging	Quality	0.175561	max	0.175561	kendall__mallows__exact__distance	0.449333	-	0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	Simple Averaging	Quality	0.171571	max	0.171571	kendall__mallows__exact__distance	0.448046	-	0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	Simple Averaging	Quality	0.170574	max	0.170574	kendall__mallows__exact__distance	0.490753	-	0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	Borda	Quality	0.27581	min	-0.27581	kendall__mallows__exact__distance	0.336414	-	0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	Borda	Quality	0.269825	min	-0.269825	kendall__mallows__exact__distance	0.524811	-	0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	Borda	Quality	0.265835	min	-0.265835	kendall__mallows__exact__distance	0.458121	-	0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	Borda	Quality	0.264838	min	-0.264838	kendall__mallows__exact__distance	0.439905	-	0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	Borda	Quality	0.268828	min	-0.268828	kendall__mallows__exact__distance	0.447216	-	0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	Borda	Quality	0.264838	min	-0.264838	kendall__mallows__exact__distance	0.441927	-	0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	Borda	Quality	0.268329	min	-0.268329	kendall__mallows__exact__distance	0.453562	-	0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	Borda	Quality	0.266334	min	-0.266334	kendall__mallows__exact__distance	0.449333	-	0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	Borda	Quality	0.272818	min	-0.272818	kendall__mallows__exact__distance	0.448046	-	0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	Borda	Quality	0.270823	min	-0.270823	kendall__mallows__exact__distance	0.490753	-	0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	Kemeny	Quality	0.27581	min	-0.27581	kendall__mallows__exact__distance	0.336414	-	0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	Kemeny	Quality	0.26783	min	-0.26783	kendall__mallows__exact__distance	0.524811	-	0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	Kemeny	Quality	0.269327	min	-0.269327	kendall__mallows__exact__distance	0.458121	-	0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	Kemeny	Quality	0.266833	min	-0.266833	kendall__mallows__exact__distance	0.439905	-	0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	Kemeny	Quality	0.270823	min	-0.270823	kendall__mallows__exact__distance	0.447216	-	0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	Kemeny	Quality	0.271322	min	-0.271322	kendall__mallows__exact__distance	0.441927	-	0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	Kemeny	Quality	0.26783	min	-0.26783	kendall__mallows__exact__distance	0.453562	-	0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	Kemeny	Quality	0.273815	min	-0.273815	kendall__mallows__exact__distance	0.449333	-	0.449333	0.002	4188.1	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	Kemeny	Quality	0.274813	min	-0.274813	kendall_ mallows_ exact_ distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	Kemeny	Quality	0.27182	min	-0.27182	kendall_ mallows_ exact_ distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	RRF	Quality	0.275312	min	-0.275312	kendall_ mallows_ exact_ distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	RRF	Quality	0.270324	min	-0.270324	kendall_ mallows_ exact_ distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	RRF	Quality	0.266833	min	-0.266833	kendall_ mallows_ exact_ distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	RRF	Quality	0.26783	min	-0.26783	kendall_ mallows_ exact_ distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	RRF	Quality	0.272818	min	-0.272818	kendall_ mallows_ exact_ distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	RRF	Quality	0.268828	min	-0.268828	kendall_ mallows_ exact_ distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	RRF	Quality	0.270823	min	-0.270823	kendall_ mallows_ exact_ distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	RRF	Quality	0.271322	min	-0.271322	kendall_ mallows_ exact_ distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	RRF	Quality	0.270823	min	-0.270823	kendall_ mallows_ exact_ distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	RRF	Quality	0.272319	min	-0.272319	kendall_ mallows_ exact_ distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	Schulze	Quality	0.27581	min	-0.27581	kendall_ mallows_ exact_ distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	Schulze	Quality	0.268828	min	-0.268828	kendall_ mallows_ exact_ distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	Schulze	Quality	0.269825	min	-0.269825	kendall_ mallows_ exact_ distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	Schulze	Quality	0.26384	min	-0.26384	kendall_ mallows_ exact_ distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	Schulze	Quality	0.270823	min	-0.270823	kendall_ mallows_ exact_ distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	Schulze	Quality	0.26783	min	-0.26783	kendall_ mallows_ exact_ distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	Schulze	Quality	0.272818	min	-0.272818	kendall_ mallows_ exact_ distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	Schulze	Quality	0.271322	min	-0.271322	kendall_ mallows_ exact_ distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	Schulze	Quality	0.273317	min	-0.273317	kendall_ mallows_ exact_ distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	Schulze	Quality	0.271322	min	-0.271322	kendall_ mallows_ exact_ distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	Simple Averaging	Quality	0.278803	min	-0.278803	kendall_ mallows_ exact_ distance	0.336414	-0.336414	0.002	1612.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	Simple Averaging	Quality	0.273815	min	- 0.273815	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	Simple Averaging	Quality	0.273317	min	- 0.273317	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	Simple Averaging	Quality	0.269327	min	- 0.269327	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	Simple Averaging	Quality	0.274314	min	- 0.274314	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	Simple Averaging	Quality	0.272818	min	- 0.272818	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	Simple Averaging	Quality	0.272319	min	- 0.272319	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	Simple Averaging	Quality	0.270324	min	- 0.270324	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	Simple Averaging	Quality	0.27182	min	-0.27182	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	Simple Averaging	Quality	0.271322	min	- 0.271322	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	Borda	Quality	0.110224	max	0.110224	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	Borda	Quality	0.112219	max	0.112219	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	Borda	Quality	0.103242	max	0.103242	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	Borda	Quality	0.106733	max	0.106733	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	Borda	Quality	0.108229	max	0.108229	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	Borda	Quality	0.116708	max	0.116708	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	Borda	Quality	0.115711	max	0.115711	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	Borda	Quality	0.111222	max	0.111222	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	Borda	Quality	0.112219	max	0.112219	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	Borda	Quality	0.109726	max	0.109726	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	Kemeny	Quality	0.110224	max	0.110224	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	Kemeny	Quality	0.116209	max	0.116209	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	Kemeny	Quality	0.117706	max	0.117706	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	Kemeny	Quality	0.120698	max	0.120698	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	Kemeny	Quality	0.114214	max	0.114214	kendall_ mallows_ exact_ distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	Kemeny	Quality	0.123192	max	0.123192	kendall_ mallows_ exact_ distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	Kemeny	Quality	0.117706	max	0.117706	kendall_ mallows_ exact_ distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	Kemeny	Quality	0.114214	max	0.114214	kendall_ mallows_ exact_ distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	Kemeny	Quality	0.115711	max	0.115711	kendall_ mallows_ exact_ distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	Kemeny	Quality	0.116209	max	0.116209	kendall_ mallows_ exact_ distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	RRF	Quality	0.106733	max	0.106733	kendall_ mallows_ exact_ distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	RRF	Quality	0.114214	max	0.114214	kendall_ mallows_ exact_ distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	RRF	Quality	0.114713	max	0.114713	kendall_ mallows_ exact_ distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	RRF	Quality	0.118204	max	0.118204	kendall_ mallows_ exact_ distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	RRF	Quality	0.121696	max	0.121696	kendall_ mallows_ exact_ distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	RRF	Quality	0.121197	max	0.121197	kendall_ mallows_ exact_ distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	RRF	Quality	0.122195	max	0.122195	kendall_ mallows_ exact_ distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	RRF	Quality	0.115212	max	0.115212	kendall_ mallows_ exact_ distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	RRF	Quality	0.117207	max	0.117207	kendall_ mallows_ exact_ distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	RRF	Quality	0.116209	max	0.116209	kendall_ mallows_ exact_ distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	Schulze	Quality	0.110224	max	0.110224	kendall_ mallows_ exact_ distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	Schulze	Quality	0.113716	max	0.113716	kendall_ mallows_ exact_ distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	Schulze	Quality	0.117706	max	0.117706	kendall_ mallows_ exact_ distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	Schulze	Quality	0.119701	max	0.119701	kendall_ mallows_ exact_ distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	Schulze	Quality	0.1202	max	0.1202	kendall_ mallows_ exact_ distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	Schulze	Quality	0.121696	max	0.121696	kendall_ mallows_ exact_ distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	Schulze	Quality	0.1202	max	0.1202	kendall_ mallows_ exact_ distance	0.453562	-	0.002	4267.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	Schulze	Quality	0.114214	max	0.114214	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	Schulze	Quality	0.113716	max	0.113716	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	Schulze	Quality	0.119202	max	0.119202	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	Simple Averaging	Quality	0.104738	max	0.104738	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	Simple Averaging	Quality	0.106234	max	0.106234	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	Simple Averaging	Quality	0.115711	max	0.115711	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	Simple Averaging	Quality	0.115212	max	0.115212	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	Simple Averaging	Quality	0.115711	max	0.115711	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	Simple Averaging	Quality	0.117706	max	0.117706	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	Simple Averaging	Quality	0.116209	max	0.116209	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	Simple Averaging	Quality	0.115212	max	0.115212	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	Simple Averaging	Quality	0.115212	max	0.115212	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	Simple Averaging	Quality	0.114713	max	0.114713	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	Borda	Quality	0.214963	min	-	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	Borda	Quality	0.209975	min	-	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	Borda	Quality	0.206484	min	-	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	Borda	Quality	0.20798	min	-0.20798	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	Borda	Quality	0.21197	min	-0.21197	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	Borda	Quality	0.205486	min	-	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	Borda	Quality	0.208479	min	-	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	Borda	Quality	0.206484	min	-	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	Borda	Quality	0.213965	min	-	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	Borda	Quality	0.211471	min	-	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	Kemeny	Quality	0.214963	min	- 0.214963	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	Kemeny	Quality	0.208978	min	- 0.208978	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	Kemeny	Quality	0.209476	min	- 0.209476	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	Kemeny	Quality	0.207481	min	- 0.207481	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	Kemeny	Quality	0.210973	min	- 0.210973	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	Kemeny	Quality	0.210973	min	- 0.210973	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	Kemeny	Quality	0.206983	min	- 0.206983	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	Kemeny	Quality	0.213965	min	- 0.213965	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	Kemeny	Quality	0.214963	min	- 0.214963	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	Kemeny	Quality	0.210973	min	- 0.210973	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	RRF	Quality	0.214464	min	- 0.214464	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	RRF	Quality	0.209975	min	- 0.209975	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	RRF	Quality	0.206484	min	- 0.206484	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	RRF	Quality	0.208479	min	- 0.208479	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	RRF	Quality	0.21197	min	-0.21197	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	RRF	Quality	0.209476	min	- 0.209476	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	RRF	Quality	0.210973	min	- 0.210973	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	RRF	Quality	0.210973	min	- 0.210973	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	RRF	Quality	0.213466	min	- 0.213466	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	RRF	Quality	0.213965	min	- 0.213965	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	Schulze	Quality	0.214963	min	- 0.214963	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	Schulze	Quality	0.209476	min	- 0.209476	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	Schulze	Quality	0.210474	min	- 0.210474	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	Schulze	Quality	0.204489	min	- 0.204489	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	Schulze	Quality	0.210973	min	- 0.210973	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	Schulze	Quality	0.207481	min	- 0.207481	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	Schulze	Quality	0.210973	min	- 0.210973	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	Schulze	Quality	0.212469	min	- 0.212469	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	Schulze	Quality	0.212968	min	- 0.212968	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	Schulze	Quality	0.210474	min	- 0.210474	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	Simple Averaging	Quality	0.216459	min	- 0.216459	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	Simple Averaging	Quality	0.212968	min	- 0.212968	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	Simple Averaging	Quality	0.211471	min	- 0.211471	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	Simple Averaging	Quality	0.209476	min	- 0.209476	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	Simple Averaging	Quality	0.214464	min	- 0.214464	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	Simple Averaging	Quality	0.213466	min	- 0.213466	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	Simple Averaging	Quality	0.212968	min	- 0.212968	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	Simple Averaging	Quality	0.21197	min	-0.21197	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	Simple Averaging	Quality	0.21197	min	-0.21197	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	Simple Averaging	Quality	0.211471	min	- 0.211471	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 255	C	Borda	Robustness	- 0.044389	max	- 0.044389	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 255	C	Borda	Robustness	- 0.041397	max	- 0.041397	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 255	C	Borda	Robustness	- 0.022444	max	- 0.022444	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 255	C	Borda	Robustness	- 0.028928	max	- 0.028928	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 255	C	Borda	Robustness	- 0.032419	max	- 0.032419	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 255	C	Borda	Robustness	- 0.039401	max	- 0.039401	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Borda	Robustness	- 0.042394	max	- 0.042394	kendall_ mallows_ exact_ distance	0.453562	0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Borda	Robustness	- 0.045885	max	- 0.045885	kendall_ mallows_ exact_ distance	0.449333	0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Borda	Robustness	-0.0399	max	-0.0399	kendall_ mallows_ exact_ distance	0.448046	0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Borda	Robustness	- 0.045885	max	- 0.045885	kendall_ mallows_ exact_ distance	0.490753	0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.044389	max	- 0.044389	kendall_ mallows_ exact_ distance	0.336414	0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.050374	max	- 0.050374	kendall_ mallows_ exact_ distance	0.524811	0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.044389	max	- 0.044389	kendall_ mallows_ exact_ distance	0.458121	0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.049377	max	- 0.049377	kendall_ mallows_ exact_ distance	0.439905	0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.045387	max	- 0.045387	kendall_ mallows_ exact_ distance	0.447216	0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.052369	max	- 0.052369	kendall_ mallows_ exact_ distance	0.441927	0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.049377	max	- 0.049377	kendall_ mallows_ exact_ distance	0.453562	0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.045885	max	- 0.045885	kendall_ mallows_ exact_ distance	0.449333	0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.052868	max	- 0.052868	kendall_ mallows_ exact_ distance	0.448046	0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.048878	max	- 0.048878	kendall_ mallows_ exact_ distance	0.490753	0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	RRF	Robustness	- 0.042893	max	- 0.042893	kendall_ mallows_ exact_ distance	0.336414	0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	RRF	Robustness	- 0.046384	max	- 0.046384	kendall_ mallows_ exact_ distance	0.524811	0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	RRF	Robustness	- 0.039401	max	- 0.039401	kendall_ mallows_ exact_ distance	0.458121	0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	RRF	Robustness	- 0.044888	max	- 0.044888	kendall_ mallows_ exact_ distance	0.439905	0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	RRF	Robustness	-0.05187	max	-0.05187	kendall_ mallows_ exact_ distance	0.447216	0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	RRF	Robustness	-0.05187	max	-0.05187	kendall_ mallows_ exact_ distance	0.441927	0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	RRF	Robustness	- 0.056359	max	- 0.056359	kendall_ mallows_ exact_ distance	0.453562	0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	RRF	Robustness	- 0.049875	max	- 0.049875	kendall_ mallows_ exact_ distance	0.449333	0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	RRF	Robustness	- 0.053367	max	- 0.053367	kendall_ mallows_ exact_ distance	0.448046	0.448046	0.002	4298.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	RRF	Robustness	- 0.049377	max	- 0.049377	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.044389	max	- 0.044389	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.046883	max	- 0.046883	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.040399	max	- 0.040399	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.044888	max	- 0.044888	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.045387	max	- 0.045387	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.048878	max	- 0.048878	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.049875	max	- 0.049875	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.044888	max	- 0.044888	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.049875	max	- 0.049875	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Schulze	Robustness	-0.05187	max	-0.05187	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.038404	max	- 0.038404	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.048878	max	- 0.048878	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.038903	max	- 0.038903	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.052369	max	- 0.052369	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.053865	max	- 0.053865	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.052868	max	- 0.052868	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.051372	max	- 0.051372	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.054364	max	- 0.054364	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.046384	max	- 0.046384	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.046883	max	- 0.046883	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.03192	max	-0.03192	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.025436	max	- 0.025436	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.025935	max	- 0.025935	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.022444	max	- 0.022444	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.017955	max	- 0.017955	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.027431	max	- 0.027431	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.020449	max	- 0.020449	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.024439	max	- 0.024439	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.017456	max	- 0.017456	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.017456	max	- 0.017456	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.03192	max	-0.03192	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	- 0.036908	max	- 0.036908	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.02793	max	-0.02793	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	- 0.023441	max	- 0.023441	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	- 0.025436	max	- 0.025436	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	- 0.024439	max	- 0.024439	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.02394	max	-0.02394	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	- 0.017955	max	- 0.017955	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.01995	max	-0.01995	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	- 0.018454	max	- 0.018454	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.032419	max	- 0.032419	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.029925	max	- 0.029925	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.029925	max	- 0.029925	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.021945	max	- 0.021945	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.020449	max	- 0.020449	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.020449	max	- 0.020449	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.017955	max	- 0.017955	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.01995	max	-0.01995	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.021945	max	- 0.021945	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.019451	max	- 0.019451	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.03192	max	-0.03192	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	- 0.028429	max	- 0.028429	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	- 0.024938	max	- 0.024938	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	- 0.025436	max	- 0.025436	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	- 0.018454	max	- 0.018454	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.02394	max	-0.02394	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	- 0.015461	max	- 0.015461	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	- 0.018454	max	- 0.018454	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	- 0.016958	max	- 0.016958	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	- 0.021446	max	- 0.021446	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.02793	max	-0.02793	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	- 0.028928	max	- 0.028928	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	- 0.016459	max	- 0.016459	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	- 0.017456	max	- 0.017456	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	- 0.012968	max	- 0.012968	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	- 0.011471	max	- 0.011471	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	- 0.014963	max	- 0.014963	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	- 0.018454	max	- 0.018454	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	- 0.016958	max	- 0.016958	kendall__mallows__exact__distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	- 0.015461	max	- 0.015461	kendall__mallows__exact__distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Borda	Robustness	- 0.016459	max	- 0.016459	kendall__mallows__exact__distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Borda	Robustness	-0.01596	max	-0.01596	kendall__mallows__exact__distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Borda	Robustness	0.000499	max	0.000499	kendall__mallows__exact__distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Borda	Robustness	- 0.004489	max	- 0.004489	kendall__mallows__exact__distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Borda	Robustness	- 0.008479	max	- 0.008479	kendall__mallows__exact__distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Borda	Robustness	- 0.021945	max	- 0.021945	kendall__mallows__exact__distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Borda	Robustness	-0.01995	max	-0.01995	kendall__mallows__exact__distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Borda	Robustness	- 0.018454	max	- 0.018454	kendall__mallows__exact__distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Borda	Robustness	- 0.016459	max	- 0.016459	kendall__mallows__exact__distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Borda	Robustness	- 0.021945	max	- 0.021945	kendall__mallows__exact__distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.016459	max	- 0.016459	kendall__mallows__exact__distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.020948	max	- 0.020948	kendall__mallows__exact__distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.016958	max	- 0.016958	kendall__mallows__exact__distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.02394	max	-0.02394	kendall__mallows__exact__distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.017456	max	- 0.017456	kendall__mallows__exact__distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.025935	max	- 0.025935	kendall__mallows__exact__distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.02394	max	-0.02394	kendall__mallows__exact__distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.023441	max	- 0.023441	kendall__mallows__exact__distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.025935	max	- 0.025935	kendall__mallows__exact__distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.024938	max	- 0.024938	kendall__mallows__exact__distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	RRF	Robustness	- 0.013466	max	- 0.013466	kendall__mallows__exact__distance	0.336414	- 0.336414	0.002	1612.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	RRF	Robustness	- 0.017955	max	- 0.017955	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	RRF	Robustness	-0.01596	max	-0.01596	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	RRF	Robustness	- 0.020948	max	- 0.020948	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	RRF	Robustness	- 0.024938	max	- 0.024938	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	RRF	Robustness	- 0.026434	max	- 0.026434	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	RRF	Robustness	- 0.031421	max	- 0.031421	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	RRF	Robustness	- 0.024439	max	- 0.024439	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	RRF	Robustness	- 0.026434	max	- 0.026434	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	RRF	Robustness	- 0.021945	max	- 0.021945	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.016459	max	- 0.016459	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.018953	max	- 0.018953	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.012968	max	- 0.012968	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.018953	max	- 0.018953	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.018953	max	- 0.018953	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.025935	max	- 0.025935	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.022444	max	- 0.022444	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.022444	max	- 0.022444	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Schulze	Robustness	-0.02394	max	-0.02394	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.029925	max	- 0.029925	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.013466	max	- 0.013466	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.01995	max	-0.01995	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.016459	max	- 0.016459	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.020948	max	- 0.020948	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.021945	max	- 0.021945	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.023441	max	- 0.023441	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.023441	max	- 0.023441	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.02394	max	-0.02394	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.021446	max	- 0.021446	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.020449	max	- 0.020449	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	- 0.029925	max	- 0.029925	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	- 0.022943	max	- 0.022943	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	- 0.023441	max	- 0.023441	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	- 0.020948	max	- 0.020948	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	- 0.017456	max	- 0.017456	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	- 0.027431	max	- 0.027431	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.01995	max	-0.01995	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	- 0.023441	max	- 0.023441	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	- 0.014963	max	- 0.014963	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	- 0.016459	max	- 0.016459	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	- 0.029925	max	- 0.029925	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	- 0.033416	max	- 0.033416	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	- 0.025436	max	- 0.025436	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	- 0.019451	max	- 0.019451	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.02394	max	-0.02394	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	- 0.024938	max	- 0.024938	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	- 0.024938	max	- 0.024938	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	- 0.015461	max	- 0.015461	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	- 0.016459	max	- 0.016459	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	- 0.018953	max	- 0.018953	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.030424	max	- 0.030424	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.028429	max	- 0.028429	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.026933	max	- 0.026933	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.019451	max	- 0.019451	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.018454	max	- 0.018454	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.01995	max	-0.01995	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.016459	max	- 0.016459	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.019451	max	- 0.019451	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.017955	max	- 0.017955	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.017955	max	- 0.017955	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	- 0.029925	max	- 0.029925	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	- 0.024439	max	- 0.024439	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	- 0.021446	max	- 0.021446	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	- 0.024938	max	- 0.024938	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	- 0.018454	max	- 0.018454	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	- 0.022943	max	- 0.022943	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	- 0.017955	max	- 0.017955	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	- 0.015461	max	- 0.015461	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	- 0.016958	max	- 0.016958	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	- 0.022943	max	- 0.022943	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	- 0.027431	max	- 0.027431	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	- 0.026434	max	- 0.026434	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	- 0.016958	max	- 0.016958	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	- 0.017955	max	- 0.017955	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	- 0.013965	max	- 0.013965	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	- 0.011471	max	- 0.011471	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	- 0.013965	max	- 0.013965	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	- 0.016459	max	- 0.016459	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	- 0.018454	max	- 0.018454	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	- 0.016958	max	- 0.016958	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	Borda	Robustness	- 0.063342	max	- 0.063342	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	Borda	Robustness	- 0.059352	max	- 0.059352	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	Borda	Robustness	-0.05586	max	-0.05586	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	Borda	Robustness	- 0.061845	max	- 0.061845	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	Borda	Robustness	- 0.058853	max	- 0.058853	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	Borda	Robustness	- 0.060349	max	- 0.060349	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	Borda	Robustness	- 0.057855	max	- 0.057855	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	Borda	Robustness	- 0.056359	max	- 0.056359	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	Borda	Robustness	- 0.054364	max	- 0.054364	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	Borda	Robustness	-0.05187	max	-0.05187	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	Kemeny	Robustness	- 0.063342	max	- 0.063342	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	Kemeny	Robustness	-0.06384	max	-0.06384	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	Kemeny	Robustness	-0.06783	max	-0.06783	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	Kemeny	Robustness	- 0.067332	max	- 0.067332	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	Kemeny	Robustness	- 0.058354	max	- 0.058354	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	Kemeny	Robustness	- 0.066334	max	- 0.066334	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	Kemeny	Robustness	- 0.059352	max	- 0.059352	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	Kemeny	Robustness	- 0.053367	max	- 0.053367	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	Kemeny	Robustness	- 0.056858	max	- 0.056858	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	Kemeny	Robustness	- 0.056858	max	- 0.056858	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	RRF	Robustness	-0.05985	max	-0.05985	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	RRF	Robustness	- 0.059352	max	- 0.059352	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	RRF	Robustness	- 0.065835	max	- 0.065835	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	RRF	Robustness	- 0.063342	max	- 0.063342	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	RRF	Robustness	-0.06783	max	-0.06783	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	RRF	Robustness	- 0.067332	max	- 0.067332	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	RRF	Robustness	- 0.064838	max	- 0.064838	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	RRF	Robustness	- 0.057357	max	- 0.057357	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	RRF	Robustness	- 0.059352	max	- 0.059352	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	RRF	Robustness	- 0.058354	max	- 0.058354	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	Schulze	Robustness	- 0.063342	max	- 0.063342	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	Schulze	Robustness	- 0.062344	max	- 0.062344	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	Schulze	Robustness	- 0.070324	max	- 0.070324	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	Schulze	Robustness	-0.06783	max	-0.06783	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	Schulze	Robustness	-0.06384	max	-0.06384	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	Schulze	Robustness	- 0.065337	max	- 0.065337	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	Schulze	Robustness	- 0.064339	max	- 0.064339	kendall_ mallows_ exact_ distance	0.453562	0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	Schulze	Robustness	- 0.056359	max	- 0.056359	kendall_ mallows_ exact_ distance	0.449333	0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	Schulze	Robustness	-0.05586	max	-0.05586	kendall_ mallows_ exact_ distance	0.448046	0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	Schulze	Robustness	- 0.057855	max	- 0.057855	kendall_ mallows_ exact_ distance	0.490753	0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	Simple Averaging	Robustness	-0.05586	max	-0.05586	kendall_ mallows_ exact_ distance	0.336414	0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	Simple Averaging	Robustness	-0.05586	max	-0.05586	kendall_ mallows_ exact_ distance	0.524811	0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.066833	max	- 0.066833	kendall_ mallows_ exact_ distance	0.458121	0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.068329	max	- 0.068329	kendall_ mallows_ exact_ distance	0.439905	0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.068329	max	- 0.068329	kendall_ mallows_ exact_ distance	0.447216	0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.067332	max	- 0.067332	kendall_ mallows_ exact_ distance	0.441927	0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.067332	max	- 0.067332	kendall_ mallows_ exact_ distance	0.453562	0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.065337	max	- 0.065337	kendall_ mallows_ exact_ distance	0.449333	0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.062344	max	- 0.062344	kendall_ mallows_ exact_ distance	0.448046	0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.061845	max	- 0.061845	kendall_ mallows_ exact_ distance	0.490753	0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Borda	Robustness	0.137157	max	0.137157	kendall_ mallows_ exact_ distance	0.336414	0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Borda	Robustness	0.133167	max	0.133167	kendall_ mallows_ exact_ distance	0.524811	0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Borda	Robustness	0.126185	max	0.126185	kendall_ mallows_ exact_ distance	0.458121	0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Borda	Robustness	0.123691	max	0.123691	kendall_ mallows_ exact_ distance	0.439905	0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Borda	Robustness	0.127681	max	0.127681	kendall_ mallows_ exact_ distance	0.447216	0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Borda	Robustness	0.123192	max	0.123192	kendall_ mallows_ exact_ distance	0.441927	0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Borda	Robustness	0.126683	max	0.126683	kendall_ mallows_ exact_ distance	0.453562	0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Borda	Robustness	0.126185	max	0.126185	kendall_ mallows_ exact_ distance	0.449333	0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Borda	Robustness	0.13217	max	0.13217	kendall_ mallows_ exact_ distance	0.448046	0.448046	0.002	4298.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Borda	Robustness	0.128678	max	0.128678	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.137157	max	0.137157	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.129177	max	0.129177	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.131172	max	0.131172	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.12818	max	0.12818	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.131172	max	0.131172	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.130673	max	0.130673	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.12818	max	0.12818	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.134165	max	0.134165	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.136658	max	0.136658	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.133167	max	0.133167	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	RRF	Robustness	0.137157	max	0.137157	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	RRF	Robustness	0.133666	max	0.133666	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	RRF	Robustness	0.127182	max	0.127182	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	RRF	Robustness	0.127681	max	0.127681	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	RRF	Robustness	0.13217	max	0.13217	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	RRF	Robustness	0.12818	max	0.12818	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	RRF	Robustness	0.130175	max	0.130175	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	RRF	Robustness	0.130673	max	0.130673	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	RRF	Robustness	0.131671	max	0.131671	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	RRF	Robustness	0.134165	max	0.134165	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.137157	max	0.137157	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.13217	max	0.13217	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.130673	max	0.130673	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.12419	max	0.12419	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.130175	max	0.130175	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.127182	max	0.127182	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.133167	max	0.133167	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.131671	max	0.131671	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.135661	max	0.135661	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.132668	max	0.132668	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.140648	max	0.140648	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.135162	max	0.135162	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.132668	max	0.132668	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.127182	max	0.127182	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.131671	max	0.131671	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.130175	max	0.130175	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.130175	max	0.130175	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.127681	max	0.127681	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129676	max	0.129676	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129177	max	0.129177	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	Borda	Robustness	- 0.056858	max	- 0.056858	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	Borda	Robustness	-0.05586	max	-0.05586	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	Borda	Robustness	- 0.049377	max	- 0.049377	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	Borda	Robustness	- 0.055362	max	- 0.055362	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	Borda	Robustness	- 0.056858	max	- 0.056858	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	Borda	Robustness	- 0.061845	max	- 0.061845	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	Borda	Robustness	- 0.058853	max	- 0.058853	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	Borda	Robustness	- 0.053865	max	- 0.053865	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	Borda	Robustness	- 0.055362	max	- 0.055362	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	Borda	Robustness	- 0.050873	max	- 0.050873	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	Kemeny	Robustness	- 0.056858	max	- 0.056858	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	Kemeny	Robustness	- 0.060349	max	- 0.060349	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	Kemeny	Robustness	- 0.062344	max	- 0.062344	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	Kemeny	Robustness	- 0.062843	max	- 0.062843	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	Kemeny	Robustness	- 0.056359	max	- 0.056359	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	Kemeny	Robustness	- 0.065337	max	- 0.065337	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	Kemeny	Robustness	- 0.056858	max	- 0.056858	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	Kemeny	Robustness	- 0.054863	max	- 0.054863	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	Kemeny	Robustness	- 0.055362	max	- 0.055362	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	Kemeny	Robustness	- 0.057855	max	- 0.057855	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	RRF	Robustness	- 0.052868	max	- 0.052868	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	RRF	Robustness	- 0.057855	max	- 0.057855	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	RRF	Robustness	- 0.060349	max	- 0.060349	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	RRF	Robustness	- 0.060349	max	- 0.060349	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	RRF	Robustness	- 0.065337	max	- 0.065337	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	RRF	Robustness	- 0.063342	max	- 0.063342	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	RRF	Robustness	- 0.062843	max	- 0.062843	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	RRF	Robustness	-0.05586	max	-0.05586	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	RRF	Robustness	- 0.059352	max	- 0.059352	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	RRF	Robustness	- 0.058354	max	- 0.058354	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	Schulze	Robustness	- 0.056858	max	- 0.056858	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	Schulze	Robustness	- 0.058354	max	- 0.058354	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	Schulze	Robustness	- 0.060848	max	- 0.060848	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	Schulze	Robustness	- 0.062843	max	- 0.062843	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	Schulze	Robustness	- 0.063342	max	- 0.063342	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	Schulze	Robustness	- 0.064339	max	- 0.064339	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	Schulze	Robustness	- 0.061347	max	- 0.061347	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	Schulze	Robustness	- 0.054863	max	- 0.054863	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	Schulze	Robustness	- 0.057855	max	- 0.057855	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	Schulze	Robustness	-0.05985	max	-0.05985	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.052868	max	- 0.052868	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.052369	max	- 0.052369	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.061347	max	- 0.061347	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.061347	max	- 0.061347	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	Simple Averaging	Robustness	-0.06384	max	-0.06384	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.065337	max	- 0.065337	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.062344	max	- 0.062344	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	Simple Averaging	Robustness	-0.05985	max	-0.05985	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.060848	max	- 0.060848	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	Simple Averaging	Robustness	-0.05985	max	-0.05985	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Borda	Robustness	0.140648	max	0.140648	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Borda	Robustness	0.136658	max	0.136658	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Borda	Robustness	0.130175	max	0.130175	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Borda	Robustness	0.129676	max	0.129676	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Borda	Robustness	0.133666	max	0.133666	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Borda	Robustness	0.127182	max	0.127182	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Borda	Robustness	0.129676	max	0.129676	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Borda	Robustness	0.128678	max	0.128678	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Borda	Robustness	0.13616	max	0.13616	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Borda	Robustness	0.133167	max	0.133167	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.140648	max	0.140648	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.133167	max	0.133167	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.133666	max	0.133666	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.13217	max	0.13217	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134165	max	0.134165	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134165	max	0.134165	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.131172	max	0.131172	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.137157	max	0.137157	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.139152	max	0.139152	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134663	max	0.134663	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	RRF	Robustness	0.14015	max	0.14015	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	RRF	Robustness	0.135661	max	0.135661	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	RRF	Robustness	0.129676	max	0.129676	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	RRF	Robustness	0.131172	max	0.131172	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	max	0.134165	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	RRF	Robustness	0.131671	max	0.131671	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	max	0.134165	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	max	0.134165	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	RRF	Robustness	0.137157	max	0.137157	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	RRF	Robustness	0.138653	max	0.138653	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.140648	max	0.140648	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.135661	max	0.135661	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.135162	max	0.135162	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.127681	max	0.127681	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.134165	max	0.134165	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.129676	max	0.129676	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.134663	max	0.134663	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.13616	max	0.13616	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.137656	max	0.137656	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.133666	max	0.133666	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.141147	max	0.141147	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.137157	max	0.137157	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133666	max	0.133666	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.130175	max	0.130175	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.134663	max	0.134663	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	max	0.133167	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	max	0.133167	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	max	0.133167	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	max	0.133167	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.132668	max	0.132668	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Borda	Robustness	-0.02793	max	-0.02793	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Kemeny	Robustness	-0.0399	max	-0.0399	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Kemeny	Robustness	-0.04389	max	-0.04389	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	RRF	Robustness	- 0.036908	max	- 0.036908	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	RRF	Robustness	-0.03591	max	-0.03591	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	RRF	Robustness	- 0.035411	max	- 0.035411	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	RRF	Robustness	- 0.037905	max	- 0.037905	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	RRF	Robustness	- 0.042394	max	- 0.042394	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	RRF	Robustness	-0.0399	max	-0.0399	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	RRF	Robustness	- 0.038404	max	- 0.038404	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	RRF	Robustness	- 0.030424	max	- 0.030424	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	RRF	Robustness	- 0.034414	max	- 0.034414	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	RRF	Robustness	- 0.033416	max	- 0.033416	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Schulze	Robustness	- 0.040399	max	- 0.040399	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Schulze	Robustness	- 0.036908	max	- 0.036908	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Schulze	Robustness	- 0.045387	max	- 0.045387	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Schulze	Robustness	- 0.041895	max	- 0.041895	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Schulze	Robustness	-0.0399	max	-0.0399	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Schulze	Robustness	- 0.038903	max	- 0.038903	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Schulze	Robustness	- 0.036908	max	- 0.036908	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Schulze	Robustness	- 0.029426	max	- 0.029426	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Schulze	Robustness	- 0.028429	max	- 0.028429	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Schulze	Robustness	- 0.032918	max	- 0.032918	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.030424	max	- 0.030424	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.031421	max	- 0.031421	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.037406	max	- 0.037406	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.038404	max	- 0.038404	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.038404	max	- 0.038404	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.040898	max	- 0.040898	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.038903	max	- 0.038903	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.037905	max	- 0.037905	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.03591	max	-0.03591	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.033416	max	- 0.033416	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.113217	max	0.113217	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.110723	max	0.110723	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.102244	max	0.102244	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.100748	max	0.100748	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.106234	max	0.106234	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.103741	max	0.103741	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.105736	max	0.105736	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.103242	max	0.103242	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.110723	max	0.110723	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.107731	max	0.107731	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.113217	max	0.113217	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.106234	max	0.106234	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.107731	max	0.107731	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.104738	max	0.104738	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.108229	max	0.108229	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.108229	max	0.108229	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.106733	max	0.106733	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.111721	max	0.111721	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.113217	max	0.113217	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.109726	max	0.109726	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.112718	max	0.112718	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109726	max	0.109726	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.104239	max	0.104239	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.105736	max	0.105736	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.111222	max	0.111222	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.108229	max	0.108229	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109227	max	0.109227	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109227	max	0.109227	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.108728	max	0.108728	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.110224	max	0.110224	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.113217	max	0.113217	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	max	0.109227	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.107232	max	0.107232	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.100748	max	0.100748	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	max	0.109227	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.106733	max	0.106733	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.111721	max	0.111721	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109726	max	0.109726	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.110224	max	0.110224	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	max	0.109227	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.115212	max	0.115212	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.110723	max	0.110723	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.111222	max	0.111222	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.106234	max	0.106234	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.111222	max	0.111222	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.110723	max	0.110723	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.109726	max	0.109726	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.108229	max	0.108229	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.107731	max	0.107731	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.107232	max	0.107232	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Borda	Robustness	- 0.039401	max	- 0.039401	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Borda	Robustness	- 0.038404	max	- 0.038404	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Borda	Robustness	- 0.033416	max	- 0.033416	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Borda	Robustness	- 0.038404	max	- 0.038404	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Borda	Robustness	- 0.038903	max	- 0.038903	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Borda	Robustness	- 0.047382	max	- 0.047382	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Borda	Robustness	- 0.041895	max	- 0.041895	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Borda	Robustness	- 0.037406	max	- 0.037406	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Borda	Robustness	- 0.037905	max	- 0.037905	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Borda	Robustness	- 0.038404	max	- 0.038404	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.039401	max	- 0.039401	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.042893	max	- 0.042893	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.044389	max	- 0.044389	kendall_ mallows_ exact_ distance	0.458121	0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.048379	max	- 0.048379	kendall_ mallows_ exact_ distance	0.439905	0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.041397	max	- 0.041397	kendall_ mallows_ exact_ distance	0.447216	0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.050374	max	- 0.050374	kendall_ mallows_ exact_ distance	0.441927	0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.043392	max	- 0.043392	kendall_ mallows_ exact_ distance	0.453562	0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.040399	max	- 0.040399	kendall_ mallows_ exact_ distance	0.449333	0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.040898	max	- 0.040898	kendall_ mallows_ exact_ distance	0.448046	0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.041397	max	- 0.041397	kendall_ mallows_ exact_ distance	0.490753	0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	RRF	Robustness	- 0.035411	max	- 0.035411	kendall_ mallows_ exact_ distance	0.336414	0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	RRF	Robustness	- 0.039401	max	- 0.039401	kendall_ mallows_ exact_ distance	0.524811	0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	RRF	Robustness	- 0.039401	max	- 0.039401	kendall_ mallows_ exact_ distance	0.458121	0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	RRF	Robustness	- 0.044389	max	- 0.044389	kendall_ mallows_ exact_ distance	0.439905	0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	RRF	Robustness	- 0.048878	max	- 0.048878	kendall_ mallows_ exact_ distance	0.447216	0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	RRF	Robustness	- 0.046883	max	- 0.046883	kendall_ mallows_ exact_ distance	0.441927	0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	RRF	Robustness	- 0.046883	max	- 0.046883	kendall_ mallows_ exact_ distance	0.453562	0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	RRF	Robustness	- 0.040898	max	- 0.040898	kendall_ mallows_ exact_ distance	0.449333	0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	RRF	Robustness	- 0.042893	max	- 0.042893	kendall_ mallows_ exact_ distance	0.448046	0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	RRF	Robustness	- 0.041397	max	- 0.041397	kendall_ mallows_ exact_ distance	0.490753	0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Schulze	Robustness	- 0.039401	max	- 0.039401	kendall_ mallows_ exact_ distance	0.336414	0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Schulze	Robustness	- 0.039401	max	- 0.039401	kendall_ mallows_ exact_ distance	0.524811	0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Schulze	Robustness	- 0.047382	max	- 0.047382	kendall_ mallows_ exact_ distance	0.458121	0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Schulze	Robustness	- 0.047382	max	- 0.047382	kendall_ mallows_ exact_ distance	0.439905	0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Schulze	Robustness	- 0.047382	max	- 0.047382	kendall_ mallows_ exact_ distance	0.447216	0.447216	0.002	4164.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Schulze	Robustness	-0.04788	max	-0.04788	kendall_ mallows_ exact_ distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Schulze	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Schulze	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Schulze	Robustness	-0.0399	max	-0.0399	kendall_ mallows_ exact_ distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Schulze	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.04389	max	-0.04389	kendall_ mallows_ exact_ distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.04389	max	-0.04389	kendall_ mallows_ exact_ distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.124688	max	0.124688	kendall_ mallows_ exact_ distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.121696	max	0.121696	kendall_ mallows_ exact_ distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.113217	max	0.113217	kendall_ mallows_ exact_ distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115212	max	0.115212	kendall_ mallows_ exact_ distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.119701	max	0.119701	kendall_ mallows_ exact_ distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115212	max	0.115212	kendall_ mallows_ exact_ distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.117207	max	0.117207	kendall_ mallows_ exact_ distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115711	max	0.115711	kendall_ mallows_ exact_ distance	0.449333	-	0.002	4188.1	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.123691	max	0.123691	kendall_ mallows_ exact_ distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1202	max	0.1202	kendall_ mallows_ exact_ distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.124688	max	0.124688	kendall_ mallows_ exact_ distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.119202	max	0.119202	kendall_ mallows_ exact_ distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.119701	max	0.119701	kendall_ mallows_ exact_ distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.116708	max	0.116708	kendall_ mallows_ exact_ distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1202	max	0.1202	kendall_ mallows_ exact_ distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.122195	max	0.122195	kendall_ mallows_ exact_ distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.117706	max	0.117706	kendall_ mallows_ exact_ distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.125187	max	0.125187	kendall_ mallows_ exact_ distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.125686	max	0.125686	kendall_ mallows_ exact_ distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.121696	max	0.121696	kendall_ mallows_ exact_ distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.12419	max	0.12419	kendall_ mallows_ exact_ distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.120698	max	0.120698	kendall_ mallows_ exact_ distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.115212	max	0.115212	kendall_ mallows_ exact_ distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.117706	max	0.117706	kendall_ mallows_ exact_ distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121197	max	0.121197	kendall_ mallows_ exact_ distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.119701	max	0.119701	kendall_ mallows_ exact_ distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121696	max	0.121696	kendall_ mallows_ exact_ distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121197	max	0.121197	kendall_ mallows_ exact_ distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.123192	max	0.123192	kendall_ mallows_ exact_ distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.12419	max	0.12419	kendall_ mallows_ exact_ distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.124688	max	0.124688	kendall_ mallows_ exact_ distance	0.336414	-	0.002	1612.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	max	0.120698	kendall__mallows__exact__distance	0.524811	-	0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.119701	max	0.119701	kendall__mallows__exact__distance	0.458121	-	0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.112219	max	0.112219	kendall__mallows__exact__distance	0.439905	-	0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	max	0.120698	kendall__mallows__exact__distance	0.447216	-	0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.119202	max	0.119202	kendall__mallows__exact__distance	0.441927	-	0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.122693	max	0.122693	kendall__mallows__exact__distance	0.453562	-	0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.12419	max	0.12419	kendall__mallows__exact__distance	0.449333	-	0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.123691	max	0.123691	kendall__mallows__exact__distance	0.448046	-	0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	max	0.120698	kendall__mallows__exact__distance	0.490753	-	0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.125686	max	0.125686	kendall__mallows__exact__distance	0.336414	-	0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.121696	max	0.121696	kendall__mallows__exact__distance	0.524811	-	0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.119701	max	0.119701	kendall__mallows__exact__distance	0.458121	-	0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.116708	max	0.116708	kendall__mallows__exact__distance	0.439905	-	0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.122195	max	0.122195	kendall__mallows__exact__distance	0.447216	-	0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.122195	max	0.122195	kendall__mallows__exact__distance	0.441927	-	0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.121197	max	0.121197	kendall__mallows__exact__distance	0.453562	-	0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.120698	max	0.120698	kendall__mallows__exact__distance	0.449333	-	0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.120698	max	0.120698	kendall__mallows__exact__distance	0.448046	-	0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1202	max	0.1202	kendall__mallows__exact__distance	0.490753	-	0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.336414	-	0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.524811	-	0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	Borda	Robustness	-0.01995	max	-0.01995	kendall__mallows__exact__distance	0.458121	-	0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.439905	-	0.439905	0.002	4244.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	Borda	Robustness	- 0.026933	max	- 0.026933	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	Borda	Robustness	- 0.028928	max	- 0.028928	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	Borda	Robustness	- 0.024938	max	- 0.024938	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	Borda	Robustness	- 0.022444	max	- 0.022444	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	Borda	Robustness	- 0.021446	max	- 0.021446	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	Borda	Robustness	- 0.017955	max	- 0.017955	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	Kemeny	Robustness	- 0.021446	max	- 0.021446	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	Kemeny	Robustness	- 0.024938	max	- 0.024938	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	Kemeny	Robustness	- 0.030424	max	- 0.030424	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	Kemeny	Robustness	- 0.032419	max	- 0.032419	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	Kemeny	Robustness	- 0.020948	max	- 0.020948	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	Kemeny	Robustness	-0.03192	max	-0.03192	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	Kemeny	Robustness	- 0.023441	max	- 0.023441	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	Kemeny	Robustness	- 0.014464	max	- 0.014464	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	Kemeny	Robustness	-0.01995	max	-0.01995	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	Kemeny	Robustness	- 0.019451	max	- 0.019451	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	RRF	Robustness	- 0.019451	max	- 0.019451	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	RRF	Robustness	- 0.025436	max	- 0.025436	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	RRF	Robustness	- 0.026933	max	- 0.026933	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	RRF	Robustness	- 0.028928	max	- 0.028928	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	RRF	Robustness	- 0.032419	max	- 0.032419	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	RRF	Robustness	- 0.032918	max	- 0.032918	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	RRF	Robustness	- 0.030424	max	- 0.030424	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	RRF	Robustness	- 0.023441	max	- 0.023441	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	RRF	Robustness	- 0.022943	max	- 0.022943	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	RRF	Robustness	- 0.021945	max	- 0.021945	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	Schulze	Robustness	- 0.021446	max	- 0.021446	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	Schulze	Robustness	- 0.025436	max	- 0.025436	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	Schulze	Robustness	-0.02793	max	-0.02793	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	Schulze	Robustness	- 0.035411	max	- 0.035411	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	Schulze	Robustness	- 0.027431	max	- 0.027431	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	Schulze	Robustness	- 0.026933	max	- 0.026933	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	Schulze	Robustness	- 0.027431	max	- 0.027431	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	Schulze	Robustness	- 0.015461	max	- 0.015461	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	Schulze	Robustness	- 0.017456	max	- 0.017456	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	Schulze	Robustness	- 0.022943	max	- 0.022943	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	Simple Averaging	Robustness	- 0.015461	max	- 0.015461	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	Simple Averaging	Robustness	- 0.016958	max	- 0.016958	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	Simple Averaging	Robustness	- 0.030923	max	- 0.030923	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	Simple Averaging	Robustness	- 0.032419	max	- 0.032419	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	Simple Averaging	Robustness	- 0.030923	max	- 0.030923	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	Simple Averaging	Robustness	- 0.030923	max	- 0.030923	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	Simple Averaging	Robustness	- 0.028429	max	- 0.028429	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	Simple Averaging	Robustness	- 0.028928	max	- 0.028928	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	Simple Averaging	Robustness	- 0.023441	max	- 0.023441	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	Simple Averaging	Robustness	- 0.022444	max	- 0.022444	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Borda	Robustness	0.090773	max	0.090773	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Borda	Robustness	0.089277	max	0.089277	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Borda	Robustness	0.083292	max	0.083292	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Borda	Robustness	0.078304	max	0.078304	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Borda	Robustness	0.080299	max	0.080299	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Borda	Robustness	0.076309	max	0.076309	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Borda	Robustness	0.080798	max	0.080798	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Borda	Robustness	0.080798	max	0.080798	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Borda	Robustness	0.085786	max	0.085786	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Borda	Robustness	0.082793	max	0.082793	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.090773	max	0.090773	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.087282	max	0.087282	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	max	0.086284	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.082294	max	0.082294	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.082793	max	0.082793	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.082793	max	0.082793	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.082294	max	0.082294	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	max	0.086284	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	max	0.086284	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	max	0.086284	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	RRF	Robustness	0.089277	max	0.089277	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	RRF	Robustness	0.091771	max	0.091771	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	RRF	Robustness	0.083791	max	0.083791	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	RRF	Robustness	0.081796	max	0.081796	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	RRF	Robustness	0.087282	max	0.087282	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	RRF	Robustness	0.081796	max	0.081796	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	RRF	Robustness	0.084788	max	0.084788	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	RRF	Robustness	0.084788	max	0.084788	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	RRF	Robustness	0.084289	max	0.084289	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	RRF	Robustness	0.086783	max	0.086783	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Schulze	Robustness	0.090773	max	0.090773	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Schulze	Robustness	0.087282	max	0.087282	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Schulze	Robustness	0.088279	max	0.088279	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Schulze	Robustness	0.075312	max	0.075312	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Schulze	Robustness	0.080798	max	0.080798	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Schulze	Robustness	0.080299	max	0.080299	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Schulze	Robustness	0.089776	max	0.089776	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Schulze	Robustness	0.086284	max	0.086284	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Schulze	Robustness	0.086284	max	0.086284	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Schulze	Robustness	0.084289	max	0.084289	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.088279	max	0.088279	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	max	0.084788	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.085786	max	0.085786	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.082294	max	0.082294	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	max	0.084788	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	max	0.084788	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084289	max	0.084289	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.082294	max	0.082294	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084289	max	0.084289	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.083791	max	0.083791	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	Kemeny	Robustness	-0.01995	max	-0.01995	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	Kemeny	Robustness	- 0.020948	max	- 0.020948	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	RRF	Robustness	- 0.010973	max	- 0.010973	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	RRF	Robustness	-0.01995	max	-0.01995	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	RRF	Robustness	- 0.018454	max	- 0.018454	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	RRF	Robustness	- 0.024439	max	- 0.024439	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	RRF	Robustness	- 0.026434	max	- 0.026434	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	RRF	Robustness	- 0.025935	max	- 0.025935	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	RRF	Robustness	- 0.024938	max	- 0.024938	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	RRF	Robustness	-0.01995	max	-0.01995	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	RRF	Robustness	- 0.019451	max	- 0.019451	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	RRF	Robustness	- 0.019451	max	- 0.019451	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	Schulze	Robustness	- 0.014464	max	- 0.014464	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	Schulze	Robustness	- 0.019451	max	- 0.019451	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	Schulze	Robustness	- 0.021446	max	- 0.021446	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	Schulze	Robustness	- 0.028928	max	- 0.028928	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	Schulze	Robustness	- 0.023441	max	- 0.023441	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	Schulze	Robustness	- 0.024439	max	- 0.024439	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	Schulze	Robustness	- 0.023441	max	- 0.023441	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	Schulze	Robustness	- 0.016459	max	- 0.016459	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	Schulze	Robustness	- 0.016459	max	- 0.016459	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	Schulze	Robustness	- 0.023441	max	- 0.023441	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	Simple Averaging	Robustness	- 0.009975	max	- 0.009975	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	Simple Averaging	Robustness	- 0.012469	max	- 0.012469	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	Simple Averaging	Robustness	- 0.023441	max	- 0.023441	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	Simple Averaging	Robustness	- 0.022943	max	- 0.022943	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	Simple Averaging	Robustness	-0.01995	max	-0.01995	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	Simple Averaging	Robustness	- 0.023441	max	- 0.023441	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	Simple Averaging	Robustness	- 0.022943	max	- 0.022943	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	Simple Averaging	Robustness	- 0.022444	max	- 0.022444	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	Simple Averaging	Robustness	- 0.022444	max	- 0.022444	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	Simple Averaging	Robustness	- 0.022943	max	- 0.022943	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Borda	Robustness	0.095262	max	0.095262	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Borda	Robustness	0.092768	max	0.092768	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Borda	Robustness	0.089776	max	0.089776	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Borda	Robustness	0.091272	max	0.091272	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Borda	Robustness	0.094264	max	0.094264	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Borda	Robustness	0.087781	max	0.087781	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Borda	Robustness	0.092768	max	0.092768	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Borda	Robustness	0.090773	max	0.090773	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Borda	Robustness	0.095262	max	0.095262	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Borda	Robustness	0.092269	max	0.092269	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.095262	max	0.095262	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.095262	max	0.095262	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.093267	max	0.093267	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.089277	max	0.089277	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.091272	max	0.091272	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.091272	max	0.091272	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.087781	max	0.087781	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.093766	max	0.093766	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.093766	max	0.093766	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.092269	max	0.092269	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	RRF	Robustness	0.093766	max	0.093766	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	RRF	Robustness	0.095761	max	0.095761	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	RRF	Robustness	0.090274	max	0.090274	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	RRF	Robustness	0.089277	max	0.089277	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	RRF	Robustness	0.093267	max	0.093267	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	RRF	Robustness	0.090274	max	0.090274	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	RRF	Robustness	0.091771	max	0.091771	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	RRF	Robustness	0.090773	max	0.090773	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	RRF	Robustness	0.095262	max	0.095262	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	RRF	Robustness	0.094763	max	0.094763	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Schulze	Robustness	0.095262	max	0.095262	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Schulze	Robustness	0.092269	max	0.092269	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Schulze	Robustness	0.095761	max	0.095761	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Schulze	Robustness	0.083292	max	0.083292	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Schulze	Robustness	0.091771	max	0.091771	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Schulze	Robustness	0.088279	max	0.088279	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Schulze	Robustness	0.094763	max	0.094763	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Schulze	Robustness	0.093766	max	0.093766	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Schulze	Robustness	0.092768	max	0.092768	kendall_ mallows_ exact_ distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Schulze	Robustness	0.091272	max	0.091272	kendall_ mallows_ exact_ distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	max	0.091272	kendall_ mallows_ exact_ distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.089776	max	0.089776	kendall_ mallows_ exact_ distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	max	0.091272	kendall_ mallows_ exact_ distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.089277	max	0.089277	kendall_ mallows_ exact_ distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	max	0.092269	kendall_ mallows_ exact_ distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	max	0.092269	kendall_ mallows_ exact_ distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	max	0.092269	kendall_ mallows_ exact_ distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.090773	max	0.090773	kendall_ mallows_ exact_ distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	max	0.091272	kendall_ mallows_ exact_ distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	max	0.091272	kendall_ mallows_ exact_ distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	Borda	Quality	0.170574	max	0.170574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	Borda	Quality	0.17207	max	0.17207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	Borda	Quality	0.163092	max	0.163092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	Borda	Quality	0.167082	max	0.167082	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	Borda	Quality	0.165586	max	0.165586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	Borda	Quality	0.169077	max	0.169077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	Borda	Quality	0.170574	max	0.170574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	Borda	Quality	0.169576	max	0.169576	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	Borda	Quality	0.16808	max	0.16808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	Borda	Quality	0.166085	max	0.166085	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	Kemeny	Quality	0.170574	max	0.170574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	Kemeny	Quality	0.175561	max	0.175561	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	Kemeny	Quality	0.18005	max	0.18005	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	Kemeny	Quality	0.181546	max	0.181546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	Kemeny	Quality	0.173566	max	0.173566	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	Kemeny	Quality	0.182544	max	0.182544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	Kemeny	Quality	0.17606	max	0.17606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	Kemeny	Quality	0.171072	max	0.171072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	Kemeny	Quality	0.174564	max	0.174564	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	Kemeny	Quality	0.173067	max	0.173067	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	RRF	Quality	0.167082	max	0.167082	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	RRF	Quality	0.174065	max	0.174065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	RRF	Quality	0.17606	max	0.17606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	RRF	Quality	0.177057	max	0.177057	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	RRF	Quality	0.180549	max	0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	RRF	Quality	0.182544	max	0.182544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	RRF	Quality	0.180549	max	0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	RRF	Quality	0.174065	max	0.174065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	RRF	Quality	0.175062	max	0.175062	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	RRF	Quality	0.173067	max	0.173067	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	Schulze	Quality	0.170574	max	0.170574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	Schulze	Quality	0.174065	max	0.174065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	Schulze	Quality	0.180549	max	0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	Schulze	Quality	0.180549	max	0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	Schulze	Quality	0.178055	max	0.178055	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	Schulze	Quality	0.18005	max	0.18005	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	Schulze	Quality	0.179551	max	0.179551	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	Schulze	Quality	0.17207	max	0.17207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	Schulze	Quality	0.171072	max	0.171072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	Schulze	Quality	0.175062	max	0.175062	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	Simple Averaging	Quality	0.160599	max	0.160599	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	Simple Averaging	Quality	0.163092	max	0.163092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	Simple Averaging	Quality	0.17207	max	0.17207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	Simple Averaging	Quality	0.177057	max	0.177057	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	Simple Averaging	Quality	0.176559	max	0.176559	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	Simple Averaging	Quality	0.176559	max	0.176559	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	Simple Averaging	Quality	0.175561	max	0.175561	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	Simple Averaging	Quality	0.175561	max	0.175561	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	Simple Averaging	Quality	0.171571	max	0.171571	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	Simple Averaging	Quality	0.170574	max	0.170574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	Borda	Quality	0.27581	min	-0.27581	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	Borda	Quality	0.269825	min	- 0.269825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	Borda	Quality	0.265835	min	- 0.265835	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	Borda	Quality	0.264838	min	- 0.264838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	Borda	Quality	0.268828	min	- 0.268828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	Borda	Quality	0.264838	min	- 0.264838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	Borda	Quality	0.268329	min	- 0.268329	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	Borda	Quality	0.266334	min	- 0.266334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	Borda	Quality	0.272818	min	- 0.272818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	Borda	Quality	0.270823	min	- 0.270823	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	Kemeny	Quality	0.27581	min	-0.27581	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	Kemeny	Quality	0.26783	min	-0.26783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	Kemeny	Quality	0.269327	min	- 0.269327	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	Kemeny	Quality	0.266833	min	- 0.266833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	Kemeny	Quality	0.270823	min	- 0.270823	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	Kemeny	Quality	0.271322	min	- 0.271322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	Kemeny	Quality	0.26783	min	-0.26783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	Kemeny	Quality	0.273815	min	- 0.273815	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	Kemeny	Quality	0.274813	min	- 0.274813	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	Kemeny	Quality	0.27182	min	-0.27182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	RRF	Quality	0.275312	min	- 0.275312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	RRF	Quality	0.270324	min	-0.270324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	RRF	Quality	0.266833	min	-0.266833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	RRF	Quality	0.26783	min	-0.26783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	RRF	Quality	0.272818	min	-0.272818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	RRF	Quality	0.268828	min	-0.268828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	RRF	Quality	0.270823	min	-0.270823	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	RRF	Quality	0.271322	min	-0.271322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	RRF	Quality	0.270823	min	-0.270823	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	RRF	Quality	0.272319	min	-0.272319	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	Schulze	Quality	0.27581	min	-0.27581	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	Schulze	Quality	0.268828	min	-0.268828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	Schulze	Quality	0.269825	min	-0.269825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	Schulze	Quality	0.26384	min	-0.26384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	Schulze	Quality	0.270823	min	-0.270823	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	Schulze	Quality	0.26783	min	-0.26783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	Schulze	Quality	0.272818	min	-0.272818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	Schulze	Quality	0.271322	min	-0.271322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	Schulze	Quality	0.273317	min	-0.273317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	Schulze	Quality	0.271322	min	-0.271322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	Simple Averaging	Quality	0.278803	min	-0.278803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	Simple Averaging	Quality	0.273815	min	-0.273815	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	Simple Averaging	Quality	0.273317	min	-0.273317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	Simple Averaging	Quality	0.269327	min	-0.269327	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	Simple Averaging	Quality	0.274314	min	-0.274314	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	Simple Averaging	Quality	0.272818	min	-0.272818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	Simple Averaging	Quality	0.272319	min	-0.272319	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	Simple Averaging	Quality	0.270324	min	-0.270324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	Simple Averaging	Quality	0.27182	min	-0.27182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	Simple Averaging	Quality	0.271322	min	-0.271322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	Borda	Quality	0.110224	max	0.110224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	Borda	Quality	0.112219	max	0.112219	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	Borda	Quality	0.103242	max	0.103242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	Borda	Quality	0.106733	max	0.106733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	Borda	Quality	0.108229	max	0.108229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	Borda	Quality	0.116708	max	0.116708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	Borda	Quality	0.115711	max	0.115711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	Borda	Quality	0.111222	max	0.111222	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	Borda	Quality	0.112219	max	0.112219	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	Borda	Quality	0.109726	max	0.109726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	Kemeny	Quality	0.110224	max	0.110224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	Kemeny	Quality	0.116209	max	0.116209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	Kemeny	Quality	0.117706	max	0.117706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	Kemeny	Quality	0.120698	max	0.120698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	Kemeny	Quality	0.114214	max	0.114214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	Kemeny	Quality	0.123192	max	0.123192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	Kemeny	Quality	0.117706	max	0.117706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	Kemeny	Quality	0.114214	max	0.114214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	Kemeny	Quality	0.115711	max	0.115711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	Kemeny	Quality	0.116209	max	0.116209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	RRF	Quality	0.106733	max	0.106733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	RRF	Quality	0.114214	max	0.114214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	RRF	Quality	0.114713	max	0.114713	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	RRF	Quality	0.118204	max	0.118204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	RRF	Quality	0.121696	max	0.121696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	RRF	Quality	0.121197	max	0.121197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	RRF	Quality	0.122195	max	0.122195	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	RRF	Quality	0.115212	max	0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	RRF	Quality	0.117207	max	0.117207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	RRF	Quality	0.116209	max	0.116209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	Schulze	Quality	0.110224	max	0.110224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	Schulze	Quality	0.113716	max	0.113716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	Schulze	Quality	0.117706	max	0.117706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	Schulze	Quality	0.119701	max	0.119701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	Schulze	Quality	0.1202	max	0.1202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	Schulze	Quality	0.121696	max	0.121696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	Schulze	Quality	0.1202	max	0.1202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	Schulze	Quality	0.114214	max	0.114214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165 -	0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	Schulze	Quality	0.113716	max	0.113716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584 -	0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	Schulze	Quality	0.119202	max	0.119202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942 -	0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	Simple Averaging	Quality	0.104738	max	0.104738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117 -	0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	Simple Averaging	Quality	0.106234	max	0.106234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607 -	0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	Simple Averaging	Quality	0.115711	max	0.115711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691 -	0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	Simple Averaging	Quality	0.115212	max	0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588 -0.39588	0.002	3.5848e+05	11	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	Simple Averaging	Quality	0.115711	max	0.115711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246 -	0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	Simple Averaging	Quality	0.117706	max	0.117706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683 -	0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	Simple Averaging	Quality	0.116209	max	0.116209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482 -	0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	Simple Averaging	Quality	0.115212	max	0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165 -	0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	Simple Averaging	Quality	0.115212	max	0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	Simple Averaging	Quality	0.114713	max	0.114713	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	Borda	Quality	0.214963	min	-	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	Borda	Quality	0.209975	min	-	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	Borda	Quality	0.206484	min	-	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	Borda	Quality	0.20798	min	-0.20798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	Borda	Quality	0.21197	min	-0.21197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	Borda	Quality	0.205486	min	-	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	Borda	Quality	0.208479	min	-	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	Borda	Quality	0.206484	min	-	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	Borda	Quality	0.213965	min	-	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	Borda	Quality	0.211471	min	- 0.211471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	Kemeny	Quality	0.214963	min	- 0.214963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	Kemeny	Quality	0.208978	min	- 0.208978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	Kemeny	Quality	0.209476	min	- 0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	Kemeny	Quality	0.207481	min	- 0.207481	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	Kemeny	Quality	0.210973	min	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	Kemeny	Quality	0.210973	min	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	Kemeny	Quality	0.206983	min	- 0.206983	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	Kemeny	Quality	0.213965	min	- 0.213965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	Kemeny	Quality	0.214963	min	- 0.214963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	Kemeny	Quality	0.210973	min	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	RRF	Quality	0.214464	min	- 0.214464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	RRF	Quality	0.209975	min	- 0.209975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	RRF	Quality	0.206484	min	- 0.206484	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	RRF	Quality	0.208479	min	- 0.208479	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	RRF	Quality	0.21197	min	-0.21197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	RRF	Quality	0.209476	min	- 0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	RRF	Quality	0.210973	min	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	RRF	Quality	0.210973	min	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	RRF	Quality	0.213466	min	- 0.213466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	RRF	Quality	0.213965	min	- 0.213965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	Schulze	Quality	0.214963	min	- 0.214963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	Schulze	Quality	0.209476	min	- 0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	Schulze	Quality	0.210474	min	- 0.210474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	Schulze	Quality	0.204489	min	- 0.204489	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	Schulze	Quality	0.210973	min	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	Schulze	Quality	0.207481	min	- 0.207481	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	Schulze	Quality	0.210973	min	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	Schulze	Quality	0.212469	min	- 0.212469	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	Schulze	Quality	0.212968	min	- 0.212968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	Schulze	Quality	0.210474	min	- 0.210474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	Simple Averaging	Quality	0.216459	min	- 0.216459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	Simple Averaging	Quality	0.212968	min	- 0.212968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	Simple Averaging	Quality	0.211471	min	- 0.211471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	Simple Averaging	Quality	0.209476	min	- 0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	Simple Averaging	Quality	0.214464	min	- 0.214464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	Simple Averaging	Quality	0.213466	min	- 0.213466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	Simple Averaging	Quality	0.212968	min	- 0.212968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	Simple Averaging	Quality	0.21197	min	-0.21197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	Simple Averaging	Quality	0.21197	min	-0.21197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	Simple Averaging	Quality	0.211471	min	- 0.211471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	C	Borda	Robustness	- 0.044389	max	- 0.044389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	C	Borda	Robustness	- 0.041397	max	- 0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	C	Borda	Robustness	- 0.022444	max	- 0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	Borda	Robustness	- 0.028928	max	- 0.028928	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	Borda	Robustness	- 0.032419	max	- 0.032419	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	Borda	Robustness	- 0.039401	max	- 0.039401	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	Borda	Robustness	- 0.042394	max	- 0.042394	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	Borda	Robustness	- 0.045885	max	- 0.045885	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	Borda	Robustness	-0.0399	max	-0.0399	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	Borda	Robustness	- 0.045885	max	- 0.045885	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.044389	max	- 0.044389	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.050374	max	- 0.050374	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.044389	max	- 0.044389	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.049377	max	- 0.049377	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.045387	max	- 0.045387	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.052369	max	- 0.052369	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.049377	max	- 0.049377	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.045885	max	- 0.045885	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.052868	max	- 0.052868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.048878	max	- 0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	RRF	Robustness	- 0.042893	max	- 0.042893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	RRF	Robustness	- 0.046384	max	- 0.046384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	RRF	Robustness	- 0.039401	max	- 0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	RRF	Robustness	- 0.044888	max	- 0.044888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	RRF	Robustness	-0.05187	max	-0.05187	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	RRF	Robustness	-0.05187	max	-0.05187	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	RRF	Robustness	- 0.056359	max	- 0.056359	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	RRF	Robustness	- 0.049875	max	- 0.049875	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	RRF	Robustness	- 0.053367	max	- 0.053367	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	RRF	Robustness	- 0.049377	max	- 0.049377	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.044389	max	- 0.044389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.046883	max	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.040399	max	- 0.040399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.044888	max	- 0.044888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.045387	max	- 0.045387	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.048878	max	- 0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.049875	max	- 0.049875	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.044888	max	- 0.044888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.049875	max	- 0.049875	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	Schulze	Robustness	-0.05187	max	-0.05187	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.038404	max	- 0.038404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.048878	max	- 0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.038903	max	- 0.038903	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.052369	max	- 0.052369	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.053865	max	- 0.053865	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.052868	max	- 0.052868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.051372	max	- 0.051372	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.054364	max	- 0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.046384	max	- 0.046384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.046883	max	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.03192	max	-0.03192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.025436	max	- 0.025436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.025935	max	- 0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.022444	max	- 0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.017955	max	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.027431	max	- 0.027431	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.020449	max	- 0.020449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.024439	max	- 0.024439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.017456	max	- 0.017456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	- 0.017456	max	- 0.017456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.03192	max	-0.03192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	- 0.036908	max	- 0.036908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.02793	max	-0.02793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	- 0.025436	max	- 0.025436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	- 0.024439	max	- 0.024439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.02394	max	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	- 0.017955	max	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	- 0.018454	max	- 0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.032419	max	- 0.032419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.029925	max	- 0.029925	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.029925	max	- 0.029925	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.021945	max	- 0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.020449	max	- 0.020449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.020449	max	- 0.020449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.017955	max	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.021945	max	- 0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	- 0.019451	max	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	Cbar	Schulze	Robustness	-0.03192	max	-0.03192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	Cbar	Schulze	Robustness	- 0.028429	max	- 0.028429	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	Cbar	Schulze	Robustness	- 0.024938	max	- 0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 255	Cbar	Schulze	Robustness	- 0.025436	max	- 0.025436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 255	Cbar	Schulze	Robustness	- 0.018454	max	- 0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 255	Cbar	Schulze	Robustness	-0.02394	max	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 255	Cbar	Schulze	Robustness	- 0.015461	max	- 0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 255	Cbar	Schulze	Robustness	- 0.018454	max	- 0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 255	Cbar	Schulze	Robustness	- 0.016958	max	- 0.016958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 255	Cbar	Schulze	Robustness	- 0.021446	max	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	-0.02793	max	-0.02793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	- 0.028928	max	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	- 0.016459	max	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	- 0.017456	max	- 0.017456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	- 0.012968	max	- 0.012968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	- 0.011471	max	- 0.011471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	- 0.014963	max	- 0.014963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	- 0.018454	max	- 0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	- 0.016958	max	- 0.016958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	- 0.015461	max	- 0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	F	Borda	Robustness	- 0.016459	max	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	F	Borda	Robustness	-0.01596	max	-0.01596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	F	Borda	Robustness	0.000499	max	0.000499	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 255	F	Borda	Robustness	- 0.004489	max	- 0.004489	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 255	F	Borda	Robustness	- 0.008479	max	- 0.008479	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 255	F	Borda	Robustness	- 0.021945	max	- 0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 255	F	Borda	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 255	F	Borda	Robustness	- 0.018454	max	- 0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 255	F	Borda	Robustness	- 0.016459	max	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 255	F	Borda	Robustness	- 0.021945	max	- 0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	F	Kemeny	Robustness	- 0.016459	max	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	F	Kemeny	Robustness	- 0.020948	max	- 0.020948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	F	Kemeny	Robustness	- 0.016958	max	- 0.016958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.02394	max	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.017456	max	- 0.017456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.025935	max	- 0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.02394	max	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.025935	max	- 0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.024938	max	- 0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	F	RRF	Robustness	- 0.013466	max	- 0.013466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	F	RRF	Robustness	- 0.017955	max	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	F	RRF	Robustness	-0.01596	max	-0.01596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	RRF	Robustness	- 0.020948	max	- 0.020948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	RRF	Robustness	- 0.024938	max	- 0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	RRF	Robustness	- 0.026434	max	- 0.026434	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	F	RRF	Robustness	- 0.031421	max	- 0.031421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	F	RRF	Robustness	- 0.024439	max	- 0.024439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	F	RRF	Robustness	- 0.026434	max	- 0.026434	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	F	RRF	Robustness	- 0.021945	max	- 0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.016459	max	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.018953	max	- 0.018953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.012968	max	- 0.012968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.018953	max	- 0.018953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.018953	max	- 0.018953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.025935	max	- 0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.022444	max	- 0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.022444	max	- 0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	F	Schulze	Robustness	-0.02394	max	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.029925	max	- 0.029925	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.013466	max	- 0.013466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.016459	max	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.020948	max	- 0.020948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.021945	max	- 0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 255	F	Simple Averaging	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 255	F	Simple Averaging	Robustness	-0.02394	max	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 255	F	Simple Averaging	Robustness	- 0.021446	max	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 255	F	Simple Averaging	Robustness	- 0.020449	max	- 0.020449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	Fbar	Borda	Robustness	- 0.029925	max	- 0.029925	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	Fbar	Borda	Robustness	- 0.022943	max	- 0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	Fbar	Borda	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 255	Fbar	Borda	Robustness	- 0.020948	max	- 0.020948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 255	Fbar	Borda	Robustness	- 0.017456	max	- 0.017456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 255	Fbar	Borda	Robustness	- 0.027431	max	- 0.027431	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 255	Fbar	Borda	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 255	Fbar	Borda	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 255	Fbar	Borda	Robustness	- 0.014963	max	- 0.014963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 255	Fbar	Borda	Robustness	- 0.016459	max	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	Fbar	Kemeny	Robustness	- 0.029925	max	- 0.029925	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	Fbar	Kemeny	Robustness	- 0.033416	max	- 0.033416	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	Fbar	Kemeny	Robustness	- 0.025436	max	- 0.025436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 255	Fbar	Kemeny	Robustness	- 0.019451	max	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 255	Fbar	Kemeny	Robustness	-0.02394	max	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 255	Fbar	Kemeny	Robustness	- 0.024938	max	- 0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 255	Fbar	Kemeny	Robustness	- 0.024938	max	- 0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 255	Fbar	Kemeny	Robustness	- 0.015461	max	- 0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	- 0.016459	max	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	- 0.018953	max	- 0.018953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.030424	max	- 0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.028429	max	- 0.028429	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.026933	max	- 0.026933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.019451	max	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.018454	max	- 0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.016459	max	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.019451	max	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	- 0.017955	max	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 255	Fbar	RRF	Robustness	- 0.017955	max	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	Fbar	Schulze	Robustness	- 0.029925	max	- 0.029925	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	Fbar	Schulze	Robustness	- 0.024439	max	- 0.024439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	Fbar	Schulze	Robustness	- 0.021446	max	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 255	Fbar	Schulze	Robustness	- 0.024938	max	- 0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 255	Fbar	Schulze	Robustness	- 0.018454	max	- 0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 255	Fbar	Schulze	Robustness	- 0.022943	max	- 0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 255	Fbar	Schulze	Robustness	- 0.017955	max	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 255	Fbar	Schulze	Robustness	- 0.015461	max	- 0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 255	Fbar	Schulze	Robustness	- 0.016958	max	- 0.016958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 255	Fbar	Schulze	Robustness	- 0.022943	max	- 0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	- 0.027431	max	- 0.027431	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	- 0.026434	max	- 0.026434	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	- 0.016958	max	- 0.016958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	- 0.017955	max	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	- 0.013965	max	- 0.013965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	- 0.011471	max	- 0.011471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	- 0.013965	max	- 0.013965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	- 0.016459	max	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	- 0.018454	max	- 0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	- 0.016958	max	- 0.016958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	Borda	Robustness	- 0.063342	max	- 0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	Borda	Robustness	- 0.059352	max	- 0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	Borda	Robustness	-0.05586	max	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	Borda	Robustness	- 0.061845	max	- 0.061845	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	Borda	Robustness	- 0.058853	max	- 0.058853	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	Borda	Robustness	- 0.060349	max	- 0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	Borda	Robustness	- 0.057855	max	- 0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	Borda	Robustness	- 0.056359	max	- 0.056359	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	Borda	Robustness	- 0.054364	max	- 0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	Borda	Robustness	-0.05187	max	-0.05187	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	Kemeny	Robustness	- 0.063342	max	- 0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	Kemeny	Robustness	-0.06384	max	-0.06384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	Kemeny	Robustness	-0.06783	max	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	Kemeny	Robustness	- 0.067332	max	- 0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	Kemeny	Robustness	- 0.058354	max	- 0.058354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	Kemeny	Robustness	- 0.066334	max	- 0.066334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	Kemeny	Robustness	- 0.059352	max	- 0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	Kemeny	Robustness	- 0.053367	max	- 0.053367	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	Kemeny	Robustness	- 0.056858	max	- 0.056858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	Kemeny	Robustness	- 0.056858	max	- 0.056858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	RRF	Robustness	-0.05985	max	-0.05985	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	RRF	Robustness	- 0.059352	max	- 0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	RRF	Robustness	- 0.065835	max	- 0.065835	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	RRF	Robustness	- 0.063342	max	- 0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	RRF	Robustness	-0.06783	max	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	RRF	Robustness	- 0.067332	max	- 0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	RRF	Robustness	- 0.064838	max	- 0.064838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	RRF	Robustness	- 0.057357	max	- 0.057357	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	RRF	Robustness	- 0.059352	max	- 0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	RRF	Robustness	- 0.058354	max	- 0.058354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	Schulze	Robustness	- 0.063342	max	- 0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	Schulze	Robustness	- 0.062344	max	- 0.062344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	Schulze	Robustness	- 0.070324	max	- 0.070324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	Schulze	Robustness	-0.06783	max	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	Schulze	Robustness	-0.06384	max	-0.06384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	Schulze	Robustness	- 0.065337	max	- 0.065337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	Schulze	Robustness	- 0.064339	max	- 0.064339	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	Schulze	Robustness	- 0.056359	max	- 0.056359	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	Schulze	Robustness	-0.05586	max	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	Schulze	Robustness	- 0.057855	max	- 0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	Simple Averaging	Robustness	-0.05586	max	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	Simple Averaging	Robustness	-0.05586	max	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.066833	max	- 0.066833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.068329	max	- 0.068329	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.068329	max	- 0.068329	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.067332	max	- 0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.067332	max	- 0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.065337	max	- 0.065337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.062344	max	- 0.062344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.061845	max	- 0.061845	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Borda	Robustness	0.137157	max	0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Borda	Robustness	0.133167	max	0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Borda	Robustness	0.126185	max	0.126185	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Borda	Robustness	0.123691	max	0.123691	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Borda	Robustness	0.127681	max	0.127681	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Borda	Robustness	0.123192	max	0.123192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Borda	Robustness	0.126683	max	0.126683	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Borda	Robustness	0.126185	max	0.126185	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Borda	Robustness	0.13217	max	0.13217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Borda	Robustness	0.128678	max	0.128678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.137157	max	0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.129177	max	0.129177	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.131172	max	0.131172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.12818	max	0.12818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.131172	max	0.131172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.130673	max	0.130673	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.12818	max	0.12818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.134165	max	0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.136658	max	0.136658	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.133167	max	0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	RRF	Robustness	0.137157	max	0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	RRF	Robustness	0.133666	max	0.133666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	RRF	Robustness	0.127182	max	0.127182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	RRF	Robustness	0.127681	max	0.127681	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	RRF	Robustness	0.13217	max	0.13217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	RRF	Robustness	0.12818	max	0.12818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	RRF	Robustness	0.130175	max	0.130175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	RRF	Robustness	0.130673	max	0.130673	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	RRF	Robustness	0.131671	max	0.131671	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584 -	0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	RRF	Robustness	0.134165	max	0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942 -	0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.137157	max	0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117 -	0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.13217	max	0.13217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607 -	0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.130673	max	0.130673	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691 -	0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.12419	max	0.12419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588 -0.39588	0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.130175	max	0.130175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246 -	0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.127182	max	0.127182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683 -	0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.133167	max	0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482 -	0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.131671	max	0.131671	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165 -	0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.135661	max	0.135661	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584 -	0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.132668	max	0.132668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.140648	max	0.140648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.135162	max	0.135162	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.132668	max	0.132668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.127182	max	0.127182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.131671	max	0.131671	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.130175	max	0.130175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.130175	max	0.130175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.127681	max	0.127681	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129676	max	0.129676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129177	max	0.129177	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	Borda	Robustness	- 0.056858	max	- 0.056858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	Borda	Robustness	-0.05586	max	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	Borda	Robustness	- 0.049377	max	- 0.049377	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	Borda	Robustness	- 0.055362	max	- 0.055362	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	Borda	Robustness	- 0.056858	max	- 0.056858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	Borda	Robustness	- 0.061845	max	- 0.061845	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	Borda	Robustness	- 0.058853	max	- 0.058853	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	Borda	Robustness	- 0.053865	max	- 0.053865	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	Borda	Robustness	- 0.055362	max	- 0.055362	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	Borda	Robustness	- 0.050873	max	- 0.050873	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	Kemeny	Robustness	- 0.056858	max	- 0.056858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	Kemeny	Robustness	- 0.060349	max	- 0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	Kemeny	Robustness	- 0.062344	max	- 0.062344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	Kemeny	Robustness	- 0.062843	max	- 0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	Kemeny	Robustness	- 0.056359	max	- 0.056359	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	Kemeny	Robustness	- 0.065337	max	- 0.065337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	Kemeny	Robustness	- 0.056858	max	- 0.056858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	Kemeny	Robustness	- 0.054863	max	- 0.054863	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	Kemeny	Robustness	- 0.055362	max	- 0.055362	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	Kemeny	Robustness	- 0.057855	max	- 0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	RRF	Robustness	- 0.052868	max	- 0.052868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	RRF	Robustness	- 0.057855	max	- 0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	RRF	Robustness	- 0.060349	max	- 0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	RRF	Robustness	- 0.060349	max	- 0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	RRF	Robustness	- 0.065337	max	- 0.065337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	RRF	Robustness	- 0.063342	max	- 0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	RRF	Robustness	- 0.062843	max	- 0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	RRF	Robustness	-0.05586	max	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	RRF	Robustness	- 0.059352	max	- 0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	RRF	Robustness	- 0.058354	max	- 0.058354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	Schulze	Robustness	- 0.056858	max	- 0.056858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	Schulze	Robustness	- 0.058354	max	- 0.058354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	Schulze	Robustness	- 0.060848	max	- 0.060848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	Schulze	Robustness	- 0.062843	max	- 0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	Schulze	Robustness	- 0.063342	max	- 0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	Schulze	Robustness	- 0.064339	max	- 0.064339	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	Schulze	Robustness	- 0.061347	max	- 0.061347	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	Schulze	Robustness	- 0.054863	max	- 0.054863	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	Schulze	Robustness	- 0.057855	max	- 0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	Schulze	Robustness	-0.05985	max	-0.05985	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.052868	max	- 0.052868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.052369	max	- 0.052369	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.061347	max	- 0.061347	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.061347	max	- 0.061347	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	Simple Averaging	Robustness	-0.06384	max	-0.06384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.065337	max	- 0.065337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.062344	max	- 0.062344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	Simple Averaging	Robustness	-0.05985	max	-0.05985	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.060848	max	- 0.060848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	Simple Averaging	Robustness	-0.05985	max	-0.05985	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Borda	Robustness	0.140648	max	0.140648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Borda	Robustness	0.136658	max	0.136658	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Borda	Robustness	0.130175	max	0.130175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Borda	Robustness	0.129676	max	0.129676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Borda	Robustness	0.133666	max	0.133666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Borda	Robustness	0.127182	max	0.127182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Borda	Robustness	0.129676	max	0.129676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Borda	Robustness	0.128678	max	0.128678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Borda	Robustness	0.13616	max	0.13616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Borda	Robustness	0.133167	max	0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.140648	max	0.140648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.133167	max	0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.133666	max	0.133666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.13217	max	0.13217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134165	max	0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134165	max	0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.131172	max	0.131172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.137157	max	0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.139152	max	0.139152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134663	max	0.134663	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	RRF	Robustness	0.14015	max	0.14015	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	RRF	Robustness	0.135661	max	0.135661	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	RRF	Robustness	0.129676	max	0.129676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	RRF	Robustness	0.131172	max	0.131172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	max	0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	RRF	Robustness	0.131671	max	0.131671	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	max	0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	max	0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	RRF	Robustness	0.137157	max	0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	RRF	Robustness	0.138653	max	0.138653	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.140648	max	0.140648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.135661	max	0.135661	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.135162	max	0.135162	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.127681	max	0.127681	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.134165	max	0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.129676	max	0.129676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.134663	max	0.134663	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.13616	max	0.13616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.137656	max	0.137656	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.133666	max	0.133666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.141147	max	0.141147	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.137157	max	0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133666	max	0.133666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.130175	max	0.130175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.134663	max	0.134663	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	max	0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	max	0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	max	0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	max	0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.132668	max	0.132668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Borda	Robustness	- 0.040399	max	- 0.040399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Borda	Robustness	- 0.035411	max	- 0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Borda	Robustness	-0.02793	max	-0.02793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Borda	Robustness	- 0.028928	max	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Borda	Robustness	- 0.027431	max	- 0.027431	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Borda	Robustness	- 0.028928	max	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Borda	Robustness	- 0.028928	max	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Borda	Robustness	- 0.026933	max	- 0.026933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Borda	Robustness	- 0.025935	max	- 0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Borda	Robustness	- 0.028928	max	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.040399	max	- 0.040399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Kemeny	Robustness	-0.0399	max	-0.0399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.043392	max	- 0.043392	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Kemeny	Robustness	-0.04389	max	-0.04389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.035411	max	- 0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.042893	max	- 0.042893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.033915	max	- 0.033915	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.028928	max	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.031421	max	- 0.031421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.032419	max	- 0.032419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	RRF	Robustness	- 0.036908	max	- 0.036908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	RRF	Robustness	-0.03591	max	-0.03591	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	RRF	Robustness	- 0.035411	max	- 0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	RRF	Robustness	- 0.037905	max	- 0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	RRF	Robustness	- 0.042394	max	- 0.042394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	RRF	Robustness	-0.0399	max	-0.0399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	RRF	Robustness	- 0.038404	max	- 0.038404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	RRF	Robustness	- 0.030424	max	- 0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	RRF	Robustness	- 0.034414	max	- 0.034414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	RRF	Robustness	- 0.033416	max	- 0.033416	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Schulze	Robustness	- 0.040399	max	- 0.040399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Schulze	Robustness	- 0.036908	max	- 0.036908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Schulze	Robustness	- 0.045387	max	- 0.045387	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Schulze	Robustness	- 0.041895	max	- 0.041895	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Schulze	Robustness	-0.0399	max	-0.0399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Schulze	Robustness	- 0.038903	max	- 0.038903	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Schulze	Robustness	- 0.036908	max	- 0.036908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Schulze	Robustness	- 0.029426	max	- 0.029426	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Schulze	Robustness	- 0.028429	max	- 0.028429	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Schulze	Robustness	- 0.032918	max	- 0.032918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.030424	max	- 0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.031421	max	- 0.031421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.037406	max	- 0.037406	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.038404	max	- 0.038404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.038404	max	- 0.038404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.040898	max	- 0.040898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.038903	max	- 0.038903	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.037905	max	- 0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.03591	max	-0.03591	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.033416	max	- 0.033416	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.113217	max	0.113217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.110723	max	0.110723	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.102244	max	0.102244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.100748	max	0.100748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.106234	max	0.106234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.103741	max	0.103741	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.105736	max	0.105736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.103242	max	0.103242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.110723	max	0.110723	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.107731	max	0.107731	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.113217	max	0.113217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.106234	max	0.106234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.107731	max	0.107731	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.104738	max	0.104738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.108229	max	0.108229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.108229	max	0.108229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.106733	max	0.106733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.111721	max	0.111721	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.113217	max	0.113217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.109726	max	0.109726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.112718	max	0.112718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109726	max	0.109726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.104239	max	0.104239	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.105736	max	0.105736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.111222	max	0.111222	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.108229	max	0.108229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109227	max	0.109227	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109227	max	0.109227	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.108728	max	0.108728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.110224	max	0.110224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.113217	max	0.113217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	max	0.109227	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.107232	max	0.107232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.100748	max	0.100748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	max	0.109227	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.106733	max	0.106733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.111721	max	0.111721	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109726	max	0.109726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165 -	0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.110224	max	0.110224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584 -	0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	max	0.109227	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942 -	0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.115212	max	0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117 -	0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.110723	max	0.110723	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607 -	0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.111222	max	0.111222	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691 -	0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.106234	max	0.106234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588 -0.39588	0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.111222	max	0.111222	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246 -	0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.110723	max	0.110723	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683 -	0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.109726	max	0.109726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482 -	0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.108229	max	0.108229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165 -	0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.107731	max	0.107731	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.107232	max	0.107232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Borda	Robustness	- 0.039401	max	- 0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Borda	Robustness	- 0.038404	max	- 0.038404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Borda	Robustness	- 0.033416	max	- 0.033416	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Borda	Robustness	- 0.038404	max	- 0.038404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Borda	Robustness	- 0.038903	max	- 0.038903	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Borda	Robustness	- 0.047382	max	- 0.047382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Borda	Robustness	- 0.041895	max	- 0.041895	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Borda	Robustness	- 0.037406	max	- 0.037406	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Borda	Robustness	- 0.037905	max	- 0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Borda	Robustness	- 0.038404	max	- 0.038404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.039401	max	- 0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.042893	max	- 0.042893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.044389	max	- 0.044389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.048379	max	- 0.048379	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.041397	max	- 0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.050374	max	- 0.050374	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.043392	max	- 0.043392	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.040399	max	- 0.040399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.040898	max	- 0.040898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.041397	max	- 0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	RRF	Robustness	- 0.035411	max	- 0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	RRF	Robustness	- 0.039401	max	- 0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	RRF	Robustness	- 0.039401	max	- 0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	RRF	Robustness	- 0.044389	max	- 0.044389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	RRF	Robustness	- 0.048878	max	- 0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	RRF	Robustness	- 0.046883	max	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	RRF	Robustness	- 0.046883	max	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	RRF	Robustness	- 0.040898	max	- 0.040898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	RRF	Robustness	- 0.042893	max	- 0.042893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	RRF	Robustness	- 0.041397	max	- 0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Schulze	Robustness	- 0.039401	max	- 0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Schulze	Robustness	- 0.039401	max	- 0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Schulze	Robustness	- 0.047382	max	- 0.047382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Schulze	Robustness	- 0.047382	max	- 0.047382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Schulze	Robustness	- 0.047382	max	- 0.047382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Schulze	Robustness	-0.04788	max	-0.04788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Schulze	Robustness	- 0.046883	max	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Schulze	Robustness	- 0.039401	max	- 0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Schulze	Robustness	-0.0399	max	-0.0399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Schulze	Robustness	- 0.044888	max	- 0.044888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.033915	max	- 0.033915	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.034913	max	- 0.034913	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.047382	max	- 0.047382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691 - 0.561691	-	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.044389	max	- 0.044389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588 -0.39588	-	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.046883	max	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246 - 0.445246	-	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.048878	max	- 0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683 - 0.423683	-	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.045885	max	- 0.045885	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482 - 0.435482	-	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.04389	max	-0.04389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165 - 0.460165	-	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.045387	max	- 0.045387	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584 - 0.426584	-	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.04389	max	-0.04389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942 - 0.536942	-	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.124688	max	0.124688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117 - 0.351117	-	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.121696	max	0.121696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607 - 0.342607	-	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.113217	max	0.113217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691 - 0.561691	-	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115212	max	0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.119701	max	0.119701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115212	max	0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.117207	max	0.117207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115711	max	0.115711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.123691	max	0.123691	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1202	max	0.1202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.124688	max	0.124688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.119202	max	0.119202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.119701	max	0.119701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.116708	max	0.116708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1202	max	0.1202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.122195	max	0.122195	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.117706	max	0.117706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.125187	max	0.125187	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.125686	max	0.125686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.121696	max	0.121696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.12419	max	0.12419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.120698	max	0.120698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.115212	max	0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.117706	max	0.117706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121197	max	0.121197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.119701	max	0.119701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121696	max	0.121696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121197	max	0.121197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.123192	max	0.123192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.12419	max	0.12419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.124688	max	0.124688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	max	0.120698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.119701	max	0.119701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.112219	max	0.112219	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	max	0.120698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.119202	max	0.119202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.122693	max	0.122693	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.12419	max	0.12419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.123691	max	0.123691	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	max	0.120698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.125686	max	0.125686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.121696	max	0.121696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.119701	max	0.119701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.116708	max	0.116708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.122195	max	0.122195	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.122195	max	0.122195	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.121197	max	0.121197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.120698	max	0.120698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.120698	max	0.120698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1202	max	0.1202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	Borda	Robustness	- 0.021446	max	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	Borda	Robustness	- 0.021945	max	- 0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	Borda	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	Borda	Robustness	- 0.027431	max	- 0.027431	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	Borda	Robustness	- 0.026933	max	- 0.026933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	Borda	Robustness	- 0.028928	max	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	Borda	Robustness	- 0.024938	max	- 0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	Borda	Robustness	- 0.022444	max	- 0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	Borda	Robustness	- 0.021446	max	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	Borda	Robustness	- 0.017955	max	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	Kemeny	Robustness	- 0.021446	max	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	Kemeny	Robustness	- 0.024938	max	- 0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	Kemeny	Robustness	- 0.030424	max	- 0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	Kemeny	Robustness	- 0.032419	max	- 0.032419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	Kemeny	Robustness	- 0.020948	max	- 0.020948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	Kemeny	Robustness	-0.03192	max	-0.03192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	Kemeny	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	Kemeny	Robustness	- 0.014464	max	- 0.014464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	Kemeny	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	Kemeny	Robustness	- 0.019451	max	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	RRF	Robustness	- 0.019451	max	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	RRF	Robustness	- 0.025436	max	- 0.025436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	RRF	Robustness	- 0.026933	max	- 0.026933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	RRF	Robustness	- 0.028928	max	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	RRF	Robustness	- 0.032419	max	- 0.032419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	RRF	Robustness	- 0.032918	max	- 0.032918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	RRF	Robustness	- 0.030424	max	- 0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	RRF	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	RRF	Robustness	- 0.022943	max	- 0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	RRF	Robustness	- 0.021945	max	- 0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	Schulze	Robustness	- 0.021446	max	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	Schulze	Robustness	- 0.025436	max	- 0.025436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	Schulze	Robustness	-0.02793	max	-0.02793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	Schulze	Robustness	- 0.035411	max	- 0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	Schulze	Robustness	- 0.027431	max	- 0.027431	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	Schulze	Robustness	- 0.026933	max	- 0.026933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	Schulze	Robustness	- 0.027431	max	- 0.027431	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	Schulze	Robustness	- 0.015461	max	- 0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	Schulze	Robustness	- 0.017456	max	- 0.017456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	Schulze	Robustness	- 0.022943	max	- 0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	Simple Averaging	Robustness	- 0.015461	max	- 0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	Simple Averaging	Robustness	- 0.016958	max	- 0.016958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	Simple Averaging	Robustness	- 0.030923	max	- 0.030923	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	Simple Averaging	Robustness	- 0.032419	max	- 0.032419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	Simple Averaging	Robustness	- 0.030923	max	- 0.030923	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	Simple Averaging	Robustness	- 0.030923	max	- 0.030923	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	Simple Averaging	Robustness	- 0.028429	max	- 0.028429	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	Simple Averaging	Robustness	- 0.028928	max	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	Simple Averaging	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	Simple Averaging	Robustness	- 0.022444	max	- 0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Borda	Robustness	0.090773	max	0.090773	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Borda	Robustness	0.089277	max	0.089277	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Borda	Robustness	0.083292	max	0.083292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691 -	0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Borda	Robustness	0.078304	max	0.078304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588 -0.39588		0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Borda	Robustness	0.080299	max	0.080299	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246 -	0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Borda	Robustness	0.076309	max	0.076309	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683 -	0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Borda	Robustness	0.080798	max	0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482 -	0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Borda	Robustness	0.080798	max	0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165 -	0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Borda	Robustness	0.085786	max	0.085786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584 -	0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Borda	Robustness	0.082793	max	0.082793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942 -	0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.090773	max	0.090773	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117 -	0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.087282	max	0.087282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607 -	0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	max	0.086284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691 -	0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.082294	max	0.082294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.082793	max	0.082793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.082793	max	0.082793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.082294	max	0.082294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	max	0.086284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	max	0.086284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	max	0.086284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	RRF	Robustness	0.089277	max	0.089277	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	RRF	Robustness	0.091771	max	0.091771	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	RRF	Robustness	0.083791	max	0.083791	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	RRF	Robustness	0.081796	max	0.081796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	RRF	Robustness	0.087282	max	0.087282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246 -	0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	RRF	Robustness	0.081796	max	0.081796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683 -	0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	RRF	Robustness	0.084788	max	0.084788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482 -	0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	RRF	Robustness	0.084788	max	0.084788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165 -	0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	RRF	Robustness	0.084289	max	0.084289	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584 -	0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	RRF	Robustness	0.086783	max	0.086783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942 -	0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Schulze	Robustness	0.090773	max	0.090773	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117 -	0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Schulze	Robustness	0.087282	max	0.087282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607 -	0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Schulze	Robustness	0.088279	max	0.088279	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691 -	0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Schulze	Robustness	0.075312	max	0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588 -0.39588	0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Schulze	Robustness	0.080798	max	0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246 -	0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Schulze	Robustness	0.080299	max	0.080299	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Schulze	Robustness	0.089776	max	0.089776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Schulze	Robustness	0.086284	max	0.086284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Schulze	Robustness	0.086284	max	0.086284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Schulze	Robustness	0.084289	max	0.084289	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.088279	max	0.088279	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	max	0.084788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.085786	max	0.085786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.082294	max	0.082294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	max	0.084788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	max	0.084788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084289	max	0.084289	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.082294	max	0.082294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084289	max	0.084289	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.083791	max	0.083791	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	Borda	Robustness	- 0.014464	max	- 0.014464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	Borda	Robustness	- 0.017955	max	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	Borda	Robustness	- 0.012469	max	- 0.012469	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	Borda	Robustness	- 0.020449	max	- 0.020449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	Borda	Robustness	- 0.021446	max	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	Borda	Robustness	- 0.028928	max	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	Borda	Robustness	- 0.022943	max	- 0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	Borda	Robustness	- 0.018953	max	- 0.018953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	Borda	Robustness	- 0.019451	max	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	Borda	Robustness	- 0.018454	max	- 0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	Kemeny	Robustness	- 0.014464	max	- 0.014464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	Kemeny	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	Kemeny	Robustness	- 0.021945	max	- 0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	Kemeny	Robustness	- 0.024439	max	- 0.024439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	Kemeny	Robustness	- 0.014464	max	- 0.014464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	Kemeny	Robustness	- 0.028429	max	- 0.028429	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	Kemeny	Robustness	- 0.019451	max	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	Kemeny	Robustness	- 0.015461	max	- 0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	Kemeny	Robustness	- 0.017955	max	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	Kemeny	Robustness	- 0.020948	max	- 0.020948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	RRF	Robustness	- 0.010973	max	- 0.010973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	RRF	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	RRF	Robustness	- 0.018454	max	- 0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	RRF	Robustness	- 0.024439	max	- 0.024439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	RRF	Robustness	- 0.026434	max	- 0.026434	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	RRF	Robustness	- 0.025935	max	- 0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	RRF	Robustness	- 0.024938	max	- 0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	RRF	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	RRF	Robustness	- 0.019451	max	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	RRF	Robustness	- 0.019451	max	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	Schulze	Robustness	- 0.014464	max	- 0.014464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	Schulze	Robustness	- 0.019451	max	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	Schulze	Robustness	- 0.021446	max	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	Schulze	Robustness	- 0.028928	max	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	Schulze	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	Schulze	Robustness	- 0.024439	max	- 0.024439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	Schulze	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	Schulze	Robustness	- 0.016459	max	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	Schulze	Robustness	- 0.016459	max	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	Schulze	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	Simple Averaging	Robustness	- 0.009975	max	- 0.009975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	Simple Averaging	Robustness	- 0.012469	max	- 0.012469	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	Simple Averaging	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	Simple Averaging	Robustness	- 0.022943	max	- 0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	Simple Averaging	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	Simple Averaging	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	Simple Averaging	Robustness	- 0.022943	max	- 0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	Simple Averaging	Robustness	- 0.022444	max	- 0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	Simple Averaging	Robustness	- 0.022444	max	- 0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	Simple Averaging	Robustness	- 0.022943	max	- 0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Borda	Robustness	0.095262	max	0.095262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Borda	Robustness	0.092768	max	0.092768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Borda	Robustness	0.089776	max	0.089776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Borda	Robustness	0.091272	max	0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Borda	Robustness	0.094264	max	0.094264	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Borda	Robustness	0.087781	max	0.087781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Borda	Robustness	0.092768	max	0.092768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Borda	Robustness	0.090773	max	0.090773	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Borda	Robustness	0.095262	max	0.095262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Borda	Robustness	0.092269	max	0.092269	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.095262	max	0.095262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.095262	max	0.095262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.093267	max	0.093267	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691 -	0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.089277	max	0.089277	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588 -0.39588		0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.091272	max	0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246 -	0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.091272	max	0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683 -	0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.087781	max	0.087781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482 -	0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.093766	max	0.093766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165 -	0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.093766	max	0.093766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584 -	0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.092269	max	0.092269	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942 -	0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	RRF	Robustness	0.093766	max	0.093766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117 -	0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	RRF	Robustness	0.095761	max	0.095761	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607 -	0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	RRF	Robustness	0.090274	max	0.090274	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691 -	0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	RRF	Robustness	0.089277	max	0.089277	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	RRF	Robustness	0.093267	max	0.093267	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	RRF	Robustness	0.090274	max	0.090274	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	RRF	Robustness	0.091771	max	0.091771	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	RRF	Robustness	0.090773	max	0.090773	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	RRF	Robustness	0.095262	max	0.095262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	RRF	Robustness	0.094763	max	0.094763	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Schulze	Robustness	0.095262	max	0.095262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Schulze	Robustness	0.092269	max	0.092269	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Schulze	Robustness	0.095761	max	0.095761	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Schulze	Robustness	0.083292	max	0.083292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Schulze	Robustness	0.091771	max	0.091771	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Schulze	Robustness	0.088279	max	0.088279	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Schulze	Robustness	0.094763	max	0.094763	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Schulze	Robustness	0.093766	max	0.093766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Schulze	Robustness	0.092768	max	0.092768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Schulze	Robustness	0.091272	max	0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	max	0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.089776	max	0.089776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	max	0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.089277	max	0.089277	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	max	0.092269	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	max	0.092269	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	max	0.092269	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.090773	max	0.090773	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	max	0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	max	0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Table 84: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	False	True	3	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	False	True	3	True	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	False	True	3	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	False	True	3	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	False	True	3	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	False	True	3	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	False	True	3	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	False	True	3	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	False	True	3	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	True	True	3	False	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	False	True	7	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	False	True	7	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	False	True	7	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	True	True	7	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	False	True	4	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	True	True	4	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	False	True	5	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255 C	C	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255 C		True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255 C		False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	7	False	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	False	True	4	True	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	True	True	4	False	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	False	True	2	True	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255 F		True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255 F		False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255 F		True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F		False	True	4	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255 F	F	True	True	2	False	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	True	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	10	False	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	9	True	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	9	False	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	11	True	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	3	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	3	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	11	True	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	2	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	2	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	3	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	3	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	3	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	3	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	3	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	3	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	3	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	3	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	3	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	3	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	3	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	4	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	6	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	6	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	False	True	3	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	True	True	3	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	False	True	4	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	True	True	4	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	False	True	5	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Attention Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Attention Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Attention Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Attention Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Attention Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Attention Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Attention Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Attention Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Attention Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Attention Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Attention Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	False	True	5	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	True	True	5	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	False	True	7	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	True	True	7	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	False	True	8	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	False	True	8	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	False	True	8	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	False	True	8	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C	C	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 C	C	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 C		True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C		False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 C		True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C		False	True	4	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F		True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F		False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F		True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F		False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F		True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F		False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F		True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F		False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F		True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 Fbar		False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 Fbar		False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 Fbar		False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 Fbar		False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 Fbar		False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 Fbar		False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	11	True	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	2	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	2	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	3	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	3	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	2	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	2	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	11	True	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	3	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	3	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	3	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	3	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	3	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	3	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	3	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	3	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	3	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	2	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	2	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	2	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	3	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	3	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	6	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	6	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	6	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Table 85: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.126185	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.130673	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.140648	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.138155	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.133167	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.129676	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.12818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.123691	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.12818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.1202	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.126185	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.125187	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.135661	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.13217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.12818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.126683	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.125187	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.121696	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.12419	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.12419	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.127681	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.136658	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.13217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.128678	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.130673	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.12419	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.12419	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.121696	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.123691	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.126185	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.127182	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.14015	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.135661	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.132668	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.131172	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.129676	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.127182	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.121197	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.123192	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.122195	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.114214	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.133167	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.124688	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.122693	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.123691	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.12419	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.121197	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.125187	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.123691	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.307731	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.295262	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.291771	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.287282	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.286783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.292269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.288778	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.290773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.290274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.288279	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.307731	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.304738	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.297257	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.290274	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.296259	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.295761	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.291771	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.291771	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.294763	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.290274	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.307731	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.300249	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.296758	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.289776	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.293267	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.289277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.288778	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.291272	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.292768	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.291771	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.307731	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.297257	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.294763	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.289277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.289277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.291771	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.288279	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.289776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.290274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.292768	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.306733	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.302743	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.289776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.286783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.287282	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.284289	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.287282	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.288778	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.288778	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.286783	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.093766	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.096259	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.103741	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.102244	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.099751	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.094763	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.095761	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.092768	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.095761	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.087781	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.093766	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.095262	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.100748	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.096758	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.096758	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.097257	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.093766	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.089776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.091272	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.093267	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.096259	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.098753	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.097257	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.096758	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.094763	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.090773	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.090773	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.090773	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.094264	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.093766	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.094763	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.104738	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.100748	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.101247	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.095761	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.097756	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.091771	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.089776	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.089277	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.091272	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.086284	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.099252	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.094264	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.093766	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.094264	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.092768	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.091272	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.093766	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.094264	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.244888	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.232918	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.229925	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.228928	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.229426	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.232918	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.228429	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.229925	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.228928	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.22793	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.244888	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.242394	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.234913	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.226933	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.234913	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.23591	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.23192	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.229426	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.231421	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.229925	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.244888	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.238404	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.233416	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.22793	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.230424	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.229426	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.227431	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.230424	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.231421	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.23192	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.244888	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.233915	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.23192	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.229426	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.229426	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.230424	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.228928	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.22793	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.229925	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.233416	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.24389	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.239401	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.228429	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.227431	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.228429	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.224938	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.226933	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.228429	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.230424	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.228429	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Borda	Conditioned Quality	0.107232	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Borda	Conditioned Quality	0.112718	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Borda	Conditioned Quality	0.107232	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Borda	Conditioned Quality	0.105237	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Borda	Conditioned Quality	0.106733	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Borda	Conditioned Quality	0.108728	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Borda	Conditioned Quality	0.112718	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Borda	Conditioned Quality	0.113217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Borda	Conditioned Quality	0.113716	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Borda	Conditioned Quality	0.114214	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.107232	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.111721	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.112219	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.114214	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.115212	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.116209	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.116708	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.117706	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.117706	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.116209	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	RRF	Conditioned Quality	0.107232	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	RRF	Conditioned Quality	0.114713	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	RRF	Conditioned Quality	0.110224	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	RRF	Conditioned Quality	0.113716	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	RRF	Conditioned Quality	0.112718	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	RRF	Conditioned Quality	0.115212	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	RRF	Conditioned Quality	0.115711	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	RRF	Conditioned Quality	0.116708	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	RRF	Conditioned Quality	0.115711	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	RRF	Conditioned Quality	0.114713	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Schulze	Conditioned Quality	0.107232	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Schulze	Conditioned Quality	0.111721	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Schulze	Conditioned Quality	0.110224	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Schulze	Conditioned Quality	0.112718	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Schulze	Conditioned Quality	0.114214	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Schulze	Conditioned Quality	0.114713	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Schulze	Conditioned Quality	0.115212	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Schulze	Conditioned Quality	0.115711	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Schulze	Conditioned Quality	0.115212	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Schulze	Conditioned Quality	0.117207	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.104738	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.107232	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.105237	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.108728	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.108229	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.109227	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.108229	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.110224	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.109227	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.108728	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.136658	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.141147	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.141147	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.141646	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.141646	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.14015	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.142145	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.138653	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.136658	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.14015	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.139152	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.138155	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.136658	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.139152	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.137656	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.138653	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.142145	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.142643	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.142643	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.142145	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.142643	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.142145	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.142145	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Borda	Conditioned Quality	0.053367	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Borda	Conditioned Quality	0.056359	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Borda	Conditioned Quality	0.053865	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Borda	Conditioned Quality	0.051372	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Borda	Conditioned Quality	0.051372	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Borda	Conditioned Quality	0.054863	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Borda	Conditioned Quality	0.056858	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Borda	Conditioned Quality	0.057357	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Borda	Conditioned Quality	0.056858	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Borda	Conditioned Quality	0.058853	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.053367	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.05586	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.055362	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.057855	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.057855	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.057855	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.060848	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.059352	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.060349	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.058354	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	RRF	Conditioned Quality	0.053865	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	RRF	Conditioned Quality	0.056359	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	RRF	Conditioned Quality	0.054364	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	RRF	Conditioned Quality	0.057855	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	RRF	Conditioned Quality	0.056359	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	RRF	Conditioned Quality	0.057855	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	RRF	Conditioned Quality	0.059352	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	RRF	Conditioned Quality	0.059352	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	RRF	Conditioned Quality	0.057855	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	RRF	Conditioned Quality	0.057855	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Schulze	Conditioned Quality	0.053367	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Schulze	Conditioned Quality	0.055362	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Schulze	Conditioned Quality	0.056858	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Schulze	Conditioned Quality	0.056858	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Schulze	Conditioned Quality	0.056858	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Schulze	Conditioned Quality	0.057357	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Schulze	Conditioned Quality	0.058853	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Schulze	Conditioned Quality	0.059352	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Schulze	Conditioned Quality	0.05586	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Schulze	Conditioned Quality	0.059352	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.05187	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.053865	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.054364	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.053865	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.05187	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.052369	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.053865	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.055362	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.054364	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.054863	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.073317	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.076309	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.078304	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.078304	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.078304	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.078803	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.077805	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.077805	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.078304	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.07581	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.07581	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.075312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.076808	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.076808	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.07581	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.076808	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.07581	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.076309	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.074314	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.074314	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.076808	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.077307	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.077805	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.077805	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.076808	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.076808	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.076309	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.075312	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.073815	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.075312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.076808	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.076808	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.077805	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.076309	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.076309	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.075312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.076808	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.075312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.07581	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.077805	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.079302	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.0798	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.080299	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.0798	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.078803	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.078803	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.078803	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.130175	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.136658	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.135162	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.138155	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.14015	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.141646	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.142643	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.142145	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.137157	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.135661	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.136658	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.137656	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.138155	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.139651	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.142145	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.142145	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.143142	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.140648	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.130175	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.139152	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.142643	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.142145	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.143641	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.140648	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.139651	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.130175	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.137157	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.135162	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.141147	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.142643	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.142643	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.142643	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.142145	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.130175	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.131671	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.134663	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.138155	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.135661	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.136658	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.137656	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.135661	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.137157	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.162594	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.159102	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.163591	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.16409	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.162594	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.161097	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.162594	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.163092	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.162095	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.163092	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.162594	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.161596	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.161596	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.162095	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.162594	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.163092	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.161097	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.162095	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.161596	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.162095	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.162594	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.160599	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.162594	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.162095	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.161596	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.160599	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.161596	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.162095	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.162095	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.162095	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.162594	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.159601	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.162594	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.163092	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.161596	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.161097	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.161097	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.161596	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.163092	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.162095	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.163591	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.163092	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.162095	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.163092	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.163092	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.162095	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.162594	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.162095	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.16409	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.16409	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.070823	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.073815	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.069825	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.068329	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.069327	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.069327	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.073815	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.073815	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.074314	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.071322	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.070823	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.073317	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.073317	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.072319	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.072818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.072818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.073815	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.074813	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.074813	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.071322	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074813	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.075312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.073815	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.072818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.075312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.074813	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.070823	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.074314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.070324	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.072319	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.072818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.073815	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.073317	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.074813	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.073815	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.074314	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.070823	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.071322	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.068329	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.070823	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.068828	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.068828	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.070324	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.071322	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.069825	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.070823	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.090274	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.088279	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.093267	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.092768	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.092269	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.090274	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.091272	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.090773	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.090274	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.091272	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090274	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblication", "PartialLRP", "Saliency", "Integrated Gradients", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.089776	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.089776	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.088778	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.089277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.088778	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.089277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.089277	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.089277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.091272	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.089776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.089277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.089776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.089776	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.088778	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.092269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.088279	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.088279	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.088279	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.089277	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.089776	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.090773	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.091272	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.091771	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.092768	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.092269	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.091272	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.091771	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.091272	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.091272	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.091272	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Borda	Conditioned Quality	0.149127	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Borda	Conditioned Quality	0.150125	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Borda	Conditioned Quality	0.143142	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Borda	Conditioned Quality	0.139651	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Borda	Conditioned Quality	0.138653	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Borda	Conditioned Quality	0.14015	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Borda	Conditioned Quality	0.145636	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Borda	Conditioned Quality	0.147132	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Borda	Conditioned Quality	0.146633	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Borda	Conditioned Quality	0.14813	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Kemeny	Conditioned Quality	0.149127	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Kemeny	Conditioned Quality	0.150623	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Kemeny	Conditioned Quality	0.149626	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Kemeny	Conditioned Quality	0.149127	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Kemeny	Conditioned Quality	0.152618	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Kemeny	Conditioned Quality	0.150623	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Kemeny	Conditioned Quality	0.152618	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Kemeny	Conditioned Quality	0.156608	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Kemeny	Conditioned Quality	0.154613	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Kemeny	Conditioned Quality	0.153616	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	RRF	Conditioned Quality	0.147631	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	RRF	Conditioned Quality	0.148628	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	RRF	Conditioned Quality	0.149127	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	RRF	Conditioned Quality	0.14813	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	RRF	Conditioned Quality	0.14813	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	RRF	Conditioned Quality	0.149626	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	RRF	Conditioned Quality	0.150125	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	RRF	Conditioned Quality	0.150623	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	RRF	Conditioned Quality	0.15212	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	RRF	Conditioned Quality	0.151122	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Schulze	Conditioned Quality	0.149127	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Schulze	Conditioned Quality	0.148628	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Schulze	Conditioned Quality	0.152618	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Schulze	Conditioned Quality	0.145137	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Schulze	Conditioned Quality	0.150623	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Schulze	Conditioned Quality	0.153117	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Schulze	Conditioned Quality	0.15212	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Schulze	Conditioned Quality	0.156608	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Schulze	Conditioned Quality	0.153616	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Schulze	Conditioned Quality	0.15212	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.145137	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.146135	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.141147	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.144638	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.145636	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.145636	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.147132	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.146633	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.14813	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.14813	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.185037	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.180549	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.182544	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.186534	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.188529	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.188529	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.187531	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.185536	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.187032	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.18803	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.185037	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.180549	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.183042	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.184539	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.18803	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.188529	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.185536	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.187531	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.188529	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.185536	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.186035	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.178554	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.183042	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.186035	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.185536	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.187032	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.186035	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.186534	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.186534	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.185536	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.185037	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.181546	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.181546	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.188529	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.190025	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.187531	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.183042	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.185037	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.187032	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.187032	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.190524	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.189027	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.187531	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.187032	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.189526	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.18803	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.18803	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.18803	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.187531	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.187531	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Borda	Conditioned Quality	0.095761	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Borda	Conditioned Quality	0.094264	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Borda	Conditioned Quality	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Borda	Conditioned Quality	0.086284	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Borda	Conditioned Quality	0.086783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Borda	Conditioned Quality	0.087781	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Borda	Conditioned Quality	0.092768	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Borda	Conditioned Quality	0.092269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Borda	Conditioned Quality	0.092768	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Borda	Conditioned Quality	0.091272	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Kemeny	Conditioned Quality	0.095761	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Kemeny	Conditioned Quality	0.096259	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Kemeny	Conditioned Quality	0.095761	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Kemeny	Conditioned Quality	0.096259	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Kemeny	Conditioned Quality	0.099751	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Kemeny	Conditioned Quality	0.094763	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Kemeny	Conditioned Quality	0.098254	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Kemeny	Conditioned Quality	0.098753	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Kemeny	Conditioned Quality	0.097756	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Kemeny	Conditioned Quality	0.095262	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	RRF	Conditioned Quality	0.095761	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	RRF	Conditioned Quality	0.094264	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	RRF	Conditioned Quality	0.096259	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	RRF	Conditioned Quality	0.093766	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	RRF	Conditioned Quality	0.095262	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	RRF	Conditioned Quality	0.095262	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	RRF	Conditioned Quality	0.097257	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	RRF	Conditioned Quality	0.095262	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	RRF	Conditioned Quality	0.097756	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	RRF	Conditioned Quality	0.096758	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Schulze	Conditioned Quality	0.095761	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Schulze	Conditioned Quality	0.094264	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Schulze	Conditioned Quality	0.096259	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Schulze	Conditioned Quality	0.090773	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Schulze	Conditioned Quality	0.096758	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Schulze	Conditioned Quality	0.097257	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Schulze	Conditioned Quality	0.096758	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Schulze	Conditioned Quality	0.097756	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Schulze	Conditioned Quality	0.097257	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Schulze	Conditioned Quality	0.095761	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.094763	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.093766	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.092269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.092269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.095761	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.094264	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.093267	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.092768	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.092768	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.091771	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.119701	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.117207	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.116708	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.116708	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.117706	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.117706	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.115711	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.115711	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.118703	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.119202	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.119701	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.113716	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.116209	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.118204	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.119701	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.119701	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.119202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.1202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.121197	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.118703	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.120698	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.114214	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.116209	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.119202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.118703	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.119202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.119202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.1202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.118204	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.119202	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.119701	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.117207	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.114713	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.121197	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.119202	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.119202	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.116209	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.118703	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.1202	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.119202	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.125187	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.123192	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1202	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1202	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.122195	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.121197	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.120698	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.121197	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.120698	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1202	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	Borda	Quality	0.170574	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	Borda	Quality	0.17207	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	Borda	Quality	0.163092	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Borda	Quality	0.167082	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	Borda	Quality	0.165586	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Borda	Quality	0.169077	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Borda	Quality	0.170574	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	Borda	Quality	0.169576	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	Borda	Quality	0.16808	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	Borda	Quality	0.166085	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	Kemeny	Quality	0.170574	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	Kemeny	Quality	0.175561	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	Kemeny	Quality	0.18005	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Kemeny	Quality	0.181546	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	Kemeny	Quality	0.173566	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Kemeny	Quality	0.182544	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Kemeny	Quality	0.17606	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	Kemeny	Quality	0.171072	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	Kemeny	Quality	0.174564	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	Kemeny	Quality	0.173067	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	RRF	Quality	0.167082	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	RRF	Quality	0.174065	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	RRF	Quality	0.17606	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	RRF	Quality	0.177057	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	RRF	Quality	0.180549	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	RRF	Quality	0.182544	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	RRF	Quality	0.180549	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	RRF	Quality	0.174065	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	RRF	Quality	0.175062	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	RRF	Quality	0.173067	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	Schulze	Quality	0.170574	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	Schulze	Quality	0.174065	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	Schulze	Quality	0.180549	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Schulze	Quality	0.180549	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	Schulze	Quality	0.178055	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Schulze	Quality	0.18005	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Schulze	Quality	0.179551	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	Schulze	Quality	0.17207	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	Schulze	Quality	0.171072	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	Schulze	Quality	0.175062	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	C	Simple Averaging	Quality	0.160599	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	C	Simple Averaging	Quality	0.163092	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	C	Simple Averaging	Quality	0.17207	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	C	Simple Averaging	Quality	0.177057	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	C	Simple Averaging	Quality	0.176559	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	C	Simple Averaging	Quality	0.176559	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	C	Simple Averaging	Quality	0.175561	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	C	Simple Averaging	Quality	0.175561	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	C	Simple Averaging	Quality	0.171571	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	C	Simple Averaging	Quality	0.170574	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	Borda	Quality	0.27581	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	Borda	Quality	0.269825	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	Borda	Quality	0.265835	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Borda	Quality	0.264838	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	Borda	Quality	0.268828	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Borda	Quality	0.264838	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Borda	Quality	0.268329	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	Borda	Quality	0.266334	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	Borda	Quality	0.272818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	Borda	Quality	0.270823	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	Kemeny	Quality	0.27581	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	Kemeny	Quality	0.26783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	Kemeny	Quality	0.269327	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Kemeny	Quality	0.266833	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	Kemeny	Quality	0.270823	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Kemeny	Quality	0.271322	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Kemeny	Quality	0.26783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	Kemeny	Quality	0.273815	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	Kemeny	Quality	0.274813	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	Kemeny	Quality	0.27182	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	RRF	Quality	0.275312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	RRF	Quality	0.270324	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	RRF	Quality	0.266833	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	RRF	Quality	0.26783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	RRF	Quality	0.272818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	RRF	Quality	0.268828	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	RRF	Quality	0.270823	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	RRF	Quality	0.271322	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	RRF	Quality	0.270823	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	RRF	Quality	0.272319	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FuILRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	Schulze	Quality	0.27581	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	Schulze	Quality	0.268828	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	Schulze	Quality	0.269825	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Schulze	Quality	0.26384	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	Schulze	Quality	0.270823	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Schulze	Quality	0.26783	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Schulze	Quality	0.272818	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	Schulze	Quality	0.271322	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	Schulze	Quality	0.273317	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	Schulze	Quality	0.271322	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Cbar	Simple Averaging	Quality	0.278803	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Cbar	Simple Averaging	Quality	0.273815	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Cbar	Simple Averaging	Quality	0.273317	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Cbar	Simple Averaging	Quality	0.269327	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Cbar	Simple Averaging	Quality	0.274314	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Cbar	Simple Averaging	Quality	0.272818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Cbar	Simple Averaging	Quality	0.272319	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Cbar	Simple Averaging	Quality	0.270324	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Cbar	Simple Averaging	Quality	0.27182	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Cbar	Simple Averaging	Quality	0.271322	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	Borda	Quality	0.110224	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	Borda	Quality	0.112219	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	Borda	Quality	0.103242	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Borda	Quality	0.106733	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	Borda	Quality	0.108229	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Borda	Quality	0.116708	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Borda	Quality	0.115711	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	Borda	Quality	0.111222	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	Borda	Quality	0.112219	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	Borda	Quality	0.109726	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	Kemeny	Quality	0.110224	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	Kemeny	Quality	0.116209	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	Kemeny	Quality	0.117706	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Kemeny	Quality	0.120698	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	Kemeny	Quality	0.114214	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Kemeny	Quality	0.123192	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Kemeny	Quality	0.117706	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	Kemeny	Quality	0.114214	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	Kemeny	Quality	0.115711	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	Kemeny	Quality	0.116209	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	RRF	Quality	0.106733	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	RRF	Quality	0.114214	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	RRF	Quality	0.114713	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	RRF	Quality	0.118204	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	RRF	Quality	0.121696	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	RRF	Quality	0.121197	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	RRF	Quality	0.122195	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	RRF	Quality	0.115212	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	RRF	Quality	0.117207	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	RRF	Quality	0.116209	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	Schulze	Quality	0.110224	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	Schulze	Quality	0.113716	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	Schulze	Quality	0.117706	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Schulze	Quality	0.119701	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	Schulze	Quality	0.1202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Schulze	Quality	0.121696	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Schulze	Quality	0.1202	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	Schulze	Quality	0.114214	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	Schulze	Quality	0.113716	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	Schulze	Quality	0.119202	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	F	Simple Averaging	Quality	0.104738	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	F	Simple Averaging	Quality	0.106234	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	F	Simple Averaging	Quality	0.115711	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	F	Simple Averaging	Quality	0.115212	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	F	Simple Averaging	Quality	0.115711	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	F	Simple Averaging	Quality	0.117706	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	F	Simple Averaging	Quality	0.116209	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	F	Simple Averaging	Quality	0.115212	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	F	Simple Averaging	Quality	0.115212	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	F	Simple Averaging	Quality	0.114713	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	Borda	Quality	0.214963	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	Borda	Quality	0.209975	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	Borda	Quality	0.206484	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Borda	Quality	0.20798	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	Borda	Quality	0.21197	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Borda	Quality	0.205486	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Borda	Quality	0.208479	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	Borda	Quality	0.206484	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	Borda	Quality	0.213965	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	Borda	Quality	0.211471	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	Kemeny	Quality	0.214963	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	Kemeny	Quality	0.208978	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	Kemeny	Quality	0.209476	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Kemeny	Quality	0.207481	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	Kemeny	Quality	0.210973	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Kemeny	Quality	0.210973	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Kemeny	Quality	0.206983	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	Kemeny	Quality	0.213965	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	Kemeny	Quality	0.214963	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	Kemeny	Quality	0.210973	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	RRF	Quality	0.214464	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	RRF	Quality	0.209975	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	RRF	Quality	0.206484	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	RRF	Quality	0.208479	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	RRF	Quality	0.21197	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	RRF	Quality	0.209476	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	RRF	Quality	0.210973	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	RRF	Quality	0.210973	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	RRF	Quality	0.213466	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	RRF	Quality	0.213965	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	Schulze	Quality	0.214963	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	Schulze	Quality	0.209476	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	Schulze	Quality	0.210474	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Schulze	Quality	0.204489	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	Schulze	Quality	0.210973	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Schulze	Quality	0.207481	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Schulze	Quality	0.210973	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	Schulze	Quality	0.212469	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	Schulze	Quality	0.212968	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	Schulze	Quality	0.210474	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FuILRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Clean	Fbar	Simple Averaging	Quality	0.216459	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Clean	Fbar	Simple Averaging	Quality	0.212968	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Clean	Fbar	Simple Averaging	Quality	0.211471	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Clean	Fbar	Simple Averaging	Quality	0.209476	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Clean	Fbar	Simple Averaging	Quality	0.214464	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Clean	Fbar	Simple Averaging	Quality	0.213466	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Clean	Fbar	Simple Averaging	Quality	0.212968	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Clean	Fbar	Simple Averaging	Quality	0.21197	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Clean	Fbar	Simple Averaging	Quality	0.21197	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Clean	Fbar	Simple Averaging	Quality	0.211471	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Borda	Robustness	0.044389	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Borda	Robustness	0.041397	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Borda	Robustness	0.022444	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Borda	Robustness	0.028928	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Borda	Robustness	0.032419	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Borda	Robustness	0.039401	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Borda	Robustness	0.042394	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Borda	Robustness	0.045885	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Borda	Robustness	0.0399	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Borda	Robustness	0.045885	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Kemeny	Robustness	0.044389	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Kemeny	Robustness	0.050374	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.044389	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.049377	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Kemeny	Robustness	0.045387	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Kemeny	Robustness	0.052369	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Kemeny	Robustness	0.049377	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Kemeny	Robustness	0.045885	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Kemeny	Robustness	0.052868	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Kemeny	Robustness	0.048878	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	RRF	Robustness	0.042893	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	RRF	Robustness	0.046384	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	RRF	Robustness	0.039401	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	RRF	Robustness	0.044888	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	RRF	Robustness	0.05187	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	RRF	Robustness	0.05187	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	RRF	Robustness	0.056359	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	RRF	Robustness	0.049875	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	RRF	Robustness	0.053367	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	RRF	Robustness	0.049377	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Schulze	Robustness	0.044389	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Schulze	Robustness	0.046883	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Schulze	Robustness	0.040399	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Schulze	Robustness	0.044888	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Schulze	Robustness	0.045387	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Schulze	Robustness	0.048878	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Schulze	Robustness	0.049875	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Schulze	Robustness	0.044888	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Schulze	Robustness	0.049875	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Schulze	Robustness	0.05187	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.038404	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.048878	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.038903	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.052369	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.053865	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.052868	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.051372	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.054364	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.046384	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.046883	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.03192	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.025436	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.025935	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.022444	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.027431	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.020449	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.024439	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.017456	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.017456	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.03192	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.036908	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.02793	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.025436	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.024439	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.02394	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.018454	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.032419	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.029925	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.029925	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.021945	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.020449	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.020449	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.021945	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.019451	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.03192	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.028429	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.024938	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.025436	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.018454	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.02394	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.015461	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.018454	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.016958	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.021446	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.02793	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.028928	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.016459	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.017456	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.012968	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.011471	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.014963	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.018454	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.016958	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.015461	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F	F	Borda	Robustness	0.016459	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	Borda	Robustness	0.01596	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	Borda	Robustness	0.000499	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255 F	F	Borda	Robustness	0.004489	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255 F	F	Borda	Robustness	0.008479	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255 F	F	Borda	Robustness	0.021945	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255 F	F	Borda	Robustness	0.01995	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255 F	F	Borda	Robustness	0.018454	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255 F	F	Borda	Robustness	0.016459	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255 F	F	Borda	Robustness	0.021945	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbliation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F	F	Kemeny	Robustness	0.016459	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	Kemeny	Robustness	0.020948	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	Kemeny	Robustness	0.016958	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Kemeny	Robustness	0.02394	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Kemeny	Robustness	0.017456	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Kemeny	Robustness	0.025935	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Kemeny	Robustness	0.02394	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Kemeny	Robustness	0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Kemeny	Robustness	0.025935	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Kemeny	Robustness	0.024938	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	RRF	Robustness	0.013466	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	RRF	Robustness	0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	RRF	Robustness	0.01596	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	RRF	Robustness	0.020948	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	RRF	Robustness	0.024938	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	RRF	Robustness	0.026434	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	RRF	Robustness	0.031421	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	RRF	Robustness	0.024439	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	RRF	Robustness	0.026434	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	RRF	Robustness	0.021945	True	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Schulze	Robustness	0.016459	False	["CheferTran former Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Schulze	Robustness	0.018953	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Schulze	Robustness	0.012968	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.018953	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.018953	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.025935	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Schulze	Robustness	0.022444	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
										["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Schulze	Robustness	0.022444	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Schulze	Robustness	0.02394	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Schulze	Robustness	0.029925	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.013466	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.016459	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.020948	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.021945	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.02394	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.021446	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.020449	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.029925	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.022943	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.020948	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.017456	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.027431	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.014963	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.016459	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.029925	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.033416	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.025436	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.019451	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.02394	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.024938	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.024938	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.015461	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.016459	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.018953	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.030424	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.028429	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.026933	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.019451	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.018454	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.016459	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.019451	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.017955	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.029925	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.024439	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.021446	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.024938	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.018454	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.022943	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.015461	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.016958	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.022943	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.027431	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.026434	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.016958	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.013965	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.011471	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.013965	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.016459	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.018454	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.016958	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Borda	Robustness	0.063342	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Borda	Robustness	0.059352	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Borda	Robustness	0.05586	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Borda	Robustness	0.061845	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Borda	Robustness	0.058853	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Borda	Robustness	0.060349	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Borda	Robustness	0.057855	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Borda	Robustness	0.056359	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Borda	Robustness	0.054364	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Borda	Robustness	0.05187	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FuILRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Kemeny	Robustness	0.063342	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Kemeny	Robustness	0.06384	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Kemeny	Robustness	0.06783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Kemeny	Robustness	0.067332	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Kemeny	Robustness	0.058354	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Kemeny	Robustness	0.066334	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Kemeny	Robustness	0.059352	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Kemeny	Robustness	0.053367	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Kemeny	Robustness	0.056858	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Kemeny	Robustness	0.056858	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	RRF	Robustness	0.05985	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	RRF	Robustness	0.059352	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	RRF	Robustness	0.065835	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	RRF	Robustness	0.063342	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	RRF	Robustness	0.06783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	RRF	Robustness	0.067332	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	RRF	Robustness	0.064838	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	RRF	Robustness	0.057357	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	RRF	Robustness	0.059352	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	RRF	Robustness	0.058354	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Schulze	Robustness	0.063342	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Schulze	Robustness	0.062344	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Schulze	Robustness	0.070324	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Schulze	Robustness	0.06783	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Schulze	Robustness	0.06384	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Schulze	Robustness	0.065337	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Schulze	Robustness	0.064339	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Schulze	Robustness	0.056359	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Schulze	Robustness	0.05586	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Schulze	Robustness	0.057855	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.05586	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.05586	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.066833	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.068329	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.068329	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.067332	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.067332	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.065337	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.062344	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.061845	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Borda	Robustness	0.137157	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Borda	Robustness	0.133167	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Borda	Robustness	0.126185	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Borda	Robustness	0.123691	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Borda	Robustness	0.127681	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Borda	Robustness	0.123192	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Borda	Robustness	0.126683	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Borda	Robustness	0.126185	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Borda	Robustness	0.13217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Borda	Robustness	0.128678	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.137157	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.129177	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.131172	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.12818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.131172	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.130673	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.12818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.134165	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.136658	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.133167	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	RRF	Robustness	0.137157	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	RRF	Robustness	0.133666	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	RRF	Robustness	0.127182	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	RRF	Robustness	0.127681	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	RRF	Robustness	0.13217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	RRF	Robustness	0.12818	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	RRF	Robustness	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	RRF	Robustness	0.130673	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	RRF	Robustness	0.131671	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	RRF	Robustness	0.134165	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.137157	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.13217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.130673	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.12419	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.127182	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.133167	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.131671	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.135661	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.132668	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.140648	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.135162	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.132668	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.127182	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.131671	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.130175	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.127681	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129676	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129177	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Borda	Robustness	0.056858	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Borda	Robustness	0.05586	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Borda	Robustness	0.049377	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Borda	Robustness	0.055362	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Borda	Robustness	0.056858	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Borda	Robustness	0.061845	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Borda	Robustness	0.058853	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Borda	Robustness	0.053865	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Borda	Robustness	0.055362	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Borda	Robustness	0.050873	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Kemeny	Robustness	0.056858	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Kemeny	Robustness	0.060349	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Kemeny	Robustness	0.062344	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Kemeny	Robustness	0.062843	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Kemeny	Robustness	0.056359	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Kemeny	Robustness	0.065337	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Kemeny	Robustness	0.056858	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Kemeny	Robustness	0.054863	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Kemeny	Robustness	0.055362	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Kemeny	Robustness	0.057855	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	RRF	Robustness	0.052868	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	RRF	Robustness	0.057855	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	RRF	Robustness	0.060349	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	RRF	Robustness	0.060349	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	RRF	Robustness	0.065337	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	RRF	Robustness	0.063342	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	RRF	Robustness	0.062843	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	RRF	Robustness	0.05586	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	RRF	Robustness	0.059352	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	RRF	Robustness	0.058354	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Schulze	Robustness	0.056858	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Schulze	Robustness	0.058354	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Schulze	Robustness	0.060848	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Schulze	Robustness	0.062843	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Schulze	Robustness	0.063342	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Schulze	Robustness	0.064339	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Schulze	Robustness	0.061347	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Schulze	Robustness	0.054863	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Schulze	Robustness	0.057855	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Schulze	Robustness	0.05985	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.052868	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.052369	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.061347	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.061347	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.06384	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.065337	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.062344	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.05985	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.060848	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.05985	True	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Borda	Robustness	0.140648	False	["CheferTran former Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Borda	Robustness	0.136658	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Borda	Robustness	0.130175	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Borda	Robustness	0.129676	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Borda	Robustness	0.133666	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Borda	Robustness	0.127182	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Borda	Robustness	0.129676	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Borda	Robustness	0.128678	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Borda	Robustness	0.13616	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Borda	Robustness	0.133167	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.140648	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.133167	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.133666	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.13217	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134165	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134165	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.131172	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.137157	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.139152	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134663	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	RRF	Robustness	0.14015	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	RRF	Robustness	0.135661	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	RRF	Robustness	0.129676	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	RRF	Robustness	0.131172	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	RRF	Robustness	0.131671	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	RRF	Robustness	0.137157	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	RRF	Robustness	0.138653	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.140648	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.135661	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.135162	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.127681	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.134165	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.129676	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.134663	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.13616	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.137656	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.133666	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.141147	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.137157	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133666	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.130175	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.134663	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.132668	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Borda	Robustness	0.040399	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Borda	Robustness	0.035411	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Borda	Robustness	0.02793	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Borda	Robustness	0.028928	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Borda	Robustness	0.027431	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Borda	Robustness	0.028928	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Borda	Robustness	0.028928	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Borda	Robustness	0.026933	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Borda	Robustness	0.025935	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Borda	Robustness	0.028928	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.040399	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.0399	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.043392	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.04389	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.035411	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.042893	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.033915	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.028928	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.031421	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.032419	True	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	RRF	Robustness	0.036908	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	RRF	Robustness	0.03591	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	RRF	Robustness	0.035411	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	RRF	Robustness	0.037905	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	RRF	Robustness	0.042394	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	RRF	Robustness	0.0399	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	RRF	Robustness	0.038404	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	RRF	Robustness	0.030424	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	RRF	Robustness	0.034414	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	RRF	Robustness	0.033416	True	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Schulze	Robustness	0.040399	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Schulze	Robustness	0.036908	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Schulze	Robustness	0.045387	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Schulze	Robustness	0.041895	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Schulze	Robustness	0.0399	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb-lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Schulze	Robustness	0.038903	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb-lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Schulze	Robustness	0.036908	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb-lation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Schulze	Robustness	0.029426	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb-lation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Schulze	Robustness	0.028429	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb-lation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Schulze	Robustness	0.032918	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb-lation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.030424	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.031421	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.037406	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.038404	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.038404	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.040898	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.038903	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.037905	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.03591	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.033416	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.113217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.110723	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.102244	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.100748	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.106234	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.103741	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.105736	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.103242	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.110723	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.107731	True	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.113217	False	["CheferTran former Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.106234	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.107731	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.104738	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.108229	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.108229	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.106733	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.111721	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.113217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.109726	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.112718	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109726	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.104239	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.105736	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.111222	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.108229	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109227	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109227	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.108728	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.110224	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.113217	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.107232	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.100748	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.106733	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.111721	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109726	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.110224	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.115212	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.110723	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.111222	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.106234	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.111222	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.110723	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.109726	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.108229	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.107731	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.107232	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Borda	Robustness	0.039401	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Borda	Robustness	0.038404	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Borda	Robustness	0.033416	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Borda	Robustness	0.038404	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Borda	Robustness	0.038903	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Borda	Robustness	0.047382	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Borda	Robustness	0.041895	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Borda	Robustness	0.037406	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Borda	Robustness	0.037905	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Borda	Robustness	0.038404	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.039401	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.042893	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.044389	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.048379	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.041397	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.050374	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.043392	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.040399	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.040898	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.041397	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	RRF	Robustness	0.035411	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	RRF	Robustness	0.039401	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	RRF	Robustness	0.039401	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	RRF	Robustness	0.044389	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	RRF	Robustness	0.048878	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	RRF	Robustness	0.046883	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	RRF	Robustness	0.046883	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	RRF	Robustness	0.040898	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	RRF	Robustness	0.042893	False	["CheferTransformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	RRF	Robustness	0.041397	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Schulze	Robustness	0.039401	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Schulze	Robustness	0.039401	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Schulze	Robustness	0.047382	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Schulze	Robustness	0.047382	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Schulze	Robustness	0.047382	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Schulze	Robustness	0.04788	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Schulze	Robustness	0.046883	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Schulze	Robustness	0.039401	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Schulze	Robustness	0.0399	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Schulze	Robustness	0.044888	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.033915	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.034913	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.047382	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.044389	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.046883	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.048878	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.045885	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.04389	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.045387	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.04389	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.124688	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.121696	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.113217	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115212	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.119701	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115212	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.117207	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115711	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.123691	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1202	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.124688	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.119202	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.119701	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.116708	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1202	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.122195	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.117706	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.125187	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.125686	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.121696	True	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.12419	False	["CheferTran former Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.120698	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.115212	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.117706	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121197	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.119701	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121696	False	["CheferTran former Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121197	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.123192	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.12419	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.124688	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.119701	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.112219	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.119202	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.122693	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.12419	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.123691	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.125686	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.121696	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.119701	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.116708	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.122195	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.122195	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.121197	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.120698	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.120698	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1202	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Borda	Robustness	0.021446	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Borda	Robustness	0.021945	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Borda	Robustness	0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Borda	Robustness	0.027431	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Borda	Robustness	0.026933	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Borda	Robustness	0.028928	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Borda	Robustness	0.024938	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Borda	Robustness	0.022444	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Borda	Robustness	0.021446	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Borda	Robustness	0.017955	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Kemeny	Robustness	0.021446	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Kemeny	Robustness	0.024938	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Kemeny	Robustness	0.030424	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Kemeny	Robustness	0.032419	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Kemeny	Robustness	0.020948	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Kemeny	Robustness	0.03192	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Kemeny	Robustness	0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Kemeny	Robustness	0.014464	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Kemeny	Robustness	0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Kemeny	Robustness	0.019451	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	RRF	Robustness	0.019451	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	RRF	Robustness	0.025436	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	RRF	Robustness	0.026933	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	RRF	Robustness	0.028928	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	RRF	Robustness	0.032419	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	RRF	Robustness	0.032918	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	RRF	Robustness	0.030424	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	RRF	Robustness	0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	RRF	Robustness	0.022943	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	RRF	Robustness	0.021945	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Schulze	Robustness	0.021446	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Schulze	Robustness	0.025436	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Schulze	Robustness	0.02793	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Schulze	Robustness	0.035411	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Schulze	Robustness	0.027431	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Schulze	Robustness	0.026933	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Schulze	Robustness	0.027431	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Schulze	Robustness	0.015461	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Schulze	Robustness	0.017456	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Schulze	Robustness	0.022943	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	C	Simple Averaging	Robustness	0.015461	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	C	Simple Averaging	Robustness	0.016958	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	C	Simple Averaging	Robustness	0.030923	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	C	Simple Averaging	Robustness	0.032419	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	C	Simple Averaging	Robustness	0.030923	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	C	Simple Averaging	Robustness	0.030923	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	C	Simple Averaging	Robustness	0.028429	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	C	Simple Averaging	Robustness	0.028928	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	C	Simple Averaging	Robustness	0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	C	Simple Averaging	Robustness	0.022444	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FuILRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Borda	Robustness	0.090773	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Borda	Robustness	0.089277	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Borda	Robustness	0.083292	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Borda	Robustness	0.078304	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Borda	Robustness	0.080299	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Borda	Robustness	0.076309	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Borda	Robustness	0.080798	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Borda	Robustness	0.080798	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Borda	Robustness	0.085786	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Borda	Robustness	0.082793	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.090773	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.087282	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.082294	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.082793	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.082793	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.082294	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	RRF	Robustness	0.089277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	RRF	Robustness	0.091771	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	RRF	Robustness	0.083791	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	RRF	Robustness	0.081796	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	RRF	Robustness	0.087282	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	RRF	Robustness	0.081796	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	RRF	Robustness	0.084788	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	RRF	Robustness	0.084788	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	RRF	Robustness	0.084289	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	RRF	Robustness	0.086783	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Schulze	Robustness	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Schulze	Robustness	0.087282	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Schulze	Robustness	0.088279	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Schulze	Robustness	0.075312	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Schulze	Robustness	0.080798	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Schulze	Robustness	0.080299	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Schulze	Robustness	0.089776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Schulze	Robustness	0.086284	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Schulze	Robustness	0.086284	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Schulze	Robustness	0.084289	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.088279	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.085786	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.082294	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084289	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.082294	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084289	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.083791	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Borda	Robustness	0.014464	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Borda	Robustness	0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Borda	Robustness	0.012469	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Borda	Robustness	0.020449	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Borda	Robustness	0.021446	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Borda	Robustness	0.028928	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Borda	Robustness	0.022943	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Borda	Robustness	0.018953	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Borda	Robustness	0.019451	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Borda	Robustness	0.018454	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Kemeny	Robustness	0.014464	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Kemeny	Robustness	0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Kemeny	Robustness	0.021945	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Kemeny	Robustness	0.024439	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Kemeny	Robustness	0.014464	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Kemeny	Robustness	0.028429	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Kemeny	Robustness	0.019451	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Kemeny	Robustness	0.015461	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Kemeny	Robustness	0.017955	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Kemeny	Robustness	0.020948	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	RRF	Robustness	0.010973	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	RRF	Robustness	0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	RRF	Robustness	0.018454	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	RRF	Robustness	0.024439	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	RRF	Robustness	0.026434	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	RRF	Robustness	0.025935	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	RRF	Robustness	0.024938	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	RRF	Robustness	0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	RRF	Robustness	0.019451	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	RRF	Robustness	0.019451	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Schulze	Robustness	0.014464	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Schulze	Robustness	0.019451	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Schulze	Robustness	0.021446	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Schulze	Robustness	0.028928	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Schulze	Robustness	0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Schulze	Robustness	0.024439	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Schulze	Robustness	0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Schulze	Robustness	0.016459	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Schulze	Robustness	0.016459	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Schulze	Robustness	0.023441	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	F	Simple Averaging	Robustness	0.009975	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	F	Simple Averaging	Robustness	0.012469	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	F	Simple Averaging	Robustness	0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	F	Simple Averaging	Robustness	0.022943	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	F	Simple Averaging	Robustness	0.01995	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	F	Simple Averaging	Robustness	0.023441	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	F	Simple Averaging	Robustness	0.022943	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	F	Simple Averaging	Robustness	0.022444	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	F	Simple Averaging	Robustness	0.022444	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb- lation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad- ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	F	Simple Averaging	Robustness	0.022943	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb- lation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad- ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Borda	Robustness	0.095262	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb- lation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad- ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Borda	Robustness	0.092768	False	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Borda	Robustness	0.089776	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Borda	Robustness	0.091272	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Borda	Robustness	0.094264	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb- lation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Borda	Robustness	0.087781	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb- lation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Borda	Robustness	0.092768	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb- lation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Borda	Robustness	0.090773	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb- lation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Borda	Robustness	0.095262	False	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb- lation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad- ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Borda	Robustness	0.092269	True	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb- lation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad- ient", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.095262	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.095262	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.093267	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.089277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.091272	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.091272	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.087781	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.093766	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.093766	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.092269	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	RRF	Robustness	0.093766	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	RRF	Robustness	0.095761	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	RRF	Robustness	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	RRF	Robustness	0.089277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	RRF	Robustness	0.093267	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	RRF	Robustness	0.090274	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	RRF	Robustness	0.091771	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	RRF	Robustness	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	RRF	Robustness	0.095262	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	RRF	Robustness	0.094763	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Schulze	Robustness	0.095262	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Schulze	Robustness	0.092269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Schulze	Robustness	0.095761	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Schulze	Robustness	0.083292	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Schulze	Robustness	0.091771	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Schulze	Robustness	0.088279	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Schulze	Robustness	0.094763	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Schulze	Robustness	0.093766	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Schulze	Robustness	0.092768	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Schulze	Robustness	0.091272	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.089776	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.089277	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.090773	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM", "FullLRP"]

Table 86: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Borda	Quality	max	3	0.17207	[3]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Borda	Quality	min	5	0.264838	[5,7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Borda	Quality	max	7	0.116708	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Borda	Quality	min	7	0.205486	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Borda	Robustness	min	4	0.022444	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Borda	Robustness	min	10	0.017456	[10,11]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Borda	Robustness	min	4	0.000499	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Borda	Robustness	min	10	0.014963	[10]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Borda	Robustness	min	11	0.05187	[11]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Borda	Robustness	min	7	0.123192	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Borda	Robustness	min	4	0.049377	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Borda	Robustness	min	7	0.127182	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Borda	Robustness	min	10	0.025935	[10]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Borda	Robustness	min	5	0.100748	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Borda	Robustness	min	4	0.033416	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Borda	Robustness	min	4	0.113217	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Borda	Robustness	min	11	0.017955	[11]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Borda	Robustness	min	7	0.076309	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Borda	Robustness	min	4	0.012469	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Borda	Robustness	min	7	0.087781	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Kemeny	Quality	max	7	0.182544	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Kemeny	Quality	min	5	0.266833	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Kemeny	Quality	max	7	0.123192	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Kemeny	Quality	min	8	0.206983	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Kemeny	Robustness	min	2	0.044389	[2,4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	min	9	0.017955	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Kemeny	Robustness	min	2	0.016459	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	min	9	0.015461	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Kemeny	Robustness	min	9	0.053367	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Kemeny	Robustness	min	5	0.12818	[5,8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Kemeny	Robustness	min	9	0.054863	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Kemeny	Robustness	min	8	0.131172	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Kemeny	Robustness	min	9	0.028928	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Kemeny	Robustness	min	5	0.104738	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Kemeny	Robustness	min	2	0.039401	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Kemeny	Robustness	min	5	0.116708	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Kemeny	Robustness	min	9	0.014464	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Kemeny	Robustness	min	5	0.082294	[5,8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Kemeny	Robustness	min	2	0.014464	[2,6]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Kemeny	Robustness	min	8	0.087781	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	RRF	Quality	max	7	0.182544	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	RRF	Quality	min	4	0.266833	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	RRF	Quality	max	8	0.122195	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	RRF	Quality	min	4	0.206484	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	RRF	Robustness	min	4	0.039401	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	RRF	Robustness	min	8	0.017955	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	RRF	Robustness	min	2	0.013466	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	RRF	Robustness	min	8	0.016459	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	RRF	Robustness	min	9	0.057357	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbelation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	RRF	Robustness	min	4	0.127182	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	RRF	Robustness	min	2	0.052868	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	RRF	Robustness	min	4	0.129676	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	RRF	Robustness	min	9	0.030424	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	RRF	Robustness	min	4	0.104239	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	RRF	Robustness	min	2	0.035411	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	RRF	Robustness	min	4	0.115212	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	RRF	Robustness	min	2	0.019451	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	RRF	Robustness	min	5	0.081796	[5, 7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	RRF	Robustness	min	2	0.010973	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	RRF	Robustness	min	5	0.089277	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Schulze	Quality	max	4	0.180549	[4, 5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Schulze	Quality	min	5	0.26384	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Schulze	Quality	max	7	0.121696	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Schulze	Quality	min	5	0.204489	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Schulze	Robustness	min	4	0.040399	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Schulze	Robustness	min	8	0.015461	[8]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Schulze	Robustness	min	4	0.012968	[4]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Schulze	Robustness	min	9	0.015461	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Schulze	Robustness	min	10	0.05586	[10]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Schulze	Robustness	min	5	0.12419	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Schulze	Robustness	min	9	0.054863	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Schulze	Robustness	min	5	0.127681	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Schulze	Robustness	min	10	0.028429	[10]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Schulze	Robustness	min	5	0.100748	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Schulze	Robustness	min	2	0.039401	[2,3,9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Schulze	Robustness	min	5	0.112219	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Schulze	Robustness	min	9	0.015461	[9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Schulze	Robustness	min	5	0.075312	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Schulze	Robustness	min	2	0.014464	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Schulze	Robustness	min	5	0.083292	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	Simple Averaging	Quality	max	5	0.177057	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	Simple Averaging	Quality	min	5	0.269327	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	Simple Averaging	Quality	max	7	0.117706	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	Simple Averaging	Quality	min	5	0.209476	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Simple Averaging	Robustness	min	2	0.038404	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	min	7	0.011471	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Simple Averaging	Robustness	min	2	0.013466	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	min	7	0.011471	[7]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	C	Simple Averaging	Robustness	min	2	0.05586	[2,3]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Simple Averaging	Robustness	min	5	0.127182	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	F	Simple Averaging	Robustness	min	3	0.052369	[3]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Simple Averaging	Robustness	min	5	0.130175	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	C	Simple Averaging	Robustness	min	2	0.030424	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	min	5	0.106234	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	F	Simple Averaging	Robustness	min	2	0.033915	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	min	5	0.116708	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	C	Simple Averaging	Robustness	min	2	0.015461	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Cbar	Simple Averaging	Robustness	min	5	0.082294	[5,9]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	F	Simple Averaging	Robustness	min	2	0.009975	[2]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Speckle 0.15	Fbar	Simple Averaging	Robustness	min	5	0.089277	[5]	smallest_q_within_absolute_1e-12	["CheferTransformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Table 87: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	Borda	Quality	0.170574	max	0.170574	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	Borda	Quality	0.17207	max	0.17207	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	Borda	Quality	0.163092	max	0.163092	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	Borda	Quality	0.167082	max	0.167082	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	Borda	Quality	0.165586	max	0.165586	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	Borda	Quality	0.169077	max	0.169077	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	Borda	Quality	0.170574	max	0.170574	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	Borda	Quality	0.169576	max	0.169576	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	Borda	Quality	0.16808	max	0.16808	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	Borda	Quality	0.166085	max	0.166085	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	Kemeny	Quality	0.170574	max	0.170574	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	Kemeny	Quality	0.175561	max	0.175561	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	Kemeny	Quality	0.18005	max	0.18005	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	Kemeny	Quality	0.181546	max	0.181546	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	Kemeny	Quality	0.173566	max	0.173566	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	Kemeny	Quality	0.182544	max	0.182544	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	Kemeny	Quality	0.17606	max	0.17606	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	Kemeny	Quality	0.171072	max	0.171072	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	Kemeny	Quality	0.174564	max	0.174564	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	Kemeny	Quality	0.173067	max	0.173067	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	RRF	Quality	0.167082	max	0.167082	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	RRF	Quality	0.174065	max	0.174065	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	RRF	Quality	0.17606	max	0.17606	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	RRF	Quality	0.177057	max	0.177057	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	RRF	Quality	0.180549	max	0.180549	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	RRF	Quality	0.182544	max	0.182544	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	RRF	Quality	0.180549	max	0.180549	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	RRF	Quality	0.174065	max	0.174065	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	RRF	Quality	0.175062	max	0.175062	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	RRF	Quality	0.173067	max	0.173067	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	Schulze	Quality	0.170574	max	0.170574	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	Schulze	Quality	0.174065	max	0.174065	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	Schulze	Quality	0.180549	max	0.180549	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	Schulze	Quality	0.180549	max	0.180549	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	Schulze	Quality	0.178055	max	0.178055	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	Schulze	Quality	0.18005	max	0.18005	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	Schulze	Quality	0.179551	max	0.179551	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	Schulze	Quality	0.17207	max	0.17207	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	Schulze	Quality	0.171072	max	0.171072	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	Schulze	Quality	0.175062	max	0.175062	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	Simple Averaging	Quality	0.160599	max	0.160599	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	Simple Averaging	Quality	0.163092	max	0.163092	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	Simple Averaging	Quality	0.17207	max	0.17207	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	Simple Averaging	Quality	0.177057	max	0.177057	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	Simple Averaging	Quality	0.176559	max	0.176559	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	Simple Averaging	Quality	0.176559	max	0.176559	kendall__mallows__exact__distance	0.441927	-	0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	Simple Averaging	Quality	0.175561	max	0.175561	kendall__mallows__exact__distance	0.453562	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	Simple Averaging	Quality	0.175561	max	0.175561	kendall__mallows__exact__distance	0.449333	-	0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	Simple Averaging	Quality	0.171571	max	0.171571	kendall__mallows__exact__distance	0.448046	-	0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	Simple Averaging	Quality	0.170574	max	0.170574	kendall__mallows__exact__distance	0.490753	-	0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	Borda	Quality	0.27581	min	-0.27581	kendall__mallows__exact__distance	0.336414	-	0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	Borda	Quality	0.269825	min	-0.269825	kendall__mallows__exact__distance	0.524811	-	0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	Borda	Quality	0.265835	min	-0.265835	kendall__mallows__exact__distance	0.458121	-	0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	Borda	Quality	0.264838	min	-0.264838	kendall__mallows__exact__distance	0.439905	-	0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	Borda	Quality	0.268828	min	-0.268828	kendall__mallows__exact__distance	0.447216	-	0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	Borda	Quality	0.264838	min	-0.264838	kendall__mallows__exact__distance	0.441927	-	0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	Borda	Quality	0.268329	min	-0.268329	kendall__mallows__exact__distance	0.453562	-	0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	Borda	Quality	0.266334	min	-0.266334	kendall__mallows__exact__distance	0.449333	-	0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	Borda	Quality	0.272818	min	-0.272818	kendall__mallows__exact__distance	0.448046	-	0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	Borda	Quality	0.270823	min	-0.270823	kendall__mallows__exact__distance	0.490753	-	0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	Kemeny	Quality	0.27581	min	-0.27581	kendall__mallows__exact__distance	0.336414	-	0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	Kemeny	Quality	0.26783	min	-0.26783	kendall__mallows__exact__distance	0.524811	-	0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	Kemeny	Quality	0.269327	min	-0.269327	kendall__mallows__exact__distance	0.458121	-	0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	Kemeny	Quality	0.266833	min	-0.266833	kendall__mallows__exact__distance	0.439905	-	0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	Kemeny	Quality	0.270823	min	-0.270823	kendall__mallows__exact__distance	0.447216	-	0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	Kemeny	Quality	0.271322	min	-0.271322	kendall__mallows__exact__distance	0.441927	-	0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	Kemeny	Quality	0.26783	min	-0.26783	kendall__mallows__exact__distance	0.453562	-	0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	Kemeny	Quality	0.273815	min	-0.273815	kendall__mallows__exact__distance	0.449333	-	0.449333	0.002	4188.1	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	Kemeny	Quality	0.274813	min	-0.274813	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	Kemeny	Quality	0.27182	min	-0.27182	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	RRF	Quality	0.275312	min	-0.275312	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	RRF	Quality	0.270324	min	-0.270324	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	RRF	Quality	0.266833	min	-0.266833	kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	RRF	Quality	0.26783	min	-0.26783	kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	RRF	Quality	0.272818	min	-0.272818	kendall__mallows__exact__distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	RRF	Quality	0.268828	min	-0.268828	kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	RRF	Quality	0.270823	min	-0.270823	kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	RRF	Quality	0.271322	min	-0.271322	kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	RRF	Quality	0.270823	min	-0.270823	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	RRF	Quality	0.272319	min	-0.272319	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	Schulze	Quality	0.27581	min	-0.27581	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	Schulze	Quality	0.268828	min	-0.268828	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	Schulze	Quality	0.269825	min	-0.269825	kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	Schulze	Quality	0.26384	min	-0.26384	kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	Schulze	Quality	0.270823	min	-0.270823	kendall__mallows__exact__distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	Schulze	Quality	0.26783	min	-0.26783	kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	Schulze	Quality	0.272818	min	-0.272818	kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	Schulze	Quality	0.271322	min	-0.271322	kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	Schulze	Quality	0.273317	min	-0.273317	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	Schulze	Quality	0.271322	min	-0.271322	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	Simple Averaging	Quality	0.278803	min	-0.278803	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	Simple Averaging	Quality	0.273815	min	-0.273815	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	Simple Averaging	Quality	0.273317	min	-0.273317	kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	Simple Averaging	Quality	0.269327	min	-0.269327	kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	Simple Averaging	Quality	0.274314	min	-0.274314	kendall__mallows__exact__distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	Simple Averaging	Quality	0.272818	min	-0.272818	kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	Simple Averaging	Quality	0.272319	min	-0.272319	kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	Simple Averaging	Quality	0.270324	min	-0.270324	kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	Simple Averaging	Quality	0.27182	min	-0.27182	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	Simple Averaging	Quality	0.271322	min	-0.271322	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	Borda	Quality	0.110224	max	0.110224	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	Borda	Quality	0.112219	max	0.112219	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	Borda	Quality	0.103242	max	0.103242	kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	Borda	Quality	0.106733	max	0.106733	kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	Borda	Quality	0.108229	max	0.108229	kendall__mallows__exact__distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	Borda	Quality	0.116708	max	0.116708	kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	Borda	Quality	0.115711	max	0.115711	kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	Borda	Quality	0.111222	max	0.111222	kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	Borda	Quality	0.112219	max	0.112219	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	Borda	Quality	0.109726	max	0.109726	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	Kemeny	Quality	0.110224	max	0.110224	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	Kemeny	Quality	0.116209	max	0.116209	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	Kemeny	Quality	0.117706	max	0.117706	kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	Kemeny	Quality	0.120698	max	0.120698	kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	Kemeny	Quality	0.114214	max	0.114214	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	Kemeny	Quality	0.123192	max	0.123192	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	Kemeny	Quality	0.117706	max	0.117706	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	Kemeny	Quality	0.114214	max	0.114214	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	Kemeny	Quality	0.115711	max	0.115711	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	Kemeny	Quality	0.116209	max	0.116209	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	RRF	Quality	0.106733	max	0.106733	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	RRF	Quality	0.114214	max	0.114214	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	RRF	Quality	0.114713	max	0.114713	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	RRF	Quality	0.118204	max	0.118204	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	RRF	Quality	0.121696	max	0.121696	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	RRF	Quality	0.121197	max	0.121197	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	RRF	Quality	0.122195	max	0.122195	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	RRF	Quality	0.115212	max	0.115212	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	RRF	Quality	0.117207	max	0.117207	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	RRF	Quality	0.116209	max	0.116209	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	Schulze	Quality	0.110224	max	0.110224	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	Schulze	Quality	0.113716	max	0.113716	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	Schulze	Quality	0.117706	max	0.117706	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	Schulze	Quality	0.119701	max	0.119701	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	Schulze	Quality	0.1202	max	0.1202	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	Schulze	Quality	0.121696	max	0.121696	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	Schulze	Quality	0.1202	max	0.1202	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	Schulze	Quality	0.114214	max	0.114214	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	Schulze	Quality	0.113716	max	0.113716	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	Schulze	Quality	0.119202	max	0.119202	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	Simple Averaging	Quality	0.104738	max	0.104738	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	Simple Averaging	Quality	0.106234	max	0.106234	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	Simple Averaging	Quality	0.115711	max	0.115711	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	Simple Averaging	Quality	0.115212	max	0.115212	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	Simple Averaging	Quality	0.115711	max	0.115711	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	Simple Averaging	Quality	0.117706	max	0.117706	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	Simple Averaging	Quality	0.116209	max	0.116209	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	Simple Averaging	Quality	0.115212	max	0.115212	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	Simple Averaging	Quality	0.115212	max	0.115212	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	Simple Averaging	Quality	0.114713	max	0.114713	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	Borda	Quality	0.214963	min	-	kendall__mallows__exact__distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	Borda	Quality	0.209975	min	-	kendall__mallows__exact__distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	Borda	Quality	0.206484	min	-	kendall__mallows__exact__distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	Borda	Quality	0.20798	min	-0.20798	kendall__mallows__exact__distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	Borda	Quality	0.21197	min	-0.21197	kendall__mallows__exact__distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	Borda	Quality	0.205486	min	-	kendall__mallows__exact__distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	Borda	Quality	0.208479	min	-	kendall__mallows__exact__distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	Borda	Quality	0.206484	min	-	kendall__mallows__exact__distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	Borda	Quality	0.213965	min	-	kendall__mallows__exact__distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	Borda	Quality	0.211471	min	-	kendall__mallows__exact__distance	0.490753	-	0.002	4747.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	Kemeny	Quality	0.214963	min	- 0.214963	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	Kemeny	Quality	0.208978	min	- 0.208978	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	Kemeny	Quality	0.209476	min	- 0.209476	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	Kemeny	Quality	0.207481	min	- 0.207481	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	Kemeny	Quality	0.210973	min	- 0.210973	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	Kemeny	Quality	0.210973	min	- 0.210973	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	Kemeny	Quality	0.206983	min	- 0.206983	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	Kemeny	Quality	0.213965	min	- 0.213965	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	Kemeny	Quality	0.214963	min	- 0.214963	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	Kemeny	Quality	0.210973	min	- 0.210973	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	RRF	Quality	0.214464	min	- 0.214464	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	RRF	Quality	0.209975	min	- 0.209975	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	RRF	Quality	0.206484	min	- 0.206484	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	RRF	Quality	0.208479	min	- 0.208479	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	RRF	Quality	0.21197	min	-0.21197	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	RRF	Quality	0.209476	min	- 0.209476	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	RRF	Quality	0.210973	min	- 0.210973	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	RRF	Quality	0.210973	min	- 0.210973	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	RRF	Quality	0.213466	min	- 0.213466	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	RRF	Quality	0.213965	min	- 0.213965	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	Schulze	Quality	0.214963	min	- 0.214963	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	Schulze	Quality	0.209476	min	- 0.209476	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	Schulze	Quality	0.210474	min	- 0.210474	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	Schulze	Quality	0.204489	min	- 0.204489	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	Schulze	Quality	0.210973	min	- 0.210973	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	Schulze	Quality	0.207481	min	- 0.207481	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	Schulze	Quality	0.210973	min	- 0.210973	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	Schulze	Quality	0.212469	min	- 0.212469	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	Schulze	Quality	0.212968	min	- 0.212968	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	Schulze	Quality	0.210474	min	- 0.210474	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	Simple Averaging	Quality	0.216459	min	- 0.216459	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	Simple Averaging	Quality	0.212968	min	- 0.212968	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	Simple Averaging	Quality	0.211471	min	- 0.211471	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	Simple Averaging	Quality	0.209476	min	- 0.209476	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	Simple Averaging	Quality	0.214464	min	- 0.214464	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	Simple Averaging	Quality	0.213466	min	- 0.213466	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	Simple Averaging	Quality	0.212968	min	- 0.212968	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	Simple Averaging	Quality	0.21197	min	-0.21197	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	Simple Averaging	Quality	0.21197	min	-0.21197	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	Simple Averaging	Quality	0.211471	min	- 0.211471	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 255	C	Borda	Robustness	0.044389	min	- 0.044389	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 255	C	Borda	Robustness	0.041397	min	- 0.041397	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 255	C	Borda	Robustness	0.022444	min	- 0.022444	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 255	C	Borda	Robustness	0.028928	min	- 0.028928	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 255	C	Borda	Robustness	0.032419	min	- 0.032419	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 255	C	Borda	Robustness	0.039401	min	- 0.039401	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Borda	Robustness	0.042394	min	- 0.042394	kendall__mallows__exact__distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Borda	Robustness	0.045885	min	- 0.045885	kendall__mallows__exact__distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Borda	Robustness	0.0399	min	-0.0399	kendall__mallows__exact__distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Borda	Robustness	0.045885	min	- 0.045885	kendall__mallows__exact__distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	Kemeny	Robustness	0.044389	min	- 0.044389	kendall__mallows__exact__distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	Kemeny	Robustness	0.050374	min	- 0.050374	kendall__mallows__exact__distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.044389	min	- 0.044389	kendall__mallows__exact__distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.049377	min	- 0.049377	kendall__mallows__exact__distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	Kemeny	Robustness	0.045387	min	- 0.045387	kendall__mallows__exact__distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	Kemeny	Robustness	0.052369	min	- 0.052369	kendall__mallows__exact__distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Kemeny	Robustness	0.049377	min	- 0.049377	kendall__mallows__exact__distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Kemeny	Robustness	0.045885	min	- 0.045885	kendall__mallows__exact__distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Kemeny	Robustness	0.052868	min	- 0.052868	kendall__mallows__exact__distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Kemeny	Robustness	0.048878	min	- 0.048878	kendall__mallows__exact__distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	RRF	Robustness	0.042893	min	- 0.042893	kendall__mallows__exact__distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	RRF	Robustness	0.046384	min	- 0.046384	kendall__mallows__exact__distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	RRF	Robustness	0.039401	min	- 0.039401	kendall__mallows__exact__distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	RRF	Robustness	0.044888	min	- 0.044888	kendall__mallows__exact__distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	RRF	Robustness	0.05187	min	-0.05187	kendall__mallows__exact__distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	RRF	Robustness	0.05187	min	-0.05187	kendall__mallows__exact__distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	RRF	Robustness	0.056359	min	- 0.056359	kendall__mallows__exact__distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	RRF	Robustness	0.049875	min	- 0.049875	kendall__mallows__exact__distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	RRF	Robustness	0.053367	min	- 0.053367	kendall__mallows__exact__distance	0.448046	- 0.448046	0.002	4298.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	RRF	Robustness	0.049377	min	- 0.049377	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	Schulze	Robustness	0.044389	min	- 0.044389	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	Schulze	Robustness	0.046883	min	- 0.046883	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	Schulze	Robustness	0.040399	min	- 0.040399	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	Schulze	Robustness	0.044888	min	- 0.044888	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	Schulze	Robustness	0.045387	min	- 0.045387	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	Schulze	Robustness	0.048878	min	- 0.048878	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Schulze	Robustness	0.049875	min	- 0.049875	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Schulze	Robustness	0.044888	min	- 0.044888	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Schulze	Robustness	0.049875	min	- 0.049875	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Schulze	Robustness	0.05187	min	-0.05187	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.038404	min	- 0.038404	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.048878	min	- 0.048878	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.038903	min	- 0.038903	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.052369	min	- 0.052369	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.053865	min	- 0.053865	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.052868	min	- 0.052868	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.051372	min	- 0.051372	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.054364	min	- 0.054364	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.046384	min	- 0.046384	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.046883	min	- 0.046883	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.03192	min	-0.03192	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.025436	min	- 0.025436	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.025935	min	- 0.025935	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.022444	min	- 0.022444	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.017955	min	- 0.017955	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.027431	min	- 0.027431	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.020449	min	- 0.020449	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.024439	min	- 0.024439	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.017456	min	- 0.017456	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.017456	min	- 0.017456	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.03192	min	-0.03192	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.036908	min	- 0.036908	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.02793	min	-0.02793	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.025436	min	- 0.025436	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.024439	min	- 0.024439	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.02394	min	-0.02394	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.017955	min	- 0.017955	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.01995	min	-0.01995	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.018454	min	- 0.018454	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.032419	min	- 0.032419	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.029925	min	- 0.029925	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.029925	min	- 0.029925	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.021945	min	- 0.021945	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.020449	min	- 0.020449	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.020449	min	- 0.020449	kendall__mallows__exact__distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.017955	min	- 0.017955	kendall__mallows__exact__distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.01995	min	-0.01995	kendall__mallows__exact__distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.021945	min	- 0.021945	kendall__mallows__exact__distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.019451	min	- 0.019451	kendall__mallows__exact__distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.03192	min	-0.03192	kendall__mallows__exact__distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.028429	min	- 0.028429	kendall__mallows__exact__distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.024938	min	- 0.024938	kendall__mallows__exact__distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.025436	min	- 0.025436	kendall__mallows__exact__distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.018454	min	- 0.018454	kendall__mallows__exact__distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.02394	min	-0.02394	kendall__mallows__exact__distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.015461	min	- 0.015461	kendall__mallows__exact__distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.018454	min	- 0.018454	kendall__mallows__exact__distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.016958	min	- 0.016958	kendall__mallows__exact__distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.021446	min	- 0.021446	kendall__mallows__exact__distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.02793	min	-0.02793	kendall__mallows__exact__distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.028928	min	- 0.028928	kendall__mallows__exact__distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.016459	min	- 0.016459	kendall__mallows__exact__distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.017456	min	- 0.017456	kendall__mallows__exact__distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.012968	min	- 0.012968	kendall__mallows__exact__distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.011471	min	- 0.011471	kendall__mallows__exact__distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.014963	min	- 0.014963	kendall__mallows__exact__distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.018454	min	- 0.018454	kendall__mallows__exact__distance	0.449333	- 0.449333	0.002	4188.1	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.016958	min	- 0.016958	kendall__mallows__exact__distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.015461	min	- 0.015461	kendall__mallows__exact__distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Borda	Robustness	0.016459	min	- 0.016459	kendall__mallows__exact__distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Borda	Robustness	0.01596	min	-0.01596	kendall__mallows__exact__distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Borda	Robustness	0.000499	min	- 0.000499	kendall__mallows__exact__distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Borda	Robustness	0.004489	min	- 0.004489	kendall__mallows__exact__distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Borda	Robustness	0.008479	min	- 0.008479	kendall__mallows__exact__distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Borda	Robustness	0.021945	min	- 0.021945	kendall__mallows__exact__distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Borda	Robustness	0.01995	min	-0.01995	kendall__mallows__exact__distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Borda	Robustness	0.018454	min	- 0.018454	kendall__mallows__exact__distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Borda	Robustness	0.016459	min	- 0.016459	kendall__mallows__exact__distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Borda	Robustness	0.021945	min	- 0.021945	kendall__mallows__exact__distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Kemeny	Robustness	0.016459	min	- 0.016459	kendall__mallows__exact__distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Kemeny	Robustness	0.020948	min	- 0.020948	kendall__mallows__exact__distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Kemeny	Robustness	0.016958	min	- 0.016958	kendall__mallows__exact__distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Kemeny	Robustness	0.02394	min	-0.02394	kendall__mallows__exact__distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Kemeny	Robustness	0.017456	min	- 0.017456	kendall__mallows__exact__distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Kemeny	Robustness	0.025935	min	- 0.025935	kendall__mallows__exact__distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Kemeny	Robustness	0.02394	min	-0.02394	kendall__mallows__exact__distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Kemeny	Robustness	0.023441	min	- 0.023441	kendall__mallows__exact__distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Kemeny	Robustness	0.025935	min	- 0.025935	kendall__mallows__exact__distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Kemeny	Robustness	0.024938	min	- 0.024938	kendall__mallows__exact__distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	RRF	Robustness	0.013466	min	- 0.013466	kendall__mallows__exact__distance	0.336414	- 0.336414	0.002	1612.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	RRF	Robustness	0.017955	min	- 0.017955	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	RRF	Robustness	0.01596	min	-0.01596	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	RRF	Robustness	0.020948	min	- 0.020948	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	RRF	Robustness	0.024938	min	- 0.024938	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	RRF	Robustness	0.026434	min	- 0.026434	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	RRF	Robustness	0.031421	min	- 0.031421	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	RRF	Robustness	0.024439	min	- 0.024439	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	RRF	Robustness	0.026434	min	- 0.026434	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	RRF	Robustness	0.021945	min	- 0.021945	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Schulze	Robustness	0.016459	min	- 0.016459	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Schulze	Robustness	0.018953	min	- 0.018953	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Schulze	Robustness	0.012968	min	- 0.012968	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.018953	min	- 0.018953	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.018953	min	- 0.018953	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.025935	min	- 0.025935	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Schulze	Robustness	0.022444	min	- 0.022444	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Schulze	Robustness	0.022444	min	- 0.022444	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Schulze	Robustness	0.02394	min	-0.02394	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Schulze	Robustness	0.029925	min	- 0.029925	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.013466	min	- 0.013466	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.01995	min	-0.01995	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.016459	min	- 0.016459	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.020948	min	- 0.020948	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.021945	min	- 0.021945	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.02394	min	-0.02394	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.021446	min	- 0.021446	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.020449	min	- 0.020449	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.029925	min	- 0.029925	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.022943	min	- 0.022943	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.020948	min	- 0.020948	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.017456	min	- 0.017456	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.027431	min	- 0.027431	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.01995	min	-0.01995	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.014963	min	- 0.014963	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.016459	min	- 0.016459	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.029925	min	- 0.029925	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.033416	min	- 0.033416	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.025436	min	- 0.025436	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.019451	min	- 0.019451	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.02394	min	-0.02394	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.024938	min	- 0.024938	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.024938	min	- 0.024938	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.015461	min	- 0.015461	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.016459	min	- 0.016459	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.018953	min	- 0.018953	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.030424	min	- 0.030424	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.028429	min	- 0.028429	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.026933	min	- 0.026933	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.019451	min	- 0.019451	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.018454	min	- 0.018454	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.01995	min	-0.01995	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.016459	min	- 0.016459	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.019451	min	- 0.019451	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.017955	min	- 0.017955	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.017955	min	- 0.017955	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.029925	min	- 0.029925	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.024439	min	- 0.024439	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.021446	min	- 0.021446	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.024938	min	- 0.024938	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.018454	min	- 0.018454	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.022943	min	- 0.022943	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.017955	min	- 0.017955	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.015461	min	- 0.015461	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.016958	min	- 0.016958	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.022943	min	- 0.022943	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.027431	min	- 0.027431	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.026434	min	- 0.026434	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.016958	min	- 0.016958	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.017955	min	- 0.017955	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.013965	min	- 0.013965	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.011471	min	- 0.011471	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.013965	min	- 0.013965	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.016459	min	- 0.016459	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.018454	min	- 0.018454	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.016958	min	- 0.016958	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	Borda	Robustness	0.063342	min	- 0.063342	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	Borda	Robustness	0.059352	min	- 0.059352	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	Borda	Robustness	0.05586	min	-0.05586	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	Borda	Robustness	0.061845	min	- 0.061845	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	Borda	Robustness	0.058853	min	- 0.058853	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	Borda	Robustness	0.060349	min	- 0.060349	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	Borda	Robustness	0.057855	min	- 0.057855	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	Borda	Robustness	0.056359	min	- 0.056359	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	Borda	Robustness	0.054364	min	- 0.054364	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	Borda	Robustness	0.05187	min	-0.05187	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	Kemeny	Robustness	0.063342	min	- 0.063342	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	Kemeny	Robustness	0.06384	min	-0.06384	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	Kemeny	Robustness	0.06783	min	-0.06783	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	Kemeny	Robustness	0.067332	min	- 0.067332	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	Kemeny	Robustness	0.058354	min	- 0.058354	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	Kemeny	Robustness	0.066334	min	- 0.066334	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	Kemeny	Robustness	0.059352	min	- 0.059352	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	Kemeny	Robustness	0.053367	min	- 0.053367	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	Kemeny	Robustness	0.056858	min	- 0.056858	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	Kemeny	Robustness	0.056858	min	- 0.056858	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	RRF	Robustness	0.05985	min	-0.05985	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	RRF	Robustness	0.059352	min	- 0.059352	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	RRF	Robustness	0.065835	min	- 0.065835	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	RRF	Robustness	0.063342	min	- 0.063342	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	RRF	Robustness	0.06783	min	-0.06783	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	RRF	Robustness	0.067332	min	- 0.067332	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	RRF	Robustness	0.064838	min	- 0.064838	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	RRF	Robustness	0.057357	min	- 0.057357	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	RRF	Robustness	0.059352	min	- 0.059352	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	RRF	Robustness	0.058354	min	- 0.058354	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	Schulze	Robustness	0.063342	min	- 0.063342	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	Schulze	Robustness	0.062344	min	- 0.062344	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	Schulze	Robustness	0.070324	min	- 0.070324	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	Schulze	Robustness	0.06783	min	-0.06783	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	Schulze	Robustness	0.06384	min	-0.06384	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	Schulze	Robustness	0.065337	min	- 0.065337	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	Schulze	Robustness	0.064339	min	-0.064339	kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	Schulze	Robustness	0.056359	min	-0.056359	kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	Schulze	Robustness	0.05586	min	-0.05586	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	Schulze	Robustness	0.057855	min	-0.057855	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.05586	min	-0.05586	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.05586	min	-0.05586	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.066833	min	-0.066833	kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.068329	min	-0.068329	kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.068329	min	-0.068329	kendall__mallows__exact__distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.067332	min	-0.067332	kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.067332	min	-0.067332	kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.065337	min	-0.065337	kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.062344	min	-0.062344	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.061845	min	-0.061845	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Borda	Robustness	0.137157	min	-0.137157	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Borda	Robustness	0.133167	min	-0.133167	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Borda	Robustness	0.126185	min	-0.126185	kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Borda	Robustness	0.123691	min	-0.123691	kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Borda	Robustness	0.127681	min	-0.127681	kendall__mallows__exact__distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Borda	Robustness	0.123192	min	-0.123192	kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Borda	Robustness	0.126683	min	-0.126683	kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Borda	Robustness	0.126185	min	-0.126185	kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Borda	Robustness	0.13217	min	-0.13217	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Borda	Robustness	0.128678	min	-0.128678	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.137157	min	-0.137157	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.129177	min	-0.129177	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.131172	min	-0.131172	kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.12818	min	-0.12818	kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.131172	min	-0.131172	kendall__mallows__exact__distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.130673	min	-0.130673	kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.12818	min	-0.12818	kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.134165	min	-0.134165	kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.136658	min	-0.136658	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.133167	min	-0.133167	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	RRF	Robustness	0.137157	min	-0.137157	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	RRF	Robustness	0.133666	min	-0.133666	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	RRF	Robustness	0.127182	min	-0.127182	kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	RRF	Robustness	0.127681	min	-0.127681	kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	RRF	Robustness	0.13217	min	-0.13217	kendall__mallows__exact__distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	RRF	Robustness	0.12818	min	-0.12818	kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	RRF	Robustness	0.130175	min	-0.130175	kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	RRF	Robustness	0.130673	min	-0.130673	kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	RRF	Robustness	0.131671	min	-0.131671	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	RRF	Robustness	0.134165	min	-0.134165	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.137157	min	-0.137157	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.13217	min	-0.13217	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.130673	min	- 0.130673	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.12419	min	-0.12419	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.130175	min	- 0.130175	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.127182	min	- 0.127182	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.133167	min	- 0.133167	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.131671	min	- 0.131671	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.135661	min	- 0.135661	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.132668	min	- 0.132668	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.140648	min	- 0.140648	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.135162	min	- 0.135162	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.132668	min	- 0.132668	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.127182	min	- 0.127182	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.131671	min	- 0.131671	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.130175	min	- 0.130175	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.130175	min	- 0.130175	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.127681	min	- 0.127681	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129676	min	- 0.129676	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129177	min	- 0.129177	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	Borda	Robustness	0.056858	min	- 0.056858	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	Borda	Robustness	0.05586	min	-0.05586	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	Borda	Robustness	0.049377	min	- 0.049377	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	Borda	Robustness	0.055362	min	- 0.055362	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	Borda	Robustness	0.056858	min	- 0.056858	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	Borda	Robustness	0.061845	min	-0.061845 kendall__mallows__exact__distance	-0.441927 kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	Borda	Robustness	0.058853	min	-0.058853 kendall__mallows__exact__distance	-0.453562 kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	Borda	Robustness	0.053865	min	-0.053865 kendall__mallows__exact__distance	-0.449333 kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	Borda	Robustness	0.055362	min	-0.055362 kendall__mallows__exact__distance	-0.448046 kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	Borda	Robustness	0.050873	min	-0.050873 kendall__mallows__exact__distance	-0.490753 kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	Kemeny	Robustness	0.056858	min	-0.056858 kendall__mallows__exact__distance	-0.336414 kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	Kemeny	Robustness	0.060349	min	-0.060349 kendall__mallows__exact__distance	-0.524811 kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	Kemeny	Robustness	0.062344	min	-0.062344 kendall__mallows__exact__distance	-0.458121 kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	Kemeny	Robustness	0.062843	min	-0.062843 kendall__mallows__exact__distance	-0.439905 kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	Kemeny	Robustness	0.056359	min	-0.056359 kendall__mallows__exact__distance	-0.447216 kendall__mallows__exact__distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	Kemeny	Robustness	0.065337	min	-0.065337 kendall__mallows__exact__distance	-0.441927 kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	Kemeny	Robustness	0.056858	min	-0.056858 kendall__mallows__exact__distance	-0.453562 kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	Kemeny	Robustness	0.054863	min	-0.054863 kendall__mallows__exact__distance	-0.449333 kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	Kemeny	Robustness	0.055362	min	-0.055362 kendall__mallows__exact__distance	-0.448046 kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	Kemeny	Robustness	0.057855	min	-0.057855 kendall__mallows__exact__distance	-0.490753 kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	RRF	Robustness	0.052868	min	-0.052868 kendall__mallows__exact__distance	-0.336414 kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	RRF	Robustness	0.057855	min	-0.057855 kendall__mallows__exact__distance	-0.524811 kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	RRF	Robustness	0.060349	min	-0.060349 kendall__mallows__exact__distance	-0.458121 kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	RRF	Robustness	0.060349	min	-0.060349 kendall__mallows__exact__distance	-0.439905 kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	RRF	Robustness	0.065337	min	-0.065337 kendall__mallows__exact__distance	-0.447216 kendall__mallows__exact__distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	RRF	Robustness	0.063342	min	-0.063342 kendall__mallows__exact__distance	-0.441927 kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	RRF	Robustness	0.062843	min	-0.062843 kendall__mallows__exact__distance	-0.453562 kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	RRF	Robustness	0.05586	min	-0.05586 kendall__mallows__exact__distance	-0.449333 kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	RRF	Robustness	0.059352	min	- 0.059352	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	RRF	Robustness	0.058354	min	- 0.058354	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	Schulze	Robustness	0.056858	min	- 0.056858	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	Schulze	Robustness	0.058354	min	- 0.058354	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	Schulze	Robustness	0.060848	min	- 0.060848	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	Schulze	Robustness	0.062843	min	- 0.062843	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	Schulze	Robustness	0.063342	min	- 0.063342	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	Schulze	Robustness	0.064339	min	- 0.064339	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	Schulze	Robustness	0.061347	min	- 0.061347	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	Schulze	Robustness	0.054863	min	- 0.054863	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	Schulze	Robustness	0.057855	min	- 0.057855	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	Schulze	Robustness	0.05985	min	-0.05985	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.052868	min	- 0.052868	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.052369	min	- 0.052369	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.061347	min	- 0.061347	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.061347	min	- 0.061347	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.06384	min	-0.06384	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.065337	min	- 0.065337	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.062344	min	- 0.062344	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.05985	min	-0.05985	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.060848	min	- 0.060848	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.05985	min	-0.05985	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Borda	Robustness	0.140648	min	- 0.140648	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Borda	Robustness	0.136658	min	- 0.136658	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Borda	Robustness	0.130175	min	- 0.130175	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Borda	Robustness	0.129676	min	- 0.129676	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Borda	Robustness	0.133666	min	- 0.133666	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Borda	Robustness	0.127182	min	- 0.127182	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Borda	Robustness	0.129676	min	- 0.129676	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Borda	Robustness	0.128678	min	- 0.128678	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Borda	Robustness	0.13616	min	-0.13616	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Borda	Robustness	0.133167	min	- 0.133167	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.140648	min	- 0.140648	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.133167	min	- 0.133167	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.133666	min	- 0.133666	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.13217	min	-0.13217	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134165	min	- 0.134165	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134165	min	- 0.134165	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.131172	min	- 0.131172	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.137157	min	- 0.137157	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.139152	min	- 0.139152	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134663	min	- 0.134663	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	RRF	Robustness	0.14015	min	-0.14015	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	RRF	Robustness	0.135661	min	- 0.135661	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	RRF	Robustness	0.129676	min	- 0.129676	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	RRF	Robustness	0.131172	min	- 0.131172	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	min	- 0.134165	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	RRF	Robustness	0.131671	min	- 0.131671	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	min	- 0.134165	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	min	- 0.134165	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	RRF	Robustness	0.137157	min	- 0.137157	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	RRF	Robustness	0.138653	min	- 0.138653	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.140648	min	- 0.140648	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.135661	min	- 0.135661	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.135162	min	- 0.135162	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.127681	min	- 0.127681	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.134165	min	- 0.134165	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.129676	min	- 0.129676	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.134663	min	- 0.134663	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.13616	min	-0.13616	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.137656	min	- 0.137656	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.133666	min	- 0.133666	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.141147	min	- 0.141147	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.137157	min	- 0.137157	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133666	min	- 0.133666	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.130175	min	- 0.130175	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.134663	min	- 0.134663	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	min	- 0.133167	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	min	- 0.133167	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	min	- 0.133167	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	min	- 0.133167	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.132668	min	- 0.132668	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Borda	Robustness	0.040399	min	- 0.040399	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Borda	Robustness	0.035411	min	- 0.035411	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Borda	Robustness	0.02793	min	-0.02793	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Borda	Robustness	0.028928	min	- 0.028928	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Borda	Robustness	0.027431	min	- 0.027431	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Borda	Robustness	0.028928	min	- 0.028928	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Borda	Robustness	0.028928	min	- 0.028928	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Borda	Robustness	0.026933	min	- 0.026933	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Borda	Robustness	0.025935	min	- 0.025935	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Borda	Robustness	0.028928	min	- 0.028928	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.040399	min	- 0.040399	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.0399	min	-0.0399	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.043392	min	- 0.043392	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.04389	min	-0.04389	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.035411	min	- 0.035411	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.042893	min	- 0.042893	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.033915	min	- 0.033915	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.028928	min	- 0.028928	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.031421	min	- 0.031421	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.032419	min	- 0.032419	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	RRF	Robustness	0.036908	min	-0.036908	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	RRF	Robustness	0.03591	min	-0.03591	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	RRF	Robustness	0.035411	min	-0.035411	kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	RRF	Robustness	0.037905	min	-0.037905	kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	RRF	Robustness	0.042394	min	-0.042394	kendall__mallows__exact__distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	RRF	Robustness	0.0399	min	-0.0399	kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	RRF	Robustness	0.038404	min	-0.038404	kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	RRF	Robustness	0.030424	min	-0.030424	kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	RRF	Robustness	0.034414	min	-0.034414	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	RRF	Robustness	0.033416	min	-0.033416	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Schulze	Robustness	0.040399	min	-0.040399	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Schulze	Robustness	0.036908	min	-0.036908	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Schulze	Robustness	0.045387	min	-0.045387	kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Schulze	Robustness	0.041895	min	-0.041895	kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Schulze	Robustness	0.0399	min	-0.0399	kendall__mallows__exact__distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Schulze	Robustness	0.038903	min	-0.038903	kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Schulze	Robustness	0.036908	min	-0.036908	kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Schulze	Robustness	0.029426	min	-0.029426	kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Schulze	Robustness	0.028429	min	-0.028429	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Schulze	Robustness	0.032918	min	-0.032918	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.030424	min	-0.030424	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.031421	min	-0.031421	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.037406	min	-0.037406	kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.038404	min	- 0.038404	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.038404	min	- 0.038404	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.040898	min	- 0.040898	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.038903	min	- 0.038903	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.037905	min	- 0.037905	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.03591	min	-0.03591	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.033416	min	- 0.033416	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.113217	min	- 0.113217	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.110723	min	- 0.110723	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.102244	min	- 0.102244	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.100748	min	- 0.100748	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.106234	min	- 0.106234	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.103741	min	- 0.103741	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.105736	min	- 0.105736	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.103242	min	- 0.103242	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.110723	min	- 0.110723	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.107731	min	- 0.107731	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.113217	min	- 0.113217	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.106234	min	- 0.106234	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.107731	min	- 0.107731	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.104738	min	- 0.104738	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.108229	min	- 0.108229	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.108229	min	- 0.108229	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.106733	min	- 0.106733	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.111721	min	- 0.111721	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.113217	min	- 0.113217	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.109726	min	- 0.109726	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.112718	min	- 0.112718	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109726	min	- 0.109726	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.104239	min	- 0.104239	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.105736	min	- 0.105736	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.111222	min	- 0.111222	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.108229	min	- 0.108229	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109227	min	- 0.109227	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109227	min	- 0.109227	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.108728	min	- 0.108728	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.110224	min	- 0.110224	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.113217	min	- 0.113217	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	min	- 0.109227	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.107232	min	- 0.107232	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.100748	min	- 0.100748	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	min	- 0.109227	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.106733	min	- 0.106733	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.111721	min	- 0.111721	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109726	min	- 0.109726	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.110224	min	- 0.110224	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	min	- 0.109227	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.115212	min	- 0.115212	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.110723	min	- 0.110723	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.111222	min	- 0.111222	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.106234	min	- 0.106234	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.111222	min	- 0.111222	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.110723	min	- 0.110723	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.109726	min	- 0.109726	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.108229	min	- 0.108229	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.107731	min	- 0.107731	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.107232	min	- 0.107232	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Borda	Robustness	0.039401	min	- 0.039401	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Borda	Robustness	0.038404	min	- 0.038404	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Borda	Robustness	0.033416	min	- 0.033416	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Borda	Robustness	0.038404	min	- 0.038404	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Borda	Robustness	0.038903	min	- 0.038903	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Borda	Robustness	0.047382	min	- 0.047382	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Borda	Robustness	0.041895	min	- 0.041895	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Borda	Robustness	0.037406	min	- 0.037406	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Borda	Robustness	0.037905	min	- 0.037905	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Borda	Robustness	0.038404	min	- 0.038404	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.039401	min	- 0.039401	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.042893	min	- 0.042893	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.044389	min	- 0.044389	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.048379	min	- 0.048379	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.041397	min	- 0.041397	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.050374	min	- 0.050374	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.043392	min	- 0.043392	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.040399	min	- 0.040399	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.040898	min	- 0.040898	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.041397	min	- 0.041397	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	RRF	Robustness	0.035411	min	- 0.035411	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	RRF	Robustness	0.039401	min	- 0.039401	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	RRF	Robustness	0.039401	min	- 0.039401	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	RRF	Robustness	0.044389	min	- 0.044389	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	RRF	Robustness	0.048878	min	- 0.048878	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	RRF	Robustness	0.046883	min	- 0.046883	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	RRF	Robustness	0.046883	min	- 0.046883	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	RRF	Robustness	0.040898	min	- 0.040898	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	RRF	Robustness	0.042893	min	- 0.042893	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	RRF	Robustness	0.041397	min	- 0.041397	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Schulze	Robustness	0.039401	min	- 0.039401	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Schulze	Robustness	0.039401	min	- 0.039401	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Schulze	Robustness	0.047382	min	- 0.047382	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Schulze	Robustness	0.047382	min	- 0.047382	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Schulze	Robustness	0.047382	min	- 0.047382	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Schulze	Robustness	0.04788	min	-0.04788	kendall_ mallows_ exact_ distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Schulze	Robustness	0.046883	min	-	kendall_ mallows_ exact_ distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Schulze	Robustness	0.039401	min	-	kendall_ mallows_ exact_ distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Schulze	Robustness	0.0399	min	-0.0399	kendall_ mallows_ exact_ distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Schulze	Robustness	0.044888	min	-	kendall_ mallows_ exact_ distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.033915	min	-	kendall_ mallows_ exact_ distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.034913	min	-	kendall_ mallows_ exact_ distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.047382	min	-	kendall_ mallows_ exact_ distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.044389	min	-	kendall_ mallows_ exact_ distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.046883	min	-	kendall_ mallows_ exact_ distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.048878	min	-	kendall_ mallows_ exact_ distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.045885	min	-	kendall_ mallows_ exact_ distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.04389	min	-0.04389	kendall_ mallows_ exact_ distance	0.449333	-	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.045387	min	-	kendall_ mallows_ exact_ distance	0.448046	-	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.04389	min	-0.04389	kendall_ mallows_ exact_ distance	0.490753	-	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.124688	min	-	kendall_ mallows_ exact_ distance	0.336414	-	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.121696	min	-	kendall_ mallows_ exact_ distance	0.524811	-	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.113217	min	-	kendall_ mallows_ exact_ distance	0.458121	-	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115212	min	-	kendall_ mallows_ exact_ distance	0.439905	-	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.119701	min	-	kendall_ mallows_ exact_ distance	0.447216	-	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115212	min	-	kendall_ mallows_ exact_ distance	0.441927	-	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.117207	min	-	kendall_ mallows_ exact_ distance	0.453562	-	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115711	min	-	kendall_ mallows_ exact_ distance	0.449333	-	0.002	4188.1	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.123691	min	-0.123691	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1202	min	-0.1202	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.124688	min	-0.124688	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.119202	min	-0.119202	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.119701	min	-0.119701	kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.116708	min	-0.116708	kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1202	min	-0.1202	kendall__mallows__exact__distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.122195	min	-0.122195	kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.117706	min	-0.117706	kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.125187	min	-0.125187	kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.125686	min	-0.125686	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.121696	min	-0.121696	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.12419	min	-0.12419	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.120698	min	-0.120698	kendall__mallows__exact__distance	0.524811	-0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.115212	min	-0.115212	kendall__mallows__exact__distance	0.458121	-0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.117706	min	-0.117706	kendall__mallows__exact__distance	0.439905	-0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121197	min	-0.121197	kendall__mallows__exact__distance	0.447216	-0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.119701	min	-0.119701	kendall__mallows__exact__distance	0.441927	-0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121696	min	-0.121696	kendall__mallows__exact__distance	0.453562	-0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121197	min	-0.121197	kendall__mallows__exact__distance	0.449333	-0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.123192	min	-0.123192	kendall__mallows__exact__distance	0.448046	-0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.12419	min	-0.12419	kendall__mallows__exact__distance	0.490753	-0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.124688	min	-0.124688	kendall__mallows__exact__distance	0.336414	-0.336414	0.002	1612.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	min	- 0.120698	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.119701	min	- 0.119701	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.112219	min	- 0.112219	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	min	- 0.120698	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.119202	min	- 0.119202	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.122693	min	- 0.122693	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.12419	min	-0.12419	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.123691	min	- 0.123691	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	min	- 0.120698	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.125686	min	- 0.125686	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.121696	min	- 0.121696	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.119701	min	- 0.119701	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.116708	min	- 0.116708	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.122195	min	- 0.122195	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.122195	min	- 0.122195	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.121197	min	- 0.121197	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.120698	min	- 0.120698	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.120698	min	- 0.120698	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1202	min	-0.1202	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	Borda	Robustness	0.021446	min	- 0.021446	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	Borda	Robustness	0.021945	min	- 0.021945	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	Borda	Robustness	0.01995	min	-0.01995	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	Borda	Robustness	0.027431	min	- 0.027431	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	Borda	Robustness	0.026933	min	- 0.026933	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	Borda	Robustness	0.028928	min	- 0.028928	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	Borda	Robustness	0.024938	min	- 0.024938	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	Borda	Robustness	0.022444	min	- 0.022444	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	Borda	Robustness	0.021446	min	- 0.021446	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	Borda	Robustness	0.017955	min	- 0.017955	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	Kemeny	Robustness	0.021446	min	- 0.021446	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	Kemeny	Robustness	0.024938	min	- 0.024938	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	Kemeny	Robustness	0.030424	min	- 0.030424	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	Kemeny	Robustness	0.032419	min	- 0.032419	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	Kemeny	Robustness	0.020948	min	- 0.020948	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	Kemeny	Robustness	0.03192	min	-0.03192	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	Kemeny	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	Kemeny	Robustness	0.014464	min	- 0.014464	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	Kemeny	Robustness	0.01995	min	-0.01995	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	Kemeny	Robustness	0.019451	min	- 0.019451	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	RRF	Robustness	0.019451	min	- 0.019451	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	RRF	Robustness	0.025436	min	- 0.025436	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	RRF	Robustness	0.026933	min	- 0.026933	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	RRF	Robustness	0.028928	min	- 0.028928	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	RRF	Robustness	0.032419	min	- 0.032419	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	RRF	Robustness	0.032918	min	- 0.032918	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	RRF	Robustness	0.030424	min	- 0.030424	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	RRF	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	RRF	Robustness	0.022943	min	- 0.022943	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	RRF	Robustness	0.021945	min	- 0.021945	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	Schulze	Robustness	0.021446	min	- 0.021446	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	Schulze	Robustness	0.025436	min	- 0.025436	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	Schulze	Robustness	0.02793	min	-0.02793	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	Schulze	Robustness	0.035411	min	- 0.035411	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	Schulze	Robustness	0.027431	min	- 0.027431	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	Schulze	Robustness	0.026933	min	- 0.026933	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	Schulze	Robustness	0.027431	min	- 0.027431	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	Schulze	Robustness	0.015461	min	- 0.015461	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	Schulze	Robustness	0.017456	min	- 0.017456	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	Schulze	Robustness	0.022943	min	- 0.022943	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	Simple Averaging	Robustness	0.015461	min	- 0.015461	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	Simple Averaging	Robustness	0.016958	min	- 0.016958	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	Simple Averaging	Robustness	0.030923	min	- 0.030923	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	Simple Averaging	Robustness	0.032419	min	- 0.032419	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	Simple Averaging	Robustness	0.030923	min	- 0.030923	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	Simple Averaging	Robustness	0.030923	min	- 0.030923	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	Simple Averaging	Robustness	0.028429	min	- 0.028429	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	Simple Averaging	Robustness	0.028928	min	- 0.028928	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	Simple Averaging	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	Simple Averaging	Robustness	0.022444	min	- 0.022444	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Borda	Robustness	0.090773	min	- 0.090773	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Borda	Robustness	0.089277	min	- 0.089277	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Borda	Robustness	0.083292	min	- 0.083292	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Borda	Robustness	0.078304	min	- 0.078304	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Borda	Robustness	0.080299	min	- 0.080299	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Borda	Robustness	0.076309	min	- 0.076309	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Borda	Robustness	0.080798	min	- 0.080798	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Borda	Robustness	0.080798	min	- 0.080798	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Borda	Robustness	0.085786	min	- 0.085786	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Borda	Robustness	0.082793	min	- 0.082793	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.090773	min	- 0.090773	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.087282	min	- 0.087282	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	min	- 0.086284	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.082294	min	- 0.082294	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.082793	min	- 0.082793	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.082793	min	- 0.082793	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.082294	min	- 0.082294	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	min	- 0.086284	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	min	- 0.086284	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	min	- 0.086284	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	RRF	Robustness	0.089277	min	- 0.089277	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	RRF	Robustness	0.091771	min	- 0.091771	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	RRF	Robustness	0.083791	min	- 0.083791	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	RRF	Robustness	0.081796	min	- 0.081796	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	RRF	Robustness	0.087282	min	- 0.087282	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	RRF	Robustness	0.081796	min	- 0.081796	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	RRF	Robustness	0.084788	min	- 0.084788	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	RRF	Robustness	0.084788	min	- 0.084788	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	RRF	Robustness	0.084289	min	- 0.084289	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	RRF	Robustness	0.086783	min	- 0.086783	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Schulze	Robustness	0.090773	min	- 0.090773	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Schulze	Robustness	0.087282	min	- 0.087282	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Schulze	Robustness	0.088279	min	- 0.088279	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Schulze	Robustness	0.075312	min	- 0.075312	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Schulze	Robustness	0.080798	min	- 0.080798	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Schulze	Robustness	0.080299	min	- 0.080299	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Schulze	Robustness	0.089776	min	- 0.089776	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Schulze	Robustness	0.086284	min	- 0.086284	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Schulze	Robustness	0.086284	min	- 0.086284	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Schulze	Robustness	0.084289	min	- 0.084289	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.088279	min	- 0.088279	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	min	- 0.084788	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.085786	min	- 0.085786	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.082294	min	- 0.082294	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	min	- 0.084788	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	min	- 0.084788	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084289	min	- 0.084289	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.082294	min	- 0.082294	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084289	min	- 0.084289	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.083791	min	- 0.083791	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	Borda	Robustness	0.014464	min	- 0.014464	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	Borda	Robustness	0.017955	min	- 0.017955	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	Borda	Robustness	0.012469	min	- 0.012469	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	Borda	Robustness	0.020449	min	- 0.020449	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	Borda	Robustness	0.021446	min	- 0.021446	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	Borda	Robustness	0.028928	min	- 0.028928	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	Borda	Robustness	0.022943	min	- 0.022943	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	Borda	Robustness	0.018953	min	- 0.018953	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	Borda	Robustness	0.019451	min	- 0.019451	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	Borda	Robustness	0.018454	min	- 0.018454	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	Kemeny	Robustness	0.014464	min	- 0.014464	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	Kemeny	Robustness	0.01995	min	-0.01995	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	Kemeny	Robustness	0.021945	min	- 0.021945	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	Kemeny	Robustness	0.024439	min	- 0.024439	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	Kemeny	Robustness	0.014464	min	- 0.014464	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	Kemeny	Robustness	0.028429	min	- 0.028429	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	Kemeny	Robustness	0.019451	min	- 0.019451	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	Kemeny	Robustness	0.015461	min	- 0.015461	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	Kemeny	Robustness	0.017955	min	- 0.017955	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	Kemeny	Robustness	0.020948	min	- 0.020948	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	RRF	Robustness	0.010973	min	- 0.010973	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	RRF	Robustness	0.01995	min	-0.01995	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	RRF	Robustness	0.018454	min	- 0.018454	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	RRF	Robustness	0.024439	min	- 0.024439	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	RRF	Robustness	0.026434	min	- 0.026434	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	RRF	Robustness	0.025935	min	- 0.025935	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	RRF	Robustness	0.024938	min	- 0.024938	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	RRF	Robustness	0.01995	min	-0.01995	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	RRF	Robustness	0.019451	min	- 0.019451	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	RRF	Robustness	0.019451	min	- 0.019451	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	Schulze	Robustness	0.014464	min	- 0.014464	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	Schulze	Robustness	0.019451	min	- 0.019451	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	Schulze	Robustness	0.021446	min	- 0.021446	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	Schulze	Robustness	0.028928	min	- 0.028928	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	Schulze	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	Schulze	Robustness	0.024439	min	- 0.024439	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	Schulze	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	Schulze	Robustness	0.016459	min	- 0.016459	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	Schulze	Robustness	0.016459	min	- 0.016459	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	Schulze	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	Simple Averaging	Robustness	0.009975	min	- 0.009975	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	Simple Averaging	Robustness	0.012469	min	- 0.012469	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	Simple Averaging	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	Simple Averaging	Robustness	0.022943	min	- 0.022943	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	Simple Averaging	Robustness	0.01995	min	-0.01995	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	Simple Averaging	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	Simple Averaging	Robustness	0.022943	min	- 0.022943	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	Simple Averaging	Robustness	0.022444	min	- 0.022444	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	Simple Averaging	Robustness	0.022444	min	- 0.022444	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	Simple Averaging	Robustness	0.022943	min	- 0.022943	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Borda	Robustness	0.095262	min	- 0.095262	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Borda	Robustness	0.092768	min	- 0.092768	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Borda	Robustness	0.089776	min	- 0.089776	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Borda	Robustness	0.091272	min	- 0.091272	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Borda	Robustness	0.094264	min	- 0.094264	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Borda	Robustness	0.087781	min	- 0.087781	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Borda	Robustness	0.092768	min	- 0.092768	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Borda	Robustness	0.090773	min	- 0.090773	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Borda	Robustness	0.095262	min	- 0.095262	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Borda	Robustness	0.092269	min	- 0.092269	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.095262	min	- 0.095262	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.095262	min	- 0.095262	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.093267	min	- 0.093267	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.089277	min	- 0.089277	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.091272	min	- 0.091272	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.091272	min	- 0.091272	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.087781	min	- 0.087781	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.093766	min	- 0.093766	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.093766	min	- 0.093766	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.092269	min	- 0.092269	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	RRF	Robustness	0.093766	min	- 0.093766	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	RRF	Robustness	0.095761	min	- 0.095761	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	RRF	Robustness	0.090274	min	- 0.090274	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	RRF	Robustness	0.089277	min	- 0.089277	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	RRF	Robustness	0.093267	min	- 0.093267	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	RRF	Robustness	0.090274	min	- 0.090274	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	RRF	Robustness	0.091771	min	- 0.091771	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	RRF	Robustness	0.090773	min	- 0.090773	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	RRF	Robustness	0.095262	min	- 0.095262	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	RRF	Robustness	0.094763	min	- 0.094763	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Schulze	Robustness	0.095262	min	- 0.095262	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Schulze	Robustness	0.092269	min	- 0.092269	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Schulze	Robustness	0.095761	min	- 0.095761	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Schulze	Robustness	0.083292	min	- 0.083292	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Schulze	Robustness	0.091771	min	- 0.091771	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Schulze	Robustness	0.088279	min	- 0.088279	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Schulze	Robustness	0.094763	min	- 0.094763	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Schulze	Robustness	0.093766	min	- 0.093766	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Schulze	Robustness	0.092768	min	- 0.092768	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Schulze	Robustness	0.091272	min	- 0.091272	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	min	- 0.091272	kendall_ mallows_ exact_ distance	0.336414	- 0.336414	0.002	1612.6	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.089776	min	- 0.089776	kendall_ mallows_ exact_ distance	0.524811	- 0.524811	0.002	2644.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	min	- 0.091272	kendall_ mallows_ exact_ distance	0.458121	- 0.458121	0.002	3601.9	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.089277	min	- 0.089277	kendall_ mallows_ exact_ distance	0.439905	- 0.439905	0.002	4244.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	min	- 0.092269	kendall_ mallows_ exact_ distance	0.447216	- 0.447216	0.002	4164.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	min	- 0.092269	kendall_ mallows_ exact_ distance	0.441927	- 0.441927	0.002	4256.2	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	min	- 0.092269	kendall_ mallows_ exact_ distance	0.453562	- 0.453562	0.002	4267.7	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.090773	min	- 0.090773	kendall_ mallows_ exact_ distance	0.449333	- 0.449333	0.002	4188.1	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	min	- 0.091272	kendall_ mallows_ exact_ distance	0.448046	- 0.448046	0.002	4298.3	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	min	- 0.091272	kendall_ mallows_ exact_ distance	0.490753	- 0.490753	0.002	4747.4	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	Borda	Quality	0.170574	max	0.170574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	Borda	Quality	0.17207	max	0.17207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	Borda	Quality	0.163092	max	0.163092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	Borda	Quality	0.167082	max	0.167082	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	Borda	Quality	0.165586	max	0.165586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	Borda	Quality	0.169077	max	0.169077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	Borda	Quality	0.170574	max	0.170574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	Borda	Quality	0.169576	max	0.169576	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	Borda	Quality	0.16808	max	0.16808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	Borda	Quality	0.166085	max	0.166085	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	Kemeny	Quality	0.170574	max	0.170574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	Kemeny	Quality	0.175561	max	0.175561	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	Kemeny	Quality	0.18005	max	0.18005	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	Kemeny	Quality	0.181546	max	0.181546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	Kemeny	Quality	0.173566	max	0.173566	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	Kemeny	Quality	0.182544	max	0.182544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	Kemeny	Quality	0.17606	max	0.17606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	Kemeny	Quality	0.171072	max	0.171072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	Kemeny	Quality	0.174564	max	0.174564	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	Kemeny	Quality	0.173067	max	0.173067	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	RRF	Quality	0.167082	max	0.167082	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	RRF	Quality	0.174065	max	0.174065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	RRF	Quality	0.17606	max	0.17606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	RRF	Quality	0.177057	max	0.177057	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	RRF	Quality	0.180549	max	0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	RRF	Quality	0.182544	max	0.182544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	RRF	Quality	0.180549	max	0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	RRF	Quality	0.174065	max	0.174065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	RRF	Quality	0.175062	max	0.175062	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	RRF	Quality	0.173067	max	0.173067	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	Schulze	Quality	0.170574	max	0.170574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	Schulze	Quality	0.174065	max	0.174065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	Schulze	Quality	0.180549	max	0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	Schulze	Quality	0.180549	max	0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	Schulze	Quality	0.178055	max	0.178055	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	Schulze	Quality	0.18005	max	0.18005	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	Schulze	Quality	0.179551	max	0.179551	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	Schulze	Quality	0.17207	max	0.17207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	Schulze	Quality	0.171072	max	0.171072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	Schulze	Quality	0.175062	max	0.175062	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	Simple Averaging	Quality	0.160599	max	0.160599	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	Simple Averaging	Quality	0.163092	max	0.163092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	Simple Averaging	Quality	0.17207	max	0.17207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	Simple Averaging	Quality	0.177057	max	0.177057	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	Simple Averaging	Quality	0.176559	max	0.176559	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	Simple Averaging	Quality	0.176559	max	0.176559	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	Simple Averaging	Quality	0.175561	max	0.175561	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	Simple Averaging	Quality	0.175561	max	0.175561	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	Simple Averaging	Quality	0.171571	max	0.171571	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	Simple Averaging	Quality	0.170574	max	0.170574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	Borda	Quality	0.27581	min	-0.27581	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	Borda	Quality	0.269825	min	- 0.269825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	Borda	Quality	0.265835	min	- 0.265835	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	Borda	Quality	0.264838	min	- 0.264838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	Borda	Quality	0.268828	min	- 0.268828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	Borda	Quality	0.264838	min	- 0.264838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	Borda	Quality	0.268329	min	- 0.268329	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	Borda	Quality	0.266334	min	- 0.266334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	Borda	Quality	0.272818	min	- 0.272818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	Borda	Quality	0.270823	min	- 0.270823	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	Kemeny	Quality	0.27581	min	-0.27581	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	Kemeny	Quality	0.26783	min	-0.26783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	Kemeny	Quality	0.269327	min	- 0.269327	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	Kemeny	Quality	0.266833	min	- 0.266833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	Kemeny	Quality	0.270823	min	- 0.270823	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	Kemeny	Quality	0.271322	min	- 0.271322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	Kemeny	Quality	0.26783	min	-0.26783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	Kemeny	Quality	0.273815	min	- 0.273815	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	Kemeny	Quality	0.274813	min	- 0.274813	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	Kemeny	Quality	0.27182	min	-0.27182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	RRF	Quality	0.275312	min	- 0.275312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	RRF	Quality	0.270324	min	-0.270324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	RRF	Quality	0.266833	min	-0.266833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	RRF	Quality	0.26783	min	-0.26783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	RRF	Quality	0.272818	min	-0.272818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	RRF	Quality	0.268828	min	-0.268828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	RRF	Quality	0.270823	min	-0.270823	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	RRF	Quality	0.271322	min	-0.271322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	RRF	Quality	0.270823	min	-0.270823	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	RRF	Quality	0.272319	min	-0.272319	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	Schulze	Quality	0.27581	min	-0.27581	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	Schulze	Quality	0.268828	min	-0.268828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	Schulze	Quality	0.269825	min	-0.269825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	Schulze	Quality	0.26384	min	-0.26384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	Schulze	Quality	0.270823	min	-0.270823	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	Schulze	Quality	0.26783	min	-0.26783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	Schulze	Quality	0.272818	min	-0.272818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	Schulze	Quality	0.271322	min	-0.271322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	Schulze	Quality	0.273317	min	-0.273317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	Schulze	Quality	0.271322	min	-0.271322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	Simple Averaging	Quality	0.278803	min	-0.278803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	Simple Averaging	Quality	0.273815	min	-0.273815	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	Simple Averaging	Quality	0.273317	min	-0.273317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	Simple Averaging	Quality	0.269327	min	-0.269327	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	Simple Averaging	Quality	0.274314	min	-0.274314	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	Simple Averaging	Quality	0.272818	min	-0.272818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	Simple Averaging	Quality	0.272319	min	-0.272319	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	Simple Averaging	Quality	0.270324	min	-0.270324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	Simple Averaging	Quality	0.27182	min	-0.27182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	Simple Averaging	Quality	0.271322	min	-0.271322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	Borda	Quality	0.110224	max	0.110224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	Borda	Quality	0.112219	max	0.112219	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	Borda	Quality	0.103242	max	0.103242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	Borda	Quality	0.106733	max	0.106733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	Borda	Quality	0.108229	max	0.108229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	Borda	Quality	0.116708	max	0.116708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	Borda	Quality	0.115711	max	0.115711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	Borda	Quality	0.111222	max	0.111222	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	Borda	Quality	0.112219	max	0.112219	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	Borda	Quality	0.109726	max	0.109726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	Kemeny	Quality	0.110224	max	0.110224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	Kemeny	Quality	0.116209	max	0.116209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	Kemeny	Quality	0.117706	max	0.117706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	Kemeny	Quality	0.120698	max	0.120698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	Kemeny	Quality	0.114214	max	0.114214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	Kemeny	Quality	0.123192	max	0.123192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	Kemeny	Quality	0.117706	max	0.117706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	Kemeny	Quality	0.114214	max	0.114214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	Kemeny	Quality	0.115711	max	0.115711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	Kemeny	Quality	0.116209	max	0.116209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	RRF	Quality	0.106733	max	0.106733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	RRF	Quality	0.114214	max	0.114214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	RRF	Quality	0.114713	max	0.114713	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	RRF	Quality	0.118204	max	0.118204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	RRF	Quality	0.121696	max	0.121696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	RRF	Quality	0.121197	max	0.121197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	RRF	Quality	0.122195	max	0.122195	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	RRF	Quality	0.115212	max	0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	RRF	Quality	0.117207	max	0.117207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	RRF	Quality	0.116209	max	0.116209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	Schulze	Quality	0.110224	max	0.110224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	Schulze	Quality	0.113716	max	0.113716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	Schulze	Quality	0.117706	max	0.117706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	Schulze	Quality	0.119701	max	0.119701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	Schulze	Quality	0.1202	max	0.1202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	Schulze	Quality	0.121696	max	0.121696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	Schulze	Quality	0.1202	max	0.1202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	Schulze	Quality	0.114214	max	0.114214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	Schulze	Quality	0.113716	max	0.113716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	Schulze	Quality	0.119202	max	0.119202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	Simple Averaging	Quality	0.104738	max	0.104738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	Simple Averaging	Quality	0.106234	max	0.106234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	Simple Averaging	Quality	0.115711	max	0.115711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	Simple Averaging	Quality	0.115212	max	0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	Simple Averaging	Quality	0.115711	max	0.115711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	Simple Averaging	Quality	0.117706	max	0.117706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	Simple Averaging	Quality	0.116209	max	0.116209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	Simple Averaging	Quality	0.115212	max	0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	Simple Averaging	Quality	0.115212	max	0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	Simple Averaging	Quality	0.114713	max	0.114713	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	Borda	Quality	0.214963	min	-	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	Borda	Quality	0.209975	min	-	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	Borda	Quality	0.206484	min	-	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	Borda	Quality	0.20798	min	-0.20798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	Borda	Quality	0.21197	min	-0.21197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	Borda	Quality	0.205486	min	-	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	Borda	Quality	0.208479	min	-	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	Borda	Quality	0.206484	min	-	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	Borda	Quality	0.213965	min	-	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	Borda	Quality	0.211471	min	- 0.211471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	Kemeny	Quality	0.214963	min	- 0.214963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	Kemeny	Quality	0.208978	min	- 0.208978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	Kemeny	Quality	0.209476	min	- 0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	Kemeny	Quality	0.207481	min	- 0.207481	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	Kemeny	Quality	0.210973	min	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	Kemeny	Quality	0.210973	min	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	Kemeny	Quality	0.206983	min	- 0.206983	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	Kemeny	Quality	0.213965	min	- 0.213965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	Kemeny	Quality	0.214963	min	- 0.214963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	Kemeny	Quality	0.210973	min	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	RRF	Quality	0.214464	min	- 0.214464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	RRF	Quality	0.209975	min	- 0.209975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	RRF	Quality	0.206484	min	- 0.206484	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	RRF	Quality	0.208479	min	- 0.208479	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	RRF	Quality	0.21197	min	-0.21197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	RRF	Quality	0.209476	min	- 0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	RRF	Quality	0.210973	min	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	RRF	Quality	0.210973	min	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	RRF	Quality	0.213466	min	- 0.213466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	RRF	Quality	0.213965	min	- 0.213965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	Schulze	Quality	0.214963	min	- 0.214963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	Schulze	Quality	0.209476	min	- 0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	Schulze	Quality	0.210474	min	- 0.210474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	Schulze	Quality	0.204489	min	- 0.204489	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	Schulze	Quality	0.210973	min	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	Schulze	Quality	0.207481	min	- 0.207481	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	Schulze	Quality	0.210973	min	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	Schulze	Quality	0.212469	min	- 0.212469	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	Schulze	Quality	0.212968	min	- 0.212968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	Schulze	Quality	0.210474	min	- 0.210474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	Simple Averaging	Quality	0.216459	min	- 0.216459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	Simple Averaging	Quality	0.212968	min	- 0.212968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	Simple Averaging	Quality	0.211471	min	-0.211471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	Simple Averaging	Quality	0.209476	min	-0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	Simple Averaging	Quality	0.214464	min	-0.214464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	Simple Averaging	Quality	0.213466	min	-0.213466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	Simple Averaging	Quality	0.212968	min	-0.212968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	Simple Averaging	Quality	0.21197	min	-0.21197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	Simple Averaging	Quality	0.21197	min	-0.21197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	Simple Averaging	Quality	0.211471	min	-0.211471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	C	Borda	Robustness	0.044389	min	-0.044389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	C	Borda	Robustness	0.041397	min	-0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	C	Borda	Robustness	0.022444	min	-0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	Borda	Robustness	0.028928	min	-0.028928	spearman__mallows__proposal__importance__binned__symmetric__approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	Borda	Robustness	0.032419	min	-0.032419	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	Borda	Robustness	0.039401	min	-0.039401	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	Borda	Robustness	0.042394	min	-0.042394	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	Borda	Robustness	0.045885	min	-0.045885	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	Borda	Robustness	0.0399	min	-0.0399	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	Borda	Robustness	0.045885	min	-0.045885	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	Kemeny	Robustness	0.044389	min	-0.044389	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	Kemeny	Robustness	0.050374	min	-0.050374	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.044389	min	-0.044389	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.049377	min	-0.049377	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	Kemeny	Robustness	0.045387	min	- 0.045387	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	Kemeny	Robustness	0.052369	min	- 0.052369	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	Kemeny	Robustness	0.049377	min	- 0.049377	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	Kemeny	Robustness	0.045885	min	- 0.045885	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	Kemeny	Robustness	0.052868	min	- 0.052868	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	Kemeny	Robustness	0.048878	min	- 0.048878	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	RRF	Robustness	0.042893	min	- 0.042893	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	RRF	Robustness	0.046384	min	- 0.046384	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	RRF	Robustness	0.039401	min	- 0.039401	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	RRF	Robustness	0.044888	min	- 0.044888	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	RRF	Robustness	0.05187	min	-0.05187	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	RRF	Robustness	0.05187	min	-0.05187	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	RRF	Robustness	0.056359	min	- 0.056359	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	RRF	Robustness	0.049875	min	- 0.049875	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	RRF	Robustness	0.053367	min	- 0.053367	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	RRF	Robustness	0.049377	min	- 0.049377	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	Schulze	Robustness	0.044389	min	- 0.044389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	Schulze	Robustness	0.046883	min	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	Schulze	Robustness	0.040399	min	- 0.040399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	Schulze	Robustness	0.044888	min	- 0.044888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	Schulze	Robustness	0.045387	min	- 0.045387	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	Schulze	Robustness	0.048878	min	- 0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	Schulze	Robustness	0.049875	min	- 0.049875	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	Schulze	Robustness	0.044888	min	- 0.044888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	Schulze	Robustness	0.049875	min	- 0.049875	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	Schulze	Robustness	0.05187	min	-0.05187	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.038404	min	- 0.038404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.048878	min	- 0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.038903	min	- 0.038903	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.052369	min	- 0.052369	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.053865	min	- 0.053865	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.052868	min	- 0.052868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.051372	min	- 0.051372	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.054364	min	-0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.046384	min	-0.046384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.046883	min	-0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.03192	min	-0.03192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.025436	min	-0.025436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.025935	min	-0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.022444	min	-0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.017955	min	-0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.027431	min	-0.027431	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.020449	min	-0.020449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.024439	min	-0.024439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.017456	min	-0.017456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.017456	min	-0.017456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.03192	min	-0.03192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.036908	min	-0.036908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.02793	min	-0.02793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.023441	min	-0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.025436	min	-0.025436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.024439	min	-0.024439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.02394	min	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.017955	min	-0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.01995	min	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.018454	min	- 0.018454	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.032419	min	- 0.032419	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.029925	min	- 0.029925	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.029925	min	- 0.029925	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.021945	min	- 0.021945	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.020449	min	- 0.020449	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.020449	min	- 0.020449	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.017955	min	- 0.017955	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.01995	min	-0.01995	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.021945	min	- 0.021945	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.019451	min	- 0.019451	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	Cbar	Schulze	Robustness	0.03192	min	-0.03192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	Cbar	Schulze	Robustness	0.028429	min	-0.028429	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	Cbar	Schulze	Robustness	0.024938	min	-0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 255	Cbar	Schulze	Robustness	0.025436	min	-0.025436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 255	Cbar	Schulze	Robustness	0.018454	min	-0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 255	Cbar	Schulze	Robustness	0.02394	min	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 255	Cbar	Schulze	Robustness	0.015461	min	-0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 255	Cbar	Schulze	Robustness	0.018454	min	-0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 255	Cbar	Schulze	Robustness	0.016958	min	-0.016958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 255	Cbar	Schulze	Robustness	0.021446	min	-0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.02793	min	-0.02793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.028928	min	-0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.016459	min	-0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.017456	min	-0.017456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.012968	min	-0.012968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.011471	min	-0.011471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.014963	min	-0.014963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.018454	min	-0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.016958	min	-0.016958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.015461	min	-0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	F	Borda	Robustness	0.016459	min	-0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	F	Borda	Robustness	0.01596	min	-0.01596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	F	Borda	Robustness	0.000499	min	-0.000499	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 255	F	Borda	Robustness	0.004489	min	-0.004489	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 255	F	Borda	Robustness	0.008479	min	-0.008479	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 255	F	Borda	Robustness	0.021945	min	-0.021945	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 255	F	Borda	Robustness	0.01995	min	-0.01995	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 255	F	Borda	Robustness	0.018454	min	-0.018454	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 255	F	Borda	Robustness	0.016459	min	-0.016459	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 255	F	Borda	Robustness	0.021945	min	-0.021945	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	F	Kemeny	Robustness	0.016459	min	-0.016459	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	F	Kemeny	Robustness	0.020948	min	-0.020948	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	F	Kemeny	Robustness	0.016958	min	-0.016958	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.561691	-0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	Kemeny	Robustness	0.02394	min	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	Kemeny	Robustness	0.017456	min	-0.017456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	Kemeny	Robustness	0.025935	min	-0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	F	Kemeny	Robustness	0.02394	min	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	F	Kemeny	Robustness	0.023441	min	-0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	F	Kemeny	Robustness	0.025935	min	-0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	F	Kemeny	Robustness	0.024938	min	-0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	F	RRF	Robustness	0.013466	min	-0.013466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	F	RRF	Robustness	0.017955	min	-0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	F	RRF	Robustness	0.01596	min	-0.01596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	RRF	Robustness	0.020948	min	-0.020948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	RRF	Robustness	0.024938	min	- 0.024938	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	RRF	Robustness	0.026434	min	- 0.026434	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	F	RRF	Robustness	0.031421	min	- 0.031421	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	F	RRF	Robustness	0.024439	min	- 0.024439	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	F	RRF	Robustness	0.026434	min	- 0.026434	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	F	RRF	Robustness	0.021945	min	- 0.021945	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	F	Schulze	Robustness	0.016459	min	- 0.016459	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	F	Schulze	Robustness	0.018953	min	- 0.018953	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	F	Schulze	Robustness	0.012968	min	- 0.012968	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.018953	min	- 0.018953	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.018953	min	- 0.018953	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.025935	min	- 0.025935	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	F	Schulze	Robustness	0.022444	min	- 0.022444	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	F	Schulze	Robustness	0.022444	min	- 0.022444	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	F	Schulze	Robustness	0.02394	min	-0.02394	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	F	Schulze	Robustness	0.029925	min	- 0.029925	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.013466	min	- 0.013466	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.01995	min	-0.01995	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.016459	min	- 0.016459	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.020948	min	- 0.020948	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.021945	min	- 0.021945	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.023441	min	- 0.023441	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.023441	min	-0.023441	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.02394	min	-0.02394	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.021446	min	-0.021446	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.020449	min	-0.020449	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.029925	min	-0.029925	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.022943	min	-0.022943	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.023441	min	-0.023441	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.020948	min	-0.020948	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.017456	min	-0.017456	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.027431	min	-0.027431	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.01995	min	-0.01995	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.435482	-0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.023441	min	- 0.023441	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.014963	min	- 0.014963	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.016459	min	- 0.016459	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.029925	min	- 0.029925	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.033416	min	- 0.033416	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.025436	min	- 0.025436	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.019451	min	- 0.019451	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.02394	min	-0.02394	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.024938	min	- 0.024938	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.024938	min	- 0.024938	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.015461	min	- 0.015461	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.460165	- 0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.016459	min	- 0.016459	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.018953	min	- 0.018953	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.030424	min	- 0.030424	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.028429	min	- 0.028429	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.026933	min	- 0.026933	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.019451	min	- 0.019451	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.018454	min	- 0.018454	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.01995	min	-0.01995	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.016459	min	- 0.016459	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.019451	min	- 0.019451	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.017955	min	- 0.017955	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.426584	- 0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.017955	min	- 0.017955	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.029925	min	- 0.029925	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.024439	min	- 0.024439	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.021446	min	- 0.021446	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.024938	min	- 0.024938	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.018454	min	- 0.018454	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.022943	min	- 0.022943	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.017955	min	- 0.017955	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.015461	min	- 0.015461	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.016958	min	- 0.016958	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.022943	min	- 0.022943	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.027431	min	- 0.027431	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.026434	min	- 0.026434	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.016958	min	- 0.016958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.017955	min	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.013965	min	- 0.013965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.011471	min	- 0.011471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.013965	min	- 0.013965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.016459	min	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.018454	min	- 0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.016958	min	- 0.016958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	Borda	Robustness	0.063342	min	- 0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	Borda	Robustness	0.059352	min	-0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	Borda	Robustness	0.05586	min	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	Borda	Robustness	0.061845	min	-0.061845	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	Borda	Robustness	0.058853	min	-0.058853	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	Borda	Robustness	0.060349	min	-0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	Borda	Robustness	0.057855	min	-0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	Borda	Robustness	0.056359	min	-0.056359	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	Borda	Robustness	0.054364	min	-0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	Borda	Robustness	0.05187	min	-0.05187	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	Kemeny	Robustness	0.063342	min	-0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	Kemeny	Robustness	0.06384	min	-0.06384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	Kemeny	Robustness	0.06783	min	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	Kemeny	Robustness	0.067332	min	-0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	Kemeny	Robustness	0.058354	min	-0.058354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	Kemeny	Robustness	0.066334	min	-0.066334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	Kemeny	Robustness	0.059352	min	-0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	Kemeny	Robustness	0.053367	min	-0.053367	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	Kemeny	Robustness	0.056858	min	-0.056858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	Kemeny	Robustness	0.056858	min	-0.056858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	RRF	Robustness	0.05985	min	-0.05985	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	RRF	Robustness	0.059352	min	-0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	RRF	Robustness	0.065835	min	-0.065835	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	RRF	Robustness	0.063342	min	-0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	RRF	Robustness	0.06783	min	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	RRF	Robustness	0.067332	min	-0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	RRF	Robustness	0.064838	min	-0.064838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	RRF	Robustness	0.057357	min	-0.057357	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	RRF	Robustness	0.059352	min	-0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	RRF	Robustness	0.058354	min	-0.058354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	Schulze	Robustness	0.063342	min	-0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	Schulze	Robustness	0.062344	min	-0.062344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	Schulze	Robustness	0.070324	min	-0.070324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	Schulze	Robustness	0.06783	min	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	Schulze	Robustness	0.06384	min	-0.06384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	Schulze	Robustness	0.065337	min	-0.065337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	Schulze	Robustness	0.064339	min	-0.064339	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	Schulze	Robustness	0.056359	min	-0.056359	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	Schulze	Robustness	0.05586	min	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	Schulze	Robustness	0.057855	min	-0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.05586	min	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.05586	min	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.066833	min	-0.066833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.068329	min	-0.068329	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.068329	min	-0.068329	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.067332	min	- 0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.067332	min	- 0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.065337	min	- 0.065337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.062344	min	- 0.062344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.061845	min	- 0.061845	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Borda	Robustness	0.137157	min	- 0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Borda	Robustness	0.133167	min	- 0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Borda	Robustness	0.126185	min	- 0.126185	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Borda	Robustness	0.123691	min	- 0.123691	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Borda	Robustness	0.127681	min	- 0.127681	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Borda	Robustness	0.123192	min	- 0.123192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Borda	Robustness	0.126683	min	-0.126683	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Borda	Robustness	0.126185	min	-0.126185	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Borda	Robustness	0.13217	min	-0.13217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Borda	Robustness	0.128678	min	-0.128678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.137157	min	-0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.129177	min	-0.129177	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.131172	min	-0.131172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.12818	min	-0.12818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.131172	min	-0.131172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.130673	min	-0.130673	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.12818	min	-0.12818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.134165	min	- 0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.136658	min	- 0.136658	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.133167	min	- 0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	RRF	Robustness	0.137157	min	- 0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	RRF	Robustness	0.133666	min	- 0.133666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	RRF	Robustness	0.127182	min	- 0.127182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	RRF	Robustness	0.127681	min	- 0.127681	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	RRF	Robustness	0.13217	min	-0.13217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	RRF	Robustness	0.12818	min	-0.12818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	RRF	Robustness	0.130175	min	- 0.130175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	RRF	Robustness	0.130673	min	- 0.130673	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	RRF	Robustness	0.131671	min	-0.131671	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	RRF	Robustness	0.134165	min	-0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.137157	min	-0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.13217	min	-0.13217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.130673	min	-0.130673	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.12419	min	-0.12419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.130175	min	-0.130175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.127182	min	-0.127182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.133167	min	-0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.131671	min	-0.131671	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.135661	min	-0.135661	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.132668	min	-0.132668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.140648	min	-0.140648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.135162	min	-0.135162	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.132668	min	-0.132668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.127182	min	-0.127182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.131671	min	-0.131671	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.130175	min	-0.130175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.130175	min	-0.130175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.127681	min	-0.127681	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129676	min	-0.129676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129177	min	-0.129177	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	Borda	Robustness	0.056858	min	-0.056858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	Borda	Robustness	0.05586	min	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	Borda	Robustness	0.049377	min	-0.049377	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	Borda	Robustness	0.055362	min	-0.055362	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	Borda	Robustness	0.056858	min	-0.056858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	Borda	Robustness	0.061845	min	-0.061845	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	Borda	Robustness	0.058853	min	-0.058853	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	Borda	Robustness	0.053865	min	-0.053865	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	Borda	Robustness	0.055362	min	-0.055362	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	Borda	Robustness	0.050873	min	-0.050873	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	Kemeny	Robustness	0.056858	min	-0.056858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	Kemeny	Robustness	0.060349	min	-0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	Kemeny	Robustness	0.062344	min	-0.062344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	Kemeny	Robustness	0.062843	min	-0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	Kemeny	Robustness	0.056359	min	-0.056359	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	Kemeny	Robustness	0.065337	min	-0.065337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	Kemeny	Robustness	0.056858	min	-0.056858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	Kemeny	Robustness	0.054863	min	-0.054863	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	Kemeny	Robustness	0.055362	min	-0.055362	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	Kemeny	Robustness	0.057855	min	-0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	RRF	Robustness	0.052868	min	-0.052868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	RRF	Robustness	0.057855	min	-0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	RRF	Robustness	0.060349	min	-0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	RRF	Robustness	0.060349	min	-0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	RRF	Robustness	0.065337	min	-0.065337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	RRF	Robustness	0.063342	min	-0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	RRF	Robustness	0.062843	min	-0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	RRF	Robustness	0.05586	min	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	RRF	Robustness	0.059352	min	-0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	RRF	Robustness	0.058354	min	-0.058354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	Schulze	Robustness	0.056858	min	-0.056858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	Schulze	Robustness	0.058354	min	-0.058354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	Schulze	Robustness	0.060848	min	-0.060848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	Schulze	Robustness	0.062843	min	-0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	Schulze	Robustness	0.063342	min	-0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	Schulze	Robustness	0.064339	min	-0.064339	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	Schulze	Robustness	0.061347	min	-0.061347	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	Schulze	Robustness	0.054863	min	-0.054863	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	Schulze	Robustness	0.057855	min	-0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	Schulze	Robustness	0.05985	min	-0.05985	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.052868	min	-0.052868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.052369	min	-0.052369	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.061347	min	-0.061347	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.061347	min	-0.061347	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.06384	min	-0.06384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.065337	min	-0.065337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.062344	min	-0.062344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.05985	min	-0.05985	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.060848	min	-0.060848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.05985	min	-0.05985	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Borda	Robustness	0.140648	min	-0.140648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Borda	Robustness	0.136658	min	-0.136658	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Borda	Robustness	0.130175	min	-0.130175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Borda	Robustness	0.129676	min	-0.129676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Borda	Robustness	0.133666	min	-0.133666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Borda	Robustness	0.127182	min	-0.127182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Borda	Robustness	0.129676	min	-0.129676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Borda	Robustness	0.128678	min	-0.128678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Borda	Robustness	0.13616	min	-0.13616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Borda	Robustness	0.133167	min	-0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.140648	min	-0.140648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.133167	min	-0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.133666	min	-0.133666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.13217	min	-0.13217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134165	min	-0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134165	min	-0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.131172	min	-0.131172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.137157	min	-0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.139152	min	-0.139152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.134663	min	-0.134663	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	RRF	Robustness	0.14015	min	-0.14015	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	RRF	Robustness	0.135661	min	-0.135661	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	RRF	Robustness	0.129676	min	-0.129676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	RRF	Robustness	0.131172	min	-0.131172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	min	-0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	RRF	Robustness	0.131671	min	-0.131671	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	min	-0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	RRF	Robustness	0.134165	min	-0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	RRF	Robustness	0.137157	min	-0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	RRF	Robustness	0.138653	min	-0.138653	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.140648	min	-0.140648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.135661	min	-0.135661	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.135162	min	-0.135162	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.127681	min	-0.127681	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.134165	min	-0.134165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.129676	min	-0.129676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.134663	min	-0.134663	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.13616	min	-0.13616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.137656	min	- 0.137656	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.133666	min	- 0.133666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.141147	min	- 0.141147	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.137157	min	- 0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133666	min	- 0.133666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.130175	min	- 0.130175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.134663	min	- 0.134663	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	min	- 0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	min	- 0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	min	- 0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.133167	min	- 0.133167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.132668	min	-0.132668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Borda	Robustness	0.040399	min	-0.040399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Borda	Robustness	0.035411	min	-0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Borda	Robustness	0.02793	min	-0.02793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Borda	Robustness	0.028928	min	-0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Borda	Robustness	0.027431	min	-0.027431	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Borda	Robustness	0.028928	min	-0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Borda	Robustness	0.028928	min	-0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Borda	Robustness	0.026933	min	-0.026933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Borda	Robustness	0.025935	min	-0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Borda	Robustness	0.028928	min	-0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.040399	min	-0.040399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.0399	min	-0.0399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.043392	min	-0.043392	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.04389	min	-0.04389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.035411	min	-0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.042893	min	-0.042893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.033915	min	-0.033915	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.028928	min	-0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.031421	min	-0.031421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.032419	min	-0.032419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	RRF	Robustness	0.036908	min	-0.036908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	RRF	Robustness	0.03591	min	-0.03591	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	RRF	Robustness	0.035411	min	-0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	RRF	Robustness	0.037905	min	-0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	RRF	Robustness	0.042394	min	-0.042394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	RRF	Robustness	0.0399	min	-0.0399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	RRF	Robustness	0.038404	min	-0.038404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	RRF	Robustness	0.030424	min	-0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	RRF	Robustness	0.034414	min	-0.034414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	RRF	Robustness	0.033416	min	-0.033416	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Schulze	Robustness	0.040399	min	-0.040399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Schulze	Robustness	0.036908	min	-0.036908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Schulze	Robustness	0.045387	min	-0.045387	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Schulze	Robustness	0.041895	min	-0.041895	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Schulze	Robustness	0.0399	min	-0.0399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Schulze	Robustness	0.038903	min	-0.038903	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Schulze	Robustness	0.036908	min	-0.036908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Schulze	Robustness	0.029426	min	-0.029426	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Schulze	Robustness	0.028429	min	-0.028429	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Schulze	Robustness	0.032918	min	-0.032918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.030424	min	-0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.031421	min	-0.031421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.037406	min	-0.037406	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.038404	min	-0.038404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.038404	min	-0.038404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.040898	min	-0.040898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.038903	min	-0.038903	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.037905	min	-0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.03591	min	-0.03591	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.033416	min	-0.033416	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.113217	min	-0.113217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.110723	min	-0.110723	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.102244	min	-0.102244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.100748	min	-0.100748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.106234	min	- 0.106234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.103741	min	- 0.103741	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.105736	min	- 0.105736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.103242	min	- 0.103242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.110723	min	- 0.110723	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.107731	min	- 0.107731	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.113217	min	- 0.113217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.106234	min	- 0.106234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.107731	min	- 0.107731	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.104738	min	- 0.104738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.108229	min	- 0.108229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.108229	min	- 0.108229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.106733	min	- 0.106733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.111721	min	- 0.111721	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.113217	min	- 0.113217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.109726	min	- 0.109726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.112718	min	- 0.112718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109726	min	- 0.109726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.104239	min	- 0.104239	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.105736	min	- 0.105736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.111222	min	- 0.111222	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.108229	min	- 0.108229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109227	min	- 0.109227	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.109227	min	- 0.109227	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.108728	min	- 0.108728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.110224	min	- 0.110224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.113217	min	- 0.113217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	min	- 0.109227	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.107232	min	- 0.107232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.100748	min	- 0.100748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	min	- 0.109227	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.106733	min	- 0.106733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.111721	min	- 0.111721	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109726	min	- 0.109726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.110224	min	- 0.110224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.109227	min	- 0.109227	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.115212	min	- 0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.110723	min	- 0.110723	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.111222	min	- 0.111222	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.106234	min	- 0.106234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.111222	min	- 0.111222	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.110723	min	- 0.110723	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.109726	min	- 0.109726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.108229	min	- 0.108229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.107731	min	- 0.107731	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.107232	min	- 0.107232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Borda	Robustness	0.039401	min	- 0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Borda	Robustness	0.038404	min	- 0.038404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Borda	Robustness	0.033416	min	- 0.033416	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Borda	Robustness	0.038404	min	- 0.038404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Borda	Robustness	0.038903	min	- 0.038903	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Borda	Robustness	0.047382	min	- 0.047382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Borda	Robustness	0.041895	min	- 0.041895	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Borda	Robustness	0.037406	min	- 0.037406	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Borda	Robustness	0.037905	min	- 0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Borda	Robustness	0.038404	min	-0.038404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.039401	min	-0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.042893	min	-0.042893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.044389	min	-0.044389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.048379	min	-0.048379	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.041397	min	-0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.050374	min	-0.050374	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.043392	min	-0.043392	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.040399	min	-0.040399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.040898	min	-0.040898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.041397	min	-0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	RRF	Robustness	0.035411	min	- 0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	RRF	Robustness	0.039401	min	- 0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	RRF	Robustness	0.039401	min	- 0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	RRF	Robustness	0.044389	min	- 0.044389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	RRF	Robustness	0.048878	min	- 0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	RRF	Robustness	0.046883	min	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	RRF	Robustness	0.046883	min	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	RRF	Robustness	0.040898	min	- 0.040898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	RRF	Robustness	0.042893	min	- 0.042893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	RRF	Robustness	0.041397	min	- 0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Schulze	Robustness	0.039401	min	- 0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Schulze	Robustness	0.039401	min	-0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Schulze	Robustness	0.047382	min	-0.047382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Schulze	Robustness	0.047382	min	-0.047382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Schulze	Robustness	0.047382	min	-0.047382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Schulze	Robustness	0.04788	min	-0.04788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Schulze	Robustness	0.046883	min	-0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Schulze	Robustness	0.039401	min	-0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Schulze	Robustness	0.0399	min	-0.0399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Schulze	Robustness	0.044888	min	-0.044888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.033915	min	-0.033915	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.034913	min	-0.034913	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.047382	min	-0.047382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.044389	min	-0.044389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.046883	min	-0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.048878	min	-0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.045885	min	-0.045885	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.04389	min	-0.04389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.045387	min	-0.045387	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.04389	min	-0.04389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.124688	min	-0.124688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.121696	min	-0.121696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.113217	min	-0.113217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115212	min	-0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.119701	min	-0.119701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115212	min	-0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.117207	min	-0.117207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115711	min	-0.115711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.123691	min	-0.123691	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1202	min	-0.1202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.124688	min	-0.124688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.119202	min	-0.119202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.119701	min	-0.119701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.116708	min	-0.116708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1202	min	-0.1202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.122195	min	- 0.122195	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.117706	min	- 0.117706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.125187	min	- 0.125187	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.125686	min	- 0.125686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.121696	min	- 0.121696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.12419	min	-0.12419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.120698	min	- 0.120698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.115212	min	- 0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.117706	min	- 0.117706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121197	min	- 0.121197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.119701	min	- 0.119701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121696	min	- 0.121696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.121197	min	- 0.121197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.123192	min	- 0.123192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.12419	min	-0.12419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.124688	min	- 0.124688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	min	- 0.120698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.119701	min	- 0.119701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.112219	min	- 0.112219	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	min	- 0.120698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.119202	min	- 0.119202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.122693	min	-0.122693	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.12419	min	-0.12419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.123691	min	-0.123691	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.120698	min	-0.120698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.125686	min	-0.125686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.121696	min	-0.121696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.119701	min	-0.119701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.116708	min	-0.116708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.122195	min	-0.122195	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.122195	min	-0.122195	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.121197	min	-0.121197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.120698	min	-0.120698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.120698	min	-0.120698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1202	min	-0.1202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	Borda	Robustness	0.021446	min	-0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	Borda	Robustness	0.021945	min	-0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	Borda	Robustness	0.01995	min	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	Borda	Robustness	0.027431	min	-0.027431	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	Borda	Robustness	0.026933	min	-0.026933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	Borda	Robustness	0.028928	min	-0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	Borda	Robustness	0.024938	min	-0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	Borda	Robustness	0.022444	min	-0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	Borda	Robustness	0.021446	min	-0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	Borda	Robustness	0.017955	min	-0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	Kemeny	Robustness	0.021446	min	-0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	Kemeny	Robustness	0.024938	min	-0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	Kemeny	Robustness	0.030424	min	-0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	Kemeny	Robustness	0.032419	min	-0.032419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	Kemeny	Robustness	0.020948	min	-0.020948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	Kemeny	Robustness	0.03192	min	-0.03192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	Kemeny	Robustness	0.023441	min	-0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	Kemeny	Robustness	0.014464	min	-0.014464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	Kemeny	Robustness	0.01995	min	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	Kemeny	Robustness	0.019451	min	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	RRF	Robustness	0.019451	min	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	RRF	Robustness	0.025436	min	- 0.025436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	RRF	Robustness	0.026933	min	- 0.026933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	RRF	Robustness	0.028928	min	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	RRF	Robustness	0.032419	min	- 0.032419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	RRF	Robustness	0.032918	min	- 0.032918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	RRF	Robustness	0.030424	min	- 0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	RRF	Robustness	0.023441	min	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	RRF	Robustness	0.022943	min	- 0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	RRF	Robustness	0.021945	min	- 0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	Schulze	Robustness	0.021446	min	-0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	Schulze	Robustness	0.025436	min	-0.025436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	Schulze	Robustness	0.02793	min	-0.02793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	Schulze	Robustness	0.035411	min	-0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	Schulze	Robustness	0.027431	min	-0.027431	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	Schulze	Robustness	0.026933	min	-0.026933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	Schulze	Robustness	0.027431	min	-0.027431	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	Schulze	Robustness	0.015461	min	-0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	Schulze	Robustness	0.017456	min	-0.017456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	Schulze	Robustness	0.022943	min	-0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	Simple Averaging	Robustness	0.015461	min	-0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	Simple Averaging	Robustness	0.016958	min	-0.016958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	Simple Averaging	Robustness	0.030923	min	-0.030923	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	Simple Averaging	Robustness	0.032419	min	-0.032419	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	Simple Averaging	Robustness	0.030923	min	-0.030923	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	Simple Averaging	Robustness	0.030923	min	-0.030923	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	Simple Averaging	Robustness	0.028429	min	-0.028429	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	Simple Averaging	Robustness	0.028928	min	-0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	Simple Averaging	Robustness	0.023441	min	-0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	Simple Averaging	Robustness	0.022444	min	-0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Borda	Robustness	0.090773	min	-0.090773	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Borda	Robustness	0.089277	min	-0.089277	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Borda	Robustness	0.083292	min	-0.083292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Borda	Robustness	0.078304	min	-0.078304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Borda	Robustness	0.080299	min	-0.080299	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Borda	Robustness	0.076309	min	-0.076309	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Borda	Robustness	0.080798	min	-0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Borda	Robustness	0.080798	min	-0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Borda	Robustness	0.085786	min	-0.085786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Borda	Robustness	0.082793	min	-0.082793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.090773	min	-0.090773	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.087282	min	-0.087282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	min	-0.086284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.082294	min	-0.082294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.082793	min	-0.082793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.082793	min	-0.082793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.082294	min	-0.082294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	min	-0.086284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	min	-0.086284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.086284	min	-0.086284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	RRF	Robustness	0.089277	min	-0.089277	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	RRF	Robustness	0.091771	min	-0.091771	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	RRF	Robustness	0.083791	min	-0.083791	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	RRF	Robustness	0.081796	min	-0.081796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	RRF	Robustness	0.087282	min	- 0.087282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	RRF	Robustness	0.081796	min	- 0.081796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	RRF	Robustness	0.084788	min	- 0.084788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	RRF	Robustness	0.084788	min	- 0.084788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	RRF	Robustness	0.084289	min	- 0.084289	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	RRF	Robustness	0.086783	min	- 0.086783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Schulze	Robustness	0.090773	min	- 0.090773	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Schulze	Robustness	0.087282	min	- 0.087282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Schulze	Robustness	0.088279	min	- 0.088279	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Schulze	Robustness	0.075312	min	- 0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Schulze	Robustness	0.080798	min	- 0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Schulze	Robustness	0.080299	min	-0.080299	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Schulze	Robustness	0.089776	min	-0.089776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Schulze	Robustness	0.086284	min	-0.086284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Schulze	Robustness	0.086284	min	-0.086284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Schulze	Robustness	0.084289	min	-0.084289	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.088279	min	-0.088279	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	min	-0.084788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.085786	min	-0.085786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.082294	min	-0.082294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	min	-0.084788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084788	min	-0.084788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084289	min	- 0.084289	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.082294	min	- 0.082294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.084289	min	- 0.084289	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.083791	min	- 0.083791	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	Borda	Robustness	0.014464	min	- 0.014464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	Borda	Robustness	0.017955	min	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	Borda	Robustness	0.012469	min	- 0.012469	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	Borda	Robustness	0.020449	min	- 0.020449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	Borda	Robustness	0.021446	min	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	Borda	Robustness	0.028928	min	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	Borda	Robustness	0.022943	min	- 0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	Borda	Robustness	0.018953	min	-0.018953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	Borda	Robustness	0.019451	min	-0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	Borda	Robustness	0.018454	min	-0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	Kemeny	Robustness	0.014464	min	-0.014464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	Kemeny	Robustness	0.01995	min	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	Kemeny	Robustness	0.021945	min	-0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	Kemeny	Robustness	0.024439	min	-0.024439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	Kemeny	Robustness	0.014464	min	-0.014464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	Kemeny	Robustness	0.028429	min	-0.028429	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	Kemeny	Robustness	0.019451	min	-0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	Kemeny	Robustness	0.015461	min	-0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	Kemeny	Robustness	0.017955	min	-0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	Kemeny	Robustness	0.020948	min	-0.020948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	RRF	Robustness	0.010973	min	-0.010973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	RRF	Robustness	0.01995	min	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	RRF	Robustness	0.018454	min	-0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	RRF	Robustness	0.024439	min	-0.024439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	RRF	Robustness	0.026434	min	-0.026434	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	RRF	Robustness	0.025935	min	-0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	RRF	Robustness	0.024938	min	-0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	RRF	Robustness	0.01995	min	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	RRF	Robustness	0.019451	min	-0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	RRF	Robustness	0.019451	min	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	Schulze	Robustness	0.014464	min	- 0.014464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	Schulze	Robustness	0.019451	min	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	Schulze	Robustness	0.021446	min	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	Schulze	Robustness	0.028928	min	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	Schulze	Robustness	0.023441	min	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	Schulze	Robustness	0.024439	min	- 0.024439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	Schulze	Robustness	0.023441	min	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	Schulze	Robustness	0.016459	min	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	Schulze	Robustness	0.016459	min	- 0.016459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	Schulze	Robustness	0.023441	min	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	Simple Averaging	Robustness	0.009975	min	-0.009975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	Simple Averaging	Robustness	0.012469	min	-0.012469	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	Simple Averaging	Robustness	0.023441	min	-0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	Simple Averaging	Robustness	0.022943	min	-0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	Simple Averaging	Robustness	0.01995	min	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	Simple Averaging	Robustness	0.023441	min	-0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	Simple Averaging	Robustness	0.022943	min	-0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	Simple Averaging	Robustness	0.022444	min	-0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	Simple Averaging	Robustness	0.022444	min	-0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	Simple Averaging	Robustness	0.022943	min	-0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Borda	Robustness	0.095262	min	-0.095262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Borda	Robustness	0.092768	min	-0.092768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Borda	Robustness	0.089776	min	-0.089776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Borda	Robustness	0.091272	min	-0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Borda	Robustness	0.094264	min	-0.094264	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Borda	Robustness	0.087781	min	-0.087781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Borda	Robustness	0.092768	min	-0.092768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Borda	Robustness	0.090773	min	-0.090773	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Borda	Robustness	0.095262	min	-0.095262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Borda	Robustness	0.092269	min	-0.092269	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.095262	min	-0.095262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.095262	min	-0.095262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.093267	min	-0.093267	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.089277	min	-0.089277	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.091272	min	-0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.091272	min	-0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.087781	min	-0.087781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.093766	min	-0.093766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.093766	min	-0.093766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.092269	min	-0.092269	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	RRF	Robustness	0.093766	min	-0.093766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	RRF	Robustness	0.095761	min	-0.095761	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	RRF	Robustness	0.090274	min	-0.090274	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	RRF	Robustness	0.089277	min	-0.089277	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	RRF	Robustness	0.093267	min	-0.093267	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	-0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	RRF	Robustness	0.090274	min	-0.090274	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	-0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	RRF	Robustness	0.091771	min	-0.091771	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	-0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	RRF	Robustness	0.090773	min	-0.090773	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	-0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	RRF	Robustness	0.095262	min	-0.095262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	-0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	RRF	Robustness	0.094763	min	-0.094763	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	-0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Schulze	Robustness	0.095262	min	-0.095262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	-0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Schulze	Robustness	0.092269	min	-0.092269	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	-0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Schulze	Robustness	0.095761	min	-0.095761	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	-0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Schulze	Robustness	0.083292	min	-0.083292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Schulze	Robustness	0.091771	min	- 0.091771	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Schulze	Robustness	0.088279	min	- 0.088279	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Schulze	Robustness	0.094763	min	- 0.094763	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Schulze	Robustness	0.093766	min	- 0.093766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Schulze	Robustness	0.092768	min	- 0.092768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Schulze	Robustness	0.091272	min	- 0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	min	- 0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.351117	- 0.351117	0.002	57822	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.089776	min	- 0.089776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.342607	- 0.342607	0.002	1.6441e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	min	- 0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.561691	- 0.561691	0.002	2.7006e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.089277	min	- 0.089277	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.39588	-0.39588	0.002	3.5848e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	min	- 0.092269	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.445246	- 0.445246	0.002	3.514e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	min	- 0.092269	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.423683	- 0.423683	0.002	3.5777e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.092269	min	- 0.092269	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.435482	- 0.435482	0.002	3.5481e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.090773	min	- 0.090773	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.460165	- 0.460165	0.002	3.4418e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	min	- 0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.426584	- 0.426584	0.002	3.576e+05	11
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.091272	min	- 0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.536942	- 0.536942	0.002	4.3219e+05	11

Table 88: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	False	True	3	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	True	True	3	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	False	True	7	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	True	True	7	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAbliation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	C	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	C	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	False	True	4	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	True	True	4	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	False	True	5	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	False	True	7	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	True	True	7	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Clean	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Clean	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255 C	C	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255 C		True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255 C		False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255 C		True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255 C		False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255 F		True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255 F		False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255 F		True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F		False	True	4	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255 F	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	11	True	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	3	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	3	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	11	True	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	7	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	7	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	5	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	5	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	5	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	5	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	False	True	3	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	True	True	3	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	False	True	4	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	False	True	4	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	True	True	4	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	C	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	C	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	C	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	C	False	True	5	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	C	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	C	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Cbar	False	True	5	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Cbar	True	True	5	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	F	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	F	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	F	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	False	True	7	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	True	True	7	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	False	True	8	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	False	True	8	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	False	True	8	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	False	True	8	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Clean	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Clean	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Clean	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C	C	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 C	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 C	C	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 C		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 C		True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C		False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 C		True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C		False	True	4	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	10	False	True	['CheferTranformer Attribution', 'Gradient Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	9	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	9	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	8	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F		True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F		False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F		True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F		False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F		False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F		True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F		False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F		False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255 Fbar	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	7	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	7	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	11	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	11	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	11	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	11	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	11	True	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	7	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	7	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	7	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	5	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	3	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	3	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	3	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	9	False	True	['CheferTranformer Attribution', 'Gradient Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	9	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	9	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	10	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	10	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	10	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	10	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAb", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTran sformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTran sformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAbl ation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGrad ient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	11	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	11	True	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	9	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	9	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	9	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	2	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'FeatureAblation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	9	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	9	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	9	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	5	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	5	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	5	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	5	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	4	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	4	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	4	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	2	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	2	False	True	['CheferTranformer Attribution', 'Gradient Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	2	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	2	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	2	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	2	False	True	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation', 'PartialLRP', 'Saliency', 'Integrated Gradients', 'InputXGradient', 'Attention GradCAM', 'FullLRP']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	2	True	False	['CheferTranformer Attribution', 'Gradient Attention Rollout']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion']
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	2	False	False	['CheferTranformer Attribution', 'Gradient Attention Rollout', 'Gradient Shap', 'Occlusion', 'Feature Ablation']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	2	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	2	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	7	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	7	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	7	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	8	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "FeatureAblation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	8	False	False	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	8	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	5	True	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	5	False	False	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM"]
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	5	False	True	["CheferTranformer Attribution", "Gradient Attention Rollout", "Gradient Shap", "Occlusion", "Feature Ablation", "PartialLRP", "Saliency", "Integrated Gradients", "InputXGradient", "Attention GradCAM", "FullLRP"]

Table 89: DermaMNIST-ViT-B/16

Cell	Q	Rule	Predicted Score	Theta	Mean Distance	Actual F	Predicted Q	NOISE Q	Actual Regret	Actual Near Optimal 95	Dual Geometry Score	Dual Geometry Predicted Q	Dual Geometry Actual Regret	Dual Geometry Actual Near Optimal 95
DermaMNIST-ViT-B/16	2	Borda	0.104895	5.337824	3.471072	0.110224	8	7	0.000998	True	0.104895	7	0	True
DermaMNIST-ViT-B/16	3	Borda	0.106129	4.048158	6.195179	0.112219	8	7	0.000998	True	0.105998	7	0	True
DermaMNIST-ViT-B/16	4	Borda	0.102472	3.335295	8.213217	0.103242	8	7	0.000998	False	0.105569	7	0	True
DermaMNIST-ViT-B/16	5	Borda	0.110107	3.090389	8.980848	0.106733	8	7	0.000998	False	0.110604	7	0	True
DermaMNIST-ViT-B/16	6	Borda	0.110826	3.156533	8.770324	0.108229	8	7	0.000998	False	0.109792	7	0	True
DermaMNIST-ViT-B/16	7	Borda	0.112069	3.138722	8.82679	0.116708	8	7	0.000998	True	0.110951	7	0	True
DermaMNIST-ViT-B/16	8	Borda	0.11273	3.193237	8.654489	0.115711	8	7	0.000998	True	0.110138	7	0	True
DermaMNIST-ViT-B/16	9	Borda	0.112471	3.244571	8.49371	0.111222	8	7	0.000998	True	0.110919	7	0	True
DermaMNIST-ViT-B/16	10	Borda	0.112566	3.174931	8.71217	0.112219	8	7	0.000998	True	0.110941	7	0	True
DermaMNIST-ViT-B/16	11	Borda	0.112446	2.883492	9.652777	0.109726	8	7	0.000998	True	0.110848	7	0	True
DermaMNIST-ViT-B/16	2	Kemeny	0.104895	5.337824	3.471072	0.110224	5	7	0.002494	False	0.104895	7	0	True
DermaMNIST-ViT-B/16	3	Kemeny	0.105867	4.328014	5.501912	0.116209	5	7	0.002494	True	0.105998	7	0	True
DermaMNIST-ViT-B/16	4	Kemeny	0.108665	3.66787	7.228554	0.117706	5	7	0.002494	True	0.105569	7	0	True
DermaMNIST-ViT-B/16	5	Kemeny	0.1111	3.433501	7.915112	0.120698	5	7	0.002494	True	0.110604	7	0	True
DermaMNIST-ViT-B/16	6	Kemeny	0.108759	3.474442	7.792602	0.114214	5	7	0.002494	False	0.109792	7	0	True
DermaMNIST-ViT-B/16	7	Kemeny	0.109833	3.394788	8.03192	0.123192	5	7	0.002494	True	0.110951	7	0	True
DermaMNIST-ViT-B/16	8	Kemeny	0.107546	3.403007	8.007045	0.117706	5	7	0.002494	True	0.110138	7	0	True
DermaMNIST-ViT-B/16	9	Kemeny	0.109368	3.447577	7.872873	0.114214	5	7	0.002494	False	0.110919	7	0	True
DermaMNIST-ViT-B/16	10	Kemeny	0.109317	3.355772	8.150574	0.115711	5	7	0.002494	False	0.110941	7	0	True
DermaMNIST-ViT-B/16	11	Kemeny	0.109251	3.078575	9.018681	0.116209	5	7	0.002494	False	0.110848	7	0	True

Table 90: DermaMNIST-ViT-B/16

Cell	Q	Rule	Predicted Score	Theta	Mean Distance	Actual F	Predicted Q	NOISE Q	Actual Regret	Actual Near Optimal 95
DermaMNIST-ViT-B/16	2	Borda	0.104895	5.337824	3.471072	0.110224	8	7	0.000998	True
DermaMNIST-ViT-B/16	3	Borda	0.106129	4.048158	6.195179	0.112219	8	7	0.000998	True
DermaMNIST-ViT-B/16	4	Borda	0.102472	3.335295	8.213217	0.103242	8	7	0.000998	False
DermaMNIST-ViT-B/16	5	Borda	0.110107	3.090389	8.980848	0.106733	8	7	0.000998	False
DermaMNIST-ViT-B/16	6	Borda	0.110826	3.156533	8.770324	0.108229	8	7	0.000998	False
DermaMNIST-ViT-B/16	7	Borda	0.112069	3.138722	8.82679	0.116708	8	7	0.000998	True
DermaMNIST-ViT-B/16	8	Borda	0.11273	3.193237	8.654489	0.115711	8	7	0.000998	True
DermaMNIST-ViT-B/16	9	Borda	0.112471	3.244571	8.49371	0.111222	8	7	0.000998	True
DermaMNIST-ViT-B/16	10	Borda	0.112566	3.174931	8.71217	0.112219	8	7	0.000998	True
DermaMNIST-ViT-B/16	11	Borda	0.112446	2.883492	9.652777	0.109726	8	7	0.000998	True
DermaMNIST-ViT-B/16	2	Kemeny	0.104895	5.337824	3.471072	0.110224	5	7	0.002494	False
DermaMNIST-ViT-B/16	3	Kemeny	0.105867	4.328014	5.501912	0.116209	5	7	0.002494	True
DermaMNIST-ViT-B/16	4	Kemeny	0.108665	3.66787	7.228554	0.117706	5	7	0.002494	True
DermaMNIST-ViT-B/16	5	Kemeny	0.1111	3.433501	7.915112	0.120698	5	7	0.002494	True
DermaMNIST-ViT-B/16	6	Kemeny	0.108759	3.474442	7.792602	0.114214	5	7	0.002494	False
DermaMNIST-ViT-B/16	7	Kemeny	0.109833	3.394788	8.03192	0.123192	5	7	0.002494	True
DermaMNIST-ViT-B/16	8	Kemeny	0.107546	3.403007	8.007045	0.117706	5	7	0.002494	True
DermaMNIST-ViT-B/16	9	Kemeny	0.109368	3.447577	7.872873	0.114214	5	7	0.002494	False
DermaMNIST-ViT-B/16	10	Kemeny	0.109317	3.355772	8.150574	0.115711	5	7	0.002494	False
DermaMNIST-ViT-B/16	11	Kemeny	0.109251	3.078575	9.018681	0.116209	5	7	0.002494	True

Table 91: DermaMNIST-ViT-B/16

Dataset	Model	Architecture	Split	Metric	Sample Count	Noise	Condition Id	Robustness	Selected Method
DermaMNIST	ViT-B/16	ViT	Test	R_F	2005	gaussian	gaussian-0.15	0	FullLRP
DermaMNIST	ViT-B/16	ViT	Test	R_Fbar	2005	gaussian	gaussian-0.15	0.137656	FeatureAblation
DermaMNIST	ViT-B/16	ViT	Test	R_C	2005	gaussian	gaussian-0.15	0.012469	FullLRP
DermaMNIST	ViT-B/16	ViT	Test	R_Cbar	2005	gaussian	gaussian-0.15	0.135661	FeatureAblation
DermaMNIST	ViT-B/16	ViT	Test	R_F	2005	salt_pepper	salt-pepper-0.05	0.003491	FullLRP
DermaMNIST	ViT-B/16	ViT	Test	R_Fbar	2005	salt_pepper	salt-pepper-0.05	0.123691	FeatureAblation
DermaMNIST	ViT-B/16	ViT	Test	R_C	2005	salt_pepper	salt-pepper-0.05	0.001496	InputXGradient
DermaMNIST	ViT-B/16	ViT	Test	R_Cbar	2005	salt_pepper	salt-pepper-0.05	0.113716	FeatureAblation
DermaMNIST	ViT-B/16	ViT	Test	R_F	2005	speckle	speckle-0.15	0.000998	Saliency
DermaMNIST	ViT-B/16	ViT	Test	R_Fbar	2005	speckle	speckle-0.15	0.088778	FeatureAblation
DermaMNIST	ViT-B/16	ViT	Test	R_C	2005	speckle	speckle-0.15	0.002993	AttentionGradCAM
DermaMNIST	ViT-B/16	ViT	Test	R_Cbar	2005	speckle	speckle-0.15	0.083292	FeatureAblation
DermaMNIST	ViT-B/16	ViT	Test	R_F	2005	adversarial	adversarial-sara-2-255	0	Occlusion
DermaMNIST	ViT-B/16	ViT	Test	R_Fbar	2005	adversarial	adversarial-sara-2-255	0.000499	FullLRP
DermaMNIST	ViT-B/16	ViT	Test	R_C	2005	adversarial	adversarial-sara-2-255	0.003491	FullLRP
DermaMNIST	ViT-B/16	ViT	Test	R_Cbar	2005	adversarial	adversarial-sara-2-255	0	FullLRP

Table 92: DermaMNIST-ViT-B/16

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
DermaMNIST	Vit B/16	Saliency	1	true	1			
DermaMNIST	Vit B/16	InputXGradient	1	true	1			
DermaMNIST	Vit B/16	IntegratedGradients	1	true	1	1	0.139029	6.6673e+09
DermaMNIST	Vit B/16	FeatureAblation	1	true	1			
DermaMNIST	Vit B/16	Occlusion	1	true	1			
DermaMNIST	Vit B/16	GradientShap	1	true	1			
DermaMNIST	Vit B/16	CheferTransformer	1	true	1			
DermaMNIST	Vit B/16	Attribution	1	true	1			
DermaMNIST	Vit B/16	PartialLRP	1	true	1			
DermaMNIST	Vit B/16	FullLRP	1	true	1			
DermaMNIST	Vit B/16	GradientAttention	1	true	1	1	0.071761	3.3842e+09
DermaMNIST	Vit B/16	Rollout	1	true	1			
DermaMNIST	Vit B/16	AttentionGradCAM	1	true	1	1	0.051583	3.3105e+09

Table 93: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	G	F	e3cdfesd51 207d62ffb9 533540349a 4801eb616c 563ab38355 e1b49857c7 b2f1	2005				max	- 0.001216	0.074979
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	G	Fbar	e3cdfesd51 207d62ffb9 533540349a 4801eb616c 563ab38355 e1b49857c7 b2f1	2005				min	- 0.001023	0.2266
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	G	C	e3cdfesd51 207d62ffb9 533540349a 4801eb616c 563ab38355 e1b49857c7 b2f1	2005				max	- 0.002297	0.123857
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	G	Cbar	e3cdfesd51 207d62ffb9 533540349a 4801eb616c 563ab38355 e1b49857c7 b2f1	2005				min	- 0.00081	0.288446
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	P	F	e3cdfesd51 207d62ffb9 533540349a 4801eb616c 563ab38355 e1b49857c7 b2f1	2005				max	0.002607	0.074979
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	P	Fbar	e3cdfesd51 207d62ffb9 533540349a 4801eb616c 563ab38355 e1b49857c7 b2f1	2005				min	- 0.001767	0.2266
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	P	C	e3cdfesd51 207d62ffb9 533540349a 4801eb616c 563ab38355 e1b49857c7 b2f1	2005				max	0.006806	0.123857
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	P	Cbar	e3cdfesd51 207d62ffb9 533540349a 4801eb616c 563ab38355 e1b49857c7 b2f1	2005				min	- 0.001662	0.288446
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	S	F	e3cdfesd51 207d62ffb9 533540349a 4801eb616c 563ab38355 e1b49857c7 b2f1	2005				max	- 0.001157	0.074979
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	S	Fbar	e3cdfesd51 207d62ffb9 533540349a 4801eb616c 563ab38355 e1b49857c7 b2f1	2005				min	- 0.002206	0.2266
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	S	C	e3cdfesd51 207d62ffb9 533540349a 4801eb616c 563ab38355 e1b49857c7 b2f1	2005				max	0.001997	0.123857
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	S	Cbar	e3cdfesd51 207d62ffb9 533540349a 4801eb616c 563ab38355 e1b49857c7 b2f1	2005				min	- 0.001478	0.288446
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	A	F	e3cdfesd51 207d62ffb9 533540349a 4801eb616c 563ab38355 e1b49857c7 b2f1	2005				max	0.001666	0.074979

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	A	Fbar	e3cdf8d51207d62ffb9533540349a4801eb616c563ab38355e1b49857c7b2f1	2005	Geometry			min	0.006181	0.2266
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	A	C	e3cdf8d51207d62ffb9533540349a4801eb616c563ab38355e1b49857c7b2f1	2005				max	0.004685	0.123857
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	A	Cbar	e3cdf8d51207d62ffb9533540349a4801eb616c563ab38355e1b49857c7b2f1	2005				min	0.006014	0.288446
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	F	3ffe89a5740dec5e98f7068b82d980762003db1941133182cde051adb7e56a3c	2005				max	-0.000709	0.076309
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	Fbar	3ffe89a5740dec5e98f7068b82d980762003db1941133182cde051adb7e56a3c	2005				min	-0.000886	0.225436
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	C	3ffe89a5740dec5e98f7068b82d980762003db1941133182cde051adb7e56a3c	2005				max	0.003776	0.119534
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	Cbar	3ffe89a5740dec5e98f7068b82d980762003db1941133182cde051adb7e56a3c	2005				min	-0.00054	0.287116
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	F	3ffe89a5740dec5e98f7068b82d980762003db1941133182cde051adb7e56a3c	2005				max	-0.001468	0.076309
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	Fbar	3ffe89a5740dec5e98f7068b82d980762003db1941133182cde051adb7e56a3c	2005				min	-0.000953	0.225436
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	C	3ffe89a5740dec5e98f7068b82d980762003db1941133182cde051adb7e56a3c	2005				max	0.0037	0.119534
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	Cbar	3ffe89a5740dec5e98f7068b82d980762003db1941133182cde051adb7e56a3c	2005				min	-0.001014	0.287116
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	F	3ffe89a5740dec5e98f7068b82d980762003db1941133182cde051adb7e56a3c	2005				max	-0.002891	0.076309
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	Fbar	3ffe89a5740dec5e98f7068b82d980762003db1941133182cde051adb7e56a3c	2005				min	7.7558e-05	0.225436

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	C	3Fe89a5740dec5e98f7068b82d980762003db1941133182cd e051adb7e56a3c	2005	Geometry			max	0.002723	0.119534
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	Cbar	3Fe89a5740dec5e98f7068b82d980762003db1941133182cd e051adb7e56a3c	2005				min	0.00045	0.287116
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	F	3Fe89a5740dec5e98f7068b82d980762003db1941133182cd e051adb7e56a3c	2005				max	-0.006343	0.076309
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	Fbar	3Fe89a5740dec5e98f7068b82d980762003db1941133182cd e051adb7e56a3c	2005				min	0.001125	0.225436
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	C	3Fe89a5740dec5e98f7068b82d980762003db1941133182cd e051adb7e56a3c	2005				max	-0.003104	0.119534
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	Cbar	3Fe89a5740dec5e98f7068b82d980762003db1941133182cd e051adb7e56a3c	2005				min	-0.00141	0.287116
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	G	F	804f330b237cfd60adaa79bd61f72c8fcecc8c4b1f4cdca5a9f7133342a ae84	2005				max	0.002084	0.077805
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	G	Fbar	804f330b237cfd60adaa79bd61f72c8fcecc8c4b1f4cdca5a9f7133342a ae84	2005				min	-0.00094	0.224439
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	G	C	804f330b237cfd60adaa79bd61f72c8fcecc8c4b1f4cdca5a9f7133342a ae84	2005				max	0.00197	0.129177
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	G	Cbar	804f330b237cfd60adaa79bd61f72c8fcecc8c4b1f4cdca5a9f7133342a ae84	2005				min	0.000303	0.287282
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	P	F	804f330b237cfd60adaa79bd61f72c8fcecc8c4b1f4cdca5a9f7133342a ae84	2005				max	-0.001532	0.077805
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	P	Fbar	804f330b237cfd60adaa79bd61f72c8fcecc8c4b1f4cdca5a9f7133342a ae84	2005				min	-5.6961e-05	0.224439
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	P	C	804f330b237cfd60adaa79bd61f72c8fcecc8c4b1f4cdca5a9f7133342a ae84	2005				max	-0.003507	0.129177

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	P	Cbar	804f330b237cfd60adaa79bd61f72c8fcccc8c4b1f4cdca5a9f7133342a ae84	2005	Geometry			min	- 0.001161	0.287282
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	S	F	804f330b237cfd60adaa79bd61f72c8fcccc8c4b1f4cdca5a9f7133342a ae84	2005				max	- 0.005087	0.077805
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	S	Fbar	804f330b237cfd60adaa79bd61f72c8fcccc8c4b1f4cdca5a9f7133342a ae84	2005				min	0.000148	0.224439
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	S	C	804f330b237cfd60adaa79bd61f72c8fcccc8c4b1f4cdca5a9f7133342a ae84	2005				max	- 0.007429	0.129177
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	S	Cbar	804f330b237cfd60adaa79bd61f72c8fcccc8c4b1f4cdca5a9f7133342a ae84	2005				min	0.001353	0.287282
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	A	F	804f330b237cfd60adaa79bd61f72c8fcccc8c4b1f4cdca5a9f7133342a ae84	2005				max	- 0.000162	0.077805
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	A	Fbar	804f330b237cfd60adaa79bd61f72c8fcccc8c4b1f4cdca5a9f7133342a ae84	2005				min	0.001338	0.224439
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	A	C	804f330b237cfd60adaa79bd61f72c8fcccc8c4b1f4cdca5a9f7133342a ae84	2005				max	- 0.002745	0.129177
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	A	Cbar	804f330b237cfd60adaa79bd61f72c8fcccc8c4b1f4cdca5a9f7133342a ae84	2005				min	0.000165	0.287282
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	G	F	f0508fb3359953b036057ec2edfed964dfaca0ea96d25dc389e1e4db79f09a30	2005				max	7.7182e-05	0.070823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	G	Fbar	f0508fb3359953b036057ec2edfed964dfaca0ea96d25dc389e1e4db79f09a30	2005				min	- 2.3579e-05	0.229094
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	G	C	f0508fb3359953b036057ec2edfed964dfaca0ea96d25dc389e1e4db79f09a30	2005				max	0.002502	0.119036
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	G	Cbar	f0508fb3359953b036057ec2edfed964dfaca0ea96d25dc389e1e4db79f09a30	2005				min	2.205e-05	0.290607

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	P	F	f0508fb335 9953b03605 7ec2edfed9 64dfaca0ea 96d25dc389 e1e4db79f0 9a30	2005	Geometry			max	0.000487	0.070823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	P	Fbar	f0508fb335 9953b03605 7ec2edfed9 64dfaca0ea 96d25dc389 e1e4db79f0 9a30	2005				min	- 0.00108	0.229094
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	P	C	f0508fb335 9953b03605 7ec2edfed9 64dfaca0ea 96d25dc389 e1e4db79f0 9a30	2005				max	0.003847	0.119036
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	P	Cbar	f0508fb335 9953b03605 7ec2edfed9 64dfaca0ea 96d25dc389 e1e4db79f0 9a30	2005				min	- 0.000763	0.290607
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	S	F	f0508fb335 9953b03605 7ec2edfed9 64dfaca0ea 96d25dc389 e1e4db79f0 9a30	2005				max	- 0.004094	0.070823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	S	Fbar	f0508fb335 9953b03605 7ec2edfed9 64dfaca0ea 96d25dc389 e1e4db79f0 9a30	2005				min	0.000316	0.229094
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	S	C	f0508fb335 9953b03605 7ec2edfed9 64dfaca0ea 96d25dc389 e1e4db79f0 9a30	2005				max	-0.0026	0.119036
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	S	Cbar	f0508fb335 9953b03605 7ec2edfed9 64dfaca0ea 96d25dc389 e1e4db79f0 9a30	2005				min	0.001622	0.290607
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	A	F	f0508fb335 9953b03605 7ec2edfed9 64dfaca0ea 96d25dc389 e1e4db79f0 9a30	2005				max	- 0.001795	0.070823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	A	Fbar	f0508fb335 9953b03605 7ec2edfed9 64dfaca0ea 96d25dc389 e1e4db79f0 9a30	2005				min	0.000619	0.229094
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	A	C	f0508fb335 9953b03605 7ec2edfed9 64dfaca0ea 96d25dc389 e1e4db79f0 9a30	2005				max	- 0.003636	0.119036
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	A	Cbar	f0508fb335 9953b03605 7ec2edfed9 64dfaca0ea 96d25dc389 e1e4db79f0 9a30	2005				min	- 0.000926	0.290607
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	G	F	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005				max	0.000477	0.075312

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	G	Fbar	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005				min	- 0.000859	0.225935
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	G	C	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005				max	0.002866	0.122693
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	G	Cbar	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005				min	- 0.000662	0.287781
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	P	F	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005				max	- 0.001536	0.075312
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	P	Fbar	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005				min	- 0.000403	0.225935
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	P	C	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005				max	0.004048	0.122693
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	P	Cbar	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005				min	- 0.000103	0.287781
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	S	F	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005				max	- 0.002868	0.075312
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	S	Fbar	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005				min	- 0.001205	0.225935
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	S	C	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005				max	- 0.002674	0.122693
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	S	Cbar	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005				min	- 0.001424	0.287781
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	A	F	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005				max	0.001451	0.075312
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	A	Fbar	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005				min	0.004509	0.225935

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	A	C	210184f3bcd6b376724f94bdc698f2d561913ec78ed782563170203ba00d20b3	2005	Geometry			max	0.0001520	0.122693
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	A	Cbar	210184f3bcd6b376724f94bdc698f2d561913ec78ed782563170203ba00d20b3	2005				min	0.0023950	0.287781
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	G	F	b09648f7cb22c2c5a6fb75403e942a1c848385b1bc9d0920cdfb34c90a9c5811	2005				max	- 0.000802	0.07049
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	G	Fbar	b09648f7cb22c2c5a6fb75403e942a1c848385b1bc9d0920cdfb34c90a9c5811	2005				min	- 0.000392	0.228429
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	G	C	b09648f7cb22c2c5a6fb75403e942a1c848385b1bc9d0920cdfb34c90a9c5811	2005				max	0.0027430	0.118869
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	G	Cbar	b09648f7cb22c2c5a6fb75403e942a1c848385b1bc9d0920cdfb34c90a9c5811	2005				min	- 0.000387	0.289443
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	P	F	b09648f7cb22c2c5a6fb75403e942a1c848385b1bc9d0920cdfb34c90a9c5811	2005				max	0.001018	0.07049
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	P	Fbar	b09648f7cb22c2c5a6fb75403e942a1c848385b1bc9d0920cdfb34c90a9c5811	2005				min	- 0.000815	0.228429
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	P	C	b09648f7cb22c2c5a6fb75403e942a1c848385b1bc9d0920cdfb34c90a9c5811	2005				max	0.0027870	0.118869
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	P	Cbar	b09648f7cb22c2c5a6fb75403e942a1c848385b1bc9d0920cdfb34c90a9c5811	2005				min	- 0.000403	0.289443
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	S	F	b09648f7cb22c2c5a6fb75403e942a1c848385b1bc9d0920cdfb34c90a9c5811	2005				max	0.000292	0.07049
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	S	Fbar	b09648f7cb22c2c5a6fb75403e942a1c848385b1bc9d0920cdfb34c90a9c5811	2005				min	0.0015270	0.228429
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	S	C	b09648f7cb22c2c5a6fb75403e942a1c848385b1bc9d0920cdfb34c90a9c5811	2005				max	- 0.000829	0.118869

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	S	Cbar	b09648f7cb 22c2c5a6fb 75403e942a 1c848385b1 bc9d0920cd fb34c90a9c 5811	2005	Geometry			min	0.001786	0.289443
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	A	F	b09648f7cb 22c2c5a6fb 75403e942a 1c848385b1 bc9d0920cd fb34c90a9c 5811	2005				max	0.000249	0.07049
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	A	Fbar	b09648f7cb 22c2c5a6fb 75403e942a 1c848385b1 bc9d0920cd fb34c90a9c 5811	2005				min	0.002313	0.228429
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	A	C	b09648f7cb 22c2c5a6fb 75403e942a 1c848385b1 bc9d0920cd fb34c90a9c 5811	2005				max	- 0.002539	0.118869
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	A	Cbar	b09648f7cb 22c2c5a6fb 75403e942a 1c848385b1 bc9d0920cd fb34c90a9c 5811	2005				min	- 0.001142	0.289443
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	G	F	c538a4bc89 09a8bc8ddb 8b8a9ccb90 21faf6c802 2fa26f706b 422faec2c5 2575	2005				max	- 0.00041	0.077805
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	G	Fbar	c538a4bc89 09a8bc8ddb 8b8a9ccb90 21faf6c802 2fa26f706b 422faec2c5 2575	2005				min	- 0.000387	0.225436
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	G	C	c538a4bc89 09a8bc8ddb 8b8a9ccb90 21faf6c802 2fa26f706b 422faec2c5 2575	2005				max	0.003413	0.12818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	G	Cbar	c538a4bc89 09a8bc8ddb 8b8a9ccb90 21faf6c802 2fa26f706b 422faec2c5 2575	2005				min	0.000834	0.287781
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	P	F	c538a4bc89 09a8bc8ddb 8b8a9ccb90 21faf6c802 2fa26f706b 422faec2c5 2575	2005				max	0.001959	0.077805
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	P	Fbar	c538a4bc89 09a8bc8ddb 8b8a9ccb90 21faf6c802 2fa26f706b 422faec2c5 2575	2005				min	- 0.000953	0.225436
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	P	C	c538a4bc89 09a8bc8ddb 8b8a9ccb90 21faf6c802 2fa26f706b 422faec2c5 2575	2005				max	- 0.000887	0.12818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	P	Cbar	c538a4bc89 09a8bc8ddb 8b8a9ccb90 21faf6c802 2fa26f706b 422faec2c5 2575	2005				min	- 0.000103	0.287781

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	S	F	c538a4bc8909a8bc8ddb8b8a9ccb9021faf6c8022fa26f706b422faec2c52575	2005	Geometry			max	-0.003092	0.077805
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	S	Fbar	c538a4bc8909a8bc8ddb8b8a9ccb9021faf6c8022fa26f706b422faec2c52575	2005				min	7.7558e-05	0.225436
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	S	C	c538a4bc8909a8bc8ddb8b8a9ccb9021faf6c8022fa26f706b422faec2c52575	2005				max	-0.005777	0.12818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	S	Cbar	c538a4bc8909a8bc8ddb8b8a9ccb9021faf6c8022fa26f706b422faec2c52575	2005				min	0.001568	0.287781
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	A	F	c538a4bc8909a8bc8ddb8b8a9ccb9021faf6c8022fa26f706b422faec2c52575	2005				max	-0.001659	0.077805
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	A	Fbar	c538a4bc8909a8bc8ddb8b8a9ccb9021faf6c8022fa26f706b422faec2c52575	2005				min	0.003286	0.225436
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	A	C	c538a4bc8909a8bc8ddb8b8a9ccb9021faf6c8022fa26f706b422faec2c52575	2005				max	-0.005138	0.12818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	A	Cbar	c538a4bc8909a8bc8ddb8b8a9ccb9021faf6c8022fa26f706b422faec2c52575	2005				min	0.001398	0.287781
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	G	F	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				max	-0.002091	0.073649
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	G	Fbar	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				min	-0.000882	0.228595
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	G	C	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				max	0.001521	0.120865
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	G	Cbar	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				min	-2.161e-05	0.289942
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	P	F	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				max	0.000125	0.073649

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	P	Fbar	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005	Geometry			min	-0.000465	0.228595
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	P	C	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				max	0.000705	0.120865
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	P	Cbar	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				min	-1.1042e-05	0.289942
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	S	F	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				max	-0.002386	0.073649
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	S	Fbar	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				min	0.000767	0.228595
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	S	C	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				max	-0.001141	0.120865
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	S	Cbar	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				min	0.002167	0.289942
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	A	F	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				max	-0.001297	0.073649
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	A	Fbar	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				min	0.001557	0.228595
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	A	C	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				max	-0.002573	0.120865
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	A	Cbar	56e1bba08fa858d8a983cdd54a5506b4030d2d69d7362d1fba3eb0ded6d5bf50	2005				min	-0.002902	0.289942
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	G	F	6d03be48432b4f1bfce9b385299a14fd594771d3766915756502bc58cf11eab	2005				max	-0.001618	0.0798
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	G	Fbar	6d03be48432b4f1bfce9b385299a14fd594771d3766915756502bc58cf11eab	2005				min	-0.001358	0.225935

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	G	C	6d03be4843 2b4f1bfce9 b385299a14 fld594771d 3766915756 502bc58cf1 1eab	2005	Geometry			max	- 0.002909	0.131172
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	G	Cbar	6d03be4843 2b4f1bfce9 b385299a14 fld594771d 3766915756 502bc58cf1 1eab	2005				min	- 0.000229	0.286783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	P	F	6d03be4843 2b4f1bfce9 b385299a14 fld594771d 3766915756 502bc58cf1 1eab	2005				max	- 0.000732	0.0798
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	P	Fbar	6d03be4843 2b4f1bfce9 b385299a14 fld594771d 3766915756 502bc58cf1 1eab	2005				min	- 0.000902	0.225935
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	P	C	6d03be4843 2b4f1bfce9 b385299a14 fld594771d 3766915756 502bc58cf1 1eab	2005				max	- 0.001765	0.131172
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	P	Cbar	6d03be4843 2b4f1bfce9 b385299a14 fld594771d 3766915756 502bc58cf1 1eab	2005				min	- 0.000223	0.286783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	S	F	6d03be4843 2b4f1bfce9 b385299a14 fld594771d 3766915756 502bc58cf1 1eab	2005				max	- 0.006464	0.0798
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	S	Fbar	6d03be4843 2b4f1bfce9 b385299a14 fld594771d 3766915756 502bc58cf1 1eab	2005				min	0.00079	0.225935
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	S	C	6d03be4843 2b4f1bfce9 b385299a14 fld594771d 3766915756 502bc58cf1 1eab	2005				max	- 0.006245	0.131172
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	S	Cbar	6d03be4843 2b4f1bfce9 b385299a14 fld594771d 3766915756 502bc58cf1 1eab	2005				min	0.002136	0.286783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	A	F	6d03be4843 2b4f1bfce9 b385299a14 fld594771d 3766915756 502bc58cf1 1eab	2005				max	- 0.000456	0.0798
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	A	Fbar	6d03be4843 2b4f1bfce9 b385299a14 fld594771d 3766915756 502bc58cf1 1eab	2005				min	0.002514	0.225935
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	A	C	6d03be4843 2b4f1bfce9 b385299a14 fld594771d 3766915756 502bc58cf1 1eab	2005				max	- 0.002447	0.131172

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	A	Cbar	6403be4843 2b4f1bfce9 b385299a14 fld594771d 3766915756 502bc58cf1 1eab	2005	Geometry			min	- 0.000569	0.286783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	G	F	52ef362e9a 6674c68532 08770bd34e c62a944830 7dca3631b9 2275bdc2aa 6478	2005				max	- 0.001356	0.072984
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	G	Fbar	52ef362e9a 6674c68532 08770bd34e c62a944830 7dca3631b9 2275bdc2aa 6478	2005				min	- 0.00076	0.227764
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	G	C	52ef362e9a 6674c68532 08770bd34e c62a944830 7dca3631b9 2275bdc2aa 6478	2005				max	0.00141	0.120366
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	G	Cbar	52ef362e9a 6674c68532 08770bd34e c62a944830 7dca3631b9 2275bdc2aa 6478	2005				min	0.000123	0.289609
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	P	F	52ef362e9a 6674c68532 08770bd34e c62a944830 7dca3631b9 2275bdc2aa 6478	2005				max	0.00019	0.072984
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	P	Fbar	52ef362e9a 6674c68532 08770bd34e c62a944830 7dca3631b9 2275bdc2aa 6478	2005				min	- 0.000882	0.227764
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	P	C	52ef362e9a 6674c68532 08770bd34e c62a944830 7dca3631b9 2275bdc2aa 6478	2005				max	0.001683	0.120366
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	P	Cbar	52ef362e9a 6674c68532 08770bd34e c62a944830 7dca3631b9 2275bdc2aa 6478	2005				min	- 0.000217	0.289609
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	S	F	52ef362e9a 6674c68532 08770bd34e c62a944830 7dca3631b9 2275bdc2aa 6478	2005				max	- 0.002592	0.072984
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	S	Fbar	52ef362e9a 6674c68532 08770bd34e c62a944830 7dca3631b9 2275bdc2aa 6478	2005				min	0.001076	0.227764
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	S	C	52ef362e9a 6674c68532 08770bd34e c62a944830 7dca3631b9 2275bdc2aa 6478	2005				max	- 0.001146	0.120366
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	S	Cbar	52ef362e9a 6674c68532 08770bd34e c62a944830 7dca3631b9 2275bdc2aa 6478	2005				min	0.001858	0.289609

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	A	F	52ef362e9a6674c6853208770bd34ec62a9448307dca3631b92275bdc2aa6478	2005	Geometry			max	-0.000534	0.072984
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	A	Fbar	52ef362e9a6674c6853208770bd34ec62a9448307dca3631b92275bdc2aa6478	2005				min	0.001181	0.227764
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	A	C	52ef362e9a6674c6853208770bd34ec62a9448307dca3631b92275bdc2aa6478	2005				max	-0.001609	0.120366
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	A	Cbar	52ef362e9a6674c6853208770bd34ec62a9448307dca3631b92275bdc2aa6478	2005				min	-0.002893	0.289609
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	G	F	8395cd2cd120719b32ec520e8d8e468982dd8f51c3afeb3b71e19aee19fa2c7a	2005				max	-0.002681	0.082793
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	G	Fbar	8395cd2cd120719b32ec520e8d8e468982dd8f51c3afeb3b71e19aee19fa2c7a	2005				min	-0.000778	0.227431
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	G	C	8395cd2cd120719b32ec520e8d8e468982dd8f51c3afeb3b71e19aee19fa2c7a	2005				max	-0.00208	0.132668
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	G	Cbar	8395cd2cd120719b32ec520e8d8e468982dd8f51c3afeb3b71e19aee19fa2c7a	2005				min	0.000433	0.289277
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	P	F	8395cd2cd120719b32ec520e8d8e468982dd8f51c3afeb3b71e19aee19fa2c7a	2005				max	-0.002025	0.082793
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	P	Fbar	8395cd2cd120719b32ec520e8d8e468982dd8f51c3afeb3b71e19aee19fa2c7a	2005				min	-0.00075	0.227431
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	P	C	8395cd2cd120719b32ec520e8d8e468982dd8f51c3afeb3b71e19aee19fa2c7a	2005				max	-0.004698	0.132668
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	P	Cbar	8395cd2cd120719b32ec520e8d8e468982dd8f51c3afeb3b71e19aee19fa2c7a	2005				min	7.5618e-05	0.289277
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	S	F	8395cd2cd120719b32ec520e8d8e468982dd8f51c3afeb3b71e19aee19fa2c7a	2005				max	-0.010523	0.082793

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	S	Fbar	8395cd2cd1 20719b32ec 520e8d8e46 8982dd8f51 c3afeb3b71 e19aee19fa 2c7a	2005				min	0.001931	0.227431
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	S	C	8395cd2cd1 20719b32ec 520e8d8e46 8982dd8f51 c3afeb3b71 e19aee19fa 2c7a	2005				max	- 0.004734	0.132668
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	S	Cbar	8395cd2cd1 20719b32ec 520e8d8e46 8982dd8f51 c3afeb3b71 e19aee19fa 2c7a	2005				min	0.004208	0.289277
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	A	F	8395cd2cd1 20719b32ec 520e8d8e46 8982dd8f51 c3afeb3b71 e19aee19fa 2c7a	2005				max	- 0.005884	0.082793
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	A	Fbar	8395cd2cd1 20719b32ec 520e8d8e46 8982dd8f51 c3afeb3b71 e19aee19fa 2c7a	2005				min	0.002693	0.227431
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	A	C	8395cd2cd1 20719b32ec 520e8d8e46 8982dd8f51 c3afeb3b71 e19aee19fa 2c7a	2005				max	- 0.006837	0.132668
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	A	Cbar	8395cd2cd1 20719b32ec 520e8d8e46 8982dd8f51 c3afeb3b71 e19aee19fa 2c7a	2005				min	0.000608	0.289277

Table 94: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	G	F	0.044389	0.074979	0.044389	0.045605	db4b6b5e0880c85aab1522a2bd0d0efb2e20739694f52ab34aec19c9183f96a0	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	G	Fbar	0.078304	-0.2266	-	-	e5789alecd209440a5052523eed4d5c0c44ee9458069cb51a40d99be9ecf27b4c4	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	G	C	0.095594	0.123857	0.095594	0.097892	4de96abf9154e97b49ae8adf6e7234b243b77b7862300d005ae8fd327d7f823	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	G	Cbar	0.141646	-	-	-	6ae64829b53f906aea5b6521ef87ba0bfb7bfe35bce51a0798c0f78abb27743	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	P	F	0.056858	0.074979	0.056858	0.054251	055fd859d36136f2a62bd3d2b993855007f9862e0e8b3a6c9b3a68de456609	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	P	Fbar	0.093433	-0.2266	-	-	db078cdf471dc888665c7551859ffe9d9bbbfef6d66ee0ca19d84f79bf4dec90	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	P	C	0.122527	0.123857	0.122527	0.115722	ecb3832ef29ed8db8b3349d1d90963a1692a37f2816321aa100f3b32206a573e	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	P	Cbar	0.165919	-	-	-	652df0e77f874091277310223e636e2b20ee35bb285deec1ae1a36e7d0d39de	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	S	F	0.07315	0.074979	0.07315	0.074308	f4c8d699ef64e4bc20eb2ca88d0007909070e5a0cc412131dfd63f79ce3305b	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	S	Fbar	0.128678	-0.2266	-	-	68eab5b1180eac1ca0a55eb524e27efbf4f213d5d3309b96c594037dfefeb03bd	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	S	C	0.127182	0.123857	0.127182	0.125185	24d3e89dbd56c5939fe6058c62542075d7d218c392e9cb1be0d1117f2d670339	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	S	Cbar	0.19468	-	-	-	f9ca33ae67a478433d4cea3a5d8341f9406cf0db9d995d047bcd53ba5ce219b7	leave_one_out_naive_single	Occlusion	False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	A	F	0.0708230	0.0749790	0.0708230	0.0691570	7e7cd0e848153a939a75a5a5a650ccf37e26288edb093864645d3aab52d9c55f44	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	A	Fbar	0.235744	-0.2266	-	0.235744	d330de661430cb7a03ab1ae18b9ef7c952ff98c6812e4566ac179dcb92ce2461	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	A	C	0.100914	0.123857	0.100914	0.09623	ab0ec13e3b3b1ab1094a381e89ae60531d805603311416f3868b029e9545b3dd	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	A	Cbar	0.298254	-	-	-	b3a53321acb3261e767033e92482da16c0f544bb	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	F	0.044555	0.076309	0.044555	0.045264	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	Fbar	0.078304	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	C	0.098753	0.119534	0.098753	0.094977	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	Cbar	0.14148	-	-	-	78849784e9337ca92e2072e54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	F	0.052535	0.076309	0.052535	0.054003	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	Fbar	0.092768	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdf	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	C	0.116376	0.119534	0.116376	0.112676	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	Cbar	0.16542	-	-	-	acb2b39c4e81fd13ff2169e286bdffc7f7b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	F	0.070989	0.076309	0.070989	0.07388	754c575b9c55effad4b704cdfbf33bceb9deedb997736a0fad	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	Fbar	0.126683	-	-	-	02029d1818f93f3c504ccfdc7c05f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	C	0.124023	0.119534	0.124023	0.121298	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	Cbar	0.192851	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9bbeee902c33a88ce81d674fa95facca8fb5c	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	F	0.064672	0.076309	0.064672	0.071015	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	Fbar	0.239568	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	C	0.092103	0.119534	0.092103	0.095207	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	Cbar	0.304239	-	-	-	d1982bb6040f7ef779cd07ec7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	G	F	0.04788	0.077805	0.04788	0.045796	752c587dde6d149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	G	Fbar	0.078304	-	-	-	f25fc4b3a1bf829c29b9968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	G	C	0.101247	0.129177	0.101247	0.099277	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	G	Cbar	0.140648	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	P	F	0.053367	0.077805	0.053367	0.054899	2ef177861cea92b164f37bafcf75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	P	Fbar	0.091771	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	P	C	0.115212	0.129177	0.115212	0.118719	ab2eddcd09c52fe64d54a515698290a4688e1085b9b8b54286f1a1a9d3c3566a1b	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	P	Cbar	0.165586	-	-	-	ac2b239c4e81df13ff2169e286bdffc77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	S	F	0.069825	0.077805	0.069825	0.074913	754c575b9c55efad4b704cdfbf33bceb9deedb997736a0fad53013210b93590	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	S	Fbar	0.126185	-	-	-	02029d1818f93f3c504c4cfd7505f0349ee79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	S	C	0.1202	0.129177	0.1202	0.127629	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	S	Cbar	0.19202	-	-	-	a7ad4611c7ff2030b2d95f0b19eb9beee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	A	F	0.07182	0.077805	0.07182	0.071983	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	A	Fbar	0.238903	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	A	C	0.098254	0.129177	0.098254	0.100999	a0dc973d05872fe19dc2482da1f6efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	A	Cbar	0.302743	-	-	-	d1982bb6040f7ef779cd10bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	G	F	0.043392	0.070823	0.043392	0.043314	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	G	Fbar	0.077639	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	G	C	0.097257	0.119036	0.097257	0.094755	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	G	Cbar	0.141147	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	P	F	0.051205	0.070823	0.051205	0.050718	2ef177861ce92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	P	Fbar	0.093267	-	-	-	1e5f98fd76057298c4a772f22234e7ecfccf5ddf c11cb19e2d add6	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	P	C	0.116209	0.119036	0.116209	0.112363	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	P	Cbar	0.165586	-	-	-	acb2b39c4e81fd13ff2169e286bdffcf7b1b9d6d7cdca6b25e44e750bbfc801d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	S	F	0.066002	0.070823	0.066002	0.070095	754c575b9c55effad4b704cdfbf33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	S	Fbar	0.128013	-	-	-	02029d1818f93f3c504ccfdce7505f0349eeb79ba8f6ef4dbbe664b03e8169a00	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	S	C	0.118371	0.119036	0.118371	0.120971	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	S	Cbar	0.193184	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9bee902c33a88ce81d674fa95facca8fb5c	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	A	F	0.065669	0.070823	0.065669	0.067464	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	A	Fbar	0.241729	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	A	C	0.091272	0.119036	0.091272	0.094908	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	A	Cbar	0.305403	-	-	-	d1982bb6040ff7ef779cd f0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	G	F	0.045387	0.075312	0.045387	0.04491	752e587dde d6149ca105 415099ce11 6142a5a0f6 eb0e963c15 fb3622ed4 9c7a	full_naive_ single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	G	Fbar	0.078304	-	-	-	f25fc4b3a1 bf829c29b9 68b28f2b15 d6022436e5 95d4d3fed5 8dae5683e0 5ba3	full_naive_ single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	G	C	0.099252	0.122693	0.099252	0.096385	433332add7 e27617c5db 234023c737 5a29c23379 cf506cb3bf 81ce23b1f7 a35e	full_naive_ single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	G	Cbar	0.141646	-	-	-	78849784e9 337ca92e20 72c54e8752 4037649236 41d4ab5ab2 5733d53489 982a	full_naive_ single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	P	F	0.05187	0.075312	0.05187	0.053406	2ef177861c ea92b164f3 7bafc75b75 aa6fc05209 535c1bf191 c74a314df9 7e20	full_naive_ single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	P	Fbar	0.092269	-	-	-	cfed196677 1e5f98fd76 057298c4a7 72f22234e7 ecfccf5fdf e11eb19e2d add6	full_naive_ single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	P	C	0.118703	0.122693	0.118703	0.114655	ab2eddc09c 52fe64d54a 515698290a 4688e1085b 9b8b54286f a1a9d3c356 6a1b	full_naive_ single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	P	Cbar	0.164589	-	-	-	acfb2b39c4e 81fd13ff21 69e286bdf cf7b1b9d6d 7cdea6b25e 44e750bbfc 801d	full_naive_ single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	S	F	0.070324	0.075312	0.070324	0.073192	754c575b9c 55effad4b7 04cedfb33b ceb9deedb9 97736a0fad b3013210b9 3590	full_naive_ single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	S	Fbar	0.12818	-	-	-	02029d1818 f93f3c504c cfdc7505f0 349eeb79ba 8f6ef4bdbe 664b03e816 9e00	full_naive_ single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	S	C	0.120698	0.122693	0.120698	0.123372	fd48f5eae3 3169829286 d4a84bfb08 29d7cdc33e 989799b4fa 540fb0b07e 7926	full_naive_ single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	S	Cbar	0.195012	-	-	-	a7a4d611c7 ff2030b2d9 5f0b19eb9b eee902c33a 88ce81d674 fa95facc8 fb5c	full_naive_ single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	A	F	0.07182	0.075312	0.07182	0.070369	e2a742f6ea 3ca449f945 0492e1f6ab da378173cc 7e1ee52115 b2a7f8b230 d682	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	A	Fbar	0.236409	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	A	C	0.097257	0.122693	0.097257	0.097105	a0dc973405872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	A	Cbar	0.300748	-	-	-	d1982bb6040f7e4779cd0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	G	F	0.042394	0.07049	0.042394	0.043196	752e587dde6149ca105415099cca116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	G	Fbar	0.077972	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	G	C	0.097423	0.118869	0.097423	0.09468	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81cc23b1f7a35e	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	G	Cbar	0.14148	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	P	F	0.051538	0.07049	0.051538	0.050519	2ef177861ce92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	P	Fbar	0.092934	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	P	C	0.115046	0.118869	0.115046	0.112259	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	P	Cbar	0.165087	-	-	-	ac2b39c4e81fd13ff2169e286bdffc7fb1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	S	F	0.070158	0.07049	0.070158	0.069866	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fad53013210b93590	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	S	Fbar	0.126517	-	-	-	02029d1818f93f3c504cfc7505f0349eeb79ba8f6ef4dbbe664b03e8169e00	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	S	C	0.1200330	0.1188693	0.1200330	0.1208627	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	S	Cbar	0.192519	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9b5ee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	A	F	0.067498	0.07049	0.067498	0.067249	e2a742f6ea3ca4499450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	A	Fbar	0.239734	-	-	-	2eb74b68e018c0dd4e54950c70b9666fad0cc89abec6c059240fe9a5dae5136d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	A	C	0.092269	0.118869	0.092269	0.094808	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	A	Cbar	0.305071	-	-	-	d1982bb6040f7ef779cd0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	G	F	0.045387	0.077805	0.045387	0.045796	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	G	Fbar	0.077805	-	-	-	225fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	G	C	0.102244	0.12818	0.102244	0.098832	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	G	Cbar	0.14015	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	P	F	0.056858	0.077805	0.056858	0.054899	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97c20	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	P	Fbar	0.092768	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	P	C	0.117207	0.12818	0.117207	0.118094	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	P	Cbar	0.164589	-	-	-	acb2b39c4e81fd13ff2169e286bdffc77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	S	F	0.07182	0.077805	0.07182	0.074913	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	S	Fbar	0.126683	-	-	-	02029d1818f933c504ccdc7505f0349eeb79ba8f6ef4dbbe664b03e8169e00	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	S	C	0.121197	0.12818	0.121197	0.126974	fd48f5eac33169829286d4a484bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	S	Cbar	0.19202	-	-	-	a7ad611c7ff2030b2d95f0b19eb9bee902c33a88cc81dd74fa95facc8fb5c	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	A	F	0.070324	0.077805	0.070324	0.071983	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	A	Fbar	0.237406	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	A	C	0.095262	0.12818	0.095262	0.1004	a0dc973405872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	A	Cbar	0.301746	-	-	-	d1982bb6040f7ef779cd40bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	G	F	0.042228	0.073649	0.042228	0.044319	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	G	Fbar	0.07847	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	G	C	0.097091	0.120865	0.097091	0.09557	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81cc23b1f7a35e	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	G	Cbar	0.141147	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	P	F	0.052538	0.073649	0.052538	0.052411	2ef177861c9a2b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	P	Fbar	0.092602	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5ddf c11cb19e2d add6	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	P	C	0.114214	0.120865	0.114214	0.113509	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	P	Cbar	0.164755	-	-	-	acb2b39c4e81fd13ff2169e28bdaffcf7b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	S	F	0.069659	0.073649	0.069659	0.072045	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	S	Fbar	0.127348	-	-	-	02029d1818f93f3c504cfdc7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	S	C	0.121031	0.120865	0.121031	0.122172	fd48f5eac33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	S	Cbar	0.192352	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9bbeee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	A	F	0.067997	0.073649	0.067997	0.069293	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	A	Fbar	0.240565	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	A	C	0.093433	0.120865	0.093433	0.096006	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	A	Cbar	0.307066	-	-	-	d1982bb6040f7ef779cd f0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	G	F	0.044888	0.0798	0.044888	0.046505	752c587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	G	Fbar	0.078803	-	-	-	f25fc4b3a1b829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	G	C	0.097257	0.131172	0.097257	0.100166	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	G	Cbar	0.141147	-	-	-	78849784e9337ca92a2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	P	F	0.055362	0.0798	0.055362	0.056093	2ef177861cea92b164f37bafe75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	P	Fbar	0.092768	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	P	C	0.118204	0.131172	0.118204	0.11997	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286f1a1a9d3c3566a1b	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	P	Cbar	0.164589	-	-	-	acb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	S	F	0.069825	0.0798	0.069825	0.076289	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	S	Fbar	0.126185	-	-	-	02029d1818f93f3c504ccfd7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	S	C	0.122693	0.131172	0.122693	0.128939	fd48f5eae33169829286d4a48fbf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	S	Cbar	0.191022	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9bee902c33a88cc81d674fa95faccas8fb5c	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	A	F	0.072818	0.0798	0.072818	0.073274	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	A	Fbar	0.238404	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	A	C	0.099751	0.131172	0.099751	0.102198	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	A	Cbar	0.303242	-	-	-	d1982bb6040f7ef779cd f0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	G	F	0.042727	0.072984	0.042727	0.044083	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	G	Fbar	0.078304	-	-	-	f25fc4b3a1b829c29b968b28f215d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	G	C	0.096758	0.120366	0.096758	0.095348	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	G	Cbar	0.140981	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	P	F	0.052203	0.072984	0.052203	0.052012	2ef177861cea92b164f37bafce75b75aa6fc05209535c1bf191c74a314df97c20	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	P	Fbar	0.092934	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	P	C	0.114879	0.120366	0.114879	0.113197	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	P	Cbar	0.164921	-	-	-	acb2b39c4e81fd13ff2169e286bdffc7fb1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	S	F	0.068994	0.072984	0.068994	0.071586	754c575b9c55effad4b704cdffb33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	S	Fbar	0.126683	-	-	-	02029d1818f93f3c504ccfdc7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	S	C	0.120698	0.120366	0.120698	0.121844	fd48f5eac33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	S	Cbar	0.192519	-	-	-	a7ad4d611c7ff2030b2d95f0b19eb9bee902c33a88ce81d674fa95facca8fb5c	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	A	F	0.068329	0.072984	0.068329	0.068863	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	A	Fbar	0.240565	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	A	C	0.094098	0.120366	0.094098	0.095707	a0dc973d05872fe19dc2482da16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	A	Cbar	0.306899	-	-	-	d1982bb6040f7ef779cd0bcb7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	G	F	0.044888	0.082793	0.044888	0.047569	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	G	Fbar	0.078304	-	-	-	f25fe4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	G	C	0.098753	0.132668	0.098753	0.100833	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	G	Cbar	0.140648	-	-	-	78849784e9337ca92c2072c54e8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	P	F	0.05586	0.082793	0.05586	0.057885	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	P	Fbar	0.092768	-	-	-	cfed1966771e5f98fd76057298c4a772f2f2234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	P	C	0.116209	0.132668	0.116209	0.120907	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286f1a1a9d3c3566a1b	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	P	Cbar	0.164589	-	-	-	acb2b39c4e81fd13ff2169e286bdffc77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	S	F	0.06783	0.082793	0.06783	0.078354	754c575b9c55effad4b704cdffb3bceb9deedb997736a0fadb3013210b93590	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	S	Fbar	0.125686	-	-	-	02029d1818f93f3c504ccfdc7505f0349eeb79ba8f6ef4dbbe664b03e8169e00	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	S	C	0.125187	0.132668	0.125187	0.129921	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	S	Cbar	0.190025	-	-	-	a7a4d611c75f0b19eb9b9ee902c33a88ce81d674fa95facca8fb5c	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	A	F	0.069327	0.082793	0.069327	0.07521	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	A	Fbar	0.238903	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abce6c059240fe9a5dae5136d	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	A	C	0.096259	0.132668	0.096259	0.103097	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		False
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	A	Cbar	0.303242	-	-	-	d1982bb6040f7ef779cd f0bc7956a5fb868abeb5f724267b50257a4034702a400	full_naive_single_pool		False

Table 95: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER^*_z	ER^*_s	ER^*_c
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	e3cdf68d51 207d62fb9 533540349a 4801eb616c 563ab38355 e1b49857c7 b2f1	2005					{'C': 'Occlusion', 'Cbar': 'Occlusion', 'F': 'Occlusion', 'Fbar': 'Occlusion'}	-	-	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	3f8e89a574 0dec5e98f7 068b82d980 762003db19 41133182cd e051adb7e5 6a3c	2005						-	-	0.003776
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	804f30b23 7cfd60adaa 79bd61f72c 8fcccc8c4b 1f4cdfca5a 9f7133342a ae84	2005						0.002084	-	0.00197
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	f0508fb335 995f3b03605 7ec2edfed9 64dfaca0ea 96d25dc389 e1e4db79f0 9a30	2005						7.7182e-05	-	0.002502
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	210184f3bc d6b376724f 94bdc698f2 d561913ec7 8ed7825631 70203ba00d 20b3	2005						0.000477	-	0.002866
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	b09648f7cb 22c2c5a6fb 75403e942a 1c848385b1 bc9d0920cd fb34c90a9c 5811	2005						-	-	0.002743
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	c538a4bc89 09a8bc8ddb 8b8a9ccb90 21faf6c802 2fa26f706b 422faec2c5 2575	2005						0.00041	-	0.003413
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	56e1bba08f a858d8a983 cdd54a5506 b4030d2d69 d7362d1fba 3eb0ded6d5 b5f0	2005						-	-	0.001521
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	6d03be4843 2b4f1bfce9 b385299a14 f1d594771d 3766915756 502bc58cf1 1eab	2005						0.001618	-	0.002909
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	52cf362e9a 6674c68532 08770bd34e c62a944830 7dca3631b9 2275bdc2aa 6478	2005						-	-	0.00141
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	8395cd2cd1 20719b32ec 520e8d8e46 89824d8f51 c3afeb3b71 e19aec19fa 2c7a	2005						0.002681	-	0.00208

Table 96: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	$ER^p_{\mathcal{D}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{D}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	-0.00081	0.002607	-0.001767	0.006806	-0.001662	-0.001157	-0.002206	0.001997	-0.001478	0.001666
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	-0.00054	-0.001468	-0.000953	0.0037	-0.001014	-0.002891	7.7558e-05	0.002725	0.00045	-0.006343
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	0.000303	-0.001532	-5.6961e-05	-0.003507	-0.001161	-0.005087	0.000148	-0.007429	0.001353	-0.000162
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	2.205e-05	0.000487	-0.00108	0.003847	-0.000763	-0.004094	0.000316	-0.0026	0.001622	-0.001795
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	-0.000662	-0.001536	-0.000403	0.004048	-0.000103	-0.002868	-0.001205	-0.002674	-0.001424	0.001451
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	-0.000387	0.001018	-0.000815	0.002787	-0.000403	0.000292	0.001527	-0.000829	0.001786	0.000249
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	0.000834	0.001959	-0.000953	-0.000887	-0.000103	-0.003092	7.7558e-05	-0.005777	0.001568	-0.001659
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	-2.161e-05	0.000125	-0.000465	0.000705	-1.1042e-05	-0.002386	0.000767	-0.001141	0.002167	-0.001297
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	-0.000229	-0.000732	-0.000902	-0.001765	-0.000223	-0.006464	0.00079	-0.006245	0.002136	-0.000456
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	0.000123	0.00019	-0.000882	0.001683	-0.000217	-0.002592	0.001076	-0.001146	0.001858	-0.000534
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	0.000433	-0.002025	-0.00075	-0.004698	7.5618e-05	-0.010523	0.001931	-0.004734	0.004208	-0.005884

Table 97: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_μ	ER^*_c	ER^*_ν
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual		1	0.006181	0.004685	0.006014
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NAIVE		11	0.001125	-0.003104	-0.00141
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Ind		11	0.001338	-0.002745	0.000165
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NAIVE		11	0.000619	-0.003636	-0.000926
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Ind		11	0.004509	0.000152	0.002395
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NAIVE		11	0.002313	-0.002539	-0.001142
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Ind		11	0.003286	-0.005138	0.001398
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NAIVE		11	0.001557	-0.002573	-0.002902
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Ind		11	0.002514	-0.002447	-0.000569
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NAIVE		11	0.001181	-0.001609	-0.002893
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Ind		11	0.002693	-0.006837	0.000608

Table 98: DermaMNIST-ViT-B/16

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ViT-B/16	S	Fbar	02029d1818f93f3c504cfdc7505f0349e0eb79ba8f6ef4b4be664b03e8169e00		11	nonnegative__slope__ordinary__least_squares	0.428947	0.428947	False	-0.030061	0.000187	0.00456	0.529513	-0.252369	-0.216958	-0.138155	-0.1202
DermaMNIST-ViT-B/16	P	F	05f5fd859d36136f2a62bd3d2b9938550f07f9862e0e8b3a6c9b3a68de456609	Occlusion	10	nonnegative__slope__ordinary__least_squares	0.635396	0.635396	False	0.00661	0.00039	0.006983	0.846521	0.023441	0.103741	0.01995	0.07182
DermaMNIST-ViT-B/16	S	C	24d3e89dbd56c5939fe6058c62542075d7d218c392e9cb1be0d1117f2d670339	Occlusion	10	nonnegative__slope__ordinary__least_squares	0.670355	0.670355	False	0.042157	0.0007	0.009352	0.873332	0.047382	0.162594	0.072319	0.14813
DermaMNIST-ViT-B/16	A	Fbar	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d		11	nonnegative__slope__ordinary__least_squares	0.452737	0.452737	False	-0.138629	0.000252	0.005296	0.48164	-0.252369	-0.216958	-0.25187	-0.232419
DermaMNIST-ViT-B/16	P	F	2ef177861cea92b164f37bafcf75b75aa6fc05209535c1bf191c74a314df97e20		11	nonnegative__slope__ordinary__least_squares	0.598697	0.598697	False	0.008317	0.000597	0.008145	0.768222	0.023441	0.103741	0.01995	0.07182
DermaMNIST-ViT-B/16	G	C	433332add7e27617c5db234923c7375a29c23379cf506cb3bf81ce23b1f7a35e		11	nonnegative__slope__ordinary__least_squares	0.445895	0.445895	False	0.041677	0.000486	0.007351	0.816518	0.047382	0.162594	0.05985	0.114214
DermaMNIST-ViT-B/16	P	Cbar	652df0e77f874091277310223e636e2b20ee35bb285deec1ae11a36e7d0d39de	Occlusion	10	nonnegative__slope__ordinary__least_squares	0.130755	0.130755	False	-0.126541	2.023e-05	0.00159	0.526068	-0.315212	-0.278803	-0.167581	-0.161097
DermaMNIST-ViT-B/16	S	Fbar	68eab5b1180eac1ca0a55eb524e27ebf4f213d5d3309b96c594037dffe03bd	Occlusion	10	nonnegative__slope__ordinary__least_squares	0.451726	0.451726	False	-0.024111	0.000117	0.003817	0.665195	-0.252369	-0.216958	-0.138155	-0.1202
DermaMNIST-ViT-B/16	G	Cbar	6ae64829b53f906aea5b6521ef87ba f0bfb7bfe35bce51a0798c0f78abb27743	Occlusion	10	nonnegative__slope__ordinary__least_squares	0.072555	0.072555	False	-0.119907	3.5896e-05	0.002118	0.161511	-0.315212	-0.278803	-0.143142	-0.136658
DermaMNIST-ViT-B/16	G	F	752ce587dde46149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a		11	nonnegative__slope__ordinary__least_squares	0.355453	0.355453	False	0.01814	0.000323	0.00599	0.683535	0.023441	0.103741	0.023441	0.05586
DermaMNIST-ViT-B/16	S	F	754c575b9c55effad4b704cdfbf33bceb9deedb997736a0fad b3013210b93590		11	nonnegative__slope__ordinary__least_squares	0.689926	0.689926	False	0.021233	0.000593	0.008118	0.815884	0.023441	0.103741	0.034414	0.093267
DermaMNIST-ViT-B/16	G	Cbar	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a		11	nonnegative__slope__ordinary__least_squares	0.065653	0.065653	False	-0.12209	4.0161e-05	0.002112	0.125162	-0.315212	-0.278803	-0.143142	-0.136658

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ViT-B/16	A	C	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	Occlusion	11	nonnegative__slope__ordinary__least_squares	0.600673	0.600673	False	0.023406	0.000525	0.007635	0.882147	0.047382	0.162594	0.050873	0.127681
DermaMNIST-ViT-B/16	S	Cbar	a7a4d611c7ff2030b2d95f0b19eb9bbeee902c33a88ce81d674fa95faccasfb5c		11	nonnegative__slope__ordinary__least_squares	0.430971	0.430971	False	-0.069563	0.000182	0.004497	0.576352	-0.315212	-0.278803	-0.204489	-0.185536
DermaMNIST-ViT-B/16	A	C	ab9ec13e3b3b1ab1094a381e89ae60531d805603311416f3868b029c9545b3dd		10	nonnegative__slope__ordinary__least_squares	0.579904	0.579904	False	0.024405	0.000187	0.004838	0.950694	0.047382	0.162594	0.050873	0.121696
DermaMNIST-ViT-B/16	P	C	ab2eddc09c52fe64d45a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b		11	nonnegative__slope__ordinary__least_squares	0.62677	0.62677	False	0.037755	0.000728	0.008993	0.854526	0.047382	0.162594	0.063342	0.138155
DermaMNIST-ViT-B/16	P	Cbar	acb2b39c4e81fd13ff2169e286bdffc77b1b9dd7cdea6b25e44e750bbfc801d		11	nonnegative__slope__ordinary__least_squares	0.119686	0.119686	False	-0.130042	3.1199e-05	0.001862	0.379669	-0.315212	-0.278803	-0.167581	-0.161097
DermaMNIST-ViT-B/16	A	Cbar	b3a53321acb3261c767033c92482da16c0f544bb a7342b2ff19d8edf3b7fd46		10	nonnegative__slope__ordinary__least_squares	0.442833	0.442833	False	-0.176535	0.000248	0.005573	0.508961	-0.315212	-0.278803	-0.315212	-0.295761
DermaMNIST-ViT-B/16	P	Fbar	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11eb19e2dad46		11	nonnegative__slope__ordinary__least_squares	0.101759	0.101759	False	-0.068875	2.1392e-05	0.001542	0.356501	-0.252369	-0.216958	-0.094763	-0.089776
DermaMNIST-ViT-B/16	A	Cbar	d1982b6040ff7f779cd f0bc7956a5b868abeb5f724267b50257a4034702a400		11	nonnegative__slope__ordinary__least_squares	0.471991	0.471991	False	-0.167314	0.000325	0.006006	0.477761	-0.315212	-0.278803	-0.315212	-0.292768
DermaMNIST-ViT-B/16	A	Fbar	d330de661430cb7a03ab1ae18b9ef7c952ff98c6812e4566ac179dcb92ce2461		10	nonnegative__slope__ordinary__least_squares	0.432329	0.432329	False	-0.14396	0.000196	0.004948	0.519949	-0.252369	-0.216958	-0.25187	-0.233416
DermaMNIST-ViT-B/16	P	Fbar	db078cdf471dc888665c7551859ffe f9d9bbbf6d66ee0ca19d8f479bf4dec90		10	nonnegative__slope__ordinary__least_squares	0.109479	0.109479	False	-0.066858	1.3287e-05	0.001289	0.505874	-0.252369	-0.216958	-0.094763	-0.089776
DermaMNIST-ViT-B/16	G	F	db4b6b5e0880c85aab1522a2bd0d0efb2e20739694f52ab34aec19c9183f96a0	Occlusion	10	nonnegative__slope__ordinary__least_squares	0.38403	0.38403	False	0.016811	0.000197	0.004968	0.799201	0.023441	0.103741	0.023441	0.05586
DermaMNIST-ViT-B/16	G	C	e0e96abf9154e97b49ae8adf6e7234b243b77b7862300d005ae8fd327dd7f823		10	nonnegative__slope__ordinary__least_squares	0.45892	0.45892	False	0.041051	0.000354	0.006648	0.864763	0.047382	0.162594	0.05985	0.114214
DermaMNIST-ViT-B/16	A	F	e2a742f6ea3ca449f9450492e1ff6abda378173cc7e1ee52115b2a7f8b230d682		11	nonnegative__slope__ordinary__least_squares	0.647111	0.647111	False	0.021634	0.000431	0.006921	0.842857	0.023441	0.103741	0.037905	0.097756

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ViT-B/16	G	Fbar	e5789a1ecd 09440a5052 523ee4d5c0 c44ee94580 69cb51a40d 99be9ecf27 b4c4	Occlusion	10	nonnegative_ slope_ ordinary_ least_squares	0.059726	0.059726	False	-0.063748	2.7021e-05	0.001838	0.130307	-0.252369	-0.216958	-0.079302	-0.073815
DermaMNIST-ViT-B/16	A	F	e7cd0e8481 53a939a75a a5a650ccf3 7e26288edb 093864645d 3aab52d9c5 3f44	Occlusion	10	nonnegative_ slope_ ordinary_ least_squares	0.612082	0.612082	False	0.023264	0.000243	0.005506	0.8917	0.023441	0.103741	0.037905	0.090274
DermaMNIST-ViT-B/16	P	C	ecb3832ef2 9ed8db8b33 49d1d90963 a1692a37f2 816321aa10 0f3b32206a 573e	Occlusion	10	nonnegative_ slope_ ordinary_ least_squares	0.631213	0.631213	False	0.037541	0.000712	0.009437	0.85721	0.047382	0.162594	0.063342	0.138155
DermaMNIST-ViT-B/16	G	Fbar	f25fe4b3a1 bf829c29b9 68b28f2b15 d6022436e5 95d4d3fed5 8dae5683e0 5ba3	Occlusion	11	nonnegative_ slope_ ordinary_ least_squares	0.053962	0.053962	False	-0.065253	3.1538e-05	0.001872	0.09557	-0.252369	-0.216958	-0.079302	-0.073815
DermaMNIST-ViT-B/16	S	Cbar	f9ca33ae67 a478433d4c ea3a5d8341 f9406cf0db 9d995d047b cd53ba5ce2 19b7	Occlusion	10	nonnegative_ slope_ ordinary_ least_squares	0.455162	0.455162	False	-0.061913	0.00013	0.004025	0.677373	-0.315212	-0.278803	-0.204489	-0.185536
DermaMNIST-ViT-B/16	S	C	fd48f5eae3 3169829286 d4a84bfb08 29d7cdc33e 989799b4fa 540fb0b07e 7926	Occlusion	11	nonnegative_ slope_ ordinary_ least_squares	0.656511	0.656511	False	0.042823	0.00085	0.009716	0.846663	0.047382	0.162594	0.072319	0.14813
DermaMNIST-ViT-B/16	S	F	ff4c8d699e fe4e4be20e b2ca88d000 7909070e5a 0cc412131d fd63f79ce3305b	Occlusion	10	nonnegative_ slope_ ordinary_ least_squares	0.737189	0.737189	False	0.019034	0.00025	0.005588	0.920594	0.023441	0.103741	0.034414	0.093267

Table 99: DermaMNIST-ViT-B/16

Cell	Condition	Metric	Reference Methods
DermaMNIST-ViT-B/16	S	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	P	F	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	A	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	P	F	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	G	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	P	Cbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	S	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	G	Cbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient

Cell	Condition	Metric	Reference Methods
DermaMNIST-ViT-B/16	G	F	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	S	F	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	G	Cbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	A	C	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	Cbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	A	C	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	P	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	P	Cbar	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	A	Cbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient

Cell	Condition	Metric	Reference Methods
DermaMNIST-ViT-B/16	P	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	A	Cbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	A	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	P	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;PartialLRP;Saliency
DermaMNIST-ViT-B/16	G	F	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;PartialLRP;Saliency
DermaMNIST-ViT-B/16	G	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;PartialLRP;Saliency
DermaMNIST-ViT-B/16	A	F	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;PartialLRP;Saliency
DermaMNIST-ViT-B/16	G	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	A	F	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;PartialLRP;Saliency

Cell	Condition	Metric	Reference Methods
DermaMNIST-ViT-B/16	P	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	G	Fbar	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	Cbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	F	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
			Gradients;PartialLRP;Saliency

Table 100: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	F	97c3cda476 009de98276 12a5633fe2 8c713a7da8 d4fe18ddce f10d170e7b 753e	2005				max	- 0.001957	0.103741
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	Fbar	97c3cda476 009de98276 12a5633fe2 8c713a7da8 d4fe18ddce f10d170e7b 753e	2005				min	- 0.002789	0.216958
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	C	97c3cda476 009de98276 12a5633fe2 8c713a7da8 d4fe18ddce f10d170e7b 753e	2005				max	- 0.005372	0.162594
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	Cbar	97c3cda476 009de98276 12a5633fe2 8c713a7da8 d4fe18ddce f10d170e7b 753e	2005				min	- 0.003224	0.278803
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	F	97c3cda476 009de98276 12a5633fe2 8c713a7da8 d4fe18ddce f10d170e7b 753e	2005				max	- 0.004265	0.103741
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	Fbar	97c3cda476 009de98276 12a5633fe2 8c713a7da8 d4fe18ddce f10d170e7b 753e	2005				min	- 0.002757	0.216958
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	C	97c3cda476 009de98276 12a5633fe2 8c713a7da8 d4fe18ddce f10d170e7b 753e	2005				max	- 0.012656	0.162594
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	Cbar	97c3cda476 009de98276 12a5633fe2 8c713a7da8 d4fe18ddce f10d170e7b 753e	2005				min	- 0.001967	0.278803
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	F	97c3cda476 009de98276 12a5633fe2 8c713a7da8 d4fe18ddce f10d170e7b 753e	2005				max	0.000547	0.103741
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	Fbar	97c3cda476 009de98276 12a5633fe2 8c713a7da8 d4fe18ddce f10d170e7b 753e	2005				min	- 0.006023	0.216958
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	C	97c3cda476 009de98276 12a5633fe2 8c713a7da8 d4fe18ddce f10d170e7b 753e	2005				max	- 0.010162	0.162594
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	Cbar	97c3cda476 009de98276 12a5633fe2 8c713a7da8 d4fe18ddce f10d170e7b 753e	2005				min	- 0.006796	0.278803
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	F	97c3cda476 009de98276 12a5633fe2 8c713a7da8 d4fe18ddce f10d170e7b 753e	2005				max	- 0.000577	0.103741

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	Fbar	97c3cda476009de9827612a5633fe28c713a7da8d4fe18ddce f10d170e7b753e	2005				min	0.0040950	0.216958
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	C	97c3cda476009de9827612a5633fe28c713a7da8d4fe18ddce f10d170e7b753e	2005				max	0.0007530	0.162594
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	Cbar	97c3cda476009de9827612a5633fe28c713a7da8d4fe18ddce f10d170e7b753e	2005				min	0.0031060	0.278803
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	F	61cfe07fd7591034f65a990ac51b5f c119eee9c73eedea4605 dd67a849859412	2005				max	- 0.004052	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	Fbar	61cfe07fd7591034f65a990ac51b5f c119eee9c73eedea4605 dd67a849859412	2005				min	- 0.002138	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	C	61cfe07fd7591034f65a990ac51b5f c119eee9c73eedea4605 dd67a849859412	2005				max	- 0.009007	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	Cbar	61cfe07fd7591034f65a990ac51b5f c119eee9c73eedea4605 dd67a849859412	2005				min	- 0.002242	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	F	61cfe07fd7591034f65a990ac51b5f c119eee9c73eedea4605 dd67a849859412	2005				max	- 0.006172	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	Fbar	61cfe07fd7591034f65a990ac51b5f c119eee9c73eedea4605 dd67a849859412	2005				min	- 0.000878	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	C	61cfe07fd7591034f65a990ac51b5f c119eee9c73eedea4605 dd67a849859412	2005				max	- 0.007508	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	Cbar	61cfe07fd7591034f65a990ac51b5f c119eee9c73eedea4605 dd67a849859412	2005				min	- 0.001575	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	F	61cfe07fd7591034f65a990ac51b5f c119eee9c73eedea4605 dd67a849859412	2005				max	- 0.008606	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	Fbar	61cfe07fd7591034f65a990ac51b5f c119eee9c73eedea4605 dd67a849859412	2005				min	0.0005710	0.211471

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	C	61cfe07fd7591034f65a990ac51b5fc119eee9c73eedea4605dd67a849859412	2005				max	-0.006676	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	Cbar	61cfe07fd7591034f65a990ac51b5fc119eee9c73eedea4605dd67a849859412	2005				min	-0.001036	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	F	61cfe07fd7591034f65a990ac51b5fc119eee9c73eedea4605dd67a849859412	2005				max	-0.001602	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	Fbar	61cfe07fd7591034f65a990ac51b5fc119eee9c73eedea4605dd67a849859412	2005				min	0.005941	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	C	61cfe07fd7591034f65a990ac51b5fc119eee9c73eedea4605dd67a849859412	2005				max	-0.002174	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	Cbar	61cfe07fd7591034f65a990ac51b5fc119eee9c73eedea4605dd67a849859412	2005				min	0.008592	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	F	c824810aa69518ecbfcf7ac8166815eb7622b485d38da8478ec4055122fc42c4	2005				max	-0.004052	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	Fbar	c824810aa69518ecbfcf7ac8166815eb7622b485d38da8478ec4055122fc42c4	2005				min	-0.002138	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	C	c824810aa69518ecbfcf7ac8166815eb7622b485d38da8478ec4055122fc42c4	2005				max	-0.009007	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	Cbar	c824810aa69518ecbfcf7ac8166815eb7622b485d38da8478ec4055122fc42c4	2005				min	-0.002242	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	F	c824810aa69518ecbfcf7ac8166815eb7622b485d38da8478ec4055122fc42c4	2005				max	-0.006172	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	Fbar	c824810aa69518ecbfcf7ac8166815eb7622b485d38da8478ec4055122fc42c4	2005				min	-0.000878	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	C	c824810aa69518ecbfcf7ac8166815eb7622b485d38da8478ec4055122fc42c4	2005				max	-0.007508	0.170574

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	Cbar	c824810aa6 9518ecbfcf 7ac8166815 eb7622b485 d38da8478e c4055122fc 42c4	2005				min	- 0.001575	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	F	c824810aa6 9518ecbfcf 7ac8166815 eb7622b485 d38da8478e c4055122fc 42c4	2005				max	- 0.008606	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	Fbar	c824810aa6 9518ecbfcf 7ac8166815 eb7622b485 d38da8478e c4055122fc 42c4	2005				min	0.000571	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	C	c824810aa6 9518ecbfcf 7ac8166815 eb7622b485 d38da8478e c4055122fc 42c4	2005				max	- 0.006676	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	Cbar	c824810aa6 9518ecbfcf 7ac8166815 eb7622b485 d38da8478e c4055122fc 42c4	2005				min	- 0.001036	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	F	c824810aa6 9518ecbfcf 7ac8166815 eb7622b485 d38da8478e c4055122fc 42c4	2005				max	- 0.001602	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	Fbar	c824810aa6 9518ecbfcf 7ac8166815 eb7622b485 d38da8478e c4055122fc 42c4	2005				min	0.005941	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	C	c824810aa6 9518ecbfcf 7ac8166815 eb7622b485 d38da8478e c4055122fc 42c4	2005				max	- 0.002174	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	Cbar	c824810aa6 9518ecbfcf 7ac8166815 eb7622b485 d38da8478e c4055122fc 42c4	2005				min	0.008592	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		G	F	4ed01964a2 2aab8152e8 e648d20273 cd5cc2b97c e2677e646b 4a1735485d bf32	2005				max	0.00171	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		G	Fbar	4ed01964a2 2aab8152e8 e648d20273 cd5cc2b97c e2677e646b 4a1735485d bf32	2005				min	- 0.00164	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		G	C	4ed01964a2 2aab8152e8 e648d20273 cd5cc2b97c e2677e646b 4a1735485d bf32	2005				max	- 0.001519	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		G	Cbar	4ed01964a2 2aab8152e8 e648d20273 cd5cc2b97c e2677e646b 4a1735485d bf32	2005				min	- 0.002274	0.270823

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		P	F	4ed01964a22aab8152e8e648d20273cd5cc2b97ce2677e646b4a1735485dbf32	2005				max	-0.002688	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		P	Fbar	4ed01964a22aab8152e8e648d20273cd5cc2b97ce2677e646b4a1735485dbf32	2005				min	-0.000878	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		P	C	4ed01964a22aab8152e8e648d20273cd5cc2b97ce2677e646b4a1735485dbf32	2005				max	-0.004695	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		P	Cbar	4ed01964a22aab8152e8e648d20273cd5cc2b97ce2677e646b4a1735485dbf32	2005				min	-0.000637	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		S	F	4ed01964a22aab8152e8e648d20273cd5cc2b97ce2677e646b4a1735485dbf32	2005				max	-0.005664	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		S	Fbar	4ed01964a22aab8152e8e648d20273cd5cc2b97ce2677e646b4a1735485dbf32	2005				min	0.001569	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		S	C	4ed01964a22aab8152e8e648d20273cd5cc2b97ce2677e646b4a1735485dbf32	2005				max	-0.003729	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		S	Cbar	4ed01964a22aab8152e8e648d20273cd5cc2b97ce2677e646b4a1735485dbf32	2005				min	-0.00175	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		A	F	4ed01964a22aab8152e8e648d20273cd5cc2b97ce2677e646b4a1735485dbf32	2005				max	-0.004858	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		A	Fbar	4ed01964a22aab8152e8e648d20273cd5cc2b97ce2677e646b4a1735485dbf32	2005				min	0.00644	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		A	C	4ed01964a22aab8152e8e648d20273cd5cc2b97ce2677e646b4a1735485dbf32	2005				max	-0.002969	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		A	Cbar	4ed01964a22aab8152e8e648d20273cd5cc2b97ce2677e646b4a1735485dbf32	2005				min	0.00686	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		G	F	54cf3fc87115b0761f56b46d24a3bc84ac45bf6d7e3c6051be73c02caeb028db	2005				max	0.00171	0.109726

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		G	Fbar	54cf3fe871 15b0761f56 b46d24a3bc 84ac45bf6d 7e3c6051be 73c02caeb0 28db	2005				min	- 0.00164	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		G	C	54cf3fe871 15b0761f56 b46d24a3bc 84ac45bf6d 7e3c6051be 73c02caeb0 28db	2005				max	- 0.001519	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		G	Cbar	54cf3fe871 15b0761f56 b46d24a3bc 84ac45bf6d 7e3c6051be 73c02caeb0 28db	2005				min	- 0.002274	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		P	F	54cf3fe871 15b0761f56 b46d24a3bc 84ac45bf6d 7e3c6051be 73c02caeb0 28db	2005				max	- 0.002688	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		P	Fbar	54cf3fe871 15b0761f56 b46d24a3bc 84ac45bf6d 7e3c6051be 73c02caeb0 28db	2005				min	- 0.000878	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		P	C	54cf3fe871 15b0761f56 b46d24a3bc 84ac45bf6d 7e3c6051be 73c02caeb0 28db	2005				max	- 0.004695	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		P	Cbar	54cf3fe871 15b0761f56 b46d24a3bc 84ac45bf6d 7e3c6051be 73c02caeb0 28db	2005				min	- 0.000637	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		S	F	54cf3fe871 15b0761f56 b46d24a3bc 84ac45bf6d 7e3c6051be 73c02caeb0 28db	2005				max	- 0.005664	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		S	Fbar	54cf3fe871 15b0761f56 b46d24a3bc 84ac45bf6d 7e3c6051be 73c02caeb0 28db	2005				min	0.001569	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		S	C	54cf3fe871 15b0761f56 b46d24a3bc 84ac45bf6d 7e3c6051be 73c02caeb0 28db	2005				max	- 0.003729	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		S	Cbar	54cf3fe871 15b0761f56 b46d24a3bc 84ac45bf6d 7e3c6051be 73c02caeb0 28db	2005				min	- 0.00175	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		A	F	54cf3fe871 15b0761f56 b46d24a3bc 84ac45bf6d 7e3c6051be 73c02caeb0 28db	2005				max	- 0.004858	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		A	Fbar	54cf3fe871 15b0761f56 b46d24a3bc 84ac45bf6d 7e3c6051be 73c02caeb0 28db	2005				min	0.00644	0.211471

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		A	C	54cf3fc87115b0761f56b46d24a3bc84ac45bf6d7e3c6051be73c02caeb028db	2005				max	-0.002969	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		A	Cbar	54cf3fc87115b0761f56b46d24a3bc84ac45bf6d7e3c6051be73c02caeb028db	2005				min	0.00686	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		G	F	f511b112efaab40d4a4fd77c9e9d4a92e5fe2c1c535eba897db74b715ef50304	2005				max	-0.001093	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		G	Fbar	f511b112efaab40d4a4fd77c9e9d4a92e5fe2c1c535eba897db74b715ef50304	2005				min	0.000329	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		G	C	f511b112efaab40d4a4fd77c9e9d4a92e5fe2c1c535eba897db74b715ef50304	2005				max	-0.002638	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		G	Cbar	f511b112efaab40d4a4fd77c9e9d4a92e5fe2c1c535eba897db74b715ef50304	2005				min	0.001282	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		P	F	f511b112efaab40d4a4fd77c9e9d4a92e5fe2c1c535eba897db74b715ef50304	2005				max	-0.003078	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		P	Fbar	f511b112efaab40d4a4fd77c9e9d4a92e5fe2c1c535eba897db74b715ef50304	2005				min	0.001066	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		P	C	f511b112efaab40d4a4fd77c9e9d4a92e5fe2c1c535eba897db74b715ef50304	2005				max	-0.00558	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		P	Cbar	f511b112efaab40d4a4fd77c9e9d4a92e5fe2c1c535eba897db74b715ef50304	2005				min	0.00048	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		S	F	f511b112efaab40d4a4fd77c9e9d4a92e5fe2c1c535eba897db74b715ef50304	2005				max	-0.006147	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		S	Fbar	f511b112efaab40d4a4fd77c9e9d4a92e5fe2c1c535eba897db74b715ef50304	2005				min	0.001853	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		S	C	f511b112efaab40d4a4fd77c9e9d4a92e5fe2c1c535eba897db74b715ef50304	2005				max	-0.002827	0.173067

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		S	Cbar	f511b112ef aab40d4a4f d77c9e9d4a 92e5fe2c1c 535eba897d b74b715ef5 0304	2005				min	0.001174	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		A	F	f511b112ef aab40d4a4f d77c9e9d4a 92e5fe2c1c 535eba897d b74b715ef5 0304	2005				max	- 0.005563	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		A	Fbar	f511b112ef aab40d4a4f d77c9e9d4a 92e5fe2c1c 535eba897d b74b715ef5 0304	2005				min	0.004219	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		A	C	f511b112ef aab40d4a4f d77c9e9d4a 92e5fe2c1c 535eba897d b74b715ef5 0304	2005				max	- 0.003174	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		A	Cbar	f511b112ef aab40d4a4f d77c9e9d4a 92e5fe2c1c 535eba897d b74b715ef5 0304	2005				min	0.005336	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	F	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				max	- 0.001093	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	Fbar	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				min	0.000329	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	C	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				max	- 0.002638	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	Cbar	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				min	0.001282	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	F	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				max	- 0.003078	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	Fbar	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				min	0.001066	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	C	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				max	- 0.00558	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	Cbar	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				min	0.00048	0.27182

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	F	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				max	- 0.006147	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	Fbar	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				min	0.0018530	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	C	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				max	- 0.002827	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	Cbar	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				min	0.001174	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	F	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				max	- 0.005563	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	Fbar	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				min	0.004219	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	C	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				max	- 0.003174	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	Cbar	0420a1b213 590433dcb6 981949634c a0f855eacb 32b7c47bc5 92645e254a 1881	2005				min	0.005336	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		G	F	053f851d9d 76d2c7b601 3f97060ded 39fc4357c9 97f5c95188 05d19fbcf4 2bb6	2005				max	- 0.001592	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		G	Fbar	053f851d9d 76d2c7b601 3f97060ded 39fc4357c9 97f5c95188 05d19fbcf4 2bb6	2005				min	0.001488	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		G	C	053f851d9d 76d2c7b601 3f97060ded 39fc4357c9 97f5c95188 05d19fbcf4 2bb6	2005				max	- 0.004134	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		G	Cbar	053f851d9d 76d2c7b601 3f97060ded 39fc4357c9 97f5c95188 05d19fbcf4 2bb6	2005				min	0.001814	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		P	F	053f851d9d 76d2c7b601 3f97060ded 39fc4357c9 97f5c95188 05d19fbcf4 2bb6	2005				max	- 0.003078	0.116209

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		P	Fbar	053f851d9d76d2c7b6013f97060ded39fc4357c997f5c9518805d19fbcf42bb6	2005				min	0.0008720	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		P	C	053f851d9d76d2c7b6013f97060ded39fc4357c997f5c9518805d19fbcf42bb6	2005				max	-0.006577	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		P	Cbar	053f851d9d76d2c7b6013f97060ded39fc4357c997f5c9518805d19fbcf42bb6	2005				min	0.00054	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		S	F	053f851d9d76d2c7b6013f97060ded39fc4357c997f5c9518805d19fbcf42bb6	2005				max	-0.004651	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		S	Fbar	053f851d9d76d2c7b6013f97060ded39fc4357c997f5c9518805d19fbcf42bb6	2005				min	0.002638	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		S	C	053f851d9d76d2c7b6013f97060ded39fc4357c997f5c9518805d19fbcf42bb6	2005				max	-0.005321	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		S	Cbar	053f851d9d76d2c7b6013f97060ded39fc4357c997f5c9518805d19fbcf42bb6	2005				min	0.001389	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		A	F	053f851d9d76d2c7b6013f97060ded39fc4357c997f5c9518805d19fbcf42bb6	2005				max	-0.00257	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		A	Fbar	053f851d9d76d2c7b6013f97060ded39fc4357c997f5c9518805d19fbcf42bb6	2005				min	0.003579	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		A	C	053f851d9d76d2c7b6013f97060ded39fc4357c997f5c9518805d19fbcf42bb6	2005				max	-0.003672	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		A	Cbar	053f851d9d76d2c7b6013f97060ded39fc4357c997f5c9518805d19fbcf42bb6	2005				min	0.004075	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		G	F	d100d41c546e164e8160bb84d9403350f771f587921d0a59995bb26cd9d6c01	2005				max	-0.001592	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		G	Fbar	d100d41c546e164e8160bb84d9403350f771f587921d0a59995bb26cd9d6c01	2005				min	0.001488	0.213965

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		G	C	d100d41c54 6e164e8160 bb84d94033 50f771f58 7921d0a599 95bb26cd9d 6c01	2005				max	- 0.004134	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		G	Cbar	d100d41c54 6e164e8160 bb84d94033 50f771f58 7921d0a599 95bb26cd9d 6c01	2005				min	0.001814	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		P	F	d100d41c54 6e164e8160 bb84d94033 50f771f58 7921d0a599 95bb26cd9d 6c01	2005				max	- 0.003078	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		P	Fbar	d100d41c54 6e164e8160 bb84d94033 50f771f58 7921d0a599 95bb26cd9d 6c01	2005				min	0.000872	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		P	C	d100d41c54 6e164e8160 bb84d94033 50f771f58 7921d0a599 95bb26cd9d 6c01	2005				max	- 0.006577	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		P	Cbar	d100d41c54 6e164e8160 bb84d94033 50f771f58 7921d0a599 95bb26cd9d 6c01	2005				min	0.00054	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		S	F	d100d41c54 6e164e8160 bb84d94033 50f771f58 7921d0a599 95bb26cd9d 6c01	2005				max	- 0.004651	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		S	Fbar	d100d41c54 6e164e8160 bb84d94033 50f771f58 7921d0a599 95bb26cd9d 6c01	2005				min	0.002638	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		S	C	d100d41c54 6e164e8160 bb84d94033 50f771f58 7921d0a599 95bb26cd9d 6c01	2005				max	- 0.005321	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		S	Cbar	d100d41c54 6e164e8160 bb84d94033 50f771f58 7921d0a599 95bb26cd9d 6c01	2005				min	0.001389	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		A	F	d100d41c54 6e164e8160 bb84d94033 50f771f58 7921d0a599 95bb26cd9d 6c01	2005				max	- 0.00257	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		A	Fbar	d100d41c54 6e164e8160 bb84d94033 50f771f58 7921d0a599 95bb26cd9d 6c01	2005				min	0.003579	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		A	C	d100d41c54 6e164e8160 bb84d94033 50f771f58 7921d0a599 95bb26cd9d 6c01	2005				max	- 0.003672	0.173067

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		A	Cbar	d100d41c546e164e8160bb84d9403350f771f587921d0a59995bb26cd9d6c01	2005				min	0.0040759	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		G	F	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de e6cfa13a25fa37	2005				max	- 0.001159	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		G	Fbar	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de e6cfa13a25fa37	2005				min	- 0.000197	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		G	C	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de e6cfa13a25fa37	2005				max	- 0.00253	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		G	Cbar	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de e6cfa13a25fa37	2005				min	0.00125	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		P	F	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de e6cfa13a25fa37	2005				max	- 0.005369	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		P	Fbar	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de e6cfa13a25fa37	2005				min	0.000517	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		P	C	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de e6cfa13a25fa37	2005				max	- 0.005334	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		P	Cbar	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de e6cfa13a25fa37	2005				min	0.00042	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		S	F	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de e6cfa13a25fa37	2005				max	- 0.007713	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		S	Fbar	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de e6cfa13a25fa37	2005				min	0.001141	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		S	C	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de e6cfa13a25fa37	2005				max	- 0.005633	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		S	Cbar	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de e6cfa13a25fa37	2005				min	- 0.000538	0.271322

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		A	F	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de6cfaf13a25fa37	2005				max	-0.009494	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		A	Fbar	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de6cfaf13a25fa37	2005				min	0.000502	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		A	C	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de6cfaf13a25fa37	2005				max	-0.005369	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		A	Cbar	53d4f5a28e59ef1e8c1d9c11f0e1fd2b6d6dfd48847bd345de6cfaf13a25fa37	2005				min	0.002607	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		G	F	1eca93a4ff85edc2536194155a82a423594941d058512c89ec334243569dcd12	2005				max	-0.001159	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		G	Fbar	1eca93a4ff85edc2536194155a82a423594941d058512c89ec334243569dcd12	2005				min	-0.000197	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		G	C	1eca93a4ff85edc2536194155a82a423594941d058512c89ec334243569dcd12	2005				max	-0.00253	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		G	Cbar	1eca93a4ff85edc2536194155a82a423594941d058512c89ec334243569dcd12	2005				min	0.00125	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		P	F	1eca93a4ff85edc2536194155a82a423594941d058512c89ec334243569dcd12	2005				max	-0.005369	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		P	Fbar	1eca93a4ff85edc2536194155a82a423594941d058512c89ec334243569dcd12	2005				min	0.000517	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		P	C	1eca93a4ff85edc2536194155a82a423594941d058512c89ec334243569dcd12	2005				max	-0.005334	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		P	Cbar	1eca93a4ff85edc2536194155a82a423594941d058512c89ec334243569dcd12	2005				min	0.00042	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		S	F	1eca93a4ff85edc2536194155a82a423594941d058512c89ec334243569dcd12	2005				max	-0.007713	0.119202

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		S	Fbar	1eca93a4ff 85edc25361 94155a82a4 23594941d0 58512c89ec 334243569d cd12	2005				min	0.001141	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		S	C	1eca93a4ff 85edc25361 94155a82a4 23594941d0 58512c89ec 334243569d cd12	2005				max	- 0.005633	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		S	Cbar	1eca93a4ff 85edc25361 94155a82a4 23594941d0 58512c89ec 334243569d cd12	2005				min	- 0.000538	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		A	F	1eca93a4ff 85edc25361 94155a82a4 23594941d0 58512c89ec 334243569d cd12	2005				max	- 0.009494	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		A	Fbar	1eca93a4ff 85edc25361 94155a82a4 23594941d0 58512c89ec 334243569d cd12	2005				min	0.000502	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		A	C	1eca93a4ff 85edc25361 94155a82a4 23594941d0 58512c89ec 334243569d cd12	2005				max	- 0.005369	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		A	Cbar	1eca93a4ff 85edc25361 94155a82a4 23594941d0 58512c89ec 334243569d cd12	2005				min	0.002607	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	F	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				max	- 0.001957	0.103741
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	Fbar	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				min	- 0.002789	0.216958
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	C	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				max	- 0.005372	0.162594
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	Cbar	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				min	- 0.003224	0.278803
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	F	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				max	- 0.004265	0.103741
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	Fbar	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				min	- 0.002757	0.216958

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	C	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				max	- 0.012656	0.162594
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	Cbar	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				min	- 0.001967	0.278803
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	F	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				max	0.000547	0.103741
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	Fbar	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				min	- 0.006023	0.216958
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	C	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				max	- 0.010162	0.162594
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	Cbar	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				min	- 0.006796	0.278803
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	F	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				max	- 0.000577	0.103741
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	Fbar	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				min	0.004095	0.216958
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	C	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				max	0.000753	0.162594
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	Cbar	96922b15eb f98f58ba92 9340d9ff0c 67ea03d4ad 3d2a30802e f237820450 b67f	2005				min	0.003106	0.278803
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	F	8cdca02e30 6d364213e6 dd6ec98036 343e348b6d 94155e317f b50dcc2b0d 0125	2005				max	- 0.004052	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	Fbar	8cdca02e30 6d364213e6 dd6ec98036 343e348b6d 94155e317f b50dcc2b0d 0125	2005				min	- 0.002138	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	C	8cdca02e30 6d364213e6 dd6ec98036 343e348b6d 94155e317f b50dcc2b0d 0125	2005				max	- 0.009007	0.170574

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	Cbar	8cdca02e306d364213e6dd6ec98036343e348b6d94155e317fb50dcc2b0d0125	2005				min	-0.002242	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	F	8cdca02e306d364213e6dd6ec98036343e348b6d94155e317fb50dcc2b0d0125	2005				max	-0.006172	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	Fbar	8cdca02e306d364213e6dd6ec98036343e348b6d94155e317fb50dcc2b0d0125	2005				min	-0.000878	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	C	8cdca02e306d364213e6dd6ec98036343e348b6d94155e317fb50dcc2b0d0125	2005				max	-0.007508	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	Cbar	8cdca02e306d364213e6dd6ec98036343e348b6d94155e317fb50dcc2b0d0125	2005				min	-0.001575	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	F	8cdca02e306d364213e6dd6ec98036343e348b6d94155e317fb50dcc2b0d0125	2005				max	-0.008606	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	Fbar	8cdca02e306d364213e6dd6ec98036343e348b6d94155e317fb50dcc2b0d0125	2005				min	0.000571	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	C	8cdca02e306d364213e6dd6ec98036343e348b6d94155e317fb50dcc2b0d0125	2005				max	-0.006676	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	Cbar	8cdca02e306d364213e6dd6ec98036343e348b6d94155e317fb50dcc2b0d0125	2005				min	-0.001036	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	F	8cdca02e306d364213e6dd6ec98036343e348b6d94155e317fb50dcc2b0d0125	2005				max	-0.001602	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	Fbar	8cdca02e306d364213e6dd6ec98036343e348b6d94155e317fb50dcc2b0d0125	2005				min	0.005941	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	C	8cdca02e306d364213e6dd6ec98036343e348b6d94155e317fb50dcc2b0d0125	2005				max	-0.002174	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	Cbar	8cdca02e306d364213e6dd6ec98036343e348b6d94155e317fb50dcc2b0d0125	2005				min	0.008592	0.271322

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	F	e2bb3e62f9 b3f164501b 4c210a0350 dda5fe1ea6 9f418720b2 476f26bb1b 3ba1	2005				max	- 0.004052	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	Fbar	e2bb3e62f9 b3f164501b 4c210a0350 dda5fe1ea6 9f418720b2 476f26bb1b 3ba1	2005				min	- 0.002138	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	C	e2bb3e62f9 b3f164501b 4c210a0350 dda5fe1ea6 9f418720b2 476f26bb1b 3ba1	2005				max	- 0.009007	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	Cbar	e2bb3e62f9 b3f164501b 4c210a0350 dda5fe1ea6 9f418720b2 476f26bb1b 3ba1	2005				min	- 0.002242	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	F	e2bb3e62f9 b3f164501b 4c210a0350 dda5fe1ea6 9f418720b2 476f26bb1b 3ba1	2005				max	- 0.006172	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	Fbar	e2bb3e62f9 b3f164501b 4c210a0350 dda5fe1ea6 9f418720b2 476f26bb1b 3ba1	2005				min	- 0.000878	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	C	e2bb3e62f9 b3f164501b 4c210a0350 dda5fe1ea6 9f418720b2 476f26bb1b 3ba1	2005				max	- 0.007508	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	Cbar	e2bb3e62f9 b3f164501b 4c210a0350 dda5fe1ea6 9f418720b2 476f26bb1b 3ba1	2005				min	- 0.001575	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	F	e2bb3e62f9 b3f164501b 4c210a0350 dda5fe1ea6 9f418720b2 476f26bb1b 3ba1	2005				max	- 0.008606	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	Fbar	e2bb3e62f9 b3f164501b 4c210a0350 dda5fe1ea6 9f418720b2 476f26bb1b 3ba1	2005				min	0.000571	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	C	e2bb3e62f9 b3f164501b 4c210a0350 dda5fe1ea6 9f418720b2 476f26bb1b 3ba1	2005				max	- 0.006676	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	Cbar	e2bb3e62f9 b3f164501b 4c210a0350 dda5fe1ea6 9f418720b2 476f26bb1b 3ba1	2005				min	- 0.001036	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	F	e2bb3e62f9 b3f164501b 4c210a0350 dda5fe1ea6 9f418720b2 476f26bb1b 3ba1	2005				max	- 0.001602	0.114713

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	Fbar	e2bb3e62f9b3f164501b4c210a0350dda5fe1ea69f418720b2476f26bb1b3ba1	2005				min	0.005941	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	C	e2bb3e62f9b3f164501b4c210a0350dda5fe1ea69f418720b2476f26bb1b3ba1	2005				max	- 0.002174	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	Cbar	e2bb3e62f9b3f164501b4c210a0350dda5fe1ea69f418720b2476f26bb1b3ba1	2005				min	0.008592	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		G	F	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				max	0.00171	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		G	Fbar	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				min	- 0.00164	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		G	C	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				max	- 0.001519	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		G	Cbar	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				min	- 0.002274	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		P	F	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				max	- 0.002688	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		P	Fbar	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				min	- 0.000878	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		P	C	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				max	- 0.004695	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		P	Cbar	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				min	- 0.000637	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		S	F	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				max	- 0.005664	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		S	Fbar	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				min	0.001569	0.211471

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		S	C	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				max	-0.003729	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		S	Cbar	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				min	-0.00175	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		A	F	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				max	-0.004858	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		A	Fbar	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				min	0.00644	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		A	C	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				max	-0.002969	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		A	Cbar	8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005				min	0.00686	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		G	F	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cf31834fe4a74f	2005				max	0.00171	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		G	Fbar	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cf31834fe4a74f	2005				min	-0.00164	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		G	C	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cf31834fe4a74f	2005				max	-0.001519	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		G	Cbar	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cf31834fe4a74f	2005				min	-0.002274	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		P	F	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cf31834fe4a74f	2005				max	-0.002688	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		P	Fbar	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cf31834fe4a74f	2005				min	-0.000878	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		P	C	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cf31834fe4a74f	2005				max	-0.004695	0.166085

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		P	Cbar	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cfc31834fe4a74f	2005				min	-0.000637	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		S	F	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cfc31834fe4a74f	2005				max	-0.005664	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		S	Fbar	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cfc31834fe4a74f	2005				min	0.001569	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		S	C	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cfc31834fe4a74f	2005				max	-0.003729	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		S	Cbar	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cfc31834fe4a74f	2005				min	-0.00175	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		A	F	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cfc31834fe4a74f	2005				max	-0.004858	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		A	Fbar	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cfc31834fe4a74f	2005				min	0.00644	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		A	C	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cfc31834fe4a74f	2005				max	-0.002969	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		A	Cbar	df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cfc31834fe4a74f	2005				min	0.00686	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		G	F	dca9e0ccf97d46ee0bf5e0e11722ee155300d73fbfdcfec40d6400a70eea3738	2005				max	-0.001093	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		G	Fbar	dca9e0ccf97d46ee0bf5e0e11722ee155300d73fbfdcfec40d6400a70eea3738	2005				min	0.000329	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		G	C	dca9e0ccf97d46ee0bf5e0e11722ee155300d73fbfdcfec40d6400a70eea3738	2005				max	-0.002638	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		G	Cbar	dca9e0ccf97d46ee0bf5e0e11722ee155300d73fbfdcfec40d6400a70eea3738	2005				min	0.001282	0.27182

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		P	F	dca9e0ccf9 7d46ee0bf5 e0e11722ee 155300d73f bfdfec40d 6400a70eea 3738	2005				max	- 0.003078	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		P	Fbar	dca9e0ccf9 7d46ee0bf5 e0e11722ee 155300d73f bfdfec40d 6400a70eea 3738	2005				min	0.001066	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		P	C	dca9e0ccf9 7d46ee0bf5 e0e11722ee 155300d73f bfdfec40d 6400a70eea 3738	2005				max	- 0.00558	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		P	Cbar	dca9e0ccf9 7d46ee0bf5 e0e11722ee 155300d73f bfdfec40d 6400a70eea 3738	2005				min	0.00048	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		S	F	dca9e0ccf9 7d46ee0bf5 e0e11722ee 155300d73f bfdfec40d 6400a70eea 3738	2005				max	- 0.006147	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		S	Fbar	dca9e0ccf9 7d46ee0bf5 e0e11722ee 155300d73f bfdfec40d 6400a70eea 3738	2005				min	0.001853	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		S	C	dca9e0ccf9 7d46ee0bf5 e0e11722ee 155300d73f bfdfec40d 6400a70eea 3738	2005				max	- 0.002827	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		S	Cbar	dca9e0ccf9 7d46ee0bf5 e0e11722ee 155300d73f bfdfec40d 6400a70eea 3738	2005				min	0.001174	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		A	F	dca9e0ccf9 7d46ee0bf5 e0e11722ee 155300d73f bfdfec40d 6400a70eea 3738	2005				max	- 0.005563	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		A	Fbar	dca9e0ccf9 7d46ee0bf5 e0e11722ee 155300d73f bfdfec40d 6400a70eea 3738	2005				min	0.004219	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		A	C	dca9e0ccf9 7d46ee0bf5 e0e11722ee 155300d73f bfdfec40d 6400a70eea 3738	2005				max	- 0.003174	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		A	Cbar	dca9e0ccf9 7d46ee0bf5 e0e11722ee 155300d73f bfdfec40d 6400a70eea 3738	2005				min	0.005336	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	F	d310ee1d1c b202120974 68895484cf ea4e197a53 47bdfc14ed 88e3fd4c49 aeef	2005				max	- 0.001093	0.116209

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	Fbar	d310ee1d1c b202120974 68895484cf ea4e197a53 47bdfc14ed 88e3fd4c49 aeef	2005				min	0.000329	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	C	d310ee1d1c b202120974 68895484cf ea4e197a53 47bdfc14ed 88e3fd4c49 aeef	2005				max	- 0.002638	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	Cbar	d310ee1d1c b202120974 68895484cf ea4e197a53 47bdfc14ed 88e3fd4c49 aeef	2005				min	0.001282	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	F	d310ee1d1c b202120974 68895484cf ea4e197a53 47bdfc14ed 88e3fd4c49 aeef	2005				max	- 0.003078	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	Fbar	d310ee1d1c b202120974 68895484cf ea4e197a53 47bdfc14ed 88e3fd4c49 aeef	2005				min	0.001066	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	C	d310ee1d1c b202120974 68895484cf ea4e197a53 47bdfc14ed 88e3fd4c49 aeef	2005				max	- 0.00558	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	Cbar	d310ee1d1c b202120974 68895484cf ea4e197a53 47bdfc14ed 88e3fd4c49 aeef	2005				min	0.00048	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	F	d310ee1d1c b202120974 68895484cf ea4e197a53 47bdfc14ed 88e3fd4c49 aeef	2005				max	- 0.006147	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	Fbar	d310ee1d1c b202120974 68895484cf ea4e197a53 47bdfc14ed 88e3fd4c49 aeef	2005				min	0.001853	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	C	d310ee1d1c b202120974 68895484cf ea4e197a53 47bdfc14ed 88e3fd4c49 aeef	2005				max	- 0.002827	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	Cbar	d310ee1d1c b202120974 68895484cf ea4e197a53 47bdfc14ed 88e3fd4c49 aeef	2005				min	0.001174	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	F	d310ee1d1c b202120974 68895484cf ea4e197a53 47bdfc14ed 88e3fd4c49 aeef	2005				max	- 0.005563	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	Fbar	d310ee1d1c b202120974 68895484cf ea4e197a53 47bdfc14ed 88e3fd4c49 aeef	2005				min	0.004219	0.210973

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	C	d310ee1d1cb20212097468895484cf ea4e197a5347bdfc14ed88e3fd4c49aeef	2005				max	- 0.003174	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	Cbar	d310ee1d1cb20212097468895484cf ea4e197a5347bdfc14ed88e3fd4c49aeef	2005				min	0.005336	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		G	F	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				max	- 0.001592	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		G	Fbar	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				min	0.001488	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		G	C	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				max	- 0.004134	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		G	Cbar	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				min	0.001814	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		P	F	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				max	- 0.003078	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		P	Fbar	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				min	0.000872	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		P	C	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				max	- 0.006577	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		P	Cbar	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				min	0.00054	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		S	F	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				max	- 0.004651	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		S	Fbar	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				min	0.002638	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		S	C	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				max	- 0.005321	0.173067

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		S	Cbar	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				min	0.001389	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		A	F	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				max	- 0.00257	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		A	Fbar	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				min	0.003579	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		A	C	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				max	- 0.003672	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		A	Cbar	5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005				min	0.004075	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		G	F	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				max	- 0.001592	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		G	Fbar	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				min	0.001488	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		G	C	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				max	- 0.004134	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		G	Cbar	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				min	0.001814	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		P	F	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				max	- 0.003078	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		P	Fbar	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				min	0.000872	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		P	C	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				max	- 0.006577	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		P	Cbar	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				min	0.00054	0.272319

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		S	F	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				max	-0.004651	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		S	Fbar	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				min	0.002638	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		S	C	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				max	-0.005321	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		S	Cbar	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				min	0.001389	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		A	F	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				max	-0.00257	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		A	Fbar	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				min	0.003579	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		A	C	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				max	-0.003672	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		A	Cbar	4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005				min	0.004075	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		G	F	6059fdc6cabbb8d92f85a6f987a278330e3e97d479e8a671a6cf439d871aef645	2005				max	-0.001159	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		G	Fbar	6059fdc6cabbb8d92f85a6f987a278330e3e97d479e8a671a6cf439d871aef645	2005				min	-0.000197	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		G	C	6059fdc6cabbb8d92f85a6f987a278330e3e97d479e8a671a6cf439d871aef645	2005				max	-0.00253	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		G	Cbar	6059fdc6cabbb8d92f85a6f987a278330e3e97d479e8a671a6cf439d871aef645	2005				min	0.00125	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		P	F	6059fdc6cabbb8d92f85a6f987a278330e3e97d479e8a671a6cf439d871aef645	2005				max	-0.005369	0.119202

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		P	Fbar	6059fdc6ca bb8d92f85a 6f987a2783 30e3e97d47 9e8a671a6c f439d871ae f645	2005				min	0.000517	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		P	C	6059fdc6ca bb8d92f85a 6f987a2783 30e3e97d47 9e8a671a6c f439d871ae f645	2005				max	- 0.005334	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		P	Cbar	6059fdc6ca bb8d92f85a 6f987a2783 30e3e97d47 9e8a671a6c f439d871ae f645	2005				min	0.00042	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		S	F	6059fdc6ca bb8d92f85a 6f987a2783 30e3e97d47 9e8a671a6c f439d871ae f645	2005				max	- 0.007713	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		S	Fbar	6059fdc6ca bb8d92f85a 6f987a2783 30e3e97d47 9e8a671a6c f439d871ae f645	2005				min	0.001141	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		S	C	6059fdc6ca bb8d92f85a 6f987a2783 30e3e97d47 9e8a671a6c f439d871ae f645	2005				max	- 0.005633	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		S	Cbar	6059fdc6ca bb8d92f85a 6f987a2783 30e3e97d47 9e8a671a6c f439d871ae f645	2005				min	- 0.000538	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		A	F	6059fdc6ca bb8d92f85a 6f987a2783 30e3e97d47 9e8a671a6c f439d871ae f645	2005				max	- 0.009494	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		A	Fbar	6059fdc6ca bb8d92f85a 6f987a2783 30e3e97d47 9e8a671a6c f439d871ae f645	2005				min	0.000502	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		A	C	6059fdc6ca bb8d92f85a 6f987a2783 30e3e97d47 9e8a671a6c f439d871ae f645	2005				max	- 0.005369	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		A	Cbar	6059fdc6ca bb8d92f85a 6f987a2783 30e3e97d47 9e8a671a6c f439d871ae f645	2005				min	0.002607	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		G	F	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				max	- 0.001159	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		G	Fbar	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				min	- 0.000197	0.210474

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		G	C	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				max	- 0.00253	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		G	Cbar	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				min	0.00125	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		P	F	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				max	- 0.005369	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		P	Fbar	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				min	0.000517	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		P	C	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				max	- 0.005334	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		P	Cbar	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				min	0.00042	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		S	F	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				max	- 0.007713	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		S	Fbar	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				min	0.001141	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		S	C	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				max	- 0.005633	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		S	Cbar	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				min	- 0.000538	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		A	F	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				max	- 0.009494	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		A	Fbar	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				min	0.000502	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		A	C	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				max	- 0.005369	0.175062

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		A	Cbar	e3a654d05c 09524b6a3b 3a2ce85922 b9fbaa1127 5f6e8f55ae 93dd6e3b9b afd0	2005				min	0.002607	0.271322

Table 101: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	F	0.053367	0.103741	0.053367	0.055323	0.055323	b64ee615c8d0255bb93848ce55ef0bd9bf29d41f136984f495f19bbcac961caab	leave_one_out_naive_single	CheferTransformer Attribution	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	Fbar	0.079302	-	-	-	-	a46e21bc62fdb12635fde50bcef7cc626eb928854df16cba0066c31691730ae4	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	C	0.109726	0.162594	0.109726	0.115098	0.115098	65743296be50282796a90d837161a61b197571ac05886903f2a433fc0e49dce7	leave_one_out_naive_single	Gradient Attention Rollout	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	Cbar	0.143142	-	-	-	-	6dabbb83398424c64791dfd1ba5f3cbab3ec91199927d45043d63eeb529dfe3	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	F	0.066833	0.103741	0.066833	0.071098	0.071098	f26b23317890a1f0ac4916355aa307c488f797d4d9bbcb3344e0331e42543d552	leave_one_out_naive_single	CheferTransformer Attribution	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	Fbar	0.093267	-	-	-	-	28a20f5b0630e33bda444f23b66cf8e75d409820f0073b4074ea3421ffc21ddf	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	C	0.129177	0.162594	0.129177	0.141833	0.141833	669a0496ceb338fd9c3bcb7a12e49e4ea20e02e175f2ada03c29b030bd3e1a2f	leave_one_out_naive_single	Gradient Attention Rollout	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	Cbar	0.165087	-	-	-	-	087ad33c11c0c0284b8c0a7a70b483dca846be2e423389910db5e9acdd867c9a	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	F	0.093267	0.103741	0.093267	0.09272	0.09272	2f99ae7ec6a7db97f53a423823f3f29f5ea3c5931e7130dc1914955ae3d6169a	leave_one_out_naive_single	CheferTransformer Attribution	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	Fbar	0.12818	-	-	-	-	a2dc91924e284c1db31eadb0371cedec0ca58f9cb8d739250542d7faa577d4	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	C	0.141147	0.162594	0.141147	0.151309	0.151309	ee93c54a618c9ab11f7c91c393ed934996a34e385f8a3d59518d6acbe6b34bcc	leave_one_out_naive_single	Gradient Attention Rollout	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	Cbar	0.195511	-	-	-	-	d9cc2fa723db1bf38f30afa480262b571dca4dd282e8c7f0ed80997d5f2499de	leave_one_out_naive_single	FeatureAblation	True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	F	0.088279	0.103741	0.088279	0.088857	63abb281be0447cc5d995a91ec5bb0bee8f3b19000635ab74efbf40cb72616862	leave_one_out_naive_single	CheferTransformer Attribution	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	Fbar	0.233416	-	-	-	f4cad91fc2a56115013aa4adeaad90a59b1fa159e08c7397ce94bbfe53b63116	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	C	0.121696	0.162594	0.121696	0.120943	da48e5277e4f347e73b45febda45620cebcb9dbcb4a91e713a4604c15bcbcd77a8b	leave_one_out_naive_single	Gradient Attention Rollout	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	Cbar	0.296259	-	-	-	d57b8c0db8a679f34dbcb99072e6b07f439703dbbf0eba250f73aba26038f370e	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	F	0.054863	0.114713	0.054863	0.058915	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	Fbar	0.078803	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	C	0.108728	0.170574	0.108728	0.117735	43332ad47e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	Cbar	0.142145	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	F	0.070823	0.114713	0.070823	0.076993	2ef177861cea92b164f37baef75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	Fbar	0.091272	-	-	-	cfed1966771e5f98fd76057298c4a772122234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	C	0.137157	0.170574	0.137157	0.144665	ab2eddc09c52fe64d54a515698290a4688e1085b9bb5-4286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	Cbar	0.16409	-	-	-	acb2b39c4e81fd13ff2169e286bdfcf77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	F	0.091771	0.114713	0.091771	0.100376	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	Fbar	0.1202	-	-0.1202	-	02029d1818 f93f3c504c cfdc7505f0 349eeb79ba 8f6ef4bdbe 664b03e816 9e00	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	C	0.14813	0.170574	0.14813	0.154806	d48f5eae3 3169829286 d4a84bf08 29d7cdc33e 989799b4fa 540fb0b07e 7926	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	Cbar	0.187531	-	-	-	a7a4d611c7 f72030b2d49 5f0b19eb9b eee902c33a 88ce81d674 fa95facc8 fb5c	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	F	0.094264	0.114713	0.094264	0.095866	e2a742f6ea 3ca449f945 0492a1f6ab da378173cc 7e1ee52115 b2a7f8b230 d682	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	Fbar	0.228429	-	-	-	2eb74b68e0 18c0d4e549 5f0c70b966 6fad0cc89a bee6c05924 0fe9a5dae5 136d	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	C	0.123691	0.170574	0.123691	0.125865	a0cd973d05 872fe19dc2 482daf16ef d98cd4d430 15716e9744 ba7a6cb501 a610	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	Cbar	0.286783	-	-	-	d1982b604 0f7fe779cd f0bc7956a5 b868abeb5f 724267b502 57a4034702 a400	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	F	0.054863	0.114713	0.054863	0.058913	752e587dde d6149ca105 415099ce11 6142a5a0f6 eb0e963c15 fb36622ed4 9c7a	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	Fbar	0.078803	-	-	-	f25fc4b3a1 b8829c29b9 08b28f2b15 d6022436e5 95d4d3fed5 8dae5683e0 5ba3	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	C	0.108728	0.170574	0.108728	0.117735	433332add7 e27617c5db 234023c737 5a29c23379 cf506cb3bf 81ce23b1f7 a35e	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	Cbar	0.142145	-	-	-	78849784e9 337ca92e20 72c54c8752 4037649236 41d4ab5ab2 5733d53489 982a	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	F	0.070823	0.114713	0.070823	0.076995	2ef177861c ea92b164f3 7bafc75b75 aa6fc05209 535c1bf191 c74a314df9 7e20	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	Fbar	0.091272	-	-	-	cfed196677 1e5f98fd76 057298ca7 72f22234e7 ecfccf5fdf c11cb19e2d add6	full_naive__single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	C	0.137157	0.170574	0.137157	0.144665	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	Cbar	0.16409	-	0.271322	0.16409	0.162515	ach2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	F	0.091771	0.114713	0.091771	0.100376	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fadb3013210b93590	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	Fbar	0.1202	-	-0.1202	-	0.120771	02029d1818f93fc504ccfd4c7505f0349eeb79ba8f6ef4dbde664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	C	0.14813	0.170574	0.14813	0.154806	fd48f5eae33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	Cbar	0.187531	-	-	-	0.186495	a7a4d611c7ff2030b2d95f0b19eb9b9eee902c33a88ce81d674fa95facca8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	F	0.094264	0.114713	0.094264	0.095866	e2a742f6ea3ca449f9450492e1ffabda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	Fbar	0.228429	-	-	-	0.23437	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	C	0.123691	0.170574	0.123691	0.125865	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	Cbar	0.286783	-	-	-	0.295375	d1982bb6040f7ef779cd0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		G	F	0.058853	0.109726	0.058853	0.057142	752e587dde6149ca105415099ce116142a5a0f6ebb0e963c15fb36622ed49c7a	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		G	Fbar	0.078304	-	-	-	0.076665	f25fc4b3a1b8f29c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		G	C	0.114214	0.166085	0.114214	0.115734	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True	

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		G	Cbar	0.142145	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		P	F	0.071322	0.109726	0.071322	0.074009	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		P	Fbar	0.091272	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		P	C	0.137157	0.166085	0.137157	0.141852	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		P	Cbar	0.163092	-	-	-	acb2b39c4e81fd13ff2169e286bdfc7fb1b9dd6d7cdea6b25e44e750bbfbc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		S	F	0.091272	0.109726	0.091272	0.096935	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fad53013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		S	Fbar	0.119202	-	-	-	02029d1818f93f3c504ccfdc7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		S	C	0.14813	0.166085	0.14813	0.151859	fd48f5eaa33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		S	Cbar	0.18803	-	-	-	a7a4d611c7f2030b2d95f0b19eb9beee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		A	F	0.087781	0.109726	0.087781	0.092639	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		A	Fbar	0.22793	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		A	C	0.1202	0.166085	0.1202	0.123169	a0dc973d05872fe19dc2482daf16fd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		A	Cbar	0.288279	-	-	-	d1982bb60407fe779cd0fb0c7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		G	F	0.058853	0.109726	0.058853	0.057142	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		G	Fbar	0.078304	0.211471	0.078304	0.076665	f25fc4b3a168b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		G	C	0.114214	0.166085	0.114214	0.115734	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		G	Cbar	0.142145	-	-	-	78849784e9337ca92e2072c54e8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		P	F	0.071322	0.109726	0.071322	0.074009	2ef177861cea92b164f37bafc75b75aa6fc05209535c1b1f191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		P	Fbar	0.091272	0.211471	0.091272	0.090394	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5dfd	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		P	C	0.137157	0.166085	0.137157	0.141852	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		P	Cbar	0.163092	0.270823	0.163092	0.162455	acb2b39c4e81fd13ff2169e286bdfc77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		S	F	0.091272	0.109726	0.091272	0.096935	754c575b9c55effad4b704cdffb33bceb9deedb997736a0fad	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		S	Fbar	0.119202	-	-	-	02029d1818f93f3c504ccfdec7505f0349eeb79ba8f6ef4bde664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		S	C	0.14813	0.166085	0.14813	0.151859	fd48f5eae33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		S	Cbar	0.18803	0.270823	0.18803	0.18628	a7a4d611c7f2030b2d95f0b19eb9beee902c33a88ce81d674fa95facca8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		A	F	0.087781	0.109726	0.087781	0.092639	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		A	Fbar	0.22793	-	0.211471	0.22793	0.23437	2eb74b68e018c044e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		A	C	0.1202	0.166085	0.1202	0.123169	a0dc973d05872fe19dc2482daf16fd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		A	Cbar	0.288279	-	0.270823	0.288279	0.29514	d1982bb6040ffef779cd0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		G	F	0.058354	0.116209	0.058354	0.059447	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		G	Fbar	0.076309	-	0.210973	0.076309	0.076638	f25fc4b3a1bf829c29b968b28f2b15d6022436e59544d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		G	C	0.116209	0.173067	0.116209	0.118847	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81cc23b1f7a35e	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		G	Cbar	0.138653	-	0.27182	0.138653	0.139936	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		P	F	0.074813	0.116209	0.074813	0.077891	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		P	Fbar	0.089277	-	0.210973	0.089277	0.090343	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		P	C	0.140648	0.173067	0.140648	0.146228	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		P	Cbar	0.162095	-	0.27182	0.162095	0.162575	acb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44c750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		S	F	0.095262	0.116209	0.095262	0.101409	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fad53013210b93590	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		S	Fbar	0.118703	-	0.210973	0.118703	0.120557	02029d1818f93f3c504ccfd7c7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		S	C	0.153616	0.173067	0.153616	0.156443	4d48f5eae33169829286d4a4bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		S	Cbar	0.185536	-	0.27182	0.185536	a7a4d611c7f2030b2d95f0b19eb9b9eee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		A	F	0.091272	0.116209	0.091272	0.096834	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		A	Fbar	0.229925	-	0.210973	0.229925	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		A	C	0.12419	0.173067	0.12419	0.127363	a0dc973d05872fe19dc2482daf16efd98c4d4d3015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		A	Cbar	0.290274	-	0.27182	0.290274	d1982bb6040f7ef779cdf0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	F	0.058354	0.116209	0.058354	0.059447	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	Fbar	0.076309	-	0.210973	0.076309	25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	C	0.116209	0.173067	0.116209	0.118847	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	Cbar	0.138653	-	0.27182	0.138653	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	F	0.074813	0.116209	0.074813	0.077891	2ef177861cea92b164f37bafc75b75aa6fc05209535c1b191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	Fbar	0.089277	-	0.210973	0.089277	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	C	0.140648	0.173067	0.140648	0.146228	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	Cbar	0.162095	-	-	-	acb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44e750bbfc8014	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	F	0.095262	0.116209	0.095262	0.101409	754c575b9c55efad4b704cdfb33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	Fbar	0.118703	-	-	-	02029d1818933c504ccfdcf7505f0349eeb79ba8f6ef4dbbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	C	0.153616	0.173067	0.153616	0.156443	fd48f5eae33169829286d44a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	Cbar	0.185536	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9bcee902c33a88ceb1d674fa95faccab5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	F	0.091272	0.116209	0.091272	0.096834	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	Fbar	0.229925	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	C	0.12419	0.173067	0.12419	0.127363	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	Cbar	0.290274	-	-	-	d1982bb60407fe7799cd07bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		G	F	0.057855	0.116209	0.057855	0.059447	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		G	Fbar	0.075312	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595a443fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		G	C	0.114713	0.173067	0.114713	0.118847	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		G	Cbar	0.138155	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		P	F	0.074813	0.116209	0.074813	0.077891	2ef177861c ea92b164f3 7bafc75b75 aa6fc05209 535c1bf191 c74a314df9 7e20	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		P	Fbar	0.089776	-	-	-	cfed196677 1e5f98fd76 057298c4a7 72f22234e7 ecfccf5fdf c11cb19e2d add6	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		P	C	0.139651	0.173067	0.139651	0.146228	ab2eddc09c 52fe64d54a 515698290a 4688e1085b 9b8b54286f a1a9d3c356 6a1b	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		P	Cbar	0.162095	-	-	-	acb2b39c4e 81fd13ff21 69a286bdff c77b1b9d6d 7cdea6b25e 44e750bbfc 801d	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		S	F	0.096758	0.116209	0.096758	0.101409	754c575b9c 55effad4b7 04cdfb33b ceb9deedb9 97736a0fad b3013210b9 3590	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		S	Fbar	0.119202	-	-	-	02029d1818 f93f3c504c cfdc7505f0 349eeb79ba 8f6ef4bdbe 664b03e816 9e00	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		S	C	0.151122	0.173067	0.151122	0.156443	fd48f5eae3 3169829286 d4a84bf08 29d7cdc33e 989799b4fa 540fb0b07e 7926	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		S	Cbar	0.185536	-	-	-	a7a44611c7 ff2030b2d9 5f0b19eb9b eee902c33a 88ce81d674 fa95facc8 fb5c	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		A	F	0.094264	0.116209	0.094264	0.096834	e2a742f6ea 3ca449f945 0492e1ffab da378173cc 7e1ee52115 b2a7f8b230 d682	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		A	Fbar	0.23192	-	-	-	2eb74b68e0 18c0d4e549 5f0c70b966 6fad0cc89a bee6c05924 0fe9a5dae5 136d	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		A	C	0.123691	0.173067	0.123691	0.127363	a0dc973d05 872fe19dc2 482daf16ef d98cd4d430 15716e9744 ba7a6cb501 a610	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		A	Cbar	0.291771	-	-	-	d1982bb604 0f7fe779cd f0bc7956a5 b868abeb5f 724267b502 57a4034702 a400	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		G	F	0.057855	0.116209	0.057855	0.059447	752c587dde d6149ca105 415099ce11 6142a5a0f6 eb0e963c15 fb36622ed4 9c7a	full_naive__single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		G	Fbar	0.075312	-	0.213965	0.075312	0.076799	f25fc4b3a1b829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool	True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		G	C	0.114713	0.173067	0.114713	0.118847	433332add7c27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		G	Cbar	0.138155	-	0.272319	0.138155	0.139969	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		P	F	0.074813	0.116209	0.074813	0.077891	2ef177861cea92b164f37bafe75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		P	Fbar	0.089776	-	0.213965	0.089776	0.090648	cfed1966771e5f98fd76057298c4a772f22234e7ecfcc5f4fc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		P	C	0.139651	0.173067	0.139651	0.146228	ab2eddc09c52fe64d54a515698290a4688e1085b9b5b54286fa1a9d3c3566alb	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		P	Cbar	0.162095	-	0.272319	0.162095	0.162635	acb2b39c4e81fd13ff2169e286bdfc77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		S	F	0.096758	0.116209	0.096758	0.101409	754c575b9c55effad4b704cdfbf33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		S	Fbar	0.119202	-	0.213965	0.119202	0.12184	02029d1818f93f3c504cef4c7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		S	C	0.151122	0.173067	0.151122	0.156443	fd48f5eae33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		S	Cbar	0.185536	-	0.272319	0.185536	0.186925	a7a4d611c7ff2f030b2d95f0b19eb9b9eee902c33a88ce81d674fa95faccasfb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		A	F	0.094264	0.116209	0.094264	0.096834	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		A	Fbar	0.23192	-	0.213965	0.23192	0.235499	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		A	C	0.123691	0.173067	0.123691	0.127363	a0dc973d05872fe19dc2482daf16fd98cd4d43015716e9744ba7a6cb501a610	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		A	Cbar	0.291771	-	-	-	d1982bb60407fe779cd4f0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		G	F	0.059352	0.119202	0.059352	0.060511	752e587dde61449ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		G	Fbar	0.076808	-	-	-	f25fc4b3a1b829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		G	C	0.117207	0.175062	0.117207	0.119737	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		G	Cbar	0.138653	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		P	F	0.074314	0.119202	0.074314	0.079683	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		P	Fbar	0.089776	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dad6	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		P	C	0.142145	0.175062	0.142145	0.147479	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		P	Cbar	0.162095	-	-	-	acb2b39c4e81fd13ff2169e286bdffc7fb1b9dd7cdea6b25e44e750bbfc801d	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		S	F	0.095761	0.119202	0.095761	0.103473	754c575b9c55effad4b704cdffb33bceb9deedb997736a0fad3013210b93590	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		S	Fbar	0.119202	-	-	-	02029d1818f93f3c504ccfdc7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		S	C	0.15212	0.175062	0.15212	0.157753	fd48f5eae33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive__single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		S	Cbar	0.187032	-	-	-	a7a44611c7f2030b2d95f0b19eb9b55ee902c33a88ce81d674fa95faccab5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		A	F	0.089277	0.119202	0.089277	0.098771	a2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		A	Fbar	0.233416	-	-	-	2eb74b68e018e0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		A	C	0.123192	0.175062	0.123192	0.128562	a0dc973d05872fe19dc2482da1f6af498cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		A	Cbar	0.292768	-	-	-	d1982bb6040f7ef779cd f0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		G	F	0.059352	0.119202	0.059352	0.060511	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		G	Fbar	0.076808	-	-	-	f25fc4b3a1b8f829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		G	C	0.117207	0.175062	0.117207	0.119737	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		G	Cbar	0.138653	-	-	-	78849784e9337ca92e2072c54e8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		P	F	0.074314	0.119202	0.074314	0.079683	2ef177861cea92b164f37ba9cf75b75aa6f05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		P	Fbar	0.089776	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfcc54ff c11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		P	C	0.142145	0.175062	0.142145	0.147479	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		P	Cbar	0.162095	-	-	-	acb2b39c4e81fd13ff2169e286bdffc77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		S	F	0.095761	0.119202	0.095761	0.103473	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fad13210b93590	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		S	Fbar	0.119202	-	0.210474	0.119202	0.120343	02029d1818cf933c504ccfd7505f0349eeb79ba8f6ef4dbbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		S	C	0.15212	0.175062	0.15212	0.157753	fd48f5eae33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		S	Cbar	0.187032	-	-	0.186495	a7a4d611c7f2030b2d95f0b19eb9bee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		A	F	0.089277	0.119202	0.089277	0.098771	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		A	Fbar	0.233416	-	-	0.233416	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		A	C	0.123192	0.175062	0.123192	0.128562	a0dc973d05872fe19dc2482daf1gef498cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		A	Cbar	0.292768	-	-	0.292768	0.295375	d1982bb60407fe779cd4f0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	F	0.053367	0.103741	0.053367	0.055323	b64ee615c8d0255bb93848ce355efbd9bf29d41f136984f495f19bbcac961cab	leave_one_out_naive_single	CheferTransformer Attribution	True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	Fbar	0.079302	-	-	-	a46e21bc62fdb12635fde50bcef7ce626eb928854df16cba0066c31691730ae4	leave_one_out_naive_single	FeatureAblation	True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	C	0.109726	0.162594	0.109726	0.115098	657d3296be50282796a90d837161a61b197571ac05886903f2a433fc0e49dcc7	leave_one_out_naive_single	Gradient Attention Rollout	True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	Cbar	0.143142	-	-	-	6dabb833985424c64791dfd1baf573cbab3ec91199927d45043d63eeb529dfe3	leave_one_out_naive_single	FeatureAblation	True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	F	0.066833	0.103741	0.066833	0.071098	f26b23317890a1f0ac4916355aa307c488f797d4d9bbe3344e0331e42543d552	leave_one_out_naive_single	CheferTransformer Attribution	True	

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	Fbar	0.093267	-	-	-	28a20f5b0630e33bda444f23b66cf8e75d409820f0073b4074ea3421ffc21d4f	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	C	0.129177	0.162594	0.129177	0.141833	669a0496ceb338fd9c3bcb7a12e49e4ea20e02e175f2ada03c29b030bd3e1a2f	leave_one_out_naive_single	Gradient Attention Rollout	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	Cbar	0.165087	-	-	-	087ad33c11c0c0284b8c0a7a70b483dca846be2e423389910db5e9acdd867c9a	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	F	0.093267	0.103741	0.093267	0.09272	2f99ae7ec6a7db97f53a423823f3f29f5ea3c5931e7130dc1914955ae3d6169a	leave_one_out_naive_single	CheferTransformer Attribution	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	Fbar	0.12818	-	-	-	a2dc91924e284c1db31eadb0371cedcce0ca588f9cb84739250542d7faa577d4	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	C	0.141147	0.162594	0.141147	0.151309	ee93c54a618c9ab11f7c91c393ed93d996a34e385f8a3d595184d6acbe6b34bcc	leave_one_out_naive_single	Gradient Attention Rollout	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	Cbar	0.195511	-	-	-	d9cc2fa723db1bf38f30afa480262b571dca4dd282e8c7f0ed80997d5f2499de	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	F	0.088279	0.103741	0.088279	0.088857	63abb281be0447cc5d995a91ec5bb0bee8f3b19000635ab74ebfd0cb72616862	leave_one_out_naive_single	CheferTransformer Attribution	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	Fbar	0.233416	-	-	-	f4cad91f1c2a5615013aa4adeaad90a59b1fa159e08c7397ce94bbfe53b63116	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	C	0.121696	0.162594	0.121696	0.120943	da48e5277e4f347e73b45feb4d5620cebc9dbcb4a91e713a4604c15bcbd77a8b	leave_one_out_naive_single	Gradient Attention Rollout	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	Cbar	0.296259	-	-	-	d57b8c0db8a679f34dbc b9072e6b07f439703dbb f0eba250f73aba26038f370e	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	F	0.054863	0.114713	0.054863	0.058915	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	Fbar	0.078803	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	C	0.108728	0.170574	0.108728	0.117735	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	Cbar	0.142145	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	F	0.070823	0.114713	0.070823	0.076995	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	Fbar	0.091272	-	-	-	cfed196677057298c4a77222234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	C	0.137157	0.170574	0.137157	0.144665	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	Cbar	0.16409	-	-	-	acb2b39c4e81fd13ff2169e286bdfc77b1b9d6d7cdca6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	F	0.091771	0.114713	0.091771	0.100376	754c575b9c55effad4b704cdfbf33bceb9deedb997736a0fadb3013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	Fbar	0.1202	-	-0.1202	-	02029d1818f93fc504ccfd7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	C	0.14813	0.170574	0.14813	0.154806	fd48f5eae33169829286d4a84bf50829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	Cbar	0.187531	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9bee902c33a88ce81d674fa95facca8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	F	0.094264	0.114713	0.094264	0.095866	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	Fbar	0.228429	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	C	0.123691	0.170574	0.123691	0.125865	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	Cbar	0.286783	-	0.271322	0.286783	0.295375	d1982bb60407fe779cd f0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	F	0.054863	0.114713	0.054863	0.058915	752e587dde46149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive__single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	Fbar	0.078803	-	-	-	f25fc4b3a1b829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive__single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	C	0.108728	0.170574	0.108728	0.117735	433332add7e27617c5db234023c7375a29c23379c5f06cb3bf81ce23b1f7a35e	full_naive__single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	Cbar	0.142145	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive__single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	F	0.070823	0.114713	0.070823	0.076995	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive__single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	Fbar	0.091272	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dad46	full_naive__single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	C	0.137157	0.170574	0.137157	0.144665	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive__single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	Cbar	0.16409	-	-	-	acb2b39c4e81fd13f2169c286bdffc77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive__single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	F	0.091771	0.114713	0.091771	0.100376	754c575b9c55effad4b704cdfbf33bceb9deedb997736a0fadb3013210b93590	full_naive__single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	Fbar	0.1202	-	-0.1202	-	02029d1818f93f3c504ccfdc7505f0349eeb79ba8f6ef4bde664b03e8169e00	full_naive__single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	C	0.14813	0.170574	0.14813	0.154806	fd48f5ae33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive__single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	Cbar	0.187531	-	-	-	a7a4d611c7f2030b2d95f0b19eb9bbeee902c33a88ce81d674fa95faccab5c	full_naive__single_pool		True	

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	F	0.094264	0.114713	0.094264	0.095866	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	Fbar	0.228429	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	C	0.123691	0.170574	0.123691	0.125865	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	Cbar	0.286783	-	-	-	d1982bb60407fe7779cd70bc7956a5b868abeb5f724267b50257a4034702a400	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		G	F	0.058853	0.109726	0.058853	0.057142	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		G	Fbar	0.078304	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		G	C	0.114214	0.166085	0.114214	0.115734	43332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		G	Cbar	0.142145	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		P	F	0.071322	0.109726	0.071322	0.074009	2ef177861cea92b164f37baef75b75aa6fc05209535c1bf191c74a314df97e20	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		P	Fbar	0.091272	-	-	-	cfe1966771e5f98d76057298c4a772122234e7ecfccf5fdfc11cb19e2dadd6	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		P	C	0.137157	0.166085	0.137157	0.141852	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		P	Cbar	0.163092	-	-	-	acb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44e750bbfc801d	full_naive__single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		S	F	0.091272	0.109726	0.091272	0.096935	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fad b3013210b93590	full_naive__single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		S	Fbar	0.119202	-	0.211471	0.119202	0.120771	02029d1818f93f3c504ccfd7505f0349eeb79ba8f6ef4dbde664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		S	C	0.14813	0.166085	0.14813	0.151859	d4d8f5eae33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		S	Cbar	0.18803	-	0.270823	0.18803	0.18628	a7a4d611c7d2030b2d495f0b19eb9bee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		A	F	0.087781	0.109726	0.087781	0.092639	e2a742f6ea3ca449f9450492a1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		A	Fbar	0.22793	-	0.211471	0.22793	0.23437	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		A	C	0.1202	0.166085	0.1202	0.123169	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		A	Cbar	0.288279	-	0.270823	0.288279	0.29514	d1982bb6040f7ef779cdf0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		G	F	0.058853	0.109726	0.058853	0.057142	752e587dde46149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		G	Fbar	0.078304	-	0.211471	0.078304	0.076665	f25fc4b3a1b829c29b908b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		G	C	0.114214	0.166085	0.114214	0.115734	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		G	Cbar	0.142145	-	0.270823	0.142145	0.13987	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		P	F	0.071322	0.109726	0.071322	0.074009	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		P	Fbar	0.091272	-	0.211471	0.091272	0.090394	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		P	C	0.137157	0.166085	0.137157	0.141852	ab2edd09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		P	Cbar	0.163092	-	-	-	ach2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		S	F	0.091272	0.109726	0.091272	0.096935	754c575b9c55effad4b704cdfbf33bceb9deedb997736a0fadb3013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		S	Fbar	0.119202	-	-	-	02029d1818f93fc504ccfdcf7505f0349eeb79ba8f6ef4dbde664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		S	C	0.14813	0.166085	0.14813	0.151859	fd48f5eae33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		S	Cbar	0.18803	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9b9eee902c33a88ce81d674fa95facca8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		A	F	0.087781	0.109726	0.087781	0.092639	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		A	Fbar	0.22793	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		A	C	0.1202	0.166085	0.1202	0.123169	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		A	Cbar	0.288279	-	-	-	d1982bb6040f7ef779cd4f0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		G	F	0.058354	0.116209	0.058354	0.059447	752e587dde6149ca105415099ce116142a5a0f6ebb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		G	Fbar	0.076309	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		G	C	0.116209	0.173067	0.116209	0.118847	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		G	Cbar	0.138653	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		P	F	0.074813	0.116209	0.074813	0.077891	2ef177861ce92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		P	Fbar	0.089277	-	-	-	cfd11966771e598fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		P	C	0.140648	0.173067	0.140648	0.146228	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		P	Cbar	0.162095	-	-	-	acb2b39c4e81fd13ff2169e286bdfc7fb1b9dd67cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		S	F	0.095262	0.116209	0.095262	0.101409	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fad53013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		S	Fbar	0.118703	-	-	-	02029d1818f93f3c504ccfd7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		S	C	0.153616	0.173067	0.153616	0.156443	fd48f5eaa33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		S	Cbar	0.185536	-	-	-	a7a4d611c7f2030b2d95f0b19eb9beee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		A	F	0.091272	0.116209	0.091272	0.096834	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		A	Fbar	0.229925	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		A	C	0.12419	0.173067	0.12419	0.127363	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		A	Cbar	0.290274	-	-	-	d1982bb6040f7ef779cd0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	F	0.058354	0.116209	0.058354	0.059447	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	Fbar	0.076309	0.210973	0.076309	0.076638	f25fc4b3a1b829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	C	0.116209	0.173067	0.116209	0.118847	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	Cbar	0.138653	-	-	-	78849784e972c54e8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	F	0.074813	0.116209	0.074813	0.077891	2ef177861cea92b164f37bafc75b75aa6fc05209535c1b1f191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	Fbar	0.089277	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5dfd	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	C	0.140648	0.173067	0.140648	0.146228	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	Cbar	0.162095	-	-	-	acb2b39c4e81fd13ff2169e286bdfc77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	F	0.095262	0.116209	0.095262	0.101409	754c575b9c55effad4b704cdffb33bceb9deedb997736a0fad	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	Fbar	0.118703	-	-	-	02029d1818f93f3c504ccfdec7505f0349eeb79ba8f6ef4bde664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	C	0.153616	0.173067	0.153616	0.156443	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	Cbar	0.185536	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9beee902c33a88ce81d674fa95faccab5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	F	0.091272	0.116209	0.091272	0.096834	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	Fbar	0.229925	-	-	-	2eb74b68e018c044e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	C	0.12419	0.173067	0.12419	0.127363	a0dc973d05872fe19dc2482daf16fd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	Cbar	0.290274	-	-	-	d1982bb6040ffef779cd0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		G	F	0.057855	0.116209	0.057855	0.059447	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		G	Fbar	0.075312	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595443fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		G	C	0.114713	0.173067	0.114713	0.118847	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81cc23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		G	Cbar	0.138155	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		P	F	0.074813	0.116209	0.074813	0.077891	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		P	Fbar	0.089776	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		P	C	0.139651	0.173067	0.139651	0.146228	ab2eddc09c52fe64d54a515698290a4688a1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		P	Cbar	0.162095	-	-	-	acb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44c750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		S	F	0.096758	0.116209	0.096758	0.101409	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fadbb3013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		S	Fbar	0.119202	-	-	-	02029d1818f93f3c504ccfdc7505f0349eeb79ba8f6ef4dbbe664b03e8169e00	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		S	C	0.151122	0.173067	0.151122	0.156443	fd48f5eae33169829286d4a4bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		S	Cbar	0.185536	-	-	-	a7a4d611c7f2030b2d95f0b19eb9b9ee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		A	F	0.094264	0.116209	0.094264	0.096834	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		A	Fbar	0.23192	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		A	C	0.123691	0.173067	0.123691	0.127363	a0dc973d05872fe19dc2482daf16efd98c4d4d3015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		A	Cbar	0.291771	-	-	-	d1982bb6040f7ef779cd0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		G	F	0.057855	0.116209	0.057855	0.059447	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		G	Fbar	0.075312	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		G	C	0.114713	0.173067	0.114713	0.118847	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		G	Cbar	0.138155	-	-	-	78849784e9337ca92e2072c54c87524037e4923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		P	F	0.074813	0.116209	0.074813	0.077891	2ef177861cea92b164f37bafc75b75aa6fc05209535c1b191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		P	Fbar	0.089776	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11eb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		P	C	0.139651	0.173067	0.139651	0.146228	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		P	Cbar	0.162095	-	-	-	acb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44e750bbfc8014	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		S	F	0.096758	0.116209	0.096758	0.101409	754c575b9c55efad4b704cdfb33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		S	Fbar	0.119202	-	-	-	02029d1818f93f3c504ccfdcf7505f0349eeb79ba8f6ef4dbbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		S	C	0.151122	0.173067	0.151122	0.156443	fd48f5eae33169829286d44a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		S	Cbar	0.185536	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9bcee902c33a88ceb1d674fa95faccab5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		A	F	0.094264	0.116209	0.094264	0.096843	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		A	Fbar	0.23192	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		A	C	0.123691	0.173067	0.123691	0.127363	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		A	Cbar	0.291771	-	-	-	d1982bb60407fe7799cd07bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		G	F	0.059352	0.119202	0.059352	0.060511	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		G	Fbar	0.076808	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e59544d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		G	C	0.117207	0.175062	0.117207	0.119737	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		G	Cbar	0.138653	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		P	F	0.074314	0.119202	0.074314	0.079683	2ef177861c ea92b164f3 7bafc75b75 aa6fc05209 535c1bf191 c74a314df9 7e20	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		P	Fbar	0.089776	-	-	-	cfed196677 1e5f98fd76 057298c4a7 72f22234e7 ecfccf5fdf c11cb19e2d add6	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		P	C	0.142145	0.175062	0.142145	0.147479	ab2eddc09c 52fe64d54a 515698290a 4688e1085b 9b8b54286f a1a9d3c356 6a1b	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		P	Cbar	0.162095	-	-	-	acb2b39c4e 81fd13ff21 69a286bdff c77b1b9d6d 7cdea6b25e 44e750bbfc 801d	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		S	F	0.095761	0.119202	0.095761	0.103473	754c575b9c 55effad4b7 04cdffb33b ceb9deedb9 97736a0fad b3013210b9 3590	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		S	Fbar	0.119202	-	-	-	02029d1818 f93f3c504c cfdc7505f0 349eeb79ba 8f6ef4bdbe 664b03e816 9e00	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		S	C	0.15212	0.175062	0.15212	0.157753	fd48f5eae3 3169829286 d4a84bfb08 29d7cdc33e 989799b4fa 540fb0b07e 7926	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		S	Cbar	0.187032	-	-	-	a7a44611c7 ff2030b2d9 5f0b19eb9b eee902c33a 88ce81d674 fa95facc8 fb5c	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		A	F	0.089277	0.119202	0.089277	0.098771	e2a742f6ea 3ca449f945 0492e1f8ab da378173cc 7e1ee52115 b2a7f8b230 d682	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		A	Fbar	0.233416	-	-	-	2eb74b68e0 18c0d4e549 5f0c70b966 6fad0cc89a bee6c05924 0fe9a5dae5 136d	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		A	C	0.123192	0.175062	0.123192	0.128562	a0dc973d05 872fe19dc2 482daf1gef d98cd4d430 15716e9744 ba7a6cb501 a610	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		A	Cbar	0.292768	-	-	-	d1982bb604 0f7fe779cd f0bc7956a5 b868abeb5f 724267b502 57a4034702 a400	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		G	F	0.059352	0.119202	0.059352	0.060511	752c587dde d6149ca105 415099ce11 6142a5a0f6 eb0e963c15 fb36622ed4 9c7a	full_naive_ single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		G	Fbar	0.076808	-	-	-	f25fc4b3a1b829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		G	C	0.117207	0.175062	0.117207	0.119737	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		G	Cbar	0.138653	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		P	F	0.074314	0.119202	0.074314	0.079683	2ef177861cea92b164f37bafe75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		P	Fbar	0.089776	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfcc5f4fc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		P	C	0.142145	0.175062	0.142145	0.147479	ab2eddc09c52fe64d54a515698290a4688e1085b9bb8b54286fa1a9d3c3566alb	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		P	Cbar	0.162095	-	-	-	acb2b39c4e81fd13ff2169e286bdfc7fb1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		S	F	0.095761	0.119202	0.095761	0.103473	754c575b9c55effad4b704cdfbf33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		S	Fbar	0.119202	-	-	-	02029d1818f93f3c504ccfdcf7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		S	C	0.15212	0.175062	0.15212	0.157753	fd48f5eae33169829286d4a84bf082947cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		S	Cbar	0.187032	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9b9eee902c33a88ce81d674fa95faccasfb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		A	F	0.089277	0.119202	0.089277	0.098771	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		A	Fbar	0.233416	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapol ated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		A	C	0.123192	0.175062	0.123192	0.128562	a0dc973d05872fe19dc2482daf16fd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		A	Cbar	0.292768	-	-	-	d1982bb6040f7ef779cd0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True

Table 102: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER_z^s	ER_z^e	ER_c^e
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		97c3cda476009de9827612a5633fe28c713a7da8d4fe18ddcefl0d170e7b753e	2005						0.001957	0.002789	0.005372
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		61cfe07fd7591034f65a990ac51b5fc119eee9c73eedea4605dd67a849859412	2005						0.004052	0.002138	0.009007
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		c824810aa69518ecbfcf7ac8166815eb7622b485d38da8478ec4055122fc42c4	2005						0.004052	0.002138	0.009007
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		4ed01964a22aab8152e8e648d20273cd5cc2b97ce2677e646b4a1735485dbf32	2005						0.00171	0.00164	0.001519
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		54cf3fc87115b0761f56b46d24a3bc84ac45bf6d7e3c6051be73c02caeb028db	2005						0.00171	0.00164	0.001519
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		f511b112efaab40d4a4fd77c9e9d4a92e5f62c1c535eba897db74b715ef50304	2005						0.001093	0.000329	0.002638
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		0420a1b213590433dcb6981949634ca0f855eacbb32b7c47bce592645e254a1881	2005						0.001093	0.000329	0.002638
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		053f851d9d76d2c7b6013f97060ded39fc4357c997f5c9518805d19fbcf42bb6	2005						0.001592	0.001488	0.004134
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		d100d41c546e164e8160bb84d49403350f771ff587921d0a59995bb26cd9d6c01	2005						0.001592	0.001488	0.004134
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		53d4f5a28e59ef1a8c1d9c11f0e1fd2b6d6dfd48847bd345de6cfa13a25fa37	2005						0.001159	0.000197	0.00253
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		1eca93a4ff85edc2536194155a82a423594941d058512c89ec334243569dcd12	2005						0.001159	0.000197	0.00253
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		96922b15ebf98f58ba929340d9ff0c67ea03d4ad3d2a30802ef237820450b67f	2005						0.001957	0.002789	0.005372
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		8cdca02e306d364213e6dd6ec98036343e348b6d94155e317fb50dccc2b0d0125	2005						0.004052	0.002138	0.009007

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER^p_z	ER^p_c	ER^p_g
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		e2bb3e62f9b3f164501b4c210a0350dda5fe1ea69f418720b2476f26bb1b3ba1	2005						-	-	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		8772c7ebab8b94769f558041d6bf84ab21b23f19517e19472842a2195e1cb9a2	2005						0.004052	0.002138	0.009007
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		df2da6fa28ca9ac4f0b6520d145bcf9e238012cfacd7a3844cfc31834fe4a74f	2005						0.00171	-	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		dca9e0ccf97d46ee0bf5e0e11722ee155300d73fbfdcfec40d6400a70eea3738	2005						0.001093	0.000329	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		d310ee1d1cb20212097468895484cfea4e197a5347bdfc14ed88e3fd4c49aeef	2005						-	0.000329	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		5db224a13c22642d9c6d5a3345c181b106e17faa0ec8476b155d678fb6f54a28	2005						0.001093	0.001488	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		4e816bd4ed3d2aa3496e08ca66df7c610038a9505ac463ce3c75467e79016236	2005						-	0.001488	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		6059fdc6cab8d92f85a6f987a278330e3e97d479e8a671a6cf439d871aef645	2005						0.001159	0.000197	0.00253
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		e3a654d05c09524b6a3b3a2ce85922b9fbaa11275f6e8f55ae93dd6e3b9bafd0	2005						-	-	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall									0.001159	0.000197	0.00253

Table 103: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	$ER^e_{\mathcal{D}}$	$ER^p_{\mathcal{D}}$	$ER^s_{\mathcal{D}}$	$ER^e_{\mathcal{C}}$	$ER^p_{\mathcal{C}}$	$ER^s_{\mathcal{C}}$	$ER^e_{\mathcal{P}}$	$ER^p_{\mathcal{P}}$	$ER^s_{\mathcal{P}}$	$ER^e_{\mathcal{G}}$	$ER^p_{\mathcal{G}}$
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		-0.003224	-0.004265	-0.002757	-0.012656	-0.001967	0.000547	-0.006023	-0.010162	-0.006796	-0.000577	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		-0.002242	-0.006172	-0.000878	-0.007508	-0.001575	-0.008606	0.000571	-0.006676	-0.001036	-0.001602	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		-0.002242	-0.006172	-0.000878	-0.007508	-0.001575	-0.008606	0.000571	-0.006676	-0.001036	-0.001602	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		-0.002274	-0.002688	-0.000878	-0.004695	-0.000637	-0.005664	0.001569	-0.003729	-0.001175	-0.004858	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		-0.002274	-0.002688	-0.000878	-0.004695	-0.000637	-0.005664	0.001569	-0.003729	-0.001175	-0.004858	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		0.001282	-0.003078	0.001066	-0.00558	0.00048	-0.006147	0.001853	-0.002827	0.001174	-0.005563	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		0.001282	-0.003078	0.001066	-0.00558	0.00048	-0.006147	0.001853	-0.002827	0.001174	-0.005563	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		0.001814	-0.003078	0.000872	-0.006577	0.00054	-0.004651	0.002638	-0.005321	0.001389	-0.00257	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		0.001814	-0.003078	0.000872	-0.006577	0.00054	-0.004651	0.002638	-0.005321	0.001389	-0.00257	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		0.00125	-0.005369	0.000517	-0.005334	0.00042	-0.007713	0.001141	-0.005633	-0.000538	-0.009494	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		0.00125	-0.005369	0.000517	-0.005334	0.00042	-0.007713	0.001141	-0.005633	-0.000538	-0.009494	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		-0.003224	-0.004265	-0.002757	-0.012656	-0.001967	0.000547	-0.006023	-0.010162	-0.006796	-0.000577	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		-0.002242	-0.006172	-0.000878	-0.007508	-0.001575	-0.008606	0.000571	-0.006676	-0.001036	-0.001602	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		-0.002242	-0.006172	-0.000878	-0.007508	-0.001575	-0.008606	0.000571	-0.006676	-0.001036	-0.001602	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		-0.002274	-0.002688	-0.000878	-0.004695	-0.000637	-0.005664	0.001569	-0.003729	-0.001175	-0.004858	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		-0.002274	-0.002688	-0.000878	-0.004695	-0.000637	-0.005664	0.001569	-0.003729	-0.001175	-0.004858	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		0.001282	-0.003078	0.001066	-0.00558	0.00048	-0.006147	0.001853	-0.002827	0.001174	-0.005563	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		0.001282	-0.003078	0.001066	-0.00558	0.00048	-0.006147	0.001853	-0.002827	0.001174	-0.005563	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		0.001814	-0.003078	0.000872	-0.006577	0.00054	-0.004651	0.002638	-0.005321	0.001389	-0.00257	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		0.001814	-0.003078	0.000872	-0.006577	0.00054	-0.004651	0.002638	-0.005321	0.001389	-0.00257	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		0.00125	-0.005369	0.000517	-0.005334	0.00042	-0.007713	0.001141	-0.005633	-0.000538	-0.009494	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		0.00125	-0.005369	0.000517	-0.005334	0.00042	-0.007713	0.001141	-0.005633	-0.000538	-0.009494	

Table 104: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^a_e	ER^a_c	$ER^a_{\bar{c}}$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Spearman		0.004095	0.000753	0.003106
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Spearman		0.005941	-0.002174	0.008592
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		0.005941	-0.002174	0.008592
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Spearman		0.00644	-0.002969	0.00686
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Spearman		0.00644	-0.002969	0.00686
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Spearman		0.004219	-0.003174	0.005336
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Spearman		0.004219	-0.003174	0.005336
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Spearman		0.003579	-0.003672	0.004075
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Spearman		0.003579	-0.003672	0.004075
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Spearman		0.000502	-0.005369	0.002607
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Spearman		0.000502	-0.005369	0.002607
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Best Individual	Kendall		0.004095	0.000753	0.003106
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive	Kendall		0.005941	-0.002174	0.008592
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		0.005941	-0.002174	0.008592
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive	Kendall		0.00644	-0.002969	0.00686
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE	Kendall		0.00644	-0.002969	0.00686
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive	Kendall		0.004219	-0.003174	0.005336
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE	Kendall		0.004219	-0.003174	0.005336
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive	Kendall		0.003579	-0.003672	0.004075
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE	Kendall		0.003579	-0.003672	0.004075
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive	Kendall		0.000502	-0.005369	0.002607
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE	Kendall		0.000502	-0.005369	0.002607

Table 105: DermaMNIST-ViT-B/16

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ViT-B/16	S	Fbar	02029d1818f93f3c504ccfde7505f0349eeb79ba8f6ef4bdbc664b03e8169e00		11	nonnegative__slope__ordinary__least_squares	0.428947	0.428947	False	-0.030061	0.000187	0.00456	0.529513	-0.252369	-0.216958	-0.138155	-0.1202
DermaMNIST-ViT-B/16	P	Cbar	087ad33c11c0c0284b8c0a7a70b483dca846be2e423389910db5e9acd867c9a	Feature Ablation	10	nonnegative__slope__ordinary__least_squares	0.132534	0.132534	False	-0.126169	2.79e-05	0.001867	0.440326	-0.315212	-0.279302	-0.167581	-0.161097
DermaMNIST-ViT-B/16	P	Fbar	28a20f5b0630e33bda444f23b66cf8e75d409820f0073b4074ea3421fcd2dddf	Feature Ablation	10	nonnegative__slope__ordinary__least_squares	0.123279	0.123279	False	-0.063763	1.501e-05	0.00137	0.516902	-0.252369	-0.217955	-0.094763	-0.089776
DermaMNIST-ViT-B/16	A	Fbar	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d		11	nonnegative__slope__ordinary__least_squares	0.452737	0.452737	False	-0.138629	0.000252	0.005296	0.48164	-0.252369	-0.216958	-0.25187	-0.232419
DermaMNIST-ViT-B/16	P	F	2ef177861cea92b164f37bafe75b75aa6fc05209535c1bf191c74a314df97e20		11	nonnegative__slope__ordinary__least_squares	0.598697	0.598697	False	0.008317	0.000597	0.008145	0.768222	0.023441	0.103741	0.01995	0.07182
DermaMNIST-ViT-B/16	S	F	2f99ae7ec6a7db97f53a423823f3f29f5ea3c5931e7130dc1914955ae3d6169a	CheferTransformer Attribution	10	nonnegative__slope__ordinary__least_squares	0.688027	0.688027	False	0.021344	0.000593	0.008608	0.803371	0.023441	0.102743	0.034414	0.092768
DermaMNIST-ViT-B/16	G	C	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e		11	nonnegative__slope__ordinary__least_squares	0.445895	0.445895	False	0.041677	0.000486	0.007351	0.816518	0.047382	0.162594	0.05985	0.114214
DermaMNIST-ViT-B/16	A	F	63abb281be0447cc5d995a91ec5bb0bee8f3b19000635ab74ebfd0cb72616862	CheferTransformer Attribution	10	nonnegative__slope__ordinary__least_squares	0.649117	0.649117	False	0.021517	0.000431	0.007338	0.833462	0.023441	0.102743	0.037905	0.097756
DermaMNIST-ViT-B/16	G	C	657d3296be50282796a90d837161a61b197571ac05886903f2a433fc0e49dcc7	Gradient Attention Rollout	10	nonnegative__slope__ordinary__least_squares	0.460508	0.460508	False	0.040222	0.000462	0.007603	0.819813	0.047382	0.161097	0.05985	0.114214
DermaMNIST-ViT-B/16	P	C	669a0496ceb338fd9c3bcb7a12e49e4ea20e02e175f2ada03c29b030bd3e1a2f	Gradient Attention Rollout	10	nonnegative__slope__ordinary__least_squares	0.661197	0.661197	False	0.034327	0.000595	0.008626	0.879322	0.047382	0.161097	0.063342	0.138155
DermaMNIST-ViT-B/16	G	Cbar	6dabb833985424c64791dfd1baf573cbab3ec91199927d45043d53eeb529dfe3	Feature Ablation	10	nonnegative__slope__ordinary__least_squares	0.086711	0.086711	False	-0.115743	3.1301e-05	0.001978	0.230875	-0.315212	-0.279302	-0.143142	-0.136658
DermaMNIST-ViT-B/16	G	F	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a		11	nonnegative__slope__ordinary__least_squares	0.355453	0.355453	False	0.01814	0.000323	0.00599	0.683535	0.023441	0.103741	0.023441	0.05586
DermaMNIST-ViT-B/16	S	F	754e575b9c55effad4b704cdffb33bceb9deedb997736a0fad b3013210b93590		11	nonnegative__slope__ordinary__least_squares	0.689926	0.689926	False	0.021233	0.000593	0.008118	0.815884	0.023441	0.103741	0.034414	0.093267

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ViT-B/16	G	Cbar	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a		11	nonnegative__slope__ordinary__least_squares	0.065653	0.065653	False	-0.12209	4.0161e-05	0.002112	0.125162	-0.315212	-0.278803	-0.143142	-0.136658
DermaMNIST-ViT-B/16	A	C	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610		11	nonnegative__slope__ordinary__least_squares	0.600673	0.600673	False	0.023406	0.000525	0.007635	0.882147	0.047382	0.162594	0.050873	0.127681
DermaMNIST-ViT-B/16	S	Fbar	a2dc91924e284cd1db31eadb0371cedece0ca588f9cb8d739250542d7faa577d4	FeatureAblation	10	nonnegative__slope__ordinary__least_squares	0.475954	0.475954	False	-0.018895	0.000157	0.004425	0.604441	-0.252369	-0.217955	-0.138155	-0.1202
DermaMNIST-ViT-B/16	G	Fbar	a4dc921bc62fdb12635fde50bcef7cc626eb928854df16cba0066c31691730ae4	FeatureAblation	10	nonnegative__slope__ordinary__least_squares	0.075728	0.075728	False	-0.060083	2.5009e-05	0.001768	0.19505	-0.252369	-0.217955	-0.079302	-0.073815
DermaMNIST-ViT-B/16	S	Cbar	a7a4d611c7f2030b2d95f0b19eb9beee902c33a88ce81d674fa95facc88fb5c		11	nonnegative__slope__ordinary__least_squares	0.430971	0.430971	False	-0.069563	0.000182	0.004497	0.576352	-0.315212	-0.278803	-0.204489	-0.185536
DermaMNIST-ViT-B/16	P	C	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566alb		11	nonnegative__slope__ordinary__least_squares	0.62677	0.62677	False	0.037755	0.000728	0.008993	0.854526	0.047382	0.162594	0.063342	0.138155
DermaMNIST-ViT-B/16	P	Cbar	acb2b39c4e81fd13ff2169e286dbffcf7b1b9d6d7cdea6b25e44e750bbfc801d		11	nonnegative__slope__ordinary__least_squares	0.119686	0.119686	False	-0.130042	3.1199e-05	0.001862	0.379669	-0.315212	-0.278803	-0.167581	-0.161097
DermaMNIST-ViT-B/16	G	F	b64ce615c8d0255bb93848ce55ef0bd9bf29d41f136984f495f19bbcac961cab	CheferTransformer Attribution	10	nonnegative__slope__ordinary__least_squares	0.36225	0.36225	False	0.017743	0.00032	0.006322	0.677405	0.023441	0.102743	0.023441	0.05586
DermaMNIST-ViT-B/16	P	Fbar	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6		11	nonnegative__slope__ordinary__least_squares	0.101759	0.101759	False	-0.068875	2.1392e-05	0.001542	0.356501	-0.252369	-0.216958	-0.094763	-0.089776
DermaMNIST-ViT-B/16	A	Cbar	d1982bb604017ef779cd70bc7956a5b868abeb5f724267b50257a4034702a400		11	nonnegative__slope__ordinary__least_squares	0.471991	0.471991	False	-0.167314	0.000325	0.006006	0.477761	-0.315212	-0.278803	-0.315212	-0.292768
DermaMNIST-ViT-B/16	A	Cbar	d57b8c0db8a679f34dbc b9072e6b07f439703dabbf0eba250f73aba26038f370e	FeatureAblation	10	nonnegative__slope__ordinary__least_squares	0.451708	0.451708	False	-0.173428	0.000316	0.006289	0.44626	-0.315212	-0.279302	-0.315212	-0.292768
DermaMNIST-ViT-B/16	S	Cbar	d9cc2fa723db1bf38f30afa480262b571dca4dd282a8c7f0ed80997d5f2499de	FeatureAblation	10	nonnegative__slope__ordinary__least_squares	0.475356	0.475356	False	-0.056184	0.000143	0.004222	0.664414	-0.315212	-0.279302	-0.204489	-0.185536
DermaMNIST-ViT-B/16	A	C	da48e5277e4f347e73b45feb445620cebc9dbcb4a91e713a4604c15bcbd77a8b	Gradient Attention Rollout	10	nonnegative__slope__ordinary__least_squares	0.598624	0.598624	False	0.02361	0.000524	0.008095	0.871492	0.047382	0.161097	0.050873	0.127681

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ViT-B/16	A	F	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	Gradient Attention Rollout	11	nonnegative__slope__ordinary__least_squares	0.647111	0.647111	False	0.021634	0.000431	0.006921	0.842857	0.023441	0.103741	0.037905	0.097756
DermaMNIST-ViT-B/16	S	C	ee93c54a618c9ab11f7c91c393ed93d996a34e385f8a3d59518d6acbe6b34bcc		10	nonnegative__slope__ordinary__least_squares	0.684153	0.684153	False	0.04007	0.000764	0.009773	0.8587	0.047382	0.161097	0.072319	0.14813
DermaMNIST-ViT-B/16	G	Fbar	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3		11	nonnegative__slope__ordinary__least_squares	0.053962	0.053962	False	-0.065253	3.1538e-05	0.001872	0.09557	-0.252369	-0.216958	-0.079302	-0.073815
DermaMNIST-ViT-B/16	P	F	f26b23317890a1f0ac4916355aa307c488f797d4d9bbe3344e0331e42543d552	CheferTransformer Attribution	10	nonnegative__slope__ordinary__least_squares	0.613513	0.613513	False	0.007452	0.000582	0.008527	0.768005	0.023441	0.102743	0.01995	0.07182
DermaMNIST-ViT-B/16	A	Fbar	f4cad91f1c2a5615013aa4adeaad90a59b1fa159e08c7397ce94bbfe53b63116	FeatureAblation	10	nonnegative__slope__ordinary__least_squares	0.420776	0.420776	False	-0.146221	0.000238	0.005459	0.439718	-0.252369	-0.217955	-0.25187	-0.232419
DermaMNIST-ViT-B/16	S	C	fd48f5eae33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926		11	nonnegative__slope__ordinary__least_squares	0.656511	0.656511	False	0.042823	0.00085	0.009716	0.846663	0.047382	0.162594	0.072319	0.14813

Table 106: DermaMNIST-ViT-B/16

Cell	Condition	Metric	Reference Methods
DermaMNIST-ViT-B/16	S	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	P	Cbar	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	P	Fbar	Attention GradCAM;CheferTran sformer Attribution;FullLRP;Gradient
DermaMNIST-ViT-B/16	P	Fbar	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	A	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	P	F	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	F	Attention GradCAM;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	G	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	A	F	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	G	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	P	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient

Cell	Condition	Metric	Reference Methods
DermaMNIST-ViT-B/16	G	Cbar	Attention GradCAM;CheferTransformer Attribution;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	G	F	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	F	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	G	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	A	C	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	Fbar	Attention GradCAM;CheferTransformer Attribution;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	G	Fbar	Attention GradCAM;CheferTransformer Attribution;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	P	C	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Integrated Gradients;Occlusion;PartialLRP;Saliency

Cell	Condition	Metric	Reference Methods
DermaMNIST-ViT-B/16	P	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb- lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad- ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	G	F	Attention GradCAM;FeatureAb- lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad- ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	P	Fbar	Attention GradCAM;CheferTran- sformer Attribution;FeatureAb- lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad- ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	A	Cbar	Attention GradCAM;CheferTran- sformer Attribution;FeatureAb- lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad- ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	A	Cbar	Attention GradCAM;CheferTran- sformer Attribution;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad- ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	Cbar	Attention GradCAM;CheferTran- sformer Attribution;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad- ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	A	C	Attention GradCAM;CheferTran- sformer Attribution;FeatureAb- lation;FullLRP;Gradient Shap;InputXGrad- ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	A	F	Attention GradCAM;CheferTran- sformer Attribution;FeatureAb- lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad- ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	C	Attention GradCAM;CheferTran- sformer Attribution;FeatureAb- lation;FullLRP;Gradient Shap;InputXGrad- ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	G	Fbar	Attention GradCAM;CheferTran- sformer Attribution;FeatureAb- lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad- ient;Integrated Gradients;Occlusion;PartialLRP;Saliency

Cell	Condition	Metric	Reference Methods
DermaMNIST-ViT-B/16	P	F	Attention GradCAM;FeatureAbl ation;FullLRP;Gradient
DermaMNIST-ViT-B/16	A	Fbar	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	C	Attention GradCAM;CheferTran sformer Attribution;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16			Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency

Table 107: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			G	F	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3c1e62a1 09ca	2005				max	- 0.001957	0.103741
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			G	Fbar	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3c1e62a1 09ca	2005				min	- 0.002789	0.216958
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			G	C	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3c1e62a1 09ca	2005				max	- 0.005372	0.162594
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			G	Cbar	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3c1e62a1 09ca	2005				min	- 0.003224	0.278803
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			P	F	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3c1e62a1 09ca	2005				max	- 0.004265	0.103741
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			P	Fbar	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3c1e62a1 09ca	2005				min	- 0.002757	0.216958
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			P	C	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3c1e62a1 09ca	2005				max	- 0.012656	0.162594
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			P	Cbar	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3c1e62a1 09ca	2005				min	- 0.001967	0.278803
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			S	F	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3c1e62a1 09ca	2005				max	0.000547	0.103741
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			S	Fbar	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3c1e62a1 09ca	2005				min	- 0.006023	0.216958
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			S	C	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3c1e62a1 09ca	2005				max	- 0.010162	0.162594
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			S	Cbar	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3c1e62a1 09ca	2005				min	- 0.006796	0.278803
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			A	F	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3c1e62a1 09ca	2005				max	- 0.000577	0.103741

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			A	Fbar	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3cle62a1 09ca	2005				min	0.004095	0.216958
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			A	C	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3cle62a1 09ca	2005				max	0.000753	0.162594
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			A	Cbar	530ee345ff 14283e5463 29a3b03e2a 53bcfea3f3 5b664cea39 3a3cle62a1 09ca	2005				min	0.003106	0.278803
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			G	F	4c2ab2503a 1b59c8f47e 167cb701c5 7b34cad178 1243218a44 1045a73039 a31e	2005				max	- 0.004052	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			G	Fbar	4c2ab2503a 1b59c8f47e 167cb701c5 7b34cad178 1243218a44 1045a73039 a31e	2005				min	- 0.002138	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			G	C	4c2ab2503a 1b59c8f47e 167cb701c5 7b34cad178 1243218a44 1045a73039 a31e	2005				max	- 0.009007	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			G	Cbar	4c2ab2503a 1b59c8f47e 167cb701c5 7b34cad178 1243218a44 1045a73039 a31e	2005				min	- 0.002242	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			P	F	4c2ab2503a 1b59c8f47e 167cb701c5 7b34cad178 1243218a44 1045a73039 a31e	2005				max	- 0.006172	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			P	Fbar	4c2ab2503a 1b59c8f47e 167cb701c5 7b34cad178 1243218a44 1045a73039 a31e	2005				min	- 0.000878	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			P	C	4c2ab2503a 1b59c8f47e 167cb701c5 7b34cad178 1243218a44 1045a73039 a31e	2005				max	- 0.007508	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			P	Cbar	4c2ab2503a 1b59c8f47e 167cb701c5 7b34cad178 1243218a44 1045a73039 a31e	2005				min	- 0.001575	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			S	F	4c2ab2503a 1b59c8f47e 167cb701c5 7b34cad178 1243218a44 1045a73039 a31e	2005				max	- 0.008606	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			S	Fbar	4c2ab2503a 1b59c8f47e 167cb701c5 7b34cad178 1243218a44 1045a73039 a31e	2005				min	0.000571	0.211471

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			S	C	4c2ab2503a1b59c8f47e167cb701c57b34cad1781243218a441045a73039a31e	2005				max	-0.006676	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			S	Cbar	4c2ab2503a1b59c8f47e167cb701c57b34cad1781243218a441045a73039a31e	2005				min	-0.001036	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			A	F	4c2ab2503a1b59c8f47e167cb701c57b34cad1781243218a441045a73039a31e	2005				max	-0.001602	0.114713
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			A	Fbar	4c2ab2503a1b59c8f47e167cb701c57b34cad1781243218a441045a73039a31e	2005				min	0.005941	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			A	C	4c2ab2503a1b59c8f47e167cb701c57b34cad1781243218a441045a73039a31e	2005				max	-0.002174	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			A	Cbar	4c2ab2503a1b59c8f47e167cb701c57b34cad1781243218a441045a73039a31e	2005				min	0.008592	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			G	F	54c1366e79396eac81faa7bbc4dbf3da10769b403c307303e8e95549e270ac93	2005				max	0.00171	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			G	Fbar	54c1366e79396eac81faa7bbc4dbf3da10769b403c307303e8e95549e270ac93	2005				min	-0.00164	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			G	C	54c1366e79396eac81faa7bbc4dbf3da10769b403c307303e8e95549e270ac93	2005				max	-0.001519	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			G	Cbar	54c1366e79396eac81faa7bbc4dbf3da10769b403c307303e8e95549e270ac93	2005				min	-0.002274	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			P	F	54c1366e79396eac81faa7bbc4dbf3da10769b403c307303e8e95549e270ac93	2005				max	-0.002688	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			P	Fbar	54c1366e79396eac81faa7bbc4dbf3da10769b403c307303e8e95549e270ac93	2005				min	-0.000878	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			P	C	54c1366e79396eac81faa7bbc4dbf3da10769b403c307303e8e95549e270ac93	2005				max	-0.004695	0.166085

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			P	Cbar	54c1366e79396eac81faa7bbcd4bf3da10769b403c307303e8e95549e270ac93	2005				min	-0.000637	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			S	F	54c1366e79396eac81faa7bbcd4bf3da10769b403c307303e8e95549e270ac93	2005				max	-0.005664	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			S	Fbar	54c1366e79396eac81faa7bbcd4bf3da10769b403c307303e8e95549e270ac93	2005				min	0.001569	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			S	C	54c1366e79396eac81faa7bbcd4bf3da10769b403c307303e8e95549e270ac93	2005				max	-0.003729	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			S	Cbar	54c1366e79396eac81faa7bbcd4bf3da10769b403c307303e8e95549e270ac93	2005				min	-0.00175	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			A	F	54c1366e79396eac81faa7bbcd4bf3da10769b403c307303e8e95549e270ac93	2005				max	-0.004858	0.109726
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			A	Fbar	54c1366e79396eac81faa7bbcd4bf3da10769b403c307303e8e95549e270ac93	2005				min	0.00644	0.211471
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			A	C	54c1366e79396eac81faa7bbcd4bf3da10769b403c307303e8e95549e270ac93	2005				max	-0.002969	0.166085
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			A	Cbar	54c1366e79396eac81faa7bbcd4bf3da10769b403c307303e8e95549e270ac93	2005				min	0.00686	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			G	F	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				max	-0.001093	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			G	Fbar	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				min	0.000329	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			G	C	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				max	-0.002638	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			G	Cbar	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				min	0.001282	0.27182

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			P	F	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				max	-0.003078	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			P	Fbar	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				min	0.0010660	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			P	C	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				max	-0.00558	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			P	Cbar	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				min	0.00048	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			S	F	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				max	-0.006147	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			S	Fbar	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				min	0.0018530	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			S	C	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				max	-0.002827	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			S	Cbar	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				min	0.001174	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			A	F	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				max	-0.005563	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			A	Fbar	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				min	0.004219	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			A	C	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				max	-0.003174	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			A	Cbar	7bdddee7bf96ce24a4e0facf9aced48b79a3b5f168c6fe7b9e65c5dfbfe88f0c8	2005				min	0.005336	0.27182
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			G	F	246139aa300a81178b3730da3808695dd2922e47b30351719eb6c0589c69482d	2005				max	-0.001592	0.116209

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			G	Fbar	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				min	0.0014880	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			G	C	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				max	- 0.004134	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			G	Cbar	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				min	0.0018140	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			P	F	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				max	- 0.003078	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			P	Fbar	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				min	0.0008720	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			P	C	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				max	- 0.006577	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			P	Cbar	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				min	0.00054	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			S	F	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				max	- 0.004651	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			S	Fbar	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				min	0.0026380	0.213965
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			S	C	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				max	- 0.005321	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			S	Cbar	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				min	0.0013890	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			A	F	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				max	- 0.00257	0.116209
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			A	Fbar	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				min	0.0035790	0.213965

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			A	C	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				max	- 0.003672	0.173067
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			A	Cbar	246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005				min	0.0040750	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			G	F	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				max	- 0.001159	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			G	Fbar	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				min	- 0.000197	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			G	C	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				max	- 0.00253	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			G	Cbar	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				min	0.00125	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			P	F	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				max	- 0.005369	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			P	Fbar	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				min	0.0005170	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			P	C	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				max	- 0.005334	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			P	Cbar	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				min	0.00042	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			S	F	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				max	- 0.007713	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			S	Fbar	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				min	0.0011410	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			S	C	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				max	- 0.005633	0.175062

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			S	Cbar	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				min	- 0.000538	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			A	F	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				max	- 0.009494	0.119202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			A	Fbar	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				min	0.000502	0.210474
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			A	C	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				max	- 0.005369	0.175062
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			A	Cbar	efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005				min	0.002607	0.271322

Table 108: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapol- ated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			G	F	0.053367	0.103741	0.053367	0.055323	0.055323	b64ee615c8 d0255bb938 48ce55ef0b d9bf29d41f 136984f495 f19bbcac96 1caab	leave_one_ out_naive_ single	CheferTran- sformer Attribution	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			G	Fbar	0.079302	-	-	-	-	a46e21bc62 fdb12635fd e50bcef7cc 626eb92885 4df16cba00 66c3169173 0ae4	leave_one_ out_naive_ single	FeatureAbl- ation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			G	C	0.109726	0.162594	0.109726	0.115098	0.115098	65743296be 50282796a9 0d837161a6 1b197571ac 05886903f2 a433fc0e49 dce7	leave_one_ out_naive_ single	Gradient Attention Rollout	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			G	Cbar	0.143142	-	-	-	-	6daab83398 5424c64791 dfd1ba5f73 cbab3ec911 99927d4504 3d63eeb529 dfe3	leave_one_ out_naive_ single	FeatureAbl- ation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			P	F	0.066833	0.103741	0.066833	0.071098	0.071098	f26b233178 90a1f0ac49 16355aa307 c488f797d4 d9bbe3344e 0331e42543 d552	leave_one_ out_naive_ single	CheferTran- sformer Attribution	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			P	Fbar	0.093267	-	-	-	-	28a20f5b06 30e33bda44 4f23b66cf8 e75d409820 f0073b4074 ea3421ffc2 1ddf	leave_one_ out_naive_ single	FeatureAbl- ation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			P	C	0.129177	0.162594	0.129177	0.141833	0.141833	669a0496ce b338fd9c3b cb7a12e49e 4ea20e02e1 75f2ada03c 29b030bd3e 1a2f	leave_one_ out_naive_ single	Gradient Attention Rollout	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			P	Cbar	0.165087	-	-	-	-	087ad33c11 c0c0284b8c 0a7a70b483 dca846be2e 423389910d b5e9acdd86 7c9a	leave_one_ out_naive_ single	FeatureAbl- ation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			S	F	0.093267	0.103741	0.093267	0.09272	0.09272	2f99ae7ec6 a7db97f53a 423823f3f2 9f5ea3c593 1e7130dc19 14955ae3d6 169a	leave_one_ out_naive_ single	CheferTran- sformer Attribution	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			S	Fbar	0.12818	-	-	-	-	a2dc91924e 284c1db31e ad1b0371cd ece0ca588f 9cb8d73925 0542d7faa5 77d4	leave_one_ out_naive_ single	FeatureAbl- ation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			S	C	0.141147	0.162594	0.141147	0.151309	0.151309	ee93c54a61 8c9ab11f7c 91c393ed93 4996a34e38 5f8a3d5951 8d6acbe6b3 4bcc	leave_one_ out_naive_ single	Gradient Attention Rollout	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			S	Cbar	0.195511	-	-	-	-	d9cc2fa723 db1bf38f30 afa480262b 571dca4dd2 82e8c7f0ed 809997d5f24 99de	leave_one_ out_naive_ single	FeatureAbl- ation	True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			A	F	0.088279	0.103741	0.088279	0.088857	63ab281be0447cc5d995a91ec5dbb0bee8f3b19000635ab74efbf0cb72616862	leave_one_out_naive_single	CheferTransformer Attribution	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			A	Fbar	0.233416	-	-	-	f4cad91f1c2a56115013aa4adeaad90a59b1fa159e08c7397ce94bbfe53b63116	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			A	C	0.121696	0.162594	0.121696	0.120943	4a48e5277e4f347e73b45fbbd45620cebcb9dbcb4a91e713a4604c15bcbd77a8b	leave_one_out_naive_single	Gradient Attention Rollout	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			A	Cbar	0.296259	-	-	-	d57b8c0db8a679f34dbc69072e6b07f439703dbbf0eba250f73aba26038f370e	leave_one_out_naive_single	FeatureAblation	True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			G	F	0.054863	0.114713	0.054863	0.058915	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			G	Fbar	0.078803	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58daae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			G	C	0.108728	0.170574	0.108728	0.117735	43332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			G	Cbar	0.142145	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			P	F	0.070823	0.114713	0.070823	0.076993	2ef177861cea92b164f37bafe75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			P	Fbar	0.091272	-	-	-	cfed1966771e5f98fd76057298c4a772122234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			P	C	0.137157	0.170574	0.137157	0.144665	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			P	Cbar	0.16409	-	-	-	acb2b39c4e81fd13ff2169e286bdfcf77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			S	F	0.091771	0.114713	0.091771	0.100376	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			S	Fbar	0.1202	-0.211471	-0.1202	-0.120771	02029d1818f93f3c504ccfd7505f0349eeb79ba8f6ef4dbbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			S	C	0.14813	0.170574	0.14813	0.154806	d48f5eae33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			S	Cbar	0.187531	-0.271322	-0.187531	-0.186495	a7a4d611c7f2030b2d495f0b19eb9bee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			A	F	0.094264	0.114713	0.094264	0.095866	e2a742f6ea3ca449f9450492a1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			A	Fbar	0.228429	-0.211471	-0.228429	-0.23437	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			A	C	0.123691	0.170574	0.123691	0.125865	a0cd973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			A	Cbar	0.286783	-0.271322	-0.286783	-0.295375	d1982bb604f07fe779cd f0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			G	F	0.058853	0.109726	0.058853	0.057142	752e587dde46149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			G	Fbar	0.078304	-0.211471	-0.078304	-0.076665	f25fc4b3a1b8829c29b908b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			G	C	0.114214	0.166085	0.114214	0.115734	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			G	Cbar	0.142145	-0.270823	-0.142145	-0.13987	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			P	F	0.071322	0.109726	0.071322	0.074009	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			P	Fbar	0.091272	-0.211471	-0.091272	-0.090394	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			P	C	0.137157	0.166085	0.137157	0.141852	ab2edd09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			P	Cbar	0.163092	-	-	-	acb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			S	F	0.091272	0.109726	0.091272	0.096935	754c575b9c55effad4b704cdfbf33bceb9deedb997736a0fadb3013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			S	Fbar	0.119202	-	-	-	02029d1818f93f3c504ccfdcf7505f0349eeb79ba8f6ef4dbde664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			S	C	0.14813	0.166085	0.14813	0.151859	fd48f5eae33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			S	Cbar	0.18803	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9b9eee902c33a88ce81d674fa95facca8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			A	F	0.087781	0.109726	0.087781	0.092639	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			A	Fbar	0.22793	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			A	C	0.1202	0.166085	0.1202	0.123169	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			A	Cbar	0.288279	-	-	-	d1982bb6040f7ef779cd4f0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			G	F	0.058354	0.116209	0.058354	0.059447	752e587dde6149ca105415099ce116142a5a0f6ebb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			G	Fbar	0.076309	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			G	C	0.116209	0.173067	0.116209	0.118847	43332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			G	Cbar	0.138653	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			P	F	0.074813	0.116209	0.074813	0.077891	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			P	Fbar	0.089277	-	-	-	cfed1966771e598fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			P	C	0.140648	0.173067	0.140648	0.146228	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			P	Cbar	0.162095	-	-	-	acb2b39c4e81fd13ff2169e286bdfc7fb1b9dd6d7cdea6b25e44e750bbfbc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			S	F	0.095262	0.116209	0.095262	0.101409	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fad53013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			S	Fbar	0.118703	-	-	-	02029d1818f93f3c504ccfdcf7505f0349eeb79ba8f6ef4bdbe664b03e8166e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			S	C	0.153616	0.173067	0.153616	0.156443	fd48f5eaa33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			S	Cbar	0.185536	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9beee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			A	F	0.091272	0.116209	0.091272	0.096834	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			A	Fbar	0.229925	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			A	C	0.12419	0.173067	0.12419	0.127363	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			A	Cbar	0.290274	-	-	-	d1982bb6040f7ef779cd0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Expected	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			G	F	0.057855	0.116209	0.057855	0.059447	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			G	Fbar	0.075312	-	-	-	f25fc4b3a1b829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			G	C	0.114713	0.173067	0.114713	0.118847	e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			G	Cbar	0.138155	-	-	-	78849784e9337ca92e2072c54e8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			P	F	0.074813	0.116209	0.074813	0.077891	2ef177861cea92b164f37bafc75b75aa6fc05209535c1b1f191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			P	Fbar	0.089776	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5dfd	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			P	C	0.139651	0.173067	0.139651	0.146228	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			P	Cbar	0.162095	-	-	-	acb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			S	F	0.096758	0.116209	0.096758	0.101409	754c575b9c55effad4b704cedfb33bceb9deedb997736a0fad	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			S	Fbar	0.119202	-	-	-	02029d1818f93f3c504ccfdec7505f0349eeb79ba8f6ef4db664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			S	C	0.151122	0.173067	0.151122	0.156443	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			S	Cbar	0.185536	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9b9eee902c33a88ce81d674fa95facca8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			A	F	0.094264	0.116209	0.094264	0.096834	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			A	Fbar	0.23192	-	0.213965	0.23192	0.235499	2eb74b68e018c044e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			A	C	0.123691	0.173067	0.123691	0.127363	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			A	Cbar	0.291771	-	0.272319	0.291771	0.295846	d1982bb6040ffef779cd0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			G	F	0.059352	0.119202	0.059352	0.060511	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			G	Fbar	0.076808	-	0.210474	0.076808	0.076611	f25fc4b3a1bf829c29b968b28f2b15d6022436e59544d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			G	C	0.117207	0.175062	0.117207	0.119737	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			G	Cbar	0.138653	-	0.271322	0.138653	0.139903	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			P	F	0.074314	0.119202	0.074314	0.079683	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			P	Fbar	0.089776	-	0.210474	0.089776	0.090293	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dad6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			P	C	0.142145	0.175062	0.142145	0.147479	ab2eddc09c52fe64d54a515698290a4688a1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			P	Cbar	0.162095	-	0.271322	0.162095	0.162515	acb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44c750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			S	F	0.095761	0.119202	0.095761	0.103473	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fadb3013210b93590	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			S	Fbar	0.119202	-	0.210474	0.119202	0.120343	02029d1818f93f3c504ccfd7c7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			S	C	0.15212	0.175062	0.15212	0.157753	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			S	Cbar	0.187032	-	-	-	a7a4d611c7f2030b2d95f0b19eb9b5ee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			A	F	0.089277	0.119202	0.089277	0.098771	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			A	Fbar	0.233416	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			A	C	0.123192	0.175062	0.123192	0.128562	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			A	Cbar	0.292768	-	-	-	d1982bb6040f7ef779cd07bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True

Table 109: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individu al	ER^*_z	ER^*_c	ER^*_c
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			530ee345ff 14283e5463 29a3b03e2a 53bcefa3f3 5b664ca39 3a3c1e62a1 09ca	2005						-	-	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			4c2ab2503a 1b59c8f47e 167cb701c5 7b34cad178 1243218a44 1045a73039 a31e	2005						0.001957	0.002789	0.005372
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			54c1366e79 396eac81fa a7b9c4dbf3 da10769b40 3c307303e8 e95549e270 ac93	2005						-	-	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			7bddee7bf9 6ce24a4e0f acf9aced48 b79a3b5f16 8c6fe7b9e6 5c5dfbfe88 f0c8	2005						0.00171	0.00164	0.001519
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			246139aa30 0a81178b37 30da380869 5dd2922e47 b30351719e b6c0589c69 482d	2005						-	0.000329	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			efca92819b 1c5f8a3f02 c164bb83b4 d09278a374 4d95774104 2c60295f30 b8b2	2005						0.001093	0.001488	0.002638
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test												-	-	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test												0.001592	0.001197	0.004134
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test												-	-	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test												0.001159	0.000197	0.00253

Table 110: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	$ER^p_{\mathcal{D}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{D}}$	$ER^p_{\mathcal{D}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{D}}$	$ER^p_{\mathcal{F}}$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			-0.003224	-0.004265	-0.002757	-0.012656	-0.001967	0.000547	-0.006023	-0.010162	-0.006796	-0.000577
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			-0.002242	-0.006172	-0.000878	-0.007508	-0.001575	-0.008606	0.000571	-0.006676	-0.001036	-0.001602
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			-0.002274	-0.002688	-0.000878	-0.004695	-0.000637	-0.005664	0.001569	-0.003729	-0.001175	-0.004858
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			0.001282	-0.003078	0.001066	-0.00558	0.00048	-0.006147	0.001853	-0.002827	0.001174	-0.005563
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			0.001814	-0.003078	0.000872	-0.006577	0.00054	-0.004651	0.002638	-0.005321	0.001389	-0.00257
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			0.00125	-0.005369	0.000517	-0.005334	0.00042	-0.007713	0.001141	-0.005633	-0.000538	-0.009494

Table 111: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_P	ER^*_C	ER^*_C
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Best Individual	Naive			0.004095	0.000753	0.003106
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Naive			0.005941	-0.002174	0.008592
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Naive			0.00644	-0.002969	0.00686
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Naive			0.004219	-0.003174	0.005336
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Naive			0.003579	-0.003672	0.004075
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Naive			0.000502	-0.005369	0.002607

Table 112: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	G	F	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				max	-0.00761	0.117706
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	G	Fbar	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				min	-0.003527	0.213466
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	G	C	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				max	-0.011177	0.176559
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	G	Cbar	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				min	-0.002642	0.272818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	P	F	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				max	-0.009959	0.117706
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	P	Fbar	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				min	-0.000675	0.213466
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	P	C	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				max	-0.012756	0.176559
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	P	Cbar	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				min	0.000599	0.272818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	S	F	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				max	-0.008177	0.117706
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	S	Fbar	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				min	0.000429	0.213466
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	S	C	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				max	-0.013099	0.176559
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	S	Cbar	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				min	-0.00089	0.272818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	A	F	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				max	-0.003538	0.117706

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	A	Fbar	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005	Geometry			min	0.010336	0.213466
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	A	C	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				max	-0.00577	0.176559
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	A	Cbar	102fdbeeff8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				min	0.011792	0.272818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	G	F	58272dcec12a1290017eed314084c4877662fec9faee5237cb62c5378cb0a6e9f	2005				max	-0.004762	0.116708
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	G	Fbar	58272dcec12a1290017eed314084c4877662fec9faee5237cb62c5378cb0a6e9f	2005				min	-0.001962	0.205486
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	G	C	58272dcec12a1290017eed314084c4877662fec9faee5237cb62c5378cb0a6e9f	2005				max	-0.00834	0.169077
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	G	Cbar	58272dcec12a1290017eed314084c4877662fec9faee5237cb62c5378cb0a6e9f	2005				min	-0.002169	0.264838
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	P	F	58272dcec12a1290017eed314084c4877662fec9faee5237cb62c5378cb0a6e9f	2005				max	-0.008863	0.116708
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	P	Fbar	58272dcec12a1290017eed314084c4877662fec9faee5237cb62c5378cb0a6e9f	2005				min	-0.000489	0.205486
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	P	C	58272dcec12a1290017eed314084c4877662fec9faee5237cb62c5378cb0a6e9f	2005				max	-0.003578	0.169077
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	P	Cbar	58272dcec12a1290017eed314084c4877662fec9faee5237cb62c5378cb0a6e9f	2005				min	0.000642	0.264838
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	S	F	58272dcec12a1290017eed314084c4877662fec9faee5237cb62c5378cb0a6e9f	2005				max	-0.013972	0.116708
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	S	Fbar	58272dcec12a1290017eed314084c4877662fec9faee5237cb62c5378cb0a6e9f	2005				min	0.000498	0.205486

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	S	C	58272dcec12a1290017e ed314084c4877662fc9f aee5237cb62c5378cb0a6e9f	2005	Geometry			max	- 0.013674	0.169077
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	S	Cbar	58272dcec12a1290017e ed314084c4877662fc9f aee5237cb62c5378cb0a6e9f	2005				min	- 0.004828	0.264838
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	A	F	58272dcec12a1290017e ed314084c4877662fc9f aee5237cb62c5378cb0a6e9f	2005				max	- 0.002394	0.116708
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	A	Fbar	58272dcec12a1290017e ed314084c4877662fc9f aee5237cb62c5378cb0a6e9f	2005				min	- 0.001257	0.205486
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	A	C	58272dcec12a1290017e ed314084c4877662fc9f aee5237cb62c5378cb0a6e9f	2005				max	0.004709	0.169077
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	A	Cbar	58272dcec12a1290017e ed314084c4877662fc9f aee5237cb62c5378cb0a6e9f	2005				min	4.5538e-05	0.264838
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	G	F	aa50c9f6a6cc7362dc8d 6ed5e65a1165e51e0bb1 b14ea54a22a05f10e5ea b6d4	2005				max	- 0.004074	0.123192
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	G	Fbar	aa50c9f6a6cc7362dc8d 6ed5e65a1165e51e0bb1 b14ea54a22a05f10e5ea b6d4	2005				min	- 0.00017	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	G	C	aa50c9f6a6cc7362dc8d 6ed5e65a1165e51e0bb1 b14ea54a22a05f10e5ea b6d4	2005				max	- 0.006863	0.182544
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	G	Cbar	aa50c9f6a6cc7362dc8d 6ed5e65a1165e51e0bb1 b14ea54a22a05f10e5ea b6d4	2005				min	- 0.000745	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	P	F	aa50c9f6a6cc7362dc8d 6ed5e65a1165e51e0bb1 b14ea54a22a05f10e5ea b6d4	2005				max	- 0.009254	0.123192
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	P	Fbar	aa50c9f6a6cc7362dc8d 6ed5e65a1165e51e0bb1 b14ea54a22a05f10e5ea b6d4	2005				min	0.001565	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	P	C	aa50c9f6a6cc7362dc8d 6ed5e65a1165e51e0bb1 b14ea54a22a05f10e5ea b6d4	2005				max	- 0.012517	0.182544

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	P	Cbar	aa50c9f6a6cc7362dc8d6ed5e65a1165e51e0bb1b14ea54a22a05f10e5ea b6d4	2005	Geometry			min	-0.000577	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	S	F	aa50c9f6a6cc7362dc8d6ed5e65a1165e51e0bb1b14ea54a22a05f10e5ea b6d4	2005				max	-0.011463	0.123192
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	S	Fbar	aa50c9f6a6cc7362dc8d6ed5e65a1165e51e0bb1b14ea54a22a05f10e5ea b6d4	2005				min	0.000856	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	S	C	aa50c9f6a6cc7362dc8d6ed5e65a1165e51e0bb1b14ea54a22a05f10e5ea b6d4	2005				max	-0.012041	0.182544
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	S	Cbar	aa50c9f6a6cc7362dc8d6ed5e65a1165e51e0bb1b14ea54a22a05f10e5ea b6d4	2005				min	-0.002034	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	A	F	aa50c9f6a6cc7362dc8d6ed5e65a1165e51e0bb1b14ea54a22a05f10e5ea b6d4	2005				max	-0.004096	0.123192
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	A	Fbar	aa50c9f6a6cc7362dc8d6ed5e65a1165e51e0bb1b14ea54a22a05f10e5ea b6d4	2005				min	-0.001766	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	A	C	aa50c9f6a6cc7362dc8d6ed5e65a1165e51e0bb1b14ea54a22a05f10e5ea b6d4	2005				max	-0.002881	0.182544
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	A	Cbar	aa50c9f6a6cc7362dc8d6ed5e65a1165e51e0bb1b14ea54a22a05f10e5ea b6d4	2005				min	-0.000385	0.271322
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	G	F	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				max	-0.003365	0.121197
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	G	Fbar	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				min	-0.001248	0.209476
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	G	C	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				max	-0.00786	0.182544
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	G	Cbar	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				min	-0.000909	0.268828

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	P	F	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				max	-0.006563	0.121197
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	P	Fbar	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				min	0.000415	0.209476
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	P	C	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				max	-0.009524	0.182544
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	P	Cbar	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				min	0.001618	0.268828
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	S	F	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				max	-0.009588	0.121197
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	S	Fbar	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				min	0.000713	0.209476
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	S	C	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				max	-0.013039	0.182544
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	S	Cbar	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				min	-0.001612	0.268828
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	A	F	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				max	-0.005299	0.121197
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	A	Fbar	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				min	0.00404	0.209476
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	A	C	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				max	-0.002382	0.182544
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	A	Cbar	8c9ee5581978504ec36f707bbbb04d51ed754732d23b8a44816dcc280f6467f8	2005				min	0.004921	0.268828
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	G	F	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				max	-0.004041	0.121696

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	G	Fbar	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005	Geometry			min	-0.001356	0.207481
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	G	C	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				max	-0.007247	0.18005
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	G	Cbar	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				min	-0.000975	0.26783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	P	F	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				max	-0.00736	0.121696
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	P	Fbar	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				min	-0.001709	0.207481
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	P	C	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				max	-0.009458	0.18005
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	P	Cbar	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				min	0.001	0.26783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	S	F	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				max	-0.007937	0.121696
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	S	Fbar	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				min	-0.000143	0.207481
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	S	C	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				max	-0.00791	0.18005
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	S	Cbar	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				min	-0.002541	0.26783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	A	F	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				max	-0.004624	0.121696
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	A	Fbar	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				min	0.00214	0.207481

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	A	C	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				max	-0.000385	0.18005
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	A	Cbar	06e5d8d4a0b1bc18f7791988259c443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				min	0.001957	0.26783

Table 113: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	G	F	0.052369	0.117706	0.052369	0.059979	752e587dde d6149ca105 415099ce11 6142a5a0f6 eb0e963c15 fb36622ed4 9c7a	full_naive_ single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	G	Fbar	0.080299	-	0.213466	0.080299	0.076772	f25fc4b3a1 bf829c29b9 68b28f2b15 d6022436e5 95d4d3fed5 8dae5683e0 5ba3	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	G	C	0.109227	0.176559	0.109227	0.120404	433332add7 e27e17c5db 234023c737 5a29c23379 cf506cb3bf 81ce23b1f7 a35e	full_naive_ single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	G	Cbar	0.142643	-	-	-	78849784e9 337ca92e20 72c54e8752 4037649236 41d4ab5ab2 5733d53489 982a	full_naive_ single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	P	F	0.068828	0.117706	0.068828	0.078787	2ef177861c ea92b164f3 7bafc75b75 aa6fc05209 535c1bf191 c74a314df9 7e20	full_naive_ single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	P	Fbar	0.091272	-	-	-	cfed196677 1e5f98fd76 057298c4a7 72f22234e7 ecfcc5fdff c11cbl9e2d add6	full_naive_ single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	P	C	0.135661	0.176559	0.135661	0.148416	ab2edd09c 52fe64d54a 515698290a 4688e1085b 9b8b54286f a1a9d3c356 6a1b	full_naive_ single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	P	Cbar	0.162095	-	-	-	acb2b39c4e 81fd13ff21 69e286bdff cf7b1b9d6d 7cdea6b25e 44e750bbfc 801d	full_naive_ single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	S	F	0.094264	0.117706	0.094264	0.102441	754c575b9c 55efad4b7 04cdfb33b ceb9deedb9 97736a0fad b3013210b9 3590	full_naive_ single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	S	Fbar	0.121197	-	-	-	02029d1818 f93f3c504c cfdc7505f0 349eeb79ba 8f6ef4bdbe 664b03e816 9e00	full_naive_ single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	S	C	0.145636	0.176559	0.145636	0.158735	fd48f5eae3 3169829286 d4a84bfb08 29d7cdc33e 989799b4fa 540fb0b07e 7926	full_naive_ single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	S	Cbar	0.18803	-	-	-	a7ad4611c7 f2030b2d9 5f0b19eb9b eee902c33a 88ce81d674 fa95faccas fb5c	full_naive_ single_pool		True	

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	A	F	0.0942640	0.1177060	0.0942640	0.0978030	3e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	A	Fbar	0.224938	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	A	C	0.123691	0.176559	0.123691	0.12946	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	A	Cbar	0.284289	-	-	-	d1982bb6040f7e779cd00bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	G	F	0.054863	0.116708	0.054863	0.059624	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	G	Fbar	0.078304	-	-	-	f25fc4b3a1bf829c29bb968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	G	C	0.108728	0.169077	0.108728	0.117068	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	G	Cbar	0.141646	-	-	-	78849784e9337ca92e2072e54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	P	F	0.069327	0.116708	0.069327	0.07819	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	P	Fbar	0.090274	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	P	C	0.14015	0.169077	0.14015	0.143727	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	P	Cbar	0.161097	-	-	-	acb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44e750bbfcs01d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	S	F	0.087781	0.116708	0.087781	0.101753	754c575b9c55effad4b704cdfbf33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	S	Fbar	0.117706	-	-	-	02029d1818f93f3c504cfdc7c505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	S	C	0.14015	0.169077	0.14015	0.153824	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	S	Cbar	0.188529	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9bee902c33a88ce81d674fa95facca8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	A	F	0.094763	0.116708	0.094763	0.097157	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	A	Fbar	0.232918	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	A	C	0.129676	0.169077	0.129676	0.124966	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	A	Cbar	0.292269	-	-	-	d1982bb6040f7ef779cd07bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	G	F	0.057855	0.123192	0.057855	0.061929	752e587dde6d6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	G	Fbar	0.076808	-	-	-	f25fc4b3a1bf829c29b9968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	G	C	0.116209	0.182544	0.116209	0.123072	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	G	Cbar	0.140648	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	P	F	0.072818	0.123192	0.072818	0.082072	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	P	Fbar	0.088778	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	P	C	0.139651	0.182544	0.139651	0.152168	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	P	Cbar	0.163092	-	-	-	ac2b239c4e81fd13ff2169e286bdffc77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	S	F	0.094763	0.123192	0.094763	0.106226	754c575b9c55efad4b704cdfbf33bceb9deedb997736a0fadb3013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	S	Fbar	0.119701	-	-	-	02029d1818f93f3c504c4cfd7505f0349ee79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	S	C	0.150623	0.182544	0.150623	0.162665	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	S	Cbar	0.188529	-	-	-	a7ad4611c7ff2030b2d95f0b19eb9beee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	A	F	0.097257	0.123192	0.097257	0.101353	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	A	Fbar	0.23591	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	A	C	0.130175	0.182544	0.130175	0.133055	a0dc973d05872fe19dc2482da1f6efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	A	Cbar	0.295761	-	-	-	d1982bb6040f7ef779cd10bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	G	F	0.057855	0.121197	0.057855	0.06122	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	G	Fbar	0.077805	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	G	C	0.115212	0.182544	0.115212	0.123072	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	G	Cbar	0.140648	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	P	F	0.074314	0.121197	0.074314	0.080877	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	P	Fbar	0.089776	-	-	-	1e5f98fd76057298c4a772f22234e7ecfccf5ddf c11cb19e2d add6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	P	C	0.142643	0.182544	0.142643	0.152168	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	P	Cbar	0.160599	-	-	-	acb2b39c4e81fd13ff2169e286bdffcf7b1b9d6d7cdca6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	S	F	0.095262	0.121197	0.095262	0.10485	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	S	Fbar	0.119202	-	-	-	02029d1818f93f3c504ccfdce7505f0349eeb79ba8f6ef4dbbe664b03e8169a00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	S	C	0.149626	0.182544	0.149626	0.162655	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	S	Cbar	0.187032	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9bee902c33a88ce81d674fa95facca8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	A	F	0.094763	0.121197	0.094763	0.100062	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	A	Fbar	0.229426	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	A	C	0.130673	0.182544	0.130673	0.133055	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	A	Cbar	0.289277	-	-	-	d1982bb6040ffef779cd f0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	G	F	0.057357	0.121696	0.057357	0.061397	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	G	Fbar	0.077805	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	G	C	0.114713	0.18005	0.114713	0.121961	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	G	Cbar	0.140648	-	-	-	78849784e9337ca92e2072c54e8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	P	F	0.073815	0.121696	0.073815	0.081176	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	P	Fbar	0.088279	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11eb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	P	C	0.141147	0.18005	0.141147	0.150605	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286f1a1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	P	Cbar	0.161097	-	-	-	acfb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	S	F	0.097257	0.121696	0.097257	0.105194	754c575b9c55effad4b704cedfb33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	S	Fbar	0.119202	-	-	-	02029d1818f93f3c504ccfd7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	S	C	0.153117	0.18005	0.153117	0.161027	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	S	Cbar	0.187531	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9bee902c33a88ce81d674fa95faccab5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	A	F	0.095761	0.121696	0.095761	0.100385	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	A	Fbar	0.230424	-	0.207481	0.230424	0.232564	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abec6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	A	C	0.131172	0.18005	0.131172	0.131557	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True	
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	A	Cbar	0.291771	-	0.26783	0.291771	0.293727	d1982bb6040f7ef779cd0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True

Table 114: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER^s_z	ER^s_c	$ER^s_{\bar{c}}$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	102fdbecf8b42aa834629f46a6489926758a69089defb65abae119a3a62b1b0f	2005				CheferTranformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAb lation;PartialLRP;Saliency		-	-	-
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	58272dcec12a1290017eed314084c4877662fc9faee5237cb62c5378cb0a6e9f	2005				CheferTranformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAb lation;PartialLRP;Saliency		-	-	-
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	aa50c9f6a6cc7362dc8d6ed5e65a1165e51e0bb1b14ea54a22a05f10e5eab6d4	2005				CheferTranformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAb lation;PartialLRP;Saliency		-	-	-
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	8c9ee5581978504ec36f707babb04d51ed754732d23b8a44816dcc280f6467f8	2005				CheferTranformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAb lation;PartialLRP;Saliency		-	-	-
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	06e5d8d4a0b1bc18f7791988259e443ea5cb355d5c3a684f2bec725c2b2abe6f	2005				CheferTranformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAb lation;PartialLRP;Saliency		-	-	-

Table 115: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^p_{-C}	ER^p_F	ER^p_F	ER^p_{+C}	ER^p_{-C}	ER^p_F	ER^p_F	ER^p_{+C}	ER^p_{-C}	ER^p_{+C}
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	-0.002642	-0.009959	-0.000675	-0.012756	0.000599	-0.008177	0.000429	-0.013099	-0.00089	-0.003538
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	-0.002169	-0.008863	-0.000489	-0.003578	0.000642	-0.013972	0.000498	-0.013674	-0.004828	-0.002394
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	-0.000745	-0.009254	0.001565	-0.012517	-0.000577	-0.011463	0.000856	-0.012041	-0.002034	-0.004096
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	-0.000909	-0.006563	0.000415	-0.009524	0.001618	-0.009588	0.000713	-0.013039	-0.001612	-0.005299
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	-0.000975	-0.00736	0.001709	-0.009458	0.001	-0.007937	-0.000143	-0.00791	-0.002541	-0.004624

Table 116: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_e	ER^*_c	ER^*_v
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		7	0.010336	-0.00577	0.011792
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	Dual Geometry Noise		7	-0.001257	0.004709	4.5538e-05
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	Dual Geometry Noise		7	-0.001766	-0.002881	-0.000385
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	Dual Geometry Noise		7	0.00404	-0.002382	0.004921
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	Dual Geometry Noise		7	0.00214	-0.000385	0.001957

Table 117: DermaMNIST-ViT-B/16

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ViT-B/16	S	Fbar	02029d1818f93f3c504cfdc7505f0349e0b79ba8f6ef4bdbc664b03e8169e00		11	nonnegative__slope__ordinary__least_squares	0.428947	0.428947	False	-0.030061	0.000187	0.00456	0.529513	-0.252369	-0.216958	-0.138155	-0.1202
DermaMNIST-ViT-B/16	A	Fbar	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abeec059240fe9a5dae5136d		11	nonnegative__slope__ordinary__least_squares	0.452737	0.452737	False	-0.138629	0.000252	0.005296	0.48164	-0.252369	-0.216958	-0.25187	-0.232419
DermaMNIST-ViT-B/16	P	F	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20		11	nonnegative__slope__ordinary__least_squares	0.598697	0.598697	False	0.008317	0.000597	0.008145	0.768222	0.023441	0.103741	0.01995	0.07182
DermaMNIST-ViT-B/16	G	C	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e		11	nonnegative__slope__ordinary__least_squares	0.445895	0.445895	False	0.041677	0.000486	0.007351	0.816518	0.047382	0.162594	0.05985	0.114214
DermaMNIST-ViT-B/16	G	F	752e587dde6149ca105415099ecl16142a5a0f6eb0e963c15fb36622ed49c7a		11	nonnegative__slope__ordinary__least_squares	0.355453	0.355453	False	0.01814	0.000323	0.00599	0.683535	0.023441	0.103741	0.023441	0.05586
DermaMNIST-ViT-B/16	S	F	754c575b9c55effad4b704cdffb33bce99deed997735a0fad		11	nonnegative__slope__ordinary__least_squares	0.689926	0.689926	False	0.021233	0.000593	0.008118	0.815884	0.023441	0.103741	0.034414	0.093267
DermaMNIST-ViT-B/16	G	Cbar	b3013210b9359078849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a		11	nonnegative__slope__ordinary__least_squares	0.065653	0.065653	False	-0.12209	4.0161e-05	0.002112	0.125162	-0.315212	-0.278803	-0.143142	-0.136658
DermaMNIST-ViT-B/16	A	C	a0dc973d05872fe19dc2482daf16fd98cd4d43015716e9744ba7a6cb501a610		11	nonnegative__slope__ordinary__least_squares	0.600673	0.600673	False	0.023406	0.000525	0.007635	0.882147	0.047382	0.162594	0.050873	0.127681
DermaMNIST-ViT-B/16	S	Cbar	a7a4d611c7ff2030b2d95f0b19eb9b9ee902c33a88ce81d674fa95faccab8fb5c		11	nonnegative__slope__ordinary__least_squares	0.430971	0.430971	False	-0.069563	0.000182	0.004497	0.576352	-0.315212	-0.278803	-0.204489	-0.185536
DermaMNIST-ViT-B/16	P	C	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286f		11	nonnegative__slope__ordinary__least_squares	0.62677	0.62677	False	0.037755	0.000728	0.008993	0.854526	0.047382	0.162594	0.063342	0.138155
DermaMNIST-ViT-B/16	P	Cbar	6a1b9ac2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdca6b25e44e750bbfc801d		11	nonnegative__slope__ordinary__least_squares	0.119686	0.119686	False	-0.130042	3.1199e-05	0.001862	0.379669	-0.315212	-0.278803	-0.167581	-0.161097
DermaMNIST-ViT-B/16	P	Fbar	cfed1966771e5f98fd76057298c4a772f22234e7ecfcc5fdfc11eb19e2dad46		11	nonnegative__slope__ordinary__least_squares	0.101759	0.101759	False	-0.068875	2.1392e-05	0.001542	0.356501	-0.252369	-0.216958	-0.094763	-0.089776
DermaMNIST-ViT-B/16	A	Cbar	d1982bb6040f7ef779cd0b0c7956a5b868abeb5f724267b50257a4034702a400		11	nonnegative__slope__ordinary__least_squares	0.471991	0.471991	False	-0.167314	0.000325	0.006006	0.477761	-0.315212	-0.278803	-0.315212	-0.292768

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ViT-B/16	A	F	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682		11	nonnegative_slope_ordinary_least_squares	0.647111	0.647111	False	0.021634	0.000431	0.006921	0.842857	0.023441	0.103741	0.037905	0.097756
DermaMNIST-ViT-B/16	G	Fbar	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3		11	nonnegative_slope_ordinary_least_squares	0.053962	0.053962	False	-0.065253	3.1538e-05	0.001872	0.09557	-0.252369	-0.216958	-0.079302	-0.073815
DermaMNIST-ViT-B/16	S	C	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926		11	nonnegative_slope_ordinary_least_squares	0.656511	0.656511	False	0.042823	0.00085	0.009716	0.846663	0.047382	0.162594	0.072319	0.14813

Table 118: DermaMNIST-ViT-B/16

Cell	Condition	Metric	Reference Methods
DermaMNIST-ViT-B/16	S	Fbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient
DermaMNIST-ViT-B/16	A	Fbar	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	P	F	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient
DermaMNIST-ViT-B/16	G	C	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient
DermaMNIST-ViT-B/16	G	F	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	F	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient
DermaMNIST-ViT-B/16	G	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient
DermaMNIST-ViT-B/16	A	C	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient

Cell	Condition	Metric	Reference Methods
DermaMNIST-ViT-B/16	P	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	P	Cbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	P	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	A	Cbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	A	F	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	G	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
DermaMNIST-ViT-B/16	S	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency

Table 119: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	G	F	53cd0f4572 18020b89a9 d2dfe60e15 2201555a6c 0061e5d746 5d962d4999 ea1f	2005	Spearman	NOISE-S		max	- 0.005582	0.116209
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	G	Fbar	53cd0f4572 18020b89a9 d2dfe60e15 2201555a6c 0061e5d746 5d962d4999 ea1f	2005	Spearman	NOISE-S		min	- 0.003055	0.212968
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	G	C	53cd0f4572 18020b89a9 d2dfe60e15 2201555a6c 0061e5d746 5d962d4999 ea1f	2005	Spearman	NOISE-S		max	- 0.01173	0.175561
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	G	Cbar	53cd0f4572 18020b89a9 d2dfe60e15 2201555a6c 0061e5d746 5d962d4999 ea1f	2005	Spearman	NOISE-S		min	- 0.002176	0.272319
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	P	F	53cd0f4572 18020b89a9 d2dfe60e15 2201555a6c 0061e5d746 5d962d4999 ea1f	2005	Spearman	NOISE-S		max	- 0.007567	0.116209
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	P	Fbar	53cd0f4572 18020b89a9 d2dfe60e15 2201555a6c 0061e5d746 5d962d4999 ea1f	2005	Spearman	NOISE-S		min	- 0.001224	0.212968
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	P	C	53cd0f4572 18020b89a9 d2dfe60e15 2201555a6c 0061e5d746 5d962d4999 ea1f	2005	Spearman	NOISE-S		max	- 0.011133	0.175561
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	P	Cbar	53cd0f4572 18020b89a9 d2dfe60e15 2201555a6c 0061e5d746 5d962d4999 ea1f	2005	Spearman	NOISE-S		min	4.1045e- 05	0.272319
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	S	F	53cd0f4572 18020b89a9 d2dfe60e15 2201555a6c 0061e5d746 5d962d4999 ea1f	2005	Spearman	NOISE-S		max	- 0.008142	0.116209
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	S	Fbar	53cd0f4572 18020b89a9 d2dfe60e15 2201555a6c 0061e5d746 5d962d4999 ea1f	2005	Spearman	NOISE-S		min	0.000714	0.212968
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	S	C	53cd0f4572 18020b89a9 d2dfe60e15 2201555a6c 0061e5d746 5d962d4999 ea1f	2005	Spearman	NOISE-S		max	- 0.010948	0.175561
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	S	Cbar	53cd0f4572 18020b89a9 d2dfe60e15 2201555a6c 0061e5d746 5d962d4999 ea1f	2005	Spearman	NOISE-S		min	- 0.001105	0.272319
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	A	F	53cd0f4572 18020b89a9 d2dfe60e15 2201555a6c 0061e5d746 5d962d4999 ea1f	2005	Spearman	NOISE-S		max	- 0.004066	0.116209

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	A	Fbar	53cd0f457218020b89a9d2dfe60e152201555a6c0061e5d7465d962d4999ea1f	2005	Spearman	NOISE-S		min	0.008113	0.212968
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	A	C	53cd0f457218020b89a9d2dfe60e152201555a6c0061e5d7465d962d4999ea1f	2005	Spearman	NOISE-S		max	-0.004672	0.175561
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	A	Cbar	53cd0f457218020b89a9d2dfe60e152201555a6c0061e5d7465d962d4999ea1f	2005	Spearman	NOISE-S		min	0.008564	0.272319
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	G	F	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		max	-0.002412	0.115711
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	G	Fbar	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		min	-0.0023	0.208479
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	G	C	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		max	-0.005017	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	G	Cbar	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		min	-0.001939	0.268329
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	P	F	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		max	-0.003777	0.115711
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	P	Fbar	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		min	-0.001182	0.208479
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	P	C	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		max	-0.003019	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	P	Cbar	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		min	-0.000437	0.268329
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	S	F	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		max	-0.008297	0.115711
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	S	Fbar	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		min	0.003776	0.208479

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	S	C	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		max	-0.00917	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	S	Cbar	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		min	-0.002326	0.268329
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	A	F	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		max	-0.000751	0.115711
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	A	Fbar	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		min	0.004586	0.208479
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	A	C	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		max	0.002314	0.170574
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	A	Cbar	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		min	0.005185	0.268329
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	G	F	394ec6f51ac37cd1a0357e4de3686193e65008204b9a6cac3f4fbe09b2a0be95	2005	Spearman	NOISE-S		max	0.000869	0.117706
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	G	Fbar	394ec6f51ac37cd1a0357e4de3686193e65008204b9a6cac3f4fbe09b2a0be95	2005	Spearman	NOISE-S		min	0.000612	0.206983
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	G	C	394ec6f51ac37cd1a0357e4de3686193e65008204b9a6cac3f4fbe09b2a0be95	2005	Spearman	NOISE-S		max	-0.003473	0.17606
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	G	Cbar	394ec6f51ac37cd1a0357e4de3686193e65008204b9a6cac3f4fbe09b2a0be95	2005	Spearman	NOISE-S		min	2.2964e-05	0.26783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	P	F	394ec6f51ac37cd1a0357e4de3686193e65008204b9a6cac3f4fbe09b2a0be95	2005	Spearman	NOISE-S		max	-0.004473	0.117706
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	P	Fbar	394ec6f51ac37cd1a0357e4de3686193e65008204b9a6cac3f4fbe09b2a0be95	2005	Spearman	NOISE-S		min	0.00066	0.206983
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	P	C	394ec6f51ac37cd1a0357e4de3686193e65008204b9a6cac3f4fbe09b2a0be95	2005	Spearman	NOISE-S		max	-0.005959	0.17606

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	P	Cbar	394ec6f51a c37cd1a035 7e4de36861 93e6500820 4b9a6cac3f 4fbe09b2a0 be95	2005	Spearman	NOISE-S		min	0.001	0.26783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	S	F	394ec6f51a c37cd1a035 7e4de36861 93e6500820 4b9a6cac3f 4fbe09b2a0 be95	2005	Spearman	NOISE-S		max	- 0.004187	0.117706
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	S	Fbar	394ec6f51a c37cd1a035 7e4de36861 93e6500820 4b9a6cac3f 4fbe09b2a0 be95	2005	Spearman	NOISE-S		min	- 0.000357	0.206983
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	S	C	394ec6f51a c37cd1a035 7e4de36861 93e6500820 4b9a6cac3f 4fbe09b2a0 be95	2005	Spearman	NOISE-S		max	- 0.005789	0.17606
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	S	Cbar	394ec6f51a c37cd1a035 7e4de36861 93e6500820 4b9a6cac3f 4fbe09b2a0 be95	2005	Spearman	NOISE-S		min	- 0.000546	0.26783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	A	F	394ec6f51a c37cd1a035 7e4de36861 93e6500820 4b9a6cac3f 4fbe09b2a0 be95	2005	Spearman	NOISE-S		max	- 0.004037	0.117706
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	A	Fbar	394ec6f51a c37cd1a035 7e4de36861 93e6500820 4b9a6cac3f 4fbe09b2a0 be95	2005	Spearman	NOISE-S		min	0.000418	0.206983
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	A	C	394ec6f51a c37cd1a035 7e4de36861 93e6500820 4b9a6cac3f 4fbe09b2a0 be95	2005	Spearman	NOISE-S		max	- 0.002477	0.17606
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	A	Cbar	394ec6f51a c37cd1a035 7e4de36861 93e6500820 4b9a6cac3f 4fbe09b2a0 be95	2005	Spearman	NOISE-S		min	0.001957	0.26783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	G	F	b675ead810 03fd03baa b500723fb8 59ae6b07e2 fbe82a151d ef7bcdca90 faac	2005	Spearman	NOISE-S		max	- 0.002223	0.122195
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	G	Fbar	b675ead810 03fd03baa b500723fb8 59ae6b07e2 fbe82a151d ef7bcdca90 faac	2005	Spearman	NOISE-S		min	- 0.00017	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	G	C	b675ead810 03fd03baa b500723fb8 59ae6b07e2 fbe82a151d ef7bcdca90 faac	2005	Spearman	NOISE-S		max	- 0.006472	0.180549
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	G	Cbar	b675ead810 03fd03baa b500723fb8 59ae6b07e2 fbe82a151d ef7bcdca90 faac	2005	Spearman	NOISE-S		min	- 0.000778	0.270823

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	P	F	b675ead810 03fdd03baa b500723fb8 59ae6b07e2 fbc82a151d ef7bcdea90 faac	2005	Spearman	NOISE-S		max	- 0.006163	0.122195
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	P	Fbar	b675ead810 03fdd03baa b500723fb8 59ae6b07e2 fbc82a151d ef7bcdea90 faac	2005	Spearman	NOISE-S		min	0.001066	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	P	C	b675ead810 03fdd03baa b500723fb8 59ae6b07e2 fbc82a151d ef7bcdea90 faac	2005	Spearman	NOISE-S		max	- 0.008773	0.180549
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	P	Cbar	b675ead810 03fdd03baa b500723fb8 59ae6b07e2 fbc82a151d ef7bcdea90 faac	2005	Spearman	NOISE-S		min	0.000859	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	S	F	b675ead810 03fdd03baa b500723fb8 59ae6b07e2 fbc82a151d ef7bcdea90 faac	2005	Spearman	NOISE-S		max	- 0.008281	0.122195
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	S	Fbar	b675ead810 03fdd03baa b500723fb8 59ae6b07e2 fbc82a151d ef7bcdea90 faac	2005	Spearman	NOISE-S		min	0.001355	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	S	C	b675ead810 03fdd03baa b500723fb8 59ae6b07e2 fbc82a151d ef7bcdea90 faac	2005	Spearman	NOISE-S		max	- 0.01123	0.180549
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	S	Cbar	b675ead810 03fdd03baa b500723fb8 59ae6b07e2 fbc82a151d ef7bcdea90 faac	2005	Spearman	NOISE-S		min	0.000245	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	A	F	b675ead810 03fdd03baa b500723fb8 59ae6b07e2 fbc82a151d ef7bcdea90 faac	2005	Spearman	NOISE-S		max	- 0.009934	0.122195
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	A	Fbar	b675ead810 03fdd03baa b500723fb8 59ae6b07e2 fbc82a151d ef7bcdea90 faac	2005	Spearman	NOISE-S		min	0.006713	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	A	C	b675ead810 03fdd03baa b500723fb8 59ae6b07e2 fbc82a151d ef7bcdea90 faac	2005	Spearman	NOISE-S		max	- 0.007667	0.180549
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	A	Cbar	b675ead810 03fdd03baa b500723fb8 59ae6b07e2 fbc82a151d ef7bcdea90 faac	2005	Spearman	NOISE-S		min	0.006362	0.270823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	G	F	dd68b58fb6 a3ddb697c9 ce7090b3cf c1d247cb37 6c0cf62c42 b0244b2219 a298	2005	Spearman	NOISE-S		max	- 0.002013	0.1202

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	G	Fbar	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		min	0.000329	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	G	C	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		max	-0.006526	0.179551
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	G	Cbar	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		min	0.00035	0.272818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	P	F	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		max	-0.006963	0.1202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	P	Fbar	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		min	0.002064	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	P	C	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		max	-0.007649	0.179551
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	P	Cbar	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		min	0.001597	0.272818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	S	F	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		max	-0.007403	0.1202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	S	Fbar	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		min	0.004347	0.210973
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	S	C	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		max	-0.00858	0.179551
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	S	Cbar	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		min	0.004097	0.272818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	A	F	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		max	-0.001661	0.1202
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	A	Fbar	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		min	0.005216	0.210973

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	A	C	d468b58fb6a3ddb697c9ce7090b3cfcl247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		max	-0.001582	0.179551
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	A	Cbar	d468b58fb6a3ddb697c9ce7090b3cfcl247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		min	0.007802	0.272818
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	G	F	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		max	-0.005227	0.115212
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	G	Fbar	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		min	-0.002745	0.209476
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	G	C	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		max	-0.011898	0.177057
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	G	Cbar	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		min	-0.002373	0.269327
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	P	F	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		max	-0.006471	0.115212
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	P	Fbar	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		min	-0.002577	0.209476
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	P	C	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		max	-0.010076	0.177057
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	P	Cbar	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		min	-0.000816	0.269327
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	S	F	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		max	-0.008451	0.115212
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	S	Fbar	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		min	-0.000285	0.209476
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	S	C	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		max	-0.014424	0.177057

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	S	Cbar	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		min	-0.001397	0.269327
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	A	F	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		max	-0.001925	0.115212
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	A	Fbar	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		min	0.006035	0.209476
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	A	C	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		max	-0.005072	0.177057
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	A	Cbar	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		min	0.00765	0.269327
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	G	F	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		max	-0.004707	0.106733
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	G	Fbar	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		min	-0.001828	0.20798
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	G	C	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		max	-0.010941	0.167082
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	G	Cbar	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		min	-0.00167	0.264838
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	P	F	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		max	-0.003889	0.106733
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	P	Fbar	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		min	-0.002729	0.20798
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	P	C	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		max	-0.004322	0.167082
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	P	Cbar	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		min	-0.002351	0.264838

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	S	F	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		max	-0.008586	0.106733
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	S	Fbar	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		min	0.002565	0.20798
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	S	C	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		max	-0.012863	0.167082
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	S	Cbar	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		min	-0.002833	0.264838
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	A	F	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		max	0.011542	0.106733
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	A	Fbar	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		min	0.003862	0.20798
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	A	C	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		max	0.014386	0.167082
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	A	Cbar	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		min	0.005033	0.264838
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	G	F	7839c163e22b52cab90edfd774a61a33e44c655e5b2d118781b34fa14ef95083	2005	Kendall	NOISE-K		max	-0.003187	0.120698
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	G	Fbar	7839c163e22b52cab90edfd774a61a33e44c655e5b2d118781b34fa14ef95083	2005	Kendall	NOISE-K		min	0.001138	0.207481
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	G	C	7839c163e22b52cab90edfd774a61a33e44c655e5b2d118781b34fa14ef95083	2005	Kendall	NOISE-K		max	-0.008413	0.181546
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	G	Cbar	7839c163e22b52cab90edfd774a61a33e44c655e5b2d118781b34fa14ef95083	2005	Kendall	NOISE-K		min	0.000955	0.266833
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	P	F	7839c163e22b52cab90edfd774a61a33e44c655e5b2d118781b34fa14ef95083	2005	Kendall	NOISE-K		max	-0.008259	0.120698

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	P	Fbar	7839c163e2 2b52cab90e dfd774a61a 33e44c655e 5b2d118781 b34fa14ef9 5083	2005	Kendall	NOISE-K		min	- 0.000785	0.207481
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	P	C	7839c163e2 2b52cab90e dfd774a61a 33e44c655e 5b2d118781 b34fa14ef9 5083	2005	Kendall	NOISE-K		max	- 0.013887	0.181546
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	P	Cbar	7839c163e2 2b52cab90e dfd774a61a 33e44c655e 5b2d118781 b34fa14ef9 5083	2005	Kendall	NOISE-K		min	- 0.000117	0.266833
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	S	F	7839c163e2 2b52cab90e dfd774a61a 33e44c655e 5b2d118781 b34fa14ef9 5083	2005	Kendall	NOISE-K		max	- 0.008246	0.120698
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	S	Fbar	7839c163e2 2b52cab90e dfd774a61a 33e44c655e 5b2d118781 b34fa14ef9 5083	2005	Kendall	NOISE-K		min	0.000855	0.207481
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	S	C	7839c163e2 2b52cab90e dfd774a61a 33e44c655e 5b2d118781 b34fa14ef9 5083	2005	Kendall	NOISE-K		max	- 0.012882	0.181546
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	S	Cbar	7839c163e2 2b52cab90e dfd774a61a 33e44c655e 5b2d118781 b34fa14ef9 5083	2005	Kendall	NOISE-K		min	2.1644e- 05	0.266833
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	A	F	7839c163e2 2b52cab90e dfd774a61a 33e44c655e 5b2d118781 b34fa14ef9 5083	2005	Kendall	NOISE-K		max	- 0.002981	0.120698
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	A	Fbar	7839c163e2 2b52cab90e dfd774a61a 33e44c655e 5b2d118781 b34fa14ef9 5083	2005	Kendall	NOISE-K		min	0.005631	0.207481
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	A	C	7839c163e2 2b52cab90e dfd774a61a 33e44c655e 5b2d118781 b34fa14ef9 5083	2005	Kendall	NOISE-K		max	- 0.000287	0.181546
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	A	Cbar	7839c163e2 2b52cab90e dfd774a61a 33e44c655e 5b2d118781 b34fa14ef9 5083	2005	Kendall	NOISE-K		min	0.002982	0.266833
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	G	F	77babd8465 95e175f69d c97baae5a2 35c348768c 11e21ef13f 291978bb69 b8a1	2005	Kendall	NOISE-K		max	- 0.002301	0.118204
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	G	Fbar	77babd8465 95e175f69d c97baae5a2 35c348768c 11e21ef13f 291978bb69 b8a1	2005	Kendall	NOISE-K		min	- 0.000804	0.208479

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	G	C	77babd846595e175f69dc97baae5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		max	-0.000691	0.177057
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	G	Cbar	77babd846595e175f69dc97baae5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		min	-0.000476	0.26783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	P	F	77babd846595e175f69dc97baae5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		max	-0.00527	0.118204
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	P	Fbar	77babd846595e175f69dc97baae5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		min	-0.000684	0.208479
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	P	C	77babd846595e175f69dc97baae5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		max	-0.009577	0.177057
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	P	Cbar	77babd846595e175f69dc97baae5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		min	2.5553e-06	0.26783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	S	F	77babd846595e175f69dc97baae5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		max	-0.00902	0.118204
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	S	Fbar	77babd846595e175f69dc97baae5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		min	0.000285	0.208479
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	S	C	77babd846595e175f69dc97baae5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		max	-0.010933	0.177057
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	S	Cbar	77babd846595e175f69dc97baae5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		min	-0.001045	0.26783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	A	F	77babd846595e175f69dc97baae5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		max	-0.000869	0.118204
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	A	Fbar	77babd846595e175f69dc97baae5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		min	0.005085	0.208479
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	A	C	77babd846595e175f69dc97baae5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		max	0.00241	0.177057

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	A	Cbar	77babd846595e175f69dc97baae5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		min	0.003952	0.26783
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	G	F	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		max	- 0.00383	0.119701
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	G	Fbar	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		min	- 0.00052	0.204489
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	G	C	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		max	- 0.009465	0.180549
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	G	Cbar	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		min	- 0.000239	0.26384
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	P	F	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		max	- 0.007662	0.119701
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	P	Fbar	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		min	- 0.002586	0.204489
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	P	C	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		max	- 0.012264	0.180549
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	P	Cbar	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		min	- 0.001473	0.26384
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	S	F	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		max	- 0.013044	0.119701
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	S	Fbar	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		min	- 0.003422	0.204489
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	S	C	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		max	- 0.016218	0.180549
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	S	Cbar	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		min	- 0.005258	0.26384

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	A	F	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		max	0.001654	0.119701
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	A	Fbar	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		min	0.001782	0.204489
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	A	C	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		max	0.003804	0.180549
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	A	Cbar	482550abe82575105148519e3e129c cf0e6e416d aa27b0ca7c 884e961f91 e545	2005	Kendall	NOISE-K		min	0.002567	0.26384

Table 120: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	G	F	0.053868	0.116209	0.053865	0.059447	752e587dde d6149ca105 415099ce11 6142a5a0f6 eb0e963c15 fb36622ed4 9c7a	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	G	Fbar	0.0798	-	-0.0798	-	f25fc4b3a1 bf829c29b9 68b28f2b15 d6022436e5 95d4d3fed5 8dae5683e0 5ba3	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	G	C	0.108229	0.175561	0.108229	0.119959	433332add7 e27617c5db 234023c737 5a29c23379 cf506cb3bf 81ce23b1f7 a35e	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	G	Cbar	0.142145	-	-	-	78849784e9 337ca92e20 72c54e8752 4037649236 41d4ab5ab2 5733d53489 982a	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	P	F	0.070324	0.116209	0.070324	0.077891	2ef177861c ea92b164f3 7bafc75b75 aa6fc05209 535c1bf191 c74a314df9 7e20	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	P	Fbar	0.091771	-	-	-	cfed196677 1e5f98fd76 057298c4a7 72f22234e7 ecfcc5fdff c11cb19e2d add6	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	P	C	0.136658	0.175561	0.136658	0.147791	ab2eddc09c 52fe64d54a 515698290a 4688e1085b 9b8b54286f a1a9d3c356 6a1b	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	P	Cbar	0.162594	-	-	-	acb2b39c4e 81fd13ff21 69e286bdff cf7b1b9d6d 7cdea6b25e 44e750bbfc 801d	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	S	F	0.093267	0.116209	0.093267	0.101409	754c575b9c 55efad4b7 04cdfb33b ceb9deedb9 97736a0fad b3013210b9 3590	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	S	Fbar	0.120698	-	-	-	02029d1818 f93f3c504c cfdcf7505f0 349eeb79ba 8f6ef4bdbe 664b03e816 9e00	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	S	C	0.147132	0.175561	0.147132	0.15808	fd48f5eae3 3169829286 d4a84bfb08 29d7cdc33e 989799b4fa 540fb0b07e 7926	full_naive_ single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	S	Cbar	0.18803	-	-	-	a7a4d611c7 ff2030b2d9 5f0b19eb9b eee902c33a 88ce81d674 fa95facca8 fb5c	full_naive_ single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	A	F	0.092768	0.116209	0.092768	0.096834	3e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	A	Fbar	0.226933	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	A	C	0.12419	0.175561	0.12419	0.128861	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	A	Cbar	0.287282	-	-	-	d1982bb6040f7ef779cd00bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	G	F	0.056858	0.115711	0.056858	0.05927	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	G	Fbar	0.078803	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	G	C	0.112718	0.170574	0.112718	0.117735	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	G	Cbar	0.141646	-	-	-	78849784e9337ca92e2072e54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	P	F	0.073815	0.115711	0.073815	0.077593	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	P	Fbar	0.091272	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccc5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	P	C	0.141646	0.170574	0.141646	0.144665	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	P	Cbar	0.162594	-	-	-	acb2b39c4e81fd13ff2169e286bdffc77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	S	F	0.092768	0.115711	0.092768	0.101065	754c575b9c55effad4b704cdfbf33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	S	Fbar	0.115711	-	-	-	02029d1818f93f3c504c cfdc7505f0 349eeb79ba 8f6ef4bdbe 664b03e816 9e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	S	C	0.145636	0.170574	0.145636	0.154806	fd48f5eae3 3169829286 d4a84bfb08 29d7cdc33e 989799b4fa 540fb0b07e 7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	S	Cbar	0.187531	-	-	-	a7a4d611c7 f2030b2d9 5f0b19eb9b eee902c33a 88ce81d674 fa95facca8 fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	A	F	0.095761	0.115711	0.095761	0.096512	e2a742f6ea 3ca449f945 0492e1f6ab da378173cc 7e1ee52115 b2a7f8b230 d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	A	Fbar	0.228429	-	-	-	2eb74b68e0 18c0d4e549 5f0c70b966 6fad0cc89a b6e6c05924 0fe9a5dae5 136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	A	C	0.12818	0.170574	0.12818	0.125865	a0cd973d05 872fe19dc2 482daf16ef d98cd4d430 15716e9744 ba7a6cb501 a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	A	Cbar	0.288778	-	-	-	d1982bb604 0f7ef779cd f0bc7956a5 b868abeb5f 724267b502 57a4034702 a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	G	F	0.060848	0.117706	0.060848	0.059979	752c587dde d6149ca105 415099ce11 6142a5a0f6 eb0e963c15 fb36622ed4 9c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	G	Fbar	0.07581	-	-	-	f25fc4b3a1 bf829c29b9 68b28f2b15 d6022436e5 95d4d3fed5 8dae5683e0 5ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	G	C	0.116708	0.17606	0.116708	0.120181	433332add7 e27617c5db 234023c737 5a29c23379 cf506cb3bf 81ce23b1f7 a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	G	Cbar	0.139651	-	-	-	78849784e9 337ca92e20 72c54c8752 4037649236 41d4ab5ab2 5733d53489 982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	P	F	0.074314	0.117706	0.074314	0.078787	2ef177861c ea92b164f3 7bafc75b75 aa6fc05209 535c1bf191 c74a314df9 7e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	P	Fbar	0.089277	-	-	-	cfed196677 1e5f98fd76 057298c4a7 72f22234e7 ecfcfc5fdf c11cb19e2d add6	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	P	C	0.142148	0.17606	0.142148	0.148104	ab2eddcd09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	P	Cbar	0.161097	-	-	-	ac2b239c4e81fd13ff2169e286bdffc77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	S	F	0.098254	0.117706	0.098254	0.102441	754c575b9c55efad4b704cdfbf33bceb9deedb997736a0fad53013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	S	Fbar	0.119202	-	-	-	02029d1818f93f3c504c4cfd7505f0349ee79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	S	C	0.152618	0.17606	0.152618	0.158408	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	S	Cbar	0.185536	-	-	-	a7ad4611c7f2030b2d95f0b19eb9beee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	A	F	0.093766	0.117706	0.093766	0.097803	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	A	Fbar	0.23192	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	A	C	0.126683	0.17606	0.126683	0.129161	a0dc973d05872fe19dc2482da1f6efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	A	Cbar	0.291771	-	-	-	d1982bb6040f7ef779cd0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	G	F	0.059352	0.122195	0.059352	0.061575	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	G	Fbar	0.076808	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	G	C	0.115711	0.180549	0.115711	0.122183	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	G	Cbar	0.140648	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	P	F	0.075312	0.122195	0.075312	0.081474	2ef177861ce92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	P	Fbar	0.089277	-	-	-	1e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	P	C	0.142145	0.180549	0.142145	0.150917	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	P	Cbar	0.161596	-	-	-	acb2b39c4e81fd13ff2169e286bdffc7fb1b9d6d7cdca6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	S	F	0.097257	0.122195	0.097257	0.105538	754c575b9c55effad4b704cdfbf33bceb9deedb997736a0fad	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	S	Fbar	0.119202	-	-	-	b3013210b9359002029d1818f93f3c504ccfdce7505f0349eeb79ba8f6ef4dbbe664b03e8169a00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	S	C	0.150125	0.180549	0.150125	0.161355	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	S	Cbar	0.186035	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9bee902c33a88ce81d674fa95facca8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	A	F	0.090773	0.122195	0.090773	0.100707	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	A	Fbar	0.227431	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	A	C	0.12419	0.180549	0.12419	0.131857	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	A	Cbar	0.288778	-	-	-	d1982bb6040ff7ef779cdff0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	G	F	0.058853	0.1202	0.058853	0.060865	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	G	Fbar	0.076309	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	G	C	0.115212	0.179551	0.115212	0.121738	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	G	Cbar	0.139651	-	-	-	78849784e9337ca92e2072c54e8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	P	F	0.073317	0.1202	0.073317	0.08028	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	P	Fbar	0.088279	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	P	C	0.142643	0.179551	0.142643	0.150292	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286f1a1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	P	Cbar	0.161097	-	-	-	acfb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	S	F	0.096758	0.1202	0.096758	0.104162	754c575b9c55effad4b704cedfb33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	S	Fbar	0.116209	-	-	-	02029d1818f93f3c504ccfd7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	S	C	0.15212	0.179551	0.15212	0.1607	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	S	Cbar	0.183042	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9beee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	A	F	0.097756	0.1202	0.097756	0.099416	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	A	Fbar	0.228928	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	A	C	0.129676	0.179551	0.129676	0.131258	a0dc973405872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	A	Cbar	0.288279	-	-	-	d1982bb6040f7e4779cd0fbc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	G	F	0.053865	0.115212	0.053865	0.059093	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	G	Fbar	0.079302	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	G	C	0.108728	0.177057	0.108728	0.120626	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81cc23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	G	Cbar	0.142145	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	P	F	0.070823	0.115212	0.070823	0.077294	2ef177861ce92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	P	Fbar	0.092768	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	P	C	0.138653	0.177057	0.138653	0.148729	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	P	Cbar	0.163092	-	-	-	ac2b39c4e81fd13ff2169e286bdffc77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	S	F	0.092269	0.115212	0.092269	0.10072	754c575b9c55effad4b704cdfbf33bceb9deedb997736a0fad53013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	S	Fbar	0.1202	-	-0.1202	-	02029d1818f93f3c504cfcfc7505f0349eeb79ba8f6ef4dbbe664b03e8169e00	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	S	C	0.144638	0.177057	0.144638	0.159063	fd48f5eae33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	S	Cbar	0.187032	-	-	-	a7a4d611c7f2030b2d95f0b19eb9b502c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	A	F	0.094264	0.115212	0.094264	0.096189	e2a742f8ea3ca4499450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	A	Fbar	0.227431	-	-	-	2eb74b68e018c0dd4e54950c70b966f6ad0cc89abec6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	A	C	0.124688	0.177057	0.124688	0.12976	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	A	Cbar	0.286783	-	-	-	d1982bb6040f7ef779cd0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	G	F	0.051372	0.106733	0.051372	0.056079	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	G	Fbar	0.078304	-	-	-	225fc4b3a1bf829c29bb968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	G	C	0.105237	0.167082	0.105237	0.116178	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	G	Cbar	0.141147	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	P	F	0.068329	0.106733	0.068329	0.072218	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97c20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	P	Fbar	0.092768	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	P	C	0.138155	0.167082	0.138155	0.142477	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	P	Cbar	0.16409	-	-	-	acb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	S	F	0.086284	0.106733	0.086284	0.094871	754c575b9c55effad4b704cdfbf33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	S	Fbar	0.116708	-	-	-	02029d1818f93f3c504ccfde7505f0349eeb79ba8f6ef4dbbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	S	C	0.139651	0.167082	0.139651	0.152514	fd48f5eac33169829286d4a84bf0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	S	Cbar	0.186534	-	-	-	a7ad611c7ff2030b2d95f0b19eb9bee902c33a88cc81dd74fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	A	F	0.102244	0.106733	0.102244	0.090702	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	A	Fbar	0.228928	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	A	C	0.138155	0.167082	0.138155	0.123768	a0dc973405872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	A	Cbar	0.287282	-	-	-	d1982bb6040f7ef779cd0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	G	F	0.057855	0.120698	0.057855	0.061043	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	G	Fbar	0.075312	-	-	-	f25fc4b3a1bf829c29b968b28f2b15d6022436e595d443fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	G	C	0.114214	0.181546	0.114214	0.122628	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81cc23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	G	Cbar	0.138653	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	P	F	0.072319	0.120698	0.072319	0.080579	2ef177861c9a2b164f37bafc75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	P	Fbar	0.090773	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5ddf	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	P	C	0.137656	0.181546	0.137656	0.151543	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	P	Cbar	0.162095	-	-	-	ac2b2b39c4e81fd13ff2169e28bdaffc77b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	S	F	0.096259	0.120698	0.096259	0.104506	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fad	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	S	Fbar	0.118204	-	-	-	b3013210b9359002029d1818f93f3c504cfddc7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	S	C	0.149127	0.181546	0.149127	0.16201	fd48f5eac33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	S	Cbar	0.184539	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9bbeee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	A	F	0.096758	0.120698	0.096758	0.099739	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	A	Fbar	0.226933	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	A	C	0.13217	0.181546	0.13217	0.132456	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	A	Cbar	0.290274	-	-	-	d1982bb6040f7ef779cd0fbc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	G	F	0.057855	0.118204	0.057855	0.060156	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	G	Fbar	0.077307	-	-	-	f25fc43a1b829c29b968b28f2b15d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	G	C	0.113716	0.177057	0.113716	0.120626	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	G	Cbar	0.14015	-	-	-	78849784e9337ca92a2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	P	F	0.073815	0.118204	0.073815	0.079086	2ef177861cea92b164f37bafe75b75aa6fc05209535c1bf191c74a314df97e20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	P	Fbar	0.090773	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	P	C	0.139152	0.177057	0.139152	0.148729	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286f1a1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	P	Cbar	0.162095	-	-	-	acb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	S	F	0.093766	0.118204	0.093766	0.102785	754c575b9c55effad4b704cdfb33bceb9deedb997736a0fadb3013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	S	Fbar	0.119202	-	-	-	02029d1818f93f3c504ccfd7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	S	C	0.14813	0.177057	0.14813	0.159063	fd48f5eae33169829286d4a484fb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	S	Cbar	0.186035	-	-	-	a7a4d611c7ff2030b2d95f0b19eb9bbeee902c33a88ce81d674fa95faccasfb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	A	F	0.097257	0.118204	0.097257	0.098125	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	A	Fbar	0.22793	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	A	C	0.13217	0.177057	0.13217	0.12976	a0dc973d05872fe19dc2482daf16efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	A	Cbar	0.289776	-	-	-	d1982bb6040f7e779cd f0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	G	F	0.056858	0.119701	0.056858	0.060688	752e587dde6149ca105415099ce116142a5a0f6eb0e963c15fb36622ed49c7a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	G	Fbar	0.076808	-	-	-	f25fc4b3a168b28f2115d6022436e595d4d3fed58dae5683e05ba3	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	G	C	0.112718	0.180549	0.112718	0.122183	433332add7e27617c5db234023c7375a29c23379cf506cb3bf81ce23b1f7a35e	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	G	Cbar	0.139651	-	-	-	78849784e9337ca92e2072c54c8752403764923641d4ab5ab25733d53489982a	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	P	F	0.072319	0.119701	0.072319	0.079981	2ef177861cea92b164f37bafc75b75aa6fc05209535c1bf191c74a314df97c20	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	P	Fbar	0.092269	-	-	-	cfed1966771e5f98fd76057298c4a772f22234e7ecfccf5fdfc11cb19e2dadd6	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	P	C	0.138653	0.180549	0.138653	0.150917	ab2eddc09c52fe64d54a515698290a4688e1085b9b8b54286fa1a9d3c3566a1b	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	P	Cbar	0.163092	-	-	-	acb2b39c4e81fd13ff2169e286bdfcf7b1b9d6d7cdea6b25e44e750bbfc801d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	S	F	0.090773	0.119701	0.090773	0.103817	754c575b9c55effad4b704cdffb33bceb9deedb997736a0fad b3013210b93590	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	S	Fbar	0.121197	-	-	-	02029d1818f93f3c504ccfdc7505f0349eeb79ba8f6ef4bdbe664b03e8169e00	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	S	C	0.145137	0.180549	0.145137	0.161355	fd48f5eac33169829286d4a84bfb0829d7cdc33e989799b4fa540fb0b07e7926	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	S	Cbar	0.188529	-	-	-	a74d611c7f2030b2d95f0b19eb9bee902c33a88ce81d674fa95facc8fb5c	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	A	F	0.100748	0.119701	0.100748	0.099094	e2a742f6ea3ca449f9450492e1f6abda378173cc7e1ee52115b2a7f8b230d682	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	A	Fbar	0.229426	-	-	-	2eb74b68e018c0d4e5495f0c70b9666fad0cc89abee6c059240fe9a5dae5136d	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	A	C	0.135661	0.180549	0.135661	0.131857	a0dc973d05872fe194c2482da1f6efd98cd4d43015716e9744ba7a6cb501a610	full_naive_single_pool		True
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	A	Cbar	0.289277	-	-	-	d1982bb6040f7ef779cd4f0bc7956a5b868abeb5f724267b50257a4034702a400	full_naive_single_pool		True

Table 121: DermaMNIST-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER_z^s	ER_z^g	ER_z^c
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	53cd0f457218020b89a9d2df60e152201555a6c0061e5d74465d962d4999ealf	2005	Spearman	NOISE-S		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		-	-	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		-	-0.0023	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	394ec6f51ac37cd1a0357e4de3686193e65008204b9a6cac3f4f8e09b2a0be95	2005	Spearman	NOISE-S		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		0.000869	0.000612	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	b675ead81003fdd03baab500723fb859ae6b07e2f8e82a151def7bcdea90faac	2005	Spearman	NOISE-S		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		-	-	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		-	0.000329	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		-	-	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		-	-	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	7839c163e22b52ca890e4df774a61a33e44c655e5b2d118781b34fa14ef95083	2005	Kendall	NOISE-K		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		-	0.001138	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	77babd846595e175f69dc97baac5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		-	-	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	482550abe82575105148519e3e129cf066e416daa27b0ca7c884e961f91e545	2005	Kendall	NOISE-K		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		-	-	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	53cd0f457218020b89a9d2df60e152201555a6c0061e5d74465d962d4999ealf	2005	Spearman	NOISE-S		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		0.005582	0.003055	0.01173
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	433b07564bec1c5a711350d97627e76356fb0f303f82f66494b03154e1d369ac	2005	Spearman	NOISE-S		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		0.002412	-	0.005017
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	394ec6f51ac37cd1a0357e4de3686193e65008204b9a6cac3f4f8e09b2a0be95	2005	Spearman	NOISE-S		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		0.000869	0.000612	-
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	b675ead81003fdd03baab500723fb859ae6b07e2f8e82a151def7bcdea90faac	2005	Spearman	NOISE-S		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		0.002223	0.00017	0.006472
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	dd68b58fb6a3ddb697c9ce7090b3cfcl1d247cb376c0cf62c42b0244b2219a298	2005	Spearman	NOISE-S		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		0.002013	0.000329	0.006526
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	cb58b9311e31a195730508e595f053bc093d3c973710d29bee7380c1c6b3d173	2005	Kendall	NOISE-K		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		0.005227	0.002745	0.011898
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	822aa094d4a613f1d15c5e0ff1a7656b4c49fe58159bbced77e31eae0aa28a9c	2005	Kendall	NOISE-K		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		0.004707	0.001828	0.010941
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	7839c163e22b52ca890e4df774a61a33e44c655e5b2d118781b34fa14ef95083	2005	Kendall	NOISE-K		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		0.003187	0.001138	0.008413
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	77babd846595e175f69dc97baac5a235c348768c11e21ef13f291978bb69b8a1	2005	Kendall	NOISE-K		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		0.002301	0.000804	0.00691
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	482550abe82575105148519e3e129cf066e416daa27b0ca7c884e961f91e545	2005	Kendall	NOISE-K		CheferTran sformer Attribution;Gradient Attention Rollout;Gradient Shap;Occlusion;FeatureAbl ation;PartialLRP;Saliency;Integrated Gradients		0.00383	0.00052	0.009465

Table 122: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	$ER^p_{\mathcal{D}}$	$ER^p_{\mathcal{E}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{G}}$	$ER^p_{\mathcal{H}}$	$ER^p_{\mathcal{I}}$	$ER^p_{\mathcal{J}}$	$ER^p_{\mathcal{K}}$	$ER^p_{\mathcal{L}}$	$ER^p_{\mathcal{M}}$
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	-0.002176	-0.007567	-0.001224	-0.011133	4.1045e-05	-0.008142	0.000714	-0.010948	-0.001105	-0.004066
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	-0.001939	-0.003777	-0.001182	-0.003019	-0.000437	-0.008297	0.003776	-0.00917	-0.002326	-0.000751
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	2.2964e-05	-0.004473	0.00066	-0.005959	0.001	-0.004187	-0.000357	-0.005789	-0.000546	-0.004037
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	-0.000778	-0.006163	0.001066	-0.008773	0.000859	-0.008281	0.001355	-0.01123	0.000245	-0.009934
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	0.00035	-0.006963	0.002064	-0.007649	0.001597	-0.007403	0.004347	-0.00858	0.004097	-0.001661
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	-0.002373	-0.006471	-0.002577	-0.010076	-0.000816	-0.008451	-0.000285	-0.014424	-0.001397	-0.001925
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	-0.00167	-0.003889	-0.002729	-0.004322	-0.002351	-0.008586	0.002565	-0.012863	-0.002833	0.011542
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	0.000955	-0.008259	-0.000785	-0.013887	-0.000117	-0.008246	0.000855	-0.012882	2.1644e-05	-0.002981
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	-0.000476	-0.00527	-0.000684	-0.009577	2.5553e-06	-0.00902	0.000285	-0.010933	-0.001045	-0.000869
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	-0.000239	-0.007662	-0.002586	-0.012264	-0.001473	-0.013044	-0.003422	-0.016218	-0.005258	0.001654

Table 123: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_e	ER^*_c	ER^*_v
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-S		8	0.008115	-0.004672	0.008564
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-S		8	0.004586	0.002314	0.005185
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-S		8	0.000418	-0.002477	0.001957
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-S		8	0.006713	-0.007667	0.006362
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-S		8	0.005216	-0.001582	0.007802
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Simple Averaging	NOISE-K		5	0.006035	-0.005072	0.00765
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Borda	NOISE-K		5	0.003862	0.014386	0.005033
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Kemeny	NOISE-K		5	0.005631	-0.000287	0.002982
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	RRF	NOISE-K		5	0.005085	0.00241	0.003952
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Test	Schulze	NOISE-K		5	0.001782	0.003804	0.002567

Table 124: DermaMNIST-ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	9509a05de03555e9e09a301c7b36c1e40c7ba4b6318341697693708d9961d9e6	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	-0.004052	-0.005582	-0.001529	-0.004829	0.001631	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	5d48c6634eb8634e25eac4a1f99061d8e9226ce97a174376db19b5c70d69d113	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	-0.002138	0.003055	0.000917	-0.00251	0.000193	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	95bf5889f85d7c8a1f7d9add293f454d69035247709e364f264fb9544384b06a	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	-0.009007	-0.01173	-0.002723	-0.006425	0.000917	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	c1bdbc6227da52cf977f958beb74eb681f0dc8d4086e4513c137f85d5399c07b	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	-0.002242	-0.002176	6.549e-05	-0.002394	0.002517	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	f1d40cf2279059296737aa5541e640c6d7ef6e6d5cdb17b63ec601905a6045c1	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	-0.006172	-0.007567	-0.001395	-0.004804	0.001974	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	3c33d116e9487605d08b6d213b5f5f2a14465f024c7a72c40bc1d92a7d89e3d61	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	-0.000878	-0.001224	-0.000346	-0.002157	0.001317	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	11a4c4bae0887e9728fe3a9d0a41d715ec3f630b35087553d625b439f4ed9a3	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	-0.007508	-0.011133	-0.003625	-0.00728	-0.000153	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	444812007eb056ed358367380686354b5d29d20f592828d870396dabb70c57	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	-0.001575	4.1045e-05	0.001616	-0.000499	0.003968	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	7c0294203bd02dfdc12e28aaaafac5132ede95765fbb19cdf623ae446502488c6	2005	Spearman	NOISE-S	Simple Averaging	Speckle	-0.008606	-0.008142	0.000464	-0.004278	0.005323	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	6e13d3fe2b3fe37910551b59e92f8ce0fac5806f094418b15ed14e0309249c20	2005	Spearman	NOISE-S	Simple Averaging	Speckle	0.000571	0.000714	0.000143	-0.003361	0.003597	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	0f863789e960f4ed8d4ba03703bf946c0e10c8f927bf40eadc967770c72a3dac	2005	Spearman	NOISE-S	Simple Averaging	Speckle	-0.006676	-0.010948	-0.004272	-0.009367	0.000846	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	875a6cf2fd6770149dc1277fb9133dddfb0042969047fc48c6cede23dbd79d0	2005	Spearman	NOISE-S	Simple Averaging	Speckle	-0.001036	-0.001105	6.8857e-05	-0.00324	0.003087	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	78fe26829f9c9116e5ae eacc43322f df80280647 aad15b035d 98529fbc8a56ac	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	- 0.001602	- 0.004066	- 0.002465	- 0.008559	0.003562	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	8ab2976fbc579881f9ac 34f5a6e0e3 355b8cd945 e9dc5d6445 a8cf0bd31b16ca	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	0.005941	0.008115	0.002174	- 0.002993	0.007317	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	85454ff193480cc3875b 4401b5a41b e4013688ef 43c13e0d9a 41614b73e430ee	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	- 0.002174	- 0.004672	- 0.002497	- 0.008598	0.003553	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	f7779c5ce9dca154664a f404ec3beb c25c233160 b6c1bf89dd 2bce457bbe3ab5	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	0.008592	0.008564	- 2.7939e-05	- 0.005198	0.005022	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	c80454d379028971465e 667fb34109 fe19acef1e b02a525840 053618389ff502	2005	Spearman	NOISE-S	Borda	Gaussian	0.00171	- 0.002412	- 0.004122	- 0.008647	0.000499	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	895bf2ac7bb5f9b65f0b 5bc1d2d080 2842e3b20f a2525e318f df67635d9c118b	2005	Spearman	NOISE-S	Borda	Gaussian	-0.00164	-0.0023	-0.00066	-0.00291	0.001475	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	d4376f0184def657a212 1799c81b52 16f2755944 d9f07e6d04 d36c6d34fcb6ed	2005	Spearman	NOISE-S	Borda	Gaussian	- 0.001519	- 0.005017	- 0.003498	- 0.008922	0.001995	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	45653a5c300543ebc43d 861a565f5e 378377e29f d69f1251d9 4b9826a9271a74	2005	Spearman	NOISE-S	Borda	Gaussian	- 0.002274	- 0.001939	0.000335	- 0.002202	0.002973	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	e997e4f830ce616c71e5 d91340a546 7f33cb804a 4db3939e78 65e659edb22387	2005	Spearman	NOISE-S	Borda	Salt Pepper	- 0.002688	- 0.003777	- 0.001089	- 0.007196	0.005149	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	c214d926aa45cb863f44 09d146d7bb dd46175f7a ec5784605a 67d418e12c43db	2005	Spearman	NOISE-S	Borda	Salt Pepper	- 0.000878	- 0.001182	- 0.000305	- 0.002292	0.001757	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	483219be9941d8099ecc 5de04aa9ff f3c55a54f7 4f86bebec7 8645b000c19527	2005	Spearman	NOISE-S	Borda	Salt Pepper	- 0.004695	- 0.003019	0.001675	- 0.005376	0.008849	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	99ce608ae0229a257394 06b96effd1 5d6da91d6e f633a5c8ab 0431d6c9d38cc4	2005	Spearman	NOISE-S	Borda	Salt Pepper	- 0.000637	- 0.000437	0.0002	- 0.002357	0.002896	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	2e85d5aea5f148829e5e b264e27662 5952fa378 813f5855ba 4819f2f4cd20c	2005	Spearman	NOISE-S	Borda	Speckle	- 0.005664	- 0.008297	- 0.002633	-0.00927	0.004127	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	be437dc6ab54f3590acd a1dc6b7739e144ee72f356fc6df4bd660eef2861f8f	2005	Spearman	NOISE-S	Borda	Speckle	0.001569	0.003776	0.002208	-0.003852	0.008466	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	64e828208e1f56945d5ee52f0d2e1009e0441dd6e80e6a249f1a891cd07f1ced	2005	Spearman	NOISE-S	Borda	Speckle	-0.003729	-0.00917	-0.005441	-0.012561	0.001642	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	1491df168618973f5acd1a1672594279bcb44323f65fe193fc0fdbb545e3455e	2005	Spearman	NOISE-S	Borda	Speckle	-0.00175	-0.002326	-0.000576	-0.00662	0.005596	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	07964bf7428260aa1d1cd7f521c502e28646bf7abb576a8b69cc1336ac3ed860	2005	Spearman	NOISE-S	Borda	Adversarial	-0.004858	-0.000751	0.004107	-0.003579	0.012125	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	95e5eabd5ad6a772a3b0284d8d16bbdefc9f8d102795857eb a9205660a046e5	2005	Spearman	NOISE-S	Borda	Adversarial	0.00644	0.004586	-0.001854	-0.007834	0.004275	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	333b05a9cccfce5511f4f7489a34108532934294a3250c7e7b66ab14b1ccf0fec	2005	Spearman	NOISE-S	Borda	Adversarial	-0.002969	0.002314	0.005284	-0.002214	0.012878	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	cacb6b26cb8f9989d4df10a780ff362f7f76fc7498e8636093444c18b71f7dba	2005	Spearman	NOISE-S	Borda	Adversarial	0.00686	0.005185	-0.001676	-0.008084	0.004774	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	0f80506aa6ba15cde5a4727378e02f06e4aa6ef2e46267d5313b986f206a1af1	2005	Spearman	NOISE-S	RRF	Gaussian	-0.001592	-0.002223	-0.000631	-0.003969	0.002823	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	ae5f5bb3aca022d2a0ff11c31ba834476123247fe99eaf141c980c1f935f88f2	2005	Spearman	NOISE-S	RRF	Gaussian	0.001488	-0.00017	-0.001658	-0.003969	0.00037	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	6e057fb6ce86eb2e07e278950d758e5fd9521536f5fb79b4e59ded9717172f20	2005	Spearman	NOISE-S	RRF	Gaussian	-0.004134	-0.006472	-0.002338	-0.006119	0.001496	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	565abf949c2aa441273d9c8796ed91787c408580c6dc8587c076765c5aa1d3	2005	Spearman	NOISE-S	RRF	Gaussian	0.001814	-0.000778	-0.002592	-0.005382	-0.000109	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	73dff91d4d0a325a344787710f2e379e481a9aebf54c65252ca7e2236e85250	2005	Spearman	NOISE-S	RRF	Salt Pepper	-0.003078	-0.006163	-0.003084	-0.007626	0.001499	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	cb12e9aeac30b361e4f911ff16c39ae258fbb346e9887842440b8264e4caeac7	2005	Spearman	NOISE-S	RRF	Salt Pepper	0.000872	0.001066	0.000194	-0.001995	0.002531	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	6441981ba378d78085d42d59bc2ed059630dce4394ba01647e058ba01376907a	2005	Spearman	NOISE-S	RRF	Salt Pepper	-0.006577	-0.008773	-0.002195	-0.007039	0.002665	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	e199daebc9f381d34ad4e4b42e07cf16a3436fa2a76894a9f843683b14e325b9	2005	Spearman	NOISE-S	RRF	Salt Pepper	0.00054	0.000859	0.00032	-0.001929	0.002649	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	7b4e93ba9923fb9876dec6a1eb46665fc4b52c1198058f72c7bca15fb230ecf9	2005	Spearman	NOISE-S	RRF	Speckle	-0.004651	-0.008281	-0.00363	-0.00881	0.001518	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	c59a084a588fe78a8ce68799b1431b2d28b83a9f00a5c56bcb13399d9deedd44	2005	Spearman	NOISE-S	RRF	Speckle	0.002638	0.001355	-0.001284	-0.005727	0.003276	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	f88859cf35c839432b134a35b9f602d0762bb79e07d20e74895649d6ec92f3fe	2005	Spearman	NOISE-S	RRF	Speckle	-0.005321	-0.01123	-0.005909	-0.011326	-0.000572	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	22b5b7eeefa5e411b7a9d9387e94873a9b02b072bab87b8665fa21bb749dc	2005	Spearman	NOISE-S	RRF	Speckle	0.001389	0.000245	-0.001144	-0.005716	0.003426	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	1560654cbbe2c6db5ae378d5f511377f3f1de4efea006f3acf78d91f00d7ab3f01ab	2005	Spearman	NOISE-S	RRF	Adversarial	-0.00257	-0.009934	-0.007364	-0.014767	4.002e-05	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	2438a308f1d89e9b2f1bf6a4fc27d37af87fc5f38cb00f83114402e15893e2a	2005	Spearman	NOISE-S	RRF	Adversarial	0.003579	0.006713	0.003134	-0.003135	0.009695	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	a28a1a48d7f0a1dc0738e90e096ebc8d94662896bfdbcd85041239a0b4b03149	2005	Spearman	NOISE-S	RRF	Adversarial	-0.003672	-0.007667	-0.003995	-0.010945	0.002861	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	d8184b38a7e03a9dedede9814897ba75fa0f44b2874eaad23ed8cflc36512a5b	2005	Spearman	NOISE-S	RRF	Adversarial	0.004075	0.006362	0.002286	-0.004088	0.008861	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	664150a56691986239eab371aadcbl1a33d3dde637127ac1e2c1d12d126f81bc6	2005	Spearman	NOISE-S	Kemeny	Gaussian	-0.001093	0.000869	0.001962	-0.001132	0.005139	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	63325a479ca946d7062432b70de7957d046d43ce6524bce175c40760cc3da308	2005	Spearman	NOISE-S	Kemeny	Gaussian	0.000329	0.000612	0.000283	-0.002283	0.002903	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	8418b6ab7d2d4214882bb5a84c6b8c9eaeed68f9a6896824f69175babaf21395	2005	Spearman	NOISE-S	Kemeny	Gaussian	-0.002638	-0.003473	-0.000836	-0.004819	0.002993	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	a310be7478d8b1bf8296d4ca95c383dbbffcfa4cf17688f7ed59c850dce730cd	2005	Spearman	NOISE-S	Kemeny	Gaussian	0.001282	2.2964e-05	-	-	0.001463	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	1f4417b4b097b0ca58d319b119b78bccb6ebb6a18b00911f4db664d5771016153	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	-	-	-	-	0.003329	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	901dd961981c9f95bd77f307a3629edec9703b9db58699628114674fbdca49f3	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	0.001066	0.00066	-	-	0.001669	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	a492b446e66ad670e52b6be9c7fabe1c7cdec8c1a4710c8c4c04b0fb4714ca8d	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	-0.00558	-	-	-	0.004661	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	2bb0399aa2e60cc2fa2f5a4fb277b58a2ae91b559a0c0f604c1d76d24e67dda6	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	0.00048	0.001	0.00052	-	0.002658	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	fa9b9eda5d80423f643dbee51944bdac2d57c9f1452f5af1a6ee92b2bfbcb28818	2005	Spearman	NOISE-S	Kemeny	Speckle	-	-	0.00196	-	0.007365	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	36014afa2a16751ee2b9c444b7a40ea60aa3b1015215be8c5e49a44dec7f269	2005	Spearman	NOISE-S	Kemeny	Speckle	0.001853	-	-0.00221	-	0.001601	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	0cbf609a47d2640f56358d8ab68074c2f7f1a4a395c04446cc3beacb8e9e30df	2005	Spearman	NOISE-S	Kemeny	Speckle	-	-	-	-	0.002415	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	601043bd2cda117fc94802ba4e3a4b80e6fd52cb015fc96460d45705ab5f27ab	2005	Spearman	NOISE-S	Kemeny	Speckle	0.001174	-	-0.00172	-	0.002199	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	70bcc2d38a69cce20aa420d13a7b614e1fe331ee121adb5ed20346acce3b0e647	2005	Spearman	NOISE-S	Kemeny	Adversarial	-	-	0.001526	-	0.008503	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	1ade5f4a8d6495bc02d6b96a539073ad418cb4f4803cbf7c74fb91621d55a29a	2005	Spearman	NOISE-S	Kemeny	Adversarial	0.004219	0.000418	-	-0.0102	0.00255	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	b8955ec350cc23efc99d9ba3734198ab0ace0152c9fe27a4a9d3a9b93ef36ff	2005	Spearman	NOISE-S	Kemeny	Adversarial	-	-	0.000696	-	0.007438	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	e5fd0b0407114e26b18a4ab1ca9ca7185896a22e108907f33342ba43560b4112	2005	Spearman	NOISE-S	Kemeny	Adversarial	0.005336	0.001957	-0.00338	-	0.003069	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	a363dfcfd82355c9210088e46d9e525b277f38c8a37d40fc4ffeb2c097204381	2005	Spearman	NOISE-S	Schulze	Gaussian	-0.001159	-0.002013	-0.000853	-0.004851	0.003072	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	82b1b364d26ed18e31d603835cd6461981ead8de2344963c68b63ece36bc6516	2005	Spearman	NOISE-S	Schulze	Gaussian	-0.000197	0.000329	0.000526	-0.002022	0.003133	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	502224bccda7762b95112ae2390f77c532b812bb5035414b652c63019a37bdd	2005	Spearman	NOISE-S	Schulze	Gaussian	-0.00253	-0.006526	-0.003997	-0.008472	0.000273	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	31bb7fc3f1303ad2fffe7b2a21d815f0cc2a1060eb453d91a780a43212466b0d	2005	Spearman	NOISE-S	Schulze	Gaussian	0.00125	0.00035	-0.000899	-0.00399	0.002125	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	83862b7613843f6062a19e98b1b8b5ac76cbb6f780afc6cc17c892aaff6f6c65	2005	Spearman	NOISE-S	Schulze	Salt Pepper	-0.005369	-0.006963	-0.001595	-0.006296	0.003027	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	ebdeb810da9270c6e3b5b885b67c5c67fc6e379ac2a986341e401ee4c96a	2005	Spearman	NOISE-S	Schulze	Salt Pepper	0.000517	0.002064	0.001547	-0.000998	0.004261	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	aa071f0f8ca8083f5e38db7299edf7db538b3be75566800d13071c18febff1f7b9552	2005	Spearman	NOISE-S	Schulze	Salt Pepper	-0.005334	-0.007649	-0.002315	-0.007137	0.002476	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	9694ace61bde25369a7d010d01f4b26bb4a75a01ba21614231ea3cf1a926408e	2005	Spearman	NOISE-S	Schulze	Salt Pepper	0.00042	0.001597	0.001177	-0.001568	0.004031	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	08175884cd904ae75f8b94482052434194820e8b4fc723993eb1831a84170ff	2005	Spearman	NOISE-S	Schulze	Speckle	-0.007713	-0.007403	0.000309	-0.005213	0.005721	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	3c0c692b975fb0fab8a89c4ed236974057a4e60b0703e060cd24254c34b38141	2005	Spearman	NOISE-S	Schulze	Speckle	0.001141	0.004347	0.003206	-0.001496	0.008096	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	002b504fcc7189c2e786717b3951f1ea12cd0b9a85cdac5062a86986f38d711f	2005	Spearman	NOISE-S	Schulze	Speckle	-0.005633	-0.00858	-0.002947	-0.008669	0.002608	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	3e61f7928832e5f6af3bd30c79d50573fc6e582bc1773c5d71455c1e6bb7bc9e	2005	Spearman	NOISE-S	Schulze	Speckle	-0.000538	0.004097	0.004635	-0.00015	0.00954	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	4df673cbc9d2c2f1f5b33709827632735844e965efc9f662e77b212a4e91599	2005	Spearman	NOISE-S	Schulze	Adversarial	-0.009494	-0.001661	0.007833	0.000554	0.015273	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	5992ecb73949fe43d6d1bc3cc2c303ca039e91cdfa3637a3d091877b79369e1	2005	Spearman	NOISE-S	Schulze	Adversarial	0.000502	0.005216	0.004715	-0.00196	0.01146	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	6b7686f9ea8e9748ba33f6662d71f93749985af4329ad6fc17f60472287fa404	2005	Spearman	NOISE-S	Schulze	Adversarial	-0.005369	-0.001582	0.003788	-0.002966	0.01081	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	93981c1345ddbca06931a94febdbdfa7add22e107eddbff86288dc4ab4afb9b	2005	Spearman	NOISE-S	Schulze	Adversarial	0.002607	0.007802	0.005195	-0.001601	0.012124	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	b161708c29e0f3905bff20f551de6d717112b199c23bcefd1b40afc27f5e3bd	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	-0.004052	-0.005227	-0.001175	-0.005256	0.002944	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	590a9b33bb1f1bf8abda330e2f45dc687a71891e0a5c1852c2792bdal1b48097	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	-0.002138	-0.002745	-0.000606	-0.002466	0.00103	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	f8f7c9eb7ea38a96f091ded61a0043f4aca4e85d30720bf445537e13daf	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	-0.009007	-0.011898	-0.002891	-0.007675	0.001886	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	e8789689c13abcbacab32103877f6c9ad9671075d8e54c68efbac2c89c952fe07	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	-0.002242	-0.002373	-0.000131	-0.002611	0.002377	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	20bc82bf30afd6b229810e94984d317a07e683cfdce21704c1200157360cd	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	-0.006172	-0.006471	-0.000299	-0.005521	0.005029	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	e08f1b763f37a583229836ae20b5f6501899db654674ad7f54528e200998af5902a3	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	-0.000878	-0.002577	-0.001699	-0.003728	-0.000106	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	a4975fb773f474b0358e1f098dfd744f4043ebd650f47cf82b18c9bf7c660ded	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	-0.007508	-0.010076	-0.002568	-0.008752	0.003703	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	b0f756129868c816cf99a045ca34a6dc2564512cd74f958ea35fb18cece639f9	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	-0.001575	-0.000816	-0.000759	-0.001715	0.003312	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	7b1c8f9cff85d7cb1ff81f566d32c82582bf88b22953029fadd7574ef686788	2005	Kendall	NOISE-K	Simple Averaging	Speckle	-0.008606	-0.008451	0.000155	-0.005787	0.006285	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	e26e1c50d4a87ab047735e57b9d0d441a943c261daf2d11124f6856d92fc5e94	2005	Kendall	NOISE-K	Simple Averaging	Speckle	0.000571	-0.000285	-0.000856	-0.006175	0.004424	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	970f9c400b5d609018160bbbf695f419755cb9c1ae793df2ebf289d67097dc	2005	Kendall	NOISE-K	Borda	Salt Pepper	-0.000637	-0.002351	-0.001714	-0.004907	0.001447	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	c7ebf2f378906fd2fdfc15625b449a00c50d4249e40f47163ce2acda0091887	2005	Kendall	NOISE-K	Borda	Speckle	-0.005664	-0.008586	-0.002923	-0.010592	0.004619	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	53264b51eb2179e8fa4279ffd0007987ce27958e47a15b557635deb5ca447b2d	2005	Kendall	NOISE-K	Borda	Speckle	0.001569	0.002565	0.000996	-0.005548	0.007752	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	f3dd7d193cf80a1b6862a7021edd9e52abb39a670c1bfe2ba8878b74d6ed6e8	2005	Kendall	NOISE-K	Borda	Speckle	-0.003729	-0.012863	-0.009134	-0.017211	-0.001156	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	1a320f018a6cddaf2c85432b3691fb2005599b53478fab9bc89f9f232f814aa61	2005	Kendall	NOISE-K	Borda	Speckle	-0.00175	-0.002833	-0.001083	-0.007895	0.005974	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	8bbf85ef0909f95561288a8c249cf76e57f6d53628114c79818ae2466e06e007	2005	Kendall	NOISE-K	Borda	Adversarial	-0.004858	0.011542	0.0164	0.007165	0.025828	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	ddfd704397ea87a0840ff54ef0dac4931f2f45143a18200b414ea1a181b7770b	2005	Kendall	NOISE-K	Borda	Adversarial	0.00644	0.003862	-0.002578	-0.008965	0.003976	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	ec29e470812d79817cdbd80c046bc9678727466e286a715b6920456f4c144eae	2005	Kendall	NOISE-K	Borda	Adversarial	-0.002969	0.014386	0.017356	0.008124	0.026686	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	0459751dae d271504e77ef57c6d6d09f79629d59cd1cab8fb8e19212e806ee8	2005	Kendall	NOISE-K	Borda	Adversarial	0.00686	0.005033	-0.001827	-0.008552	0.004966	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	29a48c6b7635db9cbf8d82ec29c87c1da611374fec39327ff5a10a4e047728fa9	2005	Kendall	NOISE-K	RRF	Gaussian	-0.001592	-0.002301	-0.000709	-0.005321	0.003787	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	cd2f6a9b5bd4bce5be1e6c9ecee b412460ad1d50c70b5ac3541f06cee4ce0186	2005	Kendall	NOISE-K	RRF	Gaussian	0.001488	-0.000804	-0.002291	-0.004489	-0.000533	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	6566efeb b65544a293e79809dd18f9f500c5d6e65390588eafeb273334c3fefe	2005	Kendall	NOISE-K	RRF	Gaussian	-0.004134	-0.00691	-0.002777	-0.008312	0.002763	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	1140d4bf6dc5707a6c1d0c83dac1ace607aba1529ea6d1ff42b6a1431922f76b	2005	Kendall	NOISE-K	RRF	Gaussian	0.001814	-0.000476	-0.00229	-0.004879	-6.2639e-07	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	b55ebf2b4cbb950f92e192934fca320166f29eccc287bd85d538e368635bdead	2005	Kendall	NOISE-K	RRF	Salt Pepper	-0.003078	-0.00527	-0.002192	-0.008457	0.004296	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	4a8fb310262b95b3db70ae7c7d7d613c0a4ed45ba1f42e93b599d58245710a70	2005	Kendall	NOISE-K	RRF	Salt Pepper	0.000872	-0.000684	-0.001556	-0.00445	0.001253	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	26b7f2b225328c587ce33a89a8f577f620788948b39ab403561f6be02092c55c	2005	Kendall	NOISE-K	RRF	Salt Pepper	-0.006577	-0.009577	-0.003	-0.010049	0.004192	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	de16e81e8571450141358e2a7b352fa755d06efd9628c67c010fcfd77a4ccdc6	2005	Kendall	NOISE-K	RRF	Salt Pepper	0.00054	2.5553e-06	-0.000537	-0.003332	0.002258	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	67cc6c22219c0dd0a421c9fd0c8133e490d3849c8fe0d681d450c6e4fcb77fef	2005	Kendall	NOISE-K	RRF	Speckle	-0.004651	-0.00902	-0.004369	-0.011924	0.003253	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	b3409f87df11461c55c502937011a57a5fb54fcd502c2854ccc157896a03d8f7c	2005	Kendall	NOISE-K	RRF	Speckle	0.002638	0.000285	-0.002353	-0.008367	0.003882	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	295fb29a28e9078d5ffe9a9428eb22764660fd17b25a5f63f873fb6f898cb310	2005	Kendall	NOISE-K	RRF	Speckle	-0.005321	-0.010933	-0.005612	-0.013498	0.002218	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	5713b7ce2e32cc2bbd0f5019cb5b5f6f1c974f3a4100b33efd95ce82b4b6b0af6	2005	Kendall	NOISE-K	RRF	Speckle	0.001389	-0.001045	-0.002433	-0.008443	0.003624	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	c1ea45ffdf64e1b5e94be9428299e11fc739ab0848041c04ec88ed872fcaad	2005	Kendall	NOISE-K	RRF	Adversarial	-0.00257	-0.000869	-0.001702	-0.007132	0.01067	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	d19fd71a68d08734a05c058f5a4664c6163d13013b6736491d37ea2b1ba35216	2005	Kendall	NOISE-K	RRF	Adversarial	0.003579	0.005085	0.001506	-0.005768	0.009119	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	557a2ea00d8d14931dc6b0df1ebc28bcd30edb8624c53c1526f518df2fe2df42	2005	Kendall	NOISE-K	RRF	Adversarial	-0.003672	0.00241	0.006082	-0.002707	0.014958	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	b7587f38d15657b925279c11939e84d9874c316eff5e23eba8be6c951eff112e	2005	Kendall	NOISE-K	RRF	Adversarial	0.004075	0.003952	-0.000124	-0.00767	0.007543	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	62099108ac7dc93c722b65e39ac4b012f994064c226925fc4e4fe3491a9fdb43	2005	Kendall	NOISE-K	Kemeny	Gaussian	-0.001093	-0.003187	-0.002094	-0.006691	0.002381	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	534c3f412f33bad5269bba1b326241e4b2fdfd64b234f9a8e9b714ddab12d8b	2005	Kendall	NOISE-K	Kemeny	Gaussian	0.000329	0.001138	0.000809	-0.001081	0.002928	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	3fe7c688f666d56cd905ede9afc1eadf65a3052ccaf351e6b870ce51a06d2323	2005	Kendall	NOISE-K	Kemeny	Gaussian	-0.002638	-0.008413	-0.005776	-0.011227	-0.000526	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	993d08e84e976b7da430aefc32780ecee567a4d9e12e0fcc594c7118a012bcbdd	2005	Kendall	NOISE-K	Kemeny	Gaussian	0.001282	0.000955	-0.000327	-0.003128	0.002494	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	2bacda892538f99527e35289e70fdaa790f75c58a9cc6f550a536c2fd0f10e	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	-0.003078	-0.008259	-0.005181	-0.011225	0.000832	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	53340968a2551b28844b0158a7e4f11b6f1ffb3a3caeeb047e02a8c01639434	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	0.001066	-0.000785	-0.001852	-0.004299	0.000283	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	b66e5d7bec007bad8dd1a8f510cd8758a0b94736e48a48035e682f0843ceb496	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	-0.00558	-0.013887	-0.008307	-0.014834	-0.001751	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	92f87c1d3b23e7d7c7138ead69ca9f21cefd79c7df1656ef7f459624fa7877aa	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	0.00048	-0.000117	-0.000597	-0.003144	0.001869	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	8d29277d2a6786a1386f4f5e3b10c90548c07fde3f8f0534a79224796ea7dd4c	2005	Kendall	NOISE-K	Kemeny	Speckle	-0.006147	-0.008246	-0.002099	-0.008941	0.004858	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	8c5358208e3cc30c2afc003eb5fc8e20ac5635f6463ea3346dadec34170df96fa	2005	Kendall	NOISE-K	Kemeny	Speckle	0.001853	0.000855	-0.000999	-0.006611	0.004681	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	2e4c87976b606900d80e013c043124ce6f6e817a0245898379e87a978cc735ca	2005	Kendall	NOISE-K	Kemeny	Speckle	-0.002827	-0.012882	-0.010055	-0.017461	-0.00279	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	9e98e77bf26f5f3c1229adebd8467bcfb79c8c0a1136e03d45c551da12892b74	2005	Kendall	NOISE-K	Kemeny	Speckle	0.001174	2.1644e-05	-0.001152	-0.006679	0.00438	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	a44f25045d42c749dd061f9e8320edb51cfa63d57b0d553d340503cffa5c2b2c	2005	Kendall	NOISE-K	Kemeny	Adversarial	-0.005563	-0.002981	0.002582	-0.00573	0.01108	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	2c9ef642d365cf6b9ff747860f67fa8f63815fee8c2f1f817bb728f8ed40e073	2005	Kendall	NOISE-K	Kemeny	Adversarial	0.004219	0.005631	0.001412	-0.00594	0.008718	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	ccb0e0cd46955d243e945977e17d6f33cd5afa211711f4707d3b26168e06df	2005	Kendall	NOISE-K	Kemeny	Adversarial	-0.003174	-0.000287	0.002887	-0.005253	0.011166	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	762a5d0c076420ddfedc3e27e9ee6f4c72ab8fb3dfba30188226d13573bc32c8	2005	Kendall	NOISE-K	Kemeny	Adversarial	0.005336	0.002982	-0.002354	-0.009914	0.005312	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	9d8e74b90104b8afb7a93b2ff5df002ed7a5f4cc3eada29fe7f9f74279cf4959	2005	Kendall	NOISE-K	Schulze	Gaussian	-0.001159	-0.00383	-0.002671	-0.00743	0.001944	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	491ee9d05194d13a3766fe9068b386907cce6e028e5341955e37a950be15a439	2005	Kendall	NOISE-K	Schulze	Gaussian	-0.000197	-0.00052	-0.000323	-0.002751	0.00209	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	6c0616590bbf73f9337b87ddfd0d64c8ff0500135cb5c9f5b31a171b67b238e7d	2005	Kendall	NOISE-K	Schulze	Gaussian	-0.00253	-0.009465	0.006935	0.012515	0.001577	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	e3b6f51d94f884d2492685e7cf9ef2e23b237072cdbc13fe1b32054f360154eee3	2005	Kendall	NOISE-K	Schulze	Gaussian	0.00125	-0.000239	0.001489	0.004539	0.001626	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	8f17ec54815d7b0795abee20d0760786009e8cffa792fb35b4d26aab3377c6e0	2005	Kendall	NOISE-K	Schulze	Salt Pepper	-0.005369	0.007662	-0.002294	0.008438	0.00367	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	63d52d0d2aa90ae48558653239b031b73ced2bc707a35bdc88334b9cb407300a6	2005	Kendall	NOISE-K	Schulze	Salt Pepper	0.000517	-0.002586	-0.003103	0.006039	0.000499	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	1bb515598ad976e6b5d91a452934b0777a7479dc0088e167f69e46d57eeaas870	2005	Kendall	NOISE-K	Schulze	Salt Pepper	-0.005334	-0.012264	-0.00693	-0.014054	0.000139	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	17109cfffbf43245ff9849b5b63337aebf0953252e48a81bc30137152a80855d	2005	Kendall	NOISE-K	Schulze	Salt Pepper	0.00042	-0.001473	-0.001893	-0.005161	0.001265	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	4485a3238f7a6c9da4a32269bb0201a666c2de7654a385f87a4c7f9e4003b561	2005	Kendall	NOISE-K	Schulze	Speckle	-0.007713	-0.013044	-0.005332	-0.012627	0.001779	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	dfbdeab43556da827c3fd2fd9b0386f7b097f56bdaf3769e018bcf6a6de6fa58	2005	Kendall	NOISE-K	Schulze	Speckle	0.001141	-0.003422	-0.004562	-0.010602	0.001563	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	e8fa0b3c1dc50a6ad643d80f7dfe7ab2e5d46c5eadd115cc532f561e618798f	2005	Kendall	NOISE-K	Schulze	Speckle	-0.005633	-0.016218	-0.010584	-0.018327	-0.003106	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	b36ad451a87737b5dc2c780fd2d5c8356f7ca15bd9fc78258a9414d3649b528	2005	Kendall	NOISE-K	Schulze	Speckle	-0.000538	-0.005258	-0.00472	-0.010714	0.001311	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	752b2fc75720d05e4add7402b229a67bdf55c476ef6d67f5f70a3e6822e36ed2	2005	Kendall	NOISE-K	Schulze	Adversarial	-0.009494	0.001654	0.011149	0.002212	0.020189	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	d0a2eeb38bfde297ed1ff813243ca4120b625da6b9686ef717f1468eab5740da	2005	Kendall	NOISE-K	Schulze	Adversarial	0.000502	0.001782	0.00128	-0.005332	0.007993	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	22db161be71e864e765f0fc54b356b12bb844af87e4b7549613eb4c69d316456	2005	Kendall	NOISE-K	Schulze	Adversarial	-0.005369	0.003804	0.009173	0.000331	0.018055	0.95
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	08ceaeef252422deb649afff1666692d5c8604d22d6810746dfa3259af4a71f6e	2005	Kendall	NOISE-K	Schulze	Adversarial	0.002607	0.002567	-3.9835e-05	-0.006882	0.006945	0.95

Table 125: DermaMNIST-ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	9509a05de03555e9e09a301c7b36c1e40c7ba4b6318341697693708d9961d9e6	0.83315	1	False	0.82725	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	5d48c6634eb8634e25eac4a1f99061d8e9226ce97a174376db19b5c70d69d113	0.8794	1	False	0.9041	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	95b5f5889f85d7c8a1f7d9add293f454d69035247709e364f264fb9544384b906a	0.93045	1	False	0.9307	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	c1bd1bc6227da52cf977f958beb74eb681f0dc8d4086e4513c137f85d5399c07b	0.4609	1	False	0.4789	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	fl4d40cf2279059296737aa5541e640c6d7ef6e6d5cdb17b63ec601905a6045c1	0.80555	1	False	0.79075	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	3c33d16e9487605d08b6d213b5f5f2a14465f024c7a72c40bc1d92a7d89e3d61	0.6656	1	False	0.65335	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	11a4c4bae0887ee9728fec3a9d0a41d715ec3f630b35087553d625b439f4ed9a3	0.97405	1	False	0.98025	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	444812007eb056ed358367380686354bfd29d20f592828d870396d4bb8bf70c57	0.0813	1	False	0.0726	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	7c0294203bd02dfdfc12e28aaafac5132ede95765fbb19cdf623ae446502488c6	0.43475	1	False	0.41725	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	6e1343fc2b3f637910551b59e92f8ce0fac5806f094418b15ed14e0309249c20	0.4579	1	False	0.48005	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	0f863789e960f4ed8d4ba03703bfb946c0e10c8f927bf40eadc967770c72a3dac	0.95175	1	False	0.94925	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	875a6cf2fd677014f9dc127fbc9133d4dfb9042969047fc48c6c0de23dbd79d0	0.5074	1	False	0.5313	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	78fe26829f9c9116e5ae eacc43322fd180280647 aad15b035d98529fbc8a56ac	0.7881	1	False	0.78535	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	8ab2976fbc579881f9ac34f5a6e0e3355b8cd945e9dc5d6445a8cf0bd31b16ca	0.1957	1	False	0.21275	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	85454ff193480cc3875b4401b5a41be4013688ef43c13e0d9a41614b73c430ee	0.79385	1	False	0.78915	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	f7779c5ce9dca154664af404ec3bebc25c233160b6c1bf89dd2bce457bbe3ab5	0.5009	1	False	0.51275	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	c80454d4379028971465e667fb34109fe19acef1eb02a525840053618389ff502	0.96395	1	False	0.96035	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	895bf2ac7bb979be5f0b5bc1d4d0802842c3b20fa2525e318fd6f67635d9c118b	0.73375	1	False	0.7345	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	d4376f0184def657a2121799c81b5216f2755944d9f07e6d04d36c6d34fcb66d	0.89705	1	False	0.89455	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	45653a5c300543ebc43d861a565f5c378377e29fd69f1251d94b9826a9271a74	0.4003	1	False	0.41185	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	e997e4f830ce616c71e5d91340a5467f33cb804a4db3939e7865e659edb22387	0.65385	1	False	0.62365	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	c214d926aa45cb863f4409d146d7bbbdd46175f7aec5784605a67d418e12c43db	0.6295	1	False	0.6129	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	483219be9941d8099ecec5de04aa9ff3c35a54f74866bec78645b000c19527	0.32725	1	False	0.3155	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	99ce608ae0229a25739406b96effd15d6da91d6ef633a5c8ab0431d6c9d38cc4	0.43885	1	False	0.44295	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	2e85d5aea5f148829e5eb264e276625952faf378813f5855ba4819f2f44cd20c	0.79135	1	False	0.7728	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	be437dc6ab54f3590acd a1dcb6b7739e144ee72f356fc6d4b d660ee2861f8f	0.2498	1	False	0.2288	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	64e828208e1f56945d5e e52f0d2e1009c0441dd6 c80e6a249f1a891cd07f1cc0	0.9332	1	False	0.93455	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	1491dfl68618973f5acd 1a1672594279bcbd4323 f65fe193fc0fdbb545e3455e	0.582	1	False	0.56835	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	07964bf7428260aa141c d7f521c502e28646bf7a bb576a8b69cc1336ac3e d860	0.15765	1	False	0.14525	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	95e5cabd5ad6a7f72a3b 0284d8d16bbdefc98d1 02795857eb a9205660a046e5	0.73435	1	False	0.72205	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	333b05a9ccefe5511f4f 7489a34108532934294a 3250c7e7b66ab14blcc0fec	0.08725	1	False	0.0823	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	cac6b626cb8f989d4df 10a780ff362f7f76fc74 98e8636093444c18b71f 7dba	0.7009	1	False	0.6937	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	0f80506aa6ba15cde5a4 727378e02f06e4aa6ef2 c46267d5313b986f206a1af1	0.6513	1	False	0.63625	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	ae5f5bb3aca022d2a0ff1 1c31ba834476123247fe f99eaf141c980c1f935f88f2	0.93315	1	False	0.95125	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	6e057fb6ce86eb2e07e2 78950d758e5fd9521536 f5fb79b4e59de4971717 2f20	0.8919	1	False	0.8868	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	565abf949c2aa4f41273 d9c8796ed91787c40858 0c6dc8587c076765c5aa f143	0.9696	1	False	0.98185	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	734ff91d4d0a325a3447 87710f2fc379e481a9ae bf54c65252ca7e2236e8 5250	0.91175	1	False	0.90525	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	cb12e9aeac50b361e4f9 11f1f6c39ac258ffb3d6 e9887842440b8264e4ca eac7	0.4287	1	False	0.43995	better

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	6441981ba378d78085d42d59bc2ed059630dce4394ba01647e058ba01376907a	0.8222	1	False	0.8113	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	e199daebc9f381d34ad4e4b42e07cf16a3436fa2a76894a9f843683b14e325b9	0.38365	1	False	0.39745	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	7b4e93ba9923fb9876dec6a1eb46665fc4b52c1198058f72c7bca15fb230ecf9	0.9208	1	False	0.915	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	c59a084a588fe78a8ce68799b1431b2d28b83a9f00a5c56bcb13399d9dee	0.7265	1	False	0.70215	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	ddd4f88859cf35c839432b134a35b9f602d0762b79e07d20e7489	0.98365	1	False	0.9844	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	5649d6ec92f3fe22b5b7eefa	0.7009	1	False	0.68525	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	d5e41b7e9d9387e94873a9b02b072bab87b8665fa21bb749dc1560	0.9745	1	False	0.9746	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	654cbbe2c6db5ae378d5f511377f3f1de4efea006f3acf78d91f00d7ab3f01ab	0.16965	1	False	0.16195	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	2438aa308f1d89e9b2f1bf6a4fc27d37af87fc5f38cb00f83114402e15893e2a	0.87245	1	False	0.8738	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	a28a1a48d7f0a1dc0738e90e096ebc8d94662896bfdbcd85041239a0b4b03149	0.24435	1	False	0.241	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	e03a9dedede9814897ba75fa0f44b2874eaaad23ed8cfc36512a5b	0.1124	1	False	0.10815	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	664150a56691986239eab371aadcb1a33d3dde637127ac1e2c1d12d1126f81bc6	0.40665	1	False	0.43355	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	63325a479ca946d7062432b70de7957d046d43ce6524bce17540760cc3da308	0.6724	1	False	0.65905	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	8418b6ab7d2d4214882bb8a84c6b8c9eeaed68f9a6896824f69175babaf21395					

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	a310be7478d8b1bf8296d4ca95c383dbbffcfa4cf176887ed59c850dce730cd	0.8127	1	False	0.8223	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	1f4417b4b097b0ca58d319b119b78bccb6eb6a18b00911f4db664d5771016153	0.7315	1	False	0.7217	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	901dd961981c9f95bd77f307a3629edec9703b9db5869962811467dfbdc49f3	0.66745	1	False	0.65115	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	a492b446e66ad670e52b6be9c7fabe1c7cdec8c1a4710c8c4c04b0fb4714ca8d	0.56465	1	False	0.55265	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	2bb0399aa2e60cc2fa2f5a4fb277b58a2ae91b559a0c0f604c1d76d24e67dda6	0.30375	1	False	0.3022	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	fab9eda5d80423f643dbee51944bdac2d57c9f1452f5af1a6ee92b2bfbc28818	0.23935	1	False	0.23545	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	36014afa2a16751ee2b9c444b7a40ea60aa3bf015215be8c5e49a44decd7f269	0.87925	1	False	0.8714	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	0cbf609a47d2640f56358d8ab68074c2f7f1a4a395c04446cc3beacb8e9e30df	0.8634	1	False	0.85805	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	601043bd2cda117fc94802ba4e3a4b80e6fd52cb015fc96460d45705ab5f27ab	0.8179	1	False	0.79985	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	70bcc2d38a69ce20aa420d13a7b614e1fe331ee121adb5ed20346acce3b0e647	0.3363	1	False	0.3343	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	a1de5f4a8d6495bc02d6b96a539073ad418cb4f4803cbf7c74fb91621d55a29a	0.88065	1	False	0.8784	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	b8955ec350ccf23efc99d9ba3734198ab0ace0152c9fe27a4a9d3a9b93ef36ff	0.42195	1	False	0.41655	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	e5fd0b0407114e26b18a4ab1ca9ca7185896a22e108907f33342ba43560b4112	0.8452	1	False	0.8445	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	a363dfcfdb 2355c92100 88e46d9e52 5b27738c8 a37d40fc4f feb2c09720 4381	0.66405	1	False	0.6725	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	82b1b364d2 6ed18e31d6 03835cd646 1981ead8de 2344963c68 b63eece36bc 6516	0.33445	1	False	0.3449	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	502224bccd a7762b9511 2ae2390f77 c532b812bb 5035414b65 2e63019a37 bdbd	0.96035	1	False	0.9673	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	311b57fc3f1 303ad2ffe 7b2a21d815 f0cc2a1060 eb453d91a7 80a4321246 6b0d	0.7152	1	False	0.7138	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	83862b7613 843f6062a1 9e98b1b8b5 ac76cbb6f7 80afc6cc17 c892aaff66c65	0.75455	1	False	0.75615	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	ebdeb810da 9270c6e3b5 b885b67c5c 67fc6e379a e2a986341e 401ee4c96a aa07	0.1241	1	False	0.1227	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	1f0f8ca808 3f5e38db72 99edf7db53 8b3be75566 800d13071c 18feb1f7b9552	0.8369	1	False	0.829	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	06094ace61b de25369a7d 010d01f4b2 6bb4a75a01 ba21614231 ea3cfla926408e	0.20365	1	False	0.2131	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	08175884cd f904ae75f8 b944820524 34194820e8 b4fc723993 eb1831a84170ff	0.45775	1	False	0.45755	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	3c0c692b97 5fb0fab8a8 9c4ed23697 4057a4e60b 0703e060cd 24254c34b3 8141	0.0979	1	False	0.093	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	f02b504fcc 7189e2e786 717b3951f1 ea12cd0b9a 85cdac5062 a86986f38d711f	0.8512	1	False	0.8527	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	3e61f79288 32e5f6a43b d30c79d505 73fc6e582b c1773c5d71 455c1e6bb7 bc9e	0.0323	1	False	0.02915	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	4df673cbc9 d2c2f1ff5b 5370982763 2735844e96 5efc9f662e 77b212a4e9 1599	0.0195	1	False	0.01835	better

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	5992eccb73 949fe43d6d 1bc3cc2c30 3ea039e91c dfa3637a3d 091877b793 69e1	0.0832	1	False	0.08065	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	6b7686f9ea 8e9748ba33 f6662d71f9 3749985af4 329ad6fc17 f60472287fa404	0.14425	1	False	0.1387	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	93981e1345 ddbcfa0693 1a94febbdf a7add22e10 7eddbff862 88dc4ab4af bf9b	0.0687	1	False	0.0688	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	b161708c29 e0f3905bff f20f551de6 d717112b19 9c23bcefd1 b40afc27f5e3bd	0.72125	1	False	0.7163	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	590a9b33bb 1f1bf8abda d30e2f45dc 687a71891e ea5c1852c2 792bda11b4 8097	0.7774	1	False	0.77335	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	f8f7c9eb7e a38a96f091 ded6a1a004 3f4aca4e85 d30720bf44 5537e13dafe3cc	0.88785	1	False	0.8809	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	e8789689c1 3abcbac32 103877f6c9 ad9671075d 8e54c68efb ac2c89c952fe07	0.55245	1	False	0.54925	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	20bc82bf30 afd6b22981 0e94984d31 7a07e683cf de21704c12 00157360cd e08f	0.54715	1	False	0.5441	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	1b763f37a5 83229836ae 20b5f65018 994b654674 ad7f54528e 200998af59 02a3	0.95395	1	False	0.98715	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	a4975fb773 f474b0358e 1f098dfd74 4f4043ebd6 50f47cf82b 18c9bf7c66 0ded	0.7974	1	False	0.7876	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	b0f7561298 68c816cf99 a045ca34a6 dc2564512c d74f958ea3 5fb18cece639f9	0.27055	1	False	0.27425	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	7b1c8f9cfe e85d7cb1ff 81f566d32c 82582bf88b 22953029fa dd7574ef68 6788	0.48125	1	False	0.483	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	e26e1c50d4 a87ab04773 5e57b940d4 41a943c261 daf2d11124 f6856d92fc5e94	0.6337	1	False	0.6204	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	f4ff13287521cfa297e97ed156e20a0a65e47c74f08a20fd23974a38c8c70639	0.9905	1	False	0.99075	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	e763a9516204dd7054d3eeede9fc708705380f328e2c40fc1d142afe459ba3fa	0.55715	1	False	0.5485	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	f7fda5a876cf5591625d7e2d0a1a3f0f13c5497fb37a7eb06e20c5f3c7dc	0.5311	1	False	0.5359	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	b4dbdb894a982ba93e5c6a84a03b52ec1eb152639e1e3ea3c229e2a6e9f71ce787a6	0.5009	1	False	0.48335	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	db67571c388a060c14d332ca04c07bf18156f0caa37a7a0ae0d50cdb4d9463af	0.7673	1	False	0.7606	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	1d780292753557859244aa9b52bb913e00bec5fde934eaaadb098e770e4030807	0.6018	1	False	0.59575	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	91d796ef4b37f9eefc0501e3ceecba970581c8b687eba4ac5c015283c6b71603	0.98195	1	False	0.98375	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	c0f975b8a7ad357400bf6e1a22fc73548192d856320aa9cb9f39e796b8463ea1	0.5754	1	False	0.59065	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	b0b5477c8162986a8be82f0706a3cb38cae5819a11ea5512e3b54f2e02becdad	0.9944	1	False	0.9959	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	cb99a7582e6dd42c52b2c696759891066b2a86fa7d45a12a7382e366a7aa7b05	0.3132	1	False	0.3132	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	2dbba9f6d5677a25043766ac566b3096d5ec27da0df6ddb601fe737c87a8b09	0.63475	1	False	0.6405	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	7cdf2d58cdac3fd304c260ebc6d472c3aaddfa31b5f7cdb1719b6f73bad19e42	0.90855	1	False	0.91755	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	f0f8adb27f7e24b08e6d27c411d7823f8e59cc64d6167c6d44e79825f3678f53	0.46885	1	False	0.4578	better

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	f970f9c400b9d609018160bbb6f695f419755cb9c1ae793df2ebf289d67097dc	0.8586	1	False	0.8525	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	c7ebf2f378906fd2dfc15625b449a00c50d4249e40f47163ce2acda0091887	0.77925	1	False	0.7783	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	53264b51eb2179e8fa4279ff0007987ce27958e47a15b557635deb5ca447b2d	0.39965	1	False	0.37035	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	f34dd74193cf80a1b6862a7021edd9e52abb39a670c1bfe2ba8878b74d6ed6e8	0.98655	1	False	0.9878	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	1a320f018a6cdda2c85432b3691fb200599b53478fab9bc89f9f232f814aa61	0.63855	1	False	0.60665	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	8bbf85ef0909f95561288a8c2d9cf76e57f6d53628114c79818ae2466e06e007	0.0005	0.3055	False	0.0003	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	ddfd704397ea87a0840ff54ef0dac4931f2f45143a18200b414ea1a181b7770b	0.7898	1	False	0.7792	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	ec29e470812d79817cdbd80c046bc9678727466e286a715b6920456f4c144eae	0.0002	0.1228	False	0.00015	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	0459751dae d271504e77ef57c6d6d09f79629d59cd1cab8ffb8e19212e806ee8	0.7085	1	False	0.69985	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	29a48c6b7635db9cbf8d82ec29c87c1da611374fec39327ff5a10a4e047728fa9	0.62545	1	False	0.6161	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	cd23fea9b5bddbe5be1e6c9ecee b412460ad1d50c70b5ac3541f06cee4ce0186	0.9782	1	False	0.99965	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	6566efebbb6544a293e79809dd18f9f500c5d6e65390588eaf	0.8403	1	False	0.8356	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	eb273334c3fefe1140d4bf6dc5707a6c1d0c83dac1ace607aba1529ea6d1ff42b6a1431922f76b	0.95985	1	False	0.97645	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	b55ebf2b4c bb950f92e1 92934fca32 0166f29ecc e287bd85d5 38e368635b dead	0.75585	1	False	0.7456	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	4a8fb31026 2b95b3db70 ae7c7d7d61 3c0a4ed45b a1f42e93b5 99d5824571 0a70	0.85835	1	False	0.8584	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	26b7f2b225 328c587ce3 3a89a8f577 f620788948 b39ab40356 1febe02092c55c	0.79755	1	False	0.79155	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	de16e81e85 7145014135 8e2a7b352f a755d06efd 9628c67c01 0fcfd77a4ccdc6	0.6506	1	False	0.6472	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	67cc6c2221 9c0dd0a421 c9fd0c8133 e490d3849c 8fe0d681d4 50c6e4fcb77fef	0.8759	1	False	0.8683	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	b3409f87df 11461c55c5 02937011a5 7a5fb54fcd 502c2854cc 157896a03d 877c	0.79295	1	False	0.75905	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	295fb29a28 e9078d5ffe ea9428eb22 764660fd17 b25a5f63f8 73fb6f898cb310	0.9195	1	False	0.91795	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	5713b7ce2e 32cc2bbd0f 5019cb5b5f 6f1c974f3a 4106b3efd9 5ce82b4b6b 0af6	0.79465	1	False	0.7756	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	c1ea45ffdf f64e1b5e94 be9428299e 11fc739ab0 848041c04e c88ed872fcea4d	0.3573	1	False	0.35485	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	d19fd71a68 d08734a05c 058f5a4664 c6163d1301 3b6736491d 37ea2b1ba3 5216	0.35525	1	False	0.33525	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	557a2ea00d 8d14931dc6 b0df1ebc28 bcd30edb86 24c53c1526 f518df2fe2df42	0.08715	1	False	0.0907	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	b7587f38d1 5657b92527 9c11939e84 d9874e316e ff5e23eba8 be6c951eff112e	0.5192	1	False	0.50605	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	62099108ac 7dc93c722b 65e39ac4b0 12f994064c 226925fc4e 4fc3d91a9f db43	0.8212	1	False	0.81485	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	534c3f412f 33bad5269b ba1b326241 e4b2fdfd6 4b234f9a8e 9b714ddab1 2d8b	0.2047	1	False	0.22255	better

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	3fe7c688f666d56cd905ede9afcleadf65a3052ccaf351e6b870ce51a06d2323	0.981	1	False	0.9853	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	993d08e84e976b7da430aefc32780ecee567a4d9e12e0fcc594c7118a012bcbcd	0.5967	1	False	0.59215	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	2bacdaf892538f999527e35289e70fdaa790f75c58a9cc6f550a536c2fd0f10e	0.95495	1	False	0.955	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	53340968a2551b28844b0158a7e4f11b6f1ffb3a3caeeb047e02a8c01639434	0.9378	1	False	0.9549	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	b66e5d7bec0f97bad8dda8f510cd8758a0b94736e48a48035e682f0843cebd96	0.99295	1	False	0.9938	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	92f87c1d3b23e7d7c7138ead69ca9f21cef79e7df1656e7f459624fa7877aa	0.6872	1	False	0.67445	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	8d29277d2a6786a1386f4f5e3b10c90548c07fde3f8f0534a79224796ea7d44c	0.7329	1	False	0.71705	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	8c5358208e3cc30c2afc03eb5fc8e20ac5635f6463ea3346dade34170df96fa	0.6565	1	False	0.6184	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	2e4c87976b606900480e013c043124ce6f6e817a0245898379e87a978cc735ca	0.9955	1	False	0.9966	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	c9c8e77bf26f5f3c1229adebd48467bcfb79c8c0a1136e03d45c551da12892b74	0.6778	1	False	0.6433	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	a44f25045d42c749dd061f9c8320edb51efa63d57bbd553d340503cfa5c2b2c	0.27785	1	False	0.27305	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	2c9ef642d365cf6b9ff747860f67fa8f63815fee8c2f1f817bb728f8ed40e073	0.3561	1	False	0.3466	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	ccbc0e0cd46955d243c94597f7e17d6f33cd5afa211711f4707d3b26168e06df	0.24955	1	False	0.241	better

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	762a5d0c076420ddfedc3e27e9ee6f4c72ab8fb3dfba30188226d13573bc32c8	0.7398	1	False	0.7203	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	9d8e74b90104b8afb7a93b2ff5df002ed7a5f4cc3edad29fe7f9f74279cf4959491ee9405194d13a3766fe9068b386907cce6c028e5341955e37a950be15a439	0.8695	1	False	0.8727	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	6e0616590bbf773f9337b87ddfd0d64c8ff0500135cb5e9f5b31a171b67b238e7d	0.6168	1	False	0.60785	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	e3b6f51d94f88d2d92685e7cf9e12e23b237072cdb13fe1b32054f360154eee3	0.9922	1	False	0.99545	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	8f17ec54815d7b0795abee20d0760786069e8cffa792fb35b4d26aab3377c660	0.8338	1	False	0.8257	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	63d52d0d2aa90ae48558653239b031b73ed2bc707a35bdc88334b9cb407300a6	0.77585	1	False	0.7731	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	1bb515598ad976e6b5d91a452934b0777a7479dc0088e167f69e46d57eea	0.98045	1	False	0.99185	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	17109cfffbf43245f9849b5b63337aebf0953252e48a81bc30137152a80855d	0.97215	1	False	0.97315	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	4d85a3238f7a6c9da4a32269bb0201a666e2de7654a385f87a4c7f9e4003b561	0.87555	1	False	0.8757	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	dfbdeabd3556da827e3fd2fd9b0386f7b097f56bda37f69e018bcf6a6d66fa58	0.92535	1	False	0.9246	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	e8fa0b3c1dc50a6ad643d80f7dfe7ab2e5d46c5eadd115cc532f561e618798f	0.93705	1	False	0.92655	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	b36ad451a87737b5dc2c780fd4d25c8356f7ca15bd9fc78258a9414d3649b528	0.9963	1	False	0.99725	worse
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar		0.94025	1	False	0.9352	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	752b2fc75720d05e4add7402b229a67bfd55c476ef6d67f5f70a3e6822e36ed2	0.00815	1	False	0.0074	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	d0a2eeb38bfde297ed1ff813243ca4120b625da6b9686ef717f1468eab5740da	0.3675	1	False	0.34035	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	224b161be71e864e765f0fc54b356b12bb844af87e4b7549613eb4c69d316456	0.02155	1	False	0.02105	better
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	08ceaeef252422deb649afff1666692d5c8604d22d6810746dfa3259af4a71f6e	0.52375	1	False	0.48435	worse

Table 126: DermaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
DermaMNIST	ViT-B/16	ViT	Test	Best Individual	2005	0.103741	0.216958	0.162594	0.278803	-0.050374	0.137656	-0.052868	0.135661	-0.036908	0.123691	-0.033416	0.113716
DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	2005	0.114713	0.211471	0.170574	0.271322	-0.05985	0.132668	-0.061845	0.129177	-0.04389	0.1202	-0.033416	0.107232
DermaMNIST	ViT-B/16	ViT	Test	Borda	2005	0.109726	0.211471	0.166085	0.270823	-0.050873	0.133167	-0.05187	0.128678	-0.038404	0.1202	-0.028928	0.107731
DermaMNIST	ViT-B/16	ViT	Test	Kemeny	2005	0.116209	0.210973	0.173067	0.27182	-0.057855	0.134663	-0.056858	0.133167	-0.041397	0.121696	-0.032419	0.109726
DermaMNIST	ViT-B/16	ViT	Test	RRF	2005	0.116209	0.213965	0.173067	0.272319	-0.058354	0.138653	-0.058354	0.134165	-0.041397	0.12419	-0.033416	0.110224
DermaMNIST	ViT-B/16	ViT	Test	Schulze	2005	0.119202	0.210474	0.175062	0.271322	-0.05985	0.133666	-0.057855	0.132668	-0.044888	0.120698	-0.032918	0.109227

Table 127: DermaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	$R^+_{\mathcal{L}}$	$R^+_{\mathcal{F}}$	$R^+_{\mathcal{C}}$	$R^+_{\mathcal{S}}$	$R^+_{\mathcal{L}}$	$R^+_{\mathcal{F}}$	$R^+_{\mathcal{C}}$	$R^+_{\mathcal{S}}$	$F^{\mathcal{S}}$	$F^{\mathcal{S}}$	$C^{\mathcal{S}}$	$C^{\mathcal{S}}$	$F^{\mathcal{P}}$
DermaMNIST	ViT-B/16	ViT	Test	Best Individual	-0.010474	0.088778	-0.021446	0.083292	-0.015461	-0.016459	-0.040898	-0.017456	0.053367	0.079302	0.109726	0.143142	0.066833
DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	-0.022943	0.091272	-0.022444	0.083791	-0.020449	-0.016958	-0.046883	-0.015461	0.054863	0.078803	0.108728	0.142145	0.070823
DermaMNIST	ViT-B/16	ViT	Test	Borda	-0.018454	0.092269	-0.017955	0.082793	-0.021945	-0.016459	-0.045885	-0.017456	0.058853	0.078304	0.114214	0.142145	0.071322
DermaMNIST	ViT-B/16	ViT	Test	Kemeny	-0.020948	0.092269	-0.019451	0.086284	-0.024938	-0.018953	-0.048878	-0.018454	0.058354	0.076309	0.116209	0.138653	0.074813
DermaMNIST	ViT-B/16	ViT	Test	RRF	-0.019451	0.094763	-0.021945	0.086783	-0.021945	-0.017955	-0.049377	-0.019451	0.057855	0.075312	0.114713	0.138155	0.074813
DermaMNIST	ViT-B/16	ViT	Test	Schulze	-0.023441	0.091272	-0.022943	0.084289	-0.029925	-0.022943	-0.05187	-0.021446	0.059352	0.076808	0.117207	0.138653	0.074314

Table 128: DermaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	F^p noturbed	C^p noturbed	$\hat{C}^p$ noturbed	F^s noturbed	$\hat{F}^s$ noturbed	C^s noturbed	$\hat{C}^s$ noturbed	F^p noturbed	$\hat{F}^p$ noturbed	C^s noturbed	$\hat{C}^s$ noturbed	Selected Sources
DermaMNIST	ViT-B/16	ViT	Test	Best Individual	0.093267	0.129177	0.165087	0.093267	0.12818	0.141147	0.195511	0.088279	0.233416	0.121696	0.296259	9a1b8984dd454c066003 a47923e068e5c1073f0d 2723fd5a3c52cc169685 bbc0
DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	0.091272	0.137157	0.16409	0.091771	0.1202	0.14813	0.187531	0.094264	0.228429	0.123691	0.286783	
DermaMNIST	ViT-B/16	ViT	Test	Borda	0.091272	0.137157	0.163092	0.091272	0.119202	0.14813	0.18803	0.087781	0.22793	0.1202	0.288279	
DermaMNIST	ViT-B/16	ViT	Test	Kemeny	0.089277	0.140648	0.162095	0.095262	0.118703	0.153616	0.185536	0.091272	0.229925	0.12419	0.290274	
DermaMNIST	ViT-B/16	ViT	Test	RRF	0.089776	0.139651	0.162095	0.096758	0.119202	0.151122	0.185536	0.094264	0.23192	0.123691	0.291771	
DermaMNIST	ViT-B/16	ViT	Test	Schulze	0.089776	0.142145	0.162095	0.095761	0.119202	0.15212	0.187032	0.089277	0.233416	0.123192	0.292768	

Table 129: DermaMNIST-ViT-B/16

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	All	20	8						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	All	20	1	7	1	12			
DermaMNIST	ViT-B/16	Borda	Dataset Model	All	20	5	8	2	10	12	2	6
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	All	20	0	8	0	12	15	0	5
DermaMNIST	ViT-B/16	RRF	Dataset Model	All	20	4	8	1	11	13	1	6
DermaMNIST	ViT-B/16	Schulze	Dataset Model	All	20	3	7	0	13	10	3	7
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Quality	4	0						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Quality	4	0	4	0	0			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Quality	4	1	4	0	0	1	1	2
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Quality	4	0	4	0	0	3	0	1
DermaMNIST	ViT-B/16	RRF	Dataset Model	Quality	4	0	4	0	0	2	0	2
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Quality	4	3	4	0	0	3	1	0
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Robustness All	16	8						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Robustness All	16	1	3	1	12			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Robustness All	16	4	4	2	10	11	1	4
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Robustness All	16	0	4	0	12	12	0	4
DermaMNIST	ViT-B/16	RRF	Dataset Model	Robustness All	16	4	4	1	11	11	1	4
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Robustness All	16	0	3	0	13	7	2	7
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Gaussian	4	2						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Gaussian	4	0	0	0	4			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Gaussian	4	1	1	0	3	3	0	1
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Gaussian	4	0	0	0	4	4	0	0
DermaMNIST	ViT-B/16	RRF	Dataset Model	Gaussian	4	1	1	0	3	4	0	0
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Gaussian	4	0	0	0	4	3	1	0
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Salt Pepper	4	2						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Salt Pepper	4	0	0	1	3			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Salt Pepper	4	1	1	0	3	3	1	0
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Salt Pepper	4	0	1	0	3	4	0	0
DermaMNIST	ViT-B/16	RRF	Dataset Model	Salt Pepper	4	1	1	1	2	3	1	0
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Salt Pepper	4	0	1	0	3	3	0	1
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Speckle	4	1						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Speckle	4	0	2	0	2			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Speckle	4	1	2	0	2	3	0	1
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Speckle	4	0	3	0	1	4	0	0
DermaMNIST	ViT-B/16	RRF	Dataset Model	Speckle	4	2	2	0	2	4	0	0
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Speckle	4	0	2	0	2	1	1	2
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Adversarial	4	3						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Adversarial	4	1	1	0	3			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Adversarial	4	1	0	2	2	2	0	2
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Adversarial	4	0	0	0	4	0	0	4
DermaMNIST	ViT-B/16	RRF	Dataset Model	Adversarial	4	0	0	0	4	0	0	4
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Adversarial	4	0	0	0	4	0	0	4
DermaMNIST	ViT-B/16	Best Individual	Overall	All	80	21						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	All	80	12	34	1	45			
DermaMNIST	ViT-B/16	Borda	Overall	All	80	14	46	2	32	52	3	25
DermaMNIST	ViT-B/16	Kemeny	Overall	All	80	18	48	0	32	56	0	24
DermaMNIST	ViT-B/16	RRF	Overall	All	80	9	48	1	31	52	1	27
DermaMNIST	ViT-B/16	Schulze	Overall	All	80	9	46	0	34	50	3	27
DermaMNIST	ViT-B/16	Best Individual	Overall	Quality	16	11						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Quality	16	1	5	0	11			
DermaMNIST	ViT-B/16	Borda	Overall	Quality	16	1	4	0	12	5	1	10
DermaMNIST	ViT-B/16	Kemeny	Overall	Quality	16	0	4	0	12	7	0	9
DermaMNIST	ViT-B/16	RRF	Overall	Quality	16	0	4	0	12	6	0	10
DermaMNIST	ViT-B/16	Schulze	Overall	Quality	16	3	4	0	12	7	1	8
DermaMNIST	ViT-B/16	Best Individual	Overall	Robustness All	64	10						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Robustness All	64	11	29	1	34			
DermaMNIST	ViT-B/16	Borda	Overall	Robustness All	64	13	42	2	20	47	2	15
DermaMNIST	ViT-B/16	Kemeny	Overall	Robustness All	64	18	44	0	20	49	0	15
DermaMNIST	ViT-B/16	RRF	Overall	Robustness All	64	9	44	1	19	46	1	17
DermaMNIST	ViT-B/16	Schulze	Overall	Robustness All	64	6	42	0	22	43	2	19
DermaMNIST	ViT-B/16	Best Individual	Overall	Gaussian	16	2						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Gaussian	16	1	7	0	9			
DermaMNIST	ViT-B/16	Borda	Overall	Gaussian	16	4	12	0	4	13	1	2
DermaMNIST	ViT-B/16	Kemeny	Overall	Gaussian	16	6	12	0	4	15	0	1
DermaMNIST	ViT-B/16	RRF	Overall	Gaussian	16	1	13	0	3	15	0	1
DermaMNIST	ViT-B/16	Schulze	Overall	Gaussian	16	2	12	0	4	14	1	1
DermaMNIST	ViT-B/16	Best Individual	Overall	Salt Pepper	16	2						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Salt Pepper	16	0	5	1	10			
DermaMNIST	ViT-B/16	Borda	Overall	Salt Pepper	16	5	12	0	4	15	1	0
DermaMNIST	ViT-B/16	Kemeny	Overall	Salt Pepper	16	7	12	0	4	16	0	0
DermaMNIST	ViT-B/16	RRF	Overall	Salt Pepper	16	3	12	1	3	14	1	1
DermaMNIST	ViT-B/16	Schulze	Overall	Salt Pepper	16	1	12	0	4	14	0	2
DermaMNIST	ViT-B/16	Best Individual	Overall	Speckle	16	2						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Speckle	16	3	8	0	8			
DermaMNIST	ViT-B/16	Borda	Overall	Speckle	16	1	11	0	5	12	0	4
DermaMNIST	ViT-B/16	Kemeny	Overall	Speckle	16	2	12	0	4	13	0	3
DermaMNIST	ViT-B/16	RRF	Overall	Speckle	16	5	11	0	5	13	0	3
DermaMNIST	ViT-B/16	Schulze	Overall	Speckle	16	3	12	0	4	10	1	5
DermaMNIST	ViT-B/16	Best Individual	Overall	Adversarial	16	4						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Adversarial	16	7	9	0	7			
DermaMNIST	ViT-B/16	Borda	Overall	Adversarial	16	3	7	2	7	7	0	9
DermaMNIST	ViT-B/16	Kemeny	Overall	Adversarial	16	3	8	0	8	5	0	11
DermaMNIST	ViT-B/16	RRF	Overall	Adversarial	16	0	8	0	8	4	0	12

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	6	0	10	5	0	11

Table 130: DermaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
DermaMNIST	ViT-B/16	ViT	Test	Best Individual	2005	0.103741	0.216958	0.162594	0.278803	0	0.137656	0.012469	0.135661	0.003491	0.123691	0.001496	0.113716
DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	2005	0.114713	0.211471	0.170574	0.271322	0.05985	0.132668	0.061845	0.129177	0.04389	0.1202	0.033416	0.107232
DermaMNIST	ViT-B/16	ViT	Test	Borda	2005	0.109726	0.211471	0.166085	0.270823	0.050873	0.133167	0.05187	0.128678	0.038404	0.1202	0.028928	0.107731
DermaMNIST	ViT-B/16	ViT	Test	Kemeny	2005	0.116209	0.210973	0.173067	0.27182	0.057855	0.134663	0.056858	0.133167	0.041397	0.121696	0.032419	0.109726
DermaMNIST	ViT-B/16	ViT	Test	RRF	2005	0.116209	0.213965	0.173067	0.272319	0.058354	0.138653	0.058354	0.134165	0.041397	0.12419	0.033416	0.110224
DermaMNIST	ViT-B/16	ViT	Test	Schulze	2005	0.119202	0.210474	0.175062	0.271322	0.05985	0.133666	0.057855	0.132668	0.044888	0.120698	0.032918	0.109227

Table 131: DermaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	R^e_c	R^e_p	R^e_c	R^e_c	R^a_p	R^a_p	R^a_c	R^a_c	Selected Sources
DermaMNIST	ViT-B/16	ViT	Test	Best Individual	0.000998	0.088778	0.002993	0.083292	0	0.000499	0.003491	0	d7b6764b4046752dceb374706fc6dc3680734778161d77b607c39a8808fcd987
DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	0.022943	0.091272	0.022444	0.083791	0.020449	0.016958	0.046883	0.015461	
DermaMNIST	ViT-B/16	ViT	Test	Borda	0.018454	0.092269	0.017955	0.082793	0.021945	0.016459	0.045885	0.017456	
DermaMNIST	ViT-B/16	ViT	Test	Kemeny	0.020948	0.092269	0.019451	0.086284	0.024038	0.018953	0.048878	0.018454	
DermaMNIST	ViT-B/16	ViT	Test	RRF	0.019451	0.094763	0.021945	0.086783	0.021945	0.017955	0.049377	0.019451	
DermaMNIST	ViT-B/16	ViT	Test	Schulze	0.023441	0.091272	0.022943	0.084289	0.029925	0.022943	0.05187	0.021446	

Table 132: DermaMNIST-ViT-B/16

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	All	20	11						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	All	20	3	8	0	12			
DermaMNIST	ViT-B/16	Borda	Dataset Model	All	20	4	9	0	11	11	2	7
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	All	20	0	8	0	12	9	0	11
DermaMNIST	ViT-B/16	RRF	Dataset Model	All	20	0	6	0	14	7	1	12
DermaMNIST	ViT-B/16	Schulze	Dataset Model	All	20	3	8	0	12	5	3	12
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Quality	4	0						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Quality	4	0	4	0	0			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Quality	4	1	4	0	0	1	1	2
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Quality	4	0	4	0	0	3	0	1
DermaMNIST	ViT-B/16	RRF	Dataset Model	Quality	4	0	4	0	0	2	0	2
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Quality	4	3	4	0	0	3	1	0
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Robustness All	16	11						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Robustness All	16	3	4	0	12			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Robustness All	16	3	5	0	11	10	1	5
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Robustness All	16	0	4	0	12	6	0	10
DermaMNIST	ViT-B/16	RRF	Dataset Model	Robustness All	16	0	2	0	14	5	1	10
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Robustness All	16	0	4	0	12	2	2	12
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Gaussian	4	2						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Gaussian	4	1	2	0	2			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Gaussian	4	1	2	0	2	3	0	1
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Gaussian	4	0	2	0	2	2	0	2
DermaMNIST	ViT-B/16	RRF	Dataset Model	Gaussian	4	0	1	0	3	2	0	2
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Gaussian	4	0	2	0	2	1	1	2
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Salt Pepper	4	2						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Salt Pepper	4	2	2	0	2			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Salt Pepper	4	1	2	0	2	2	1	1
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Salt Pepper	4	0	2	0	2	2	0	2
DermaMNIST	ViT-B/16	RRF	Dataset Model	Salt Pepper	4	0	1	0	3	1	1	2
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Salt Pepper	4	0	2	0	2	1	0	3
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Speckle	4	3						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Speckle	4	0	0	0	4			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Speckle	4	1	1	0	3	3	0	1
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Speckle	4	0	0	0	4	2	0	2
DermaMNIST	ViT-B/16	RRF	Dataset Model	Speckle	4	0	0	0	4	2	0	2
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Speckle	4	0	0	0	4	0	1	3
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Adversarial	4	4						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Adversarial	4	0	0	0	4			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Adversarial	4	0	0	0	4	0	0	4
DermaMNIST	ViT-B/16	RRF	Dataset Model	Adversarial	4	0	0	0	4	0	0	4
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Adversarial	4	0	0	0	4	0	0	4
DermaMNIST	ViT-B/16	Best Individual	Overall	All	80	68						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	All	80	5	10	0	70			
DermaMNIST	ViT-B/16	Borda	Overall	All	80	4	10	0	70	41	3	36
DermaMNIST	ViT-B/16	Kemeny	Overall	All	80	1	9	0	71	40	0	40
DermaMNIST	ViT-B/16	RRF	Overall	All	80	0	7	0	73	38	1	41
DermaMNIST	ViT-B/16	Schulze	Overall	All	80	3	9	0	71	37	4	39
DermaMNIST	ViT-B/16	Best Individual	Overall	Quality	16	11						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Quality	16	1	5	0	11			
DermaMNIST	ViT-B/16	Borda	Overall	Quality	16	1	4	0	12	5	1	10
DermaMNIST	ViT-B/16	Kemeny	Overall	Quality	16	0	4	0	12	7	0	9
DermaMNIST	ViT-B/16	RRF	Overall	Quality	16	0	4	0	12	6	0	10
DermaMNIST	ViT-B/16	Schulze	Overall	Quality	16	3	4	0	12	7	1	8
DermaMNIST	ViT-B/16	Best Individual	Overall	Robustness All	64	57						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Robustness All	64	4	5	0	59			
DermaMNIST	ViT-B/16	Borda	Overall	Robustness All	64	3	6	0	58	36	2	26
DermaMNIST	ViT-B/16	Kemeny	Overall	Robustness All	64	1	5	0	59	33	0	31
DermaMNIST	ViT-B/16	RRF	Overall	Robustness All	64	0	3	0	61	32	1	31
DermaMNIST	ViT-B/16	Schulze	Overall	Robustness All	64	0	5	0	59	30	3	31
DermaMNIST	ViT-B/16	Best Individual	Overall	Gaussian	16	14						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Gaussian	16	1	2	0	14			
DermaMNIST	ViT-B/16	Borda	Overall	Gaussian	16	1	2	0	14	9	1	6
DermaMNIST	ViT-B/16	Kemeny	Overall	Gaussian	16	0	2	0	14	9	0	7
DermaMNIST	ViT-B/16	RRF	Overall	Gaussian	16	0	1	0	15	9	0	7
DermaMNIST	ViT-B/16	Schulze	Overall	Gaussian	16	0	2	0	14	8	1	7
DermaMNIST	ViT-B/16	Best Individual	Overall	Salt Pepper	16	13						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Salt Pepper	16	2	2	0	14			
DermaMNIST	ViT-B/16	Borda	Overall	Salt Pepper	16	1	3	0	13	8	1	7
DermaMNIST	ViT-B/16	Kemeny	Overall	Salt Pepper	16	1	3	0	13	8	0	8
DermaMNIST	ViT-B/16	RRF	Overall	Salt Pepper	16	0	2	0	14	8	1	7
DermaMNIST	ViT-B/16	Schulze	Overall	Salt Pepper	16	0	3	0	13	8	1	7
DermaMNIST	ViT-B/16	Best Individual	Overall	Speckle	16	14						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Speckle	16	1	1	0	15			
DermaMNIST	ViT-B/16	Borda	Overall	Speckle	16	1	1	0	15	10	0	6
DermaMNIST	ViT-B/16	Kemeny	Overall	Speckle	16	0	0	0	16	9	0	7
DermaMNIST	ViT-B/16	RRF	Overall	Speckle	16	0	0	0	16	9	0	7
DermaMNIST	ViT-B/16	Schulze	Overall	Speckle	16	0	0	0	16	7	1	8
DermaMNIST	ViT-B/16	Best Individual	Overall	Adversarial	16	16						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Adversarial	16	0	0	0	16			
DermaMNIST	ViT-B/16	Borda	Overall	Adversarial	16	0	0	0	16	9	0	7
DermaMNIST	ViT-B/16	Kemeny	Overall	Adversarial	16	0	0	0	16	7	0	9
DermaMNIST	ViT-B/16	RRF	Overall	Adversarial	16	0	0	0	16	6	0	10

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	0	0	16	7	0	9

Table 133: DermaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
DermaMNIST	ViT-B/16	ViT	Test	Best Individual	2005	0.103741	0.216958	0.162594	0.278803	0.050374	0.137656	0.052868	0.135661	0.036908	0.123691	0.033416	0.113716
DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	2005	0.114713	0.211471	0.170574	0.271322	0.05985	0.132668	0.061845	0.129177	0.04389	0.1202	0.033416	0.107232
DermaMNIST	ViT-B/16	ViT	Test	Borda	2005	0.109726	0.211471	0.166085	0.270823	0.050873	0.133167	0.05187	0.128678	0.038404	0.1202	0.028928	0.107731
DermaMNIST	ViT-B/16	ViT	Test	Kemeny	2005	0.116209	0.210973	0.173067	0.27182	0.057855	0.134663	0.056858	0.133167	0.041397	0.121696	0.032419	0.109726
DermaMNIST	ViT-B/16	ViT	Test	RRF	2005	0.116209	0.213965	0.173067	0.272319	0.058354	0.138653	0.058354	0.134165	0.041397	0.12419	0.033416	0.110224
DermaMNIST	ViT-B/16	ViT	Test	Schulze	2005	0.119202	0.210474	0.175062	0.271322	0.05985	0.133666	0.057855	0.132668	0.044888	0.120698	0.032918	0.109227

Table 134: DermaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	R^e_c	R^e_ℓ	R^e_c	R^e_c	R^a_ℓ	R^a_ℓ	R^a_c	R^a_c	Selected Sources
DermaMNIST	ViT-B/16	ViT	Test	Best Individual	0.010474	0.088778	0.021446	0.083292	0.015461	0.016459	0.040898	0.017456	5997284ba076bcd7b1afb4c36a17189cc1298d0048ea666e3c2f26d7314633f4
DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	0.022943	0.091272	0.022444	0.083791	0.020449	0.016958	0.046883	0.015461	
DermaMNIST	ViT-B/16	ViT	Test	Borda	0.018454	0.092269	0.017955	0.082793	0.021945	0.016459	0.045885	0.017456	
DermaMNIST	ViT-B/16	ViT	Test	Kemeny	0.020948	0.092269	0.019451	0.086284	0.024038	0.018953	0.048878	0.018454	
DermaMNIST	ViT-B/16	ViT	Test	RRF	0.019451	0.094763	0.021945	0.086783	0.021945	0.017955	0.049377	0.019451	
DermaMNIST	ViT-B/16	ViT	Test	Schulze	0.023441	0.091272	0.022943	0.084289	0.029925	0.022943	0.05187	0.021446	

Table 135: DermaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	Sample Count	F	F	C	C	R_F^p	R_F^p	R_V^p	R_C^p	R_F^p	R_F^p	R_V^p	R_C^p
DermaMNIST	ViT-B/16	ViT	Test	Best Individual	2005	0.102743	0.219451	0.162594	0.279302	0.029426	0.142643	0.021446	0.138653	0.018953	0.127681	0.003399	0.115212
DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	2005	0.097756	0.220449	0.150623	0.283292	0.046384	0.142643	0.044888	0.142145	0.031421	0.12818	0.02793	0.118204
DermaMNIST	ViT-B/16	ViT	Test	Borda	2005	0.093766	0.220948	0.147132	0.281796	0.040399	0.142145	0.042394	0.139651	0.030424	0.129676	0.025436	0.117207
DermaMNIST	ViT-B/16	ViT	Test	Kemeny	2005	0.091771	0.222943	0.149127	0.283292	0.040399	0.144638	0.044389	0.142145	0.026434	0.131172	0.02793	0.118204
DermaMNIST	ViT-B/16	ViT	Test	RRF	2005	0.092269	0.21995	0.148628	0.280299	0.039401	0.141147	0.041397	0.138653	0.022943	0.12818	0.022444	0.115711
DermaMNIST	ViT-B/16	ViT	Test	Schulze	2005	0.094763	0.222444	0.151621	0.282793	0.043392	0.143641	0.045885	0.141147	0.02793	0.130673	0.029925	0.117706

Table 136: DermaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	R^e_p	R^e_s	R^e_c	R^e_{cs}	R^a_p	R^a_s	R^a_c	R^a_{cs}	Selected Sources
DermaMNIST	ViT-B/16	ViT	Test	Best Individual	0.000499	0.094264	0.00399	0.089277	0.000499	0.010973	0.019451	0.010973	652c054aef37995aeefe d7248498eaa723d4c65a 5cf59f2d8afc1dc28a9e 5d13
DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	0.01197	0.096259	0.015461	0.093267	0.018953	0.020948	0.047382	0.020948	
DermaMNIST	ViT-B/16	ViT	Test	Borda	0.008978	0.094763	0.009975	0.088279	0.010474	0.023441	0.031421	0.025935	
DermaMNIST	ViT-B/16	ViT	Test	Kemeny	0.006484	0.098254	0.01197	0.090773	0.00798	0.020449	0.030923	0.02394	
DermaMNIST	ViT-B/16	ViT	Test	RRF	0.003491	0.094763	0.009476	0.088279	0.009476	0.02394	0.034414	0.027431	
DermaMNIST	ViT-B/16	ViT	Test	Schulze	0.008978	0.095761	0.013965	0.088778	0.009975	0.019451	0.033416	0.022943	

Table 137: DermaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
DermaMNIST	ViT-B/16	ViT	Test	Best Individual	2005	0.102743	0.219451	0.162594	0.279302	0.029426	0.142643	0.021446	0.138653	0.018953	0.127681	0.003399	0.115212
DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	2005	0.097756	0.220449	0.150623	0.283292	0.046384	0.142643	0.044888	0.142145	0.031421	0.12818	0.02793	0.118204
DermaMNIST	ViT-B/16	ViT	Test	Borda	2005	0.093766	0.220948	0.147132	0.281796	0.040399	0.142145	0.042394	0.139651	0.030424	0.129676	0.025436	0.117207
DermaMNIST	ViT-B/16	ViT	Test	Kemeny	2005	0.091771	0.222943	0.149127	0.283292	0.040399	0.144638	0.044389	0.142145	0.026434	0.131172	0.02793	0.118204
DermaMNIST	ViT-B/16	ViT	Test	RRF	2005	0.092269	0.21995	0.148628	0.280299	0.039401	0.141147	0.041397	0.138653	0.022943	0.12818	0.022444	0.115711
DermaMNIST	ViT-B/16	ViT	Test	Schulze	2005	0.094763	0.222444	0.151621	0.282793	0.043392	0.143641	0.045885	0.141147	0.02793	0.130673	0.029925	0.117706

Table 138: DermaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	R^e_p	R^e_s	R^e_c	R^e_{cs}	R^a_p	R^a_s	R^a_c	R^a_{cs}	Selected Sources
DermaMNIST	ViT-B/16	ViT	Test	Best Individual	0.000499	0.094264	0.00399	0.089277	0.000499	0.010973	0.019451	0.010973	652c054aef37995aeefe d7248498eaa723d4c65a 5cf59f2d8afc1dc28a9e 5d13
DermaMNIST	ViT-B/16	ViT	Test	Simple Averaging	0.01197	0.096259	0.015461	0.093267	0.018953	0.020948	0.047382	0.020948	
DermaMNIST	ViT-B/16	ViT	Test	Borda	0.008978	0.094763	0.009975	0.088279	0.010474	0.023441	0.031421	0.025935	
DermaMNIST	ViT-B/16	ViT	Test	Kemeny	0.006484	0.098254	0.01197	0.090773	0.00798	0.020449	0.030923	0.02394	
DermaMNIST	ViT-B/16	ViT	Test	RRF	0.003491	0.094763	0.009476	0.088279	0.009476	0.02394	0.034414	0.027431	
DermaMNIST	ViT-B/16	ViT	Test	Schulze	0.008978	0.095761	0.013965	0.088778	0.009975	0.019451	0.033416	0.022943	

Table 139: DermaMNIST-ViT-B/16

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	All	20	7						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	All	20	4	9	1	10			
DermaMNIST	ViT-B/16	Borda	Dataset Model	All	20	8	12	2	6	11	2	7
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	All	20	0	10	0	10	9	0	11
DermaMNIST	ViT-B/16	RRF	Dataset Model	All	20	0	6	1	13	7	1	12
DermaMNIST	ViT-B/16	Schulze	Dataset Model	All	20	3	9	0	11	5	3	12
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Quality	4	0						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Quality	4	0	4	0	0			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Quality	4	1	4	0	0	1	1	2
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Quality	4	0	4	0	0	3	0	1
DermaMNIST	ViT-B/16	RRF	Dataset Model	Quality	4	0	4	0	0	2	0	2
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Quality	4	3	4	0	0	3	1	0
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Robustness All	16	7						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Robustness All	16	4	5	1	10			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Robustness All	16	7	8	2	6	10	1	5
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Robustness All	16	0	6	0	10	6	0	10
DermaMNIST	ViT-B/16	RRF	Dataset Model	Robustness All	16	0	2	1	13	5	1	10
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Robustness All	16	0	5	0	11	2	2	12
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Gaussian	4	1						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Gaussian	4	1	2	0	2			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Gaussian	4	2	3	0	1	3	0	1
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Gaussian	4	0	2	0	2	2	0	2
DermaMNIST	ViT-B/16	RRF	Dataset Model	Gaussian	4	0	1	0	3	2	0	2
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Gaussian	4	0	2	0	2	1	1	2
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Salt Pepper	4	1						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Salt Pepper	4	2	2	1	1			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Salt Pepper	4	2	3	0	1	2	1	1
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Salt Pepper	4	0	3	0	1	2	0	2
DermaMNIST	ViT-B/16	RRF	Dataset Model	Salt Pepper	4	0	1	1	2	1	1	2
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Salt Pepper	4	0	3	0	1	1	0	3
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Speckle	4	2						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Speckle	4	0	0	0	4			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Speckle	4	2	2	0	2	3	0	1
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Speckle	4	0	1	0	3	2	0	2
DermaMNIST	ViT-B/16	RRF	Dataset Model	Speckle	4	0	0	0	4	2	0	2
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Speckle	4	0	0	0	4	0	1	3
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Adversarial	4	3						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Adversarial	4	1	1	0	3			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Adversarial	4	1	0	2	2	2	0	2
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Adversarial	4	0	0	0	4	0	0	4
DermaMNIST	ViT-B/16	RRF	Dataset Model	Adversarial	4	0	0	0	4	0	0	4
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Adversarial	4	0	0	0	4	0	0	4
DermaMNIST	ViT-B/16	Best Individual	Overall	All	80	32						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	All	80	16	28	1	51			
DermaMNIST	ViT-B/16	Borda	Overall	All	80	11	33	2	45	41	3	36
DermaMNIST	ViT-B/16	Kemeny	Overall	All	80	17	39	0	41	40	0	40
DermaMNIST	ViT-B/16	RRF	Overall	All	80	1	29	1	50	38	1	41
DermaMNIST	ViT-B/16	Schulze	Overall	All	80	6	35	0	45	37	4	39
DermaMNIST	ViT-B/16	Best Individual	Overall	Quality	16	11						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Quality	16	1	5	0	11			
DermaMNIST	ViT-B/16	Borda	Overall	Quality	16	1	4	0	12	5	1	10
DermaMNIST	ViT-B/16	Kemeny	Overall	Quality	16	0	4	0	12	7	0	9
DermaMNIST	ViT-B/16	RRF	Overall	Quality	16	0	4	0	12	6	0	10
DermaMNIST	ViT-B/16	Schulze	Overall	Quality	16	3	4	0	12	7	1	8
DermaMNIST	ViT-B/16	Best Individual	Overall	Robustness All	64	21						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Robustness All	64	15	23	1	40			
DermaMNIST	ViT-B/16	Borda	Overall	Robustness All	64	10	29	2	33	36	2	26
DermaMNIST	ViT-B/16	Kemeny	Overall	Robustness All	64	17	35	0	29	33	0	31
DermaMNIST	ViT-B/16	RRF	Overall	Robustness All	64	1	25	1	38	32	1	31
DermaMNIST	ViT-B/16	Schulze	Overall	Robustness All	64	3	31	0	33	30	3	31
DermaMNIST	ViT-B/16	Best Individual	Overall	Gaussian	16	6						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Gaussian	16	2	5	0	11			
DermaMNIST	ViT-B/16	Borda	Overall	Gaussian	16	3	8	0	8	9	1	6
DermaMNIST	ViT-B/16	Kemeny	Overall	Gaussian	16	5	8	0	8	9	0	7
DermaMNIST	ViT-B/16	RRF	Overall	Gaussian	16	0	7	0	9	9	0	7
DermaMNIST	ViT-B/16	Schulze	Overall	Gaussian	16	0	8	0	8	8	1	7
DermaMNIST	ViT-B/16	Best Individual	Overall	Salt Pepper	16	3						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Salt Pepper	16	5	8	1	7			
DermaMNIST	ViT-B/16	Borda	Overall	Salt Pepper	16	3	9	0	7	8	1	7
DermaMNIST	ViT-B/16	Kemeny	Overall	Salt Pepper	16	5	11	0	5	8	0	8
DermaMNIST	ViT-B/16	RRF	Overall	Salt Pepper	16	0	9	1	6	8	1	7
DermaMNIST	ViT-B/16	Schulze	Overall	Salt Pepper	16	2	11	0	5	8	1	7
DermaMNIST	ViT-B/16	Best Individual	Overall	Speckle	16	7						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Speckle	16	3	3	0	13			
DermaMNIST	ViT-B/16	Borda	Overall	Speckle	16	2	5	0	11	10	0	6
DermaMNIST	ViT-B/16	Kemeny	Overall	Speckle	16	2	6	0	10	9	0	7
DermaMNIST	ViT-B/16	RRF	Overall	Speckle	16	1	3	0	13	9	0	7
DermaMNIST	ViT-B/16	Schulze	Overall	Speckle	16	1	4	0	12	7	1	8
DermaMNIST	ViT-B/16	Best Individual	Overall	Adversarial	16	5						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Adversarial	16	5	7	0	9			
DermaMNIST	ViT-B/16	Borda	Overall	Adversarial	16	2	7	2	7	9	0	7
DermaMNIST	ViT-B/16	Kemeny	Overall	Adversarial	16	5	10	0	6	7	0	9
DermaMNIST	ViT-B/16	RRF	Overall	Adversarial	16	0	6	0	10	6	0	10

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	8	0	8	7	0	9

Table 140: DermaMNIST-ViT-B/16

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	All	20	18						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	All	20	0	0	1	19			
DermaMNIST	ViT-B/16	Borda	Dataset Model	All	20	1	2	0	18	14	0	6
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	All	20	0	0	0	20	9	4	7
DermaMNIST	ViT-B/16	RRF	Dataset Model	All	20	3	2	1	17	15	1	4
DermaMNIST	ViT-B/16	Schulze	Dataset Model	All	20	0	1	0	19	13	0	7
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Quality	4	4						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Quality	4	0	0	0	4			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Quality	4	0	0	0	4	1	0	3
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Quality	4	0	0	0	4	0	1	3
DermaMNIST	ViT-B/16	RRF	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Robustness All	16	14						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Robustness All	16	0	0	1	15			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Robustness All	16	1	2	0	14	13	0	3
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Robustness All	16	0	0	0	16	9	3	4
DermaMNIST	ViT-B/16	RRF	Dataset Model	Robustness All	16	3	2	1	13	13	1	2
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Robustness All	16	0	1	0	15	11	0	5
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Gaussian	4	3						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Gaussian	4	0	0	1	3			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Gaussian	4	0	1	0	3	4	0	0
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Gaussian	4	0	0	0	4	2	1	1
DermaMNIST	ViT-B/16	RRF	Dataset Model	Gaussian	4	2	1	1	2	4	0	0
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Gaussian	4	0	0	0	4	2	0	2
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Salt Pepper	4	4						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Salt Pepper	4	0	0	0	4			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Salt Pepper	4	0	0	0	4	3	0	1
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Salt Pepper	4	0	0	0	4	1	2	1
DermaMNIST	ViT-B/16	RRF	Dataset Model	Salt Pepper	4	0	0	0	4	3	1	0
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Salt Pepper	4	0	0	0	4	2	0	2
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Speckle	4	3						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Speckle	4	0	0	0	4			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Speckle	4	1	1	0	3	4	0	0
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Speckle	4	0	0	0	4	3	0	1
DermaMNIST	ViT-B/16	RRF	Dataset Model	Speckle	4	1	1	0	3	4	0	0
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Speckle	4	0	1	0	3	4	0	0
DermaMNIST	ViT-B/16	Best Individual	Dataset Model	Adversarial	4	4						
DermaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Adversarial	4	0	0	0	4			
DermaMNIST	ViT-B/16	Borda	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
DermaMNIST	ViT-B/16	Kemeny	Dataset Model	Adversarial	4	0	0	0	4	3	0	1
DermaMNIST	ViT-B/16	RRF	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
DermaMNIST	ViT-B/16	Schulze	Dataset Model	Adversarial	4	0	0	0	4	3	0	1
DermaMNIST	ViT-B/16	Best Individual	Overall	All	80	75						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	All	80	2	2	1	77			
DermaMNIST	ViT-B/16	Borda	Overall	All	80	1	3	0	77	44	1	35
DermaMNIST	ViT-B/16	Kemeny	Overall	All	80	1	1	0	79	41	4	35
DermaMNIST	ViT-B/16	RRF	Overall	All	80	3	3	1	76	43	1	36
DermaMNIST	ViT-B/16	Schulze	Overall	All	80	0	2	0	78	46	1	33
DermaMNIST	ViT-B/16	Best Individual	Overall	Quality	16	15						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Quality	16	1	1	0	15			
DermaMNIST	ViT-B/16	Borda	Overall	Quality	16	0	0	0	16	5	0	11
DermaMNIST	ViT-B/16	Kemeny	Overall	Quality	16	0	0	0	16	4	1	11
DermaMNIST	ViT-B/16	RRF	Overall	Quality	16	0	0	0	16	6	0	10
DermaMNIST	ViT-B/16	Schulze	Overall	Quality	16	0	0	0	16	8	0	8
DermaMNIST	ViT-B/16	Best Individual	Overall	Robustness All	64	60						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Robustness All	64	1	1	1	62			
DermaMNIST	ViT-B/16	Borda	Overall	Robustness All	64	1	3	0	61	39	1	24
DermaMNIST	ViT-B/16	Kemeny	Overall	Robustness All	64	1	1	0	63	37	3	24
DermaMNIST	ViT-B/16	RRF	Overall	Robustness All	64	3	3	1	60	37	1	26
DermaMNIST	ViT-B/16	Schulze	Overall	Robustness All	64	0	2	0	62	38	1	25
DermaMNIST	ViT-B/16	Best Individual	Overall	Gaussian	16	15						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Gaussian	16	0	0	1	15			
DermaMNIST	ViT-B/16	Borda	Overall	Gaussian	16	0	1	0	15	11	1	4
DermaMNIST	ViT-B/16	Kemeny	Overall	Gaussian	16	0	0	0	16	9	1	6
DermaMNIST	ViT-B/16	RRF	Overall	Gaussian	16	2	1	1	14	9	0	7
DermaMNIST	ViT-B/16	Schulze	Overall	Gaussian	16	0	0	0	16	8	0	8
DermaMNIST	ViT-B/16	Best Individual	Overall	Salt Pepper	16	15						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Salt Pepper	16	0	0	0	16			
DermaMNIST	ViT-B/16	Borda	Overall	Salt Pepper	16	0	1	0	15	7	0	9
DermaMNIST	ViT-B/16	Kemeny	Overall	Salt Pepper	16	1	1	0	15	6	2	8
DermaMNIST	ViT-B/16	RRF	Overall	Salt Pepper	16	0	1	0	15	10	1	5
DermaMNIST	ViT-B/16	Schulze	Overall	Salt Pepper	16	0	1	0	15	8	1	7
DermaMNIST	ViT-B/16	Best Individual	Overall	Speckle	16	14						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Speckle	16	1	1	0	15			
DermaMNIST	ViT-B/16	Borda	Overall	Speckle	16	1	1	0	15	12	0	4
DermaMNIST	ViT-B/16	Kemeny	Overall	Speckle	16	0	0	0	16	12	0	4
DermaMNIST	ViT-B/16	RRF	Overall	Speckle	16	1	1	0	15	10	0	6
DermaMNIST	ViT-B/16	Schulze	Overall	Speckle	16	0	1	0	15	12	0	4
DermaMNIST	ViT-B/16	Best Individual	Overall	Adversarial	16	16						
DermaMNIST	ViT-B/16	Simple Averaging	Overall	Adversarial	16	0	0	0	16			
DermaMNIST	ViT-B/16	Borda	Overall	Adversarial	16	0	0	0	16	9	0	7
DermaMNIST	ViT-B/16	Kemeny	Overall	Adversarial	16	0	0	0	16	10	0	6
DermaMNIST	ViT-B/16	RRF	Overall	Adversarial	16	0	0	0	16	8	0	8

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	0	0	16	10	0	6

Table 141: DermaMNIST–ViT-B/16

Cell	Dataset	Model	Condition	Metric	Seed Count	Mean	Standard Deviation	Minimum	Maximum	Range	First Half Mean	Second Half Mean	Half Bank Absolute Difference
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Clean	F	8	0.01515	0.001921	0.012968	0.018454	0.005486	0.014464	0.015835	0.001372
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Clean	Fbar	8	0.253554	0.00084	0.252868	0.255362	0.002494	0.253865	0.253242	0.000623
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Clean	C	8	0.041708	0.003413	0.034414	0.045387	0.010973	0.043516	0.0399	0.003616
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	Clean	Cbar	8	0.31702	0.001097	0.315711	0.319202	0.003491	0.317456	0.316584	0.000873
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	G	F	8	0.016272	0.002486	0.012968	0.020948	0.00798	0.015835	0.016708	0.000873
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	G	Fbar	8	0.079302	0	0.079302	0.079302	0	0.079302	0.079302	0
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	G	C	8	0.056671	0.00119	0.055362	0.058853	0.003491	0.056234	0.057107	0.000873
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	G	Cbar	8	0.143142	0	0.143142	0.143142	0	0.143142	0.143142	0
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	P	F	8	0.01995	0.002399	0.015461	0.022943	0.007481	0.020324	0.019576	0.000748
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	P	Fbar	8	0.094763	0	0.094763	0.094763	0	0.094763	0.094763	0
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	P	C	8	0.071135	0.00312	0.06783	0.077307	0.009476	0.070324	0.071945	0.001621
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	P	Cbar	8	0.167581	0	0.167581	0.167581	0	0.167581	0.167581	0
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	S	F	8	0.030299	0.002483	0.026434	0.033915	0.007481	0.029177	0.031421	0.002244
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	S	Fbar	8	0.140773	0.000442	0.14015	0.141147	0.000998	0.140773	0.140773	0
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	S	C	8	0.06783	0.003981	0.062344	0.072319	0.009975	0.067955	0.067706	0.000249
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	S	Cbar	8	0.207107	0.000442	0.206484	0.207481	0.000998	0.207107	0.207107	0
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	A	F	8	0.032107	0.002584	0.028928	0.036908	0.00798	0.031671	0.032544	0.000873
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	A	Fbar	8	0.254988	0.001478	0.252868	0.256858	0.00399	0.254863	0.255112	0.000249
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	A	C	8	0.050998	0.002178	0.046384	0.052868	0.006484	0.051621	0.050374	0.001247
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	A	Cbar	8	0.318142	0.001371	0.316209	0.3202	0.00399	0.31808	0.318204	0.000125

Table 142: DermaMNIST–ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	7380dda49c7965507a6f1ae990b0754288a94b7e5131ab731df42a737f2b58fc	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	max	0.01515	0.016272	0.099564	0.038591	0.612398
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	b7aa335d4416e989b5c56b8334b164c090c3e996db42d7dad1b23a6966b5ef5e	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	min	0.253554	0.079302	0.042082	0.000499	0.988148
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	59a13bde0f65a325559baa425c2f9a6cf49f8f30186cdac3cc3ca9e9eb6b4d5	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	max	0.041708	0.056671	0.128865	0.052057	0.596033
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	6608b8334770ba6c0e80f2329d96feccae0d953ba300811eafcf7169c1ca749	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	min	0.31702	0.143142	0.045698	0.000998	0.978172
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	14483a4a2c9908a36a6c7ce848df7ebdbcb9fc81c0c53bf477182e1f8af6ea47	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	max	0.01515	0.01995	0.099564	0.050873	0.489042
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	d855676efd654dc3fb851d50782693e7da20ce16a62e2d93cd c244077baf d329	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	min	0.253554	0.094763	0.042082	0.003491	0.917037
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	0b6a8ec779d5a17f911e443c05828a6951fd39f8fc5954ab1aa64ea314c569f0	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	max	0.041708	0.071135	0.128865	0.066022	0.487663
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	c5d2086fef50388d4c7375ebb19d6e26ec52ba85dc215c4dab0c2d8674b6b601	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	min	0.31702	0.167581	0.045698	0.003491	0.923602
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	eecebccccbd224114797195060c9af98eca77e28458cd8c3dea64130f2a00089c	2005	Spearman	NOISE-S	Simple Averaging	Speckle	max	0.01515	0.030299	0.099564	0.061471	0.382592
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	d0990209c67fbc92b95b8103af327f7b88ee91b2d8d975f740b09f499aa826ab	2005	Spearman	NOISE-S	Simple Averaging	Speckle	min	0.253554	0.140773	0.042082	0.020574	0.511111
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	24919d78c60deb2e27c3f37e79c4482780459e6693ac9a168f959a81fd3f9991	2005	Spearman	NOISE-S	Simple Averaging	Speckle	max	0.041708	0.06783	0.128865	0.080299	0.376875
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	afab3134af3c1143c0ca42aaad0e7ef43992be2191459f54aeac4ec15727f109	2005	Spearman	NOISE-S	Simple Averaging	Speckle	min	0.31702	0.207107	0.045698	0.019576	0.571623

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	2572963785 787d044fae f6263e5eea 8f7125557f 9342cdddb3 1739bbf184 2383	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	max	0.01515	0.032107	0.099564	0.062157	0.375704
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	ec077b78da e2fc2d4522 7be10bb007 daa86673ac d13f61fe0e cf4efca47b 203d	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	min	0.253554	0.254988	0.042082	0.026559	0.368889
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	93f8969fb1 886f8c5e28 7bf52d839d 90da863cd8 2c567fbbfb 3b7cc49a74 2479	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	max	0.041708	0.050998	0.128865	0.072693	0.435897
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	8f4d64d67c 075c5e61ee a66ad90201 23c857e274 9120b7b034 6dce6ca722 f542	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	min	0.31702	0.318142	0.045698	0.031359	0.313779
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	36020fa659 d626ac9acd b6a3a08625 fd81b27646 8714e5fa5c eda1439386 73cc	2005	Spearman	NOISE-S	Borda	Gaussian	max	0.01515	0.016272	0.094576	0.042581	0.549769
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	092839d172 85e6bbec6f 6b473bdd6d c8e7befbc9 f518ecb0c1 23f30ead9a b773	2005	Spearman	NOISE-S	Borda	Gaussian	min	0.253554	0.079302	0.042082	0.000998	0.976296
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	edfbefce7a 9a5fe87ea4 cd3a1d6dd2 9ea749b3f8 9a0858f243 aeaa4bceaa 935e	2005	Spearman	NOISE-S	Borda	Gaussian	max	0.041708	0.056671	0.124377	0.057544	0.537343
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	141874075d e0349e65c7 8ffdcbedf5f 468a59708a 426a4272bc f98f97c466 e052	2005	Spearman	NOISE-S	Borda	Gaussian	min	0.31702	0.143142	0.046197	0.000998	0.978408
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	3bf2c42f0f afa0069a5c 24d06e92b0 bc06ba6309 614ec60b4a cd02d0b57d 214b	2005	Spearman	NOISE-S	Borda	Salt Pepper	max	0.01515	0.01995	0.094576	0.051372	0.456823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	3cf3a9b36e 335a81c32a 6fa15e26ba 02b5cc9343 2e5909405e 0938394b7c f494	2005	Spearman	NOISE-S	Borda	Salt Pepper	min	0.253554	0.094763	0.042082	0.003491	0.917037
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	e9ae6d2c1c 1d9a5aef4a ebc96622cd 36aec44c90 4b3393fa42 b725ed11d2 6805	2005	Spearman	NOISE-S	Borda	Salt Pepper	max	0.041708	0.071135	0.124377	0.066022	0.469173
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	bd60fbc8c2 a5a48187ca 1a59b3a86c 74220e2ed7 fbc10e8525 cd0ff29d25 e5b0	2005	Spearman	NOISE-S	Borda	Salt Pepper	min	0.31702	0.167581	0.046197	0.004489	0.902834
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	1d4851d0c1 3ded178f2d ea483932c2 c2f9868e651 259bde9165 41a835fb55 22bd	2005	Spearman	NOISE-S	Borda	Speckle	max	0.01515	0.030299	0.094576	0.060973	0.355307

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	48f06be207 08f1c5bef9 f00fb023f4 f553219a2c 6791d1ba7d 4c17507f6e 6824	2005	Spearman	NOISE-S	Borda	Speckle	min	0.253554	0.140773	0.042082	0.021571	0.487407
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	a90966ff45 b364e72668 3d78706e1f d7c94546cf 6481824400 3c031222ac 8c79	2005	Spearman	NOISE-S	Borda	Speckle	max	0.041708	0.06783	0.124377	0.080299	0.354386
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	16941dde1c 91f04dc258 518ec3f940 1e12b00724 db93324ad4 38dfa531a b11c	2005	Spearman	NOISE-S	Borda	Speckle	min	0.31702	0.207107	0.046197	0.019077	0.587045
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	24fad4203e cc6758400f bd181c04a6 ba7fd1918d ba6804a5d7 01c101fec8 011f	2005	Spearman	NOISE-S	Borda	Adversarial	max	0.01515	0.032107	0.094576	0.055673	0.411338
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	f7a6595263 050573c5e5 6c765e2917 f14fb00b12 40afd1d1a2 2d97cc578a 99a2	2005	Spearman	NOISE-S	Borda	Adversarial	min	0.253554	0.254988	0.042082	0.027057	0.357037
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	5881f4aa3b fe40e7f017 0c4a461288 9621af03cf ef926b0049 4ab59468d9 08a1	2005	Spearman	NOISE-S	Borda	Adversarial	max	0.041708	0.050998	0.124377	0.069202	0.443609
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	842f15d29a 5905b533db 7b4e901766 2a67a9da1d 1d7e7d23d0 de4137c58e 3128	2005	Spearman	NOISE-S	Borda	Adversarial	min	0.31702	0.318142	0.046197	0.029863	0.353576
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	23efd4a92e 4eca17e59c 856bb6a920 005b8d6598 9b61f60072 1611de6bcc 43bc	2005	Spearman	NOISE-S	RRF	Gaussian	max	0.01515	0.016272	0.10106	0.041584	0.588526
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	7e7291aa0 f7e73c2dd5 4b6d35173f bb90d22990 65alcea627 93c5e5a7ec b1f6	2005	Spearman	NOISE-S	RRF	Gaussian	min	0.253554	0.079302	0.039589	0.00399	0.899213
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	fe5faac603 8c6218749f 0668282885 dbfdb1880c 50f0ba6589 cd865fa02c c45d	2005	Spearman	NOISE-S	RRF	Gaussian	max	0.041708	0.056671	0.131359	0.058042	0.55814
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	6895cc3903 3c12d4fab2 1367ff51e5 213249a6a4 a1ccbb5897 6c42e2e045 ad24	2005	Spearman	NOISE-S	RRF	Gaussian	min	0.31702	0.143142	0.044701	0.004988	0.888424
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	b88cdee6ea de6a4f5c1e 5787612118 68304a2e49 f0a2e62470 4ad61a39dc 9659	2005	Spearman	NOISE-S	RRF	Salt Pepper	max	0.01515	0.01995	0.10106	0.054863	0.457125
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	dbe4234397 1c6e8ac12c 7663f032b4 287bf43f63 ed8abb0221 7fef4dd942 f3c3	2005	Spearman	NOISE-S	RRF	Salt Pepper	min	0.253554	0.094763	0.039589	0.004988	0.874016

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	39856b20a3 621f165929 f19cd1b641 390005a1ecf 8bd8f2207d 09f381c00e de88	2005	Spearman	NOISE-S	RRF	Salt Pepper	max	0.041708	0.071135	0.131359	0.068516	0.478405
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	cb97c28056 02ebf0abd7 9f8c47b35a f8f16a8c50 541174589b9 1ef0ac53ee e9de	2005	Spearman	NOISE-S	RRF	Salt Pepper	min	0.31702	0.167581	0.044701	0.005486	0.877266
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	2684fa132c 4464fe0fa8 596272c3cb 755a6d33a2 75ff8a3d87 377c097d43 7bb9	2005	Spearman	NOISE-S	RRF	Speckle	max	0.01515	0.030299	0.10106	0.066459	0.342381
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	89639a65bb f4871460b6 fcafdedf5c 275b0bfb01 d6c549f047 0e86d9bab9 1b1f	2005	Spearman	NOISE-S	RRF	Speckle	min	0.253554	0.140773	0.039589	0.021571	0.455118
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	61750f6d81 935cb8dd1 3678b11550 ec4d8bbd27 6561408202 6c67302527 29d8	2005	Spearman	NOISE-S	RRF	Speckle	max	0.041708	0.06783	0.131359	0.083292	0.365923
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	6d2d0bc890 3a52d3bbe9 10f94a3af8 801487ba15 f0eaea605a 0b72e8aace 8481	2005	Spearman	NOISE-S	RRF	Speckle	min	0.31702	0.207107	0.044701	0.021571	0.517434
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	e855cc6b36 1178c90466 44b19ea2ec 193bc943d3 2f9d4c47a6 97c4790e7d cadf	2005	Spearman	NOISE-S	RRF	Adversarial	max	0.01515	0.032107	0.10106	0.062157	0.384948
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	e80fb948f7 390ad7eaab f3538c9fb5 d3faa225c4 c3a8c8ba0b 1400f097bf 5ed8	2005	Spearman	NOISE-S	RRF	Adversarial	min	0.253554	0.254988	0.039589	0.023067	0.417323
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	76ff1b93c7 705012cbde b9f05b859b c230402d2c 7f49a9b8b7 e301c5b656 db25	2005	Spearman	NOISE-S	RRF	Adversarial	max	0.041708	0.050998	0.131359	0.072693	0.446607
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	757c352132 2718f7fa20 749fbf48c8 d9637d61cb 13db8c4ab1 a38e3bde85 4d5a	2005	Spearman	NOISE-S	RRF	Adversarial	min	0.31702	0.318142	0.044701	0.026372	0.410042
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	8ef043e0f3 35fe3582d8 6dc8a64c66 8255574b36 c8104e3a48 6303659b6d 8633	2005	Spearman	NOISE-S	Kemeny	Gaussian	max	0.01515	0.016272	0.10106	0.042082	0.58359
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	ab6978d4b7 7ebf729bec 4888b5a26a e13f39481b f35b690f64 806a8c77ff 2027	2005	Spearman	NOISE-S	Kemeny	Gaussian	min	0.253554	0.079302	0.042581	0.002993	0.929722
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	edac95ea4d a401e82d14 4b2e73b0a9 d4ccbead73 4da5355c5b 92c943728b 828f	2005	Spearman	NOISE-S	Kemeny	Gaussian	max	0.041708	0.056671	0.131359	0.059539	0.546749

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	8e4a35f642 bfb180bdef 592754134b ac735c8afc 54a33f4905 4b8c64e48c cb21	2005	Spearman	NOISE-S	Kemeny	Gaussian	min	0.31702	0.143142	0.0452	0.004489	0.90069
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	6224729384 3c4c0206df 7e4efc416d 1b7d575f66 b288a7c51 649b8178bc d4f5	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	max	0.01515	0.01995	0.10106	0.054863	0.457125
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	efc30b258b 3f999130c0 c37df392d7 1755542f30 5feb86b9e c21fb03a7d cda0	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	min	0.253554	0.094763	0.042581	0.005486	0.871157
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	6fbc9cccf8 1b4809901e 8a49c34ea1 641c39d745 8c6af970c5 0bc18d80e2 d650	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	max	0.041708	0.071135	0.131359	0.069514	0.470812
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	6f6be1326a 328b51c420 dfca0b6a4e 7657f39b49 32318eb2b2 4d40a2a182 8d6c	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	min	0.31702	0.167581	0.0452	0.005486	0.878621
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	9657eb1554 2d501fdff4 4d293abedc e3d4b0e0e1 bd60c053dd 1108c8157d c519	2005	Spearman	NOISE-S	Kemeny	Speckle	max	0.01515	0.030299	0.10106	0.064963	0.357187
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	ebfa8cee3d 0ef847248d 39faa0939a c692f2e1ee 63ce950ac49 a60561d836 95df	2005	Spearman	NOISE-S	Kemeny	Speckle	min	0.253554	0.140773	0.042581	0.02207	0.481698
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	c5d77b11ec 7ae0eff61b 78971685cb 150a54776d d8936f2ff5 15632cd75b fd0	2005	Spearman	NOISE-S	Kemeny	Speckle	max	0.041708	0.06783	0.131359	0.085786	0.346939
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	23b418bf9e 1872a40d2a 63f3f029cd 10e2a567e1 920c19fcff 1118fb3c2a b822	2005	Spearman	NOISE-S	Kemeny	Speckle	min	0.31702	0.207107	0.0452	0.021571	0.522759
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	4aee0590fb a03d3ba975 07d324c460 3990f19ffa b179a33187 1470d226fc c6ce	2005	Spearman	NOISE-S	Kemeny	Adversarial	max	0.01515	0.032107	0.10106	0.059165	0.414559
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	7540b1a1db 19ee461241 3d83666797 a086e4b4a8 cbb66d685d 00c9eb766a 9683	2005	Spearman	NOISE-S	Kemeny	Adversarial	min	0.253554	0.254988	0.042581	0.025062	0.41142
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	f91ad1a566 e20a6a1893 8257329aaf 19ac20281e 2d9b71d481 b833089784 fa3c	2005	Spearman	NOISE-S	Kemeny	Adversarial	max	0.041708	0.050998	0.131359	0.073192	0.44281
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	b15d88e8e4 b7eaf56851 b991ed46c9 d1c5d5ed33 7e6233263c ec786594f1 f2d3	2005	Spearman	NOISE-S	Kemeny	Adversarial	min	0.31702	0.318142	0.0452	0.027868	0.383448

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	2037f0031b 7c3605ba7b c7be5775c0 a22799002 438ad2d44d 03717b26d0 29f7	2005	Spearman	NOISE-S	Schulze	Gaussian	max	0.01515	0.016272	0.104052	0.04308	0.58598
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	3e696948e9 1a3665b490 e9789bc918 8608246253 36a129cdaa 3a38f20f93 fb30	2005	Spearman	NOISE-S	Schulze	Gaussian	min	0.253554	0.079302	0.04308	0.002494	0.942113
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	76e86024ef c1087c601a 111621e4cd 8b84948928 3c7c3214a5 c940e3939b b78c	2005	Spearman	NOISE-S	Schulze	Gaussian	max	0.041708	0.056671	0.133354	0.060536	0.54605
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	1fbc81b985 030970b3c0 4770bda964 86bf29db9f f2c0a1371f 06e5626b12 a3cd	2005	Spearman	NOISE-S	Schulze	Gaussian	min	0.31702	0.143142	0.045698	0.004489	0.901774
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	a779b79424 94230207db 11e384c64f a6488ea6a2 c72082a7fd 0b4b79580b 6b38	2005	Spearman	NOISE-S	Schulze	Salt Pepper	max	0.01515	0.01995	0.104052	0.054364	0.477531
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	08bd4a383f 6a52ef36a9 f208b874dc 109461ac58 e5f5dab25d 1ff128e50e 91ec	2005	Spearman	NOISE-S	Schulze	Salt Pepper	min	0.253554	0.094763	0.04308	0.004988	0.884226
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	0e4af6c5df 6f3999484b c89698dc47 4d15402c56 2a7e85f002 174a644547 47e2	2005	Spearman	NOISE-S	Schulze	Salt Pepper	max	0.041708	0.071135	0.133354	0.07101	0.467508
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	fbd55332af f4675310ab 6db6c03529 24d92ccf83 7f5208a5c6 522c693944 879c	2005	Spearman	NOISE-S	Schulze	Salt Pepper	min	0.31702	0.167581	0.045698	0.005486	0.879945
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	b0f2c5f163 7be8a1d92e 6246d2ce13 ae7e1f83e2 099594dc3c c35b8de63d d449	2005	Spearman	NOISE-S	Schulze	Speckle	max	0.01515	0.030299	0.104052	0.065461	0.370881
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	ff83f81068 56b5104f76 44d3c66be3 e90052e4af 41199980fe d686e583c4 781f	2005	Spearman	NOISE-S	Schulze	Speckle	min	0.253554	0.140773	0.04308	0.021571	0.499276
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	d5679cf5e7 bc0ca37176 7e2596e97c 82dbdc4b7c d9031b32c5 9988f1990c 80d2	2005	Spearman	NOISE-S	Schulze	Speckle	max	0.041708	0.06783	0.133354	0.084289	0.367929
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	e62ae06432 0d26e2c9db 9ce637a77a 855fe77613 e39774681f 428d4f686b a498	2005	Spearman	NOISE-S	Schulze	Speckle	min	0.31702	0.207107	0.045698	0.020075	0.560709
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	5fb1a263f8 2eeb20ebdd 76625be8b4 eedc294b87 b744e3f6c5 f181457809 6dfa	2005	Spearman	NOISE-S	Schulze	Adversarial	max	0.01515	0.032107	0.104052	0.05717	0.450569

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	4dddc24bc4 3fa7755039 92e8982c33 77b268ffcd 8496619758 815ec502cc b67f	2005	Spearman	NOISE-S	Schulze	Adversarial	min	0.253554	0.254988	0.04308	0.021571	0.499276
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	d44b9c4859 767ba46a4d ba913dcaac 61d0158d73 6fee9fd44 f319fd0b73 7351	2005	Spearman	NOISE-S	Schulze	Adversarial	max	0.041708	0.050998	0.133354	0.072195	0.458626
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	94a17d1cb6 64d1057c84 e009adfb5e 977c5f95b0 5037d519f3 6831e7936d 8f17	2005	Spearman	NOISE-S	Schulze	Adversarial	min	0.31702	0.318142	0.045698	0.025374	0.444748
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	6476e68bde 175cc1901f c323f6c312 49c1cb41ed 97314df465 1a2b4cd423 ba2b	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	max	0.01515	0.016272	0.099564	0.038591	0.612398
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	29400d50ee 6f55a69021 bdc0bd7e90 b03469fce2 722c776dea 80f12ba91f 1579	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	min	0.253554	0.079302	0.042082	0.000499	0.988148
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	e97e4959c4 09b5d51fd df588ca5f9 1dd8811173 fc61be62d2 3012b4f0aa 75f2	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	max	0.041708	0.056671	0.128865	0.052057	0.596033
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	7adc3c7c4b b78900a993 e8d9215f20 12ebb08a52 a27621d76d db6ed9752a 51f2	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	min	0.31702	0.143142	0.045698	0.000998	0.978172
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	2956d0113b 8ddb3d777 cdf1c6701 8e0f05a300 942b2c98d4 500e974074 3b68	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	max	0.01515	0.01995	0.099564	0.050873	0.489042
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	4947a7727f 627df32e22 0c77b1b41f 91cd19e3e6 ea6a863261 b649f4ad02 4d9d	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	min	0.253554	0.094763	0.042082	0.003491	0.917037
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	a3fdfa09e3 28eeb93c96 0ff04fcc2f d36d42a0f6 92323da7a7 8aab1eaded aeab	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	max	0.041708	0.071135	0.128865	0.066022	0.487663
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	723c23d7b8 2b47bc06fe 7c354fd430 dd6a20b510 76304c0fd0 26fe7a9f7b b931	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	min	0.31702	0.167581	0.045698	0.003491	0.923602
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	b973ded7da 357dd86a2f 4fee5a23c5 2ec2139ae8 6b7be09152 697bc0aa2d d58c	2005	Kendall	NOISE-K	Simple Averaging	Speckle	max	0.01515	0.030299	0.099564	0.061471	0.382592
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	056a9c2bed eaabae6b54 606bfb139b 59a677bf56 7842b32a2a 03ea5453d6 74f2	2005	Kendall	NOISE-K	Simple Averaging	Speckle	min	0.253554	0.140773	0.042082	0.020574	0.511111

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	1aa198601d 0939bd953 d4e66b124 6683b960bc b153126e90 6dbfc13271 7c1a	2005	Kendall	NOISE-K	Simple Averaging	Speckle	max	0.041708	0.06783	0.128865	0.080299	0.376875
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	21fde801e1 7c4f7e3eb4 85b7815898 c616b623c6 8a18347aef 069864ccf0 a6c7	2005	Kendall	NOISE-K	Simple Averaging	Speckle	min	0.31702	0.207107	0.045698	0.019576	0.571623
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	b1ec09f85c 46cd037214 5b2d86d972 53226bb82c 975a2a934c 83982a4a6e d79c	2005	Kendall	NOISE-K	Simple Averaging	Adversarial	max	0.01515	0.032107	0.099564	0.062157	0.375704
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	44da1a31af7 7004ce9792 356ef9368e fb74edf11f 1ecc5cd5c 4c66d53c51 d1a9	2005	Kendall	NOISE-K	Simple Averaging	Adversarial	min	0.253554	0.254988	0.042082	0.026559	0.368889
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	a02381a892 928968c44b 401923dd41 d9e96c3a5a f000eee956 56bdf2681a c2ec	2005	Kendall	NOISE-K	Simple Averaging	Adversarial	max	0.041708	0.050998	0.128865	0.072693	0.435897
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	81017cd3f5 9fb944ee19 25c1f2c074 93b072a6c8 e7b7d8ef0c ecb01e704d 59e8	2005	Kendall	NOISE-K	Simple Averaging	Adversarial	min	0.31702	0.318142	0.045698	0.031359	0.313779
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	256e2559de 8990559e88 a96bcd8b0 75eeda1143 14e6453d90 bfla1af85a4 7f34	2005	Kendall	NOISE-K	Borda	Gaussian	max	0.01515	0.016272	0.094576	0.042581	0.549769
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	a6d0299a8d 656440bcfd a804ac3ed2 c361d792c0 90655a4029 1b82276323 d8ec	2005	Kendall	NOISE-K	Borda	Gaussian	min	0.253554	0.079302	0.042082	0.000998	0.976296
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	61926310b6 59d6e5f259 70c4d220df 458be04226 acd362636d 4797d5475e 0575	2005	Kendall	NOISE-K	Borda	Gaussian	max	0.041708	0.056671	0.124377	0.057544	0.537343
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	47d183d8d3 daa1464168 7fd0a0ac8d 545de4c078 15e17d8e7c 1f427fd45d ccaf	2005	Kendall	NOISE-K	Borda	Gaussian	min	0.31702	0.143142	0.046197	0.000998	0.978408
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	67c9d4a409 8f1355b7b8 756a8111f0 27fd7dd694 f50b6e81e9 2fc5109b9d b0d5	2005	Kendall	NOISE-K	Borda	Salt Pepper	max	0.01515	0.01995	0.094576	0.051372	0.456823
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	e6f50024fe c790df00d1 ee900e9db8 2ed159b01e abbaa5b32f e4beb13dab 519d	2005	Kendall	NOISE-K	Borda	Salt Pepper	min	0.253554	0.094763	0.042082	0.003491	0.917037
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	ce0a414090 d1647a71d4 00ea402ab0 32a74b1356 ad839bf596 5172668f0a 86ec	2005	Kendall	NOISE-K	Borda	Salt Pepper	max	0.041708	0.071135	0.124377	0.066022	0.469173

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	ea7608a385 ce6aeb9d16 d0cfa903d 5332b3b490 11b0aa3a77 2f7c9805fd 5605	2005	Kendall	NOISE-K	Borda	Salt Pepper	min	0.31702	0.167581	0.046197	0.004489	0.902834
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	f86a5d4dce 61aee4acf2 c0f7183dd1 d4000d02bc 59931bec3c 7e700c5363 a68d	2005	Kendall	NOISE-K	Borda	Speckle	max	0.01515	0.030299	0.094576	0.060973	0.355307
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	a240e3b22f 6960d738b8 9606d51e5f c15d5aee26 18721ba9d0 5a8b417154 c948	2005	Kendall	NOISE-K	Borda	Speckle	min	0.253554	0.140773	0.042082	0.021571	0.487407
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	ed3e4c9153 d6e4209247 94d77be2b33 e698de7fb6 c9baca70a4 f785f4632b b612	2005	Kendall	NOISE-K	Borda	Speckle	max	0.041708	0.06783	0.124377	0.080299	0.354386
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	4974b78137 17500c8b05 224d448dc1 7a57a68d12 3d3ae060b7 cec06abd0a 6118	2005	Kendall	NOISE-K	Borda	Speckle	min	0.31702	0.207107	0.046197	0.019077	0.587045
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	4f01207c31 ebd8657710 d9a5b24329 787822d2d5 72e8eb65f9 d584e6876a fc6b	2005	Kendall	NOISE-K	Borda	Adversarial	max	0.01515	0.032107	0.094576	0.055673	0.411338
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	2ca62aa694 3038662c01 ba95b9b611 fb91279908 fdcbedfb7e 6fa7b4076f 8f7f	2005	Kendall	NOISE-K	Borda	Adversarial	min	0.253554	0.254988	0.042082	0.027057	0.357037
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	2fbf5b69d2 32c55f63f6 a5327eda72 a544fe2b72 39c4fca283 4b90c6fd09 b75d	2005	Kendall	NOISE-K	Borda	Adversarial	max	0.041708	0.050998	0.124377	0.069202	0.443609
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	ed3a24bba4 209187f609 56613134e7 51fbff6cd0 dac25a568e a26afb655c e7ea	2005	Kendall	NOISE-K	Borda	Adversarial	min	0.31702	0.318142	0.046197	0.029863	0.353576
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	a81f86aef5 876c501588 2d6d03a36b 25fa6b3bfe 4e421fa65d a5fdd8b5f d2e1	2005	Kendall	NOISE-K	RRF	Gaussian	max	0.01515	0.016272	0.10106	0.041584	0.588526
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	c97d1449a5 383e2b41e0 900c1299b6 ac2e6a8604 67f1e3b6ea 2c6bcdda83 f9f7	2005	Kendall	NOISE-K	RRF	Gaussian	min	0.253554	0.079302	0.039589	0.00399	0.899213
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	cd8003771 5f8e6a9de6 79e0467b35 c9426f72e4 d64e422b80 ffc61812d2 7fde	2005	Kendall	NOISE-K	RRF	Gaussian	max	0.041708	0.056671	0.131359	0.058042	0.55814
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	70e3d27919 ecc44e8c96 ac20e26c75 031b346db7 590a0a895b f8722f2970 202c	2005	Kendall	NOISE-K	RRF	Gaussian	min	0.31702	0.143142	0.044701	0.004988	0.888424

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	6bf4db6f86 ae70d919f0 4862ba005b feb772e7ca b049cbda3 a47172b8f2 6254	2005	Kendall	NOISE-K	RRF	Salt Pepper	max	0.01515	0.01995	0.10106	0.054863	0.457125
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	1749397ec9 c6324107cf c2e17dd730 d5a74ef4cd ca530cd25 6b66247fdf b930	2005	Kendall	NOISE-K	RRF	Salt Pepper	min	0.253554	0.094763	0.039589	0.004988	0.874016
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	c02a754fa9 c4833bb666 80c22dc925 0079718095 0d9a338298 9700bbeab9c 02b7	2005	Kendall	NOISE-K	RRF	Salt Pepper	max	0.041708	0.071135	0.131359	0.068516	0.478405
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	37d4a921f8 8782d5d88e 242e04cd29 85d3b01e2f 3414f0f38b 8960c4034c 3a84	2005	Kendall	NOISE-K	RRF	Salt Pepper	min	0.31702	0.167581	0.044701	0.005486	0.877266
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	5a8521f4f6 a0f47f5263 5a8db44c6c efaf5eeeb9 cbea140134 c7bcfa65d0 3208	2005	Kendall	NOISE-K	RRF	Speckle	max	0.01515	0.030299	0.10106	0.066459	0.342381
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	09c5e61540 85fb584d48 2539525b80 b1d0a3b768 b94759d7d6 dc639f439b 9ad5	2005	Kendall	NOISE-K	RRF	Speckle	min	0.253554	0.140773	0.039589	0.021571	0.455118
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	08ac60ef8c 8b7e1d918d a74a7e2619 dfe8928a38 00e297be43 b4d5180913 94b4	2005	Kendall	NOISE-K	RRF	Speckle	max	0.041708	0.06783	0.131359	0.083292	0.365923
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	4750328606 a64a53f383 cff6e84465 7a420e77c8 054b708c4d 91bc37ebfb 44d6	2005	Kendall	NOISE-K	RRF	Speckle	min	0.31702	0.207107	0.044701	0.021571	0.517434
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	249656cf48 761c174a8e 58043145bf 41de018b55 2e41524a87 1e8f9d8b5d fd65	2005	Kendall	NOISE-K	RRF	Adversarial	max	0.01515	0.032107	0.10106	0.062157	0.384948
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	9b8ec81e9a 843f9e4135 64423e7e8c 155a4aac61 f54d3d10d6 617e6c81b8 883e	2005	Kendall	NOISE-K	RRF	Adversarial	min	0.253554	0.254988	0.039589	0.023067	0.417323
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	b18502c42b 68ff5a115f a754521d4f b9c2b07d67 0135fd693c 604e14bc9d 7c0b	2005	Kendall	NOISE-K	RRF	Adversarial	max	0.041708	0.050998	0.131359	0.072693	0.446607
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	897b85c691 e157c1c757 b3b5effec 5abc9fb5fd 8eac639cfe 8ce3144637 6812	2005	Kendall	NOISE-K	RRF	Adversarial	min	0.31702	0.318142	0.044701	0.026372	0.410042
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	440d9ff2c 23c41fae7a 92cbbdbcb44 d974e9b56e bb241bd42b 4627ac49de eeb9	2005	Kendall	NOISE-K	Kemeny	Gaussian	max	0.01515	0.016272	0.10106	0.042082	0.58359

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	ec10fcc28f e253cec103 6a058ebdb2 0b3ddca926 6aefb11de8 c7873e940f a2f9	2005	Kendall	NOISE-K	Kemeny	Gaussian	min	0.253554	0.079302	0.042581	0.002993	0.929722
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	007209603d d6fa3c5c65 4341731389 30b12b7b48 13eb55917 3729bd375b e6fc	2005	Kendall	NOISE-K	Kemeny	Gaussian	max	0.041708	0.056671	0.131359	0.059539	0.546749
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	8e569c199a 66b5cd60b1 428bed9f8c e3dfe8f22f fd3b75070e d27b557512 7c8a	2005	Kendall	NOISE-K	Kemeny	Gaussian	min	0.31702	0.143142	0.0452	0.004489	0.90069
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	12d353fa8e 0d8a0b9702 0637d8f1d0 042b13139e 20641f6911 c70ee756bc ed21	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	max	0.01515	0.01995	0.10106	0.054863	0.457125
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	7a3fcd14ce 2753f0cfa 6fffd6bace e2c83bce5a b92b974f14 983f7277f5 b574	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	min	0.253554	0.094763	0.042581	0.005486	0.871157
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	20d4afb7fb 8e4aa3f5b5 b80f1d431f cfeb4d69d2 aa328aa884 f482f2df27 5219	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	max	0.041708	0.071135	0.131359	0.069514	0.470812
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	481ab7beb6 e858d5f061 a9581bef9b 74a0303bf5 65ff722baa ab01a68ae5 554c	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	min	0.31702	0.167581	0.0452	0.005486	0.878621
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	8c24f6ceec c918036011 e1aded4bdc 73102fa9ce 12845df8ae 5ae5fbc3fa da78	2005	Kendall	NOISE-K	Kemeny	Speckle	max	0.01515	0.030299	0.10106	0.064963	0.357187
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	dd17a636bd 5118dfe7af 1769144c2c 63f0d55189 06de95a1b6 3a91d9bd86 99ea	2005	Kendall	NOISE-K	Kemeny	Speckle	min	0.253554	0.140773	0.042581	0.02207	0.481698
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	85933ce024 c04928f69d ac8e0dc1ae 4cccd2cc2 550bb59fa8 63b9ad9554 8648	2005	Kendall	NOISE-K	Kemeny	Speckle	max	0.041708	0.06783	0.131359	0.085786	0.346939
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	d0110115ea a85ed17b4a 80264d1f09 92bd5e9c9b 53ac212d58 4466aa7fbf 83e4	2005	Kendall	NOISE-K	Kemeny	Speckle	min	0.31702	0.207107	0.0452	0.021571	0.522759
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	cb77073853 3c5a54a83c 6cb23412c5 c144853b41 d02805c40f 59e6b5e32e efaa	2005	Kendall	NOISE-K	Kemeny	Adversarial	max	0.01515	0.032107	0.10106	0.059165	0.414559
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	82578baf8 37ecb8eb05 921c196fcc 4ac9b6a7d7 2c39afe871 1ab21d96c9 47e3	2005	Kendall	NOISE-K	Kemeny	Adversarial	min	0.253554	0.254988	0.042581	0.025062	0.41142

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	d52d6fd5ff 700d016bcc 3b3023fab6 51a843dfdb 8ebacba820 1a3de0322e d2aa	2005	Kendall	NOISE-K	Kemeny	Adversarial	max	0.041708	0.050998	0.131359	0.073192	0.44281
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	80f33520bd 6ecea6672f 71c03025b8 6675c857ed e51c336a17 141969bab3 926a	2005	Kendall	NOISE-K	Kemeny	Adversarial	min	0.31702	0.318142	0.0452	0.027868	0.383448
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	79a3b951ac 071c1e00d6 590bd012ff 88c24d2219 6d85ff4474 4970c283a5 d9c3	2005	Kendall	NOISE-K	Schulze	Gaussian	max	0.01515	0.016272	0.104052	0.04308	0.58598
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	61f9819718 c77c3ce97d f2112a7651 1e3f1b88f 95f4e54960 9817b53bf5 11e8	2005	Kendall	NOISE-K	Schulze	Gaussian	min	0.253554	0.079302	0.04308	0.002494	0.942113
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	52d00258e1 d77861fd33 65f976c8e6 c26b2f720f ea4fd70632 5eb9339539 b53b	2005	Kendall	NOISE-K	Schulze	Gaussian	max	0.041708	0.056671	0.133354	0.060536	0.54605
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	67c428b8c6 d96a333435 ed8aa8d03c c7ad6188d6 182127a489 5342ea6c8b e98c	2005	Kendall	NOISE-K	Schulze	Gaussian	min	0.31702	0.143142	0.045698	0.004489	0.901774
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	4b1985d6d1 59fbaa9f36 e71c766eab b56e3f3e33 71d9b5fcdc 2e9821a76b 4321	2005	Kendall	NOISE-K	Schulze	Salt Pepper	max	0.01515	0.01995	0.104052	0.054364	0.477531
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	02b16851be af8150ef99 414212842d 6a84961a20 6a40f71e4b 4eff384194 62a5	2005	Kendall	NOISE-K	Schulze	Salt Pepper	min	0.253554	0.094763	0.04308	0.004988	0.884226
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	8cf7967c54 06500ed927 f3e1dcc8ba d67ba6cc19 f31cdfdb84 08cf4c02c1 719a	2005	Kendall	NOISE-K	Schulze	Salt Pepper	max	0.041708	0.071135	0.133354	0.07101	0.467508
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	9d4971300e e73eb91b4b e3d91b30d9 dafd851995 b31cbfec9f 2614343005 3ce6	2005	Kendall	NOISE-K	Schulze	Salt Pepper	min	0.31702	0.167581	0.045698	0.005486	0.879945
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	97c9b0ac1c e6335a30be 9231f0cd71 6de9eb349d da3afed1cc a42cce357f 120a	2005	Kendall	NOISE-K	Schulze	Speckle	max	0.01515	0.030299	0.104052	0.065461	0.370881
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	365267b69f 2f7633ef30 cna6a7fdcb 152bbe1dbd 3f76c276cc ea36e1d651 929d	2005	Kendall	NOISE-K	Schulze	Speckle	min	0.253554	0.140773	0.04308	0.021571	0.499276
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	cd8fd45ab2 a756d44a64 d348fd87f f702140d3a c649d7f8aa e113aae2e 81cc	2005	Kendall	NOISE-K	Schulze	Speckle	max	0.041708	0.06783	0.133354	0.084289	0.367929

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	1ad5de9d08c74d9cf2284a430a089f1e0f1517ee3079b7bb6c6289a61c7f1ba7	2005	Kendall	NOISE-K	Schulze	Speckle	min	0.31702	0.207107	0.045698	0.020075	0.560709
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	f16d7e445698e1f9b075d9076eab037f302632b6278f4e1aba6685303117841e	2005	Kendall	NOISE-K	Schulze	Adversarial	max	0.01515	0.032107	0.104052	0.05717	0.450569
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	d66bc98bef8469bb0c592a1f60ee1086a3be75faa8f3e6fe9d0357ed548aa528	2005	Kendall	NOISE-K	Schulze	Adversarial	min	0.253554	0.254988	0.04308	0.021571	0.499276
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	c36769004880da6a4282b1753a36a90ed046403eda3a2ddec23af6a998b092a8	2005	Kendall	NOISE-K	Schulze	Adversarial	max	0.041708	0.050998	0.133354	0.072195	0.458626
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	4a65c9a707ada11f26fd43f009164685ff8c5e6bd3b31f9e756d4287269b3b36	2005	Kendall	NOISE-K	Schulze	Adversarial	min	0.31702	0.318142	0.045698	0.025374	0.444748

Table 143: DermaMNIST–ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	7380dda49c7965507a6f1ee990b0754288a94b7e5131ab731d42a737f2b58fc	0.10106	0.037594	0.628007	-0.015609	-0.000998	-0.049849	0.016702	1	-0.00399	0.001496	1
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	b7aa335d4416e989b5c56b8334b164c090e3e996db42d7dad1b23a6966b5ef5e	0.040586	-0.000499	1.012289	-0.024141	-0.000998	-0.062796	0.000828	1	-0.002494	0	1
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	59a13bde0f65a325559b aa425c2f9a6cf49f8f30186cdae3cc3caf9c9eb6b4d5	0.133853	0.051559	0.614811	-0.018778	-0.000499	-0.046942	0.00749	1	-0.003491	0.002494	1
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	6608b8334770ba6cde80f2329d96feccae0d953ba300811eafcf7169c1ca749	0.044701	0.000998	0.977685	0.000487	0	-0.053251	0.054259	1	-0.002494	0.002494	1
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	14483a4a2c9908a36a6c7ce848df7ebedbc9fc81c0c53b4f77182e1f8af66ea47	0.10106	0.050374	0.501542	-0.0125	-0.000499	-0.044699	0.017973	1	-0.002494	0.001496	1
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	d855676efd65d0e3fb851d50782693e7da20ce16a62e2d93cdc24d077baf4329	0.040586	0.002993	0.926267	-0.00923	-0.000499	-0.053661	0.031194	1	-0.002494	0.000998	1
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	0b6a8ec77945a17f911e443c05828a6951fd39f8fc5954ab1aa64ea314c569f0	0.133853	0.065524	0.51048	-0.022816	-0.000499	-0.048909	0	1	-0.002494	0.001496	1
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	c5d2086fef50388d4c7375ebb19d6e26ec52ba85dc215c4dab0c2d8674b6b601	0.044701	0.004988	0.888424	0.035178	0.001496	-0.01109	0.090032	1	-0.000499	0.00399	1
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	eecebcbcbdd224114797195060c9af98eca77c28458cd8c3dea64130f2a00089c	0.10106	0.062968	0.376928	0.005665	0.001496	-0.040916	0.052646	1	-0.001496	0.004489	1
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	d0990209c677be92b95b8103af327f7b88ee91b2d8d975f740b09f499aa826ab	0.040586	0.020075	0.505376	0.005735	-0.000499	-0.085723	0.097022	1	-0.003491	0.002494	1
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	2d919d78c60deb2e27c3f37e79c4482780459e6693ac9a168f959a81fd3f9991	0.133853	0.079302	0.407545	-0.030671	-0.000998	-0.069966	0.005947	1	-0.004489	0.002494	1
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	afab3134af3c1143e0ca42aead0e7efd3992be2191459f54aeac4ec15727f109	0.044701	0.019077	0.573222	-0.001598	-0.000499	-0.074287	0.069377	1	-0.002993	0.001995	1
DermaMNIST–ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	2572963785787d044faef6263e5eeca8f712555ff9342cd4bd31739bbf1842383	0.10106	0.060661	0.399753	-0.024049	-0.001496	-0.08632	0.036268	1	-0.006983	0.00399	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	ec077b78dae2fc2d45227be10bb007daa86673acd1361fe0ecf4efca47b203d	0.040586	0.028055	0.308756	0.060133	0.001496	-0.073207	0.199657	1	-0.003491	0.006484	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	93f8969fb1886f8c5e287bf52d839d90da863cd82c567fbfb3b7cc49a742479	0.133853	0.073192	0.45319	-0.017293	0.000499	-0.063249	0.028322	1	-0.004988	0.005985	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	8f4d6dd67c075c5e61eea66ad9020123c857e2749120b7b0346dccc6ca722f5d2	0.044701	0.03086	0.309623	0.004156	-0.000499	-0.119716	0.128332	1	-0.005486	0.004489	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	36020fa659d626ac9acd1b6a3a08625fd81b276468714e5fa5ceda143938673cc	0.100561	0.040586	0.596404	-0.046635	-0.001995	-0.099646	0.002757	1	-0.005985	0.001995	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	092839d17285e6bbec6f6b473bd4d6dc8e7befbc9f518ecb0c123f30ead9ab773	0.045075	0.000499	0.988935	-0.012639	-0.000499	-0.0639	0.036421	1	-0.002494	0.001496	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	edfbefce7a9a5fe87ea4cd3a1d6dd29ea749b3f89a0858f243aena4bceaa935e	0.128865	0.056047	0.56507	-0.027727	-0.001496	-0.072665	0.015703	1	-0.005985	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	141874075de0349e65c78ffdcbdf5f468a59708a426a4272bc	0.048691	0.001496	0.96927	0.009137	0.000499	-0.044657	0.065396	1	-0.001995	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	f98f97c466e0523b2c42f0fafa0069a5c24d06e92b0bc06ba6309614ec60b4acd02d0b57d214b	0.100561	0.053865	0.464352	-0.007529	0.002494	-0.068993	0.052335	1	-0.001995	0.006983	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	3cf3a9b36e335a81c32a6fa15e26ba02b5cc93432e5909405e0938394b7cf494	0.045075	0.003491	0.922545	-0.005508	0	-0.052527	0.041543	1	-0.001995	0.001995	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	e9ae6d2c1c1d9a5acf4aebc96622cd36aee44c904b3393fa42b725ed11d26805	0.128865	0.070511	0.45283	0.016343	0.004489	-0.036962	0.070091	1	-0.000998	0.009975	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	bd60fbc8c2a5a48187ca1a59b3a86c74222e2ed7fba10e8525cd0ff29d25e5b0	0.048691	0.004988	0.897567	0.005267	0.000499	-0.049032	0.061577	1	-0.001995	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	1d4851d0c13ded178f2dea483932c2c2f9868e51259bde916541a835fb5522bd	0.100561	0.062469	0.378797	-0.023491	0.001496	-0.091996	0.041907	1	-0.003491	0.006484	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	48f06bc20708f1c5bef9f00fb023f4f553219a2c6791d1ba7d4c17507f6e6824	0.045075	0.025062	0.443983	0.043424	0.003491	-0.106455	0.194286	1	-0.001995	0.008978	1

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	a90966ffd5 b364e72668 3d78706e1f d7c94546cf 6481824400 3c031222ac 8c79	0.128865	0.077805	0.396226	-0.04184	-0.002494	-0.098878	0.013464	1	-0.00798	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	16941dde1c 91f04dc258 518ec3f940 1e12b00724 db93324ad4 38dfda531a b11c	0.048691	0.019576	0.597951	-0.010907	0.000499	-0.139923	0.118115	1	-0.004988	0.005985	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	2dfadd203e cc6758400f bd181c04a6 ba7fd1918d ba6804a5d7 01c101fcc8011f	0.100561	0.063653	0.367018	0.04432	0.00798	-0.034922	0.125927	1	0.001496	0.014464	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	f7a6595263 050573c5e5 6c765e2917 f14fb00b12 40afd1d1a2 2d97cc578a 99a2	0.045075	0.026559	0.410788	-0.053751	-0.000499	-0.216592	0.098921	1	-0.005985	0.004988	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	5881f4aa3b fe40e7f017 0c4a461288 9621af03ef ef926b0049 4ab59468d9 08a1	0.128865	0.077182	0.401064	0.042545	0.00798	-0.016348	0.102534	1	0.00197	0.014464	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	842f15d29a 5905b533db 7b4e901766 2a67a9da1d 1d7e7d23d0 de4137c58e 3128	0.048691	0.029364	0.396927	-0.043351	-0.000499	-0.19847	0.102298	1	-0.005985	0.005486	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	23efd4a92e 4eca17e59c 856bb6a920 005b8d6598 9b61f60072 1611de6bcc 43bc	0.107045	0.04308	0.597554	-0.009028	0.001496	-0.044289	0.025353	1	-0.000998	0.00399	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	7e7291aaf0 f7e73c2dd5 4b6d35173f bb90d22990 65a1cea627 93c5e5a7ecb1f6	0.042581	0.002494	0.941435	-0.042222	-0.001496	-0.102632	0.007815	1	-0.00399	0.000499	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	fe5faac603 8c62187d9f 0668282885 dbfdb1880c 50f0ba6589 cd865fa02c c45d	0.13884	0.05904	0.574764	-0.016625	0.000998	-0.045659	0.011096	1	-0.001496	0.00399	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	6895cc3903 3c12df4cb2 1367f51e5 213249a6a4 a1ccbb5897 6c42e2e045 ad24	0.046197	0.002494	0.946019	-0.057595	-0.002494	-0.12291	-0.002837	1	-0.004988	0	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	b88cdee6ea de6a4f5c1e 57876f2118 68304a2e49 f0a2e62470 4ad61a39dc 9659	0.107045	0.055362	0.482819	-0.025694	0.000499	-0.068725	0.015356	1	-0.002494	0.003491	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	4be4234397 1c6e8ac12c 7663f032b4 287bf43f63 ed8abb0221 7fef4dd942f3c3	0.042581	0.005486	0.871157	0.002859	0.000499	-0.054424	0.059947	1	-0.001496	0.002494	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	39856b20a3 621f165929 f19cd1b641 39005a1ccf 8bd8f2207d 09f381c00ede88	0.13884	0.07101	0.48855	-0.010144	0.002494	-0.043021	0.022556	1	-0.000499	0.005985	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	cb97c28056 02ebf0abd7 9f8c47b35a f8f16a8c50 54174589b9 1ef0ac53eee9de	0.046197	0.005985	0.870445	0.006821	0.000499	-0.044052	0.058839	1	-0.001496	0.002494	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	2684fa132c 4464fc0fa8 596272c3cb 755a6d33a2 75f8a3d87 377c097d43 7b59	0.107045	0.066958	0.37449	-0.032109	0.000499	-0.082971	0.015766	1	-0.002494	0.00399	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	89639a65bb f4871460b6 fcafdedf5c 275b0bfb01 d6c549f047 0e86d9bab9 1b1f	0.042581	0.021571	0.493411	-0.038293	0	-0.16273	0.07588	1	-0.00399	0.00399	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	61750fed81 935cb8df41 3678b11550 ec4d8bbd27 6561408202 6c67302527 29d8	0.13884	0.082294	0.407274	-0.041351	-0.000998	-0.082313	-0.002366	1	-0.004988	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	6d2d0bc890 3e52d3bbe9 10f94a3af8 801487ba15 f0aea605a 0b72e8aace 8481	0.046197	0.021072	0.54386	-0.026426	-0.000499	-0.133696	0.07775	1	-0.004489	0.003491	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	e855cc6b36 1178c90466 44b19ea2ec 193bc943d3 2f9d4c47a6 97c4790e7d cadf	0.107045	0.058666	0.451951	-0.067004	-0.003491	-0.139259	0.00201	1	-0.009975	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	e80fb948f7 390ad7eaab f3538c9fb5 d3faa225c4 c3af8c8a0b 1400f097bf5ed8	0.042581	0.027556	0.352855	0.064468	0.004489	-0.100541	0.230169	1	-0.001496	0.010474	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	76f1b93c7 705012cbde b9f05b859b c230402d2c 7f49a9b8b7 e301c5b656 db25	0.13884	0.073192	0.472833	-0.026227	0.000499	-0.07691	0.022942	1	-0.005486	0.006484	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	757e352132 2718f7fa20 749bf48c8 d9637d61cb 13db8c4ab1 a38e3bde85 4d5a	0.046197	0.029364	0.364372	0.045669	0.002993	-0.10504	0.199237	1	-0.002993	0.008978	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	8ef043e0f3 35fe3582d8 6dc8a64c66 8255574b36 e8104e3a48 6303659b6d 8633	0.102556	0.044576	0.56535	0.018241	0.002494	-0.014485	0.053232	1	0	0.005486	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	ab6978d4b7 7ebf729bec 4888b5a26a e13f39481b f35b59f64 806a8c77f2027	0.046571	0.003491	0.925033	0.004688	0.000499	-0.054828	0.065124	1	-0.001995	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	edac95ea4d a401e82d14 4b2e73b0a9 d4ccbead73 4da5355c5b 92c943728b 828f	0.134352	0.060037	0.553132	-0.006383	0.000499	-0.03681	0.023447	1	-0.002494	0.003491	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	8e4a35f642 bf180bdef 592754134b ac735c8afc 54a33f4905 4b8c64e48c cb21	0.04919	0.003491	0.929024	-0.028334	-0.000998	-0.092248	0.029869	1	-0.00399	0.001496	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	6224729384 3c4c0206df 7e4efc416d 1b7d575f66 b2888a7c51 649b8178bc d4f5	0.102556	0.054364	0.469909	-0.012784	-0.000499	-0.058232	0.030104	1	-0.00399	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	efc30b258b 3f999130c0 c37df392d7 1755542f30 5feb186b9e c21fb03a7d cda0	0.046571	0.005486	0.882195	-0.011039	0	-0.058625	0.03546	1	-0.001995	0.001995	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	6f8e9cccf8 1b4809901e 8a49c34ea1 641c39d745 8c6af970c5 0bc18d80e2 d650	0.134352	0.07101	0.471462	-0.00065	0.001496	-0.036765	0.033863	1	-0.001995	0.004988	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	6f6b1326a 328b51c420 dfca0b6a4e 7657f39b49 32318eb2b2 4d40a2a182 8d6c	0.04919	0.006484	0.868188	0.010433	0.000998	-0.031249	0.057539	1	-0.000998	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	9657eb1554 2d501fdff4 4d293abedc e3d4b0e0e1 bd60c053dd 1108c8157d c519	0.102556	0.067955	0.337386	0.019801	0.002993	-0.031966	0.073367	1	-0.000499	0.006484	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	ebfa8cee3d 0ef847248d 39fa0939a c6922a1ee 63e950ac49 a60561d836 95df	0.046571	0.021571	0.536814	-0.055116	-0.000499	-0.153012	0.033949	1	-0.003491	0.002494	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	c5d77b11ec 7ae0eff61b 78971685cb 150a54776d d8936f2ff5 15632ed75b fdff0	0.134352	0.084788	0.36891	-0.021971	-0.000998	-0.06288	0.019075	1	-0.004988	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	23b418bf9e 1872a40d2a 63f3f029cd 10e2a567e1 920c19fcff 1118fb3c2a b822	0.04919	0.021571	0.56147	-0.038712	0	-0.129724	0.046853	1	-0.003491	0.003491	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	4ace0590fb a03d3ba975 07d324c460 3990f19ffa b179a33187 1470d226fcc6ce	0.102556	0.061658	0.398784	0.015775	0.002494	-0.053438	0.083972	1	-0.003491	0.008479	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	7540b1a1db 19ee461241 3d83666797 a086e4b4a8 cbb66d685d 00c9eb766a 9683	0.046571	0.023067	0.504685	-0.093265	-0.001995	-0.247587	0.053616	1	-0.00798	0.00399	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	f91ad1a566 e20a6a1893 8257329eaf 19ac20281e 2d9b71d481 b833089784 fa3c	0.134352	0.075686	0.436659	0.006151	0.002494	-0.044203	0.054812	1	-0.002993	0.008479	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	b15d88e8e4 b7eaf56851 b991ed46c9 d1c5d5ed33 7c6233263c ec78659411f2d3	0.04919	0.026372	0.463878	-0.08043	-0.001496	-0.227867	0.061433	1	-0.007481	0.004489	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	2037f0031b 7c3605ba7b c7be5f75c0 a2f2799002 438ad2d44d 03717b26d0 29f7	0.10505	0.042581	0.594659	-0.008679	-0.000499	-0.048346	0.03121	1	-0.003491	0.002494	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	3e696948e9 1a3665b490 e9789bc918 8608246253 36a129cdaa 3a38f20f93fb30	0.042581	0.002993	0.929722	0.012391	0.000499	-0.049844	0.075491	1	-0.001995	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	76e86024ef c1087c601a 111621e4cd 8b84948928 3c7c3214a5 c940e3939b b78c	0.137843	0.058541	0.575305	-0.029256	-0.001995	-0.0627	0.002841	1	-0.005486	0.001496	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	1fbc81b985 030970b3c0 4770bda964 86bf29db9f f2c0a1371f 06e5626b12 a3cd	0.044202	0.003491	0.921016	-0.019242	-0.000998	-0.093827	0.049845	1	-0.00399	0.001995	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	a779b79424 94230207db 11c384c64f a6488ea6a2 c72082a7fd 0b4b79580b 6b38	0.10505	0.053367	0.491988	-0.014457	-0.000998	-0.057226	0.026352	1	-0.00399	0.001995	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	08bd4a383f 6a52ef36a9 f208b874dc 109461ac58 e5f5dab25d 1ff128e50e91ec	0.042581	0.006484	0.847731	0.036495	0.001496	-0.022699	0.105773	1	-0.000998	0.00399	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	0e4af6c5df 6f3999484b c89698dc47 4d15402c56 2a7e85f002 174a644547 47e2	0.137843	0.071509	0.48123	-0.013722	0.000499	-0.047106	0.01825	1	-0.002494	0.00399	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	fbd55332af f4675310ab 6db6c03529 24d92ccf83 7f5208a5c6 522c693944 879c	0.044202	0.006484	0.853315	0.026631	0.000998	-0.035849	0.095015	1	-0.001496	0.00399	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	b0f2c5f163 7be8a1d92e 6246d2ce13 ae7e1f83e2 099594dc3c c35b8de63d dd49	0.10505	0.066459	0.367359	0.003522	0.000998	-0.047191	0.055154	1	-0.002993	0.004988	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	ff83f81068 56b5104f76 44d3ce66be3 e90052e4af 41199980fe d686e583c4 781f	0.042581	0.024564	0.423133	0.076143	0.002993	-0.04131	0.201012	1	-0.001496	0.007481	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	d5679cf5e7 bc0ca37f76 7e2596e97c 82abdc4b7c d9031b32c5 9988f1990c 80d2	0.137843	0.084289	0.388512	-0.020583	0	-0.06196	0.020197	1	-0.00399	0.00399	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	e62ae06432 0d26e2c9db 9ce637a77a 855fe77613 e39774681f 428d4f686b a498	0.044202	0.024065	0.455571	0.105138	0.00399	-0.004588	0.22645	1	-0.000499	0.008479	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	5fb1a263f8 2eeb20ebdd 76625be8b4 eedc294b87 b744e3f6c5 f1814578096dfa	0.10505	0.065648	0.375074	0.075495	0.008479	0.005334	0.14784	1	0.001995	0.014963	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	4dddc24be4 3fa7755039 92e8982c33 f7b268ffcd 8496619758 815ec502ccb67f	0.042581	0.02606	0.387994	0.111282	0.004489	-0.051023	0.28446	1	-0.001995	0.010474	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	d44b9c4859 767ba46a4d ba913dcaac 61d0158d73 6fee9ff444 f319fd0b73 7351	0.137843	0.078678	0.429218	0.029408	0.006484	-0.019659	0.080362	1	0.000499	0.012469	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	94a17d1cb6 64d1057c84 e009adfb5e 977c5f95b0 5037d519f3 6831e7936d 8f17	0.044202	0.029863	0.324401	0.120347	0.004489	-0.038908	0.289935	1	-0.001995	0.010973	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	6d76e68bde 175cc1901f c323f6c312 49c1cb41ed 97314df465 1a2b4cd423 ba2b	0.100062	0.037594	0.624299	-0.011901	-0.000998	-0.05443	0.030322	1	-0.004489	0.002494	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	29400d50ee 6f55a69021 bdc0bd7e90 b03469fce2 722c776dea 80f12ba91f1579	0.044077	-1.3878e- 17	1	-0.011852	-0.000499	-0.055665	0.027213	1	-0.002494	0.000998	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	e97e4959c4 09b5d51fde df588ca5f9 1dd8811173 fc61be62d2 3012b4f0aa75f2	0.135349	0.052057	0.615385	-0.019352	0	-0.05476	0.01424	1	-0.003491	0.003491	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	7adc3c7c4b b78900a993 e8d9215f20 12ebb08a52 a27621d76d db6ed9752a 512	0.047693	0.000998	0.979085	-0.000913	0	-0.053601	0.052433	1	-0.002494	0.002494	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	2956d0113b 8ddbf3d777 cdf1fc6701 8e0f05a300 942b2c98d4 500e974074 3b68	0.100062	0.050873	0.491589	-0.002547	0	-0.052389	0.047976	1	-0.003491	0.003491	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	4947a7727f 627df32e22 0c77b1b41f 91cd19e3e6 ea6a863261 b649f4ad02 4d9d	0.044077	0.001995	0.954738	-0.037701	-0.001496	-0.085245	-0.002035	1	-0.003491	0	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	a3fdfa09e3 28eeb93ce96 0ff04fcc2f 436d42a0ff6 92323da7a7 8aab1eaded aeab	0.135349	0.067519	0.501152	-0.013488	0.001496	-0.057717	0.030065	1	-0.002993	0.005985	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	723e23d7b8 2b47bc06fe 7c354fd430 dd6a20b510 76304c0fd0 26fe7a9f7bb931	0.047693	0.004489	0.905882	0.017719	0.000998	-0.034199	0.072199	1	-0.001496	0.003491	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	b973ded7da 357dd86a2f 4fee5a23c5 2ec2139ae8 6b7be09152 697b0aa2d d58c	0.100062	0.06197	0.380685	0.001907	0.000499	-0.056234	0.060495	1	-0.003491	0.004489	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	056a9c2bed eaabae6b54 606bfb139b 59a677bf56 7842b32a2a 03ea5453d6 74f2	0.044077	0.020574	0.533239	-0.022128	0	-0.150758	0.104315	1	-0.004489	0.004489	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	1aa198601d 0939bdf953 d4e666b124 6683b960bc b153126e90 6dbfc13271 7c1a	0.135349	0.076808	0.43252	-0.055645	-0.003491	-0.105988	-0.008818	1	-0.008479	0.000998	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	21fde801e1 7c4f7e3eb4 85b7815898 c616b623c6 8a18347aef 069864cef0a6c7	0.047693	0.020075	0.579085	-0.007462	0.000499	-0.123951	0.107955	1	-0.00399	0.004988	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	b1ec09f85c 46cd037214 5b2d86d972 53226bb82c 975a2a934c 83982a4a6e d79c	0.100062	0.062157	0.378816	-0.003112	0	-0.080292	0.075369	1	-0.006484	0.006484	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	4da1a31af7 7004ce9792 356ef9368e fb74edf11f 1ecca5cd5c 4c66d53c51 d1a9	0.044077	0.027556	0.374823	-0.005934	0.000998	-0.191379	0.179132	1	-0.005985	0.00798	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	a02381a892 928968c44b 401923dd41 d9e96c3a5a f000eee956 56bdf2681a c2ec	0.135349	0.073691	0.45555	-0.019653	0.000998	-0.078502	0.039092	1	-0.005985	0.007506	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	81017cd3f5 9fb944ee19 25c1f2c074 93b072a6e8 e7b7d8ef0c ecb01e704d 59e8	0.047693	0.031359	0.342484	-0.028705	0	-0.202107	0.141093	1	-0.006484	0.006484	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	256e2559de 8990559e88 a96bcfd8b0 75eeda1143 14e6453d90 bf1af8f5a47f34	0.091584	0.0351	0.616746	-0.066977	-0.007481	-0.137086	-0.000868	1	-0.012968	-0.001995	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	a6d0299a8d 656440bcfd a804ac3ed2 c361d792c0 90655a4029 1b82276323 d8ec	0.045574	0.000998	0.978112	-0.001816	0	-0.047424	0.044774	1	-0.001995	0.001995	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	61926310b6 59d6e5f259 70c4d220df 458be04226 acd362636d 4797d5475e 0575	0.125374	0.048566	0.612631	-0.075287	-0.008978	-0.133718	-0.018579	1	-0.014963	-0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	47df38d8d3 daa1464168 7fd0a0ac84 545de4c078 15c17d8c7c 1f427fd45dccaef	0.052182	0.001995	0.961768	0.016639	0.000998	-0.031892	0.067158	1	-0.001496	0.003491	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	67c9d44a09 8f1355b7b8 756a8111f0 27fd7dd694 f50b6e81e9 2fc5109b9d b0d5	0.091584	0.048379	0.471749	-0.014927	-0.002993	-0.085658	0.056905	1	-0.00798	0.001995	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	e6f50024fe c790df00d1 ec900e9db8 2ed159b01e abbaa5b32f e4beb13dab 519d	0.045574	0.001995	0.956224	-0.039187	-0.001496	-0.101774	0.018764	1	-0.00399	0.000998	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	ce0a414090 d1647a71d4 00ea402ab0 32a74b1356 ad839bf596 5172668f0a86ec	0.125374	0.06702	0.46544	0.003733	0.000998	-0.057247	0.06394	1	-0.004988	0.006983	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	ea7608a385 ce6aeb9d16 d0cfa903d 5332b3b490 11b0aa3a77 2f7c9805fd5605	0.052182	0.003491	0.933094	-0.03026	-0.000998	-0.095561	0.032625	1	-0.00399	0.001995	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	f86a5d4dce61aee4acf2c0f7183dd1d4000d02bc59931becf3c7e700c5363a68d	0.091584	0.055985	0.3887	-0.033393	-0.004988	-0.112479	0.044691	1	-0.009975	0	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	a240e3b22f6960d738b89606d51e5fc15d5aee2618721ba9d05a8b417154c948	0.045574	0.024065	0.471956	0.015451	0.002494	-0.146966	0.173599	1	-0.003491	0.008479	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	ed3e4c9153d6e420924794d7be2b33e698de7fb6c9baca70a4f785f4632bb612	0.125374	0.07182	0.427151	-0.072765	-0.008479	-0.13681	-0.009705	1	-0.014464	-0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	4974b7813717500c8b05224d448dc17a57a68d123d3ae060b7cec06abd0a6118	0.052182	0.020574	0.605735	-0.01869	0.001496	-0.164982	0.123273	1	-0.004489	0.00798	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	4f01207c31ebd8657710d9a5b243297878224d2d572e8eb65f9d584e6876afc6b	0.091584	0.070137	0.234173	0.177165	0.014464	0.07583	0.287936	1	0.006484	0.022444	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	2ca62aa6943038662c01ba95b9b611ff91279908fdcbcd7b7e	0.045574	0.02606	0.428181	-0.071144	-0.000998	-0.244171	0.090118	1	-0.006983	0.004988	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	6fa7b4076f87f2fbf5b69d232c55f63f6a5327eda72a54dfe2b7239c4fca283db90c6fd09b75d	0.125374	0.087157	0.304823	0.138786	0.017955	0.064709	0.216319	1	0.010474	0.025935	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	ed3a24bba4209187f60956613134e751fbff6cd0dac25a568ea26afbe65ce7ea	0.052182	0.03086	0.408602	-0.055026	0.000998	-0.21354	0.089309	1	-0.004988	0.006983	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	a81f86aef5876c50158824d6d03a36b25fa6b3bfe4e421fa65da5fddd8b5fd2e1	0.103055	0.041584	0.596491	-0.007966	0	-0.057125	0.039842	1	-0.003491	0.003491	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	c97d1449a538382b41e0900c1299b6ac2e6a860467f1c3b6ea2c6bccdda83f9f7	0.045075	0.001995	0.95574	-0.056527	-0.001995	-0.114725	-0.013874	1	-0.00399	-0.000499	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	cd80037715f8e6a9de679e0467b35c9426f72e4d64e422b80ffc61812d27fde70e3427919ecc44e8c96ac20e26c75031b346db7590a0a895bf8722f2970202c	0.135349	0.057045	0.578535	-0.020396	-0.000998	-0.063055	0.020213	1	-0.004988	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	70e3427919ecc44e8c96ac20e26c75031b346db7590a0a895bf8722f2970202c	0.04919	0.002993	0.939163	-0.05074	-0.001995	-0.11101	-0.001945	1	-0.004489	0	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	6bf4db6f86ae70d919f04862be005bfc772e7cab049cbeda3a47172b8f26254	0.103055	0.053865	0.477314	-0.020189	-0.000998	-0.081618	0.039692	1	-0.005486	0.003491	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	1749397ec9c6324107cf c2e17dd730 d5a74ef4cd ca530cd425 6b66247fdf b930 c02a754fa9 c4833bb666 80c22dc925 0079718095 0d9a338298 9700beab9c 02b7	0.045075	0.00399	0.91148	-0.037464	-0.000998	-0.114364	0.02924	1	-0.00399	0.001496	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	c02a754fa9 c4833bb666 80c22dc925 0079718095 0d9a338298 9700beab9c 02b7	0.135349	0.068017	0.497467	-0.019061	-0.000499	-0.069118	0.029387	1	-0.005486	0.004489	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	37d4a921f8 8782d5d88e 242e04cd29 85d3b01e2f 3414f0f38b 8960c4034c 3a84	0.04919	0.005486	0.888466	-0.0112	0	-0.076375	0.049372	1	-0.002993	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	5e8521f4f6 a0f47f5263 5a8db44c6c efaf5eeeb9 cbea140134 c7bcfa65d0 3208	0.103055	0.063466	0.38415	-0.041769	-0.002993	-0.117194	0.028979	1	-0.008479	0.002494	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	09c5e61540 85fb584dd8 2539525b80 b1d0a3b768 b94759d7d6 dc639f439b 9ad5	0.045075	0.021571	0.521438	-0.06632	0	-0.230757	0.08439	1	-0.004988	0.005486	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	08ac60ef8c 8b7e1d918d a74a7e2619 cfe8928a38 00e297be43 b4d5180913 94b4	0.135349	0.080299	0.406725	-0.040802	-0.002993	-0.099917	0.015872	1	-0.008978	0.002494	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	4750328606 a64a53f383 cff6e84465 7a420e77c8 054b708c4d 91be37ebfb 44d6	0.04919	0.021072	0.57161	-0.054176	-0.000499	-0.196927	0.075444	1	-0.005486	0.004489	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	2d9656cf48 761c174a8e 58043145bf 41de018b55 2e41524a87 1e8f9d8b5d fd65	0.103055	0.06515	0.367816	0.017131	0.002993	-0.069287	0.10649	1	-0.004489	0.010474	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	9b8ec81e9a 843f9e4135 64423e7e8c 155a4aac61 f54d3d10d6 617e6c81b8 883e	0.045075	0.027057	0.399723	0.017599	0.00399	-0.172341	0.20622	1	-0.002993	0.010474	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	b18502c42b 68f5a115f a754521df4 b9c2b07d67 0135fd693c 604e14bc9d 7c0b	0.135349	0.081172	0.400276	0.04633	0.008479	-0.019851	0.113338	1	0.000998	0.01596	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	897b85c691 e157c1c757 b3b5fef7ac 5abc9fb5fd 8eac639cfe 8ce3144637 6812	0.04919	0.028367	0.423321	-0.013279	0.001995	-0.185094	0.157121	1	-0.004988	0.008978	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	440d9fff2c 23c41fae7a 92cbbdcb44 d974e9b56e bb241bd2b 4627ac49de eeb9	0.105549	0.041584	0.606025	-0.022434	-0.000499	-0.07089	0.023656	1	-0.004489	0.003491	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	ec10fcc28f e253cec103 6e058ebdb2 0b3ddca926 6aefb11de8 c7873e940fa2f9	0.046072	0.00399	0.913396	0.016325	0.000998	-0.026914	0.064328	1	-0.000998	0.002993	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	007209603d d6fa3c5e65 4341731389 30b12b7b48 13eb559f17 3729bd375b e6fc	0.139838	0.057544	0.588498	-0.041749	-0.001995	-0.083952	-0.002673	1	-0.005985	0.001995	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	8e569c199a 66b5cd60b1 428bed9f8c e3dfe8f22f fd3b75070e d27b557512 7e8a	0.050187	0.004489	0.910559	-0.009869	0	-0.070497	0.049483	1	-0.002494	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	12d353fa8e 0d8a0b9702 0637d8f1d0 042b13139e 20641f6911 c70ee756bc ed21	0.105549	0.052369	0.503839	-0.046714	-0.002494	-0.106065	0.007241	1	-0.006983	0.001496	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	7e3fce14ce 2753f0cfa 6fffd6bace e2c83bce5a b92b974f14 983f7277f5b574	0.046072	0.00399	0.913396	-0.04224	-0.001496	-0.100262	0.006818	1	-0.00399	0.000499	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	20d4afb7fb 8e4aa3f5b5 b80f15d31f cfeb4d69d2 aa328aa884 f482f2df275219	0.139838	0.066521	0.524298	-0.053486	-0.002993	-0.09976	-0.009667	1	-0.00798	0.001496	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	481ab7beb6 e858d5f061 a9581bef9b 74a0303bf5 65ff722baa ab01a68ae5 554c	0.050187	0.005486	0.890683	-0.012063	0	-0.066948	0.039673	1	-0.002494	0.002494	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	8c24fc6cec c918036011 e1aded4bdc 73102fa9ce 12845df8ae	0.105549	0.06596	0.375074	-0.017887	0.000998	-0.08498	0.046914	1	-0.004489	0.006484	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	5ae5fbc3fada78 dd17a636bd 5118df67af 1769144c2c 63f0d55189 06de95a1b6 3a91d9bd86 99ca	0.046072	0.022569	0.510149	-0.02845	0.000499	-0.173566	0.107435	1	-0.004489	0.005486	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	85933ce024 c04928f69d ac8e0dc1ae 4cccd52cc2 550bb59fa8 63b9ad9554 8648	0.139838	0.081297	0.418636	-0.071697	-0.004489	-0.128282	-0.019507	1	-0.010474	0.001496	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	d0110115ea a85ed17b4a 80264d1f09 92bd5e9c9b 53ac212d58 4466aa7fbf83e4	0.050187	0.022569	0.550311	-0.027552	0.000998	-0.157056	0.091158	1	-0.003491	0.005985	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	cb77073853 3c5a54a83c 6cb23412c5 c144853b41 d02805c40f 59e6b5e32eefaa	0.105549	0.064651	0.387478	0.027081	0.005486	-0.054462	0.109999	1	-0.001995	0.012968	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	82578baf8 37cb8eb05 921c196fcc 4ac9b6a7d7 2c39afe871 1ab21d96c9 47e3	0.046072	0.028055	0.391069	0.020351	0.002993	-0.157189	0.19903	1	-0.003491	0.009975	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	d52d6fd5ff 700d016bcc 3b3023f4b6 51a843dfdb 8ebacba820 1a3de0322e d2aa	0.139838	0.081172	0.419527	0.023282	0.00798	-0.036421	0.083853	1	0.000499	0.015461	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	80f33520bd 6ecea6672f 71c03025b8 6675c857ed e51c336a17 141969bab3 926a	0.050187	0.027868	0.44472	-0.061272	0	-0.232109	0.102463	1	-0.006983	0.006983	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	79a3b951ac 071c1e00d6 590bd012ff 88c24d2219 6d85f4474 4970c283a5 49e3	0.104551	0.040586	0.611807	-0.025827	-0.002494	-0.074793	0.02119	1	-0.006484	0.000998	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	61f9819718 c77c3cc97d f2112a7651 1e3f1bf88f 95f4e54960 9817b53bf5 11e8	0.049065	0.002494	0.949174	-0.007061	0	-0.059452	0.045051	1	-0.002494	0.002494	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	52d00258e1 d77861fd33 65f976c8e6 c26b2f720f ea4fd70632 5eb9339539 b53b	0.13884	0.056047	0.596318	-0.050268	-0.004489	-0.092618	-0.011895	1	-0.008978	-0.000499	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	67c428b8c6 d9fa333435 ed8aa8d03c c7ad6188d6 182127a489 5342ea6c8b e98c	0.05318	0.003491	0.934349	-0.032576	-0.000998	-0.098391	0.028441	1	-0.00399	0.001995	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	4b1985d6d1 59fbaa9f36 e71c766eab b56e3f3e33 7149b5fedc 2e9821a76b 4321	0.104551	0.052369	0.499106	-0.021574	-0.001995	-0.077236	0.032035	1	-0.006484	0.002494	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	02b16851be af8150ef99 414212842d 6a84961a20 6a40f71c4b 4ef38419462a5	0.049065	0.002494	0.949174	-0.064948	-0.002494	-0.133441	-0.008585	1	-0.004988	0	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	8cf7967e54 06500ed927 f3e1dcc8ba d67ba6cc19 f31cdfdb84 08cf4c02c1719a	0.13884	0.067519	0.513696	-0.046187	-0.003491	-0.096147	0.000821	1	-0.008479	0.001496	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	9dd971300e e73eb91b4b c3491b30d9 dafd851995 b31cbfec9f 2614343005 3ce6	0.05318	0.004489	0.915592	-0.035647	-0.000998	-0.10595	0.027639	1	-0.00399	0.001995	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	97c9b0ac1c c6335a30be 9231f0cd71 6de9eb349d da3afed1cc aa2cce357f120a	0.104551	0.060474	0.421586	-0.050705	-0.004988	-0.119342	0.013956	1	-0.010474	0.000499	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	365267b69f 2f7633ef30 caa6a7fdcb 152bbe1dbd 3f76c276cc ea36e1d651 929d	0.049065	0.019576	0.601017	-0.10174	-0.001995	-0.24506	0.032176	1	-0.006983	0.002993	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	cd8fd45ab2 a756d44a64 d348ffd87f f702140d3a c649d7f8aa e113a9ae2e81cc	0.13884	0.077307	0.443197	-0.075268	-0.006983	-0.131581	-0.022303	1	-0.012968	-0.000998	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	1ad5de9d08 c74d9cf228 4a430a089f 1e0f1517ee 3079b7bb6c 6289a61c7f 1ba7	0.05318	0.018579	0.650645	-0.089935	-0.001496	-0.220556	0.030751	1	-0.006484	0.003491	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	f16d7e4456 98e1f9b075 d9076eab03 7f302632b6 278f4e1aba 6685303117 841e	0.104551	0.068641	0.34347	0.107099	0.011471	0.022825	0.196815	1	0.003491	0.019451	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	df6bc98bef 8469bb0c59 2a1f60ee10 86a3be75fa a8f3e6fe9d 0357ed548a a528	0.049065	0.025561	0.479034	0.020242	0.00399	-0.13156	0.175471	1	-0.001995	0.009975	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	c367690048 80da6a4282 b1753a36a9 0ed046403e da3a2ddec2 3af6a998b0 92a8	0.13884	0.084663	0.390211	0.068414	0.012469	0.004005	0.134879	1	0.004489	0.020449	1
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	4a55c9a707 ada11f26fd 43f0091646 85ff8c5e6b d3b31f9e75 6d4287269b 3b36	0.05318	0.028865	0.45721	-0.012462	0.003491	-0.159913	0.135697	1	-0.002993	0.009975	1

Table 144: DermaMNIST-ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	7380dda49c7965507a6f1ee990b0754288a94b7e5131ab731df42a737f2b558fc	0.122056	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	b7aa335d4416e989b5c56b8334b164c090e3e996db42d7dad1b23a6966b5ef5e	0	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	59a13bde0f65a325559baa425c2f9a6cf49f8f30186cdae3cc3caf9c9eb6b4d5	0.078054	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	6608b8334770ba6c0e80f2329496feccaee0d953ba300811eafcf7169c1ca749	0.415771	False	relative_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	14483a4a2c9908a36a6c7ce848df7ebedbc9fc81c0c53bf477182e18af6ea47	0.119806	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	d855676efd65d0e3fb851d50782693e7da20ce16a62e2d93cd c244077baf d329	0.180209	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	0b6a8ec779d5a17f911e443c05828a6951fd39f8fc5954ab1aa64ea314c569f0	0.020401	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	c5d2086fef50388d4c7375ebbb19d6e26ec52ba85dc215c4dab0c2d8674b6b601	0.875394	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	eecebcccdbd224114797195060c9af98eca77e28458cd8c3dea64130f2a00089c	0.555778	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	d0990209c67f9e92b95b8103af327f7b88ee91b2d8d975f740b09f499aa826ab	0.281614	False	relative_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	2d919d78c60deb2e27c3f37e79c4482780459e6693ac9a168f959a81fd3f9991	0.048802	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	afab3134af3c1143c0ca42aead0e7ef43992be2191459f54aeac4ec15727f109	0.251713	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	2572963785787d044faef6263e5eea8f7125557f9342cd8bbd31739bbf1842383	0.175009	False	no_advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	ec077b78da e2fc2d4522 7be10bb007 daa86673ac d13f61fe0e c44efca47b203d	0.664633	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	93f8969fb1 886f8c5e28 7bf52d839d 90da863cd8 2c567ffbfb 3b7cc49a74 2479	0.222811	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	8f4d6dd67c 075c5e61ee a66ad90201 23c857e274 9120b7b034 6dcc6ca722 f5d2	0.341667	False	relative_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	36020fa659 d626ac9acd b6a3a08625 fd81b27646 8714e5fa5c eda1439386 73cc	0.027401	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	092839d172 85e6bbec6f 6b473bdd6d c8e7bfbcb9 f518ecb0c1 23f30ead9a b773	0.245612	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	edfbefce7a 9a5fe87ea4 cd3a1d6dd2 9ea749b3f8 9a058f243 aea4bceaa 935e	0.089354	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	141874075d e0349e65c7 8ffdcdbf5f 468a59708a 426a4272bc f98f97c466e052	0.574579	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	3bf2c42f0f afa0069a5c 24d06e92b0 bc06ba6309 614ec60b4a cd02d0b57d 214b	0.39692	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	3cf3a9b36e 335a81c32a 6fa15c26ba 02b5ce9343 2e5909405e 0938394b7c f494	0.372269	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	e9ae6d2c1c 1d9a5acf4a ebc96622cd 36aec44c90 4b3393fa42 b725ed11d2 6805	0.722286	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	bd60fbc8c2 a5a48187ca 1a59b3a86c 74220e2ed7 fbc10e8525 cd0ff29d25e5b0	0.535077	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	1d4851d0c1 3ded178f2d ea483932c2 c2f9868e51 259bde9165 41a835fb55 22bd	0.233612	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	48f06be207 08f1c5baf9 f00fb023f4 f553219a2c 6791d1ba7d 4c17507f6e6824	0.707935	False	advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	a90966ffdf5b364e726683d78706e1fd7c94546cf64818244003e031222ac8c79	0.053203	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	16941dde1c91f04dc258518ec3f9401e12b00724db93324ad438dfa531ab11c	0.40672	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	2dfadd203ecc6758400fbd181c04a6ba7fd1918dba6804a5d701c101fcc8011ff7a6595263	0.866693	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	050573c5e56c765e2917f14fb00b1240afd1d1a22d97cc578a99a2	0.213811	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	5881f4aa3bfe40e7f0170c4a4612889621af03cfe926b00494ab59468d908a1	0.921946	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	842f15d29a5905b533db7b4e9017662a67a9da1d1d7e7d23d0de4137c58e3128	0.242662	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	23efd4a92e4eca17e59c856bb6a920005b8d65989b61f600721611de6bcc43bc	0.294765	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	7e7291aaf0f7e73c2dd54b6d35173fbb90d2299065a1cea62793c5e5a7ecb1f6	0.041252	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	fe5faac6038c62187d9f0668282885dbf5db1880c50f0ba6589cd865fa02cc45d	0.118556	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	6895cc39033c12df4cb21367ff51e5213249a6a4a1ccbb58976c42e2e045ad24	0.00985	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	b88cdee6eade6a4f5c1e57876f211868304a2e49f0a2e624704ad61a39dc9659	0.105005	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	dbec42343971c6e8ac12c7663f032b4287bf43f63ed8abb02217fef4dd942f3c3	0.516626	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	39856b20a3621f165929f19cd1b64139005a1ccf8bd8f2207d09f381c00ede88	0.265913	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	cb97c2805602ebf0abd79f8c47b35af8f16a8c5054174589b91ef0ac53ee9ede	0.548127	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	2684fa132c4464fc0fa8596272c3cb755a6d33a275ff8a3d87377c097d437bb9	0.086904	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	89639a65bb4871460b6fcafdcd5c275b0bfb01d6c549f0470e86d9bab91b1f	0.234012	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	61750f6d81935cb8dffd13678b11550ec4d8bbd2765614082026c6730252729d8	0.018201	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	6d2d0bc8903e52d3bbe910f94a3af8801487ba15f0eaea605a0b72e8aace8481	0.252863	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	e855cc6b361178c9046644b19ea2ec193bc943d32f9d4c47a697c4790e7dcadf	0.026801	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	e80fb948f7390ad7eaabf3538c9fb5d3faa225c4c3af8cba0b1400f097bf5ed8	0.778039	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	76ff1b93c7705012cbdeb9f05b859bc230402d2c7f49a9b8b7e301c5b656db25	0.147657	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	757c3521322718f7fa20749fbf48c8d9637d61cb13db8c4ab1a38e3bde854d5a	0.703235	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	8ef043e0f335fe3582d86dc8a64c668255574b36c8104c3a486303659b6d8633	0.847842	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	ab6978d4b77ebf729bec4888b5a26ae13f39481bf35b690ff64806a8c77ff2027	0.543377	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	edac95ea4da401e82d144b2e73b0a9d4ccbead734da5355c5b92c943728b828f	0.304265	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	8e4a35f642bfb180bdef592754134bac735c8afc54a33f49054b8c64e48ccb21	0.162008	False	no_advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	6224729384 3c4c0206df 7e4efc416d 1b7d575f66 b2888a7c51 649b8178bc d4f5	0.185559	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	efc30b258b 3f999130c0 c37df392d7 1755542f30 5feb86b9e c21fb03a7d cda0	0.308265	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	6f8e9cccf8 1b4809901e 8a49c34ea1 641c39d745 8c6af970c5 0bc18d80e2 d650	0.463573	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	6f6be1326a 328b51c420 dfca0b6a4e 7657f39b49 32318eb2b2 4d40a2a182 8d6c	0.670434	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	9657eb1554 2d501fdffd 4d293abedc e3d4b0e0e1 bd60c053dd 1108c8157d c519	0.766138	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	ebfa8cee3d 0ef847248d 39faa0939a c692f2e1ee 63e950ac49 a60561d836 95df	0.099455	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	c5d77b11ec 7ae0eff61b 78971685cb 150a54776d d8936f2ff5 15632cd75b fd0	0.108205	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	23b418bf9e 1872a40d2a 63f3f029cd 10e2a567e1 920c19cff 1118fb3c2a b822	0.173859	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	4aee0590fb a03d3ba975 07d324c460 3990f19ffa b179a33187 1470d226fcc6ce	0.641432	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	7540b1a1db 19ee461241 3d8366797 a086e4b4a8 cbb66d685d 00c9eb766a 9683	0.096055	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	f91ad1a566 e20a6a1893 8257329eaf 19ac20281e 2d9b71d481 b833089784 fa3c	0.587729	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	b15d88e8e4 b7eaf56851 b991ed46c9 d1c5d5ed33 7c6233263c ec786594f1f2d3	0.118806	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	F	2037f0031b 7c3605ba7b c7be5f75c0 a2f2799002 438ad2d44d 03717b26d0 29f7	0.239812	False	no_advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Fbar	3e696948e9 1a3665b490 e9789bc918 8608246253 36a129cdaa 3a38f20f93fb30	0.563878	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	C	76e86024ef c1087c601a 111621e4cd 8b84948928 3c7c3214a5 c940e3939b b78c	0.030902	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	G	Cbar	1fb8c1b985 030970b3c0 4770bda964 86bf29db9f f2c0a1371f 06e5626b12 a3cd	0.20986	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	F	a779b79424 94230207db 11e384c64f a6488ea6a2 c72082a7fd 0b4b79580b 6b38	0.134757	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Fbar	08bd4a383f 6a52ef36a9 f208b874dc 109461ac58 e5f5aab25d 1ff128e50e91ec	0.823391	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	C	0e4af6c5df 6f3999484b c89698dc47 4d15402c56 2a7e85f002 174a644547 47e2	0.189109	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	P	Cbar	fbcd55332af f4675310ab 6db6c03529 24d92ccf83 7f5208a5c6 522c693944 879c	0.699635	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	F	b0f2c5f163 7be8a1d92e 6246d2ce13 ae7e1f83e2 099594dc3c c35b8de63d dd49	0.475774	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Fbar	ff83f81068 56b5104f76 44d3c66be3 e90052e4af 41199980fe d686e583c4 781f	0.849542	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	C	d5679cf5e7 bc0ca37f76 7e2596e97c 82dbdc4b7c d9031b32e5 9988f1990c 80d2	0.149857	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	S	Cbar	e62ae06432 0d26e2c9db 9ce637a77a 855fe77613 e39774681f 428d4f686b a498	0.943397	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	F	5fb1a263f8 2eeb20ebdd 76625be8b4 eedc294b87 b744e3f6c5 f1814578096dfa	0.981299	True	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Fbar	4dddc24bc4 3fa7755039 92e8982e33 f7b268ffcd 8496619758 815ec502ccb67f	0.880044	False	advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	C	d44b9c4859 767ba46a4d ba913dcaac 61d0158d73 61ee9ff44 f319fd0b73 7351	0.876944	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	8	A	Cbar	94a17d1cb6 64d1057c84 e009adfb5e 977c5f95b0 5037d519f3 6831e7936d 8f17	0.882094	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	6d76e68bde 175cc1901f c323f6c312 49c1cb41ed 97314df465 1a2b4cd423 ba2b	0.175759	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	29400d50ee 6f55a69021 bdc0bd7e90 b03469fce2 722c776dea 80f12ba91f1579	0.184409	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	e97e4959c4 09b5d51fdc df588ca5f9 1dd8811173 fe61be62d2 3012b4f0aa75f2	0.125756	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	7adc3c7c4b b78900a993 e8d9215f20 12ebbb08a52 a27621d76d db6ed9752a 51f2	0.419921	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	2956d0113b 8ddbfb3d777 cdf1c6701 8e0f05a300 942b2c98d4 500e974074 3b68	0.334417	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	4947a7727f 627d32e22 0c77b1b41f 91cd19e3e6 ea6a863261 b649f4ad02 4d9d	0	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	a3fdfa09e3 28eeb93c96 0ff04fcc2f d36d42a0f6 92323da7a7 8aab1eaded aeab	0.265113	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	723e23d7b8 2b47bc06fe 7c354fd430 dd6a20b510 76304e0fd0 26fe7a9f7bb931	0.709285	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	b973ded7da 357dd86a2f 4fee5a23c5 2ec2139ae8 6b7be09152 697bc0aa2d 458c	0.39712	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	056a9c2bed eaaabae6b54 606bfb139b 59a677bf56 7842b32a2a 03ea5453d6 74f2	0.314066	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	1aa198601d 0939bd9f53 d4e666b124 6683b960bc b153126e90 6dbfc13271 7c1a	0.00705	False	no_advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	21fde801e17c4f7e3eb485b7815898c616b623c68af8347aef069864ccf0a6c7	0.40727	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	b1ec09f85c46cd0372145b2d86d97253226bb82c975a2a934c83982a4a6ed79c	0.376119	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	4da1a31af77004ce9792356ef9368efb74edf11f1ecca5cd5c4c66d53c51d1a9	0.442622	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	a02381a892928968c44b401923dd41d9e96c3a5af000eee95656bdf2681ac2ec	0.247062	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	81017cd3f59fb944ee1925c1f2c07493b072a6c8e7b7d8ef0cecb01e704d59e8	0.331217	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	256e2559de8990559e88a96bcfd8b075eeda114314e6453d90b1fa8f5a47f34	0.0016	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	a6d0299a8da656440bcfd a804ac3ed2c361d792c090655a40291b82276323d8ec	0.39482	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	61926310b659d6e5f25970c4d220df458be04226acd362636d4797d5475e0575	0.0008	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	47df38d8d3daa14641687fd0a0ac8d545ded4c07815c17d8c7c1f427fd45dcaf	0.726036	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	67c9d4a4098f1355b7b8756a8111f027fd7dd694f50b6e81e92fc5109b9db0d5	0.085304	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	e6f50024fec790df00d1ec900e9db82ed159b01eabbaa5b32fe4beb13dab519d	0.083154	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	ce0a414090d1647a71d400ea402ab032a74b1356ad839bf5965172668f0a86ec	0.468323	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	ea7608a385ce6aeb9d1640cffa903d5332b3b49011b0aa3a772f7c9805fd5605	0.174709	False	no_advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	f86a5d4dce61aee4acf2c0f7183dd1d4000d02bc59931bcf3c7e700c5363a68d	0.016401	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	a240e3b22f6960d738b89606d51e5fc15d5aee2618721ba9d05a8b417154c948	0.562678	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	ed3e4c9153d6e420924794d7be2b33e698de7fb6c9baca70a4f785f4632bb612	0.0009	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	4974b7813717500c8b05224d448dc17a57a68d123d3ae060b7cec06abd0a6118	0.39707	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	4f01207c31ebd8657710d9a5b24329787822d24572e8eb65f9d584e6876afc6b	0.99965	True	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	2ca62aa6943038662c01ba95b9b611f91279908f4cbcedfb7e6fa7b4076f8f7f	0.165808	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	2fbf5b69d232c55f63f6a5327eda72a54dfe2b7239c4fca283db90c6fd09b75d	0.99995	True	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	ed3a24bba4209187f60956613134e751fbff6cd0dac25a568ea26afbe65ce7ea	0.223761	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	a81f86aef5876c5015882d6d03a36b25fa6b3bfe4e421fa65da5fddd8b5fd2e1	0.291765	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	c97d1449a538382b41e0900c1299b6ac2e6a860467f1e3b6ea2c6bcd8a83f9f7	0	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	cd80037715f8e6a9de679e0467b35c9426f72e4d64e422b80ffc61812d27fde	0.128106	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	70e3d27919ecc44e8e96ac20e26c75031b346db7590a0a895bf8722f2970202c	0.017101	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	6bf4db6f86ae70d919f04862be005bfc6b772e7cab049cbada3a47172b8f26254	0.174559	False	no_advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	1749397ec9 c6324107cf c2e17dd730 d5a74ef4cd ca530cdf25 6b66247fdf b930	0.135607	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	c02a754fa9 c4833bb666 80c22dc925 0079718095 0d9a338298 9700beab9c 02b7	0.183809	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	37d44a921f8 8782d5d88e 242e04cd29 85d3b01e2f 3414f0f38b 8960c4034c 3a84	0.344117	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	5e8521f4f6 a0f47f5263 5a8db44c6c efaf5eeeb9 cbea140134 c7bcfa65d0 3208	0.059453	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	09c5e61540 85fb584dd8 2539525b80 b1d0a3b768 b94759d7d6 dc639f439b 9ad5	0.189709	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	08ac60ef8c 8b7e1d918d a74a7e2619 dfe8928a38 00e297be43 b4d5180913 94b4	0.051753	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	4750328606 a64a53f383 cff6e84465 7a420e77c8 054b708c4d 91be37ebfb 44d6	0.20086	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	2d9656cf48 761c174a8e 58043145bf 41de018b55 2e41524a87 1e8f9d8b5d fd65	0.614081	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	9b8ec81e9a 843f9e4135 64423e7e8c 155a4aac61 f54d3d10d6 617e6c81b8 883e	0.569978	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	b18502c42b 68ff5a115f a754521df4 b9c2b07d67 0135fd693c 604e14bc9d 7c0b	0.915446	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	897b85c691 e157c1c757 b3b5effec 5abc9fb5fd 8eac639cfe 8ce3144637 6812	0.430472	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	440d9ff2c 23c41fae7a 92cbbdc44 d974e9b56e bb241bd42b 4627ac49de eeb9	0.149407	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	ec10fcc28f e253cec103 6e058ebdb2 0b3ddca926 6aefb11de8 c7873e940fa2f9	0.738887	False	advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	007209603d d6fa3c5c65 4341731389 30b12b7b48 13eb559f17 3729bd375b e6fc	0.018201	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	8e569c199a 66b5cd60b1 428bed9f8c e3dfe8f22f fd3b75070e d27b557512 7c8a	0.363168	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	12d353fa8e 0d8a0b9702 0637d8f1d0 042b13139e 20641f6911 c70ee756bc ed21	0.030452	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	7e3fce14ce 27530cfa 6fffd6bace e2c83bce5a b92b974f14 983f7277f5b574	0.036502	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	20d4afb7fb 8e4aa3f5b5 b80f15d31f cfcb4d69d2 aa328aa884 f482f2df275219	0.0072	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	481ab7beb6 e858d5f061 a9581bef9b 74a0303bf5 65ff722baa ab01a68ae5 554c	0.306015	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	8c24fc6cee c918036011 e1aded4bdc 73102fa9ce 12845df8ae 5ae5fbc3fada78	0.269263	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	dd17a636bd 5118dfe7af 1769144c2c 63f0d55189 06de95a1b6 3a91d9bd86 99ca	0.313366	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	85933ce024 c04928f69d ac8e0dc1ae 4cccd2cc2 550bb59fa8 63b9ad9554 8648	0.0033	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	d0110115ea a85ed17b4a 80264d1f09 92bd5e9c9b 53ac212d58 4466aa7fb83e4	0.312016	False	quality_only
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	cb77073853 3c5a54a83c 6cb23412c5 c144853b41 d02805c40f 59e6b5e32eefaa	0.741837	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	82578baf8 37ecb8eb05 921c196fcc 4ac9b6a7d7 2c39afe871 1ab21d96c9 47e3	0.572779	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	d52d6fd5ff 700d016bcc 3b3023f4b6 51a843dfdb 8ebacba820 1a3de0322e d2aa	0.777839	False	advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	80f33520bd6ecea6672f71c03025b86675c857ede51c336a17141969bab3926a	0.223061	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	F	79a3b951ac071c1e00d6590bd012ff88c24d22196d85ff44744970c283a5d9e3	0.052653	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Fbar	61f9819718c77c3cc97df2112a76511e3f1bf88f95f4e549609817b53bf511e8	0.377969	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	C	52d00258e1d77861d43365f976c8e6c26b2f720faa4fd706325eb9339539b53b	0.0024	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	G	Cbar	67c428b8c6d9fa333435ed8aa8d03ce7ad6188d6182127a4895342ea6c8be98c	0.147657	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	F	4b1985d6d159fbaa9f36e71c766eabb56e3f3e3371d9b5fcdc2e9821a76b4321	0.101855	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Fbar	02b16851beaf8150ef99414212842d6a84961a206a40f71c4b4eff38419462a5	0.0093	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	C	8c7967c54806500ed927f3e1dcc8bad67ba6cc19f31cdfdb8408cf4c02c1719a	0.020451	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	P	Cbar	9dd971300ee73eb91b4be3d91b30d9dafd851995b31cbfec9f26143430053ce6	0.137757	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	F	97c9b0ac1cc6335a30be9231f0cd716de9eb349d4a3afed1eca42cce357f120a	0.018501	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Fbar	365267b69f2f7633ef30caa6a7fdb152bbe1dbd3f76c276cea36e1d651929d	0.062203	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	C	cd8fd45ab2a756d44a64d348fd87ff702140d3ac649d7f8aae113aeae2e81cc	0.0014	False	no_advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	S	Cbar	1ad5de9d08c74d9cf2284a430a089f1e0f1517ee3079b7bb6c6289a61c7f1ba7	0.070754	False	no_advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	F	f16d7e4456 98e1f9b075 d9076eab03 7f302632b6 278f4e1aba 6685303117 841e	0.993	True	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Fbar	df6bc98bef 8469bb0c59 2a1f60ee10 86a3be75fa a8f3e6fe9d 0357ed548a a528	0.60138	False	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	C	c367690048 80da6a4282 b1753a36a9 0ed046403e da3a2dddec2 3af6a998b0 92a8	0.981749	True	advantage
DermaMNIST-ViT-B/16	DermaMNIST	ViT-B/16	5	A	Cbar	4a65c9a707 ada11f26fd 43f0091646 85ff8c5e6b d3b31f9e75 6d4287269b 3b36	0.421671	False	quality_only

Table 145: DermaMNIST–ViT-B/16

Dataset	Model	Condition	K	Condition Kind	Sample Count	F	$\hat{F}$	C	$\hat{C}$
DermaMNIST	ViT-B/16	Adversarial Sara 2 255	20	Adversarial	2005	0.032107	0.254988	0.050998	0.318142
DermaMNIST	ViT-B/16	Clean	20	Clean	2005	0.01515	0.253554	0.041708	0.31702
DermaMNIST	ViT-B/16	Gaussian 0.15	20	Factory	2005	0.016272	0.079302	0.056671	0.143142
DermaMNIST	ViT-B/16	Salt Pepper 0.05	20	Factory	2005	0.01995	0.094763	0.071135	0.167581
DermaMNIST	ViT-B/16	Speckle 0.15	20	Factory	2005	0.030299	0.140773	0.06783	0.207107

2 ResNet-18

Table 146: DermaMNIST–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	Sample Count	F	F	C	$\hat{C}$	$R^u_{\mathcal{E}}$	$R^p_{\mathcal{E}}$	$R^s_{\mathcal{E}}$	$R^+_{\mathcal{E}}$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	2005	0.054863	0.337656	0.257024	0.714214	0.024605	-0.000333	0.208645	-0.044888
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	2005	0.054364	0.519036	0.230091	0.853865	0.026766	0.003159	0.244888	-0.04522
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11	2005	0.040399	0.500748	0.216459	0.826434	0.040399	0.016958	0.253367	-0.030424
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NAIVE	11	3	2005	0.046717	0.564755	0.216625	0.896093	0.03325	0.009975	0.243392	-0.037905
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Ind	11	11	2005	0.054364	0.567581	0.220449	0.902743	0.026434	0.00399	0.24788	-0.045885
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NAIVE	11	3	2005	0.049709	0.575229	0.217124	0.905071	0.030424	0.007149	0.240565	-0.042394
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Ind	11	11	2005	0.063342	0.573566	0.227431	0.907731	0.018454	-0.004988	0.240399	-0.05187
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	2005	0.048213	0.578387	0.216625	0.908894	0.03192	0.008645	0.241064	-0.04123
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Ind	11	11	2005	0.057357	0.573566	0.229426	0.905736	0.023441	0.000998	0.244888	-0.048379
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	2005	0.050873	0.571072	0.219784	0.903574	0.028928	0.005486	0.23857	-0.043392
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Ind	11	11	2005	0.057357	0.571072	0.222444	0.906234	0.022943	0.000499	0.246384	-0.046384

Table 147: DermaMNIST–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$R^s_{\mathcal{C}}$	$R^p_{\mathcal{C}}$	$R^s_{\mathcal{C}_c}$	$R^p_{\mathcal{C}_c}$	$R^s_{\mathcal{E}}$	$R^p_{\mathcal{E}}$	$R^s_{\mathcal{E}_c}$	$R^p_{\mathcal{E}_c}$	$R^s_{\mathcal{C}_c}$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	-0.136991	-0.16542	0.121197	-0.217955	0.419285	0.405819	0.202161	0.032751	-0.19601
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	-0.109892	-0.138487	0.151621	-0.201995	0.386367	0.395844	0.183541	0.029925	-0.125686
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11	-0.096758	-0.124688	0.154115	-0.189526	0.363092	0.363092	0.175561	0.032918	-0.163092
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NAIVE	11	3	-0.096924	-0.125852	0.150457	-0.193184	0.401663	0.417124	0.178055	0.011638	-0.095096
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Ind	11	11	-0.100748	-0.128678	0.159102	-0.197506	0.398504	0.417456	0.170075	0.009975	-0.090274
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NAIVE	11	3	-0.096924	-0.126185	0.14946	-0.194514	0.408479	0.429925	0.187199	0.006484	-0.087614
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Ind	11	11	-0.106733	-0.13616	0.155112	-0.2	0.400998	0.421446	0.16808	0.010973	-0.086783
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	-0.096592	-0.125353	0.148628	-0.196509	0.410474	0.432419	0.189194	0.010474	-0.083458
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Ind	11	11	-0.109726	-0.137656	0.14813	-0.204988	0.401496	0.424439	0.170075	0.017456	-0.087282
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	-0.100582	-0.128845	0.147298	-0.197506	0.406318	0.424771	0.18404	0.012801	-0.088446
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Ind	11	11	-0.102244	-0.131172	0.157107	-0.199501	0.401496	0.422444	0.170574	0.012469	-0.086783

Table 148: DermaMNIST–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$R^p_{\mathcal{C}}$	$R^s_{\mathcal{C}}$	$R^p_{\mathcal{C}_0}$	$F^p_{\text{structuht}}$	$F^s_{\text{structuht}}$	$C^s_{\text{structuht}}$	$\hat{C}^s_{\text{structuht}}$	$F^p_{\text{structuht}}$	$F^s_{\text{structuht}}$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	-0.206816	-0.127847	0.039401	0.079468	-0.081629	0.120033	0.910224	0.05453	-0.068163
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	-0.132336	-0.085121	0.030091	0.081131	0.132668	0.1202	0.979551	0.057523	0.123192
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11	-0.169077	-0.113217	0.033915	0.080798	0.137656	0.119701	0.989526	0.057357	0.137656
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NAIVE	11	3	-0.098919	-0.071987	0.0133	0.079967	0.163092	0.119701	0.991189	0.056692	0.147631
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Ind	11	11	-0.091771	-0.072319	0.013965	0.080798	0.169077	0.119701	0.993017	0.058354	0.150125
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NAIVE	11	3	-0.090274	-0.064007	0.007315	0.080133	0.16675	0.1202	0.992685	0.056858	0.145303
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Ind	11	11	-0.089776	-0.070823	0.013466	0.081796	0.172569	0.120698	0.994514	0.058354	0.15212
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	-0.086451	-0.061679	0.012136	0.080133	0.167914	0.120033	0.992352	0.056858	0.145968
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Ind	11	11	-0.091272	-0.072319	0.014963	0.080798	0.17207	0.119701	0.993017	0.058354	0.149127
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	-0.091937	-0.067165	0.014131	0.0798	0.164755	0.119202	0.99202	0.056359	0.146301
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Ind	11	11	-0.088279	-0.070324	0.015461	0.080299	0.169576	0.1202	0.993017	0.057855	0.148628

Table 149: DermaMNIST–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	C^p_{unturbed}	$C^p_{\text{perturbed}}$	F^s_{unturbed}	$F^s_{\text{perturbed}}$	C^s_{unturbed}	$C^s_{\text{perturbed}}$	F^a_{unturbed}	$F^a_{\text{perturbed}}$	$C^a_{\text{perturbed}}$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	0.091604	0.921031	0.263508	0.135495	0.378221	0.842062	0.009975	0.304904	0.039069
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	0.091604	0.986201	0.299252	0.335495	0.381712	0.938986	0.009144	0.489111	0.028096
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11	0.091771	0.995511	0.293766	0.325187	0.370574	0.939651	0.009975	0.46783	0.026933
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NAIVE	11	3	0.090773	0.995012	0.290108	0.3867	0.367082	0.96808	0.008811	0.553117	0.023441
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Ind	11	11	0.091771	0.994514	0.302244	0.397506	0.379551	0.975062	0.008479	0.557606	0.022943
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NAIVE	11	3	0.090939	0.995345	0.290274	0.38803	0.366584	0.969077	0.007315	0.568745	0.02261
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Ind	11	11	0.091272	0.997506	0.303741	0.405486	0.382544	0.978554	0.011471	0.562594	0.027431
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	0.091272	0.995345	0.289277	0.389194	0.365254	0.970574	0.006983	0.567914	0.020116
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Ind	11	11	0.091771	0.997007	0.302244	0.403491	0.377556	0.978055	0.008978	0.55611	0.024439
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	0.090939	0.995511	0.289443	0.387032	0.367082	0.97074	0.007481	0.558271	0.022278
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Ind	11	11	0.091272	0.994514	0.303741	0.400499	0.379551	0.976559	0.010973	0.558603	0.022943

Table 150: DermaMNIST–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$C^*_{\text{aggregated}}$	$SD(F)$	$SD(\hat{F})$	$SD(C)$	$SD(\hat{C})$	$SD(R^*_e)$	$SD(R^*_s)$	$SD(R^*_t)$	$SD(R^*_v)$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	0.674813	0.009812	0.028209	0.016025	0.024652	0.0086	0.007954	0.008484	0.00588
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	0.823774	0.006598	0.053321	0.028391	0.040752	0.006236	0.006772	0.002993	0.0043
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11	0.792519								
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NAIVE	11	3	0.882793	0.007059	0.031828	0.036057	0.018597	0.005471	0.006068	0.007548	0.003115
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Ind	11	11	0.888778								
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NAIVE	11	3	0.897756	0.006772	0.029398	0.042451	0.016604	0.006249	0.006013	0.009688	0.004758
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Ind	11	11	0.894264								
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	0.896758	0.004153	0.027182	0.035045	0.012077	0.003271	0.004242	0.011901	0.002747
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Ind	11	11	0.890773								
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	0.889443	0.007347	0.033147	0.039009	0.014604	0.005062	0.004988	0.004895	0.004912
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Ind	11	11	0.890773								

Table 151: DermaMNIST–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(R_{\mathcal{C}}^e)$	$SD(R_{\mathcal{C}}^p)$	$SD(R_{\mathcal{C}}^s)$	$SD(R_{\mathcal{C}}^v)$	$SD(R_{\mathcal{C}}^w)$	$SD(R_{\mathcal{C}}^x)$	$SD(R_{\mathcal{C}}^y)$	$SD(R_{\mathcal{C}}^z)$	$SD(R_{\mathcal{C}}^a)$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	0.016002	0.016087	0.017016	0.009476	0.023015	0.030014	0.027753	0.010954	0.027863
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	0.02751	0.026511	0.020948	0.017277	0.037524	0.0331	0.021025	0.011792	0.032614
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11									
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NAIVE	11	3	0.034577	0.033592	0.019351	0.025261	0.021593	0.026581	0.010012	0.015978	0.015007
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Ind	11	11									
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NAIVE	11	3	0.041973	0.039966	0.029664	0.03019	0.021928	0.020266	0.013349	0.006129	0.015743
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Ind	11	11									
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	0.034183	0.033758	0.020882	0.024992	0.020739	0.019623	0.011156	0.010414	0.010189
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Ind	11	11									
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	0.037517	0.036136	0.022622	0.027684	0.024598	0.024051	0.01045	0.0086	0.010654
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Ind	11	11									

Table 152: DermaMNIST–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(R^e_C)$	$SD(R^s_C)$	$SD(R^u_C)$	$SD(F^s_{\text{scrubbed}})$	$SD(F^u_{\text{scrubbed}})$	$SD(C^s_{\text{scrubbed}})$	$SD(C^u_{\text{scrubbed}})$	$SD(F^s_{\text{scrubbed}})$	$SD(F^u_{\text{scrubbed}})$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	0.01937	0.023267	0.011622	0.001255	0.005379	0.000288	0.003766	0.002076	0.015743
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	0.031863	0.016439	0.012392	0.000576	0.015983	0.000998	0.009142	0.001038	0.022763
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11									
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NAIVE	11	3	0.015245	0.006917	0.015743	0.001603	0.010509	0.001496	0.003676	0.001255	0.005486
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Ind	11	11									
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NAIVE	11	3	0.015461	0.012382	0.004634	0.001255	0.008231	0.000499	0.002304	0.001496	0.010382
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Ind	11	11									
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	0.010584	0.009675	0.008758	0.001752	0.006642	0.001152	0.003743	0.00132	0.0082
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Ind	11	11									
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	0.01266	0.008231	0.012542	0.002286	0.008557	0.001496	0.00481	0.002592	0.009335
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Ind	11	11									

Table 153: DermaMNIST–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(C^e_{\text{perturbed}})$	$SD(C^p_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^p_{\text{perturbed}})$	$SD(C^e_{\text{perturbed}})$	$SD(C^s_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^s_{\text{perturbed}})$	$SD(C^e_{\text{perturbed}})$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	0.000576	0.006988	0.018273	0.009546	0.005781	0.009441	0.004758	0.025197	0.006772
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	0.001888	0.009428	0.007743	0.047657	0.007828	0.028791	0.005094	0.065107	0.011156
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11									
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NAIVE	11	3	0.002494	0.003491	0.011869	0.021936	0.018454	0.012349	0.004153	0.047805	0.010801
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Ind	11	11									
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NAIVE	11	3	0.003207	0.00246	0.010615	0.020846	0.014871	0.01079	0.0043	0.033916	0.012261
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Ind	11	11									
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	0.001728	0.003321	0.013196	0.019422	0.018664	0.011686	0.004261	0.036194	0.010103
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Ind	11	11									
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	0.003207	0.002592	0.012067	0.023752	0.017983	0.013571	0.004319	0.041358	0.011486
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Ind	11	11									

Table 154: DermaMNIST-ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(C_{\text{parameter}}^*)$	Selected Individual
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	0.017837	{*C*:'Occlusion',*Cbar*:'LRP',*F*:'GuidedBackprop',*Fbar*:'LRP'}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	0.053134	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11		
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NAIVE	11	3	0.034189	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Ind	11	11		
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NAIVE	11	3	0.021178	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Ind	11	11		
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	0.020612	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Ind	11	11		
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	0.027054	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Ind	11	11		

Table 155: DermaMNIST-ResNet-18

Cell	Dataset	Model	Distance Model	Selected Size	Candidate Count	Forced Fallback	Selection Rule	Scope	Alpha	Selected Methods	Ordered Methods	Prefix P Values	Task Id	Task Digest	Artifact Root	Manifest Content Digest	Manifest Assumpti on Id
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	11	True	Largest Not Rejected	Global In Sample	0.05	["Deconvolution","Gradient prop","Occlusion","DeepLiftShap","Saliency","Integrated Gradients","LRP","Kernel Grad","LRP","InputXGrad","LRP","InputXGrad"]	["Deconvolution","Gradient prop","Occlusion","DeepLiftShap","Saliency","Integrated Gradients","LRP","Kernel Grad","LRP","InputXGrad","LRP","InputXGrad"]	["Deconvolution","Gradient prop","Occlusion","DeepLiftShap","Saliency","Integrated Gradients","LRP","Kernel Grad","LRP","InputXGrad","LRP","InputXGrad"]	select--	c3471c314c a390663afe 1a088c7194 5c82b11f0 62f7d7ec2 29488a14b40ce8	selection/ dermamnist-- Resnet18/ Spearman/ C3471E314C ac91063Afe 1A038C7194 6Cf82B11F0 Ee2F7D7Ec2 29438A14B40Ce8	7f91f17771 e8acf85a3d e1c5c81824 1f11bd1369 13ebbfa07c 66be78f29e388c	paper- assumptions- v1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	11	True	Largest Not Rejected	Global In Sample	0.05	["Deconvolution","Gradient prop","Occlusion","DeepLiftShap","Saliency","Integrated Gradients","LRP","Kernel Grad","LRP","InputXGrad","LRP","InputXGrad"]	["Deconvolution","Gradient prop","Occlusion","DeepLiftShap","Saliency","Integrated Gradients","LRP","Kernel Grad","LRP","InputXGrad","LRP","InputXGrad"]	["Deconvolution","Gradient prop","Occlusion","DeepLiftShap","Saliency","Integrated Gradients","LRP","Kernel Grad","LRP","InputXGrad","LRP","InputXGrad"]	select--	f9be9bc2bf 62f9ae6886 a69ead33ff 5476c080de d01p1456a4 029B9Bc2517b58f29f2218	selection/ dermamnist-- Resnet18/Kendall/ F9Be9Bc2Bf 62Feae6886 A59Aad33Ff d476C080De d01C1456A4 s171BsF29F2218	52208fcb0a 1cac987b3a e84d58d9a2 6354000f8c d32a6601c8 7b24882545dfa6	paper- assumptions- v1

Table 156: DermaMNIST–ResNet-18

Cell	Dataset	Model	Distance Model	Selected Size	Manifest Assumpti on Digest
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Spearman	11	1c7b548112db6d5428f6 de085c24e9480fb37feb 4de4f9cc49617c6493ae 9bad
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	11	1c7b548112db6d5428f6 de085c24e9480fb37feb 4de4f9cc49617c6493ae 9bad

Table 157: DermaMNIST–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R^s_F	R^s	R^s_{SC}	R^s_L	R^s_F
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	Spearman	2005	0.076808	0.298254	0.314713	0.662344	0.000499	0.282294	0.046883	0.034414	0.000499
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Naive	Spearman	2005	0.059352	0.38005	0.281297	0.73217	0.018953	0.352618	0.164589	0.110723	0.000998
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NOISE	Spearman	2005	0.059352	0.38005	0.281297	0.73217	0.018953	0.352618	0.164589	0.110723	0.000998
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Naive	Spearman	2005	0.051372	0.357107	0.267332	0.722693	0.026434	0.398504	0.148628	0.061347	0.006484
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NOISE	Spearman	2005	0.051372	0.357107	0.267332	0.722693	0.026434	0.398504	0.148628	0.061347	0.006484
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Naive	Spearman	2005	0.053367	0.348628	0.275312	0.718204	0.022444	0.414963	0.155611	0.052868	0.002494
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NOISE	Spearman	2005	0.053367	0.348628	0.275312	0.718204	0.022444	0.414963	0.155611	0.052868	0.002494
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Naive	Spearman	2005	0.054863	0.354115	0.275312	0.717207	0.021945	0.403491	0.155611	0.062843	0.001496
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NOISE	Spearman	2005	0.054863	0.354115	0.275312	0.717207	0.021945	0.403491	0.155611	0.062843	0.001496
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Naive	Spearman	2005	0.054364	0.351621	0.269825	0.717706	0.02394	0.408978	0.149626	0.061845	0.000998
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NOISE	Spearman	2005	0.054364	0.351621	0.269825	0.717706	0.02394	0.408978	0.149626	0.061845	0.000998
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	Kendall	2005	0.076808	0.298254	0.314713	0.662344	0.000499	0.282294	0.046883	0.034414	0.000499
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Naive	Kendall	2005	0.059352	0.38005	0.281297	0.73217	0.018953	0.352618	0.164589	0.110723	0.000998
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NOISE	Kendall	2005	0.059352	0.38005	0.281297	0.73217	0.018953	0.352618	0.164589	0.110723	0.000998
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Naive	Kendall	2005	0.051372	0.357107	0.267332	0.722693	0.026434	0.398504	0.148628	0.061347	0.006484
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NOISE	Kendall	2005	0.051372	0.357107	0.267332	0.722693	0.026434	0.398504	0.148628	0.061347	0.006484
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Naive	Kendall	2005	0.053367	0.348628	0.275312	0.718204	0.022444	0.414963	0.155611	0.052868	0.002494
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NOISE	Kendall	2005	0.053367	0.348628	0.275312	0.718204	0.022444	0.414963	0.155611	0.052868	0.002494
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Naive	Kendall	2005	0.054863	0.354115	0.275312	0.717207	0.021945	0.403491	0.155611	0.062843	0.001496
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NOISE	Kendall	2005	0.054863	0.354115	0.275312	0.717207	0.021945	0.403491	0.155611	0.062843	0.001496
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Naive	Kendall	2005	0.054364	0.351621	0.269825	0.717706	0.02394	0.408978	0.149626	0.061845	0.000998
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NOISE	Kendall	2005	0.054364	0.351621	0.269825	0.717706	0.02394	0.408978	0.149626	0.061845	0.000998

Table 158: DermaMNIST–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R^p_p	R^p_c	R^p_o	R^p_e	R^s_p	R^s_c	R^s_o	R^s_e	R^a_p	R^a_c	R^a_e
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	Spearman	0.330673	0.072818	0.022444	0.146633	0.138653	0.0399	0.00798	0.016958	0.025436	0.15212	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Naive	Spearman	0.371072	0.187032	0.096259	0.231421	0.251372	0.094763	0.004988	0.040898	0.129676	0.217955	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NOISE	Spearman	0.371072	0.187032	0.096259	0.231421	0.251372	0.094763	0.004988	0.040898	0.129676	0.217955	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Naive	Spearman	0.447382	0.173566	0.013965	0.200998	0.316708	0.077805	0.034913	0.037406	0.066833	0.224938	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NOISE	Spearman	0.447382	0.173566	0.013965	0.200998	0.316708	0.077805	0.034913	0.037406	0.066833	0.224938	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Naive	Spearman	0.44389	0.182045	0.005486	0.188529	0.307731	0.057855	0.038903	0.042893	0.064339	0.229426	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NOISE	Spearman	0.44389	0.182045	0.005486	0.188529	0.307731	0.057855	0.038903	0.042893	0.064339	0.229426	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Naive	Spearman	0.446384	0.181047	0.014963	0.187032	0.329676	0.059352	0.039401	0.041397	0.069825	0.226933	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NOISE	Spearman	0.446384	0.181047	0.014963	0.187032	0.329676	0.059352	0.039401	0.041397	0.069825	0.226933	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Naive	Spearman	0.462344	0.177057	0.01197	0.186035	0.318703	0.062344	0.032918	0.041895	0.068828	0.218953	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NOISE	Spearman	0.462344	0.177057	0.01197	0.186035	0.318703	0.062344	0.032918	0.041895	0.068828	0.218953	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	Kendall	0.330673	0.072818	0.022444	0.146633	0.138653	0.0399	0.00798	0.016958	0.025436	0.15212	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Naive	Kendall	0.371072	0.187032	0.096259	0.231421	0.251372	0.094763	0.004988	0.040898	0.129676	0.217955	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NOISE	Kendall	0.371072	0.187032	0.096259	0.231421	0.251372	0.094763	0.004988	0.040898	0.129676	0.217955	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Naive	Kendall	0.447382	0.173566	0.013965	0.200998	0.316708	0.077805	0.034913	0.037406	0.066833	0.224938	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NOISE	Kendall	0.447382	0.173566	0.013965	0.200998	0.316708	0.077805	0.034913	0.037406	0.066833	0.224938	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Naive	Kendall	0.44389	0.182045	0.005486	0.188529	0.307731	0.057855	0.038903	0.042893	0.064339	0.229426	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NOISE	Kendall	0.44389	0.182045	0.005486	0.188529	0.307731	0.057855	0.038903	0.042893	0.064339	0.229426	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Naive	Kendall	0.446384	0.181047	0.014963	0.187032	0.329676	0.059352	0.039401	0.041397	0.069825	0.226933	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NOISE	Kendall	0.446384	0.181047	0.014963	0.187032	0.329676	0.059352	0.039401	0.041397	0.069825	0.226933	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Naive	Kendall	0.462344	0.177057	0.01197	0.186035	0.318703	0.062344	0.032918	0.041895	0.068828	0.218953	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NOISE	Kendall	0.462344	0.177057	0.01197	0.186035	0.318703	0.062344	0.032918	0.041895	0.068828	0.218953	

Table 159: DermaMNIST–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R_s	Selected Sources
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	Spearman	0.025935	71be97485badf7c07dda 026914f9ea2a53b3385c a939e5aaa4e748c5fb75 4d55
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Naive	Spearman	0.110224	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NOISE	Spearman	0.110224	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Naive	Spearman	0.076808	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NOISE	Spearman	0.076808	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Naive	Spearman	0.077805	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NOISE	Spearman	0.077805	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Naive	Spearman	0.078803	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NOISE	Spearman	0.078803	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Naive	Spearman	0.0798	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NOISE	Spearman	0.0798	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	Kendall	0.025935	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Naive	Kendall	0.110224	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NOISE	Kendall	0.110224	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Naive	Kendall	0.076808	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NOISE	Kendall	0.076808	71be97485badf7c07dda 026914f9ea2a53b3385c a939e5aaa4e748c5fb75 4d55
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Naive	Kendall	0.077805	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NOISE	Kendall	0.077805	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Naive	Kendall	0.078803	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NOISE	Kendall	0.078803	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Naive	Kendall	0.0798	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NOISE	Kendall	0.0798	

Table 160: DermaMNIST-ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R^s_F	R^s	R^s_C	R^s	R^s_F
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	Spearman	2005	0.076808	0.298254	0.314713	0.662344	-0.000499	0.39601	-0.194514	-0.118703	-0.01995
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Naive	Spearman	2005	0.059352	0.38005	0.281297	0.73217	0.018953	0.352618	-0.164589	-0.110723	-0.000998
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NOISE	Spearman	2005	0.059352	0.38005	0.281297	0.73217	0.018953	0.352618	-0.164589	-0.110723	-0.000998
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Naive	Spearman	2005	0.051372	0.357107	0.267332	0.722693	0.026434	0.398504	-0.148628	-0.061347	0.006484
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NOISE	Spearman	2005	0.051372	0.357107	0.267332	0.722693	0.026434	0.398504	-0.148628	-0.061347	0.006484
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Naive	Spearman	2005	0.053367	0.348628	0.275312	0.718204	0.022444	0.414963	-0.155611	-0.052868	0.002494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NOISE	Spearman	2005	0.053367	0.348628	0.275312	0.718204	0.022444	0.414963	-0.155611	-0.052868	0.002494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Naive	Spearman	2005	0.054863	0.354115	0.275312	0.717207	0.021945	0.403491	-0.155611	-0.062843	0.001496
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NOISE	Spearman	2005	0.054863	0.354115	0.275312	0.717207	0.021945	0.403491	-0.155611	-0.062843	0.001496
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Naive	Spearman	2005	0.054364	0.351621	0.269825	0.717706	0.02394	0.408978	-0.149626	-0.061845	0.000998
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NOISE	Spearman	2005	0.054364	0.351621	0.269825	0.717706	0.02394	0.408978	-0.149626	-0.061845	0.000998
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	Kendall	2005	0.076808	0.298254	0.314713	0.662344	-0.000499	0.39601	-0.194514	-0.118703	-0.01995
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Naive	Kendall	2005	0.059352	0.38005	0.281297	0.73217	0.018953	0.352618	-0.164589	-0.110723	-0.000998
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NOISE	Kendall	2005	0.059352	0.38005	0.281297	0.73217	0.018953	0.352618	-0.164589	-0.110723	-0.000998
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Naive	Kendall	2005	0.051372	0.357107	0.267332	0.722693	0.026434	0.398504	-0.148628	-0.061347	0.006484
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NOISE	Kendall	2005	0.051372	0.357107	0.267332	0.722693	0.026434	0.398504	-0.148628	-0.061347	0.006484
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Naive	Kendall	2005	0.053367	0.348628	0.275312	0.718204	0.022444	0.414963	-0.155611	-0.052868	0.002494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NOISE	Kendall	2005	0.053367	0.348628	0.275312	0.718204	0.022444	0.414963	-0.155611	-0.052868	0.002494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Naive	Kendall	2005	0.054863	0.354115	0.275312	0.717207	0.021945	0.403491	-0.155611	-0.062843	0.001496
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NOISE	Kendall	2005	0.054863	0.354115	0.275312	0.717207	0.021945	0.403491	-0.155611	-0.062843	0.001496
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Naive	Kendall	2005	0.054364	0.351621	0.269825	0.717706	0.02394	0.408978	-0.149626	-0.061845	0.000998
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NOISE	Kendall	2005	0.054364	0.351621	0.269825	0.717706	0.02394	0.408978	-0.149626	-0.061845	0.000998

Table 161: DermaMNIST–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R^p_p	R^p_c	R^p_o	R^p_e	R^s_p	R^s_c	R^s_o	R^s_e	R^a_p	R^a_c	R^a_e
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	Spearman	0.406983	-0.220449	-0.049875	0.17606	0.312219	0.0399	-0.00798	-0.060848	0.030923	-0.250873	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Naive	Spearman	0.371072	-0.187032	-0.096259	0.231421	0.251372	0.094763	-0.004988	-0.040898	0.129676	-0.217955	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NOISE	Spearman	0.371072	-0.187032	-0.096259	0.231421	0.251372	0.094763	-0.004988	-0.040898	0.129676	-0.217955	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Naive	Spearman	0.447382	-0.173566	-0.013965	0.200998	0.316708	0.077805	0.034913	-0.037406	0.066833	-0.224938	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NOISE	Spearman	0.447382	-0.173566	-0.013965	0.200998	0.316708	0.077805	0.034913	-0.037406	0.066833	-0.224938	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Naive	Spearman	0.44389	-0.182045	-0.005486	0.188529	0.307731	0.057855	0.038903	-0.042893	0.064339	-0.229426	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NOISE	Spearman	0.44389	-0.182045	-0.005486	0.188529	0.307731	0.057855	0.038903	-0.042893	0.064339	-0.229426	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Naive	Spearman	0.446384	-0.181047	-0.014963	0.187032	0.329676	0.059352	0.039401	-0.041397	0.069825	-0.226933	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NOISE	Spearman	0.446384	-0.181047	-0.014963	0.187032	0.329676	0.059352	0.039401	-0.041397	0.069825	-0.226933	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Naive	Spearman	0.462344	-0.177057	-0.01197	0.186035	0.318703	0.062344	0.032918	-0.041895	0.068828	-0.218953	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NOISE	Spearman	0.462344	-0.177057	-0.01197	0.186035	0.318703	0.062344	0.032918	-0.041895	0.068828	-0.218953	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	Kendall	0.406983	-0.220449	-0.049875	0.17606	0.312219	0.0399	-0.00798	-0.060848	0.030923	-0.250873	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Naive	Kendall	0.371072	-0.187032	-0.096259	0.231421	0.251372	0.094763	-0.004988	-0.040898	0.129676	-0.217955	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NOISE	Kendall	0.371072	-0.187032	-0.096259	0.231421	0.251372	0.094763	-0.004988	-0.040898	0.129676	-0.217955	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Naive	Kendall	0.447382	-0.173566	-0.013965	0.200998	0.316708	0.077805	0.034913	-0.037406	0.066833	-0.224938	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NOISE	Kendall	0.447382	-0.173566	-0.013965	0.200998	0.316708	0.077805	0.034913	-0.037406	0.066833	-0.224938	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Naive	Kendall	0.44389	-0.182045	-0.005486	0.188529	0.307731	0.057855	0.038903	-0.042893	0.064339	-0.229426	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NOISE	Kendall	0.44389	-0.182045	-0.005486	0.188529	0.307731	0.057855	0.038903	-0.042893	0.064339	-0.229426	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Naive	Kendall	0.446384	-0.181047	-0.014963	0.187032	0.329676	0.059352	0.039401	-0.041397	0.069825	-0.226933	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NOISE	Kendall	0.446384	-0.181047	-0.014963	0.187032	0.329676	0.059352	0.039401	-0.041397	0.069825	-0.226933	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Naive	Kendall	0.462344	-0.177057	-0.01197	0.186035	0.318703	0.062344	0.032918	-0.041895	0.068828	-0.218953	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NOISE	Kendall	0.462344	-0.177057	-0.01197	0.186035	0.318703	0.062344	0.032918	-0.041895	0.068828	-0.218953	

Table 162: DermaMNIST–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R^s C	F^s activated	F^s activated	C^s activated	C^s activated	F^s activated	F^s activated	C^s activated	C^s activated	F^s activated
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	Spearman	0.051372	0.076309	-0.097756	0.1202	0.781047	0.056858	-0.108728	0.094264	0.712219	0.252868
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Naive	Spearman	0.110224	0.078304	0.027431	0.116708	0.842893	0.058354	0.008978	0.094264	0.828429	0.290773
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NOISE	Spearman	0.110224	0.078304	0.027431	0.116708	0.842893	0.058354	0.008978	0.094264	0.828429	0.290773
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Naive	Spearman	0.076808	0.077805	-0.041397	0.118703	0.78404	0.057855	-0.090274	0.093766	0.736658	0.252369
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NOISE	Spearman	0.076808	0.077805	-0.041397	0.118703	0.78404	0.057855	-0.090274	0.093766	0.736658	0.252369
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Naive	Spearman	0.077805	0.07581	-0.066334	0.119701	0.771072	0.05586	-0.095262	0.093267	0.723691	0.241895
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NOISE	Spearman	0.077805	0.07581	-0.066334	0.119701	0.771072	0.05586	-0.095262	0.093267	0.723691	0.241895
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Naive	Spearman	0.078803	0.076808	-0.049377	0.119701	0.78005	0.056359	-0.092269	0.094264	0.73217	0.241895
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NOISE	Spearman	0.078803	0.076808	-0.049377	0.119701	0.78005	0.056359	-0.092269	0.094264	0.73217	0.241895
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Naive	Spearman	0.0798	0.078304	-0.057357	0.1202	0.779551	0.055362	-0.110723	0.092768	0.729676	0.240399
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NOISE	Spearman	0.0798	0.078304	-0.057357	0.1202	0.779551	0.055362	-0.110723	0.092768	0.729676	0.240399
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	Kendall	0.051372	0.076309	-0.097756	0.1202	0.781047	0.056858	-0.108728	0.094264	0.712219	0.252868
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Naive	Kendall	0.110224	0.078304	0.027431	0.116708	0.842893	0.058354	0.008978	0.094264	0.828429	0.290773
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NOISE	Kendall	0.110224	0.078304	0.027431	0.116708	0.842893	0.058354	0.008978	0.094264	0.828429	0.290773
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Naive	Kendall	0.076808	0.077805	-0.041397	0.118703	0.78404	0.057855	-0.090274	0.093766	0.736658	0.252369
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NOISE	Kendall	0.076808	0.077805	-0.041397	0.118703	0.78404	0.057855	-0.090274	0.093766	0.736658	0.252369
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Naive	Kendall	0.077805	0.07581	-0.066334	0.119701	0.771072	0.05586	-0.095262	0.093267	0.723691	0.241895
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NOISE	Kendall	0.077805	0.07581	-0.066334	0.119701	0.771072	0.05586	-0.095262	0.093267	0.723691	0.241895
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Naive	Kendall	0.078803	0.076808	-0.049377	0.119701	0.78005	0.056359	-0.092269	0.094264	0.73217	0.241895
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NOISE	Kendall	0.078803	0.076808	-0.049377	0.119701	0.78005	0.056359	-0.092269	0.094264	0.73217	0.241895
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Naive	Kendall	0.0798	0.078304	-0.057357	0.1202	0.779551	0.055362	-0.110723	0.092768	0.729676	0.240399
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NOISE	Kendall	0.0798	0.078304	-0.057357	0.1202	0.779551	0.055362	-0.110723	0.092768	0.729676	0.240399

Table 163: DermaMNIST–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	$F^s_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	$F^s_{\text{perturbed}}$	$F^s_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	Selected Sources
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	Spearman	-0.013965	0.354613	0.670324	0.01596	0.267332	0.06384	0.610973	f34b994fd846cc29f501 3b47e8224e6d2a86f16c 1a9c0eb7f272bc6c26c4 313d
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Naive	Spearman	0.128678	0.37606	0.737157	0.018454	0.250374	0.063342	0.621945	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NOISE	Spearman	0.128678	0.37606	0.737157	0.018454	0.250374	0.063342	0.621945	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Naive	Spearman	0.040399	0.345137	0.687781	0.013965	0.290274	0.042394	0.645885	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NOISE	Spearman	0.040399	0.345137	0.687781	0.013965	0.290274	0.042394	0.645885	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Naive	Spearman	0.040898	0.333167	0.679302	0.010474	0.284289	0.045885	0.640399	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NOISE	Spearman	0.040898	0.333167	0.679302	0.010474	0.284289	0.045885	0.640399	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Naive	Spearman	0.024439	0.334663	0.677805	0.013466	0.284289	0.048379	0.638404	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NOISE	Spearman	0.024439	0.334663	0.677805	0.013466	0.284289	0.048379	0.638404	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Naive	Spearman	0.032918	0.33217	0.684788	0.012469	0.282793	0.050873	0.637905	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NOISE	Spearman	0.032918	0.33217	0.684788	0.012469	0.282793	0.050873	0.637905	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Best Individual	Best Individual	Kendall	-0.013965	0.354613	0.670324	0.01596	0.267332	0.06384	0.610973	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	Naive	Kendall	0.128678	0.37606	0.737157	0.018454	0.250374	0.063342	0.621945	f34b994fd846cc29f501 3b47e8224e6d2a86f16c 1a9c0eb7f272bc6c26c4 313d
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	NOISE	Kendall	0.128678	0.37606	0.737157	0.018454	0.250374	0.063342	0.621945	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	Naive	Kendall	0.040399	0.345137	0.687781	0.013965	0.290274	0.042394	0.645885	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Borda	NOISE	Kendall	0.040399	0.345137	0.687781	0.013965	0.290274	0.042394	0.645885	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	Naive	Kendall	0.040898	0.333167	0.679302	0.010474	0.284289	0.045885	0.640399	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Kemeny	NOISE	Kendall	0.040898	0.333167	0.679302	0.010474	0.284289	0.045885	0.640399	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	Naive	Kendall	0.024439	0.334663	0.677805	0.013466	0.284289	0.048379	0.638404	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	RRF	NOISE	Kendall	0.024439	0.334663	0.677805	0.013466	0.284289	0.048379	0.638404	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	Naive	Kendall	0.032918	0.33217	0.684788	0.012469	0.282793	0.050873	0.637905	
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	CNN	Test	Schulze	NOISE	Kendall	0.032918	0.33217	0.684788	0.012469	0.282793	0.050873	0.637905	

Table 164: DermaMNIST-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Direction	Outcome	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Simple Averaging	F	quality	0.069327	clean_selected_best_individual	0.076808	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Simple Averaging	Fbar	quality	0.38404	clean_selected_best_individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Simple Averaging	C	quality	0.288279	clean_selected_best_individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Simple Averaging	Cbar	quality	0.737157	clean_selected_best_individual	0.662344	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Simple Averaging	R_F_g	robustness	0.010474	clean_selected_best_individual	0.000499	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.319202	clean_selected_best_individual	0.39601	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Simple Averaging	R_C_g	robustness	0.16808	clean_selected_best_individual	0.194514	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.141147	clean_selected_best_individual	0.118703	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.011471	clean_selected_best_individual	0.01995	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.339152	clean_selected_best_individual	0.406983	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.195511	clean_selected_best_individual	0.220449	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.125187	clean_selected_best_individual	0.049875	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Simple Averaging	R_F_s	robustness	0.230424	clean_selected_best_individual	0.17606	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.195511	clean_selected_best_individual	0.312219	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Simple Averaging	R_C_s	robustness	0.099252	clean_selected_best_individual	0.0399	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.037905	clean_selected_best_individual	0.00798	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Simple Averaging	R_F_a	robustness	0.046883	clean_selected_best_individual	0.060848	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.111222	clean_selected_best_individual	0.030923	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Simple Averaging	R_C_a	robustness	0.220948	clean_selected_best_individual	0.250873	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.106733	clean_selected_best_individual	0.051372	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Simple Averaging	F	quality	0.069327	naive_q11	0.059352	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Simple Averaging	Fbar	quality	0.38404	naive_q11	0.38005	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Simple Averaging	C	quality	0.288279	naive_q11	0.281297	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Simple Averaging	Cbar	quality	0.737157	naive_q11	0.73217	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Simple Averaging	R_F_g	robustness	0.010474	naive_q11	0.018953	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.319202	naive_q11	0.352618	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Simple Averaging	R_C_g	robustness	0.16808	naive_q11	0.164589	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.141147	naive_q11	0.110723	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.011471	naive_q11	0.000998	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.339152	naive_q11	0.371072	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.195511	naive_q11	0.187032	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.125187	naive_q11	0.096259	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Simple Averaging	R_F_s	robustness	0.230424	naive_q11	0.231421	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.195511	naive_q11	0.251372	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Simple Averaging	R_C_s	robustness	0.099252	naive_q11	0.094763	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.037905	naive_q11	0.004988	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Simple Averaging	R_F_a	robustness	0.046883	naive_q11	0.040898	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.111222	naive_q11	0.129676	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Simple Averaging	R_C_a	robustness	0.220948	naive_q11	0.217955	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.106733	naive_q11	0.110224	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Simple Averaging	F	quality	0.069327	NOISE__spearman	0.059352	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Simple Averaging	Fbar	quality	0.38404	NOISE__spearman	0.38005	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Simple Averaging	C	quality	0.288279	NOISE__spearman	0.281297	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Simple Averaging	Cbar	quality	0.737157	NOISE__spearman	0.73217	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Simple Averaging	R_F_g	robustness	0.010474	NOISE__ spearman	0.018953	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.319202	NOISE__ spearman	0.352618	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Simple Averaging	R_C_g	robustness	0.16808	NOISE__ spearman	0.164589	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.141147	NOISE__ spearman	0.110723	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.011471	NOISE__ spearman	0.000998	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.339152	NOISE__ spearman	0.371072	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.195511	NOISE__ spearman	0.187032	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.125187	NOISE__ spearman	0.096259	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Simple Averaging	R_F_s	robustness	0.230424	NOISE__ spearman	0.231421	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.195511	NOISE__ spearman	0.251372	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Simple Averaging	R_C_s	robustness	0.099252	NOISE__ spearman	0.094763	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.037905	NOISE__ spearman	0.004988	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Simple Averaging	R_F_a	robustness	0.046883	NOISE__ spearman	0.040898	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.111222	NOISE__ spearman	0.129676	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Simple Averaging	R_C_a	robustness	0.220948	NOISE__ spearman	0.217955	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.106733	NOISE__ spearman	0.110224	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Simple Averaging	F	quality	0.069327	NOISE__ kendall	0.059352	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Simple Averaging	Fbar	quality	0.38404	NOISE__ kendall	0.38005	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Simple Averaging	C	quality	0.288279	NOISE__ kendall	0.281297	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Simple Averaging	Cbar	quality	0.737157	NOISE__ kendall	0.73217	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Simple Averaging	R_F_g	robustness	0.010474	NOISE__ kendall	0.018953	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.319202	NOISE__ kendall	0.352618	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Simple Averaging	R_C_g	robustness	0.16808	NOISE__ kendall	0.164589	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.141147	NOISE__ kendall	0.110723	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.011471	NOISE__ kendall	0.000998	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.339152	NOISE__ kendall	0.371072	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.195511	NOISE__ kendall	0.187032	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.125187	NOISE__ kendall	0.096259	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Simple Averaging	R_F_s	robustness	0.230424	NOISE__ kendall	0.231421	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.195511	NOISE__ kendall	0.251372	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Simple Averaging	R_C_s	robustness	0.099252	NOISE__ kendall	0.094763	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.037905	NOISE__ kendall	0.004988	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Simple Averaging	R_F_a	robustness	0.046883	NOISE__ kendall	0.040898	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.111222	NOISE__ kendall	0.129676	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Simple Averaging	R_C_a	robustness	0.220948	NOISE__ kendall	0.217955	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.106733	NOISE__ kendall	0.110224	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Borda	F	quality	0.084788	clean__ selected_best_individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Borda	Fbar	quality	0.309726	clean__ selected_best_individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Borda	C	quality	0.313217	clean__ selected_best_individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Borda	Cbar	quality	0.669825	clean__ selected_best_individual	0.662344	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Borda	R_F_g	robustness	0.003491	clean__ selected_best_individual	0.000499	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.316209	clean__ selected_best_individual	0.39601	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Borda	R_C_g	robustness	0.190524	clean__selected_best_individual	0.194514	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.102743	clean__selected_best_individual	0.118703	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Borda	R_F_p	robustness	0.02793	clean__selected_best_individual	0.01995	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.353616	clean__selected_best_individual	0.406983	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Borda	R_C_p	robustness	0.218953	clean__selected_best_individual	0.220449	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.053367	clean__selected_best_individual	0.049875	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Borda	R_F_s	robustness	0.202494	clean__selected_best_individual	0.17606	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.216958	clean__selected_best_individual	0.312219	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Borda	R_C_s	robustness	0.060848	clean__selected_best_individual	0.0399	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.023441	clean__selected_best_individual	0.00798	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Borda	R_F_a	robustness	0.061845	clean__selected_best_individual	0.060848	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.058354	clean__selected_best_individual	0.030923	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Borda	R_C_a	robustness	0.234913	clean__selected_best_individual	0.250873	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.064838	clean__selected_best_individual	0.051372	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Borda	F	quality	0.084788	naive_q11	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Borda	Fbar	quality	0.309726	naive_q11	0.357107	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Borda	C	quality	0.313217	naive_q11	0.267332	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Borda	Cbar	quality	0.669825	naive_q11	0.722693	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Borda	R_F_g	robustness	0.003491	naive_q11	0.026434	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.316209	naive_q11	0.398504	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	R_C_g	Borda	R_C_g	robustness	0.190524	naive_q11	0.148628	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	R_Cbar_g	Borda	R_Cbar_g	robustness	0.102743	naive_q11	0.061347	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Borda	R_F_p	robustness	0.02793	naive_q11	0.006484	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.353616	naive_q11	0.447382	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Borda	R_C_p	robustness	0.218953	naive_q11	0.173566	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.053367	naive_q11	0.013965	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Borda	R_F_s	robustness	0.202494	naive_q11	0.200998	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.216958	naive_q11	0.316708	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Borda	R_C_s	robustness	0.060848	naive_q11	0.077805	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.023441	naive_q11	0.034913	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Borda	R_F_a	robustness	0.061845	naive_q11	0.037406	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.058354	naive_q11	0.066833	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Borda	R_C_a	robustness	0.234913	naive_q11	0.224938	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.064838	naive_q11	0.076808	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Borda	F	quality	0.084788	NOISE__spearman	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Borda	Fbar	quality	0.309726	NOISE__spearman	0.357107	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Borda	C	quality	0.313217	NOISE__spearman	0.267332	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Borda	Cbar	quality	0.669825	NOISE__spearman	0.722693	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Borda	R_F_g	robustness	0.003491	NOISE__spearman	0.026434	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.316209	NOISE__spearman	0.398504	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Borda	R_C_g	robustness	0.190524	NOISE__spearman	0.148628	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.102743	NOISE__spearman	0.061347	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Borda	R_F_p	robustness	0.02793	NOISE__spearman	0.006484	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.353616	NOISE__spearman	0.447382	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Borda	R_C_p	robustness	0.218953	NOISE__spearman	0.173566	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.053367	NOISE__spearman	0.013965	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Borda	R_F_s	robustness	0.202494	NOISE__spearman	0.200998	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.216958	NOISE__spearman	0.316708	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Borda	R_C_s	robustness	0.060848	NOISE__spearman	0.077805	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.023441	NOISE__spearman	0.034913	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Borda	R_F_a	robustness	0.061845	NOISE__spearman	0.037406	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.058354	NOISE__spearman	0.066833	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Borda	R_C_a	robustness	0.234913	NOISE__spearman	0.224938	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.064838	NOISE__spearman	0.076808	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Borda	F	quality	0.084788	NOISE__kendall	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Borda	Fbar	quality	0.309726	NOISE__kendall	0.357107	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Borda	C	quality	0.313217	NOISE__kendall	0.267332	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Borda	Cbar	quality	0.669825	NOISE__kendall	0.722693	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Borda	R_F_g	robustness	0.003491	NOISE__kendall	0.026434	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.316209	NOISE__kendall	0.398504	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Borda	R_C_g	robustness	0.190524	NOISE__kendall	0.148628	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.102743	NOISE__kendall	0.061347	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Borda	R_F_p	robustness	0.02793	NOISE__kendall	0.006484	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.353616	NOISE__kendall	0.447382	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Borda	R_C_p	robustness	0.218953	NOISE__kendall	0.173566	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.053367	NOISE__kendall	0.013965	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Borda	R_F_s	robustness	0.202494	NOISE__kendall	0.200998	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.216958	NOISE__kendall	0.316708	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Borda	R_C_s	robustness	0.060848	NOISE__kendall	0.077805	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.023441	NOISE__kendall	0.034913	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Borda	R_F_a	robustness	0.061845	NOISE__kendall	0.037406	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.058354	NOISE__kendall	0.066833	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Borda	R_C_a	robustness	0.234913	NOISE__kendall	0.224938	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.064838	NOISE__kendall	0.076808	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kemeny	F	quality	0.091272	clean__selected_best_individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kemeny	Fbar	quality	0.314214	clean__selected_best_individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kemeny	C	quality	0.314214	clean__selected_best_individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kemeny	Cbar	quality	0.669825	clean__selected_best_individual	0.662344	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Kemeny	R_F_g	robustness	0.010973	clean__selected_best_individual	0.000499	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.300249	clean__selected_best_individual	0.39601	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Kemeny	R_C_g	robustness	0.192519	clean__selected_best_individual	0.194514	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.086783	clean__selected_best_individual	0.118703	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Kemeny	R_F_p	robustness	0.034414	clean__selected_best_individual	0.01995	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.353117	clean__selected_best_individual	0.406983	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Kemeny	R_C_p	robustness	0.220449	clean__selected_best_individual	0.220449	min	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.033915	clean__selected_best_individual	0.049875	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Kemeny	R_F_s	robustness	0.189526	clean__selected_best_individual	0.17606	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.195511	clean__selected_best_individual	0.312219	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference clean_ selected_best_ individual	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Kemeny	R_C_s	robustness	0.05586	clean_ selected_best_ individual	0.0399	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.025436	clean_ selected_best_ individual	0.00798	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Kemeny	R_F_a	robustness	0.074314	clean_ selected_best_ individual	0.060848	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.042893	clean_ selected_best_ individual	0.030923	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Kemeny	R_C_a	robustness	0.241895	clean_ selected_best_ individual	0.250873	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.052369	clean_ selected_best_ individual	0.051372	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kemeny	F	quality	0.091272	naive_q11	0.053367	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kemeny	Fbar	quality	0.314214	naive_q11	0.348628	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kemeny	C	quality	0.314214	naive_q11	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kemeny	Cbar	quality	0.669825	naive_q11	0.718204	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Kemeny	R_F_g	robustness	0.010973	naive_q11	0.022444	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.300249	naive_q11	0.414963	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Kemeny	R_C_g	robustness	0.192519	naive_q11	0.155611	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.086783	naive_q11	0.052868	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Kemeny	R_F_p	robustness	0.034414	naive_q11	0.002494	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.353117	naive_q11	0.44389	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Kemeny	R_C_p	robustness	0.220449	naive_q11	0.182045	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.033915	naive_q11	0.005486	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Kemeny	R_F_s	robustness	0.189526	naive_q11	0.188529	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.195511	naive_q11	0.307731	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Kemeny	R_C_s	robustness	0.05586	naive_q11	0.057855	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.025436	naive_q11	0.038903	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Kemeny	R_F_a	robustness	0.074314	naive_q11	0.042893	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.042893	naive_q11	0.064339	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Kemeny	R_C_a	robustness	0.241895	naive_q11	0.229426	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.052369	naive_q11	0.077805	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kemeny	F	quality	0.091272	NOISE_ spearman	0.053367	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kemeny	Fbar	quality	0.314214	NOISE_ spearman	0.348628	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kemeny	C	quality	0.314214	NOISE_ spearman	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kemeny	Cbar	quality	0.669825	NOISE_ spearman	0.718204	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Kemeny	R_F_g	robustness	0.010973	NOISE_ spearman	0.022444	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.300249	NOISE_ spearman	0.414963	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Kemeny	R_C_g	robustness	0.192519	NOISE_ spearman	0.155611	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.086783	NOISE_ spearman	0.052868	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Kemeny	R_F_p	robustness	0.034414	NOISE_ spearman	0.002494	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.353117	NOISE_ spearman	0.44389	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Kemeny	R_C_p	robustness	0.220449	NOISE_ spearman	0.182045	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.033915	NOISE_ spearman	0.005486	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Kemeny	R_F_s	robustness	0.189526	NOISE_ spearman	0.188529	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.195511	NOISE_ spearman	0.307731	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Kemeny	R_C_s	robustness	0.05586	NOISE_ spearman	0.057855	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.025436	NOISE_ spearman	0.038903	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Kemeny	R_F_a	robustness	0.074314	NOISE_ spearman	0.042893	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.042893	NOISE_ spearman	0.064339	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Kemeny	R_C_a	robustness	0.241895	NOISE_ spearman	0.229426	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.052369	NOISE_ spearman	0.077805	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kemeny	F	quality	0.091272	NOISE_ kendall	0.053367	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kemeny	Fbar	quality	0.314214	NOISE_ kendall	0.348628	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kemeny	C	quality	0.314214	NOISE_ kendall	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kemeny	Cbar	quality	0.669825	NOISE_ kendall	0.718204	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Kemeny	R_F_g	robustness	0.010973	NOISE_ kendall	0.022444	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.300249	NOISE_ kendall	0.414963	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Kemeny	R_C_g	robustness	0.192519	NOISE_kendall	0.155611	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.086783	NOISE_kendall	0.052868	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Kemeny	R_F_p	robustness	0.034414	NOISE_kendall	0.002494	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.353117	NOISE_kendall	0.44389	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Kemeny	R_C_p	robustness	0.220449	NOISE_kendall	0.182045	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.033915	NOISE_kendall	0.005486	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Kemeny	R_F_s	robustness	0.189526	NOISE_kendall	0.188529	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.195511	NOISE_kendall	0.307731	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Kemeny	R_C_s	robustness	0.05586	NOISE_kendall	0.057855	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.025436	NOISE_kendall	0.038903	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Kemeny	R_F_a	robustness	0.074314	NOISE_kendall	0.042893	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.042893	NOISE_kendall	0.064339	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Kemeny	R_C_a	robustness	0.241895	NOISE_kendall	0.229426	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.052369	NOISE_kendall	0.077805	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	RRF	F	quality	0.077805	clean_selected_best_individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	RRF	Fbar	quality	0.309726	clean_selected_best_individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	RRF	C	quality	0.304239	clean_selected_best_individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	RRF	Cbar	quality	0.660349	clean_selected_best_individual	0.662344	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	RRF	R_F_g	robustness	0.002494	clean_selected_best_individual	0.000499	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.294763	clean_selected_best_individual	0.39601	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	RRF	R_C_g	robustness	0.183042	clean_selected_best_individual	0.194514	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.093766	clean_selected_best_individual	0.118703	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	RRF	R_F_p	robustness	0.021446	clean_selected_best_individual	0.01995	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.343641	clean_selected_best_individual	0.406983	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	RRF	R_C_p	robustness	0.209975	clean_selected_best_individual	0.220449	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.038903	clean_selected_best_individual	0.049875	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	RRF	R_F_s	robustness	0.206484	clean_selected_best_individual	0.17606	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.203491	clean_selected_best_individual	0.312219	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	RRF	R_C_s	robustness	0.069327	clean_selected_best_individual	0.0399	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.034913	clean_selected_best_individual	0.00798	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	RRF	R_F_a	robustness	0.058354	clean_selected_best_individual	0.060848	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.045885	clean_selected_best_individual	0.030923	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	RRF	R_C_a	robustness	0.230923	clean_selected_best_individual	0.250873	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.053865	clean_selected_best_individual	0.051372	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	RRF	F	quality	0.077805	naive_q11	0.054863	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	RRF	Fbar	quality	0.309726	naive_q11	0.354115	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	RRF	C	quality	0.304239	naive_q11	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	RRF	Cbar	quality	0.660349	naive_q11	0.717207	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint	Value	Reference	Reference	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	RRF	R_F_g	robustness	0.002494	naive_q11	0.021945	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.294763	naive_q11	0.403491	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	RRF	R_C_g	robustness	0.183042	naive_q11	0.155611	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.093766	naive_q11	0.062843	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	RRF	R_F_p	robustness	0.021446	naive_q11	0.001496	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.343641	naive_q11	0.446384	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	RRF	R_C_p	robustness	0.209975	naive_q11	0.181047	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.038903	naive_q11	0.014963	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	RRF	R_F_s	robustness	0.206484	naive_q11	0.187032	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.203491	naive_q11	0.329676	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	RRF	R_C_s	robustness	0.069327	naive_q11	0.059352	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.034913	naive_q11	0.039401	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	RRF	R_F_a	robustness	0.058354	naive_q11	0.041397	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.045885	naive_q11	0.069825	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	RRF	R_C_a	robustness	0.230923	naive_q11	0.226933	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.053865	naive_q11	0.078803	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	RRF	F	quality	0.077805	NOISE_spearman	0.054863	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	RRF	Fbar	quality	0.309726	NOISE_spearman	0.354115	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	RRF	C	quality	0.304239	NOISE_spearman	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	RRF	Cbar	quality	0.660349	NOISE_spearman	0.717207	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	RRF	R_F_g	robustness	0.002494	NOISE_spearman	0.021945	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.294763	NOISE_spearman	0.403491	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	RRF	R_C_g	robustness	0.183042	NOISE_spearman	0.155611	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.093766	NOISE_spearman	0.062843	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	RRF	R_F_p	robustness	0.021446	NOISE_spearman	0.001496	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.343641	NOISE_spearman	0.446384	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	RRF	R_C_p	robustness	0.209975	NOISE_spearman	0.181047	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.038903	NOISE_spearman	0.014963	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	RRF	R_F_s	robustness	0.206484	NOISE_spearman	0.187032	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.203491	NOISE_spearman	0.329676	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	RRF	R_C_s	robustness	0.069327	NOISE_spearman	0.059352	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.034913	NOISE_spearman	0.039401	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	RRF	R_F_a	robustness	0.058354	NOISE_spearman	0.041397	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.045885	NOISE_spearman	0.069825	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	RRF	R_C_a	robustness	0.230923	NOISE_spearman	0.226933	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.053865	NOISE_spearman	0.078803	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	RRF	F	quality	0.077805	NOISE_kendall	0.054863	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	RRF	Fbar	quality	0.309726	NOISE_kendall	0.354115	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	RRF	C	quality	0.304239	NOISE_kendall	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	RRF	Cbar	quality	0.660349	NOISE_kendall	0.717207	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	RRF	R_F_g	robustness	0.002494	NOISE_kendall	0.021945	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.294763	NOISE_kendall	0.403491	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	RRF	R_C_g	robustness	0.183042	NOISE_kendall	0.155611	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.093766	NOISE_kendall	0.062843	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	RRF	R_F_p	robustness	0.021446	NOISE_kendall	0.001496	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.343641	NOISE_kendall	0.446384	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	RRF	R_C_p	robustness	0.209975	NOISE_kendall	0.181047	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.038903	NOISE_kendall	0.014963	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	RRF	R_F_s	robustness	0.206484	NOISE_kendall	0.187032	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.203491	NOISE_kendall	0.329676	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	RRF	R_C_s	robustness	0.069327	NOISE_kendall	0.059352	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.034913	NOISE_kendall	0.039401	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	RRF	R_F_a	robustness	0.058354	NOISE_kendall	0.041397	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.045885	NOISE_kendall	0.069825	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	RRF	R_C_a	robustness	0.230923	NOISE_kendall	0.226933	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.053865	NOISE_kendall	0.078803	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Schulze	F	quality	0.083292	clean_selected_best_individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Schulze	Fbar	quality	0.307731	clean_selected_best_individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Schulze	C	quality	0.312718	clean_selected_best_individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Schulze	Cbar	quality	0.667332	clean_selected_best_individual	0.662344	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Schulze	R_F_g	robustness	0.001995	clean_selected_best_individual	0.000499	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.315711	clean_selected_best_individual	0.39601	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Schulze	R_C_g	robustness	0.190025	clean_selected_best_individual	0.194514	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.103242	clean_selected_best_individual	0.118703	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Schulze	R_F_p	robustness	0.026434	clean_selected_best_individual	0.01995	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.35212	clean_selected_best_individual	0.406983	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Schulze	R_C_p	robustness	0.218454	clean_selected_best_individual	0.220449	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.054364	clean_selected_best_individual	0.049875	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Schulze	R_F_s	robustness	0.203491	clean_selected_best_individual	0.17606	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.214963	clean_selected_best_individual	0.312219	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Schulze	R_C_s	robustness	0.061845	clean_selected_best_individual	0.0399	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.025935	clean_selected_best_individual	0.00798	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Schulze	R_F_a	robustness	0.060848	clean_selected_best_individual	0.060848	min	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.057855	clean_selected_best_individual	0.030923	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Schulze	R_C_a	robustness	0.234414	clean_selected_best_individual	0.250873	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.062843	clean_selected_best_individual	0.051372	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Schulze	F	quality	0.083292	naive_q11	0.054364	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Schulze	Fbar	quality	0.307731	naive_q11	0.351621	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Schulze	C	quality	0.312718	naive_q11	0.269825	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Schulze	Cbar	quality	0.667332	naive_q11	0.717706	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Schulze	R_F_g	robustness	0.001995	naive_q11	0.02394	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.315711	naive_q11	0.408978	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Schulze	R_C_g	robustness	0.190025	naive_q11	0.149626	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.103242	naive_q11	0.061845	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Schulze	R_F_p	robustness	0.026434	naive_q11	0.000998	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.35212	naive_q11	0.462344	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Schulze	R_C_p	robustness	0.218454	naive_q11	0.177057	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.054364	naive_q11	0.01197	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Schulze	R_F_s	robustness	0.203491	naive_q11	0.186035	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.214963	naive_q11	0.318703	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Schulze	R_C_s	robustness	0.061845	naive_q11	0.062344	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.025935	naive_q11	0.032918	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Schulze	R_F_a	robustness	0.060848	naive_q11	0.041895	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.057855	naive_q11	0.068828	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Schulze	R_C_a	robustness	0.234414	naive_q11	0.218953	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.062843	naive_q11	0.0798	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Schulze	F	quality	0.083292	NOISE_spearman	0.054364	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Schulze	Fbar	quality	0.307731	NOISE_spearman	0.351621	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Schulze	C	quality	0.312718	NOISE_spearman	0.269825	max	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Schulze	Cbar	quality	0.667332	NOISE_ spearman	0.717706	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Schulze	R_F_g	robustness	0.001995	NOISE_ spearman	0.02394	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.315711	NOISE_ spearman	0.408978	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Schulze	R_C_g	robustness	0.190025	NOISE_ spearman	0.149626	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.103242	NOISE_ spearman	0.061845	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Schulze	R_F_p	robustness	0.026434	NOISE_ spearman	0.000998	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.35212	NOISE_ spearman	0.462344	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Schulze	R_C_p	robustness	0.218454	NOISE_ spearman	0.177057	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.054364	NOISE_ spearman	0.01197	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Schulze	R_F_s	robustness	0.203491	NOISE_ spearman	0.186035	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.214963	NOISE_ spearman	0.318703	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Schulze	R_C_s	robustness	0.061845	NOISE_ spearman	0.062344	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.025935	NOISE_ spearman	0.032918	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Schulze	R_F_a	robustness	0.060848	NOISE_ spearman	0.041895	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.057855	NOISE_ spearman	0.068828	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Schulze	R_C_a	robustness	0.234414	NOISE_ spearman	0.218953	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.062843	NOISE_ spearman	0.0798	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Schulze	F	quality	0.083292	NOISE_ kendall	0.054364	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Schulze	Fbar	quality	0.307731	NOISE_ kendall	0.351621	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Schulze	C	quality	0.312718	NOISE_ kendall	0.269825	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Schulze	Cbar	quality	0.667332	NOISE_ kendall	0.717706	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Schulze	R_F_g	robustness	0.001995	NOISE_ kendall	0.02394	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.315711	NOISE_ kendall	0.408978	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Schulze	R_C_g	robustness	0.190025	NOISE_ kendall	0.149626	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.103242	NOISE_ kendall	0.061845	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Schulze	R_F_p	robustness	0.026434	NOISE_ kendall	0.000998	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.35212	NOISE_ kendall	0.462344	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Schulze	R_C_p	robustness	0.218454	NOISE_ kendall	0.177057	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.054364	NOISE_ kendall	0.01197	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Schulze	R_F_s	robustness	0.203491	NOISE_ kendall	0.186035	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.214963	NOISE_ kendall	0.318703	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Schulze	R_C_s	robustness	0.061845	NOISE_ kendall	0.062344	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.025935	NOISE_ kendall	0.032918	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Schulze	R_F_a	robustness	0.060848	NOISE_ kendall	0.041895	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.057855	NOISE_ kendall	0.068828	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Schulze	R_C_a	robustness	0.234414	NOISE_ kendall	0.218953	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.062843	NOISE_ kendall	0.0798	min	Better

Table 165: DermaMNIST–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	Methods	F	F	C	C	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	Dual Geometry Noise	3	["Deconvolution" prop*, "Occlusion"]	0.699327	0.688404	0.288279	0.737157	0.010474	0.319202	0.16808	0.141147	0.011471	0.339152	0.195511
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	Dual Geometry Noise	3	["Deconvolution" prop*, "Occlusion"]	0.684388	0.6809726	0.313217	0.669825	0.003491	0.316209	0.190524	0.102743	0.02793	0.353616	0.218953
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	Dual Geometry Noise	3	["Deconvolution" prop*, "Occlusion"]	0.684388	0.6814214	0.314214	0.669825	0.010973	0.300249	0.192519	0.086783	0.034414	0.353117	0.220449
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	Dual Geometry Noise	3	["Deconvolution" prop*, "Occlusion"]	0.672803	0.6809726	0.304239	0.660349	0.002494	0.294763	0.183042	0.093766	0.021446	0.343641	0.209975
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	Dual Geometry Noise	3	["Deconvolution" prop*, "Occlusion"]	0.684388	0.6807731	0.312718	0.667332	0.001995	0.315711	0.190025	0.103242	0.026434	0.35212	0.218454

Table 166: DermaMNIST–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	$R^p_{\mathcal{D}}$	$R^u_{\mathcal{D}}$	$R^c_{\mathcal{D}}$	$R^s_{\mathcal{D}}$	$R^p_{\mathcal{C}}$	$R^u_{\mathcal{C}}$	$R^c_{\mathcal{C}}$	$R^s_{\mathcal{C}}$	$R^p_{\mathcal{S}}$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	Dual Geometry Noise	3	0.125187	0.230424	0.195511	0.099252	0.037905	0.046883	0.111222	0.220948	0.106733
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	Dual Geometry Noise	3	0.053367	0.202494	0.216958	0.060848	0.023441	0.061845	0.058354	0.234913	0.064838
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	Dual Geometry Noise	3	0.033915	0.189526	0.195511	0.05586	0.025436	0.074314	0.042893	0.241895	0.052369
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	Dual Geometry Noise	3	0.038903	0.206484	0.203491	0.069327	0.034913	0.058354	0.045885	0.230923	0.053865
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	Dual Geometry Noise	3	0.054364	0.203491	0.214963	0.061845	0.025935	0.060848	0.057855	0.234414	0.062843

Table 167: DermaMNIST-ResNet-18

Group Dimension	Group Value	Measure	Endpoints	Excluded Zero Clean Boundaries	Wins	Ties	Losses	Win Rate	Mean NOISE	Mean NAIVE	Mean Difference	Median Difference
Overall	All	A	640	0	469	39	132	0.732812	0.452892	0.426762	0.02613	0.013929
Overall	All	Q	640	0	127	310	203	0.198437	0.843397	0.846121	-0.002724	0
Overall	All	G	640	0	425	30	185	0.664062	0.590378	0.572137	0.018241	0.012502
Geometry	NOISE-K	A	320	0	214	23	83	0.66875	0.447236	0.426762	0.020475	0.011605
Geometry	NOISE-K	Q	320	0	49	155	116	0.153125	0.839543	0.846121	-0.006578	0
Geometry	NOISE-K	G	320	0	192	16	112	0.6	0.585161	0.572137	0.013024	0.008906
Geometry	NOISE-S	A	320	0	255	16	49	0.796875	0.458548	0.426762	0.031786	0.016326
Geometry	NOISE-S	Q	320	0	78	155	87	0.24375	0.847252	0.846121	0.001131	0
Geometry	NOISE-S	G	320	0	233	14	73	0.728125	0.595595	0.572137	0.023458	0.01612
Cell	DermaMNIST-ResNet-18	A	160	0	104	18	38	0.65	0.413823	0.406371	0.007452	0.006916
Cell	DermaMNIST-ResNet-18	Q	160	0	22	90	48	0.1375	0.793295	0.803071	-0.009776	0
Cell	DermaMNIST-ResNet-18	G	160	0	84	16	60	0.525	0.558124	0.552566	0.005558	0.00359
Cell	DermaMNIST-ViT-B/16	A	160	0	70	20	70	0.4375	0.470379	0.469939	0.00044	0
Cell	DermaMNIST-ViT-B/16	Q	160	0	27	60	73	0.16875	0.877105	0.884256	-0.007151	0
Cell	DermaMNIST-ViT-B/16	G	160	0	55	13	92	0.34375	0.599925	0.600957	-0.001032	-0.000538
Cell	ImageNet-ResNet-18	A	160	0	137	0	23	0.85625	0.496722	0.469438	0.027284	0.031843
Cell	ImageNet-ResNet-18	Q	160	0	39	80	41	0.24375	0.812409	0.814995	-0.002586	0
Cell	ImageNet-ResNet-18	G	160	0	128	0	32	0.8	0.628333	0.611403	0.016929	0.022846
Cell	ImageNet-ViT-B/16	A	160	0	158	1	1	0.9875	0.430644	0.3613	0.069345	0.044877
Cell	ImageNet-ViT-B/16	Q	160	0	39	80	41	0.24375	0.890781	0.882162	0.008618	0
Cell	ImageNet-ViT-B/16	G	160	0	158	1	1	0.9875	0.575131	0.523623	0.051508	0.046306
Rule	Borda	A	128	0	93	8	27	0.726562	0.453264	0.425375	0.027889	0.016037
Rule	Borda	Q	128	0	25	62	41	0.195312	0.845777	0.848649	-0.002873	0
Rule	Borda	G	128	0	85	8	35	0.664062	0.590026	0.570834	0.019192	0.015577
Rule	Kemeny	A	128	0	104	8	16	0.8125	0.461085	0.425041	0.036044	0.021968
Rule	Kemeny	Q	128	0	20	62	46	0.15625	0.848248	0.852649	-0.004401	0
Rule	Kemeny	G	128	0	94	7	27	0.734375	0.597992	0.573777	0.024215	0.018785
Rule	RRF	A	128	0	95	9	24	0.742188	0.459029	0.430432	0.028598	0.019214
Rule	RRF	Q	128	0	27	62	39	0.210938	0.845835	0.848603	-0.002768	0
Rule	RRF	G	128	0	87	7	34	0.679688	0.595753	0.575579	0.020174	0.016809
Rule	Schulze	A	128	0	99	6	23	0.773438	0.457597	0.427735	0.029862	0.015907
Rule	Schulze	Q	128	0	24	62	42	0.1875	0.844968	0.848161	-0.003193	0
Rule	Schulze	G	128	0	86	5	37	0.671875	0.594291	0.57383	0.020461	0.019537
Rule	Simple Averaging	A	128	0	78	8	42	0.609375	0.433484	0.425226	0.008257	0.001855
Rule	Simple Averaging	Q	128	0	31	62	35	0.242188	0.83216	0.832543	-0.000383	0
Rule	Simple Averaging	G	128	0	73	3	52	0.570312	0.573829	0.566666	0.007162	0.001469
Metric	C	A	160	0	130	5	25	0.8125	0.235397	0.220297	0.015101	0.011985
Metric	C	Q	160	0	26	80	54	0.1625	0.766951	0.77309	-0.006139	0
Metric	C	G	160	0	107	1	52	0.66875	0.411791	0.398947	0.012845	0.012893
Metric	Cbar	A	160	0	120	8	32	0.75	0.572949	0.531761	0.041188	0.0281
Metric	Cbar	Q	160	0	43	50	67	0.26875	0.845468	0.849271	-0.003803	0
Metric	Cbar	G	160	0	109	6	45	0.68125	0.686305	0.661284	0.025021	0.01781
Metric	F	A	160	0	120	5	35	0.75	0.243922	0.227401	0.016522	0.01198
Metric	F	Q	160	0	21	100	39	0.13125	0.857996	0.862183	-0.004187	0
Metric	F	G	160	0	113	2	45	0.70625	0.436868	0.421013	0.015856	0.013696
Metric	Fbar	A	160	0	99	21	40	0.61875	0.7593	0.72759	0.03171	0.004836
Metric	Fbar	Q	160	0	37	80	43	0.23125	0.903175	0.89994	0.003234	0
Metric	Fbar	G	160	0	96	21	43	0.6	0.826548	0.807306	0.019242	0.003817
Noise	A	A	160	0	143	3	14	0.89375	0.391845	0.352173	0.039672	0.019188
Noise	A	Q	160	0	65	60	35	0.40625	0.763842	0.747725	0.016117	0
Noise	A	G	160	0	132	0	28	0.825	0.521881	0.487109	0.034682	0.023838
Noise	G	A	160	0	106	13	41	0.6625	0.458924	0.439154	0.01977	0.007812
Noise	G	Q	160	0	22	80	58	0.1375	0.807618	0.81805	-0.010431	0
Noise	G	G	160	0	94	11	55	0.5875	0.584233	0.573649	0.010584	0.00565
Noise	P	A	160	0	106	16	38	0.6625	0.465449	0.445013	0.020436	0.004444
Noise	P	Q	160	0	20	80	60	0.125	0.847572	0.856296	-0.008724	0
Noise	P	G	160	0	90	13	57	0.5625	0.599936	0.588599	0.011337	0.001782
Noise	S	A	160	0	114	7	39	0.7125	0.495349	0.470707	0.024642	0.0181
Noise	S	Q	160	0	20	90	50	0.125	0.954557	0.962414	-0.007856	0
Noise	S	G	160	0	109	6	45	0.68125	0.655462	0.639101	0.016361	0.01453

Table 168: DermaMNIST–ResNet-18

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	3768165be3 90d0c5db80 3e0413b910 fecbcb2d55 f02f779053 22103b7b86 efe5	aacbb99436e 6cc70030bc 67d79b0c58 9273520613 ed2760052f 94d02bc69f 7818	c58e03b0a c945aa19a7 1f2b1834bf 2114f1103a b4f86a1aa4 f880ab58af db4f	Spearman	NOISE-S	Simple Averaging	g	0.401042	0.408854	- 0.007813	loss
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	67d3322a25 db45122deb 1abfc08f7f 1a210dda7e 2112fd84f 3173cebdbb 6c5d	b88157b989 a1f1e1bfdd 9933ff47f d0578d4f04 9ba2d7b3f7 6ea2a2ccb3 f961	1a4aaf3756 b9b3ee08f3 bfe506527c 8049a0e75d abc80aa345 26c9613be3 b6a0	Spearman	NOISE-S	Simple Averaging	g	1	0.856771	0.143229	win
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	365fda97cc ab42ff3512 df45343a48 8df7b23257 4700bd6be1 d3a0240ccb bf42	a97b17895d a4d8acea9c 0298ca991f c2d7b3d18b 79deab8202 f40f85496e 8f42	39b7adfd41 42bef024b6 5afbffd951 7b883ed662 dccc502cb1 eed13c5f93 85fc	Spearman	NOISE-S	Simple Averaging	g	0.123691	0.116708	0.006983	win
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	240fa05e7d 95bc2a7f6f 81979bfc9d 713f3cd9a 22bd071cb 8ca0cfd114 d0b5	926392980a a408fe4dae d037c734ac 7f00d6a4fb 42e439bb21 14a746a69e 6195	ee3309199f cfd25f745b b4d7a0176f ee8d0d57fd 0f588bbd46 0c26c74c91 17c0	Spearman	NOISE-S	Simple Averaging	g	0.225935	0.157107	0.068828	win
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	cc8b1645c3 7f02d19afa 59338a46c0 59258f693e 13d05c0e33 3f2383feea dc15	89b72526d9 7bda706de5 8453bc9f56 cae9513d0b a3a6a90a22 823d81c551 8d1c	fd3d74668 5e7e711a0d cfdcd9967e edcf5e4647 273578c305 6528ece106 114d	Spearman	NOISE-S	Simple Averaging	p	0.327434	0.345133	- 0.017699	loss
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	1c04cb9b49 ecb4cecbca a009a16d24 8cf543627f 3b28cd4a24 51b583ff99 effc	99e9b802a4 00648463fb 80abae089 8cab677812 35ab5adff2 7e216c2520 bb05	4a344ee54d 97d62dd7a7 c405da7eff d5050922b7 e96d566790 8df304c964 75f4	Spearman	NOISE-S	Simple Averaging	p	1	0.946903	0.053097	win
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	012e54f891 3426066d07 3e3eaeff91 4eb51825a7 e833025406 1d162762ca 955d	bc145a3819 df014a6040 ba79c354d0 73cc095f8a a5e25b40b4 f9d8cf2c61 f375	7afca5c49e cc9e98e7ff 1d60a018e6 c9dc98463 0b90f3388d fa53e13fb0 d1c2	Spearman	NOISE-S	Simple Averaging	p	0.094264	0.094264	0	tie
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	3b257e1442 b53ed93c5f f0644afeb5 d2dc78388e c0de69182e 5146dd2b1f 1068	557e5810d5 b5f2d1ff65 671140e618 87e89dfb28 a871ce89f7 37043ae828 6f9a	3cf36fc6a5 a30b98b6f8 17bdc55819 03034b321d 76d5aca2b0 856097b3c2 63fc	Spearman	NOISE-S	Simple Averaging	p	0.310224	0.171571	0.138653	win
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	926fba5eb8 29bcd2dcfc d680569560 4b7bec0073 888e321455 f936cee6b5 6eda	9aa8a5d8c7 8c24899c39 f926f3c0da 12223e4262 7d621197a2 4302dbd846 7cdf	f37946c327 e8743f673b 08b4830044 a917e76d2d e7ae46ce9a 2893b73552 9498	Spearman	NOISE-S	Simple Averaging	s	0.576484	0.665525	- 0.089041	loss
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	fa32be5ebb 197431593e 69f1e99507 7c287c6202 90fbb4e26 65694ac51d 56f8	e39da5e205 3d72d053b6 7f5ce2398a 24f1bc37b2 d4b3f1434d dcd1e5e1f7 f6e7	c43b40ca17 124f94cf72 fd3545dc61 ad916d0b77 66996a5d48 700d56187d a8e7	Spearman	NOISE-S	Simple Averaging	s	1	0.705479	0.294521	win
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	b5b53c3fe9 50cd5e5fae 417d56c362 a479d9a8ab 4749526ccc a9a90b4086 ca4f	5cd27f1168 6e2a177f41 ed503a30f5 bbe2b4c79b 8478f8142c f95c638c21 1eb0	8db9eb3ea1 d23f9ae93d 27940be0d5 43d51ae673 4270eb5648 3615bb39ef 031e	Spearman	NOISE-S	Simple Averaging	s	0.351122	0.37606	- 0.024938	loss
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	9f2348e32d b1bbbd70d3 eb73f0b33b 149a11ce19 29745d4515 76ba1f41ff 8593	102989d6fe 4690356bb0 450f31d618 0ad3fafe4 d3979cb775 fb938dc81c 7f13	c2819f2430 71a5bcf510 21247877e8 74f4c3b9f9 94486c5533 8a48ae6ea5 21c9	Spearman	NOISE-S	Simple Averaging	s	0.341646	0.262843	0.078803	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	6408ac50c174ef2f327be48c3aa9de3189e441dd1f318427051aa1945eb36bccb	f34370bdeb9e914352608c8b1f4e5a6b49ec3876a7c1033fe25714bdc7333537e	d68f79ab1f419d98c76c50bd1c331f5574723bc019714ac8ff91b015e7f2da76	Spearman	NOISE-S	Simple Averaging	a	0.02583	0.027306	-0.001476	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	9039d102e0e976c89885ec9fa71f175576d4fc123001bce989b372dc7b5d9af	5481ebcf27adb3c72b5362baec81f90d2f91a553c61f2e68d3d48a341b5e03d2	92007ed50e1a9491336b2e6a7d616a8bcd1dd946a5fa20325226198de897cb8	Spearman	NOISE-S	Simple Averaging	a	0.632472	0.62952	0.002952	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	1e155dcff909dd9257020685e4cd7cc057a9eec978875fd618d3f171b728d24	8a6d92afa43f0fe03885708ffdf4e774094fe1959a336b4f8982b633f5bc8d2	a03fbc3a4d4fb66526b9965307a36d22a60afd0a9808901ce216809d729788d0	Spearman	NOISE-S	Simple Averaging	a	0.068828	0.063342	0.005486	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	3cccb0256365a3elcee466f520efbbec92329598d1a917ada38406915b981873	90eca77a33836bf899b74acdb4e4f4bc7d57252e57f58e5128565d916415aaed	5399663197ca7a45e072c349f3acf6782b0f25223ab76aa767be48b22c6f829a	Spearman	NOISE-S	Simple Averaging	a	0.409975	0.378055	0.03192	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	19d799eeef6a5cd17a407c937f02a1d76ff134cb46bdd87fd822e061f314fb0f4c	a826d06a18749e22c99dd246b638d8398c031144c9f2e5b9a79e295afe5fccc	ad6973f1891fa00a0adff674ae63867444a85dea249095b9a5bf2434adea4e47b	Spearman	NOISE-S	Borda	g	0.401042	0.40625	-0.005208	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	975a2af274f7416ca4c87c82290a9a99730e697f5aff47f89217cf2cc329128	f0ef1d23eac24c3206579c209f8a7884e6c6b9776c5d0afd5c2545678788d6	478bedac25b50dc30d7ffa42c71680bcb5d96e0247ed141af36f627f3498ef7c6	Spearman	NOISE-S	Borda	g	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	a55a861c8c8c5d55a0dc6b6495caf2dac371e93e577cd55cef1fe3d4c1671946	536fc7dda72b394a9ee125765e204fd8d3120ff3ab164327509a08ad78fc37e82	73265bbf0d9c2a0af2bdf4cd02d36aece0049a4f076e9364753d3888ce754	Spearman	NOISE-S	Borda	g	0.123192	0.118703	0.004489	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	88a8ec767d72ff5a55f0517879513da86f01bd2ba8622646aa803c90d5c2d7608	96dc05a7fb0a801f93dd0ca5a7be8a0a275dfb2a87f3344d4a215211fc7df51c	a74af10f780bb7afd6d371797e97ab3fb78d71efcb2543060edefca4e7afafa7	Spearman	NOISE-S	Borda	g	0.268828	0.21596	0.052868	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	5398b3a7ea8d730f7a9dc2e3b940dc6ae762321ce7a171b7604119584d99c742	c70446dce069c0cb7f082dc5f06cbf160f48580f0804a3b2ecc1809d4f0167b8	68ccc0ea98a43352f0bd8c2b59ceb4cc21902756a70481cf58e16ed9086770	Spearman	NOISE-S	Borda	p	0.336283	0.342183	-0.0059	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	7b23ff987482de00dfcd2f3256c7aeb99006837a868fd6d65b6c2e774b176ab1	e77ffacbf885779add36c497e1f8ab9c3a5e26403a96042e7407c0a3163448d8f	dac699f4c3291325513f4e5543a366a4c4ef208fe364dd3ee328ec76b55510b0d4	Spearman	NOISE-S	Borda	p	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	f0b71a679f84ad12fd7992c42fa17bb0b5d3ce8518b28a991948c39e22a0fb	de140033994bf1b425248f9c3039283d79bbe2a15b5a9b4b3a10782221bca68	ddea88e609b57a8a06914829c9e4e5f390aae57bfc459cc7676ad04440ee870d	Spearman	NOISE-S	Borda	p	0.094264	0.093766	0.000499	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	bc33c44da617d917e256175d5d09a762b5edbeff0b5edf7357ad2d1fd1e1f1c01	e7530dbdaf031a131c8d985daabf82055e707dbcb5f0a807f9a5034d3dd1a9e93	4e76924dd20f643ca1f5d870dd50034a4250ab12536e7bcf057ab6091697f53b	Spearman	NOISE-S	Borda	p	0.346633	0.263342	0.083292	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	b44fb6fe96e9a028b4c63cbe7c74c13b46ff80c7cdbc3de7c1e05e8c90ad9566	9c51483383189b49367d4ad0dbaeaa2a671d8cce81f5994211d1bc3437708112	d84170e40119d5dc4d1482c7b369a0262fc7df1481bf8fcd4b71c2d36becd77f	Spearman	NOISE-S	Borda	s	0.560502	0.577626	-0.017123	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	55e041dc449bfb3a54c2b2827bee86974e3177a5099a7eb17603af696e682cd	48e3b815fc5d5dd4e084053edfe1d26c84c11035668efcb902a64ae205c7edc0	5ad173db94fdbbfff4dd5f4be9a85c5f860ca9976ed4db92be4c22c8df271185a6	Spearman	NOISE-S	Borda	s	0.884703	0.907534	-0.022831	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	98c0965fcd1b063c18cedfd9a749afbead743fb5590cc97b029ec109d8c4a19	5499a3ca31083a285945f94274224e0271d4dc49d6720dd8b5f8b3de8ce8f6	3118034bd533c77e75fb5d5a65cb34c276995e651a6c516535375f3c383179f	Spearman	NOISE-S	Borda	s	0.345137	0.345137	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	b8f97bbf040f6d1a8b8fb599e29c35f403bf03c45de3cad05a885629f52db7c4	95508409c9727f1fa1aa3c3ca68fa0ce5fac2f74e6df81b42de58f6c15f6467cf	6a2977a692b9a9159bf0c698003388eed202689bf079e437655d02aaca215f1	Spearman	NOISE-S	Borda	s	0.341147	0.312219	0.028928	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	189c21e9639a596552c914467a2a053b73ad96babbf36a2a1976e9e95a053f96	9c7fa87f1e64587146ae87039fe580c455da9f952edfb515c3aca59971739f4d	acdef6edd04a2974a1bd138449548a0791a1bddce1b1dfd25571cfb21d167b9f	Spearman	NOISE-S	Borda	a	0.019188	0.020664	-0.001476	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	c6facb46abb9a9ea054d8deaabf67171d4690d7650b19e2f94374e623d11072b	2753eca6cd6959d154df91be92dcb454ca90318450f402570701bf602344431	8db657aee7c163211e256bb043c2c5279ac9335de66517c34c941fc34fdd1a70	Spearman	NOISE-S	Borda	a	0.616974	0.57048	0.046494	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	94e6a2b5f8781399b817d80c4a7de0b57c066d6794d1a75be3230c7e435657bb	aacb5b8996f51226d12e1045041bcb57c2650379c3a6f2646462656da1578bd	bc7710db55d278564931d486fab77e9131f7f1a15c31108900c3756e2877d05d	Spearman	NOISE-S	Borda	a	0.060848	0.042394	0.018454	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	570d769eef56915853dc16db1534f95036036dcdb294d619ca9e08e4e06756c2	8a6b22890a924d1c0e71a3d9443318f69f8382fa4db0faddda13ceea28f3ca7	71fb52969ef3509edd2b314df248e24044e516e74db448bc32e4c94f324ea1e	Spearman	NOISE-S	Borda	a	0.393017	0.354115	0.038903	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	bb066863e2bb55f6c9d44a71d5562ab9462af660701df64289574cbdbd04b77d	28a40469e45d736f788e969eeecb83b68c88aaef177a92397330ba12f61b3f3	43ffaf6c8e582c2dce95a65e2add0b45e325eee0981bb0976c2cb94a7291b3f7	Spearman	NOISE-S	Kemeny	g	0.401042	0.395833	0.005208	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	8ac5b59c4a5d5e72db5918bb83ded577dfaacc79db82b2fb4c6ff8b11c8dd12	73be0f6b280d0d09b6a7fb5b62b5d2625acba9bd5abda257e26fe8f3bd28a498	c5ad1bc372b938f3a3aa536a1787c918850eb00bd13a9753178fc668b53873f5	Spearman	NOISE-S	Kemeny	g	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	6c3ab5685e913a7f61e79fe86f49a958e0359bbb3852e3b1293eb5e23895f73a	f36d44701926d7cd812a91832725aa2b0a3c3e9ba2dfab9c1ef3b948f11e3e30	36f5e5e9b21307a3065602a6757bcb5dff19780de957d27d9f50bc7e78e6223b	Spearman	NOISE-S	Kemeny	g	0.123192	0.119701	0.003491	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	6416269ab1adac7662994b680233b8af5d4ab0cce779ce9b2c17337a816eaba	6a1a7c0098dc00db3f04d3ce113d690e2e9d634e8879c2feb87951aebdf7d73	28d0c206afa25393c141d7f247d1afa4d107898b7afc5a1eac73bd229534cfee3f	Spearman	NOISE-S	Kemeny	g	0.268828	0.228928	0.0399	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	114b88feb2c486063edf7ef512080a302d18544d133ad86885276e13ec17476	73b3624dcc12ac670eb700cf8d399733c2e1ed94424b6700c0b6744c6233b11a	ead967a0b20a0a31bbb24c38c9202e62c2d2aa3af2158653c3d645b778809b3	Spearman	NOISE-S	Kemeny	p	0.336283	0.330383	0.0059	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	7ae548a5fe8dea1db4513ed720b16fd50c66ce940361ac6c9082213995770c50	a0f7b10c94b2e9da1641ad40d5b8553f1a1c06a354582b82613419289460a71	c67abb0ffd3827e2ef1e4d5328f0ed7d0075f1dd0cb345628e418a0ec4009ab7	Spearman	NOISE-S	Kemeny	p	1	1	0	tie

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	ad02d7d03947b41c069b51ef596bcc8f851aeb8d48e32992050b29b9dbce03bca	cf486829449293bbc983ead967bb1b101103ec4e04ca09dbb649fa8cd26e401b7	d3dd230874ba0c39e9900508c59fa7e137ff21b904ca0c3ab50928f902c9243	Spearman	NOISE-S	Kemeny	p	0.094264	0.093267	0.000998	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	ba488963dd2015a5202782fe1c532e0367a9047ace74461d0e2727cd9a21fd39	dd3e857441fbd43f1d76c5df78a90802a3f5d46e6cc6c3013d59cb59489d3caab	428d36cb354201a1d90b3d0d1bd861e3759678895a2860ec039b9e0a3125e699	Spearman	NOISE-S	Kemeny	p	0.346633	0.276309	0.070324	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	f05a39f7bf2af90508038fe4ba2c0788bce7709d960185be3226a1c6b588f3	bb80937a8cea7d958b96748c422b7dbd100b722ae5f9eeffdc1e064f0a0f298f	f41a48ca0718168dd148b5c0543b145d9b78933b12f18a1bc338a8c18721f298f	Spearman	NOISE-S	Kemeny	s	0.560502	0.553653	0.006849	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	5a31644f4bcf6297b617ce2b8f961be897b16f0f30472cf4e8b759fac3b2c2fc	4d8bd9824d3977b251f9992d152a01e8e0ffebd30cd8a988d2e3f687c1988f8	e1c1fa8afoef7539ec156f0cb1a162304dc91ea6cbb025a65e8b96396f40474f	Spearman	NOISE-S	Kemeny	s	0.884703	0.906393	-0.021689	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	e83305efada6a796da29a0a408ede13fd656401b592e43f71b30c7838e17446	7abdd8eea24940e5024094fe8299303f6705a0e1db00d62ef01406292743081415	ef9cd3d7f3711808fa321bb36787d3d504b941c1d194b30d5cdd5fbaa820cf6	Spearman	NOISE-S	Kemeny	s	0.345137	0.333167	0.01197	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	ec1d7184de722786ef1b11a8411742a0f973741e75a9313b800451a56ab819c7	3e4b08a22e72ecf77d8c1f5fcc86e7da04d4203d85f3838265d30c9f9d331d404	c55577e3391184550e1e8b172bd69e41c3c7556451c9f66514fb34cc986e2a57	Spearman	NOISE-S	Kemeny	s	0.341147	0.320698	0.020449	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	0a54d1c93ce23bcc1c0a3fd55cd87046fa85d4c1a542eb9473f2d1d807229694	65c29c227f9cb6d138d8451e0d6464ac6765eea060e09e5a8f2ebce64b2c4d0a	09f41d7f9763147b7bdd565f7da39f7c7722ad78a40542fc1901cf04f2827d8	Spearman	NOISE-S	Kemeny	a	0.019188	0.015498	0.00369	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	b66acbcceac95f09fceb2bcfd05d0757dc26ca6ec62a83e75b3c12abde7b627d	a79a5599b58b1f9144d960171dcbb569420dcef6b4e323edab144bb3692ad	4e925a010ec2ced8272364c0563e9963a022bebabe79c206e7489a5582492f	Spearman	NOISE-S	Kemeny	a	0.616974	0.579336	0.037638	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	3a5e0594e17baa50d9d9f4b331a03783a234749863e7458ab2bade8ec0decadd	d6df2d18377defe86b0af5c7b5b49a236de7b5cbaf577808c5b951efea9415dc	c46a3f846d67c1c8f15e14c788b30ba9cbe27949db9159fc56315016dd3b778e	Spearman	NOISE-S	Kemeny	a	0.060848	0.045885	0.014963	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	e41c54bb5efadca8bf9acd078d4ce69a583e03749f0578864070a503326b6a23	f78e7ee8b8738a437e222f061db6da044f432e03ab91aa98823d77f60251311	7761ee94043a147e050f96ff4396dc526f5c9a167010f9d7b0204b1b78e1fd8	Spearman	NOISE-S	Kemeny	a	0.393017	0.359601	0.033416	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	69a57078e14bba3c7abc3493051579149929d34552653e7b7e1f318a51ef6993	ed3e9f297f9227106dab7078a8b93eaf7684791fa7684791f2edd497b4f795d17427f15901	ab31b300821149d19fcd747f4e43da9594740e24d9f7ba62cf46c0523db2577a	Spearman	NOISE-S	RRF	g	0.408854	0.401042	0.007813	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	73d066680c38e95647eac62bfc60df960b6dc1f5b5663ca1bb61c2c505e1ed2	fec24ccd53e7241457adb334e00a03c08ac633de76d53448a0358ebfb8bebb8d	6d3ac247e8ce7db19cd59d1c6bce0b17512cc2399ae478a271ebcd0d547ab9213	Spearman	NOISE-S	RRF	g	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	b126223f751e4bd09397c69109ca360c46848ec8bc757a52c87e494db71a741	c7c7b6f9d1b4eb6b4f0f7452e19adb78fdc1202829c524c311e995163f2934c9	b5cad971b1f03d367d6a49e76b4c6caa58ee653f3db9a2dd1ee995163f296145	Spearman	NOISE-S	RRF	g	0.119202	0.119701	-0.000499	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	8ed412f5751a174d8f7a c116b8d693 fc1deb855a ad546ec162 a3eeb691391e03	ca2c95523d798da4a23a 6375de19b8 18d943b944 6dd82868be 49db8216d342ef	a3a638c35dce58020111 93c8a008cc 4ba0b5448a 39c2974c54 20d8fe88ee29d3	Spearman	NOISE-S	RRF	g	0.25586	0.21995	0.03591	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	8c24283e4f0daa49b241 2efb8a55bb 8dc02fcb73 0e3cfe4deba aba4dc22fb4ae5	bd7c7085b5b796411e10 5a240d3455 86ff3beeff f5952f6e2c 7ee0a5f614abca	e6e96b7da8db32c5aa7b a047d345b8 3a655a6f74 2f9c6ea085 c15869485d6d22	Spearman	NOISE-S	RRF	p	0.330383	0.333333	-0.00295	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	1efbb0c8553d8b5932ef 16904e15dc 6753dcd02f 7f799d685f c5c3660174e33f	98bd4c504a769dec722 3d9d6a1478 431897fc28 8b6bc56401 f6d4d37019e33f	f2232db3037b96dc760a d83bcfafb 7e751319bd 20d224bab4 2496f7dbbf77da	Spearman	NOISE-S	RRF	p	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	7acbb6ed9b34288a12d4 57ec461503 7f9844cf85 82882334c2 69217e71e8a366	a3dcf707d7386bc6af6b dfbd9472b0 3c70a4cdaf e471de3a1f f2d59a638dcf53	fla6548eef3bd55f2958 ed9d91da49 12377a4f70 a2c891c4cc 82f9cccad327bd	Spearman	NOISE-S	RRF	p	0.092269	0.094264	-0.001995	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	f3bc0d019aeab9a927045 db39d74aa3 22bb30be26 72af037406 4b8d7ada581e40	cae3d407c242ba3565ec 787b4ccb902 62a6c20e06 9d810a4369 b6be0112e4b087	811881f1ca5e6bea6972 f5d16d63 b8ac6baa64 c3bd5d6a30 db551924fce79	Spearman	NOISE-S	RRF	p	0.347132	0.26783	0.079302	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	6c3cc5c7f65fde897ee8 0eb2148f50 5254fde6a2 d991c64ac6 9d39f7e0eab293	b521b997cb72b5cf1f1c 02a423986b b47c440bcb c8944dfc7 7d5e1d06cfd7d7	f0af52c4528064fe8de7 232267fa08 ab0fc83ca8 9f40732804 966ee04a984596	Spearman	NOISE-S	RRF	s	0.601598	0.553653	0.047945	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	5ade91ccf9feeb517a99 0cacf29399 45269263fb 504acafca9 2c07a627b1ed14	0ade2d23e4a05722f751 bfa50ebcd9 b98bf4731a 2260a46aa2 77351bcf9f5432	50c1d3fde1f914b888cb c42828e2f6 3075c6c7d0 94f5fb3926 10a6c6be7de616	Spearman	NOISE-S	RRF	s	0.776256	0.944064	-0.167808	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	59a854dacefde2dd588 20d0c6c525 e826221299 cd53359611 9caa5626af78df	ac208f8e3daab548d9b b1d79d72cc 1d3f5945aa e4d13f1b66 2ed1081da278df	60c8cf22093e904a78f7 68343c24e9 beba65cfaa c53666083b ed6594c0164f3f	Spearman	NOISE-S	RRF	s	0.365087	0.334663	0.030424	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	af182428ae07e77d48e 8827287b1c e8037c7d84 efffb8450 aef33326f082c9	3575f179afda1cbe0721 2a8bf2923b 39f5726387 57d2fe4885 12f2664341a3fd	08cb279db81684fe1158 db8768d8e4 c62a78e64e 6b7bbe3928 b6bf067f2e0b60	Spearman	NOISE-S	RRF	s	0.332668	0.322195	0.010474	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	a9dd093ba62ebd1e9be7 80886ebfa4 8094f0ffe0 60baebfb42 8b164c6c85054e	b670ff4c564cda2d1a4 192ea59a26 630fa5a160 4e2b0230f4 a9a4cdda96facc	0a0c37cd511ee17117e3 2a81f8a4bc 32d8a71469 6fa4185563 bc4fe2134b f46e	Spearman	NOISE-S	RRF	a	0.028044	0.019926	0.008118	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	23d907ec72f8de51654 a18d6ea43a 51ad8421a1 8c99d76d88 1ca6ed1e106e72	1c1770e9449c8fc1cac 55aa4b8dd9 b5c5c709a eb8a8417a1 e1a00a0f933ee4	8ef9f96ef9a97c6e270e 7b7fe59b 09cf8b6bec d58124d828 7b9649b1876357	Spearman	NOISE-S	RRF	a	0.598524	0.579336	0.019188	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	540c06333edcc2b21579 eecefbef70f cc5ab4d394 b10ea2169b 38fd6124c68adb	15f56e8794ced3ed7d14 e662a12f38 36ef5d876d 7f9645aba 20ec144f695baa	f998520b035d5639ee38 3cbe95e6ddb 8b51a5dd3d 02ee4486 0c0ac10905fffc	Spearman	NOISE-S	RRF	a	0.06783	0.048379	0.019451	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	4031b34d2f6eb916ec23 67a6825c4d 4662d3376b 367ab7176b 922a131e5101fd	64546385c0eb76ea2586 d0fa79c7bc fla0229c7d 903305efd2 5b6a8d06db e4ab	7e014fd4352ceb62ff6b 6847ed28a0 2b5bbf3fc7 f218a0b4cc f4ed31b716432f	Spearman	NOISE-S	RRF	a	0.382045	0.361596	0.020449	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	bd6cbe55744eb4439f2d053aec89a255814476650eb988fe83105460a5e0a9c	ef2e9f03ba13844aabbbed47df49d2ed47df699f7ec23ee1cb11ea4574ce7fbf	d75a3158d4e400c1a83f114121e783f811538257ec23ee1cb11ea4574ce7fbf	Spearman	NOISE-S	Schulze	g	0.401042	0.408854	-0.007813	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	4a893d3c2cd150f3c4a21afc696dbbce9176801893c8f86d744bb419fe32e89	3569eb0fe2d0df6d4e44682b27fb213a1b6de57fc2049a197d39840cafd69f6c	21eb7d624a2c20abd9f044b75b5e6898c5fca36e8790e94cd364315bcdffa650a	Spearman	NOISE-S	Schulze	g	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	7575aeaa7a9e00385cf3e0e3693af18b663021acd1d815e728d531e439ae31e59	3a632ba84a32b8068de4d3b0bf9946d6121ac90e41726206828ce7ad4e8f1e59	37cf0bcbf21ec38c5dfaf1670ab50b4270eaf44c5576c8bcdedd1ca385ad6e99f1	Spearman	NOISE-S	Schulze	g	0.123192	0.1202	0.002993	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	ef6f6cbfc2bfb011df243e739f190e940a3bd580c6562eb5e4a14c45af09312	c3412ec7d073eabcbb58e30ce7eb399e12e8bc78c6b7c50a17578b4091a6b3cee	aaadceabeb17de5e65111d2257e4209dd27d7fd3fa880c4fa4b9f80d479011e79	Spearman	NOISE-S	Schulze	g	0.268828	0.220449	0.048379	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	3ce34100359a37c3396f3693adfaaacb474cf844be0cd7fc10553d429bbba3a2719394de869	c60b6104c089eb0d43dfd1e63a206f26a5a9f7aefe53d429bbba244aa01b1bab9b	9dcbae05788a7059b18e2b392ed1d4a0d5c974d2da21c6267203b71d5954ce0b	Spearman	NOISE-S	Schulze	p	0.336283	0.327434	0.00885	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	5f920d7e4c92e1112ac40f11ba609e9adf536e22af43b763843e5804af3715ef	c5655af0c7097aed2d395c890f8da2b55ad2ed75dfbbf353940567aee1837e1	9aeF2924a309f5092e7792777fa444edde50db1487b9e55eeF2b50b02357432	Spearman	NOISE-S	Schulze	p	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	28029f389be6b92a98c9f6f9b40202e7f245685349db01325611a5165162efb	7c9954f353dbcaeab4a697ab7f24cc37306a67782fd35d55eda001dfa88cb0d6	d63f24569757b4f1a33e1599c3186b04ea7465d33b9970883d4cc6905bf259e5	Spearman	NOISE-S	Schulze	p	0.094264	0.092768	0.001496	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	fd96e3c0fe3e5f300b4eb17b7137e85aff4c95a272fc3bec2831418714222ce	16af96a6d14aa9283086f9b75f02236ea4fde8d51971621bc7aa5129792822ce	c39216433be87a7a3da26bfedcb2ad979f0c3b7505fdb08dbfa99389ceed9d6d	Spearman	NOISE-S	Schulze	p	0.346633	0.270324	0.076309	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	819a7d74825b71e8d64a8e24a41d3b1587afabb03df8b150381c6ef1139b25b0	e49d6a416763b498f69ba6b161a12246e0dcbf271b4048c12f7f16250139ad7f	cbc47544cd950dce5d18f0390096753c01be1b9c218f6e8fcb5a364773fb47fd	Spearman	NOISE-S	Schulze	s	0.560502	0.550228	0.010274	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	148ec6bb05ef1b029411eae7e648184cccd2008e8fb199eaa7e8a492cd5d0fe	864d02e28606537cb8bc0cd3771532c371ef8e05a64828751fa8aef07149844b	3b535f00efb5b34dbf2350b950fec35c5058f547a4618d4ce4a8f46779935cef	Spearman	NOISE-S	Schulze	s	0.884703	0.924658	-0.039954	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	b0bcd1b7bf96c12682431e4ca25e11bac8f40a879a88836912b9e0aa8ec02255	ac4909bf738d1978cc6a3874309f5b105f336f3e1c72cac4e78d0043eba93a1	9b8de4f011aae5dde768d95e4591ca6d375f59f9954253975fbccf27448940ea	Spearman	NOISE-S	Schulze	s	0.345137	0.33217	0.012968	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	c9e6cc7698f0d20485b8f02f291730d3e9122407d0c6bd402ef8e697fdbc8d4e311	dd2e2e9b96ac16ca18a2310f2b167c9a33f28c3fba407f4f3d3a12ee0d7d91f0	76b48929e3721a2f6a3cadeb3dffa7ae7da86d7b61ee671f3fc64c3000619a3	Spearman	NOISE-S	Schulze	s	0.341147	0.315212	0.025935	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	2448e17abd87fd21a0f5ee17cb379abc7dc54d9ac45afc97a10242c10f1d479a	66dab419432a435ba4af0ad8a7706b1e8fd36ab3cef4b87f16791a5e47ce82e	2a13d5c076de088fa75a05bea43a639add512a158f53b468df791a5a0a83da0f7	Spearman	NOISE-S	Schulze	a	0.019188	0.01845	0.000738	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	5d18336815 26c8af88cf 3800bc35bd a82a7a6895 42ea79b706 f45d6a5fbe 2002	4b1c22a974 40d43a8e61 828f163422 a277a0a8be e7787bb00 a6438aa03c 0356	5cd72449f2 88980b35ae 5a281631e0 545b8c0b59 e7787bb00 629f1d341f d432	Spearman	NOISE-S	Schulze	a	0.616974	0.58155	0.03542	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	10e7d59ea9 bce5f98e07 ad2334bc3d ab911cdaa3 663af60054 9d9293dc8f a3e0	d4d79e8844 2f26f37e77 6e54f577b7 5e8addf74e 442a14f296 9c0da1181c 2998	161c089867 5946c99d62 5f160768c3 27ee160040 309884b68e 57cec430ba 0e5f	Spearman	NOISE-S	Schulze	a	0.060848	0.050873	0.009975	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	730cb6b2a2 acf78ff964 d5ac840e22 1775f67b27 2f7eff93e 062b9b2833 73b0	d8b46e1fc5 b85d4fb5a6 07116a8f34 3c8cd9b5d6 2d1c6f7bbf c5f4d30246 915c	9512f33e6c 99b22142b7 4f5d52f976 89d4ed2639 e0947697ed f10f221b7e 0086	Spearman	NOISE-S	Schulze	a	0.393017	0.362095	0.030923	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	9f8b6bd7ff 897d4ef482 4f2b6fc14f 43c042aa5c 86f93e53d5 0f4c09a3cf 04aa	f0121cf51f d5e329159a 82e0f12a0e 3f5126d153 7fa3446ba2 a6066af27a 378d	c858e03b0a c945aa19a7 1f2b834bf 2114f1103e b4f86a1aa4 f880ab58af d44f	Kendall	NOISE-K	Simple Averaging	g	0.416667	0.408854	0.007812	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	b4974c3667 cf67abe688 c23270a99e 55cb8c57c2 75a49b8bf5 82bd2e37cf 7a11	0ecd2f4c83 cccbcf02b0 b3cd4d5b40 980f4c6620 823e73c0ea b0398069c7 1a8b	1a4aaf3756 b9b3e08f3 b3cd4d5b40 8049a0e75d abc80aa345 26c9613be3 b6a0	Kendall	NOISE-K	Simple Averaging	g	0.661458	0.856771	- 0.195313	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	564ccd4ede 8962b234c5 72679b1496 1eae06f38 937923245a 020b20bd62 b736	f65476691d 47af17e0aa bca84561cf 82d6821aba 83ab265dc4 fa2ab9d209 ba1b	39b7adf4d1 42bef024b6 5a8bf9d951 7b883ed662 deec502cb1 eed13e5f93 85fc	Kendall	NOISE-K	Simple Averaging	g	0.1202	0.116708	0.003491	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	cb96db4c8e 266eb8cd51 dc1f95e0bb 07397d7ada 4c1b94dc2 880c83e436 3216	1ccf3ed1eb 4f39ab8a59 6b76070551 3b84b21c93 0138601e64 8882f31f3c 3e1c	ee3309199f cf25f745b b4d7a0176f ee8d0d57fd 0f588bd446 0c26c74c91 17c0	Kendall	NOISE-K	Simple Averaging	g	0.121696	0.157107	- 0.035411	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	ad0f26af39 783729024f 8608b98302 509c09ccd3 08b5fc4a47 b8c35e5eb2 0394	5c99f75d29 d5e279dfcd 7a69c259db f279f0a019 f9ae805b5c c0f836e7d1 6d7d	f8d3d74668 5e7c711a0d cfdcd9967e edcf5e4647 273578c305 6528ecel06 114d	Kendall	NOISE-K	Simple Averaging	p	0.342183	0.345133	- 0.00295	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	03330c0cb5 cf17d707b3 3fa37abe48 7ca0a534d8 200100351b 3ec6522e4e e30e	25b144c5b5 f610acb049 633bc3d331 48889152e1 1519da6545 18b9a395af 8d4d	4a344ee54d 97d62dd7a7 c405da7eff d5050922b7 e96d566790 8df904c964 754	Kendall	NOISE-K	Simple Averaging	p	0.734513	0.946903	- 0.212389	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	107b873f56 d9523e9a41 b94cab8868 55dbedd49f f919972584 307ac6fbf4 0ae8	201301d087 a335014368 29680b18be 421f101bd8 a90d83a5b2 1bbe0562c6 f062	7afca5c49e ce9e98e7ff 1460a018e6 c9cd98463 0b90fd388d fa53e13fb0 d1c2	Kendall	NOISE-K	Simple Averaging	p	0.092768	0.094264	- 0.001496	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	775b3429f7 b05a32be7e 05060b16ea a98f02a39e fc96580cb1 e69de36c29 0e81	7f7beae9f8 d2ab218dd7 48e6868262 d252408df5 bd565a12da a61db31601 ae874	3c3f6fc6a5 a30b98b6f8 17bdc55819 03034b321d 76d5aca2b0 856097b3c2 63fc	Kendall	NOISE-K	Simple Averaging	p	0.137656	0.171571	- 0.033915	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	3e1bc1b792 8723097396 65d61dcb29 8301681869 3be04adda0 c61f9a12d 8d82	e84eb83e1b 08fa271615 0729234ad1 81d7c78434 51ee024a64 2a487c32e4 4409	f37946c327 e8743f673b 08b4830044 a917c7642d e7ae46c9a 2893b73552 9498	Kendall	NOISE-K	Simple Averaging	s	0.686073	0.665525	0.020548	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	dbec3cd687 ebc02a7b7e bbff2418a9 195fd00e2 0cfff10a42e 0bc06d2915d d911	af66d7f426 1be9c441a1 aeelc7e649 4761e24492 5a793834a2 e0c94266a4 13b0	c43b40ca17 124f94cf72 fd3545dc61 ad916d0b77 66996a5d48 700d456187d a8e7	Kendall	NOISE-K	Simple Averaging	s	0.568493	0.705479	- 0.136986	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	3ff527db1e e5a135fb2a 5964670faa cb08749859 92e112433d c4a64445db f566	e6def4c6fa 3723c83705 7a12723035 326721002e 1491ad0f5d 2503f886bc 09ba	8db9eb3ea1 d23f9ee93d 279d0be0d5 43d51ae673 4270eb5548 3615bb39cf 031e	Kendall	NOISE-K	Simple Averaging	s	0.387531	0.37606	0.011471	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	a44c111737 e264949ceb 1ebf8cc014 258efa4012 0394839c34 88a78dc359 b5c8	0f1848f881 afb3151068 e499c06292 5d879617a3 b04fea03a0 b7184c5118 8ef0	c2819f2430 71a5bcf510 212d7877e8 74facf3b9f 94486c5533 8a48a6ea5 21c9	Kendall	NOISE-K	Simple Averaging	s	0.224938	0.262843	-0.037905	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	7ec2599b55 b89f16c7fb 4ae2c61521 00ba7ed186 449f478ca0 f240dae00d 45b1	d48fe8ae26 fb6308dbce cc34e1819c ae46eb0252 37e7bccf7c 47f1eale19 561b	d68f79ab1f 419498c76c 50bd1c331f 557d723bc0 19714ac8ff 91b015e7f2 da76	Kendall	NOISE-K	Simple Averaging	a	0.03321	0.027306	0.005904	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	4d7f2f5acb a28df80cbe 7b9e3bddb0 1a08c88b79 d290bd63d3 9829b0670b c585	4954f079a2 f990dcf466 e7ff01fb7d 6488314edc bd4d7565f6 61c6be871e ba41	92007ed50e 1a9491336b 26a7d616a 8bc1d1dd94 6a5fa20325 226b98de89 7cb8	Kendall	NOISE-K	Simple Averaging	a	0.59631	0.62952	-0.03321	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	4fb9e9ea86 802882a2fc 893e9ba01e 1a8b269f46 bf613af02b 1977908665 972b	080aeca75f 5ba4a30aee 802669929 b8daa5320a 7faae33df8 5955f5ab9f ac59	a03f6e3a4d 4fb66526f9 965307a36d 22a60afd0a 9808901ce2 16809d7297 8f80	Kendall	NOISE-K	Simple Averaging	a	0.067332	0.063342	0.00399	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	fd2d2149e0 47a24a93eb faa22f60d1 bf182bdcd8 14db37f43a 2fc25001e5 7846	a3b2cfd654 3aa85d536a 9f746c897b ae2829ef0e 31313be5a5 e975624e8c 5ed7	5f39663197 ca7a45e072 6349f3ac6f 782b0f2522 3ab76aa767 be48b22c6f 829a	Kendall	NOISE-K	Simple Averaging	a	0.369576	0.378055	-0.008479	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	369e9632aa a7ee166bd6 dff1f9e33a c330b318f4 0313e3fed9 b4b87cc389 12ed	e0883a610a 7c4f5f67d2 5dff7b5b79 bec52c4ae1 ea1b279d5c e877b2286e 09e4	ad6973f189 1fa00a0adf b74ae63f67 444a85dea2 4909599a5b f2434adea4 e47b	Kendall	NOISE-K	Borda	g	0.424479	0.40625	0.018229	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	68b01ed13d d2adce9dfd 412df66934 da6735acf9 196dde54ca 1ae08633d7 4808	53f7c15b59 b86a1f2aab 0566be4c0b 97d543b484 146ec1f904 ac623cc90 97c6	478bedac25 b50dc30d7f a42c71680b c6d9fee024 7ed141af36 f627f3498e f7c6	Kendall	NOISE-K	Borda	g	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	39cb71771e 6f78f84e68 11d2508d67 632e2b3de0 884b6a034f 195c66bd3f 5f46	e53ef10429 64fd9068c5 91e758f320 c5988e1ab9 bfd9042c57 08438a9a2c 4d23	73265bbf0d 9c2a0af2db f4cdc02d36 aece0049a4 f076ef9364 753dd388c8 e754	Kendall	NOISE-K	Borda	g	0.122693	0.118703	0.00399	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	8cbba030fc b2f3f0c80d 90a50986ce 33538137cb fde4ec1c40 0b44f2e465 e93b	cdab242f00 dca8eaf64c 174b33f4f9 8d19087705 4b76932774 632de5c5cc ac0e	a74faf1078 0bb7afdf6d3 71797e97ab 3fb78d71ef cb2543060e defca4e7af afa7	Kendall	NOISE-K	Borda	g	0.227431	0.21596	0.011471	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	733729c5b6 1673477215 8475a6efe8 3dbf3b078e eebac36fc5 80e18b19ae 1b9f	4ed820e939 956a5d751f 008b4e7897 003cfe88e5 2f6f4b5690 a0a7386c2f 5cc0	68ccc0ea98 a43f552f0b d8c2b59ceb c4cc219027 56a70481cf 58e16ed908 6770	Kendall	NOISE-K	Borda	p	0.336283	0.342183	-0.0059	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	fc4349dcff f007e0808e 628917a7c1 9984b63fd 930b8067ac cd7b446538 197d	71a55c3b05 51b8e4274f 82649ca815 ecfa4a3579 cn0b27b823 f2b6d9f7c9 0e7c	dac699f4c3 291325513f e5543a366a c4ef208f63 64d43ee328 ec76b55510 0bd4	Kendall	NOISE-K	Borda	p	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	6c8a12e8d5 798547f002 6cb91e496c 1c4ae611ef 3a80e2b691 5e459d62d c298	4f3c33f831 aa76786c00 e143b6455c c8d8bbc637 9f40817e3a 5a20587f70 50b5	ddea88e609 b87a8a0691 4829c9e4e5 f390aae57b fc459cc767 6ad04440ee 870d	Kendall	NOISE-K	Borda	p	0.094264	0.093766	0.000499	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	6609fa6253 6598604792 79beaf7227 5797266b9e bfa5fc49f6 d2e0d86825 0c0c	880c164ccc a435b103d0 14d383f0e5 e9a30e48ac d1709a9c4a cddd947f88 c01f	4e76924dd2 0f643ca1f5 d870dd5003 4a4250ab12 536e7b0cf05 7ab6091697 f53b	Kendall	NOISE-K	Borda	p	0.276808	0.263342	0.013466	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	c6314e66da 56ba04ac88 a51f38482d 0bd4961c47 34a698cad1 57d93d4927 313f	077a998c1b 87f6460128 49973217aa 46f3e9e09a 4120b6a5bf 8c7b5bc0ea 3597	5ad173db94 d84170e401 19d5dc4d14 82c7b36940 262fc7df14 481b8fcdcd4 b71c2d36bc d77f	Kendall	NOISE-K	Borda	s	0.657534	0.577626	0.079909	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	20b9f0f7e4 f6a37f238c f16661e1f7 c85768de74 0aed42fa3f 7368663979 fad2	77eac7f9fd 5a9713f91a 02d0927526 67b9a36238 acd38f3e1f 213decf33a fad7	5ad173db94 fdbbffd4dd 4be9a85c5f 860ca9f976 eddb92be4c 22c8df2711 85a6	Kendall	NOISE-K	Borda	s	0.787671	0.907534	- 0.119863	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	64a2019647 d95228badc ac018dc375 defbba4f23 f3ddb38c75 483e2bf725 94e1	3cfb4a2234 d996edf8f1 13e9ed9b58 a3c1f33fb9 ab57a789bd 311152e546 5fa6	3118034bd5 33c77e75fb d5a65cb34c 276995e651 a6c5165353 75f3c33831 79f	Kendall	NOISE-K	Borda	s	0.374065	0.345137	0.028928	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	131915f987f 9a9f9e0495 58666fb112 d819efcfb c0e70ee47a b78d98dbc7 381f	7230c950e5 173953cb47 f51dec528e 8871398b01 f64674ca31 dc4da0a0b7 4998	6a2977a692 b9a9159b50 c098003388 eod202689b ff079e4376 55d02aaca2 15f1	Kendall	NOISE-K	Borda	s	0.306733	0.312219	- 0.005486	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	eb75698870 561bfce971 78298d11005 56b961f1b1 cee3a22f76 37aa233d84 df79	4f9d645bed dd90d76296 8d7527e22a 7c1eca3bac 0e088022fe bdb3bc3d1b c42a	adefef6dd04 a297a41bd1 384d9548a0 791a1bvdce 1b1df2557 1cfb21d167 bf9	Kendall	NOISE-K	Borda	a	0.033948	0.020664	0.013284	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	4c872dc0a3 06191b4d2c 8e024818f7 0b40121ce4 930a08abdf 94d9ff8b67 d6cb	10fe5a09c 28662f4e7d 4c98d58157 bb6774b055 629763dbd4 9e0bdf9c0 2f04	8db657aeef e163211e25 6bb043c2c5 279ac9335d e66517c34c 941fc34fdd 1a70	Kendall	NOISE-K	Borda	a	0.628044	0.57048	0.057565	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	88a48a7bc5 adc0ebb94c f8ebad9f39 ee03d526f0 1b9fd3bbbc a6241ef387 b3e4	22d446ec44 d1ddd0a47f 7d81e6bb7d 970fed343c 4257a35c5b 1f8eb53b54 681a	bc771ddb55 d278564931 486fab77e 9131f7f1a1 5c31108900 c3756e2877 405d	Kendall	NOISE-K	Borda	a	0.078304	0.042394	0.03591	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	a30bcc958c dbb01c2c6f 085b1ad0aa eb39dfe154 6bda2f6293 571eeaffa7 ca6e	8c2aac75f9 f0e9ef91b7 efacc2249d 0c45eaa585 83fa1206c7 a90dfd7347 cbf1	71fb52969e e3509edd2b 314dff248e 24044e516e 7dbd448bc3 2e4c94f347 ea1e	Kendall	NOISE-K	Borda	a	0.395012	0.354115	0.040898	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	aa3345eaa9 6d2d886b97 d2fd4f5895 e146afc26f cf8a46ca10 7348c55f33 7b1a	46953cbcd7 a99d7daa6 f4c5b12275 ecc933057b b7b6dedda8 a34fe095d f546	43ff4fc8e 582c2dce95 a65e2add0b 45e32seee0 981bb0976c 2cb94a7291 c5ad1bc372	Kendall	NOISE-K	Kemeny	g	0.419271	0.395833	0.023438	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	0953eff953 ce23bb177e 3829a75853 0696c5df3 ecf8d17bcc e0d6e0bbc5 5033	a114f3bb7 498e37f888 0c4afe47eb 99efaccec3 589b77b65e 73fee62e3e 1d3	b938f3a3aa 536a1787c9 18850eb00b d13a975317 8fc668b538 73f5	Kendall	NOISE-K	Kemeny	g	0.927083	1	- 0.072917	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	3dfaaba0c9 ed4fd78b3f ee7a5dafc5 5977e68496 73a713cd5 f7feefbc50 adba	5f9debb6cf 33bbaebbcd 514da0c971 6b07e68b3f 326da36b2f e4baae1f39 e7a2	3fef5e5e9b 21307a3065 602a6757bc 5dff1978d e957d2749f 50bc7e78e6 223b	Kendall	NOISE-K	Kemeny	g	0.121696	0.119701	0.001995	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	3c50e663f3 e3a176e5c7 a3054bae43 87198ce517 e5cd24684b9 039ad1ddb3 b4e7	23f48c6ad3 092f1ee02a d9ad27d825 745c43fa47 ebcd4aeab b59ad1dbb1d b7c6	a25393c141 d7f247d1af d107898b7a fc5a1eac73 b3229534cf ee3f	Kendall	NOISE-K	Kemeny	g	0.243392	0.228928	0.014464	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	02ed7b2127 ea8cd65897 9c85cb847b 2dc05260ac a8f1b1237a 0dd43067d5 1f0d	fd73d51c66 c07a31ad09 349befe001 e5d1f3b327 827259533 93038836fc 9c90	ead967a0b2 0a0a31bb2 4c383c9202 e62cd2aea3 a2158653c 34645b7788 09b3	Kendall	NOISE-K	Kemeny	p	0.336283	0.330383	0.0059	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	9b28ade851 ed0b69bb3b 00e8935640 41ff776c71 e216f7d275 9e045ef744 bda3	e6e7c2413b 046b198866 0c900567d6 a000567d6 aab3c1a81b 71da066b92 7105423d6a f527	c67abb0ff0 3827e2ef1e 4d5328f0ed d70075f1dd 0cb345628e 418e0ec400 9ab7	Kendall	NOISE-K	Kemeny	p	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	f5931085c2 eaa527d14d a22d9b5fb4 e6708012d4 4208a4a545 b94557e509 c143	212302107f 87bb8e6629 52c9845c1f 7b37c807cf 1708d421e8 e4fc3868b6 c3b2	d3dd230874 ba0c39e990 0508c59fa7 e137f21b9 0fca0e3ab 50928f902c 9243	Kendall	NOISE-K	Kemeny	p	0.093766	0.093267	0.000499	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	97f83c09e 442c0c4e0d 9b06cadf98 b1516c30b3 d4f5511072 27a6c4020a 24de	fd7b30f4f1 8827795348 0b6638926c 74563586da d77773983b 5d67dc2031 0018	428436cb35 4201a1d90b 340d1bd861 e375967889 5a2860ec03 9b9e0a3125 e699	Kendall	NOISE-K	Kemeny	p	0.296259	0.276309	0.01995	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	8aff77f379 6052b2d256 8f6c032128 bfd12ad217 77acd69b88 d92645cb6c 1705	09272ca3d1 f31b97fa6 c7177f11c 5f87837600 75aab414ae b3f689a1f1 619b	f41a48caa7 181b82d148 b5c0543b14 549b78933b 12f18a1bc3 38a8c18721 f298	Kendall	NOISE-K	Kemeny	s	0.642694	0.553653	0.089041	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	5a6e1fd30 8dd0bb34e2 dd2384836f e6798aa16d e4495610fe 072827db1c 39bd	54b380d4f8 2dfdb58e51 5c990cb71c 34051cd1fd eb437a7346 1d9c74ca10 d9b2597abe	e1c1fa8af0 ef7539ec15 6f0cb1a162 304dc910a6 cbb025a65e 8b96396f40 474f	Kendall	NOISE-K	Kemeny	s	0.728311	0.906393	- 0.178082	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	bc92c4aa5a ec31b0f6fe 067b048308 e477ca1482 8f18c40448 6188317d5 9f11	d9b2597abe 54e9e68be3 0790e8dad8 3a81e09a99 c473d89d53 329bdeec54 c6ee	ef9cd3d7f3 71f808fa32 1bb36787d3 d504b941c1 d194b30d5c fd5fbaa82 0cf6	Kendall	NOISE-K	Kemeny	s	0.370075	0.333167	0.036908	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	d43275e303 0564800654 954127b8b8 f169cdf002 1f6f1db85b 1cc478a43c 5ad6	d81f5d6ce4 cd34c0f4e1 0635efc64f 82da9885cb a4b914c076 11d069f400 324f	c55577e339 1f84550e1e 8b172bd69e 41c3c75564 51e9f66514 fb34cc986e 2a57	Kendall	NOISE-K	Kemeny	s	0.304738	0.320698	- 0.01596	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	4774265823 30e01c2b5e d780ebe532 8c0c47d682 77aff235ea 616a500aa6 44d9	026e425a8c ee4577a213 0211de016f 2cc6445afc 0fa08dedca 92cbc4252e cf3e	09f41d7f97 63147b7bdd 565f7da39f 7c7722ad78 a40542fc19 01cfc04f28 27d8	Kendall	NOISE-K	Kemeny	a	0.025092	0.015498	0.009594	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	93578a88e9 c83250bdc2 5603514efe be272ecda6 0a4f515402 4466ccf000 4ed3	e9c09029d5 a1114fdd54 90479bd4ed 42f4579c62 9fd47b567b 0507ee13c0 397e	4e925a010e c2cccd8272 364c0563e9 963a022beb a6e79c206e 7489a55824 9f2f	Kendall	NOISE-K	Kemeny	a	0.598524	0.579336	0.019188	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	2abb620cef 56604cf8a0 9c0583c5bf 5a49fa2fc3 aff9141b9d e0f053d00b b6ca	d8911536e3 85e5eb434a f9de300d4e b8b0261935 1fed42ccbf 9c07da8078 d8fe	c46a3f846d 67c1c8f15e 14c788b30b a9cbe27949 db9159fc56 315016dd3b 778e	Kendall	NOISE-K	Kemeny	a	0.072319	0.045885	0.026434	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	404bec1c5e ed5ea2afb6 1a78906f82 6ae440c144 5a8bc4a3a8 a071ad935a 3995	09b08104aa 1cef3ebf41 f3c713d3fb 49452bc796 6512c58912 e58f9bf024 643c	7761ee9404 34a147e050 f96fd396d c526f5e9a1 67010fd47b 0204b1b78e 1fd8	Kendall	NOISE-K	Kemeny	a	0.382544	0.359601	0.022943	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	41babd24d0 29d3ac2ea9 a5b5cba6b1 3ea2558163 6e9df9b61 4f556f99dc f8b3	2e5c6ad848 5a5037c92f 69fe9803fd 054c883bd7 b487cbdc85 3203ad59f2 66a3	ab31b30082 1149d19fed 7d7f4e43da 95947d0e24 d9f7ba62cf 46c0523db2 5f7a	Kendall	NOISE-K	RRF	g	0.419271	0.401042	0.018229	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparis on Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	05bbe4b146 ce7fdfd2c5 03765f652b b5ca37450b 458c33fc25 3b31802192 0cd7	8d299c3f1d 5e063d6f65 e43d7eladd ce8d431f79 48fd8a347d f9aed6129e f7bf	6d3ac247e8 ce7db19cd5 9d1c6bcc0b 17512ec239 9ae475a271 ebc0d547ab 9213	Kendall	NOISE-K	RRF	g	0.921875	1	- 0.078125	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	ecd8f5b002 aeb6086f6a a6e063b1ab b5ecb22d57 e6169249c6 4237862ebc d42f	8b2cf4d6c8 f2950a87ec 9dfa1ab4fb 817de3fb04 d4876cfa3c 24e6520300 522c	b5cad971b1 f03d367d6a 49e76b4c6c aa58ee653f 3dba92dd1e e995163f29 6145	Kendall	NOISE-K	RRF	g	0.121197	0.119701	0.001496	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	4a8bedca19 ec088bab7e d3f8ae0176 609f0782d7 91b98acf62 42d49f33d2 1965	ebefb0ff1f e15e8b319f d5837bd245 5e1ed1d62f c90120cbdd d1b28e76e4 f37b	a3a638c35d ce58020011 93c8a008cc 4ba0b5448a 39e2974c54 20d8fe88ee 29d3	Kendall	NOISE-K	RRF	g	0.245885	0.21995	0.025935	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	b172930d20 609a22cc1b 7dc4773fc5 cf3260ab91 f2956d8ddc 79247dd2d3 d0f4	26cd5bbf5c b16f45aea0 ea052ba3db ea4fb38572 3f492f359c 3e305c3a40 2585	e6e06b7da8 db32c5aa7b a047d345b8 3a655a6f74 2f9c6ea085 c15869485d 6d22	Kendall	NOISE-K	RRF	p	0.333333	0.333333	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	a6e030d601 01e03d5038 53d57af532 7f1a72b6c3 918dc0eb1b 2880b9db91 b003	5f4721649a 628e815f2a 168db1a940 057df5452e b34e9a87a1 d2af257e07 81ae	f2232db303 7b96dc760a d83bcfaafb 7c751319bd 20d224bab4 2496f7dbbf 7fda	Kendall	NOISE-K	RRF	p	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	65ca566eca fe03d3fe7f dda945c89e 9cdae5ebbf 861b2f4176 c86f9933b1 aa9a	2bd210dbfe d0e7aa99cc 773a58ce0d 4e0e9f31b1 28a7363d42 688d3e2e64 83e6	f1a6548fef 3bd55f2958 ed9d91da49 12377a4f70 a2c891c4cc 82f9cccad3 27bd	Kendall	NOISE-K	RRF	p	0.094264	0.094264	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	ea749b65f0 9cc6ede9d7 6ae93c44ea 92063bbbbe e3e094be52 7063ac066d 4794	826cb8eccc 06e24d2382 91b5f420b4 be843715c1 c21ea97e15 5b58b09f2e e348	811881f1ca a5eb8ea6972 f5fd16df63 b5acb6aa64 c3bd546a30 db551924cf ce79	Kendall	NOISE-K	RRF	p	0.300748	0.26783	0.032918	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	9c302315a7 de93759d60 0fd3ae1d64 247a1bd4eb d426818dba 2ba6147bef 805a	86c598e614 f39d50bd3f 7003c93be6 6467a3ee82 de73a7045d 4a079db292 e05a	f0af52c452 8064fe8de7 232267fa08 ab0fc83ca8 9f40732804 966ce04a98 4596	Kendall	NOISE-K	RRF	s	0.650685	0.553653	0.097032	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	7ae7ba1500 9b3a9747c8 829b6aa4d0 436b6cdc62 037cf8dd01 bb99adff62 fd7d	40a39cd82 8fb7c11f45 ce0f3d0f5d 5541132bf8 fb297a2750 989e2b4310 921a	50cd33fde1 f914b888cb c42828e2f6 3075c6c7d0 94f5fb3926 10a6c6be7d e616	Kendall	NOISE-K	RRF	s	0.756849	0.944064	- 0.187215	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	a0cb3ba7ac 137d8b21ca 596b7231e1 1d17617a47 36e83cdce3 f28076b470 5f99	31582423f9 d66d7948d0 6a0a746136 feac70fe6f cebda90b7d 752b2eef6d d3b5	60c8cf2209 3e904a78f7 68343c24e9 beba65cfaa c53666083b ed6594c016 4f30	Kendall	NOISE-K	RRF	s	0.373566	0.334663	0.038903	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	58fcc7eb31 8e6332980 be07996692 423155788 2ea2399f0d 34ae40ed33 41e8	57c52d6551 2955099402 e73b842324 9752f9d773 b2b3e876f6 4f17496dc8 8c07	08cb279db8 1684fe1158 db8768d8e4 c62a78e64e 6b7bbe3928 b6bf067f2e 0b60	Kendall	NOISE-K	RRF	s	0.304738	0.322195	- 0.017456	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	d6725058c6 9cc138f84a 1accd3283a 194de850cac bc32c302a5 3f9e1925d1 2c32	4763795b88 fd81c91541 c83e83a997 186bed57c8 b2b6d22c29 df66d0662f 5cc0	0a0c37cd51 1ee17117e3 2a81f8a4bc 32d8a71469 6fa4185563 bc4fe2134b f46e	Kendall	NOISE-K	RRF	a	0.028782	0.019926	0.008856	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	7b8b973202 81f051ad6c 365943d051 86d9be481b 756840acfe 40cb2bf6960 d75b	8baa31ab53 b837d86cc6 405a5080d6 6b4924ac58 3b62d985b0 40cb44ba6b 7d29	8ef9f96e9 a97c6e270e 7b7fe59bb 09cf8b6bec d58124d828 7b9649b187 6357	Kendall	NOISE-K	RRF	a	0.609594	0.579336	0.030258	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	0a6141d5a84973b6536e42a6bb4107a5725c1ef090609da88f0f3457eabd2a	fab435e68c55f3c536e79f308903ab758fa416d6d00aa484de69dfe2c21ebd2a	f998520b03545639ee383cbe95e6ddb8b51a5dd3d02e0e4f860c0ac10905fffc	Kendall	NOISE-K	RRF	a	0.073317	0.048379	0.024938	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	a46eb5f926ddd5f903688114243301c4869ad9575ff936e55006568df306eb6e	0909ef191207f4ac3ae40ba5e153e9f753cc70c6ce911f1d567194bb06f3900c	7e014f4d352ceb62ff6b6847ed28a02b5bbbf3c7f218a0b4ccf4ed31b716432f	Kendall	NOISE-K	RRF	a	0.393516	0.361596	0.03192	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	816c5a552db5e2516d4096133b13dfaeeac98026769cd4d4842a07114533227d	c5886c4eaf75a3855423eab1b302b610ea3660f4bed95109b128cb44ecce347d	d75a3158d4e4000c1a83f114121e783f811538257ec23ce1cb2a2ea4f0b6d30f	Kendall	NOISE-K	Schulze	g	0.424479	0.408854	0.015625	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	5c3426cf8fda41e146b13c45a3e6f6c65c09906fcc11db827e93ec3752fb	ea0316e75cd6472bf2974cb99c5f4380b89b72d02520316d9842e308e4357a81	21eb74623a2c20abd9f044b75b5e6898c5efa36c8790e94cd364315bcdffa650a	Kendall	NOISE-K	Schulze	g	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	b11a12de47f43bc50f04d0d67bf4bb0304ea198dcf602ef522e617171b0a66	3bcd9f2c69c3c234ce7a6c5c7b5e0b1670ab50b46c03fad8592a1958f446d9e1c2cffd229	37cf0bfcf21ec38c5d4faf1670ab50b46270eaf44c5576c8bcdedd1ca385ad6e99f1	Kendall	NOISE-K	Schulze	g	0.122693	0.1202	0.002494	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	12e6464e1db0af3d9b6db61f3248af599d446d3591a3430da6d0b4df9b1d4cf2	ea872d39a0fc7e00f4ff6a8070171dd4c06215787675e0052d55875ab3cc5b8a7	aadcaeab17de5e65111dd2257e74209d427d7f63ff880c4fa4b9f80d479011e79	Kendall	NOISE-K	Schulze	g	0.229426	0.220449	0.008978	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	bcbd7efce40ab95b0cb0b7ceecb592e0833fedd241e045e271c6dc0a3fc0a63	405677326426251d10fe196d96022babad159f3a04c5e807423776bf4a92cce0b	9dcbae05788e7059b18e2b392ed1daad05ce974d2da21ce267203b71d5954ce0b	Kendall	NOISE-K	Schulze	p	0.336283	0.327434	0.00885	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	402e825279461534189011321a9c4326b2febba6467c852e83ec255fe7c80173	f59ddc8ee383cc734be7ded58d2cfla43df356a956a99729f3a3523f0497432	9aef2924a309f5092e77927e7fea444edde50db1487b9e55ee12b50b02357432	Kendall	NOISE-K	Schulze	p	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	10c867affe002e47bd57c4c873ef8c278186961d5c1737884e342d9995eb	8c07df8eeefbc7568a8e20de28cb266af7d0bd92666b8a40004d75f32286777	d63f24569757b4fla33e1599c3186b04ea7465d33b9970883d4cc6905bf259e5	Kendall	NOISE-K	Schulze	p	0.094264	0.092768	0.001496	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	35e021d7676c38c5e1c2294f5f95c6ecd8d481893687e3396993f45c932fd931	27342a7de7303c6e1c90e71d2ff54bb739e893cc852256d20b6857211dafa	c39216433be8a7a3da26bfedcb2ad979f0c3b7505fdb08dbfa99389ceed9d6d	Kendall	NOISE-K	Schulze	p	0.278304	0.270324	0.00798	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	339547b04437f13122338bdf0764623cd436f8e0ce7fc37aff98e16812a91f40	34c00c785f9a509f5be6bd5b76cc8f92c53b80b109a3c142028a53315abd5b3	cbe47544cd950dce5d18f0390096753c01be1b9c218f6e8fcb5a364773fb47fd	Kendall	NOISE-K	Schulze	s	0.656393	0.550228	0.106164	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	6d58096cdb46a4ae1ef6df10ced94500e711988bb08f93f8d295f232aef6b71	d41ed0d428ca66241f534a7b3a1b2c5e77d2400885f91f9773228e5f8f77abb	3b535f00efbbe34dbf2350b950fec35e50585f547b4618d4ceda8f46779935cef	Kendall	NOISE-K	Schulze	s	0.787671	0.924658	-0.136986	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	d4d3da34823bcd497ee62f2d4b76d08e045f47b24f3ca85503602011634defd	82f888f742ec670ba7cd21961cd964f8c07303bb8eb6341b2acbc5341e93fa4	9b8d4ef011aae5dde768d95c4591ca6d375f59f9954253975fbccf27448940ea	Kendall	NOISE-K	Schulze	s	0.374564	0.33217	0.042394	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	0bf3cfa67d4024ae14e02c16a2fa72c102a24a0f47680eed986cf3655987fa7d	9a0b639ea59b1ab9126472141a427e38843b2c191df3499fd2f8b572a04c352	76b48929e3721a2f6a3cadeb3dffa7ae7da66d7b51ce671f3fe64c3000619a3	Kendall	NOISE-K	Schulze	s	0.306733	0.315212	-0.008479	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	0d24a5ead59fe28c90060043c478978488d67a123658c727e15f62afec8f932a	014419df4fe73b69a47d28f3eb2ad6e1c7635b4aedaaa6c02d4dd028ab4c860d	2a13d5c076de088fa75a05bea43a639add512a158f53b468df7b1fa0a83da0f7	Kendall	NOISE-K	Schulze	a	0.03321	0.01845	0.01476	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	4b9363acd3e911ffa716bf056525900404cb152fcaec4987e9a38dde5935598d	cbfec16a12f42334429e0d9d53d39c8f4e189092540f468a60c3005f940dd491	5cd72449f288980b35ae5a281631e0545b8c0b59ef7787bb00629f1d341ff432	Kendall	NOISE-K	Schulze	a	0.630258	0.58155	0.048708	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	faca04ff4440f0acd8f97f0c33e845e53604da95b8b5f5b74e809f48a57dc7	4884e0aed2fa1bf924bbd40b597b0957cfacc05ff0114784b430b359a0fe2575	161c0898675946c994625f160768c327ee160040309884b68e57cec430ba0e5f	Kendall	NOISE-K	Schulze	a	0.078304	0.050873	0.027431	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	598e73f00cd70314abf61dc837530cb32e9447ed64d5f60500bf03a0b8f0317	b5f93ab50333ca3947544be8c340083f193c2220c12a8852aec155f0eb17cd555	9512f33e6c99b22142b74f5d52f97689d4ed2639e0947697edf10f221b7e0086	Kendall	NOISE-K	Schulze	a	0.395511	0.362095	0.033416	win

Table 169: DermaMNIST-ResNet-18

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparis on Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	3768165be3 90d0c5db80 3e0413b910 fecbdb2455 f02f779053 22103b7b86 efe5	1	1	0	tie	0.633279	0.639417	-0.006139	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	67d3322a25 db45122dcb 1abfc08f7f 1a210dda7e 2112fd84f 3173ccbdbb 6c5d	1	1	0	tie	1	0.925619	0.074381	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	365fda97cc ab42ff3512 df45343a48 8df7b23257 4700bd6be1 43a0240cb bfd2	0.393651	0.414894	-0.021243	loss	0.22066	0.220049	0.000611	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	240fa05e7d 95bc2a7ff6 81979bfc9d 713f3cd9a 22bdb071cb 8ca0cfd114 d0b5	0.66035	0.586592	0.073758	win	0.386259	0.303575	0.082684	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	cc811645c3 f702df9afa 59338a46c0 59258f693e 13d05c0e33 3f2383feeadc15	1	1	0	tie	0.572218	0.58748	-0.015262	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	1c04cb9b49 ecb4ecebca ad09a16d24 8c543627f 3b28cd2a24 51b583ff99cffe	1	1	0	tie	1	0.973089	0.026911	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	012e54f891 3426066d07 3e3eaeff91 4eb51825a7 c833025406 1d162762ca 955d	0.3	0.335106	-0.035106	loss	0.168165	0.177732	-0.009567	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	3b257e1442 b53ed93c5f f0644afeb5 d2de78388e c0de69182e 5146dd2b1f 1068	0.906706	0.640596	0.26611	win	0.53036	0.331523	0.198837	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	926fba5eb8 29bcd2dcfc d680569560 4b7bec0073 888e321455 f936cee6b56eda	1	1	0	tie	0.759265	0.815797	-0.056532	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	fa32eb5cbb 197d31593e 69ffe99507 7c287c6202 90fbbe4e26 65694ac51d 56f8	1	1	0	tie	1	0.839928	0.160072	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	b5b53c3fe9 50cde5faea 417d56c362 a479d9a8ab 4749526ccc a9a90b4086 ca4f	1	1	0	tie	0.592556	0.613237	-0.020682	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	9f2348c32d b1bbbd70d3 eb73f0b33b 149a11cc19 297d5d4515 76bba141ff8593	0.998542	0.981378	0.017164	win	0.584079	0.507886	0.076193	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	6408ac50c1 74ef2f327b e48c3aa9de 3189e441d1 f318427651 aa1945eb36 bccb	0.219963	0.310695	-0.090732	loss	0.075377	0.092108	-0.016731	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	9039d102e0e976c89885ec9a71f1f75576d44fc123001bce989b372dcd7b5d9af	1	1	0	tie	0.795281	0.793423	0.001858	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	1e155dcff909dd49257020685e4cd7cc057a9eec978875fd618d3f171b728824	0.219048	0.225177	-0.00613	loss	0.122787	0.119428	0.003359	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	3cceb9256365a3e1cee466f520efbbec92329598d1a917ada38406915b981873	1	1	0	tie	0.640293	0.614862	0.025431	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	19d79eeec6a5cd7a407c937f02a1d76ff134cb46bdd87fd822e061f314fb0f4c	1	1	0	tie	0.633279	0.637377	-0.004099	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	975a2af274ff7416ca4c87c82290a9a99730e697f5aff47f89217cf2cc329128	1	1	0	tie	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	a55a861c8c8c5d55a0dc b6e495caf2dac371e93e5f7cd55cef1fe3d4c1671946	0.405583	0.44403	-0.038447	loss	0.223528	0.229582	-0.006054	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	88a8ec767d72ff5a55f0517879513da86f01bd2ba622646aa803c90d5c2d7608	0.781159	0.778777	0.002382	win	0.458255	0.410103	0.048151	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	5398b3a7ea8d730f7a9dc2e3b940dc6ae762321ce7a171b7604119584d99c742	1	1	0	tie	0.579899	0.584964	-0.005065	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	7b23f7987482de00dfcd2f3256c7aeb99006837a868fd6d65b6c2e774b176ab1	1	1	0	tie	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	f0b71a679f84a012fdd7992c42faf17bb0b5d3ce8518b28a991948c39e22a0fb	0.310345	0.350746	-0.040401	loss	0.171039	0.18135	-0.010311	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	bc33c44da617d917e256175d5d09a762b5edbbeff0b5efd7357a	1	0.94964	0.05036	win	0.588756	0.50008	0.088676	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	d2d1fd1c1f1c01b44fb6fe96e9a028b4c613b46ff80c7cdbc3de7c1e65e8c90ad9566	1	1	0	tie	0.748667	0.760017	-0.01135	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	55e041dc449bfb3a54c2bf2827bee86974e3177a5099a7eb17603af696e682cd	1	1	0	tie	0.940587	0.952646	-0.012059	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	98c0965fde d1b063c18c edfd9a749a fbed743fb 5590ccc97b0 29ee109d8c 4a19	1	1	0	tie	0.587484	0.587484	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	b8f97bbf04 0f6d1a8b8f b599e29c35 f403bf03c4 5dc3ead05a 885629f52d b9c4	0.991304	1	-0.008696	loss	0.581533	0.558766	0.022767	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	189c21e963 9a596552c9 14467a2a05 3b73ad96ba bbf36a2a19 76e9e95a053f96	0.160375	0.271644	-0.111269	loss	0.055474	0.074922	-0.019448	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	c66acb46ab ba99ea054d ffdeabf671 717d690d76 50b19e2f94 374e623d11 072b	1	1	0	tie	0.785477	0.755301	0.030176	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	94e6a2b5f8 781399b817 d80c4a74e0 b57c066d67 94d1a75be3 230c7e4356 57bb	0.200328	0.158582	0.041746	win	0.110406	0.081993	0.028413	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	570d769eef 56915853dc 16db1534f9 5036036dcb 294fd619ca 9e08e4e067 56c2	1	1	0	tie	0.626911	0.595075	0.031836	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	bb066863e2 bb55f6c9d4 4a71d5562a b9462af660 701df64289 574cbdbd04 b77d	1	1	0	tie	0.633279	0.629153	0.004126	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	8ac5b59c4a 5d5e72db59 18bb83ded5 77dfaaec79 db82b2fb4c 6ffdbb11c8 dd12	1	1	0	tie	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	6c3ab5685e 913a7f61e7 9fe86f49a9 58e0359bbb 3852e3b129 3eb5e23895 f73a	0.405583	0.434783	-0.0292	loss	0.223528	0.228131	-0.004604	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	6416269ab1 a1dac76629 94b680233b 8af5d4ab0c cc779ce9b2 c17337a816 eaba	0.781159	0.812389	-0.03123	loss	0.458255	0.431252	0.027003	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	114b88feb2 c486063edf fc76512080 a302d8544 d133ad8688 5276e13ec1 7476	1	1	0	tie	0.579899	0.57479	0.005109	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	7ae548a5fe 8dea1db451 3ed720b16f d50c66ce94 0361a6c690 8221399577 0c50	1	1	0	tie	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	ad02d7d039 47b41c069b 51ef596bcc 8f851aeb8d 48e3299205 0b29b9dbc0 3bca	0.310345	0.338768	-0.028423	loss	0.171039	0.177752	-0.006713	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	ba488963dd 2015a52027 82fe1c532e 0367a9047a ce74461d0e 2727cd9a21 fd39	1	0.980531	0.019469	win	0.588756	0.520509	0.068247	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	f05a39f7bf a2af905080 38fe4ba2c0 788bcce770 94960185be 3226a1c6b5 88f3	1	1	0	tie	0.748667	0.744079	0.004588	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	5e31644f4b cf6297b617 ce2b8f961b e897b16f0f 30472cf4e8	1	1	0	tie	0.940587	0.952047	-0.01146	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	b759fac3b2c2fc e83305efad a6a796da29 a0a408ede1 3fd656401 b592e43f71 b30c7838e1 7446	1	1	0	tie	0.587484	0.577206	0.010277	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	ec1d7184de 722786ef1b f1a8411742 f0f973741e 75a9313b80 0451a56ab8 19c7	0.991304	1	-0.008696	loss	0.581533	0.566302	0.015231	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	0a54d1c93c e23bcc1c0a 3fd55cd870 46fa85d4c1 a542eb9473 f2d1d80722 9694	0.160375	0.196117	-0.035741	loss	0.055474	0.055131	0.000342	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	b66acbbeac 95f09fceb2 bcf1d05d07 57dc26ca6e c62a83e75b 3c12abde7b 627d	1	1	0	tie	0.785477	0.761141	0.024336	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	3a5e0594e1 7baa50d9d9 f4b331a037 83a2347498 63e7458ab2 bade8ec0de cadd	0.200328	0.166667	0.033662	win	0.110406	0.08745	0.022956	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	e41c54bb5e fadea8bf9a cd078d4ce6 9a583e0374 9f05788640 70a503326b 6a23	1	1	0	tie	0.626911	0.599667	0.027244	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	69a57078e1 4d8a3c7abc 3493051579 1d9929d345 52653e7b7e 1f318a51ef6993	1	1	0	tie	0.639417	0.633279	0.006139	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	73d066680c 38e95647ea c62bfc60df 960b6dc1f5 bf5663ca1b b61c2c505e 1ed2	1	1	0	tie	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	b1262223f7 51e4bd0939 7c69109ca3 60c46848ec 88b757a52e 87e494db71 a741	0.377567	0.434783	-0.057215	loss	0.212148	0.228131	-0.015983	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	8ed412f575 1a174d8f7a c116b8d693 fc1dcbb85a a9546ec162 a3eeb69139 1e03	0.765672	0.777778	-0.012106	loss	0.442612	0.413609	0.029003	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	8c24283e4f0daa49b24126fb8a55bb8dc02fcb730e3cefdaba4dc22fb4ae5	1	1	0	tie	0.57479	0.57735	-0.00256	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	1efbb0c8553d8b5932ef16904e15dc6753dcd02f77f99d685fc5c3600174e33f	1	1	0	tie	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	7acb6b6ed9b34288a12d457ec4615037f9844cf8582882334c269217e71e8a366	0.292259	0.342391	-0.050132	loss	0.164215	0.179653	-0.015438	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	f3bc0d019aeeba927045db39d74aa322bb30be2672af0374064b8d7ada581e40	1	0.94709	0.05291	win	0.589179	0.503646	0.085533	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	6c3cc5c7f65fde897ee80eb21d8f505254fde6a2d991c64ac69d39f7e0eab293	1	1	0	tie	0.775628	0.744079	0.031549	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	5ade91ccf9feeb517a990cacf2939945269263fb504cafca92c07a627b1ed14	1	1	0	tie	0.881054	0.97163	-0.090576	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	59a854daceffde2dd58820d0c6c525e826221299ced533596119caa5026af78df	1	1	0	tie	0.604225	0.578501	0.025724	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	af182428aee07c77d48e8827287b1ce8037c7d84effbb8450aef33326f082c9	0.995522	1	-0.004478	loss	0.575481	0.567622	0.00786	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	a9d0493ba62ebd1e9be780886ebfa480940ffe060baebfb428b164c6c85054e	0.201978	0.245273	-0.043295	loss	0.075262	0.06991	0.005352	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	23d907ec72f8fde51654a18d6ea43a51ad8421a18c99d76d881ca6ed1e106e72	1	1	0	tie	0.773643	0.761141	0.012502	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	540c06333edcc2b21579eccefbe70fcc5abd4394b10ea2169b38fd6124c68adb	0.21485	0.175725	0.039125	win	0.12072	0.092203	0.028517	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	4031b34d2f6eb916ec2367a6825c4d4662d3376b367ab7176b922a131e5101fd	1	1	0	tie	0.618098	0.601329	0.016769	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	bd6cbe55744eb4439f2d053aec89a255814476650ebe88fe833105460a5e0a9c	1	1	0	tie	0.633279	0.639417	-0.006139	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	4a89343c2cd150f3c4e21afc696ddbce9176801893c8f86d744bb419ffc32e89	1	1	0	tie	1	1	0	tie

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	7575aee7a9e00385cf3e0e3693af18b663021ac1d815e728d531e439ae34e59	0.405583	0.445471	-0.039888	loss	0.223528	0.231399	-0.007871	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	ef6f6cbfc2bf6b011df243e739f190e940a3bd580c6562eb5e4a14e45af09312	0.781159	0.780919	0.000241	win	0.458255	0.414913	0.043342	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	3ce34100359a37e3396f3692dfaaac b474cf844b e0cd7fc105 3a2719394d e869	1	1	0	tie	0.579899	0.572218	0.007681	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	5f920d7e4c92e1112ac40f11ba609e9adf536c22af43b76384	1	1	0	tie	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	3e5804af3715ef28029f389b ee6b92a98c 9f6f9b4020 2e7d245685 349db01325 611a516516 2efb	0.310345	0.343808	-0.033463	loss	0.171039	0.17859	-0.007551	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	fd96e3c0fe3e5f300b4e b17b7137e8 5aff4e95a2 72fc3bcec2 8314187142 22ce	1	0.957597	0.042403	win	0.588756	0.508785	0.079971	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	819a7d74825b71e8d64a 8e24a41d3b 1587afabb0 3d8fb15038 1e6ef1139b 25b0	1	1	0	tie	0.748667	0.741774	0.006893	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	148ec6bb05cflb029411 ead7e6481 84cccd2008 e8fb199eaa 7e8a492dc5 40fe	1	1	0	tie	0.940587	0.961591	-0.021005	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	b0bcd1b7bf96c1268243 1e4ca25c11 bac8f40a87 9a88836912 b9e0aa8ec0 2255	1	1	0	tie	0.587484	0.576342	0.011142	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	c9e6cc7698f0d20485b8 f02f291730 d3e9122407 0c6bd02ef8 e697fdc8d4 e311	0.991304	1	-0.008696	loss	0.581533	0.561437	0.020096	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	2448e17abd87fd21a0f5 ee17c5379a bc7dc54d9a c45afc97a1 0242c10f1d 479a	0.160375	0.229189	-0.068813	loss	0.055474	0.065027	-0.009554	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	5d1833681526c8af88cf 3800bc35bd a82e7a6895 42ea79b706 f45d6a5fbc2002	1	1	0	tie	0.785477	0.762594	0.022883	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	10e7d59ea9 bce5f98e07 ad2334bc3d ab911cdaa3 663af60054 0d9293dc8f a3e0	0.200328	0.18854	0.011789	win	0.110406	0.097936	0.01247	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	730cb6b2a2ac78ff964d5ac840e221775f67b272f7feff93e062b9b283373b0	1	1	0	tie	0.626911	0.601743	0.025168	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	9fb8b6bd7f897d4ef4824f2b6fc14f43c042aa5c86f93e53d50f4c09a3cf04aa	1	1	0	tie	0.645497	0.639417	0.00608	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	b4974c3667cf67abe688c23270a49e55cb8c57c275a49b8bf582bd2e37cf7a11	1	1	0	tie	0.813301	0.925619	-0.112318	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	564ccd4cde8962b234c572679b14961eac06f38937923245a020b20bd62b736	0.416955	0.414894	0.002061	win	0.22387	0.220049	0.003821	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	cb96db4c8e266eb8cd51dc1f95e0bb07397d7ada4c1b94cdc2880c83e4363216	0.462998	0.586592	-0.123594	loss	0.237371	0.303575	-0.066204	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	ad0f26af39783729024f8608b98302509e09ccd308b5fc4a47b8c35e5eb20394	1	1	0	tie	0.584964	0.58748	-0.002516	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	03330c0cb5cf17d707b33fa37abe487ca0a534d8200100351b3ecf522e4ee30e	1	1	0	tie	0.857037	0.973089	-0.116052	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	107b873f56d9523e9a41b94cab886855dbedd49ff919972584307ac6fbf40ae8	0.321799	0.335106	-0.013307	loss	0.172779	0.177732	-0.004952	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	775b3429ff7b053a2be7e05060b16eaa98f02a39efc96580cb1e69de36c290e81	0.523719	0.640596	-0.116877	loss	0.268501	0.331523	-0.063022	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	3e1bc1b792872309739665d61dcb2983016818693be04adda0c61ff9a12d8d82	1	1	0	tie	0.828295	0.815797	0.012498	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	dbee3cd687ebc02a7b7ebbff2418a9195fcd00e20cfff10a42e0b06d2915dd911	1	1	0	tie	0.753985	0.839928	-0.085943	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	3f527db1ee5a135fb2a5964670faacb0874985992e112433cc4a64445dbf566	1	1	0	tie	0.62252	0.613237	0.009283	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	a44c11737e264949ceb1ebf8cc014258efa40120394839c3488a78dc359b5c8	0.855787	0.981378	-0.125591	loss	0.438747	0.507886	-0.069139	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	7ec2599b55b89f16c7fb4ae2cf152100ba7ed186449f478ca0f240dae00d45b1	0.323502	0.310695	0.012807	win	0.103651	0.092108	0.011543	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	4d7f2f5dcb a28df80cbe 7b9e3bd4b0 1a08c88b79 d290bd63d3 9829b0670b c585	1	1	0	tie	0.772211	0.793423	-0.021212	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	4fb9e9ea86 802882af2c 893c9ba01e 1a8b269f46 bf613af02b 1977908665 972b	0.233564	0.225177	0.008387	win	0.125404	0.119428	0.005976	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	fd2d2149e0 47a24a93eb faa22f60d1 bfl82bdcdcb 14db37f43a	1	1	0	tie	0.607928	0.614862	-0.006934	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	2fc25001e57846 369e9632aa a7ee166bd6 df1f9e33a c330b318f4 0313e3fed9 b4b87cc389 12ed	1	1	0	tie	0.651521	0.637377	0.014143	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	68b01ed13d d2adce9dfd 412df6934 da6735acf9 196dde54ca 1ae08633d7 4808	1	1	0	tie	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	39cb71771e 6f78f84e68 11d2508d67 632a2b3de0 884b6a034f	0.39172	0.44403	-0.05231	loss	0.219229	0.229582	-0.010353	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	195c66bd3f5f46 8cbbba030fc b2f3f0c80d 90a50986ce 33538137cb fde4eclc40 0b44f2e465 e93b	0.688822	0.778777	-0.089955	loss	0.395803	0.410103	-0.014301	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	733729c5b6 1673477215 8475a6efe8 3dbf3b078e eebac36fc5 80e18b19ae 1b9f	1	1	0	tie	0.579899	0.584964	-0.005065	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	fc4349dcef f007e0808e 628917a7c1 9984b6f3fd 930b8067ac cd7b446538 197d	1	1	0	tie	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	6c8a12e8d5 798547f002 6cb91e496c 1c4ae611cf 3a80e2b691 5e4590d62d c298	0.300955	0.350746	-0.049791	loss	0.168432	0.18135	-0.012918	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	6609fa6253 6598604792 79beaf7227 579266b9e bfa5fcf9f6 d2e0d86825 0cbc	0.838369	0.94964	-0.111272	loss	0.481733	0.50008	-0.018346	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	c6314e66da 56ba04ac88 a51f38482d 0bd4961c47 34a698cad1 57d93d4927 313f	1	1	0	tie	0.810885	0.760017	0.050868	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	20b9f0f7e4 f6a37f238c f16661e1f7 c85768de74 0aed42fa3f 7368663979 fad2	1	1	0	tie	0.887508	0.952646	-0.065137	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	64a2019647 d95228badc ac018dc375 defbba4f23 f3ddb38c75 483e2bf725 94e1	1	1	0	tie	0.611608	0.587484	0.024125	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	31915f987f 9af9fe0d95 58656fbb12 d819efcfff c0e70ee47a b78d98dbcf 381f	0.929003	1	-0.070997	loss	0.533813	0.558766	-0.024953	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	eb75698870 561bfce971 78298d1005 56b961f1b1 cee3a22f76 37aa233d84 d479	0.270389	0.271644	-0.001255	loss	0.095808	0.074922	0.020886	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	4c8724c0a3 06191b4d2c 8e024818f7 0b40121ce4 930a08afbf 94d9f8b67 d6cb	1	1	0	tie	0.792492	0.755301	0.037191	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	88a48a7bc5 adc0ebb594c fdebada9f39 ee03d526f0 1b9ffd3bbc a6241ef387 b3e4	0.25	0.158582	0.091418	win	0.139914	0.081993	0.057921	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	a30bcc958c d4bb01c2c6f 085b1ad0aa eb39dfe154 6bda2f6293 571eeaffa7ca6e	1	1	0	tie	0.6285	0.595075	0.033425	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	aa3345eaa9 6d2d886b97 d2fd45895 e146afc26f cf8a46ca10 7348c55f33 7b1a	1	1	0	tie	0.647511	0.629153	0.018358	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	0953eff953 ce23bb177e 3829a75853 0696c5def3 ecf8d17bcc e0d6e0bbcb5 5033	1	1	0	tie	0.962852	1	-0.037148	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	3dfaaba0c9 ed4fd78b3f ee7a5dafc5 59756f4a96 73a713cdb5 f7feefbc50adba	0.387302	0.434783	-0.047481	loss	0.217101	0.228131	-0.01103	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	3c50e663f3 e3a176e5c7 a3054bae43 87198ce517 e5c24684b9 039ad1ddb3 b4e7	0.73716	0.812389	-0.075229	loss	0.423578	0.431252	-0.007674	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	02ed7b2127 ea8cd65897 9c85cb847b 24c05260ac e8f1b1237a 0ddd3067d5 1f0d	1	1	0	tie	0.579899	0.57479	0.005109	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	9b28ade851 ed0b69bb3b 00e8935640 41ff776c71 e216f7d275 9e045ef744 bda3	1	1	0	tie	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	f5931085c2 eaa527d14d a22d9b5fb4 e6708012d4 4208a4a545 b94557e509 c145	0.298413	0.338768	-0.040355	loss	0.167275	0.177752	-0.010477	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	97d8c3c09e442c0c4e0d9b06cadf98b1516c30b3d4f551107227a6c4020a24de	0.897281	0.980531	-0.08325	loss	0.515585	0.520509	-0.004924	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	8aff77f3796052b2d2568f6c032f28bfd12ad21777acd69b88d92645cb6c1705	1	1	0	tie	0.801682	0.744079	0.057603	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	5a6e1f1d308dd0bb34e2dd2384836fc6798aa16dc4495610fe072827db1c39bd	1	1	0	tie	0.853411	0.952047	-0.098635	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	bc92c4aa5aec31b0f6fe067b048308e4f7ca14828f18c4044861883817d59f11	1	1	0	tie	0.608338	0.577206	0.031131	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	d43275e303056480054954127b8b8f169cdf002f16f1db85b1cc478a43c5ad6	0.922961	1	-0.077039	loss	0.530341	0.566302	-0.035961	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	477d26582330e01c2b5e4780beb5328c0c47d68277aff235ea616a500aa644d9	0.185655	0.196117	-0.010462	loss	0.068253	0.055131	0.013122	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	93578a88e9c83250bdc25603514efebe272ecdad60a4f515402	1	1	0	tie	0.773643	0.761141	0.012502	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	4466ccf0004ed32abb620cef56604cf8a00c0583c5bf5a49fa2fc3aff9141b9deff053d00bb6ca	0.230159	0.166667	0.063492	win	0.129015	0.08745	0.041565	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	404bec1c5eed5ea2afb61a78906f826ae440c1445a8bc4a3a8a071ad935a3995	1	1	0	tie	0.618501	0.599667	0.018834	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	41babd24d029d3ae2ea9a5b5cba6b13ea25581636e9df9b61	1	1	0	tie	0.647511	0.633279	0.014233	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	4f556f99dcf8b305bbe4b146ce7dfd42c503765f652bbe5a37450b458c33fe253b318021920cd7	1	1	0	tie	0.960143	1	-0.039857	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	ecd8f85b002aeb6086f6aa6e063b1abb5ecb22d457e6169249c64237862ebcd22f	0.398361	0.434783	-0.036422	loss	0.219727	0.228131	-0.008404	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	4a8bedca19ec088bab7ed3f8ae0176609f0782d791b98acf6242d49f33d21965	0.723935	0.777778	-0.053842	loss	0.421906	0.413609	0.008298	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	b172930d20 609a22cc1b 7dc4773fc5 cf3260ab91 f2956d8ddc 79247dd2d3 d0f4	1	1	0	tie	0.57735	0.57735	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	a6e030d601 01e03d5038 53d57af532 7f1a72b6c3 918dc0eb1b 2880b9db91 b003	1	1	0	tie	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	65ca566eca fe03d3fc7f dda945c89e 0daea5ebbf 861b2f4176 c86f9933b1 aa9a	0.309836	0.342391	-0.032555	loss	0.170899	0.179653	-0.008754	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	ea749b65f0 9cc6ede9d7 6ae93c44ea 92063bbbbe e3c93dbe52 7063ac066d 4794	0.885463	0.94709	-0.061627	loss	0.516044	0.503646	0.012398	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	9c302315a7 de93759460 0fd3ae1d64 247a1bd4eb d426818dba 2ba6147bef 805a	1	1	0	tie	0.80665	0.744079	0.062572	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	7ae7ba1500 9b3a9747c8 829b6aa440 436b6cdc62 037cf8dd01 bb99adff62fd7d	1	1	0	tie	0.869971	0.97163	-0.101659	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	a0cb3ba7ac 137d8b21ca 596b7231e1 1d17617a47 36e83cdce3 f28076b4705f99	1	1	0	tie	0.611201	0.578501	0.0327	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	58fcc7eb31 8e63332980 be07996692 4423155788 2ea2399f0d 34ae40ed33 41e8	0.89721	1	-0.10279	loss	0.52289	0.567622	-0.044732	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	d6725058e6 9cc138f84a 1accd3283a 194de80cac bc32c302a5 3f9e1925d1 2c32	0.249815	0.245273	0.004542	win	0.084795	0.06991	0.014886	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	7b8b973202 81f051ad6c 365943d051 86d9be481b 756840acfe 4cb2bf6960 d75b	1	1	0	tie	0.780765	0.761141	0.019624	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	0a6141d5a8 4973b6536e d2a6bb4107 a6725c1ef 090609da88 ff0f3457eabd2a	0.240984	0.175725	0.065259	win	0.132921	0.092203	0.040719	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	a46eb5f926 ddd5f90368 8114243301 c4869ad957 5f936e550 06568df306 eb6e	1	1	0	tie	0.627309	0.601329	0.02598	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	816c5a552d b5e2516d40 96133b13df aeaac98026 769c4d2484 2a07114533 227d	1	1	0	tie	0.651521	0.639417	0.012104	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	5c3d26cf8f da41e146b1 3c45a3e6f6 c65c09906f cc11db827e 93ec3752fb aa40	1	1	0	tie	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	b11a12de47 f4f3bc50f0 de0d67bfb4 bb0304ea19 8dcf602ef5 22e617171b 0a66	0.392344	0.445471	-0.053127	loss	0.219404	0.231399	-0.011995	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	12e6464e1d b0af3d9b6d b61f3248af 599d446d35 91a3430da6 d0b4df9b1d 4cf2	0.689655	0.780919	-0.091264	loss	0.397775	0.414913	-0.017138	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	bcbd7efce4 0ab95b0cb0 b7ceecb59 2c0833fedd 2d16455e27 1c6dc0a3fc0a63	1	1	0	tie	0.579899	0.572218	0.007681	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	402e825279 4615341890 11321a9c43 26b2febbbf 467c852e83 ec255fe7c80173	1	1	0	tie	1	1	0	tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	10c867affe 002e47bd57 c4c873ef8c 278186961d 5c1737884e 342d9995eb e248	0.301435	0.343808	-0.042372	loss	0.168566	0.17859	-0.010024	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	35e021d767 6c38c5e1c2 294f5f95c6 ecd8d48189 3687e33969 93f45c932fd931	0.836582	0.957597	-0.121015	loss	0.482519	0.508785	-0.026266	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	339547b044 3f71312233 8bef076462 3cd436fbe0 ce7fc37aff 98e16812a9 1f40	1	1	0	tie	0.810181	0.741774	0.068407	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	6d58096cdb 46a4aee1ef 6df10ced94 500c711988 bb08f93f8d 295f232aef6b71	1	1	0	tie	0.887508	0.961591	-0.074083	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	d4d3da3482 3bcdab497ee 62f2d4b76d 08e045f47b 24f3ca8550 3602011634 dofd	1	1	0	tie	0.612016	0.576342	0.035674	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	0bf3cfa67d 4024ae14e0 2c16a2fa72 c102a24a0f 47680eed98 6cf3655987fa7d	0.922039	1	-0.077961	loss	0.531808	0.561437	-0.029629	loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	0424a5ead5 9fc28c9006 0043c47897 8488d67a12 3658c727e1 5f62afec8f932a	0.269262	0.229189	0.040074	win	0.094564	0.065027	0.029536	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	4b9363acd3 e911ffa716 b05652590 0404cb152f caec4987e9 a38dde5935 598d	1	1	0	tie	0.793888	0.762594	0.031294	win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	feaca04ff4 440f0acd8f 97f0c33e8 45e53604da 95bb5b55b7 4e809f48a5 7dc7	0.250399	0.18854	0.061859	win	0.140026	0.097936	0.04209	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	598e73f00cdc70314abf61dc837530cb32e9447ed64d5f60500bf03a0b8f0317	1	1	0	tie	0.628897	0.601743	0.027154	win

Table 170: DermaMNIST-ResNet-18

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	aac899436e6cc70030bcb67d79b0c589273520613ed42760052f94402bcb69f7818	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.079302	0.076808	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	b88157b989a1f1e1bfdd9933ff47fd0578d4f049ba2d7b3f76ea2a2ccb3f961	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.296758	-0.102244	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	a97b17895da4d8acea9c0298ca991fc2d7b3d18b79deab8202f40f85496e8fec	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.314214	0.123691	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	926392980aa408fed4dae4037c734ac7f00d6a4fb42e439bb2114a746a69e6195	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.657855	0.774065	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	89b72526d97bda706de58453bc9f56cae951340ba3a6a90a22823d81c5518d1c	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.079302	0.055362	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	99e9b802a400648463fb80afbae0898cab67781235ab5adff27e216c2520bb05	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.296758	-0.104738	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	bc145a3819df014a6040ba79c354d073ccc95f8aa5e25b40b4f9d8cf2c61f375	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.314214	0.094264	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	557e5810d5b5f2d1ff65671140e61887e89dfb28a871ce89f737043ae8286f9a	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.657855	0.689776	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	9aa8a5d8c78c24899c39f926f3c0da12223e42627d621197a24302dbd8467cdf	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.079302	0.25187	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	eb9da5e2053d72d053b67f5ce2398a24f1bc37b2d4b3f1434ddcd1e5e1f7f6e7	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.296758	-0.006484	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	5cd27f11686e2a177f41ed503a30f5bbe2b4c79b8478f8142cf95c638c211eb0	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.314214	0.351122	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	102989d6fe4690356bb0450f31d6180ad3fafec443979cb775fb938dc81c7f13	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.657855	0.658354	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	f34370bdeb9e914352608c8b1f4e5ab49ec3876a7c1033fe25714bdc7333537e	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.079302	0.017456	0.675312	0.67581

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	5481ebcf27 adb3c72b53 62baec81f9 0d2f91a553 c61f2e68d3 d48a341b5e 03d2	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.296758	0.248379	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	8a6d92afa4 3f0fe03885 708ffdf4e7 74094fe195 9a336b4f89 82b633f5bc 8d4f8	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.314214	0.068828	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	90eca77a33 836bf899b7 a4cdb4e4f4 be7d57252e 57f58e5128 565d916415 aaed	NOISE	Spearman	NOISE-S	Simple Averaging	Deconvolution prop	GuidedBack	0.657855	0.590025	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	a826d06a18 749e22c09d 1246b038d8 398c031144 c9f2e5b9a7 9e2959afe5 fefe	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.080798	0.076808	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	ff0ef1d23e ac24c32065 79c209f8a7 884ebc6b97 776c5d0afd 5c25456787 88d6	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.294264	- 0.038404	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	536fc7dda7 2b394a9ee1 25765e204f 8d3120ff3a b164327509 a08ad78fc3 7e82	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.303741	0.123192	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	96dc05a7fb a0801f93dd 0ca5a7be8a 0a275dfb2a 87f3344d4a 215211fc7d fb1e	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.65586	0.731172	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	c70446dce0 69c0cb7f08 2dc5f06cbf 160f48580f 0804a3b2ec b1809d4f01 67b8	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.080798	0.056858	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	e777facb88 5779ad436c 497e1f8ab9 c3a5e26403 a96042e740 7c0a316344 8d8f	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.294264	- 0.063342	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	de14003399 4bfc1b4252 b9ff30392 83d79bbe2a 15b5a9b4b3 a10782221b ca68	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.303741	0.094264	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	e7530dbdaf 031a131c8d 985daabf82 955e707dbc 5f0a807f9a 5034d3dd1a 9e93	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.65586	0.653367	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	9c51483383 189b49367d 4ad0dbaeaa 2a671d8cce 81f5994211 1dbcc343770 8112	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.080798	0.244888	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	48e3b815fc d5dd4e0840 53edfe1d26 c84d110356 68efcb9024 a64ae205c7 edc0	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.294264	0.050374	0.675312	0.436908

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	5499a3ca31083a285945f94274224e0271d4dc49d6720dd8b54f8b3de8ce8f86	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.303741	0.345137	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	95508409c9727f1fa1aac33ca68fa0ce5fac2f74e6df81b42d58f6c15f6467cf	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.65586	0.658853	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	9c7fa877f1e6d587146ae87039fe580c455da9f952edfb515c3aca59971739f4d	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.080798	0.012968	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	2753eca6cd90059d154df91be92dcb454ca90318450f402570701bf602344431	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.294264	0.258853	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	aaacb5b8996f551226d12e1045041bc9a4b2850379c3a6f2646462656da1578bd	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.303741	0.060848	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	8a6b22890a924d1c0e71a3d9443318f69f8382fad4db0fadddaa13ceea28f3ca7	NOISE	Spearman	NOISE-S	Borda	Deconvolution prop	GuidedBack	0.65586	0.606983	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	28a40469e45d736f788e969eeecb83b68c88aaef177a92397330ba12f6103f3	NOISE	Spearman	NOISE-S	Kemeny	Deconvolution prop	GuidedBack	0.080798	0.076808	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	73bef06b28040d09b6a7fb5b62b5d2625acba9bd5abda257e26fe8f3bd28a498	NOISE	Spearman	NOISE-S	Kemeny	Deconvolution prop	GuidedBack	0.294264	-0.038404	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	f36d44701926d7cd8f12a91832725a2b0a3c3e9ba2dfab9c1ef3b948f11e3e30	NOISE	Spearman	NOISE-S	Kemeny	Deconvolution prop	GuidedBack	0.303741	0.123192	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	6a1a7c0098dc00db3f04d3c6113d690e2e9d634e8879c2feb87951aebdf7d73	NOISE	Spearman	NOISE-S	Kemeny	Deconvolution prop	GuidedBack	0.65586	0.731172	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	73b3624dcc12ac670eb700cf8d399733c2e1ed94424b6700c0b6744c6233b11a	NOISE	Spearman	NOISE-S	Kemeny	Deconvolution prop	GuidedBack	0.080798	0.056858	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	a0f7b10c94b2e9da1641ad40d5b8553f1a1c06a35d4582b82613419289460a71	NOISE	Spearman	NOISE-S	Kemeny	Deconvolution prop	GuidedBack	0.294264	-0.063342	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	cf486829449293bbc983ead967bb1b101103ec4e04a09dbb649fa8cd26e401b7	NOISE	Spearman	NOISE-S	Kemeny	Deconvolution prop	GuidedBack	0.303741	0.094264	0.675312	0.169077

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	dd3e857441fbdd3f1d76c5df78a90802a3f5d46e6cc6c3013d59cb59489d3caa	NOISE	Spearman	NOISE-S	Kemeny	Deconvolutionprop	GuidedBack	0.65586	0.653367	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	bb80937a8cea7d958b96748c422b7dbd100b722ae5f9eeffdc1e064f0a0f042f	NOISE	Spearman	NOISE-S	Kemeny	Deconvolutionprop	GuidedBack	0.080798	0.244888	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	4d8bd9824d3977b251f9992d152a01e8e0ffebd30cd8a988d2e3f687c1988f8	NOISE	Spearman	NOISE-S	Kemeny	Deconvolutionprop	GuidedBack	0.294264	0.050374	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	74bd68eea24940e5024094fe8299306705a0e1db00d62ef01406292743081415	NOISE	Spearman	NOISE-S	Kemeny	Deconvolutionprop	GuidedBack	0.303741	0.345137	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	3e4b08a22e72ecf77d8cf5fcc8fe7da04d4203d85f3f838265d30c9f9d331d404	NOISE	Spearman	NOISE-S	Kemeny	Deconvolutionprop	GuidedBack	0.65586	0.658853	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	65c29c227f9cb6d138d8451e0d6464ac6765eea060e09e5a8f2ebce64b2c4d0a	NOISE	Spearman	NOISE-S	Kemeny	Deconvolutionprop	GuidedBack	0.080798	0.012968	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	a79a5599b58b1f9144d960171dccb569d20dccbfb6f4e323eda1b144bb3609ad	NOISE	Spearman	NOISE-S	Kemeny	Deconvolutionprop	GuidedBack	0.294264	0.258853	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	d6d42d18377defe86b0af5c7b5b49a236de7b5cba577808c5b951efeeaa9415dc	NOISE	Spearman	NOISE-S	Kemeny	Deconvolutionprop	GuidedBack	0.303741	0.060848	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	428e7ee8b8738a437e222f061db6da044f432e03ab91aa98823d77f60251311	NOISE	Spearman	NOISE-S	Kemeny	Deconvolutionprop	GuidedBack	0.65586	0.606983	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	ed3e9f297f9227106dab7078a8b93ea7684f791f2edd497b4f795d17427f15901	NOISE	Spearman	NOISE-S	RRF	Deconvolutionprop	GuidedBack	0.093766	0.078304	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	fe924ccd53e7241457adb334e00a03cd8ac63de76d53448a0358e7bf8be b88d	NOISE	Spearman	NOISE-S	RRF	Deconvolutionprop	GuidedBack	0.312219	-0.010973	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	c7c7b6f9d1b4eb6b4f0f7452e19adb78fde1202829c524c311a4c255092b34c9	NOISE	Spearman	NOISE-S	RRF	Deconvolutionprop	GuidedBack	0.315711	0.119202	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	ca2c95523d798da4a23a6375de19b818d943b9446dd82868be49db8216d342ef	NOISE	Spearman	NOISE-S	RRF	Deconvolutionprop	GuidedBack	0.665835	0.74414	0.675312	0.191521

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	bd7c7085b5b796411e105a240d345586f3beeff159525fe2c7ee0a5f614abca	NOISE	Spearman	NOISE-S	RRF	Deconvolutional prop	GuidedBack	0.093766	0.05586	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	98bd4c504a769decd7223d9d6a1478431897fc288b6bc56401f6d4d37019a43a	NOISE	Spearman	NOISE-S	RRF	Deconvolutional prop	GuidedBack	0.312219	-0.050374	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	a3dcf707d7386bc6af6bd9472b03c70a4cdaf e471de3a1ff2d59a638dcf53	NOISE	Spearman	NOISE-S	RRF	Deconvolutional prop	GuidedBack	0.315711	0.092269	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	cae3d407c242ba35656c787b4cb90262a6c20e069d810a4369b6be0112e4b087	NOISE	Spearman	NOISE-S	RRF	Deconvolutional prop	GuidedBack	0.665835	0.652868	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	b521b997cb72b5cf1f1c02a423986bb47c4f40bc c8944fdcf77d5e1d06cf7dd7	NOISE	Spearman	NOISE-S	RRF	Deconvolutional prop	GuidedBack	0.093766	0.262843	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	0adef2d3e4a05722f751bfa50ebcd9b98bf4731a2260a46aa277351bcf9f5432	NOISE	Spearman	NOISE-S	RRF	Deconvolutional prop	GuidedBack	0.312219	0.097756	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	ac208f8fc3daab548d9bb1d79d72cc1d3f5945aae4d13f1b662ed1081da2c7fd	NOISE	Spearman	NOISE-S	RRF	Deconvolutional prop	GuidedBack	0.315711	0.365087	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	3575f1799afd41cbe07212a8bf2923b39f572638757d2fe488512f2664341a3fd	NOISE	Spearman	NOISE-S	RRF	Deconvolutional prop	GuidedBack	0.665835	0.667332	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	bc70ff4c564cda2d1a4192ea59a26630fa5a1604e2b0230f4a9a4cd9a96facc	NOISE	Spearman	NOISE-S	RRF	Deconvolutional prop	GuidedBack	0.093766	0.018953	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	1c1770e9449c8cf1cac55aa4b8dc9b5c5cc709aeb8a8417a1e1a00a0f933ee4	NOISE	Spearman	NOISE-S	RRF	Deconvolutional prop	GuidedBack	0.312219	0.271322	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	15f56e8794ced3ed7d14e662a12f3836ef5d876d7f9645aba20ec144f695baa	NOISE	Spearman	NOISE-S	RRF	Deconvolutional prop	GuidedBack	0.315711	0.06783	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	64546385c0eb76ea2586d0fa79c7bcfla0229c7d903305efd25b6a8d06db e4ab	NOISE	Spearman	NOISE-S	RRF	Deconvolutional prop	GuidedBack	0.665835	0.617955	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	ef2e9f03ba1384a4aabb ed47df49d294b4e7609f6cb9b32f811ea4574ce7bf	NOISE	Spearman	NOISE-S	Schulze	Deconvolutional prop	GuidedBack	0.080798	0.076808	0.675312	0.191521

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	3569eb0fe2d0df6d4e44682b27fb213a1b6de57fc2049a197d39840caf69f6c	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.294264	-0.038404	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	3a632ba84a32b8068de4d3b0bf9946d6121ac90e41726206828ce7ad4e8f1a17	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.303741	0.123192	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	e3412ec7d073eabc58e30ce7eb399e12e8bc78c6b7c50a17578b4091a6bc3ee	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.65586	0.731172	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	c60b6104c089eb0d3ff1e63a06f26a5a9f7aefe53d429bbba244aa01b1bab9b	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.080798	0.056858	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	c5655af0c7097aed2d395c890f8da2bc55ad2ed75dfbf353940567ace1837e1	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.294264	-0.063342	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	7c9954f353dbcae4a697ab7f24cc37306a67782fd35d55eda001dfa88cb0d6	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.303741	0.094264	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	16af96a6d14aa9283086f9b75f02236ea4fde8d51971621bc7aa512979282324	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.65586	0.653367	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	e49d6a416763b498f69ba6b161a12246e0dcfbf271b4048c12f7f16250139ad7f	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.080798	0.244888	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	86402e28606537cb8bc0c4b3771532c371ef8e05a64828751fa8aef071498d4b	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.294264	0.050374	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	ac4909bf738d1978cc6a3874309f5b1057f346f3e1c72cac4e78d0043eba93a1	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.303741	0.345137	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	dd2e2e9b96ac16ca18a2310f2b167c9a3328e3fba407f4f3d3a12ee0d7d91f0	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.65586	0.658853	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	66dab419432a435ba4af0ad8a7706b1e8fd36ab3cf4fb87f16791a55e47ce82e	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.080798	0.012968	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	4b1c22a9740d43a8e61828f163422a2f7a0a8be59bf3bfb16a6438aa03c0356	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.294264	0.258853	0.675312	0.67581

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	dd479e88442f26f37e776e54f577b75e8addf74e442a14f2969e0da1181c2998	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.303741	0.060848	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	d8b46e1fc5b85d4fb5a607116a8f343c8cd9b5d62d1c6f7bbfc5f4d30246915c	NOISE	Spearman	NOISE-S	Schulze	Deconvolution prop	GuidedBack	0.65586	0.606983	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	f0121cf5f1d5e329159a82e0f12a0e3f5126d1537fa3446ba2a6066af27a378d	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.069327	0.0798	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	0edc2f4c83cccfbc02b0b3c9d5dbd0980f4c6620823e73c0ea b0398069c71a8b	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.38404	0.064838	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	f65476691d47af17e0aabca84561cf82d6821aba83ab265dc4fa2ab9d209ba1b	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.288279	0.1202	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	1ccf3ed1eb4f39ab8a596b760705513b84b21c936138661e648882f31f3c3e1c	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.737157	0.878304	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	5c99f75d29d5e279dfcd7a69c259dbf279f0a019f9ae805b5cccf836e7d16d7d	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.069327	0.057855	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	25b144c5b5f610acb049633bc3d33148889152e11519da654518b9a395af8d4d	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.38404	0.044888	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	201301d087a33501436829680b18be421f101bd8a90d83a5b21bbe0562c6f062	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.288279	0.092768	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	77cbeae9f8d2ab218dd748e86862624252408df5bd565a12daa61db31601a874	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.737157	0.862344	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	e84eb83e1b08fa2716150729234ad181d7c7843451ee024a642a487c32e44409	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.069327	0.299751	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	af66d7f4261be9c441a1aeelc7e6494761e24d925a793834a2e0c94266a413b0	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.38404	0.188529	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	e6def4c6fa3723c837057a1272303532672b002e1491adf65d2503f886bc09ba	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.288279	0.387531	0.675312	0.436908

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	0f1848f881 afb3151068 e499c06292 5d879617a3 b04feao3a0 b7184c5118 8e0f	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.737157	0.775062	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	d48fe8ae26 fb6308dbce cc34e1819c ae46eb0252 37e7bccf7c 4c71ea1e19 561b	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.069327	0.022444	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	4954f079a2 f990dcf466 e7ff01fb7d 6488314edc bd4d7565f6 61c6be871e ba41	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.38404	0.272818	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	080aeca75f 5ba4a30aee f802669929 b8daa5320a 7faae33df8 5955f5ab9f ac59	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.288279	0.067332	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	a3b2cfd654 3aa85d536a 9f746c897b ae2829ef0e 31313be5a5 e975624e8c 5ed7	NOISE	Kendall	NOISE-K	Simple Averaging	Deconvolution prop Occlusion	GuidedBack	0.737157	0.630424	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	e0883a610a 7c4f5f67d2 5dfd7b5b79 bec52c4ae1 ea1b279d5c e877b2286e 09e4	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.084788	0.081297	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	53f7c15b59 b86a1f2aab 0566be4c0b 97d543b484 146ec1f904 ae6236cc90 9112	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.309726	- 0.006484	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	e53ef10429 64fd9068c5 91e758f320 c5988e1ab9 bfd9042c57 08438a9a2c 4d23	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.313217	0.122693	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	cdab242f00 4ca8eaf64c 174b33f4f9 8d19087705 4b76932774 632de5c5cc ac0e	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.669825	0.772569	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	4ed820e939 956a5d751f 008b467897 003cfe88e5 2f6f4b5690 a0a7386c2f 5cc0	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.084788	0.056858	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	71a55c3b05 51b8e4274f 82649ca815 cefa4a3579 ca0b27b823 f2b6d9f7c9 0e7c	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.309726	- 0.04389	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	4f3c33f831 aa76786c00 e143b6455c c8d8bbc637 9740817e3a 5a26587f70 50b5	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.313217	0.094264	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	880c164ccc a435b103d0 14d383f0e5 e9a30e48ac d1709a9c4a cdd4947f88 e01f	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.669825	0.723192	0.675312	0.169077

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	077a998c1b87f646012849973217aa46f3e9e09a4120b6a5bfc87b5bc0ea3597	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.084788	0.287282	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	77eae7f9fd5a9713f91a02d092752667b9a36238acd38f3e1f213decf33afe47	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.309726	0.092768	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	3cfa4a2234d996edf8f113e9ed9b58a3c1f33fb9ab57a789bd311152e5465fa6	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.313217	0.374065	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	7230c950e5173953cb47f514ee528c8871398b01f64674ca31dc4da0a0b74998	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.669825	0.693267	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	4f9d645bedd490d762968d7527e22a7c1eca3bac0e088022febdb3bc3d1bc42a	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.084788	0.022943	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	10fee5a09c28662f4e7d4c98d58157bb6774b055629763dbbd49e0bdf9c02f04	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.309726	0.251372	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	22d446ec44d1ddd0a47f7d81e6bb7d970fed343c4257a35c5b1f8b53b54681a	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.313217	0.078304	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	8c2aac75f9f0e9ef91b7efacc2249d0c45eaa58583fa1206c7a90df7347cbf1	NOISE	Kendall	NOISE-K	Borda	Deconvolution prop Occlusion	GuidedBack	0.669825	0.604988	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	46953cbcd7a99d7daa6f4c5b12275ecc933057bb7b6dedda8a34fe5095df546	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.091272	0.080299	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	a114f3cbb7498c37f8880c4afe47eb99efaccec3589b77b65e73fee62e3eb1d3	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.314214	0.013965	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	5f9debb6cf33bbaebbed514da0c9716b07ef8b3f326da36b2fe4baae1f39e7a2	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.314214	0.121696	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	23f48c6ad3092f1ee02ad9ad27d825745c43fa47cbcdc4aeebb59dbabb1db7c6	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.669825	0.756608	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	fd73d51c66c07a31ad09349befe001e5d1f3b327827259563393038836fc9c90	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.091272	0.056858	0.675312	0.169077

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	e6e7c2413b046b1988660c900567d6aab3c1a81b71da066b927105423d6af527	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.314214	-0.038903	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	212302107f87bbce8662952c9845e1f7b37c807cf1708d421e8e4fc3868b6a3b2	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.314214	0.093766	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	fd7b30df4f188277953480b6638926c74563586dad77773983b5d67dc20310018	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.669825	0.703741	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	09272ca3d1f31b97efa6c7f177611c5f8783760075aab414aeb3f689a1f1619b	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.091272	0.280798	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	54b380d4f82dfdb58e515c90cb71c34051cd1fdb437a73461d9c74ca10edef	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.314214	0.118703	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	d9b2597abe54e9e68be30790e8dad83a81e09a99e473d89d53329bdeec54c6ee	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.314214	0.370075	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	d81f5d6ce4cd34c0f4e10635efc64f82da9885cba4b914c07611d069f400324f	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.669825	0.695262	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	026e425a8cee4577a2130211de016f2cc6445afc0fa08dedca92cbca4252ecf3e	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.091272	0.016958	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	e9c09029d5a1114fd45490479bd4ed42f4579c629fd47b567b0507ee13c0397e	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.314214	0.271322	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	d8911536e385e5eb434af9de30044eb8b02619351fed42ccbf9c07da8078d8fe	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.314214	0.072319	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	09b08104aa1cef3ebf41f3c713d3fb49452bc7966512c58912e58f9bf024643c	NOISE	Kendall	NOISE-K	Kemeny	Deconvolution prop Occlusion	GuidedBack	0.669825	0.617456	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	2e5c6ad8485a5037c92f69fe9803fd054c883bd7b487cbdc853203ad59f266a3	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.077805	0.080299	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	8d299c3f1d5e063d6f65e43d7e1addcc8d431f7948fd8a347df9aed6129e77bf	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.309726	0.014963	0.675312	0.191521

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	8b2cf4d6c8f2950a87ec9dfa1ab4fb817de3fb04d4876cfa3c24e6520300522c	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.304239	0.121197	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	ebefb0ff1fe15e8b319fd5837bd2455e1ed1d62fc90120cbbdd1b28e76e4f37b	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.660349	0.754115	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	26cd5bbf5cb16f45aea0ea052ba3dbea4fb385723f492f359c3e305c3a402585	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.077805	0.056359	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	5f4721649a628a8152e168eb1a940057df5452eb34e9a87a1d2af257e0781ae	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.309726	-0.033915	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	2bd210dbfed0e7aa99cc773a58ce0d4e0e9f31b128a7363d42688d3e2e6483e6	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.304239	0.094264	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	826cb8eccc06e24d238291b5f420b4be843715c1f21ca97e155b58b09f2ee348	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.660349	0.699252	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	86c598e614f39d50bd3f7003c93be66467a3ee82de73a7045d4a079db292eeea	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.077805	0.284289	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	40af39cd828fb7c11f45ce0f3d0f5d5541132bf8fb297a2750989e2b4310921a	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.309726	0.106234	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	31582423f9d66d7948d06a0a746136feac70fe6fcebda90b7d752b2eef6ddb3b	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.304239	0.373566	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	57c52d65512955099d02e73b8429249752f9d773b2b3e876f64f17496dc88c07	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.660349	0.695262	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	4763795b88fd81c91541c83e83a99718b6ed57c8b2b6d22c29df66d0662f5cc0	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.077805	0.019451	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	8baa31ab53b837d86cc6405a5080d66b4924ae583b62d985b040c644ba6b7429	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.309726	0.26384	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	fab435e68c55f3c536e79f308903ab758fa416d6d0aaa484e69dfef2c21e3bca	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.304239	0.073317	0.675312	0.67581

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	0909ef191207f4ac3ae40ba5e153e9f753cc70c6ce911f1d567194bb06f3900c	NOISE	Kendall	NOISE-K	RRF	Deconvolution prop Occlusion	GuidedBack	0.660349	0.606484	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	c5886e4eaf75a3855423eab1b302b610ea3660f4bed95109b128cb44ecce3474	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.083292	0.081297	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	ef0316e75cd6472bf2974cb99c5f4380b89b72d02520316d9842e308e4357a81	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.307731	-0.00798	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	3bcd9f2c69e3c234ce7ae5c7b5e80b6c03fad8592a1958f446dbe91c2cffd229	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.312718	0.122693	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	a872d39a0fc7e00f4ff6a8070171dd4e06215787675e0052d55875ab3cc5b8a7	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.667332	0.770574	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	405677326426251d10fe96d96022bbad159f3a04e5e807423776bf4a92c7775	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.083292	0.056858	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	f59ddc8ee383cc734be7ded58d2cf1a43df356a956a99729f3a35f23f0490fb3	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.307731	-0.044389	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	8c07df8eeefbc7568a8e20de28cb266af7d0bd92666b8a40004d75f32286777	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.312718	0.094264	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	27342a7de7303c6ee1ce90e71d2ff54bb739e893cc852256d20b6857211dafaf	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.667332	0.721696	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	34c00c785f9a509ff5be6bd4b76cc8f92c53b80b109a3c142028a53315abd5b3	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.083292	0.286783	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	d41ed0d428ca66241f534a7b3a1b2c5e77d2400885f91f9773228e5f8f77abbb	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.307731	0.092768	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	82f888f742ec670ba7cd21961cd964f8c07303b8be6341b2acbc5341e93fa4	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.312718	0.374564	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	9a0b639ae59b1ab9126472141a427e38843b2c191dfd3499fd2f8b572a04c352	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.667332	0.693267	0.675312	0.436908

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	014419df4f e73b69a47d 28f3eb2ad6 e1c7635b4a edaaa6c02d 4dd028ab4c 860d	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.083292	0.022444	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	cbfec16a12 f42334429e 0d9d53d39c 8f4e189092 540f468a60 c3005f940d d491	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.307731	0.249875	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	4884e0ac2 fa1bf924bb dd0b597b09 57cfacc05f f0114784b4 30b359a0fe 2575	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.312718	0.078304	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	b5f93ab503 33ca394754 4be8c34008 3f193c2220 c12a8852ae 155f0eb17c d555	NOISE	Kendall	NOISE-K	Schulze	Deconvolution prop Occlusion	GuidedBack	0.667332	0.604489	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	F	c858e03b0a c945aa19a7 1f2b1834bf 2114f1103e b4f86a1aa4 f880ab58af db4f	NAIVE			Simple Averaging	Saliency Input integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP	XGrad	0.059352	0.078304	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	1a4aaf3756 b9b3ee08f3 bfe506527c 8049a0e75d abc80aa345 26c9613be3 b6a0	NAIVE			Simple Averaging	Saliency Input integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP	XGrad	0.38005	0.027431	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	C	39b7adfd41 42bef024b6 5afbfbfd951 7b883ed662 decc502cb1 ee413ce5f93 85fe	NAIVE			Simple Averaging	Saliency Input integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP	XGrad	0.281297	0.116708	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	ee3309199f cff25f745b b4d7a0176f ee8d0d57fd 0f588bbd46 0c26c74c91 17c0	NAIVE			Simple Averaging	Saliency Input integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP	XGrad	0.73217	0.842893	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	F	f8d3d74668 5e7c711a0d cfddc9967e edcf5e4647 273578c305 6528ece106 114d	NAIVE			Simple Averaging	Saliency Input integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP	XGrad	0.059352	0.058354	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	4a344ee54d 97d62dd7a7 e405da7eff 45050922b7 e96d566790 8df304c964 75f4	NAIVE			Simple Averaging	Saliency Input integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP	XGrad	0.38005	0.008978	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	C	7afca5c49e cc9e98e7ff 1d60a018e6 e94cd98463 0b90fd388d fa53e13fb0 d1c2	NAIVE			Simple Averaging	Saliency Input integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP	XGrad	0.281297	0.094264	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	3cf36fc6a5 a30b98b6f8 17bdc55819 03034b321d 7645aca2b0 856097b3c2 63fc	NAIVE			Simple Averaging	Saliency Input integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP	XGrad	0.73217	0.828429	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	F	f37946c327 e8743f673b 08b4830044 a917e76d2d e7ae46ce9a 2893b73552 9d98	NAIVE			Simple Averaging	Saliency Input integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP	XGrad	0.059352	0.290773	0.675312	0.436908

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Fbar	c43b40ca17124f94cf72fd3545dc61ad916d0b7766996a5d48700456187da8e7	NAIVE			Simple Averaging	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.38005	0.128678	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	C	8db9eb3ea1d23f9ee93d279d0be0d543d51ae6734270eb56483615bb39cf631e	NAIVE			Simple Averaging	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.281297	0.37606	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Cbar	c2819f243071a5bcf510212d7877e874facf3b9f94486c55338a48ae6ea521c9	NAIVE			Simple Averaging	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.73217	0.737157	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	F	d68f79ab1f419498c76c50bd1c331f557d723bc019714ac8ff91b015e7f2da76	NAIVE			Simple Averaging	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.059352	0.018454	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	92007ed50e1a9491336b2e6a7d616a8bc1d1dd946a5fa20325226b98de897cb8	NAIVE			Simple Averaging	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.38005	0.250374	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	C	a03fbc3a4d4fb66526b9965307a36d22a60afd0a9808901cc216809d72978f80	NAIVE			Simple Averaging	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.281297	0.063342	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	5f39663197ca7a45e0726349f3acf6782b0f25223ab76aa767b648b22c6f829a	NAIVE			Simple Averaging	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.73217	0.621945	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	F	ad6973f1891fa00a0adf b74ae63f67444a85dea249095b9a5bf2434adea4e47b	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.051372	0.077805	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	478bedac25b50dc30d7fa42c71680bc6d9fee0247ed141af36f627f3498ef7c6	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.357107	-0.041397	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	C	73265bbf0d9c2a0af2dbf4cdc02d36aecc0049a4f076ef9364753dd388c8e754	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.267332	0.118703	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	a74af10f780bb7afd6d371797e97ab3b78d471efcb2543060edefca4e7afafa7	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.722693	0.78404	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	F	68ccc0ea98a43f352f0bd8c2b59ceb c4cc21902756a70481cf58e16ed9086770	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.051372	0.057855	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	dac699f4c3291325513fe5543a366ac4ef208fe364dd3ee328ec76b555109bd4	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.357107	-0.090274	0.675312	0.169077

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	C	ddea88e609b87a8a06914829c9e4e5f390aae57bfc459ec7676ad0444Dee870d	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.267332	0.093766	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	4e76924dd20f643ca1f5d870dd50034a4250ab12536e7bcf057ab6091697553b	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.722693	0.73658	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	F	d84170e40119d5dc4d1482c7b36940262fc7df14481b8fcdcd4b71c2d36bcd77f	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.051372	0.252369	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Fbar	5ad173db94fdbb5f4d0d4be9a85c5f860ca9f976eddb92be4c22c8df271185a6	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.357107	0.040399	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	C	3118034bd533c77e75fb45a65cb34c276995e651a6c516535375f3c3383179ff	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.267332	0.345137	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Cbar	6a2977a692b9a9159bf0c698003388eed202689b4079e437655d02aaca215f1	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.722693	0.687781	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	F	adefef6dd04a297a41bd1384d9548a0791a1bddcee1b1dfd25571c4b21d167bff9	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.051372	0.013965	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	8db657ace7e163211c256bb043c2c5279ac9335de66517c34c941fc34fdd1a70	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.357107	0.290274	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	C	bc7710db5554278564931486fab77e9131f7f1a15c31108900c3756e2877d05d	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.267332	0.042394	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	71fb52969e3509edd2b3144df248e24044e516e7dbd448bc32e4c94f324eale	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.722693	0.645885	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	F	43fffa6c8e582c2dce95a65e2add0b45c325ee0981bb0976c2cb94a7291bfb7	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.053367	0.07581	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	c5ad1bc372b938f3a3aa536a1787c918850eb00bd13a9753178fc668b53873f5	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.348628	-0.066334	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	C	3fef5e5e9b21307a3065602a6757bc5dff19780de957d27d9f50bc7e78e6223b	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.275312	0.119701	0.675312	0.191521

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	28d0c206afa25393c141d7f247d1af4d107898b7a1c5a1eac73bd229534cfec3f	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.718204	0.771072	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	F	ead967a0b20a0a31bbb24c383c9202e62cd2aea3af2158653c3d645b778809b3	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.053367	0.05586	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	c67abb0ff43827e2ef1e4d5328f0edd70075f1dd0cb345628e418e0ec4009ab7	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.348628	-0.095262	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	C	d3dd4230874ba0c39e9900508c59fa7e137ff21b90fcaf0e3ab50928f902c9243	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.275312	0.093267	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	428d36cb354201a1d90b3d0d1bd861e3759678895a2860ec039b9e0a3125e699	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.718204	0.723691	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	F	f41a48ca0718168dd148b5c0543b145d9b78933b12f18a1bc338a8e18721f298	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.053367	0.241895	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Fbar	e1c1fa8af0ef7539ec156f0cb1a162304dc91ea6cbb025a65e8b96396f40474f	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.348628	0.040898	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	C	ef9cd3d7f371f808fa321bb36787d3d504b941c1d194b30d5cfd5fbaa820cf6	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.275312	0.333167	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Cbar	c55577c3391f84550e1e8b172bd69e41c3c7556451c9f66514fb34cc986e2a57	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.718204	0.679302	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	F	09f41df79763147b7bdd565f7da39f7c7722ad78a40542fc1901cfc04f2827d8	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.053367	0.010474	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	4e925a010ec2cced8272364c0563e9963a0225eb6a6e79c206e7489a558249f2f	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.348628	0.284289	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	C	c46a3f846d67c1c8f15e14c788b30ba9cbe279494b9159fc56315016d43b778e	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.275312	0.045885	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	7761ee940434a147e050f96ffd396dc526f5c9a167010f9d7b0204b1b78e1fd8	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.718204	0.640399	0.675312	0.67581

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	F	ab31b30082 1149d19fed 7d7f4e43da 95947d0e24 d9f7ba62cf 46c0523db2 57fa	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.054863	0.076808	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	6d3ac247e8 ce7db19cd5 9d1c6bcc0b 17512cc239 9ae478a271 ebc0d547ab 9213	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.354115	- 0.049377	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	C	b5cad971b1 f03d367d6a 49e76b4c6c aa58ee653f 3dba92dd1e e995163f29 6145	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.275312	0.119701	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	a3ae38c35d ce58020011 93c8a008cc 4ba0b5448a 39e2974c54 20d8fe88ee 29d3	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.717207	0.78005	0.675312	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	F	e6e96b7da8 db32c5aa7b a047d345b8 3a655a6f74 2f9c6ea085 c15869485d 6d22	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.054863	0.056359	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	f2232db303 7b96dc760a d83bcfafb 7e751319bd 20d224bab4 2d96f7dbbf 7fda	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.354115	- 0.092269	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	C	fla6548eef 3bd55f2958 ed9d91da49 12377a4f70 a2c891c4cc 82f9cccad3 27bd	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.275312	0.094264	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	811881f1ca a5ebca6972 f5fd16df63 b8acb6aa64 c3bd5d6a30 db551924cf ce79	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.717207	0.73217	0.675312	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	F	f0af52c452 8064fe8de7 232267fa08 ab0fc83ca8 9f40732804 966ee04a98 4596	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.054863	0.241895	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Fbar	50c1d3fde1 f914b888cb e42828e2f6 3075c6c7d0 94f5fb3926 10a6c6be7d e616	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.354115	0.024439	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	C	60c8cf2209 3e904a78f7 68343c24e9 b5ba65cfaa c53666083b ed6594c016 4f30	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.275312	0.334663	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Cbar	08cb279db8 1684fe1158 db8768d8e4 c62a78e64e 6b7bbe3928 b5b067f2e 0b60	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.717207	0.677805	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	F	0a0c37cd51 1ee17117e3 2a81f8a4bc 32d8a71469 6fa4185563 bc4fe2134b f46e	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.054863	0.013466	0.675312	0.67581

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	8ef9f96ef9 a97c6e270e 7b7fef59bb 09cf8b6bec d58124d828 7b9649b187 6357	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.3541150	0.2842890	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	C	f998520b03 5d5639ee38 3cbe95e6db 8b51a5dd3d 02e6ee4f86 0e0ac10905 fffc	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.2753120	0.0483790	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	7e014f4d35 2ceb62ff6b 6847ed28a0 2b5bbf3fc7 f218a0b4cc f4ed31b716 432f	NAIVE			RRF	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.7172070	0.6384040	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	F	d75a3158d4 e4000e1a83 f114121e78 3f81153825 7ec23ce1cb a2ea4ff0b6 db0f	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.0543640	0.0783040	0.6753120	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	21eb7d624a 2c20abd9f0 44b75b5e68 98c5efa36e 8790e94cd3 64315bcdfa 650a	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.351621	- 0.057357	0.6753120	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	C	37cf0bfcf21 ec38c5dfaf 1670ab50b4 270ea44c5 576e8bcedd 1ca385ad6e 99f1	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.269825	0.1202	0.6753120	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	aadceab17 de5e65111d 225f7e4209 dd27d7fd3f a880c4fa4b 9f80d47901 1e79	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.7177060	0.7795510	0.6753120	0.191521
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	F	9dcbae0578 8e7059b18e 2b392ed1d4 a0d5c974d2 da21c62672 03b71d5954 ce0b	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.0543640	0.0553620	0.6753120	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	9aef2924a3 09f5092e77 927e7fea44 4eddde50db1 487b9e55ee f2b50b0235 7432	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.351621	- 0.110723	0.6753120	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	C	d63f245697 57b4f1a33e 1599c3186b 04ea7465d3 3b9970883d 4cc6905bf2 59e5	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.2698250	0.0927680	0.6753120	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	e39216433b ef8a7a3da2 6bfedcb2ad 979f0c3b75 05fdb08dbf a99389ceed 9d6d	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.7177060	0.7296760	0.6753120	0.169077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	F	cbc47544cd 950dce5d18 f039009675 3c01be1b9c 218f6e8fcb 5a364773fb 47fd	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.0543640	0.2403990	0.6753120	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Fbar	3b535f0fef bbe34dbf23 50b950fec3 5c5058f547 b4618d4ce4 a814677993 5cef	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.3516210	0.0329180	0.6753120	0.436908

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	C	9b8de4f011 aae5dde768 d95c4591ca 6d375f59f9 954253975f becf274489 40ea	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.269825	0.33217	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Cbar	76b48929e3 721a2f6a3c adeb3dffa 7ae7da66d7 b61ce671f3 fc64e30006 19a3	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.717706	0.684788	0.675312	0.436908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	F	2a13d5c076 de088fa75a 05bea43a63 9add512a15 8f53b468df 7b1fa0a83d a0f7	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.054364	0.012469	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	5cd72449f2 88980b35ae 5a281631e0 545b8c0b59 ef7787bb00 629f1d341f fd32	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.351621	0.282793	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	C	161c089867 5946c99d62 5f160768c3 27ee160040 309884b68e 57cec430ba 0e5f	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.269825	0.050873	0.675312	0.67581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	9512f33e6c 99b22142b7 4f5d52f976 89d4ed2639 e0947697ed f10f221b7e 0086	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvolution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.717706	0.637905	0.675312	0.67581

Table 171: DermaMNIST-ResNet-18

Cell	Dataset	Model	Setting	q	Condition	Metric	Normaliz ed Clean Raw	Normaliz ed Perturbed Raw	q_{clean}^*	$q_{perturbed}^*$	A	Q	Q Raw	G	Clean Clipped	Perturbed Clipped	Retention Capped
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	0.11743	0.401042	0.11743	0.401042	1	1	3.41516	0.633279	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	0.560561	1.533854	0.560561	1	1	1	1.783926	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	0.314214	0.123691	0.314214	0.123691	0.123691	0.393651	0.393651	0.22066	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	0.342145	0.225935	0.342145	0.225935	0.225935	0.66035	0.66035	0.386259	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	0.11743	0.327434	0.11743	0.327434	0.327434	1	2.788334	0.572218	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	0.560561	1.619469	0.560561	1	1	1	1.783926	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	0.314214	0.094264	0.314214	0.094264	0.094264	0.3	0.3	0.168165	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	0.342145	0.310224	0.342145	0.310224	0.310224	0.906706	0.906706	0.53036	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	0.11743	0.576484	0.11743	0.576484	0.576484	1	4.909178	0.759265	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	0.560561	1.01484	0.560561	1	1	1	1.783926	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	0.314214	0.351122	0.314214	0.351122	0.351122	1	1.11746	0.592556	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	0.342145	0.341646	0.342145	0.341646	0.341646	0.998542	0.998542	0.584079	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	0.11743	0.02583	0.11743	0.02583	0.02583	0.219963	0.219963	0.075377	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	0.560561	0.632472	0.560561	0.632472	0.632472	1	1.128284	0.795281	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	0.314214	0.068828	0.314214	0.068828	0.068828	0.219048	0.219048	0.122787	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	0.342145	0.409975	0.342145	0.409975	0.409975	1	1.198251	0.640293	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	0.119645	0.401042	0.119645	0.401042	0.401042	1	3.351916	0.633279	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	0.564254	1.200521	0.564254	1	1	1	1.772251	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	0.303741	0.123192	0.303741	0.123192	0.123192	0.405583	0.405583	0.223528	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	0.34414	0.268828	0.34414	0.268828	0.268828	0.781159	0.781159	0.458255	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	0.119645	0.336283	0.119645	0.336283	0.336283	1	2.810663	0.579899	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	0.564254	1.374631	0.564254	1	1	1	1.772251	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	0.303741	0.094264	0.303741	0.094264	0.094264	0.310345	0.310345	0.171039	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	0.34414	0.346633	0.34414	0.346633	0.346633	1	1.007246	0.588756	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	0.119645	0.560502	0.119645	0.560502	0.560502	1	4.684692	0.748667	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	0.564254	0.884703	0.564254	0.884703	0.884703	1	1.567916	0.940587	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	0.303741	0.345137	0.303741	0.345137	0.345137	1	1.136289	0.587484	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	0.34414	0.341147	0.34414	0.341147	0.341147	0.991304	0.991304	0.581533	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	0.119645	0.019188	0.119645	0.019188	0.019188	0.160375	0.160375	0.055474	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	0.564254	0.616974	0.564254	0.616974	0.616974	1	1.093433	0.785477	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	0.303741	0.060848	0.303741	0.060848	0.060848	0.200328	0.200328	0.110406	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	0.34414	0.393017	0.34414	0.393017	0.393017	1	1.142029	0.626911	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	0.119645	0.401042	0.119645	0.401042	0.401042	1	3.351916	0.633279	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	0.564254	1.200521	0.564254	1	1	1	1.772251	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	0.303741	0.123192	0.303741	0.123192	0.123192	0.405583	0.405583	0.223528	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	0.34414	0.268828	0.34414	0.268828	0.268828	0.781159	0.781159	0.458255	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	0.119645	0.336283	0.119645	0.336283	0.336283	1	2.810663	0.579899	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	0.564254	1.374631	0.564254	1	1	1	1.772251	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	0.303741	0.094264	0.303741	0.094264	0.094264	0.310345	0.310345	0.171039	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	0.34414	0.346633	0.34414	0.346633	0.346633	1	1.007246	0.588756	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	0.119645	0.560502	0.119645	0.560502	0.560502	1	4.684692	0.748667	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	0.564254	0.884703	0.564254	0.884703	0.884703	1	1.567916	0.940587	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	0.303741	0.345137	0.303741	0.345137	0.345137	1	1.136289	0.587484	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	0.34414	0.341147	0.34414	0.341147	0.341147	0.991304	0.991304	0.581533	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	0.119645	0.019188	0.119645	0.019188	0.019188	0.160375	0.160375	0.055474	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	0.564254	0.616974	0.564254	0.616974	0.616974	1	1.093433	0.785477	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	0.303741	0.060848	0.303741	0.060848	0.060848	0.200328	0.200328	0.110406	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	0.34414	0.393017	0.34414	0.393017	0.393017	1	1.142029	0.626911	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	0.138848	0.408854	0.138848	0.408854	0.408854	1	2.94462	0.639417	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	0.537666	1.057292	0.537666	1	1	1	1.85989	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	0.315711	0.119202	0.315711	0.119202	0.119202	0.377567	0.377567	0.212148	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	0.334165	0.25586	0.334165	0.25586	0.25586	0.765672	0.765672	0.442612	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	F	0.138848	0.330383	0.138848	0.330383	0.330383	1	2.379464	0.57479	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Fbar	0.537666	1.297935	0.537666	1	1	1	1.85989	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	C	0.315711	0.092269	0.315711	0.092269	0.092269	0.292259	0.292259	0.164215	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Salt Pepper	Cbar	0.334165	0.347132	0.334165	0.347132	0.347132	1	1.038806	0.589179	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	F	0.138848	0.601598	0.138848	0.601598	0.601598	1	4.332787	0.775628	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Fbar	0.537666	0.776256	0.537666	0.776256	0.776256	1	1.44375	0.881054	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	C	0.315711	0.365087	0.315711	0.365087	0.365087	1	1.156398	0.604225	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Speckle	Cbar	0.334165	0.332668	0.334165	0.332668	0.332668	0.995522	0.995522	0.575481	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	F	0.138848	0.028044	0.138848	0.028044	0.028044	0.201978	0.201978	0.075262	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Fbar	0.537666	0.598524	0.537666	0.598524	0.598524	1	1.113189	0.773643	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	C	0.315711	0.06783	0.315711	0.06783	0.06783	0.21485	0.21485	0.12072	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Adversarial	Cbar	0.334165	0.382045	0.334165	0.382045	0.382045	1	1.143284	0.618098	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	F	0.119645	0.401042	0.119645	0.401042	0.401042	1	3.351916	0.633279	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Fbar	0.564254	1.200521	0.564254	1	1	1	1.772251	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	C	0.303741	0.123192	0.303741	0.123192	0.123192	0.405583	0.405583	0.223528	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Gaussian	Cbar	0.34414	0.268828	0.34414	0.268828							

Cell	Dataset	Model	Setting	q	Condition	Metric	Normalized Clean Raw	Normalized Perturbed Raw	$q_{clean}^{perturbed}$	$q_{perturbed}$	A	Q	Q Raw	G	Clean Clipped	Perturbed Clipped	Retention Capped
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	0.288279	0.1202	0.288279	0.1202	0.1202	0.416955	0.416955	0.22387	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	0.262843	0.121696	0.262843	0.121696	0.121696	0.462998	0.462998	0.237371	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	0.102659	0.342183	0.102659	0.342183	0.342183	1	3.333206	0.584964	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	0.431315	0.734513	0.431315	0.734513	0.734513	1	1.702964	0.857037	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	0.288279	0.092768	0.288279	0.092768	0.092768	0.321799	0.321799	0.172779	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	0.262843	0.137656	0.262843	0.137656	0.137656	0.523719	0.523719	0.268501	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	0.102659	0.686073	0.102659	0.686073	0.686073	1	6.683043	0.828295	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	0.431315	0.568493	0.431315	0.568493	0.568493	1	1.318047	0.753985	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	0.288279	0.387531	0.288279	0.387531	0.387531	1	1.344291	0.62252	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	0.262843	0.224938	0.262843	0.224938	0.224938	0.855787	0.855787	0.438747	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	0.102659	0.03321	0.102659	0.03321	0.03321	0.323502	0.323502	0.103651	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	0.431315	0.59631	0.431315	0.59631	0.59631	1	1.382541	0.772211	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	0.288279	0.067332	0.288279	0.067332	0.067332	0.233564	0.233564	0.125404	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	0.262843	0.369576	0.262843	0.369576	0.369576	1	1.406072	0.607928	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	0.125554	0.424479	0.125554	0.424479	0.424479	1	3.380852	0.651521	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	0.541359	1.033854	0.541359	1	1	1	1.847203	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	0.313217	0.122693	0.313217	0.122693	0.122693	0.39172	0.39172	0.219229	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	0.330175	0.227431	0.330175	0.227431	0.227431	0.688822	0.688822	0.395803	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	0.125554	0.336283	0.125554	0.336283	0.336283	1	2.678397	0.579899	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	0.541359	1.259587	0.541359	1	1	1	1.847203	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	0.313217	0.094264	0.313217	0.094264	0.094264	0.300955	0.300955	0.168432	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	0.330175	0.276808	0.330175	0.276808	0.276808	0.838369	0.838369	0.481733	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	0.125554	0.657534	0.125554	0.657534	0.657534	1	5.237067	0.810885	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	0.541359	0.787671	0.541359	0.787671	0.787671	1	1.454989	0.887508	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	0.313217	0.374065	0.313217	0.374065	0.374065	1	1.194268	0.611608	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	0.330175	0.306733	0.330175	0.306733	0.306733	0.929003	0.929003	0.533813	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	0.125554	0.033948	0.125554	0.033948	0.033948	0.270389	0.270389	0.095808	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	0.541359	0.628044	0.541359	0.628044	0.628044	1	1.160125	0.792492	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	0.313217	0.078304	0.313217	0.078304	0.078304	0.25	0.25	0.139914	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	0.330175	0.395012	0.330175	0.395012	0.395012	1	1.196375	0.6285	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	0.135155	0.419271	0.135155	0.419271	0.419271	1	3.102146	0.647511	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	0.534712	0.927083	0.534712	0.927083	0.927083	1	1.733799	0.962852	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	0.314214	0.121696	0.314214	0.121696	0.121696	0.387302	0.387302	0.217101	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	0.330175	0.243392	0.330175	0.243392	0.243392	0.73716	0.73716	0.423578	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	0.135155	0.336283	0.135155	0.336283	0.336283	1	2.488128	0.579899	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	0.534712	1.230088	0.534712	1	1	1	1.870166	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	0.314214	0.093766	0.314214	0.093766	0.093766	0.298413	0.298413	0.167275	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	0.330175	0.296259	0.330175	0.296259	0.296259	0.897281	0.897281	0.515585	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	0.135155	0.642694	0.135155	0.642694	0.642694	1	4.755234	0.801682	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	0.534712	0.728311	0.534712	0.728311	0.728311	1	1.362061	0.853411	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	0.314214	0.370075	0.314214	0.370075	0.370075	1	1.177778	0.608338	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	0.330175	0.304738	0.330175	0.304738	0.304738	0.922961	0.922961	0.530341	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	0.135155	0.025092	0.135155	0.025092	0.025092	0.185655	0.185655	0.068253	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	0.534712	0.598524	0.534712	0.598524	0.598524	1	1.119339	0.773643	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	0.314214	0.072319	0.314214	0.072319	0.072319	0.230159	0.230159	0.129015	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	0.330175	0.382544	0.330175	0.382544	0.382544	1	1.15861	0.618501	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	0.115214	0.419271	0.115214	0.419271	0.419271	1	3.639056	0.647511	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	0.541359	0.921875	0.541359	0.921875	0.921875	1	1.702891	0.960143	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	0.304239	0.121197	0.304239	0.121197	0.121197	0.398361	0.398361	0.219727	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	0.339651	0.245885	0.339651	0.245885	0.245885	0.723935	0.723935	0.421906	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	0.115214	0.333333	0.115214	0.333333	0.333333	1	2.893162	0.57735	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Fbar	0.541359	1.20059	0.541359	1	1	1	1.847203	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	C	0.304239	0.094264	0.304239	0.094264	0.094264	0.309836	0.309836	0.170899	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	Cbar	0.339651	0.300748	0.339651	0.300748	0.300748	0.885463	0.885463	0.516044	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	F	0.115214	0.650685	0.115214	0.650685	0.650685	1	5.647612	0.80665	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Fbar	0.541359	0.756849	0.541359	0.756849	0.756849	1	1.398055	0.869971	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	C	0.304239	0.373566	0.304239	0.373566	0.373566	1	1.227869	0.611201	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Speckle	Cbar	0.339651	0.304738	0.339651	0.304738	0.304738	0.89721	0.89721	0.52289	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	F	0.115214	0.028782	0.115214	0.028782	0.028782	0.249815	0.249815	0.084795	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Fbar	0.541359	0.609594	0.541359	0.609594	0.609594	1	1.126044	0.780765	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	C	0.304239	0.073317	0.304239	0.073317	0.073317	0.240984	0.240984	0.132921	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Adversarial	Cbar	0.339651	0.393516	0.339651	0.393516	0.393516	1	1.15859	0.627309	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	F	0.123338	0.424479	0.123338	0.424479	0.424479	1	3.441586	0.651521	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Fbar	0.544313	1.041667	0.544313	1	1	1	1.837178	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	C	0.312718	0.122693	0.312718	0.122693	0.122693	0.392344	0.392344	0.219404	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Gaussian	Cbar	0.332668	0.229426	0.332668	0.229426	0.229426	0.689655	0.689655	0.397775	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Salt Pepper	F	0.123338	0.336283	0.123338	0.336283	0.336283	1	2.726512	0.579899	False</		

Cell	Dataset	Model	Setting	q	Condition	Metric	Normalized Clean Raw	Normalized Perturbed Raw	$q_{clean}^{perturbed}$	$q_{perturbed}$	A	Q	Q Raw	G	Clean Clipped	Perturbed Clipped	Retention Capped
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	0.267883	0.171571	0.267883	0.171571	0.171571	0.640596	0.640596	0.331523	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	F	0.087888	0.665525	0.087888	0.665525	0.665525	1	7.572445	0.815797	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Fbar	0.437223	0.705479	0.437223	0.705479	0.705479	1	1.613546	0.839928	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	C	0.281297	0.37606	0.281297	0.37606	0.37606	1	1.336879	0.613237	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Cbar	0.26783	0.262843	0.26783	0.262843	0.262843	0.981378	0.981378	0.507886	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	F	0.087888	0.027306	0.087888	0.027306	0.027306	0.310695	0.310695	0.092108	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	0.437223	0.62952	0.437223	0.62952	0.62952	1	1.439815	0.793423	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	C	0.281297	0.063342	0.281297	0.063342	0.063342	0.225177	0.225177	0.119428	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	0.26783	0.378055	0.26783	0.378055	0.378055	1	1.411546	0.614862	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	F	0.076071	0.40625	0.076071	0.40625	0.40625	1	5.340413	0.637377	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	0.471196	1.216146	0.471196	1	1	1	2.122257	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	C	0.267332	0.118703	0.267332	0.118703	0.118703	0.44403	0.44403	0.229582	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	0.277307	0.21596	0.277307	0.21596	0.21596	0.778777	0.778777	0.410103	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	F	0.076071	0.342183	0.076071	0.342183	0.342183	1	4.49821	0.584964	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	0.471196	1.533923	0.471196	1	1	1	2.122257	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	C	0.267332	0.093766	0.267332	0.093766	0.093766	0.350746	0.350746	0.18135	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	0.277307	0.263342	0.277307	0.263342	0.263342	0.94964	0.94964	0.50008	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	F	0.076071	0.577626	0.076071	0.577626	0.577626	1	7.593253	0.760017	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Fbar	0.471196	0.907534	0.471196	0.907534	0.907534	1	1.926021	0.952646	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	C	0.267332	0.345137	0.267332	0.345137	0.345137	1	1.291045	0.587484	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Cbar	0.277307	0.312219	0.277307	0.312219	0.312219	1	1.125899	0.558766	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	F	0.076071	0.020664	0.076071	0.020664	0.020664	0.271644	0.271644	0.074922	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	0.471196	0.57048	0.471196	0.57048	0.57048	1	1.210705	0.755301	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	C	0.267332	0.042394	0.267332	0.042394	0.042394	0.158582	0.158582	0.081993	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	0.277307	0.354115	0.277307	0.354115	0.354115	1	1.276978	0.590575	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	F	0.079025	0.395833	0.079025	0.395833	0.395833	1	5.008956	0.629153	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	0.483752	1.346354	0.483752	1	1	1	2.067176	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	C	0.275312	0.119701	0.275312	0.119701	0.119701	0.434783	0.434783	0.228131	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	0.281796	0.228928	0.281796	0.228928	0.228928	0.812389	0.812389	0.431252	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	F	0.079025	0.330383	0.079025	0.330383	0.330383	1	4.18074	0.57479	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	0.483752	1.563422	0.483752	1	1	1	2.067176	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	C	0.275312	0.093267	0.275312	0.093267	0.093267	0.338768	0.338768	0.177752	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	0.281796	0.276309	0.281796	0.276309	0.276309	0.980531	0.980531	0.520509	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	F	0.079025	0.553653	0.079025	0.553653	0.553653	1	7.006038	0.744079	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Fbar	0.483752	0.906393	0.483752	0.906393	0.906393	1	1.873673	0.952047	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	C	0.275312	0.333167	0.275312	0.333167	0.333167	1	1.210145	0.577206	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Cbar	0.281796	0.320698	0.281796	0.320698	0.320698	1	1.138053	0.566302	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	F	0.079025	0.015498	0.079025	0.015498	0.015498	0.196117	0.196117	0.055131	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	0.483752	0.579336	0.483752	0.579336	0.579336	1	1.197589	0.761141	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	C	0.275312	0.045885	0.275312	0.045885	0.045885	0.166667	0.166667	0.08745	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	0.281796	0.359601	0.281796	0.359601	0.359601	1	1.276106	0.599667	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	F	0.081241	0.401042	0.081241	0.401042	0.401042	1	4.936458	0.633279	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	0.475628	1.257812	0.475628	1	1	1	2.102484	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	C	0.275312	0.119701	0.275312	0.119701	0.119701	0.434783	0.434783	0.228131	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	0.282793	0.21995	0.282793	0.21995	0.21995	0.777778	0.777778	0.413609	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	F	0.081241	0.333333	0.081241	0.333333	0.333333	1	4.10303	0.57735	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	0.475628	1.545723	0.475628	1	1	1	2.102484	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	C	0.275312	0.094264	0.275312	0.094264	0.094264	0.342391	0.342391	0.179653	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	0.282793	0.26783	0.282793	0.26783	0.26783	0.94709	0.94709	0.503646	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	F	0.081241	0.553653	0.081241	0.553653	0.553653	1	6.814965	0.744079	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Fbar	0.475628	0.944064	0.475628	0.944064	0.944064	1	1.98488	0.97163	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	C	0.275312	0.334663	0.275312	0.334663	0.334663	1	1.21558	0.578501	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	Cbar	0.282793	0.322195	0.282793	0.322195	0.322195	1	1.13933	0.567622	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	F	0.081241	0.019926	0.081241	0.019926	0.019926	0.245273	0.245273	0.06991	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	0.475628	0.579336	0.475628	0.579336	0.579336	1	1.218045	0.761141	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	C	0.275312	0.048379	0.275312	0.048379	0.048379	0.175725	0.175725	0.092203	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	0.282793	0.361596	0.282793	0.361596	0.361596	1	1.27866	0.601329	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	F	0.080502	0.408854	0.080502	0.408854	0.408854	1	5.078794	0.639417	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	0.479321	1.299479	0.479321	1	1	1	2.086287	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	C	0.269825	0.1202	0.269825	0.1202	0.1202	0.445471	0.445471	0.231399	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	0.282294	0.220449	0.282294	0.220449	0.220449	0.780919	0.780919	0.414913	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	F	0.080502	0.327434	0.080502	0.327434	0.327434	1	4.067387	0.572218	False	False	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	0.479321	1.654867	0.479321	1	1	1	2.086287	1	False	True	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	C	0.269825	0.092768	0.269825	0.092768	0.092768	0.343808	0.343808	0.17859	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	0.282294	0.270324	0.282294	0.270324	0.270324	0.957597	0.957597	0.508785	False	False	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NAIVE q=11	11	Speckle	F	0.080502	0.550228	0.080502	0.550228	0.550228	1	6.834946	0.741774	False	False	True

Table 172: DermaMNIST-ResNet-18

[illegible]

Table 173: DermaMNIST-ResNet-18

Cell	Dataset	Model	Setting	Q	Geometry	Geometry Label	Rule	Endpoint Count	NOISE A Mean	NAIVE A Mean	Delta A Mean	A Wins	A Ties	A Losses	NOISE Q Mean	NAIVE Q Mean	Delta Q Mean
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Kendall	NOISE-K	Borda	16	0.421455	0.410648	0.010806	11	2	3	0.791829	0.809589	-0.01776
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Kendall	NOISE-K	Kemeny	16	0.410128	0.409916	0.000212	12	1	3	0.791183	0.808078	-0.016895
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Kendall	NOISE-K	RRF	16	0.414226	0.412496	0.001731	10	3	3	0.7941	0.80769	-0.01359
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Kendall	NOISE-K	Schulze	16	0.421756	0.410954	0.010802	12	2	2	0.791357	0.809095	-0.017738
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	Kendall	NOISE-K	Simple Averaging	16	0.347538	0.38784	-0.040302	6	0	10	0.758645	0.780902	-0.022257
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Spearman	NOISE-S	Borda	16	0.424485	0.410648	0.013837	8	3	5	0.803068	0.809589	-0.00652
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Spearman	NOISE-S	Kemeny	16	0.424485	0.409916	0.014559	13	2	1	0.803068	0.808078	-0.00501
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Spearman	NOISE-S	RRF	16	0.41911	0.412496	0.006614	10	2	4	0.802991	0.80769	-0.004699
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Spearman	NOISE-S	Schulze	16	0.424485	0.410954	0.013531	12	2	2	0.803068	0.809095	-0.006027
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	Spearman	NOISE-S	Simple Averaging	16	0.430559	0.38784	0.042719	10	1	5	0.793641	0.780902	0.012739

Table 174: DermaMNIST–ResNet-18

Cell	Dataset	Model	Setting	Q	Q Wins	Q Ties	Q Losses	NOISE G Mean	NAIVE G Mean	Delta G Mean	G Wins	G Ties	G Losses
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	1	9	6	0.562322	0.556854	0.005468	7	2	7
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	1	9	6	0.556062	0.556538	-0.000477	8	1	7
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	2	9	5	0.55938	0.55763	0.00175	9	2	5
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	2	9	5	0.562411	0.55711	0.0053	8	2	6
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-K	3	3	9	4	0.503504	0.534697	-0.031193	6	0	10
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	3	9	4	0.568206	0.556854	0.011352	6	3	7
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	2	9	5	0.568206	0.556538	0.011668	11	2	3
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	2	9	5	0.565404	0.55763	0.007774	10	2	4
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	3	9	4	0.568206	0.55711	0.011095	9	2	5
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	NOISE-S	2	3	9	4	0.567536	0.534697	0.032839	10	0	6

Table 175: DermaMNIST-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Simple Averaging	F	quality	0.069327	clean__selected_best_individual	0.076808	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Simple Averaging	Fbar	quality	0.38404	clean__selected_best_individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Simple Averaging	C	quality	0.288279	clean__selected_best_individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Simple Averaging	Cbar	quality	0.737157	clean__selected_best_individual	0.662344	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Simple Averaging	R_F_g	robustness	0.010474	clean__selected_best_individual	-0.000499	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.319202	clean__selected_best_individual	0.39601	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Simple Averaging	R_C_g	robustness	-0.16808	clean__selected_best_individual	-0.194514	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	-0.141147	clean__selected_best_individual	-0.118703	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Simple Averaging	R_F_p	robustness	-0.011471	clean__selected_best_individual	-0.01995	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.339152	clean__selected_best_individual	0.406983	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Simple Averaging	R_C_p	robustness	-0.195511	clean__selected_best_individual	-0.220449	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	-0.125187	clean__selected_best_individual	-0.049875	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Simple Averaging	R_F_s	robustness	0.230424	clean__selected_best_individual	0.17606	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.195511	clean__selected_best_individual	0.312219	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Simple Averaging	R_C_s	robustness	0.099252	clean__selected_best_individual	0.0399	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	-0.037905	clean__selected_best_individual	-0.00798	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Simple Averaging	R_F_a	robustness	-0.046883	clean__selected_best_individual	-0.060848	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.111222	clean__selected_best_individual	0.030923	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Simple Averaging	R_C_a	robustness	-0.220948	clean__selected_best_individual	-0.250873	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.106733	clean__selected_best_individual	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Simple Averaging	F	quality	0.069327	naive_q11	0.059352	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Simple Averaging	Fbar	quality	0.38404	naive_q11	0.38005	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Simple Averaging	C	quality	0.288279	naive_q11	0.281297	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Simple Averaging	Cbar	quality	0.737157	naive_q11	0.73217	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Simple Averaging	R_F_g	robustness	0.010474	naive_q11	0.018953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.319202	naive_q11	0.352618	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Simple Averaging	R_C_g	robustness	-0.16808	naive_q11	-0.164589	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	-0.141147	naive_q11	-0.110723	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Simple Averaging	R_F_p	robustness	-0.011471	naive_q11	-0.000998	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.339152	naive_q11	0.371072	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Simple Averaging	R_C_p	robustness	-0.195511	naive_q11	-0.187032	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	-0.125187	naive_q11	-0.096259	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Simple Averaging	R_F_s	robustness	0.230424	naive_q11	0.231421	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.195511	naive_q11	0.251372	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Simple Averaging	R_C_s	robustness	0.099252	naive_q11	0.094763	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	-0.037905	naive_q11	-0.004988	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Simple Averaging	R_F_a	robustness	-0.046883	naive_q11	-0.040898	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.111222	naive_q11	0.129676	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Simple Averaging	R_C_a	robustness	-0.220948	naive_q11	-0.217955	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.106733	naive_q11	0.110224	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Simple Averaging	F	quality	0.069327	NOISE__spearman	0.059352	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Simple Averaging	Fbar	quality	0.38404	NOISE__spearman	0.38005	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Simple Averaging	C	quality	0.288279	NOISE__spearman	0.281297	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Simple Averaging	Cbar	quality	0.737157	NOISE__spearman	0.73217	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Simple Averaging	R_F_g	robustness	0.010474	NOISE_ spearman	0.018953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.319202	NOISE_ spearman	0.352618	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Simple Averaging	R_C_g	robustness	-0.16808	NOISE_ spearman	-0.164589	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	-0.141147	NOISE_ spearman	-0.110723	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Simple Averaging	R_F_p	robustness	-0.011471	NOISE_ spearman	-0.000998	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.339152	NOISE_ spearman	0.371072	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Simple Averaging	R_C_p	robustness	-0.195511	NOISE_ spearman	-0.187032	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	-0.125187	NOISE_ spearman	-0.096259	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Simple Averaging	R_F_s	robustness	0.230424	NOISE_ spearman	0.231421	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.195511	NOISE_ spearman	0.251372	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Simple Averaging	R_C_s	robustness	0.099252	NOISE_ spearman	0.094763	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	-0.037905	NOISE_ spearman	-0.004988	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Simple Averaging	R_F_a	robustness	-0.046883	NOISE_ spearman	-0.040898	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.111222	NOISE_ spearman	0.129676	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Simple Averaging	R_C_a	robustness	-0.220948	NOISE_ spearman	-0.217955	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.106733	NOISE_ spearman	0.110224	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Simple Averaging	F	quality	0.069327	NOISE_ kendall	0.059352	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Simple Averaging	Fbar	quality	0.38404	NOISE_ kendall	0.38005	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Simple Averaging	C	quality	0.288279	NOISE_ kendall	0.281297	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Simple Averaging	Cbar	quality	0.737157	NOISE_ kendall	0.73217	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Simple Averaging	R_F_g	robustness	0.010474	NOISE_ kendall	0.018953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.319202	NOISE_ kendall	0.352618	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Simple Averaging	R_C_g	robustness	-0.16808	NOISE_ kendall	-0.164589	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	-0.141147	NOISE_ kendall	-0.110723	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Simple Averaging	R_F_p	robustness	-0.011471	NOISE_ kendall	-0.000998	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.339152	NOISE_ kendall	0.371072	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Simple Averaging	R_C_p	robustness	-0.195511	NOISE_ kendall	-0.187032	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	-0.125187	NOISE_ kendall	-0.096259	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Simple Averaging	R_F_s	robustness	0.230424	NOISE_ kendall	0.231421	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.195511	NOISE_ kendall	0.251372	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Simple Averaging	R_C_s	robustness	0.099252	NOISE_ kendall	0.094763	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	-0.037905	NOISE_ kendall	-0.004988	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Simple Averaging	R_F_a	robustness	-0.046883	NOISE_ kendall	-0.040898	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.111222	NOISE_ kendall	0.129676	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Simple Averaging	R_C_a	robustness	-0.220948	NOISE_ kendall	-0.217955	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.106733	NOISE_ kendall	0.110224	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Borda	F	quality	0.084788	clean_ selected_best_individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Borda	Fbar	quality	0.309726	clean_ selected_best_individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Borda	C	quality	0.313217	clean_ selected_best_individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Borda	Cbar	quality	0.669825	clean_ selected_best_individual	0.662344	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Borda	R_F_g	robustness	-0.003491	clean_ selected_best_individual	-0.000499	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.316209	clean_ selected_best_individual	0.39601	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Borda	R_C_g	robustness	-0.190524	clean__selected_best_individual	-0.194514	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Borda	R_Cbar_g	robustness	-0.102743	clean__selected_best_individual	-0.118703	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Borda	R_F_p	robustness	-0.02793	clean__selected_best_individual	-0.01995	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.353616	clean__selected_best_individual	0.406983	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Borda	R_C_p	robustness	-0.218953	clean__selected_best_individual	-0.220449	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	-0.053367	clean__selected_best_individual	-0.049875	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Borda	R_F_s	robustness	0.202494	clean__selected_best_individual	0.17606	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.216958	clean__selected_best_individual	0.312219	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Borda	R_C_s	robustness	0.060848	clean__selected_best_individual	0.0399	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Borda	R_Cbar_s	robustness	-0.023441	clean__selected_best_individual	-0.00798	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Borda	R_F_a	robustness	-0.061845	clean__selected_best_individual	-0.060848	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.058354	clean__selected_best_individual	0.030923	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Borda	R_C_a	robustness	-0.234913	clean__selected_best_individual	-0.250873	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.064838	clean__selected_best_individual	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Borda	F	quality	0.084788	naive_q11	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Borda	Fbar	quality	0.309726	naive_q11	0.357107	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Borda	C	quality	0.313217	naive_q11	0.267332	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Borda	Cbar	quality	0.669825	naive_q11	0.722693	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Borda	R_F_g	robustness	-0.003491	naive_q11	0.026434	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.316209	naive_q11	0.398504	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Borda	R_C_g	robustness	-0.190524	naive_q11	-0.148628	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Borda	R_Cbar_g	robustness	-0.102743	naive_q11	-0.061347	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Borda	R_F_p	robustness	-0.02793	naive_q11	0.006484	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.353616	naive_q11	0.447382	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Borda	R_C_p	robustness	-0.218953	naive_q11	-0.173566	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	-0.053367	naive_q11	-0.013965	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Borda	R_F_s	robustness	0.202494	naive_q11	0.200998	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.216958	naive_q11	0.316708	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Borda	R_C_s	robustness	0.060848	naive_q11	0.077805	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Borda	R_Cbar_s	robustness	-0.023441	naive_q11	0.034913	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Borda	R_F_a	robustness	-0.061845	naive_q11	-0.037406	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.058354	naive_q11	0.066833	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Borda	R_C_a	robustness	-0.234913	naive_q11	-0.224938	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.064838	naive_q11	0.076808	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Borda	F	quality	0.084788	NOISE__spearman	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Borda	Fbar	quality	0.309726	NOISE__spearman	0.357107	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Borda	C	quality	0.313217	NOISE__spearman	0.267332	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Borda	Cbar	quality	0.669825	NOISE__spearman	0.722693	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Borda	R_F_g	robustness	-0.003491	NOISE__spearman	0.026434	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.316209	NOISE__spearman	0.398504	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Borda	R_C_g	robustness	-0.190524	NOISE__spearman	-0.148628	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Borda	R_Cbar_g	robustness	-0.102743	NOISE__spearman	-0.061347	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Borda	R_F_p	robustness	-0.02793	NOISE__spearman	0.006484	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.353616	NOISE__spearman	0.447382	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Borda	R_C_p	robustness	-0.218953	NOISE__spearman	-0.173566	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	-0.053367	NOISE__spearman	-0.013965	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Borda	R_F_s	robustness	0.202494	NOISE__spearman	0.200998	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.216958	NOISE__spearman	0.316708	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Borda	R_C_s	robustness	0.060848	NOISE__spearman	0.077805	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Borda	R_Cbar_s	robustness	-0.023441	NOISE__spearman	0.034913	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Borda	R_F_a	robustness	-0.061845	NOISE__spearman	-0.037406	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.058354	NOISE__spearman	0.066833	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Borda	R_C_a	robustness	-0.234913	NOISE__spearman	-0.224938	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.064838	NOISE__spearman	0.076808	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Borda	F	quality	0.084788	NOISE__kendall	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Borda	Fbar	quality	0.309726	NOISE__kendall	0.357107	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Borda	C	quality	0.313217	NOISE__kendall	0.267332	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Borda	Cbar	quality	0.669825	NOISE__kendall	0.722693	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Borda	R_F_g	robustness	-0.003491	NOISE__kendall	0.026434	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.316209	NOISE__kendall	0.398504	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Borda	R_C_g	robustness	-0.190524	NOISE__kendall	-0.148628	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Borda	R_Cbar_g	robustness	-0.102743	NOISE__kendall	-0.061347	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Borda	R_F_p	robustness	-0.02793	NOISE__kendall	0.006484	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.353616	NOISE__kendall	0.447382	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Borda	R_C_p	robustness	-0.218953	NOISE__kendall	-0.173566	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	-0.053367	NOISE__kendall	-0.013965	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Borda	R_F_s	robustness	0.202494	NOISE__kendall	0.200998	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.216958	NOISE__kendall	0.316708	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Borda	R_C_s	robustness	0.060848	NOISE__kendall	0.077805	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Borda	R_Cbar_s	robustness	-0.023441	NOISE__kendall	0.034913	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Borda	R_F_a	robustness	-0.061845	NOISE__kendall	-0.037406	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.058354	NOISE__kendall	0.066833	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Borda	R_C_a	robustness	-0.234913	NOISE__kendall	-0.224938	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.064838	NOISE__kendall	0.076808	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kemeny	F	quality	0.091272	clean__selected_best_individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kemeny	Fbar	quality	0.314214	clean__selected_best_individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kemeny	C	quality	0.314214	clean__selected_best_individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kemeny	Cbar	quality	0.669825	clean__selected_best_individual	0.662344	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Kemeny	R_F_g	robustness	-0.010973	clean__selected_best_individual	-0.000499	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.300249	clean__selected_best_individual	0.39601	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Kemeny	R_C_g	robustness	-0.192519	clean__selected_best_individual	-0.194514	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	-0.086783	clean__selected_best_individual	-0.118703	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Kemeny	R_F_p	robustness	-0.034414	clean__selected_best_individual	-0.01995	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.353117	clean__selected_best_individual	0.406983	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Kemeny	R_C_p	robustness	-0.220449	clean__selected_best_individual	-0.220449	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	-0.033915	clean__selected_best_individual	-0.049875	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Kemeny	R_F_s	robustness	0.189526	clean__selected_best_individual	0.17606	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.195511	clean__selected_best_individual	0.312219	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference clean_ selected_best_ individual	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Kemeny	R_C_s	robustness	0.05586	clean_ selected_best_ individual	0.0399	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	-0.025436	clean_ selected_best_ individual	-0.00798	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Kemeny	R_F_a	robustness	-0.074314	clean_ selected_best_ individual	-0.060848	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.042893	clean_ selected_best_ individual	0.030923	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Kemeny	R_C_a	robustness	-0.241895	clean_ selected_best_ individual	-0.250873	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.052369	clean_ selected_best_ individual	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kemeny	F	quality	0.091272	naive_q11	0.053367	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kemeny	Fbar	quality	0.314214	naive_q11	0.348628	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kemeny	C	quality	0.314214	naive_q11	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kemeny	Cbar	quality	0.669825	naive_q11	0.718204	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Kemeny	R_F_g	robustness	-0.010973	naive_q11	0.022444	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.300249	naive_q11	0.414963	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Kemeny	R_C_g	robustness	-0.192519	naive_q11	-0.155611	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	-0.086783	naive_q11	-0.052868	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Kemeny	R_F_p	robustness	-0.034414	naive_q11	0.002494	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.353117	naive_q11	0.44389	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Kemeny	R_C_p	robustness	-0.220449	naive_q11	-0.182045	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	-0.033915	naive_q11	-0.005486	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Kemeny	R_F_s	robustness	0.189526	naive_q11	0.188529	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.195511	naive_q11	0.307731	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Kemeny	R_C_s	robustness	0.05586	naive_q11	0.057855	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	-0.025436	naive_q11	0.038903	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Kemeny	R_F_a	robustness	-0.074314	naive_q11	-0.042893	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.042893	naive_q11	0.064339	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Kemeny	R_C_a	robustness	-0.241895	naive_q11	-0.229426	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.052369	naive_q11	0.077805	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kemeny	F	quality	0.091272	NOISE_ spearman	0.053367	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kemeny	Fbar	quality	0.314214	NOISE_ spearman	0.348628	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kemeny	C	quality	0.314214	NOISE_ spearman	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kemeny	Cbar	quality	0.669825	NOISE_ spearman	0.718204	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Kemeny	R_F_g	robustness	-0.010973	NOISE_ spearman	0.022444	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.300249	NOISE_ spearman	0.414963	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Kemeny	R_C_g	robustness	-0.192519	NOISE_ spearman	-0.155611	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	-0.086783	NOISE_ spearman	-0.052868	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Kemeny	R_F_p	robustness	-0.034414	NOISE_ spearman	0.002494	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.353117	NOISE_ spearman	0.44389	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Kemeny	R_C_p	robustness	-0.220449	NOISE_ spearman	-0.182045	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	-0.033915	NOISE_ spearman	-0.005486	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Kemeny	R_F_s	robustness	0.189526	NOISE_ spearman	0.188529	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.195511	NOISE_ spearman	0.307731	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Kemeny	R_C_s	robustness	0.05586	NOISE_ spearman	0.057855	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	-0.025436	NOISE_ spearman	0.038903	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Kemeny	R_F_a	robustness	-0.074314	NOISE_ spearman	-0.042893	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.042893	NOISE_ spearman	0.064339	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Kemeny	R_C_a	robustness	-0.241895	NOISE_ spearman	-0.229426	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.052369	NOISE_ spearman	0.077805	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kemeny	F	quality	0.091272	NOISE_ kendall	0.053367	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kemeny	Fbar	quality	0.314214	NOISE_ kendall	0.348628	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kemeny	C	quality	0.314214	NOISE_ kendall	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kemeny	Cbar	quality	0.669825	NOISE_ kendall	0.718204	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Kemeny	R_F_g	robustness	-0.010973	NOISE_ kendall	0.022444	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.300249	NOISE_ kendall	0.414963	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Kemeny	R_C_g	robustness	-0.192519	NOISE_kendall	-0.155611	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	-0.086783	NOISE_kendall	-0.052868	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Kemeny	R_F_p	robustness	-0.034414	NOISE_kendall	0.002494	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.353117	NOISE_kendall	0.44389	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Kemeny	R_C_p	robustness	-0.220449	NOISE_kendall	-0.182045	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	-0.033915	NOISE_kendall	-0.005486	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Kemeny	R_F_s	robustness	0.189526	NOISE_kendall	0.188529	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.195511	NOISE_kendall	0.307731	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Kemeny	R_C_s	robustness	0.05586	NOISE_kendall	0.057855	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	-0.025436	NOISE_kendall	0.038903	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Kemeny	R_F_a	robustness	-0.074314	NOISE_kendall	-0.042893	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.042893	NOISE_kendall	0.064339	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Kemeny	R_C_a	robustness	-0.241895	NOISE_kendall	-0.229426	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.052369	NOISE_kendall	0.077805	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	RRF	F	quality	0.077805	clean_selected_best_individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	RRF	Fbar	quality	0.309726	clean_selected_best_individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	RRF	C	quality	0.304239	clean_selected_best_individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	RRF	Cbar	quality	0.660349	clean_selected_best_individual	0.662344	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	RRF	R_F_g	robustness	0.002494	clean_selected_best_individual	-0.000499	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.294763	clean_selected_best_individual	0.39601	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	RRF	R_C_g	robustness	-0.183042	clean_selected_best_individual	-0.194514	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	RRF	R_Cbar_g	robustness	-0.093766	clean_selected_best_individual	-0.118703	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	RRF	R_F_p	robustness	-0.021446	clean_selected_best_individual	-0.01995	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.343641	clean_selected_best_individual	0.406983	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	RRF	R_C_p	robustness	-0.209975	clean_selected_best_individual	-0.220449	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	-0.038903	clean_selected_best_individual	-0.049875	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	RRF	R_F_s	robustness	0.206484	clean_selected_best_individual	0.17606	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.203491	clean_selected_best_individual	0.312219	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	RRF	R_C_s	robustness	0.069327	clean_selected_best_individual	0.0399	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	RRF	R_Cbar_s	robustness	-0.034913	clean_selected_best_individual	-0.00798	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	RRF	R_F_a	robustness	-0.058354	clean_selected_best_individual	-0.060848	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.045885	clean_selected_best_individual	0.030923	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	RRF	R_C_a	robustness	-0.230923	clean_selected_best_individual	-0.250873	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.053865	clean_selected_best_individual	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	RRF	F	quality	0.077805	naive_q11	0.054863	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	RRF	Fbar	quality	0.309726	naive_q11	0.354115	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	RRF	C	quality	0.304239	naive_q11	0.275312	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	RRF	Cbar	quality	0.660349	naive_q11	0.717207	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint	Value	Reference	Reference	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	RRF	R_F_g	robustness	0.002494	naive_q11	0.021945	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.294763	naive_q11	0.403491	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	RRF	R_C_g	robustness	-0.183042	naive_q11	-0.155611	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	RRF	R_Cbar_g	robustness	-0.093766	naive_q11	-0.062843	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	RRF	R_F_p	robustness	-0.021446	naive_q11	0.001496	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.343641	naive_q11	0.446384	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	RRF	R_C_p	robustness	-0.209975	naive_q11	-0.181047	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	-0.038903	naive_q11	-0.014963	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	RRF	R_F_s	robustness	0.206484	naive_q11	0.187032	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.203491	naive_q11	0.329676	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	RRF	R_C_s	robustness	0.069327	naive_q11	0.059352	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	RRF	R_Cbar_s	robustness	-0.034913	naive_q11	0.039401	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	RRF	R_F_a	robustness	-0.058354	naive_q11	-0.041397	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.045885	naive_q11	0.069825	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	RRF	R_C_a	robustness	-0.230923	naive_q11	-0.226933	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.053865	naive_q11	0.078803	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	RRF	F	quality	0.077805	NOISE_spearman	0.054863	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	RRF	Fbar	quality	0.309726	NOISE_spearman	0.354115	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	RRF	C	quality	0.304239	NOISE_spearman	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	RRF	Cbar	quality	0.660349	NOISE_spearman	0.717207	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	RRF	R_F_g	robustness	0.002494	NOISE_spearman	0.021945	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.294763	NOISE_spearman	0.403491	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	RRF	R_C_g	robustness	-0.183042	NOISE_spearman	-0.155611	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	RRF	R_Cbar_g	robustness	-0.093766	NOISE_spearman	-0.062843	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	RRF	R_F_p	robustness	-0.021446	NOISE_spearman	0.001496	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.343641	NOISE_spearman	0.446384	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	RRF	R_C_p	robustness	-0.209975	NOISE_spearman	-0.181047	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	-0.038903	NOISE_spearman	-0.014963	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	RRF	R_F_s	robustness	0.206484	NOISE_spearman	0.187032	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.203491	NOISE_spearman	0.329676	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	RRF	R_C_s	robustness	0.069327	NOISE_spearman	0.059352	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	RRF	R_Cbar_s	robustness	-0.034913	NOISE_spearman	0.039401	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	RRF	R_F_a	robustness	-0.058354	NOISE_spearman	-0.041397	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.045885	NOISE_spearman	0.069825	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	RRF	R_C_a	robustness	-0.230923	NOISE_spearman	-0.226933	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.053865	NOISE_spearman	0.078803	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	RRF	F	quality	0.077805	NOISE_kendall	0.054863	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	RRF	Fbar	quality	0.309726	NOISE_kendall	0.354115	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	RRF	C	quality	0.304239	NOISE_kendall	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	RRF	Cbar	quality	0.660349	NOISE_kendall	0.717207	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	RRF	R_F_g	robustness	0.002494	NOISE_kendall	0.021945	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.294763	NOISE_kendall	0.403491	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	RRF	R_C_g	robustness	-0.183042	NOISE_kendall	-0.155611	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	RRF	R_Cbar_g	robustness	-0.093766	NOISE_kendall	-0.062843	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	RRF	R_F_p	robustness	-0.021446	NOISE_kendall	0.001496	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.343641	NOISE_kendall	0.446384	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	RRF	R_C_p	robustness	-0.209975	NOISE_kendall	-0.181047	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	-0.038903	NOISE_kendall	-0.014963	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	RRF	R_F_s	robustness	0.206484	NOISE_kendall	0.187032	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.203491	NOISE_kendall	0.329676	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	RRF	R_C_s	robustness	0.069327	NOISE_kendall	0.059352	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	RRF	R_Cbar_s	robustness	-0.034913	NOISE_kendall	0.039401	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	RRF	R_F_a	robustness	-0.058354	NOISE_kendall	-0.041397	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.045885	NOISE_kendall	0.069825	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	RRF	R_C_a	robustness	-0.230923	NOISE_kendall	-0.226933	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.053865	NOISE_kendall	0.078803	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Schulze	F	quality	0.083292	clean_selected_best_individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Schulze	Fbar	quality	0.307731	clean_selected_best_individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Schulze	C	quality	0.312718	clean_selected_best_individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Schulze	Cbar	quality	0.667332	clean_selected_best_individual	0.662344	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Schulze	R_F_g	robustness	-0.001995	clean_selected_best_individual	-0.000499	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.315711	clean_selected_best_individual	0.39601	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Schulze	R_C_g	robustness	-0.190025	clean_selected_best_individual	-0.194514	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	-0.103242	clean_selected_best_individual	-0.118703	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Schulze	R_F_p	robustness	-0.026434	clean_selected_best_individual	-0.01995	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.35212	clean_selected_best_individual	0.406983	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Schulze	R_C_p	robustness	-0.218454	clean_selected_best_individual	-0.220449	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	-0.054364	clean_selected_best_individual	-0.049875	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Schulze	R_F_s	robustness	0.203491	clean_selected_best_individual	0.17606	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.214963	clean_selected_best_individual	0.312219	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Schulze	R_C_s	robustness	0.061845	clean_selected_best_individual	0.0399	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Schulze	R_Cbar_s	robustness	-0.025935	clean_selected_best_individual	-0.00798	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Schulze	R_F_a	robustness	-0.060848	clean_selected_best_individual	-0.060848	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.057855	clean_selected_best_individual	0.030923	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Schulze	R_C_a	robustness	-0.234414	clean_selected_best_individual	-0.250873	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.062843	clean_selected_best_individual	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Schulze	F	quality	0.083292	naive_q11	0.054364	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Schulze	Fbar	quality	0.307731	naive_q11	0.351621	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Schulze	C	quality	0.312718	naive_q11	0.269825	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Schulze	Cbar	quality	0.667332	naive_q11	0.717706	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Schulze	R_F_g	robustness	-0.001995	naive_q11	0.02394	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.315711	naive_q11	0.408978	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Schulze	R_C_g	robustness	-0.190025	naive_q11	-0.149626	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	-0.103242	naive_q11	-0.061845	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Schulze	R_F_p	robustness	-0.026434	naive_q11	0.000998	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.35212	naive_q11	0.462344	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Schulze	R_C_p	robustness	-0.218454	naive_q11	-0.177057	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	-0.054364	naive_q11	-0.01197	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Schulze	R_F_s	robustness	0.203491	naive_q11	0.186035	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.214963	naive_q11	0.318703	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Schulze	R_C_s	robustness	0.061845	naive_q11	0.062344	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Schulze	R_Cbar_s	robustness	-0.025935	naive_q11	0.032918	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Schulze	R_F_a	robustness	-0.060848	naive_q11	-0.041895	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.057855	naive_q11	0.068828	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Schulze	R_C_a	robustness	-0.234414	naive_q11	-0.218953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.062843	naive_q11	0.0798	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Schulze	F	quality	0.083292	NOISE_spearman	0.054364	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Schulze	Fbar	quality	0.307731	NOISE_spearman	0.351621	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Schulze	C	quality	0.312718	NOISE_spearman	0.269825	max	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Schulze	Cbar	quality	0.667332	NOISE_ spearman	0.717706	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Schulze	R_F_g	robustness	-0.001995	NOISE_ spearman	0.02394	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.315711	NOISE_ spearman	0.408978	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Schulze	R_C_g	robustness	-0.190025	NOISE_ spearman	-0.149626	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	-0.103242	NOISE_ spearman	-0.061845	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Schulze	R_F_p	robustness	-0.026434	NOISE_ spearman	0.000998	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.35212	NOISE_ spearman	0.462344	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Schulze	R_C_p	robustness	-0.218454	NOISE_ spearman	-0.177057	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	-0.054364	NOISE_ spearman	-0.01197	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Schulze	R_F_s	robustness	0.203491	NOISE_ spearman	0.186035	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.214963	NOISE_ spearman	0.318703	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Schulze	R_C_s	robustness	0.061845	NOISE_ spearman	0.062344	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Schulze	R_Cbar_s	robustness	-0.025935	NOISE_ spearman	0.032918	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Schulze	R_F_a	robustness	-0.060848	NOISE_ spearman	-0.041895	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.057855	NOISE_ spearman	0.068828	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Schulze	R_C_a	robustness	-0.234414	NOISE_ spearman	-0.218953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.062843	NOISE_ spearman	0.0798	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Schulze	F	quality	0.083292	NOISE_ kendall	0.054364	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Schulze	Fbar	quality	0.307731	NOISE_ kendall	0.351621	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Schulze	C	quality	0.312718	NOISE_ kendall	0.269825	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Schulze	Cbar	quality	0.667332	NOISE_ kendall	0.717706	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	F	Schulze	R_F_g	robustness	-0.001995	NOISE_ kendall	0.02394	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.315711	NOISE_ kendall	0.408978	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	C	Schulze	R_C_g	robustness	-0.190025	NOISE_ kendall	-0.149626	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	-0.103242	NOISE_ kendall	-0.061845	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	F	Schulze	R_F_p	robustness	-0.026434	NOISE_ kendall	0.000998	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.35212	NOISE_ kendall	0.462344	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	C	Schulze	R_C_p	robustness	-0.218454	NOISE_ kendall	-0.177057	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	-0.054364	NOISE_ kendall	-0.01197	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	F	Schulze	R_F_s	robustness	0.203491	NOISE_ kendall	0.186035	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.214963	NOISE_ kendall	0.318703	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	C	Schulze	R_C_s	robustness	0.061845	NOISE_ kendall	0.062344	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle	Cbar	Schulze	R_Cbar_s	robustness	-0.025935	NOISE_ kendall	0.032918	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	F	Schulze	R_F_a	robustness	-0.060848	NOISE_ kendall	-0.041895	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.057855	NOISE_ kendall	0.068828	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	C	Schulze	R_C_a	robustness	-0.234414	NOISE_ kendall	-0.218953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.062843	NOISE_ kendall	0.0798	max	Worse

Table 176: DermaMNIST–ResNet-18

Cell	Dataset	Model	Geometry	Selected Q	NOISE Q	Exact	Within One	Selected Is NOISE Tied	Selected Fidelity	NOISE Fidelity	Fidelity Regret	NOISE Tied q	Tie Policy
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	3	3	True	True	True	0.084788	0.084788	0	[3]	smallest_q_within_absolute_1e-12
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	3	3	True	True	True	0.091272	0.091272	0	[3]	smallest_q_within_absolute_1e-12

Table 177: DermaMNIST-ResNet-18

Cell	Dataset	Model	Method	Setting	Q	Methods	F	F	C	C	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	Dual Geometry Noise	3	["Deconvolution", "prop", "Occlusion"]	0.699327	0.699327	0.288404	0.288279	0.737157	0.010474	0.319202	-0.16808	-0.141147	-0.011471	0.339152
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Borda	Dual Geometry Noise	3	["Deconvolution", "prop", "Occlusion"]	0.684388	0.684388	0.309726	0.313217	0.669825	-0.003491	0.316209	-0.190524	-0.102743	-0.02793	0.353616
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kemeny	Dual Geometry Noise	3	["Deconvolution", "prop", "Occlusion"]	0.691373	0.691373	0.314214	0.314214	0.669825	-0.010973	0.300249	-0.192519	-0.086783	-0.034414	0.353117
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	RRF	Dual Geometry Noise	3	["Deconvolution", "prop", "Occlusion"]	0.672803	0.672803	0.309726	0.304239	0.660349	0.002494	0.294763	-0.183042	-0.093766	-0.021446	0.343641
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Schulze	Dual Geometry Noise	3	["Deconvolution", "prop", "Occlusion"]	0.684388	0.684388	0.307731	0.312718	0.667332	-0.001995	0.315711	-0.190025	-0.103242	-0.026434	0.35212

Table 178: DermaMNIST–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	$R^o_{\mathcal{D}}$	$R^o_{\mathcal{F}}$	$R^o_{\mathcal{P}}$	$R^o_{\mathcal{G}}$	$R^o_{\mathcal{V}}$	$R^o_{\mathcal{E}}$	$R^o_{\mathcal{P}}$	$R^o_{\mathcal{G}}$	$R^o_{\mathcal{V}}$	F^o_{averaged}	F^o_{averaged}	C^o_{averaged}
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	Dual Geometry Noise	3	-0.125187	0.230424	0.195511	0.099252	-0.037905	-0.046883	0.111222	-0.220948	0.106733	0.0798	0.064838	0.1202
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	Dual Geometry Noise	3	-0.053367	0.202494	0.216958	0.060848	-0.023441	-0.061845	0.058354	-0.234913	0.064838	0.081297	-0.006484	0.122693
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	Dual Geometry Noise	3	-0.033915	0.189526	0.195511	0.05586	-0.025436	-0.074314	0.042893	-0.241895	0.052369	0.080299	0.013965	0.121696
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	Dual Geometry Noise	3	-0.038903	0.206484	0.203491	0.069327	-0.034913	-0.058354	0.045885	-0.230923	0.053865	0.080299	0.014963	0.121197
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	Dual Geometry Noise	3	-0.054364	0.203491	0.214963	0.061845	-0.025935	-0.060848	0.057855	-0.234414	0.062843	0.081297	-0.00798	0.122693

Table 179: DermaMNIST–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	C^s unperturbed	F^s perturbed	F^p perturbed	C^p perturbed	C^p unperturbed	F^s perturbed	F^s perturbed	C^s perturbed	C^s perturbed	F^s perturbed	F^s perturbed	C^s perturbed
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	Dual Geometry Noise	3	0.878304	0.057855	0.044888	0.092768	0.862344	0.299751	0.188529	0.387531	0.775062	0.022444	0.272818	0.067332
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	Dual Geometry Noise	3	0.772569	0.056858	-0.04389	0.094264	0.723192	0.287282	0.092768	0.374065	0.693267	0.022943	0.251372	0.078304
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	Dual Geometry Noise	3	0.756608	0.056858	-0.038903	0.093766	0.703741	0.280798	0.118703	0.370075	0.695262	0.016958	0.271322	0.072319
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	Dual Geometry Noise	3	0.754115	0.056359	-0.033915	0.094264	0.699252	0.284289	0.106234	0.373566	0.695262	0.019451	0.26384	0.073317
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	Dual Geometry Noise	3	0.770574	0.056858	-0.044389	0.094264	0.721696	0.286783	0.092768	0.374564	0.693267	0.022444	0.249875	0.078304

Table 180: DermaMNIST–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	C^* estimated
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	Dual Geometry Noise	3	0.630424
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	Dual Geometry Noise	3	0.604988
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	Dual Geometry Noise	3	0.617456
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	Dual Geometry Noise	3	0.606484
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	Dual Geometry Noise	3	0.604489

Table 181: DermaMNIST-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.079302	clean_selected_best_individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.296758	clean_selected_best_individual	0.298254	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.314214	clean_selected_best_individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.657855	clean_selected_best_individual	0.662344	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	-0.002494	clean_selected_best_individual	-0.000499	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	0.399002	clean_selected_best_individual	0.39601	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	-0.190524	clean_selected_best_individual	-0.194514	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	-0.116209	clean_selected_best_individual	-0.118703	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	-0.02394	clean_selected_best_individual	-0.01995	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	0.401496	clean_selected_best_individual	0.406983	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	-0.21995	clean_selected_best_individual	-0.220449	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	-0.03192	clean_selected_best_individual	-0.049875	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	0.172569	clean_selected_best_individual	0.17606	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	0.303242	clean_selected_best_individual	0.312219	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.036908	clean_selected_best_individual	0.0399	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	-0.000499	clean_selected_best_individual	-0.00798	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	-0.061845	clean_selected_best_individual	-0.060848	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	0.048379	clean_selected_best_individual	0.030923	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	-0.245387	clean_selected_best_individual	-0.250873	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	0.06783	clean_selected_best_individual	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.079302	naive_q11	0.059352	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.296758	naive_q11	0.38005	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.314214	naive_q11	0.281297	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.657855	naive_q11	0.73217	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	-0.002494	naive_q11	0.018953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	0.399002	naive_q11	0.352618	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	-0.190524	naive_q11	-0.164589	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	0.116209	naive_q11	0.110723	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	-0.02394	naive_q11	0.000998	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	0.401496	naive_q11	0.371072	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	-0.21995	naive_q11	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	-0.03192	naive_q11	0.187032	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	-0.03192	naive_q11	0.096259	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.172569	naive_q11	0.231421	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	0.303242	naive_q11	0.251372	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	0.036908	naive_q11	0.094763	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	0.000499	naive_q11	0.004988	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	0.061845	naive_q11	0.040898	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	0.048379	naive_q11	0.129676	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.245387	NOISE_	0.217955	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.06783	NOISE_	0.110224	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.079302	NOISE_	0.059352	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.296758	NOISE_	0.38005	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.314214	NOISE_	0.281297	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.657855	NOISE_	0.73217	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	0.002494	NOISE_	0.018953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	-	NOISE_	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	0.399002	NOISE_	0.352618	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	-	NOISE_	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	0.190524	NOISE_	0.164589	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	-	NOISE_	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	0.116209	NOISE_	0.110723	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	-0.02394	NOISE_	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	0.401496	NOISE_	0.000998	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	0.401496	NOISE_	0.371072	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	-0.21995	NOISE_	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	-0.21995	NOISE_	0.187032	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	-0.03192	NOISE_	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	-0.03192	NOISE_	0.096259	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.172569	NOISE_	0.231421	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.303242	NOISE_	0.251372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	0.036908	NOISE_	0.094763	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	-	NOISE_	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	0.000499	NOISE_	0.004988	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	-	NOISE_	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	0.061845	NOISE_	0.040898	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	0.048379	NOISE_	0.129676	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	-	NOISE_	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	0.245387	NOISE_	0.217955	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	0.06783	NOISE_	0.110224	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.079302	NOISE_	0.069327	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.296758	NOISE_	0.38404	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.314214	NOISE_	0.288279	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.657855	NOISE_	0.737157	min	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	- 0.002494	dual__ geometry__ shared_q	0.010474	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	0.399002	dual__ geometry__ shared_q	0.319202	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	- 0.190524	dual__ geometry__ shared_q	-0.16808	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	- 0.116209	dual__ geometry__ shared_q	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	-0.02394	dual__ geometry__ shared_q	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	0.401496	dual__ geometry__ shared_q	0.339152	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	-0.21995	dual__ geometry__ shared_q	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	-0.03192	dual__ geometry__ shared_q	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	0.172569	dual__ geometry__ shared_q	0.230424	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	0.303242	dual__ geometry__ shared_q	0.195511	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.036908	dual__ geometry__ shared_q	0.099252	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	- 0.000499	dual__ geometry__ shared_q	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	- 0.061845	dual__ geometry__ shared_q	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	0.048379	dual__ geometry__ shared_q	0.111222	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	- 0.245387	dual__ geometry__ shared_q	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	0.06783	dual__ geometry__ shared_q	0.106733	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.080798	clean__ selected__ best__ individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.294264	clean__ selected__ best__ individual	0.298254	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.303741	clean__ selected__ best__ individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.65586	clean__ selected__ best__ individual	0.662344	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	-0.00399	clean__ selected__ best__ individual	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	0.332668	clean__ selected__ best__ individual	0.39601	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	- 0.180549	clean__ selected__ best__ individual	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	- 0.075312	clean__ selected__ best__ individual	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	-0.02394	clean__ selected__ best__ individual	-0.01995	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	0.357606	clean__ selected__ best__ individual	0.406983	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	- 0.209476	clean__ selected__ best__ individual	-	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	0.002494	clean_selected_best_individual	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	0.16409	clean_selected_best_individual	0.17606	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	0.24389	clean_selected_best_individual	0.312219	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	0.041397	clean_selected_best_individual	0.0399	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	-	clean_selected_best_individual	-0.00798	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	-0.06783	clean_selected_best_individual	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	0.035411	clean_selected_best_individual	0.030923	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	-	clean_selected_best_individual	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	0.242893	clean_selected_best_individual	0.250873	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	0.048878	clean_selected_best_individual	0.051372	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.080798	naive_q11	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.294264	naive_q11	0.357107	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.303741	naive_q11	0.267332	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.65586	naive_q11	0.722693	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	-0.00399	naive_q11	0.026434	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	0.332668	naive_q11	0.398504	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	0.180549	naive_q11	0.148628	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	0.075312	naive_q11	0.061347	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	-0.02394	naive_q11	0.006484	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	0.357606	naive_q11	0.447382	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	0.209476	naive_q11	0.173566	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	0.002494	naive_q11	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	0.16409	naive_q11	0.013965	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	0.24389	naive_q11	0.200998	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	0.041397	naive_q11	0.316708	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	0.041397	naive_q11	0.077805	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	-	naive_q11	0.034913	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	0.002993	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	-0.06783	naive_q11	0.037406	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	0.035411	naive_q11	0.066833	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	0.242893	naive_q11	0.224938	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	0.048878	naive_q11	0.076808	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.080798	NOISE_same_geometry	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.294264	NOISE_same_geometry	0.357107	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.303741	NOISE_same_geometry	0.267332	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.65586	NOISE_same_geometry	0.722693	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	-0.00399	NOISE_same_geometry	0.026434	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	-0.00399	NOISE_same_geometry	0.026434	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	0.332668	NOISE_same_geometry	0.398504	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	0.180549	NOISE_same_geometry	0.148628	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	0.075312	NOISE_same_geometry	0.061347	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	-0.02394	NOISE_same_geometry	0.006484	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	0.357606	NOISE_same_geometry	0.447382	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	- 0.209476	NOISE_ same_ geometry	- 0.173566	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	0.002494	NOISE_ same_ geometry	- 0.013965	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	0.16409	NOISE_ same_ geometry	0.200998	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	0.24389	NOISE_ same_ geometry	0.316708	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	0.041397	NOISE_ same_ geometry	0.077805	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	- 0.002993	NOISE_ same_ geometry	0.034913	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	-0.06783	NOISE_ same_ geometry	- 0.037406	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	0.035411	NOISE_ same_ geometry	0.066833	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	- 0.242893	NOISE_ same_ geometry	- 0.224938	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	0.048878	NOISE_ same_ geometry	0.076808	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.080798	dual_ geometry_ shared_q	0.084788	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.294264	dual_ geometry_ shared_q	0.309726	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.303741	dual_ geometry_ shared_q	0.313217	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.65586	dual_ geometry_ shared_q	0.669825	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	-0.00399	dual_ geometry_ shared_q	- 0.003491	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	0.332668	dual_ geometry_ shared_q	0.316209	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	- 0.180549	dual_ geometry_ shared_q	- 0.190524	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	- 0.075312	dual_ geometry_ shared_q	- 0.102743	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	-0.02394	dual_ geometry_ shared_q	-0.02793	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	0.357606	dual_ geometry_ shared_q	0.353616	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	- 0.209476	dual_ geometry_ shared_q	- 0.218953	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	0.002494	dual_ geometry_ shared_q	- 0.053367	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	0.16409	dual_ geometry_ shared_q	0.202494	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	0.24389	dual_ geometry_ shared_q	0.216958	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	0.041397	dual_ geometry_ shared_q	0.060848	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	- 0.002993	dual_ geometry_ shared_q	- 0.023441	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	-0.06783	dual_ geometry_ shared_q	- 0.061845	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	0.035411	dual_ geometry_ shared_q	0.058354	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	- 0.242893	dual_ geometry_ shared_q	- 0.234913	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	0.048878	dual_ geometry_ shared_q	0.064838	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.080798	clean_ selected_ best_ individual	0.076808	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.294264	clean_selected_best_individual	0.298254	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.303741	clean_selected_best_individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.65586	clean_selected_best_individual	0.662344	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	-0.00399	clean_selected_best_individual	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	0.332668	clean_selected_best_individual	0.39601	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	-	clean_selected_best_individual	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	-	clean_selected_best_individual	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	-0.02394	clean_selected_best_individual	-0.01995	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	0.357606	clean_selected_best_individual	0.406983	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	-	clean_selected_best_individual	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	0.002494	clean_selected_best_individual	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.16409	clean_selected_best_individual	0.17606	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	0.24389	clean_selected_best_individual	0.312219	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.041397	clean_selected_best_individual	0.0399	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	-	clean_selected_best_individual	-0.00798	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	-0.06783	clean_selected_best_individual	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	0.035411	clean_selected_best_individual	0.030923	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	-	clean_selected_best_individual	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	0.048878	clean_selected_best_individual	0.051372	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.080798	naive_q11	0.053367	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.294264	naive_q11	0.348628	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.303741	naive_q11	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.65586	naive_q11	0.718204	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	-0.00399	naive_q11	0.022444	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	0.332668	naive_q11	0.414963	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	0.180549	naive_q11	0.155611	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	0.075312	naive_q11	0.052868	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	-0.02394	naive_q11	0.002494	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	0.357606	naive_q11	0.44389	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	0.209476	naive_q11	0.182045	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.002494	naive_q11	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.16409	naive_q11	0.005486	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.16409	naive_q11	0.188529	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	0.24389	naive_q11	0.307731	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.041397	naive_q11	0.057855	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	-0.002993	naive_q11	0.038903	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	-0.06783	naive_q11	-	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	0.035411	naive_q11	0.064339	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	-0.242893	naive_q11	-	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	0.242893	naive_q11	0.229426	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.048878	NOISE__same_geometry	0.077805	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.080798	NOISE__same_geometry	0.053367	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.294264	NOISE__same_geometry	0.348628	min	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.303741	NOISE__same_geometry	0.275312	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.65586	NOISE__same_geometry	0.718204	min	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	-0.00399	NOISE__same_geometry	0.022444	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	-0.00399	NOISE__same_geometry	0.022444	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	0.332668	NOISE__same_geometry	0.414963	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	-	NOISE__same_geometry	-	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	0.180549	NOISE__same_geometry	0.155611	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	-	NOISE__same_geometry	-	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	0.075312	NOISE__same_geometry	0.052868	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	-0.02394	NOISE__same_geometry	0.002494	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	-0.02394	NOISE__same_geometry	0.002494	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	0.357606	NOISE__same_geometry	0.44389	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	-	NOISE__same_geometry	-	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	0.209476	NOISE__same_geometry	0.182045	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	0.002494	NOISE__same_geometry	-	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	0.002494	NOISE__same_geometry	0.005486	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	-	NOISE__same_geometry	-	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.16409	NOISE__same_geometry	0.188529	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	0.24389	NOISE__same_geometry	0.307731	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.041397	NOISE__same_geometry	0.057855	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	-	NOISE__same_geometry	-	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	0.002993	NOISE__same_geometry	0.038903	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	-0.002993	NOISE__same_geometry	-	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	-0.06783	NOISE__same_geometry	0.042893	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	-0.06783	NOISE__same_geometry	-	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	0.035411	NOISE__same_geometry	0.064339	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	-	NOISE__same_geometry	-	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	0.242893	NOISE__same_geometry	0.229426	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	0.242893	NOISE__same_geometry	0.229426	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	0.048878	NOISE__same_geometry	0.077805	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.048878	NOISE__dual_geometry_shared_q	0.077805	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.080798	NOISE__dual_geometry_shared_q	0.091272	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.294264	NOISE__dual_geometry_shared_q	0.314214	min	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.303741	NOISE__dual_geometry_shared_q	0.314214	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.65586	NOISE__dual_geometry_shared_q	0.669825	min	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	-0.00399	NOISE__dual_geometry_shared_q	-	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	-0.00399	NOISE__dual_geometry_shared_q	0.010973	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	0.332668	NOISE__dual_geometry_shared_q	0.300249	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	0.332668	NOISE__dual_geometry_shared_q	0.300249	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	-	NOISE__dual_geometry_shared_q	-	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	0.180549	NOISE__dual_geometry_shared_q	0.192519	-	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	-0.075312	dual__geometry__shared_q	0.086783	-max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	-0.02394	dual__geometry__shared_q	0.034414	-max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	0.357606	dual__geometry__shared_q	0.353117	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	-0.209476	dual__geometry__shared_q	0.220449	-max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	0.002494	dual__geometry__shared_q	0.033915	-max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.16409	dual__geometry__shared_q	0.189526	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	0.24389	dual__geometry__shared_q	0.195511	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.041397	dual__geometry__shared_q	0.05586	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	-0.002993	dual__geometry__shared_q	0.025436	-max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	-0.06783	dual__geometry__shared_q	0.074314	-max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	0.035411	dual__geometry__shared_q	0.042893	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	-0.242893	dual__geometry__shared_q	0.241895	-max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	0.048878	dual__geometry__shared_q	0.052369	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.093766	clean__selected__best__individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.312219	clean__selected__best__individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.315711	clean__selected__best__individual	0.314713	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.665835	clean__selected__best__individual	0.662344	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	-0.015461	clean__selected__best__individual	0.000499	-max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	0.323192	clean__selected__best__individual	0.39601	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	-0.196509	clean__selected__best__individual	0.194514	-max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	-0.078304	clean__selected__best__individual	0.118703	-max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	-0.037905	clean__selected__best__individual	-0.01995	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	0.362594	clean__selected__best__individual	0.406983	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	-0.223441	clean__selected__best__individual	0.220449	-max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	0.012968	clean__selected__best__individual	0.049875	-max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	0.169077	clean__selected__best__individual	0.17606	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	0.214464	clean_selected_best_individual	0.312219	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	0.049377	clean_selected_best_individual	0.0399	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	-0.001496	clean_selected_best_individual	-0.00798	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	-0.074813	clean_selected_best_individual	-0.060848	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	0.040898	clean_selected_best_individual	0.030923	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	-0.24788	clean_selected_best_individual	-0.250873	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	0.04788	clean_selected_best_individual	0.051372	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.093766	naive_q11	0.054863	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.312219	naive_q11	0.354115	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.315711	naive_q11	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.665835	naive_q11	0.717207	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	-0.015461	naive_q11	0.021945	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	0.323192	naive_q11	0.403491	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	-0.196509	naive_q11	0.155611	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	-0.078304	naive_q11	0.062843	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	-0.037905	naive_q11	0.001496	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	0.362594	naive_q11	0.446384	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	-0.223441	naive_q11	-0.181047	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	0.012968	naive_q11	-0.014963	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	0.169077	naive_q11	0.187032	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	0.214464	naive_q11	0.329676	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	0.049377	naive_q11	0.059352	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	-0.001496	naive_q11	0.039401	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	-0.074813	naive_q11	-0.041397	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	0.040898	naive_q11	0.069825	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	-0.24788	naive_q11	-0.226933	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	0.04788	naive_q11	0.078803	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.093766	NOISE_same_geometry	0.054863	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.312219	NOISE_same_geometry	0.354115	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.315711	NOISE_same_geometry	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.665835	NOISE_same_geometry	0.717207	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	-0.015461	NOISE_same_geometry	0.021945	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	0.323192	NOISE_same_geometry	0.403491	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	-0.196509	NOISE_same_geometry	-0.155611	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	-0.078304	NOISE_same_geometry	-0.062843	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	-0.037905	NOISE_same_geometry	0.001496	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	0.362594	NOISE_same_geometry	0.446384	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	-0.223441	NOISE_same_geometry	0.181047	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	0.012968	NOISE_same_geometry	-0.014963	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	0.169077	NOISE__same_geometry	0.187032	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	0.214464	NOISE__same_geometry	0.329676	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	0.049377	NOISE__same_geometry	0.059352	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	-0.001496	NOISE__same_geometry	0.039401	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	-0.074813	NOISE__same_geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	0.040898	NOISE__same_geometry	0.069825	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	-0.24788	NOISE__same_geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	0.04788	NOISE__same_geometry	0.078803	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.093766	dual_geometry_shared_q	0.077805	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.312219	dual_geometry_shared_q	0.309726	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.315711	dual_geometry_shared_q	0.304239	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.665835	dual_geometry_shared_q	0.660349	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	-0.015461	dual_geometry_shared_q	0.002494	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	0.323192	dual_geometry_shared_q	0.294763	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	-0.196509	dual_geometry_shared_q	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	0.078304	dual_geometry_shared_q	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	-0.037905	dual_geometry_shared_q	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	0.362594	dual_geometry_shared_q	0.343641	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	-0.223441	dual_geometry_shared_q	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	0.012968	dual_geometry_shared_q	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	0.169077	dual_geometry_shared_q	0.206484	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	0.214464	dual_geometry_shared_q	0.203491	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	0.049377	dual_geometry_shared_q	0.069327	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	-0.001496	dual_geometry_shared_q	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	-0.074813	dual_geometry_shared_q	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	0.040898	dual_geometry_shared_q	0.045885	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	-0.24788	dual_geometry_shared_q	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	0.04788	dual_geometry_shared_q	0.053865	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.080798	clean_selected_best_individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.294264	clean_selected_best_individual	0.298254	min	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.303741	clean_selected_best_individual	0.314713	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.65586	clean_selected_best_individual	0.662344	min	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	-0.00399	clean_selected_best_individual	-	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	0.332668	clean_selected_best_individual	0.39601	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	-	clean_selected_best_individual	-	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	-	clean_selected_best_individual	-	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	-0.02394	clean_selected_best_individual	-0.01995	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	0.357606	clean_selected_best_individual	0.406983	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	-	clean_selected_best_individual	-	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	0.002494	clean_selected_best_individual	-	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.16409	clean_selected_best_individual	0.17606	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	0.24389	clean_selected_best_individual	0.312219	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.041397	clean_selected_best_individual	0.0399	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	-	clean_selected_best_individual	-0.00798	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	-0.06783	clean_selected_best_individual	-	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	0.035411	clean_selected_best_individual	0.030923	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	-	clean_selected_best_individual	-	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	0.048878	clean_selected_best_individual	0.051372	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.080798	naive_q11	0.054364	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.294264	naive_q11	0.351621	min	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.303741	naive_q11	0.269825	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.65586	naive_q11	0.717706	min	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	-0.00399	naive_q11	0.02394	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	0.332668	naive_q11	0.408978	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	-	naive_q11	-	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	0.180549	naive_q11	0.149626	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	-0.02394	naive_q11	0.000998	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	0.357606	naive_q11	0.462344	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	-	naive_q11	-	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	0.002494	naive_q11	-0.01197	max	Better	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.16409	naive_q11	0.186035	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	0.24389	naive_q11	0.318703	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.041397	naive_q11	0.062344	max	Worse	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	-	naive_q11	0.032918	max	Worse	

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	-0.06783	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	0.035411	naive_q11	0.041895	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	-	naive_q11	0.068828	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	0.242893	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.048878	NOISE_	0.218953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.080798	same_	0.0798	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.294264	geometry_	0.054364	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.303741	NOISE_	0.351621	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.65586	same_	0.269825	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	-0.00399	geometry_	0.717706	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	0.332668	NOISE_	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	-	same_	0.149626	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	0.180549	NOISE_	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	-0.02394	same_	0.061845	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	0.357606	NOISE_	0.000998	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	-	geometry_	0.462344	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	0.209476	NOISE_	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.16409	same_	0.177057	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	0.24389	NOISE_	-0.01197	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.041397	same_	0.062344	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	-	NOISE_	0.032918	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	-0.06783	same_	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	0.035411	geometry_	0.041895	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	-	NOISE_	0.068828	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	0.242893	same_	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.048878	geometry_	0.218953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.080798	NOISE_	0.0798	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.294264	same_	0.083292	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.303741	dual_	0.307731	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	-0.00399	geometry_	0.312718	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	0.332668	shared_q	0.351621	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	-	shared_q	0.269825	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	0.180549	geometry_	0.717706	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	-0.02394	shared_q	0.190025	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	0.357606	dual_	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	-	shared_q	0.103242	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	0.002494	shared_q	-	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.16409	shared_q	0.026434	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	0.357606	dual__geometry__shared_q	0.35212	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	-0.209476	dual__geometry__shared_q	0.218454	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	0.002494	dual__geometry__shared_q	-0.054364	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.16409	dual__geometry__shared_q	0.203491	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	0.24389	dual__geometry__shared_q	0.214963	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.041397	dual__geometry__shared_q	0.061845	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	-0.002993	dual__geometry__shared_q	-0.025935	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	-0.06783	dual__geometry__shared_q	-0.060848	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	0.035411	dual__geometry__shared_q	0.057855	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	-0.242893	dual__geometry__shared_q	-0.234414	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	0.048878	dual__geometry__shared_q	0.062843	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	0.069327	clean__selected__best__individual	0.076808	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	Fbar	quality	0.38404	clean__selected__best__individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.288279	clean__selected__best__individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.737157	clean__selected__best__individual	0.662344	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_g	robustness	0.010474	clean__selected__best__individual	-0.000499	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	0.319202	clean__selected__best__individual	0.39601	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	-0.16808	clean__selected__best__individual	-0.194514	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	-0.141147	clean__selected__best__individual	-0.118703	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	-0.011471	clean__selected__best__individual	-0.01995	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	0.339152	clean__selected__best__individual	0.406983	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	-0.195511	clean__selected__best__individual	-0.220449	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	-0.125187	clean__selected__best__individual	-0.049875	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	0.230424	clean__selected__best__individual	0.17606	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	0.195511	clean__selected__best__individual	0.312219	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	0.099252	clean__selected__best__individual	0.0399	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	-0.037905	clean_selected_best_individual	-0.00798	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_a	robustness	-0.046883	clean_selected_best_individual	0.060848	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	0.111222	clean_selected_best_individual	0.030923	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	-0.220948	clean_selected_best_individual	0.250873	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	0.106733	clean_selected_best_individual	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	0.069327	naive_q11	0.059352	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	Fbar	quality	0.38404	naive_q11	0.38005	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.288279	naive_q11	0.281297	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.737157	naive_q11	0.73217	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_g	robustness	0.010474	naive_q11	0.018953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	0.319202	naive_q11	0.352618	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	-0.16808	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	0.141147	naive_q11	0.110723	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	0.011471	naive_q11	0.000998	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	0.339152	naive_q11	0.371072	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	0.125187	naive_q11	0.096259	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	0.230424	naive_q11	0.231421	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	0.195511	naive_q11	0.251372	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	0.099252	naive_q11	0.094763	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_a	robustness	0.037905	naive_q11	0.004988	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	0.046883	naive_q11	0.040898	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	0.111222	naive_q11	0.129676	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	0.220948	naive_q11	0.217955	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	0.106733	naive_q11	0.110224	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.069327	naive_q11	0.059352	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.069327	naive_q11	0.004988	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.38404	naive_q11	0.38005	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.288279	naive_q11	0.281297	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.737157	naive_q11	0.73217	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_g	robustness	0.010474	naive_q11	0.018953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	0.010474	naive_q11	0.018953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	0.319202	naive_q11	0.352618	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	-0.16808	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	0.141147	naive_q11	0.110723	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	0.011471	naive_q11	0.000998	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	0.339152	naive_q11	0.371072	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	0.195511	naive_q11	0.187032	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	-	naive_q11	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	0.125187	naive_q11	0.096259	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	0.230424	naive_q11	0.231421	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	0.195511	naive_q11	0.251372	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	0.099252	naive_q11	0.094763	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	0.037905	NOISE_-same_geometry	0.004988	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_a	robustness	-0.046883	NOISE_-same_geometry	-0.040898	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	0.111222	NOISE_-same_geometry	0.129676	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	-0.220948	NOISE_-same_geometry	-0.217955	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	0.106733	NOISE_-same_geometry	0.110224	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	0.069327	dual_geometry_shared_q	0.069327	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	Fbar	quality	0.38404	dual_geometry_shared_q	0.38404	min	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.288279	dual_geometry_shared_q	0.288279	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.737157	dual_geometry_shared_q	0.737157	min	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_g	robustness	0.010474	dual_geometry_shared_q	0.010474	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	0.319202	dual_geometry_shared_q	0.319202	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	-0.16808	dual_geometry_shared_q	-0.16808	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	-0.141147	dual_geometry_shared_q	-0.141147	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	-0.011471	dual_geometry_shared_q	-0.011471	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	0.339152	dual_geometry_shared_q	0.339152	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	-0.195511	dual_geometry_shared_q	-0.195511	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	-0.125187	dual_geometry_shared_q	-0.125187	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	0.230424	dual_geometry_shared_q	0.230424	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	0.195511	dual_geometry_shared_q	0.195511	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	0.099252	dual_geometry_shared_q	0.099252	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	-0.037905	dual_geometry_shared_q	-0.037905	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_a	robustness	-0.046883	dual_geometry_shared_q	-0.046883	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	0.111222	dual_geometry_shared_q	0.111222	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	-0.220948	dual_geometry_shared_q	-0.220948	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	0.106733	dual_geometry_shared_q	0.106733	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.084788	clean_selected_best_individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.309726	clean_selected_best_individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.313217	clean_selected_best_individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.669825	clean_selected_best_individual	0.662344	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	- 0.003491	clean_ selected_ best_ individual	- 0.000499	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	0.316209	clean_ selected_ best_ individual	0.39601	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	- 0.190524	clean_ selected_ best_ individual	- 0.194514	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	- 0.102743	clean_ selected_ best_ individual	- 0.118703	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	-0.02793	clean_ selected_ best_ individual	-0.01995	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	0.353616	clean_ selected_ best_ individual	0.406983	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	- 0.218953	clean_ selected_ best_ individual	- 0.220449	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	- 0.053367	clean_ selected_ best_ individual	- 0.049875	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	0.202494	clean_ selected_ best_ individual	0.17606	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	0.216958	clean_ selected_ best_ individual	0.312219	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	0.060848	clean_ selected_ best_ individual	0.0399	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	- 0.023441	clean_ selected_ best_ individual	-0.00798	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	- 0.061845	clean_ selected_ best_ individual	- 0.060848	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	0.058354	clean_ selected_ best_ individual	0.030923	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	- 0.234913	clean_ selected_ best_ individual	- 0.250873	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	0.064838	clean_ selected_ best_ individual	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.084788	naive_q11	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.309726	naive_q11	0.357107	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.313217	naive_q11	0.267332	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.669825	naive_q11	0.722693	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	- 0.003491	naive_q11	0.026434	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	0.316209	naive_q11	0.398504	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	- 0.190524	naive_q11	0.148628	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	0.102743	naive_q11	0.061347	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	-0.02793	naive_q11	0.006484	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	0.353616	naive_q11	0.447382	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	- 0.218953	naive_q11	- 0.173566	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	- 0.053367	naive_q11	- 0.013965	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	0.202494	naive_q11	0.200998	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	0.216958	naive_q11	0.316708	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	0.060848	naive_q11	0.077805	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	- 0.023441	naive_q11	0.034913	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	- 0.061845	naive_q11	- 0.037406	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	0.058354	naive_q11	0.066833	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	- 0.234913	naive_q11	- 0.224938	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	0.064838	naive_q11	0.076808	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.084788	NOISE__same_geometry	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.309726	NOISE__same_geometry	0.357107	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.313217	NOISE__same_geometry	0.267332	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.669825	NOISE__same_geometry	0.722693	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	-0.003491	NOISE__same_geometry	0.026434	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	0.316209	NOISE__same_geometry	0.398504	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	-0.190524	NOISE__same_geometry	-0.148628	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	-0.102743	NOISE__same_geometry	-0.061347	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	-0.02793	NOISE__same_geometry	0.006484	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	0.353616	NOISE__same_geometry	0.447382	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	-0.218953	NOISE__same_geometry	-0.173566	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	-0.053367	NOISE__same_geometry	-0.013965	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	0.202494	NOISE__same_geometry	0.200998	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	0.216958	NOISE__same_geometry	0.316708	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	0.060848	NOISE__same_geometry	0.077805	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	-0.023441	NOISE__same_geometry	0.034913	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	-0.061845	NOISE__same_geometry	-0.037406	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	0.058354	NOISE__same_geometry	0.066833	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	-0.234913	NOISE__same_geometry	-0.224938	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	0.064838	NOISE__same_geometry	0.076808	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.084788	dual_geometry__shared_q	0.084788	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.309726	dual_geometry__shared_q	0.309726	min	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.313217	dual_geometry__shared_q	0.313217	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.669825	dual_geometry__shared_q	0.669825	min	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	-0.003491	dual_geometry__shared_q	-0.003491	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	0.316209	dual_geometry__shared_q	0.316209	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	-0.190524	dual_geometry__shared_q	-0.190524	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	-0.102743	dual_geometry__shared_q	-0.102743	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	-0.02793	dual_geometry__shared_q	-0.02793	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	0.353616	dual_geometry__shared_q	0.353616	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	-0.218953	dual_geometry__shared_q	-0.218953	max	Equal

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	- 0.053367	dual_ geometry_ shared_q	- 0.053367	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	0.202494	dual_ geometry_ shared_q	0.202494	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	0.216958	dual_ geometry_ shared_q	0.216958	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	0.060848	dual_ geometry_ shared_q	0.060848	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	- 0.023441	dual_ geometry_ shared_q	- 0.023441	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	- 0.061845	dual_ geometry_ shared_q	- 0.061845	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	0.058354	dual_ geometry_ shared_q	0.058354	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	- 0.234913	dual_ geometry_ shared_q	- 0.234913	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	0.064838	dual_ geometry_ shared_q	0.064838	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.091272	clean_ selected_ best_ individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.314214	clean_ selected_ best_ individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.314214	clean_ selected_ best_ individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.669825	clean_ selected_ best_ individual	0.662344	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	- 0.010973	clean_ selected_ best_ individual	- 0.000499	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	0.300249	clean_ selected_ best_ individual	0.39601	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	- 0.192519	clean_ selected_ best_ individual	- 0.194514	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	- 0.086783	clean_ selected_ best_ individual	- 0.118703	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	- 0.034414	clean_ selected_ best_ individual	-0.01995	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	0.353117	clean_ selected_ best_ individual	0.406983	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	- 0.220449	clean_ selected_ best_ individual	- 0.220449	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_p	robustness	- 0.033915	clean_ selected_ best_ individual	- 0.049875	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_s	robustness	0.189526	clean_ selected_ best_ individual	0.17606	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_s	robustness	0.195511	clean_ selected_ best_ individual	0.312219	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_s	robustness	0.05586	clean_ selected_ best_ individual	0.0399	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_s	robustness	- 0.025436	clean_ selected_ best_ individual	-0.00798	max	Worse

Cell	Dataset	Model	Q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_a	robustness	- 0.074314	clean_selected_best_individual	- 0.060848	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_a	robustness	0.042893	clean_selected_best_individual	0.030923	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_a	robustness	- 0.241895	clean_selected_best_individual	- 0.250873	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_a	robustness	0.052369	clean_selected_best_individual	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.091272	naive_q11	0.053367	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.314214	naive_q11	0.348628	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.314214	naive_q11	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.669825	naive_q11	0.718204	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	- 0.010973	naive_q11	0.022444	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	0.300249	naive_q11	0.414963	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	- 0.192519	naive_q11	- 0.155611	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	- 0.086783	naive_q11	- 0.052868	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	0.034414	naive_q11	0.002494	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	0.353117	naive_q11	0.44389	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	- 0.220449	naive_q11	- 0.182045	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_p	robustness	- 0.033915	naive_q11	- 0.005486	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_s	robustness	0.189526	naive_q11	0.188529	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_s	robustness	0.195511	naive_q11	0.307731	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_s	robustness	0.05586	naive_q11	0.057855	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_s	robustness	- 0.025436	naive_q11	0.038903	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_a	robustness	- 0.074314	naive_q11	- 0.042893	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_a	robustness	0.042893	naive_q11	0.064339	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_a	robustness	- 0.241895	naive_q11	- 0.229426	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_a	robustness	0.052369	naive_q11	0.077805	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.091272	NOISE_same_geometry	0.053367	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.314214	NOISE_same_geometry	0.348628	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.314214	NOISE_same_geometry	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.669825	NOISE_same_geometry	0.718204	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	- 0.010973	NOISE_same_geometry	0.022444	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	0.300249	NOISE_same_geometry	0.414963	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	- 0.192519	NOISE_same_geometry	- 0.155611	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	- 0.086783	NOISE_same_geometry	- 0.052868	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	- 0.034414	NOISE_same_geometry	0.002494	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	0.353117	NOISE_same_geometry	0.44389	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	- 0.220449	NOISE_same_geometry	- 0.182045	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_p	robustness	- 0.033915	NOISE_same_geometry	- 0.005486	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_s	robustness	0.189526	NOISE_same_geometry	0.188529	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_s	robustness	0.195511	NOISE_same_geometry	0.307731	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_s	robustness	0.05586	NOISE_same_geometry	0.057855	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_s	robustness	- 0.025436	NOISE_same_geometry	0.038903	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_a	robustness	- 0.074314	NOISE_ same_ geometry	- 0.042893	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_a	robustness	0.042893	NOISE_ same_ geometry	0.064339	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_a	robustness	- 0.241895	NOISE_ same_ geometry	- 0.229426	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_a	robustness	0.052369	NOISE_ same_ geometry	0.077805	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.091272	dual_ geometry_ shared_q	0.091272	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.314214	dual_ geometry_ shared_q	0.314214	min	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.314214	dual_ geometry_ shared_q	0.314214	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.669825	dual_ geometry_ shared_q	0.669825	min	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	- 0.010973	dual_ geometry_ shared_q	- 0.010973	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	0.300249	dual_ geometry_ shared_q	0.300249	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	- 0.192519	dual_ geometry_ shared_q	- 0.192519	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	- 0.086783	dual_ geometry_ shared_q	- 0.086783	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	- 0.034414	dual_ geometry_ shared_q	- 0.034414	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	0.353117	dual_ geometry_ shared_q	0.353117	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	- 0.220449	dual_ geometry_ shared_q	- 0.220449	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_p	robustness	- 0.033915	dual_ geometry_ shared_q	- 0.033915	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_s	robustness	0.189526	dual_ geometry_ shared_q	0.189526	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_s	robustness	0.195511	dual_ geometry_ shared_q	0.195511	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_s	robustness	0.05586	dual_ geometry_ shared_q	0.05586	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_s	robustness	- 0.025436	dual_ geometry_ shared_q	- 0.025436	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_a	robustness	- 0.074314	dual_ geometry_ shared_q	- 0.074314	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_a	robustness	0.042893	dual_ geometry_ shared_q	0.042893	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_a	robustness	- 0.241895	dual_ geometry_ shared_q	- 0.241895	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_a	robustness	0.052369	dual_ geometry_ shared_q	0.052369	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.077805	clean_ selected_ best_ individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.309726	clean_ selected_ best_ individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.304239	clean_ selected_ best_ individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.660349	clean_ selected_ best_ individual	0.662344	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	0.002494	clean_ selected_ best_ individual	- 0.000499	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	0.294763	clean_selected_best_individual	0.39601	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	-0.183042	clean_selected_best_individual	0.194514	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	-0.093766	clean_selected_best_individual	0.118703	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	-0.021446	clean_selected_best_individual	-0.01995	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	0.343641	clean_selected_best_individual	0.406983	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	-0.209975	clean_selected_best_individual	0.220449	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	-0.038903	clean_selected_best_individual	0.049875	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	0.206484	clean_selected_best_individual	0.17606	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	0.203491	clean_selected_best_individual	0.312219	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	0.069327	clean_selected_best_individual	0.0399	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	-0.034913	clean_selected_best_individual	-0.00798	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	-0.058354	clean_selected_best_individual	-0.060848	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	0.045885	clean_selected_best_individual	0.030923	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	-0.230923	clean_selected_best_individual	-0.250873	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	0.053865	clean_selected_best_individual	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.077805	naive_q11	0.054863	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.309726	naive_q11	0.354115	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.304239	naive_q11	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.660349	naive_q11	0.717207	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	0.002494	naive_q11	0.021945	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	0.294763	naive_q11	0.403491	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	-0.183042	naive_q11	-0.155611	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	-0.093766	naive_q11	-0.062843	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	-0.021446	naive_q11	0.001496	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	0.343641	naive_q11	0.446384	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	-0.209975	naive_q11	0.181047	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	0.038903	naive_q11	0.014963	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	0.206484	naive_q11	0.187032	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	0.203491	naive_q11	0.329676	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	0.069327	naive_q11	0.059352	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	-0.034913	naive_q11	0.039401	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	-0.058354	naive_q11	-0.041397	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	0.045885	naive_q11	0.069825	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	-0.230923	naive_q11	-0.226933	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	0.053865	naive_q11	0.078803	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.077805	NOISE_same_geometry	0.054863	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.309726	NOISE__same__geometry	0.354115	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.304239	NOISE__same__geometry	0.275312	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.660349	NOISE__same__geometry	0.717207	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	0.002494	NOISE__same__geometry	0.021945	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	0.294763	NOISE__same__geometry	0.403491	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	-	NOISE__same__geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.077805	dual__geometry__shared_q	0.077805	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.309726	dual__geometry__shared_q	0.309726	min	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.304239	dual__geometry__shared_q	0.304239	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.660349	dual__geometry__shared_q	0.660349	min	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	0.002494	dual__geometry__shared_q	0.002494	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	0.294763	dual__geometry__shared_q	0.294763	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	-	dual__geometry__shared_q	-	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	-	dual__geometry__shared_q	-	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	-	dual__geometry__shared_q	-	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	-	dual__geometry__shared_q	-	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	-	dual__geometry__shared_q	-	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	-	dual__geometry__shared_q	-	max	Equal

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference Value	Direction	Outcome	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	0.206484	dual__geometry__shared_q	0.206484	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	0.203491	dual__geometry__shared_q	0.203491	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	0.069327	dual__geometry__shared_q	0.069327	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	-0.034913	dual__geometry__shared_q	-0.034913	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	-0.058354	dual__geometry__shared_q	-0.058354	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	0.045885	dual__geometry__shared_q	0.045885	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	-0.230923	dual__geometry__shared_q	-0.230923	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	0.053865	dual__geometry__shared_q	0.053865	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.083292	clean__selected__best__individual	0.076808	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.307731	clean__selected__best__individual	0.298254	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.312718	clean__selected__best__individual	0.314713	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.667332	clean__selected__best__individual	0.662344	min	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	-0.001995	clean__selected__best__individual	-0.000499	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	0.315711	clean__selected__best__individual	0.39601	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	-0.190025	clean__selected__best__individual	-0.194514	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	-0.103242	clean__selected__best__individual	-0.118703	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	-0.026434	clean__selected__best__individual	-0.01995	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	0.35212	clean__selected__best__individual	0.406983	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	-0.218454	clean__selected__best__individual	-0.220449	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	-0.054364	clean__selected__best__individual	-0.049875	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	0.203491	clean__selected__best__individual	0.17606	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	0.214963	clean__selected__best__individual	0.312219	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	0.061845	clean__selected__best__individual	0.0399	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	-0.025935	clean__selected__best__individual	-0.00798	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	-0.060848	clean__selected__best__individual	-0.060848	max	Equal

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	0.057855	clean_selected_best_individual	0.030923	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	-0.234414	clean_selected_best_individual	0.250873	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	0.062843	clean_selected_best_individual	0.051372	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.083292	naive_q11	0.054364	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.307731	naive_q11	0.351621	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.312718	naive_q11	0.269825	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.667332	naive_q11	0.717706	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	-0.001995	naive_q11	0.02394	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	0.315711	naive_q11	0.408978	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	-0.190025	naive_q11	0.149626	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	-0.103242	naive_q11	0.061845	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	-0.026434	naive_q11	0.000998	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	0.35212	naive_q11	0.462344	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	-0.218454	naive_q11	-0.177057	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	-0.054364	naive_q11	-0.01197	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	0.203491	naive_q11	0.186035	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	0.214963	naive_q11	0.318703	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	0.061845	naive_q11	0.062344	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	-0.025935	naive_q11	0.032918	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	-0.060848	naive_q11	-0.041895	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	0.057855	naive_q11	0.068828	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	-0.234414	naive_q11	-0.218953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	0.062843	naive_q11	0.0798	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.083292	NOISE_same_geometry	0.054364	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.307731	NOISE_same_geometry	0.351621	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.312718	NOISE_same_geometry	0.269825	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.667332	NOISE_same_geometry	0.717706	min	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	-0.001995	NOISE_same_geometry	0.02394	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	0.315711	NOISE_same_geometry	0.408978	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	-0.190025	NOISE_same_geometry	-0.149626	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	-0.103242	NOISE_same_geometry	-0.061845	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	-0.026434	NOISE_same_geometry	0.000998	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	0.35212	NOISE_same_geometry	0.462344	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	-0.218454	NOISE_same_geometry	-0.177057	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	-0.054364	NOISE_same_geometry	-0.01197	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	0.203491	NOISE_same_geometry	0.186035	max	Better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	0.214963	NOISE_same_geometry	0.318703	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	0.061845	NOISE_same_geometry	0.062344	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	-0.025935	NOISE_same_geometry	0.032918	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	-0.060848	NOISE_same_geometry	-0.041895	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	0.057855	NOISE_same_geometry	0.068828	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	-	NOISE_same_geometry	-	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	0.234414	NOISE_same_geometry	0.218953	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	0.062843	NOISE_same_geometry	0.0798	max	Worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.083292	dual_geometry_shared_q	0.083292	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.307731	dual_geometry_shared_q	0.307731	min	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.312718	dual_geometry_shared_q	0.312718	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.667332	dual_geometry_shared_q	0.667332	min	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	-	dual_geometry_shared_q	-	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	0.001995	geometry_shared_q	0.001995	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	0.315711	dual_geometry_shared_q	0.315711	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	-	dual_geometry_shared_q	-	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	0.190025	geometry_shared_q	0.190025	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	-	dual_geometry_shared_q	-	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	0.026434	geometry_shared_q	0.026434	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	0.35212	dual_geometry_shared_q	0.35212	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	-	dual_geometry_shared_q	-	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	0.218454	geometry_shared_q	0.218454	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	-	dual_geometry_shared_q	-	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	0.054364	geometry_shared_q	0.054364	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	0.203491	dual_geometry_shared_q	0.203491	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	0.214963	dual_geometry_shared_q	0.214963	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	0.061845	dual_geometry_shared_q	0.061845	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	-	dual_geometry_shared_q	-	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	0.025935	geometry_shared_q	0.025935	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	-	dual_geometry_shared_q	-	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	0.060848	geometry_shared_q	0.060848	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	0.057855	dual_geometry_shared_q	0.057855	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	-	dual_geometry_shared_q	-	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	0.234414	geometry_shared_q	0.234414	max	Equal
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	0.062843	dual_geometry_shared_q	0.062843	max	Equal

Table 182: DermaMNIST–ResNet-18

Cell	Dataset	Model	Geometry	Center Rule	Selected Q	NOISE Q	Exact	Within One	Selected Is NOISE Tied	Selected Fidelity	NOISE Fidelity	Fidelity Regret	NOISE Tied q	Tie Policy
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Spearman	borda	2	3	False	True	False	0.080798	0.084788	0.00399	[3]	smallest_q_within_absolute_1e-12
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	kemeny	3	3	True	True	True	0.091272	0.091272	0	[3]	smallest_q_within_absolute_1e-12

Table 183: DermaMNIST-ResNet-18

Cell	Dataset	Model	Method	Setting	Q	Geometry	Geometry Label	Center Rule	Methods	F	F	C	C	R^s_L	R^s_F	R^s_K	R^s_C
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	NOISE-S	2	Spearman	NOISE-S	borda	["Deconvolution prop"]	0.0573084	0.296758	0.314214	0.657855	-	0.399002	-	-
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Borda	NOISE-S	2	Spearman	NOISE-S	borda	["Deconvolution prop"]	0.0573084	0.294264	0.303741	0.65586	0.002494	0.332668	0.190524	0.116209
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kemeny	NOISE-S	2	Spearman	NOISE-S	borda	["Deconvolution prop"]	0.0573084	0.294264	0.303741	0.65586	-0.00399	0.332668	0.180549	0.075312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	RRF	NOISE-S	2	Spearman	NOISE-S	borda	["Deconvolution prop"]	0.0573084	0.294264	0.303741	0.65586	-0.00399	0.332668	0.180549	0.075312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Schulze	NOISE-S	2	Spearman	NOISE-S	borda	["Deconvolution prop"]	0.0573084	0.294264	0.303741	0.65586	-0.00399	0.332668	0.196509	0.078304
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	NOISE-K	3	Kendall	NOISE-K	kemeny	["Deconvolution prop", "Occlusion"]	0.0693374	0.284404	0.288279	0.737157	0.010474	0.319202	-0.16808	-
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Borda	NOISE-K	3	Kendall	NOISE-K	kemeny	["Deconvolution prop", "Occlusion"]	0.0693374	0.284404	0.313217	0.669825	-	0.316209	-	-
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kemeny	NOISE-K	3	Kendall	NOISE-K	kemeny	["Deconvolution prop", "Occlusion"]	0.0693374	0.284404	0.314214	0.669825	0.003491	-	0.190524	0.102743
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	RRF	NOISE-K	3	Kendall	NOISE-K	kemeny	["Deconvolution prop", "Occlusion"]	0.0693374	0.284404	0.304239	0.660349	0.010973	-	0.192519	0.086783
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Schulze	NOISE-K	3	Kendall	NOISE-K	kemeny	["Deconvolution prop", "Occlusion"]	0.0693374	0.284404	0.312718	0.667332	0.002494	0.294763	0.183042	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18							["Deconvolution prop", "Occlusion"]	0.0573084	0.296758	0.312718	0.667332	-	0.315711	-	-
														0.001995		0.190025	0.103242

Table 184: DermaMNIST–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	$R^p_{\mathcal{E}}$	$R^p_{\mathcal{F}}$	$R^p_{\mathcal{G}}$	$R^p_{\mathcal{H}}$	$R^p_{\mathcal{I}}$	$R^p_{\mathcal{J}}$	$R^p_{\mathcal{K}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{M}}$	$R^p_{\mathcal{N}}$	$R^p_{\mathcal{O}}$	$R^p_{\mathcal{P}}$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	NOISE-S	2	-0.02394	0.401496	-0.21995	-0.03192	0.172569	0.303242	0.036908	-0.000499	-0.061845	0.048379	-0.245387	0.06783
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	NOISE-S	2	-0.02394	0.357606	-0.209476	0.002494	0.16409	0.24389	0.041397	-0.002993	-0.06783	0.035411	-0.242893	0.048878
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	NOISE-S	2	-0.02394	0.357606	-0.209476	0.002494	0.16409	0.24389	0.041397	-0.002993	-0.06783	0.035411	-0.242893	0.048878
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	NOISE-S	2	-0.037905	0.362594	-0.223441	0.012968	0.169077	0.214464	0.049377	-0.001496	-0.074813	0.040898	-0.24788	0.04788
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	NOISE-S	2	-0.02394	0.357606	-0.209476	0.002494	0.16409	0.24389	0.041397	-0.002993	-0.06783	0.035411	-0.242893	0.048878
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	NOISE-K	3	-0.011471	0.339152	-0.195511	-0.125187	0.230424	0.195511	0.099252	-0.037905	-0.046883	0.111222	-0.220948	0.106733
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	NOISE-K	3	-0.02793	0.353616	-0.218953	-0.053367	0.202494	0.216958	0.060848	-0.023441	-0.061845	0.058354	-0.234913	0.064838
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	NOISE-K	3	-0.034414	0.353117	-0.220449	-0.033915	0.189526	0.195511	0.05586	-0.025436	-0.074314	0.042893	-0.241895	0.052369
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	NOISE-K	3	-0.021446	0.343641	-0.209975	-0.038903	0.206484	0.203491	0.069327	-0.034913	-0.058354	0.045885	-0.230923	0.053865
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	NOISE-K	3	-0.026434	0.35212	-0.218454	-0.054364	0.203491	0.214963	0.061845	-0.025935	-0.060848	0.057855	-0.234414	0.062843

Table 185: DermaMNIST–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	F^s per subject	F^s per subject	C^s per subject	C^s per subject	F^s per subject	F^s per subject	C^s per subject	C^s per subject	F^s per subject	F^s per subject	C^s per subject	C^s per subject
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	NOISE-S	2	0.076808	-0.102244	0.123691	0.774065	0.055362	-0.104738	0.094264	0.689776	0.25187	-0.006484	0.351122	0.658354
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	NOISE-S	2	0.076808	-0.038404	0.123192	0.731172	0.056858	-0.063342	0.094264	0.653367	0.244888	0.050374	0.345137	0.658853
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	NOISE-S	2	0.076808	-0.038404	0.123192	0.731172	0.056858	-0.063342	0.094264	0.653367	0.244888	0.050374	0.345137	0.658853
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	NOISE-S	2	0.078304	-0.010973	0.119202	0.74414	0.05586	-0.050374	0.092269	0.652868	0.262843	0.097756	0.365087	0.667332
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	NOISE-S	2	0.076808	-0.038404	0.123192	0.731172	0.056858	-0.063342	0.094264	0.653367	0.244888	0.050374	0.345137	0.658853
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	NOISE-K	3	0.0798	0.064838	0.1202	0.878304	0.057855	0.044888	0.092768	0.862344	0.299751	0.188529	0.387531	0.775062
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	NOISE-K	3	0.081297	-0.006484	0.122693	0.772569	0.056858	-0.04389	0.094264	0.723192	0.287282	0.092768	0.374065	0.693267
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	NOISE-K	3	0.080299	0.013965	0.121696	0.756608	0.056858	-0.038903	0.093766	0.703741	0.280798	0.118703	0.370075	0.695262
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	NOISE-K	3	0.080299	0.014963	0.121197	0.754115	0.056359	-0.033915	0.094264	0.699252	0.284289	0.106234	0.373566	0.695262
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	NOISE-K	3	0.081297	-0.00798	0.122693	0.770574	0.056858	-0.044389	0.094264	0.721696	0.286783	0.092768	0.374564	0.693267

Table 186: DermaMNIST–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	$F^a_{\text{perturbed}}$	$F^a_{\text{perturbed}}$	$C^a_{\text{perturbed}}$	$C^a_{\text{perturbed}}$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	NOISE-S	2	0.017456	0.248379	0.068828	0.590025
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	NOISE-S	2	0.012968	0.258853	0.060848	0.606983
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	NOISE-S	2	0.012968	0.258853	0.060848	0.606983
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	NOISE-S	2	0.018953	0.271322	0.06783	0.617955
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	NOISE-S	2	0.012968	0.258853	0.060848	0.606983
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	NOISE-K	3	0.022444	0.272818	0.067332	0.630424
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	NOISE-K	3	0.022943	0.251372	0.078304	0.604988
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	NOISE-K	3	0.016958	0.271322	0.072319	0.617456
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	NOISE-K	3	0.019451	0.26384	0.073317	0.606484
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	NOISE-K	3	0.022444	0.249875	0.078304	0.604489

Table 187: DermaMNIST-ResNet-18

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Kemeny	2821.6	4010	kendall__mallows__exact__distance	0.333723	0.002	0.057528	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62fae6886a59aad33ff	f9be9bc2bf
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Kemeny	3763	6015	kendall__mallows__exact__distance	0.387061	0.002	0.040366	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62fae6886a59aad33ff	f9be9bc2bf
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Kemeny	4346.7	8020	kendall__mallows__exact__distance	0.26951	0.002	0.033114	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62fae6886a59aad33ff	f9be9bc2bf
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Kemeny	4732.6	10025	kendall__mallows__exact__distance	0.301961	0.002	0.029158	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62fae6886a59aad33ff	f9be9bc2bf
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Kemeny	4689.6	12030	kendall__mallows__exact__distance	0.323871	0.002	0.029572	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62fae6886a59aad33ff	f9be9bc2bf
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Kemeny	4584.6	14035	kendall__mallows__exact__distance	0.359395	0.002	0.030611	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62fae6886a59aad33ff	f9be9bc2bf
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Kemeny	4626.8	16040	kendall__mallows__exact__distance	0.369441	0.002	0.030188	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62fae6886a59aad33ff	f9be9bc2bf
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Kemeny	4698.9	18045	kendall__mallows__exact__distance	0.369659	0.002	0.029482	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62fae6886a59aad33ff	f9be9bc2bf
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Kemeny	4972.4	20050	kendall__mallows__exact__distance	0.367942	0.002	0.02695	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62fae6886a59aad33ff	f9be9bc2bf
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Kemeny	4949.8	22055	kendall__mallows__exact__distance	0.370073	0.002	0.027152	11	True	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62fae6886a59aad33ff	f9be9bc2bf
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Borda	1.4978e+05	4010	spearman__multi__proposal__importance__binned__symmetric__approximation	0.316523	0.002	0.000511	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	c3471e314ca91063afe	1a038c7194
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Borda	2.8288e+05	6015	spearman__multi__proposal__importance__binned__symmetric__approximation	0.432355	0.002	0.000203	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	c3471e314ca91063afe	1a038c7194

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Borda	3.4901e+05	8020	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.188462	0.002	0.000188	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Borda	4.1081e+05	10025	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.307775	0.002	0.000171	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Borda	4.032e+05	12030	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.306792	0.002	0.000174	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Borda	3.9095e+05	14035	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.318128	0.002	0.000178	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Borda	3.9751e+05	16040	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.344808	0.002	0.000176	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Borda	4.1092e+05	18045	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.370101	0.002	0.000171	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Borda	4.5308e+05	20050	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.406797	0.002	0.000151	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Borda	4.5102e+05	22055	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.409139	0.002	0.000152	11	True	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8

Table 188: DermaMNIST-ResNet-18

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.944095206262487,"theta":0.05752826383045076},"refit":true,"statistic":0.3337226108969908}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.960437930017157,"theta":0.040365921436191415},"refit":true,"statistic":0.3870606540007367}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.967428368302677,"theta":0.03311389474919265},"refit":true,"statistic":0.2695098914421051}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9712633315384729,"theta":0.029157651228744957},"refit":true,"statistic":0.30196100544300575}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9708606862228104,"theta":0.029572295523083596},"refit":true,"statistic":0.32387097328023207}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9698530631590534,"theta":0.030610700238482724},"refit":true,"statistic":0.3593951772162413}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9702629993474869,"theta":0.030188110886787422},"refit":true,"statistic":0.3694405921843933}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9709483854695848,"theta":0.029481968159685686},"refit":true,"statistic":0.3696588800535095}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9734095225483979,"theta":0.02695039886055207},"refit":true,"statistic":0.3679419832370711}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9732137746043164,"theta":0.027151514243304975},"refit":true,"statistic":0.37007313087939603}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0005105107624488762,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.31652332921252385}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00020319151536234235,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.4323553826303283}}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00018761123420685667,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.18846230079434753}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	{ "B":499,"model__name":"spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__", "p__value":0.002,"parameters":{"approximation":"multi__proposal__importance__binned__symmetric", "bin__count":795,"boundary":false,"calibration__config__digest":"b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669", "converged":true,"ess":3393.3187352208124,"exact":false,"full__support":true,"maximum__calibrated__distance":2509780,"maximum__symmetry__residual":0.9541754783417995,"maximum__unsampled__distance_gap__fraction":0.002012925435695559,"original__maximum__distance":1603644,"pilot__digest":"a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795", "pilot__seed":20260714,"r__hat":0.9999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion":"exact__reverse__symmetry","theoretical__maximum__distance":2509780,"theta":0.00017079238712220464,"upper__tail__probability__bound":0.002493330037518726,"validation__bin__ess":1.005307755246587,"validation__distances__digest":"b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd"}, "refit":true,"statistic":0.3077750812769779}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.000173619740272561,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.3067919856964134}}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00017756133280760148,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.3181282325265837}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0001755383726495143,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.34480783663447545}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0001707512501471715,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.3701005370109631}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	{ "B":499,"model__name":"spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__", "p__value":0.002,"parameters":{"approximation":"multi__proposal__importance__binned__symmetric", "bin__count":795,"boundary":false,"calibration__config__digest":"b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669", "converged":true,"ess":3393.3187352208124,"exact":false,"full__support":true,"maximum__calibrated__distance":2509780,"maximum__symmetry__residual":0.9541754783417995,"maximum__unsampled__distance_gap__fraction":0.002012925435695559,"original__maximum__distance":1603644,"pilot__digest":"a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795", "pilot__seed":20260714,"r__hat":0.9999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion":"exact__reverse__symmetry","theoretical__maximum__distance":2509780,"theta":0.00015136405816499774,"upper__tail__probability__bound":0.002493330037518726,"validation__bin__ess":1.005307755246587,"validation__distances__digest":"b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd"}, "refit":true,"statistic":0.4067974718054558}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00015232405456548637,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.4091394291345025}

Table 189: DermaMNIST-ResNet-18

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	Borda	Quality	max	3	0.313217	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	Borda	Quality	min	2	0.65586	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	Borda	Quality	max	3	0.084788	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	Borda	Quality	min	2	0.294264	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	Borda	Robustness	max	7	-0.221446	[7]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	Borda	Robustness	max	4	0.099751	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	Borda	Robustness	max	7	-0.037406	[7, 11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	Borda	Robustness	max	4	0.096259	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	Borda	Robustness	max	11	-0.148628	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	Borda	Robustness	max	11	-0.061347	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	Borda	Robustness	max	11	0.026434	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	Borda	Robustness	max	11	0.398504	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	Borda	Robustness	max	11	-0.173566	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	Borda	Robustness	max	2	0.002494	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	Borda	Robustness	max	11	0.006484	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	Borda	Robustness	max	11	0.447382	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	Borda	Robustness	max	4	0.080299	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	Borda	Robustness	max	8	0.03591	[8]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	Borda	Robustness	max	6	0.221446	[6]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	Borda	Robustness	max	11	0.316708	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	Kemeny	Quality	max	5	0.316708	[5]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	Kemeny	Quality	min	2	0.65586	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	Kemeny	Quality	max	3	0.091272	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	Kemeny	Quality	min	2	0.294264	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	Kemeny	Robustness	max	9	-0.226933	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	max	5	0.081796	[5]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	Kemeny	Robustness	max	8	-0.039401	[8]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	max	5	0.083292	[5]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	Kemeny	Robustness	max	11	-0.155611	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	Kemeny	Robustness	max	11	-0.052868	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	Kemeny	Robustness	max	9	0.022943	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	Kemeny	Robustness	max	9	0.416459	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	Kemeny	Robustness	max	11	-0.182045	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	Kemeny	Robustness	max	2	0.002494	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	Kemeny	Robustness	max	9	0.002494	[9, 11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	Kemeny	Robustness	max	9	0.457855	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	Kemeny	Robustness	max	4	0.069825	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	Kemeny	Robustness	max	11	0.038903	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	Kemeny	Robustness	max	4	0.212469	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	Kemeny	Robustness	max	8	0.334165	[8]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	RRF	Quality	max	2	0.315711	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	RRF	Quality	min	3	0.660349	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	RRF	Quality	max	2	0.093766	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	RRF	Quality	min	3	0.309726	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	RRF	Robustness	max	4	-0.221446	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	RRF	Robustness	max	11	0.078803	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	RRF	Robustness	max	11	-0.041397	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	RRF	Robustness	max	4	0.080299	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	RRF	Robustness	max	11	-0.155611	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	RRF	Robustness	max	11	-0.062843	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	RRF	Robustness	max	11	0.021945	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	RRF	Robustness	max	11	0.403491	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	RRF	Robustness	max	11	-0.181047	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	RRF	Robustness	max	2	0.012968	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	RRF	Robustness	max	11	0.001496	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	RRF	Robustness	max	11	0.446384	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	RRF	Robustness	max	4	0.075312	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	RRF	Robustness	max	11	0.039401	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	RRF	Robustness	max	4	0.213965	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	RRF	Robustness	max	11	0.329676	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	Schulze	Quality	max	3	0.312718	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	Schulze	Quality	min	2	0.65586	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	Schulze	Quality	max	3	0.083292	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	Schulze	Quality	min	2	0.294264	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	Schulze	Robustness	max	11	-0.218953	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	Schulze	Robustness	max	4	0.090274	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	Schulze	Robustness	max	8	-0.041397	[8]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	Schulze	Robustness	max	6	0.087781	[6]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	Schulze	Robustness	max	11	-0.149626	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	Schulze	Robustness	max	9	-0.054364	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	Schulze	Robustness	max	9	0.024938	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	Schulze	Robustness	max	11	0.408978	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	Schulze	Robustness	max	11	-0.177057	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	Schulze	Robustness	max	2	0.002494	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	Schulze	Robustness	max	9	0.001995	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	Schulze	Robustness	max	11	0.462344	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	Schulze	Robustness	max	4	0.07182	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	Schulze	Robustness	max	9	0.037905	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	Schulze	Robustness	max	6	0.214464	[6]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	Schulze	Robustness	max	11	0.318703	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	Simple Averaging	Quality	max	2	0.314214	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	Simple Averaging	Quality	min	2	0.657855	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	Simple Averaging	Quality	max	2	0.079302	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	Simple Averaging	Quality	min	2	0.296758	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	Simple Averaging	Robustness	max	4	-0.205486	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	max	4	0.115711	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	Simple Averaging	Robustness	max	4	-0.040898	[4,11]	smallest_q_within_absolute_1e-12	["Deconvolution", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	max	11	0.129676	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	Simple Averaging	Robustness	max	4	-0.146633	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	Simple Averaging	Robustness	max	11	-0.110723	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	Simple Averaging	Robustness	max	4	0.021945	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	Simple Averaging	Robustness	max	2	0.399002	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	Simple Averaging	Robustness	max	4	-0.173566	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	max	2	-0.03192	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	Simple Averaging	Robustness	max	4	0	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	max	2	0.401496	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	Simple Averaging	Robustness	max	4	0.113716	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	Simple Averaging	Robustness	max	2	-0.000499	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	Simple Averaging	Robustness	max	4	0.237406	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	Simple Averaging	Robustness	max	2	0.303242	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "Occlusion", "FeatureAblation"]

Table 190: DermaMNIST-ResNet-18

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Simple Averaging	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.076808	0.1296758	0.314214	0.657855	0.076808	-0.102244	0.123691	0.774065	0.055362	-0.104738	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Borda	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.080798	0.1294264	0.303741	0.65586	0.076808	-0.038404	0.123192	0.731172	0.056858	-0.063342	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	RRF	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.080798	0.121219	0.315711	0.665835	0.078304	-0.010973	0.119202	0.74414	0.05586	-0.050374	0.092269
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Kemeny	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.080798	0.1294264	0.303741	0.65586	0.076808	-0.038404	0.123192	0.731172	0.056858	-0.063342	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Schulze	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.080798	0.1294264	0.303741	0.65586	0.076808	-0.038404	0.123192	0.731172	0.056858	-0.063342	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Simple Averaging	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.0668279	0.138404	0.288279	0.737157	0.0798	0.064838	0.1202	0.878304	0.057855	0.044888	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Borda	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.081297	0.1309726	0.313217	0.669825	0.081297	-0.006484	0.122693	0.772569	0.056858	-0.04389	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	RRF	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.078065	0.1309726	0.304239	0.660349	0.080299	0.014963	0.121197	0.754115	0.056359	-0.033915	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Kemeny	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.081297	0.1314214	0.314214	0.669825	0.080299	0.013965	0.121696	0.756608	0.056858	-0.038903	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Schulze	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.081297	0.1307731	0.312718	0.667332	0.081297	-0.00798	0.122693	0.770574	0.056858	-0.044389	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Simple Averaging	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.058536	0.1385536	0.266833	0.739152	0.0798	0.058354	0.1202	0.883791	0.057855	0.038903	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Borda	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.0668279	0.1342643	0.291771	0.697756	0.080299	0.02793	0.119701	0.812968	0.057855	-0.028429	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	RRF	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.0668279	0.1328678	0.294264	0.672818	0.080798	0.026434	0.118703	0.787531	0.057855	-0.012469	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Kemeny	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.076808	0.1327182	0.304738	0.674314	0.0798	0.020948	0.118703	0.806484	0.057357	-0.024439	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Schulze	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.076808	0.1326683	0.302244	0.683292	0.080798	0.024439	0.121696	0.809476	0.057855	-0.020449	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Simple Averaging	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.0668279	0.1380549	0.278803	0.736658	0.0798	0.058853	0.120698	0.879302	0.056858	0.030424	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Borda	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.0668279	0.1325686	0.308229	0.686284	0.0798	0.003491	0.119202	0.798005	0.057855	-0.030424	0.092269
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	RRF	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.076808	0.1327182	0.313217	0.6798	0.080798	0.018454	0.119701	0.78005	0.057357	-0.044888	0.094763
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Kemeny	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.076808	0.1319701	0.316708	0.678304	0.079302	0.013466	0.119202	0.78803	0.056858	-0.044888	0.095262
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Schulze	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.076808	0.1323691	0.303242	0.681297	0.080299	0.015461	0.119202	0.787032	0.057855	-0.046384	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Simple Averaging	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.0668279	0.1376559	0.282294	0.729676	0.080299	0.046883	0.1202	0.868828	0.056858	0.02394	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Borda	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.054364	0.1315711	0.291771	0.683791	0.080299	-0.018953	0.119701	0.771571	0.057855	-0.064838	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	RRF	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.067811	0.1316708	0.302244	0.679302	0.0798	-0.022444	0.1202	0.765586	0.057855	-0.06783	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Kemeny	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.076808	0.1318703	0.307731	0.687781	0.078803	-0.024439	0.119202	0.771571	0.057357	-0.085786	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Schulze	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.0668279	0.1322195	0.302244	0.688778	0.079302	-0.025935	0.119202	0.777556	0.058354	-0.071322	0.092269
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Simple Averaging	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.067811	0.1374065	0.284788	0.72818	0.080798	0.041397	0.120698	0.869327	0.056858	0.01995	0.092269
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Borda	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.055861	0.1332668	0.287781	0.700249	0.078803	-0.034414	0.118703	0.76808	0.058354	-0.087781	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	RRF	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.076808	0.1321197	0.305736	0.693766	0.0798	-0.03192	0.119701	0.767082	0.057357	-0.077307	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Kemeny	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.080798	0.1323192	0.301247	0.693766	0.078304	-0.05985	0.119701	0.7601	0.057855	-0.109726	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Schulze	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap"]	0.0668279	0.1328678	0.293766	0.694763	0.078304	-0.037406	0.120698	0.755112	0.058853	-0.104738	0.094264

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{toxin}	C_{clean}	C_{toxin}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Simple Averaging	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]	0.063341	0.371571	0.287282	0.726185	0.080299	0.040898	0.119701	0.85586	0.058354	0.017955	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Borda	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]	0.053341	0.322693	0.291272	0.693766	0.078304	-0.051372	0.119202	0.774564	0.058354	-0.084788	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	RRF	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]	0.058841	0.319701	0.287282	0.682793	0.079302	-0.066334	0.121197	0.753616	0.057357	-0.102244	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Kemeny	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]	0.055841	0.325686	0.292768	0.692768	0.078304	-0.076309	0.118204	0.76409	0.056858	-0.106234	0.090274
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Schulze	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]	0.056341	0.311721	0.289776	0.685287	0.078304	-0.060349	0.119701	0.773067	0.057357	-0.094763	0.091771
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Simple Averaging	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]	0.063341	0.375561	0.285287	0.728678	0.0798	0.039401	0.119701	0.845885	0.057855	0.010474	0.094763
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Borda	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]	0.063341	0.334165	0.281796	0.703242	0.076309	-0.05985	0.1202	0.777057	0.058354	-0.083292	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	RRF	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]	0.063341	0.33217	0.290274	0.702244	0.077307	-0.063342	0.117207	0.769576	0.056359	-0.102743	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Kemeny	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]	0.053341	0.334663	0.276309	0.704239	0.076309	-0.081796	0.117207	0.774564	0.05586	-0.123192	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Schulze	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]	0.053341	0.334663	0.2798	0.706733	0.078304	-0.073815	0.119202	0.761097	0.055362	-0.102244	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Simple Averaging	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]	0.065841	0.377057	0.283791	0.731172	0.0798	0.036908	0.119701	0.843392	0.057855	0.01197	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Borda	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]	0.068841	0.337656	0.278803	0.712219	0.078304	-0.050374	0.119202	0.777057	0.056858	-0.101247	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	RRF	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]	0.068841	0.329676	0.283791	0.696758	0.077805	-0.067332	0.117706	0.769576	0.058354	-0.085786	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Kemeny	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]	0.064341	0.325686	0.287781	0.698753	0.07581	-0.078803	0.118204	0.767581	0.057357	-0.115711	0.096259
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Schulze	False	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]	0.068841	0.34015	0.276808	0.705736	0.078803	-0.060349	0.118703	0.763591	0.054863	-0.110224	0.095761
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Simple Averaging	True	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]	0.050341	0.38005	0.281297	0.73217	0.078304	0.027431	0.116708	0.842893	0.058354	0.008978	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Borda	True	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]	0.054341	0.357107	0.267332	0.722693	0.077805	-0.041397	0.118703	0.78404	0.057855	-0.090274	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	RRF	True	["Deconvolution", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]	0.054841	0.354115	0.275312	0.717207	0.076808	-0.049377	0.119701	0.78005	0.056359	-0.092269	0.094264

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	$\bar{F}$ Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Salt-pep per-0.05	$\bar{F}$ Perturbed Salt-pep per-0.05	$\bar{C}$ Perturbed Salt-pep per-0.05
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Kemeny	True	["Deconvolution", "prop", "Occlusion", "Feature Ablation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.653675	0.648628	0.275312	0.718204	0.07581	-0.066334	0.119701	0.771072	0.05586	-0.095262	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Schulze	True	["Deconvolution", "prop", "Occlusion", "Feature Ablation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.653675	0.648628	0.269825	0.717706	0.078304	-0.057357	0.1202	0.779551	0.055362	-0.110723	0.092768

Table 191: DermaMNIST-ResNet-18

Cell	Dataset	Model	Q	C Perturbed Salt-pep per-0.05	F Perturbed Speckle- 0.15	F Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	F Perturbed Adversar ial-sara -2-255	F Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	R_F Gaussian-0.05	R_F Gaussian-0.05	R_C Gaussian-0.05	R_C Gaussian-0.05	R_F Salt-pepper-0.05
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.689776	0.25187	-0.006484	0.351122	0.658354	0.017456	0.248379	0.068828	0.590025	-0.002494	0.399002	-0.190524	-0.116209	-0.02394
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.653367	0.244888	0.050374	0.345137	0.658853	0.012968	0.258853	0.060848	0.606983	-0.00399	0.332668	-0.180549	-0.075312	-0.02394
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.652868	0.262843	0.097756	0.365087	0.667332	0.018953	0.271322	0.067783	0.617955	-0.015461	0.323192	-0.196509	-0.078304	-0.037905
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.653367	0.244888	0.050374	0.345137	0.658853	0.012968	0.258853	0.060848	0.606983	-0.00399	0.332668	-0.180549	-0.075312	-0.02394
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.653367	0.244888	0.050374	0.345137	0.658853	0.012968	0.258853	0.060848	0.606983	-0.00399	0.332668	-0.180549	-0.075312	-0.02394
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.862344	0.299751	0.188529	0.387531	0.775062	0.022444	0.272818	0.067332	0.630424	0.010474	0.319202	-0.16808	-0.141147	-0.011471
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.723192	0.287282	0.092768	0.374065	0.693267	0.022943	0.251372	0.078304	0.604988	-0.003491	0.316209	-0.190524	-0.102743	-0.02793
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.699252	0.284289	0.106234	0.373566	0.695262	0.019451	0.26384	0.073317	0.606484	0.002494	0.294763	-0.183042	-0.087766	-0.021446
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.703741	0.280798	0.118703	0.370075	0.695262	0.016958	0.271322	0.073319	0.617456	-0.010973	0.300249	-0.192519	-0.086783	-0.034414
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.721696	0.286783	0.092768	0.374564	0.693267	0.022444	0.249875	0.078304	0.604489	-0.001995	0.315711	-0.190025	-0.103242	-0.026434
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.877307	0.295262	0.170075	0.380549	0.794514	0.016958	0.261845	0.061347	0.623441	0.021945	0.327182	-0.146633	-0.144638	0
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.785536	0.284289	0.098753	0.37207	0.714713	0.017456	0.246384	0.069327	0.598005	0.014963	0.314713	-0.17207	-0.115212	-0.007481
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.749127	0.280798	0.098254	0.369576	0.699751	0.021446	0.248379	0.072818	0.601995	0.013965	0.302244	-0.175561	-0.114713	-0.008978
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.747631	0.289277	0.118703	0.374564	0.705736	0.022444	0.253367	0.074813	0.597506	0.002993	0.306234	-0.186035	-0.13217	-0.019451
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.764589	0.285287	0.097756	0.374065	0.706234	0.021945	0.242394	0.070823	0.593017	0.004489	0.302244	-0.180549	-0.126185	-0.018454
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.876309	0.294264	0.165586	0.380549	0.784539	0.018454	0.260848	0.062344	0.626434	0.011471	0.321696	-0.158105	-0.142643	-0.011471
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.75611	0.284788	0.075312	0.373067	0.702244	0.021446	0.248379	0.070324	0.616958	0.013466	0.322195	-0.189027	-0.111721	-0.008479
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.727681	0.284788	0.085287	0.371072	0.692768	0.01995	0.255362	0.072818	0.611471	0.001995	0.308728	-0.193516	-0.100249	-0.021446
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.727681	0.279302	0.080299	0.370574	0.693267	0.017955	0.236409	0.06783	0.596509	0.000499	0.306234	-0.197506	-0.109726	-0.021945
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.744638	0.278803	0.084289	0.366584	0.702244	0.020948	0.248379	0.070324	0.605985	0.008978	0.308229	-0.18404	-0.105736	-0.013466
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.866833	0.293766	0.157107	0.380549	0.776559	0.01995	0.261845	0.06783	0.631421	0.013466	0.329676	-0.162095	-0.139152	-0.009975
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.725686	0.27581	0.054364	0.365586	0.684289	0.014963	0.233915	0.064339	0.610973	0.025935	0.334663	-0.17207	-0.087781	0.003491
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.722195	0.272818	0.04788	0.364589	0.676808	0.019451	0.244888	0.07182	0.61197	0.01197	0.339152	-0.182045	-0.086284	-0.009975
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.721696	0.279302	0.040898	0.36808	0.678304	0.019451	0.246883	0.070823	0.624439	0.003491	0.343142	-0.188529	-0.083791	-0.017955
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.726683	0.27581	0.05586	0.362594	0.685287	0.013466	0.234414	0.065835	0.610474	0.017955	0.34813	-0.183042	-0.088778	-0.002993
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.856359	0.292768	0.14015	0.379551	0.763092	0.017955	0.258354	0.066334	0.634414	0.012968	0.332668	-0.16409	-0.141147	-0.010973
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.738155	0.266334	0.046883	0.359102	0.676808	0.018454	0.24389	0.066334	0.614963	0.022943	0.367082	-0.169077	-0.06783	0.002494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.716209	0.274314	0.024938	0.363591	0.663342	0.016958	0.245387	0.064838	0.615461	0.003491	0.353117	-0.186035	-0.073317	-0.018953
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.729177	0.262344	0.022943	0.351122	0.675312	0.015461	0.249377	0.064838	0.61596	0.015461	0.383042	-0.181546	-0.066334	-0.004988
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.727681	0.262843	0.021446	0.358603	0.676309	0.015461	0.25187	0.062344	0.621446	0.012469	0.366085	-0.173067	-0.060349	-0.006983
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.843392	0.293267	0.137157	0.378554	0.746135	0.018953	0.25187	0.068828	0.624938	0.01197	0.330673	-0.167581	-0.129676	-0.009975
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.713716	0.262344	0.010973	0.354115	0.657855	0.013466	0.258354	0.057357	0.626434	0.01995	0.374065	-0.17207	-0.080798	0
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.702743	0.269327	0.01197	0.3601	0.656359	0.014963	0.250374	0.063342	0.610973	0.020449	0.386035	-0.166085	-0.070823	-0.001496
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.697756	0.25586	-0.008479	0.345636	0.66384	0.016459	0.258853	0.058354	0.621446	0.022444	0.401995	-0.174564	-0.071322	0.000998
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.705376	0.261347	0.01197	0.357107	0.666833	0.014963	0.25586	0.056858	0.624938	0.021945	0.37207	-0.170075	-0.087781	0.000998
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.843392	0.288778	0.12818	0.375062	0.733167	0.016958	0.259352	0.066334	0.626933	0.013466	0.33616	-0.165586	-0.117207	-0.008479
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.733666	0.25586	0.034913	0.349626	0.672818	0.013466	0.267332	0.048878	0.635411	0.01596	0.394015	-0.161596	-0.073815	-0.001995
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.718204	0.251372	0.027431	0.341147	0.672319	0.016958	0.269327	0.054863	0.630424	0.013965	0.395511	-0.173067	-0.067332	-0.006983
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.722195	0.242394	0.022444	0.331172	0.670823	0.010474	0.268329	0.049377	0.62793	0.022943	0.416459	-0.159102	-0.070324	0.002494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.712219	0.250374	0.026434	0.338653	0.668828	0.009975	0.258354	0.048878	0.626434	0.024938	0.408479	-0.160599	-0.054364	0.001995
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.836908	0.287781	0.125686	0.374564	0.733167	0.016958	0.255362	0.067332	0.624439	0.013965	0.34015	-0.16409	-0.112219	-0.00798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.736658	0.253865	0.042893	0.346135	0.680798	0.016958	0.256858	0.05187	0.624439	0.014464	0.38803	-0.159601	-0.064838	-0.006983
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.718204	0.249377	0.022943	0.341147	0.668828	0.016958	0.263342	0.05586	0.624938	0.013965	0.397007	-0.166085	-0.072818	-0.005486
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.700249	0.239401	0.024439	0.338653	0.663342	0.013965	0.261845	0.053367	0.629925	0.011471	0.404489	-0.169576	-0.068828	-0.006983
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.7202	0.251372	0.029925	0.336658	0.668329	0.014963	0.262344	0.052369	0.622444	0.01596	0.400499	-0.158105	-0.057855	-0.00798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.828429	0.290773	0.128678	0.37606	0.737157	0.018454	0.250374	0.063342	0.621945	0.018953	0.352618	-0.164589	-0.110723	-0.000998
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.736658	0.252369	0.040399	0.345137	0.687781	0.013965	0.290274	0.042394	0.645885	0.026434	0.398504	-0.148628	-0.061347	0.006484
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.73217	0.241895	0.024439	0.334663	0.677805	0.013466	0.284289	0.048379	0.638404	0.021945	0.403491	-0.155611	-0.062843	0.001496
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.723691	0.241895	0.040898	0.333167	0.679302	0.010474	0.284289	0.045885	0.640399	0.022444	0.414963	-0.155611	-0.052868	0.002494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.729676	0.240399	0.032918	0.33217	0.684788	0.012469	0.282793	0.050873	0.637905	0.02394	0.408978	-0.149626	-0.061845	0.000998

Table 192: DermaMNIST-ResNet-18

Cell	Dataset	Model	q	R_F Salt-pepper	R_C Salt-pepper	R_G Salt-pepper	R_F Speckle-0	R_C Speckle-0	R_G Speckle-0	R_F Speckle-0	R_C Speckle-0	R_G Speckle-0	R_F Diversaria	R_C Diversaria	R_G Diversaria	R_F Adversarial	R_C Adversarial	R_G Adversarial
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.401496	-0.21995	-0.03192	0.172569	0.036908	-0.000499	-0.061845	0.048379	-0.245387	0.06783					
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.357606	-0.209476	0.002494	0.16409	0.24389	-0.002993	-0.06783	0.035411	-0.242893	0.048878					
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.362594	-0.223441	0.012968	0.169077	0.214464	0.049377	-0.001496	-0.074813	0.040898	-0.24788	0.04788				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.357606	-0.209476	0.002494	0.16409	0.24389	-0.002993	-0.06783	0.035411	-0.242893	0.048878					
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.357606	-0.209476	0.002494	0.16409	0.24389	-0.002993	-0.06783	0.035411	-0.242893	0.048878					
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.339152	-0.195511	-0.125187	0.230424	0.195511	0.099252	-0.037905	-0.046883	0.111222	-0.220948	0.106733				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.353616	-0.218953	-0.053367	0.202494	0.216958	0.060848	-0.023441	-0.061845	0.058354	-0.234913	0.064838				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.343641	-0.209975	-0.038903	0.206484	0.203491	0.069327	-0.034913	-0.058354	-0.230923	0.053865					
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.353117	-0.220449	-0.033915	0.189526	0.195511	0.05586	-0.025436	-0.074314	0.042893	-0.241895	0.052369				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.35212	-0.218454	-0.054364	0.203491	0.214963	0.061845	-0.025935	-0.060848	0.057855	-0.234414	0.062843				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.346633	-0.173566	-0.138155	0.237406	0.215461	0.113716	-0.055362	-0.040898	0.123691	-0.205486	0.115711				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.371072	-0.198504	-0.087781	0.218953	0.24389	0.080299	-0.016958	-0.04788	0.096259	-0.222444	0.099751				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.341147	-0.201496	-0.076309	0.213965	0.230424	0.075312	-0.026933	-0.045387	0.080299	-0.221446	0.070823				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.351621	-0.210973	-0.073317	0.212469	0.208479	0.069825	-0.031421	-0.054364	0.073815	-0.229925	0.076808				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.347132	-0.209476	-0.081297	0.208978	0.228928	0.07182	-0.022943	-0.054364	0.084289	-0.231421	0.090274				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.350125	-0.186035	-0.139651	0.225935	0.214963	0.101746	-0.04788	-0.049875	0.119701	-0.216459	0.110224				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.35611	-0.21596	-0.069825	0.218454	0.250374	0.064838	-0.01596	-0.044888	0.077307	-0.237905	0.069327				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.37207	-0.218454	-0.04788	0.205985	0.241895	0.057855	-0.012968	-0.058853	0.07182	-0.240399	0.068329				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.364589	-0.221446	-0.049377	0.200499	0.239401	0.053865	-0.014963	-0.060848	0.083292	-0.248878	0.081796				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.370075	-0.209975	-0.063342	0.207481	0.239401	0.063342	-0.020948	-0.050374	0.075312	-0.232918	0.075312				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.352618	-0.189526	-0.137157	0.226933	0.219451	0.098254	-0.046883	-0.046883	0.114713	-0.214464	0.098254				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.380549	-0.199002	-0.041895	0.221446	0.261347	0.073815	-0.000499	-0.039401	0.081796	-0.227431	0.072818				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.384539	-0.209476	-0.042893	0.204988	0.268828	0.062344	0.002494	-0.048379	0.07182	-0.230424	0.067332				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.404489	-0.213466	-0.033915	0.20399	0.277805	0.060349	0.009476	-0.05586	0.07182	-0.236908	0.063342				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.393516	-0.209975	-0.037905	0.214464	0.266334	0.060349	0.003491	-0.04788	0.087781	-0.236409	0.078304				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.354115	-0.192519	-0.12818	0.224938	0.233915	0.094763	-0.034913	-0.049875	0.115711	-0.218454	0.093766				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.420449	-0.195012	-0.037905	0.210474	0.285786	0.071322	0.023441	-0.037406	0.088778	-0.221446	0.085287				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.398504	-0.212968	-0.022444	0.198005	0.296259	0.057855	0.030424	-0.059352	0.07581	-0.240898	0.078304				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.432918	-0.208479	-0.035411	0.199501	0.300249	0.049875	0.018454	-0.047382	0.073815	-0.236409	0.077805				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.433416	-0.199501	-0.032918	0.197007	0.307232	0.064838	0.018454	-0.050374	0.076808	-0.231421	0.073317				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.353616	-0.194015	-0.117207	0.224938	0.234414	0.091272	-0.01995	-0.049377	0.119701	-0.218454	0.101247				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.407481	-0.197007	-0.01995	0.20399	0.311721	0.062843	0.03591	-0.044888	0.064339	-0.233915	0.067332				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.421945	-0.193017	-0.01995	0.210474	0.307731	0.072818	0.026434	-0.04389	0.069327	-0.22394	0.07182				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.431192	-0.202494	-0.004988	0.2	0.334165	0.052868	0.028928	-0.039401	0.066833	-0.234414	0.071322				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.406484	-0.198005	-0.020449	0.204988	0.299751	0.067332	0.018454	-0.041397	0.05586	-0.232918	0.060349				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.365087	-0.190524	-0.114713	0.222444	0.247382	0.089776	-0.004489	-0.049377	0.116209	-0.218953	0.101746				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.417456	-0.18803	-0.030424	0.195511	0.299252	0.06783	0.030424	-0.046883	0.066833	-0.232918	0.06783				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.434913	-0.19601	-0.01596	0.18803	0.304738	0.050873	0.029925	-0.046384	0.062843	-0.235411	0.07182				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.457855	-0.183042	-0.017955	0.189027	0.312219	0.054863	0.033416	-0.042893	0.066334	-0.226933	0.076309				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.436908	-0.187032	-0.005486	0.197007	0.308229	0.058853	0.037905	-0.043392	0.076309	-0.230923	0.080299				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.365087	-0.190025	-0.105736	0.221945	0.251372	0.090773	-0.001995	-0.048878	0.121696	-0.216459	0.106733				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.438903	-0.185536	-0.024439	0.190025	0.294763	0.067332	0.031421	-0.046883	0.080798	-0.226933	0.087781				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.415461	-0.190524	-0.021446	0.185536	0.306733	0.057357	0.02793	-0.046883	0.066334	-0.22793	0.07182				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.441397	-0.191521	-0.001496	0.175062	0.301247	0.050873	0.035411	-0.050374	0.06384	-0.234414	0.068828				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.450374	-0.181047	-0.014464	0.188529	0.310224	0.05985	0.037406	-0.04788	0.077805	-0.224439	0.083292				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.371072	-0.187032	-0.096259	0.231421	0.251372	0.094763	-0.004988	-0.040898	0.129676	-0.217955	0.110224				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.447382	-0.173566	-0.013965	0.200998	0.316708	0.077805	0.034913	-0.037406	0.066833	-0.224938	0.076808				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.446384	-0.181047	-0.014963	0.187032	0.329676	0.059352	0.039401	-0.041397	0.069825	-0.226933	0.078803				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.44389	-0.182045	-0.005486	0.188529	0.307731	0.057855	0.038903	-0.042893	0.064339	-0.229426	0.077803				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.462344	-0.177057	-0.01197	0.186035	0.318703	0.062344	0.032918	-0.041895	0.068828	-0.218953	0.0798				

Table 193: DermaMNIST–ResNet-18

Cell	Q	Rule	Predicted Score	Theta	Mean Distance	Actual F	Predicted Q	NOISE Q	Actual Regret	Actual Near Optimal 95	Dual Geometry Score	Dual Geometry Predicted Q	Dual Geometry Actual Regret	Dual Geometry Actual Near Optimal 95
DermaMNIST–ResNet-18	2	Borda	0.079488	3.473131	7.796509	0.080798	2	3	0.00399	True	0.079488	3	0	True
DermaMNIST–ResNet-18	3	Borda	0.075917	2.868682	9.701579	0.084788	2	3	0.00399	True	0.080481	3	0	True
DermaMNIST–ResNet-18	4	Borda	0.06702	2.779395	9.997506	0.065337	2	3	0.00399	False	0.069576	3	0	True
DermaMNIST–ResNet-18	5	Borda	0.067695	2.560139	10.734564	0.066334	2	3	0.00399	False	0.067776	3	0	True
DermaMNIST–ResNet-18	6	Borda	0.063538	2.527824	10.84414	0.054364	2	3	0.00399	False	0.064651	3	0	True
DermaMNIST–ResNet-18	7	Borda	0.062884	2.557039	10.745066	0.05586	2	3	0.00399	False	0.062146	3	0	True
DermaMNIST–ResNet-18	8	Borda	0.064287	2.45159	11.103304	0.058354	2	3	0.00399	False	0.062789	3	0	True
DermaMNIST–ResNet-18	9	Borda	0.056301	2.428552	11.181768	0.060349	2	3	0.00399	False	0.058098	3	0	True
DermaMNIST–ResNet-18	10	Borda	0.056401	2.265947	11.736509	0.06384	2	3	0.00399	False	0.057186	3	0	True
DermaMNIST–ResNet-18	11	Borda	0.055125	2.243222	11.814056	0.051372	2	3	0.00399	False	0.054884	3	0	True
DermaMNIST–ResNet-18	2	Kemeny	0.079488	3.473131	7.796509	0.080798	3	3	0	True	0.079488	3	0	True
DermaMNIST–ResNet-18	3	Kemeny	0.085044	3.189314	8.666833	0.091272	3	3	0	True	0.080481	3	0	True
DermaMNIST–ResNet-18	4	Kemeny	0.072131	2.989383	9.306484	0.076808	3	3	0	True	0.069576	3	0	True
DermaMNIST–ResNet-18	5	Kemeny	0.067857	2.763681	10.049875	0.078803	3	3	0	True	0.067776	3	0	True
DermaMNIST–ResNet-18	6	Kemeny	0.065763	2.722712	10.186783	0.075312	3	3	0	True	0.064651	3	0	True
DermaMNIST–ResNet-18	7	Kemeny	0.061407	2.7404	10.12761	0.062843	3	3	0	False	0.062146	3	0	True
DermaMNIST–ResNet-18	8	Kemeny	0.06129	2.609572	10.567332	0.05586	3	3	0	False	0.062789	3	0	True
DermaMNIST–ResNet-18	9	Kemeny	0.059895	2.572839	10.691549	0.053367	3	3	0	False	0.058098	3	0	True
DermaMNIST–ResNet-18	10	Kemeny	0.05797	2.395372	11.294863	0.064339	3	3	0	False	0.057186	3	0	True
DermaMNIST–ResNet-18	11	Kemeny	0.054643	2.362634	11.406529	0.053367	3	3	0	False	0.054884	3	0	True

Table 194: DermaMNIST–ResNet-18

Dataset	Model	Architecture	Split	Metric	Sample Count	Noise	Condition Id	Robustness	Selected Method
DermaMNIST	ResNet-18	CNN	Test	R_F	2005	gaussian	gaussian-0.15	0.000499	Deconvolution
DermaMNIST	ResNet-18	CNN	Test	R_Fbar	2005	gaussian	gaussian-0.15	0.282294	Deconvolution
DermaMNIST	ResNet-18	CNN	Test	R_C	2005	gaussian	gaussian-0.15	0.046883	LRP
DermaMNIST	ResNet-18	CNN	Test	R_Cbar	2005	gaussian	gaussian-0.15	0.034414	IntegratedGradients
DermaMNIST	ResNet-18	CNN	Test	R_F	2005	salt_pepper	salt-pepper-0.05	0.000499	FeatureAblation
DermaMNIST	ResNet-18	CNN	Test	R_Fbar	2005	salt_pepper	salt-pepper-0.05	0.330673	Deconvolution
DermaMNIST	ResNet-18	CNN	Test	R_C	2005	salt_pepper	salt-pepper-0.05	0.072818	LRP
DermaMNIST	ResNet-18	CNN	Test	R_Cbar	2005	salt_pepper	salt-pepper-0.05	0.022444	GradientShap
DermaMNIST	ResNet-18	CNN	Test	R_F	2005	speckle	speckle-0.15	0.146633	LRP
DermaMNIST	ResNet-18	CNN	Test	R_Fbar	2005	speckle	speckle-0.15	0.138653	Deconvolution
DermaMNIST	ResNet-18	CNN	Test	R_C	2005	speckle	speckle-0.15	0.0399	GuidedBackprop
DermaMNIST	ResNet-18	CNN	Test	R_Cbar	2005	speckle	speckle-0.15	0.00798	GuidedBackprop
DermaMNIST	ResNet-18	CNN	Test	R_F	2005	adversarial	adversarial-sara-2-255	0.016958	InputXGradient
DermaMNIST	ResNet-18	CNN	Test	R_Fbar	2005	adversarial	adversarial-sara-2-255	0.025436	LRP
DermaMNIST	ResNet-18	CNN	Test	R_C	2005	adversarial	adversarial-sara-2-255	0.15212	LRP
DermaMNIST	ResNet-18	CNN	Test	R_Cbar	2005	adversarial	adversarial-sara-2-255	0.025935	LRP

Table 195: DermaMNIST–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	G	F	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18f6e856b4 c84f	2005				max	0.002761	0.054863
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	G	Fbar	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18f6e856b4 c84f	2005				min	0.04698	0.337656
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	G	C	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18f6e856b4 c84f	2005				max	0.003203	0.257024
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	G	Cbar	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18f6e856b4 c84f	2005				min	- 0.084174	0.714214
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	P	F	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18f6e856b4 c84f	2005				max	- 0.002013	0.054863
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	P	Fbar	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18f6e856b4 c84f	2005				min	0.014887	0.337656
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	P	C	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18f6e856b4 c84f	2005				max	- 0.000923	0.257024
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	P	Cbar	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18f6e856b4 c84f	2005				min	- 0.146294	0.714214
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	S	F	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18f6e856b4 c84f	2005				max	0.00735	0.054863
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	S	Fbar	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18f6e856b4 c84f	2005				min	- 0.066295	0.337656
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	S	C	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18f6e856b4 c84f	2005				max	0.045092	0.257024
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	S	Cbar	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18f6e856b4 c84f	2005				min	- 0.110069	0.714214
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	A	F	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18f6e856b4 c84f	2005				max	- 0.001267	0.054863

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	A	Fbar	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18fe856b4 c84f	2005				min	- 0.030356	0.337656
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	A	C	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18fe856b4 c84f	2005				max	- 0.001999	0.257024
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	A	Cbar	54f2c2433a c0d5cd7717 d6473e024e 72cdcaeaaf 1b684359b3 18fe856b4 c84f	2005				min	- 0.033706	0.714214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	G	F	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eeea51 864b8c531e 8c54	2005				max	0.004625	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	G	Fbar	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eeea51 864b8c531e 8c54	2005				min	- 0.072244	0.519036
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	G	C	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eeea51 864b8c531e 8c54	2005				max	0.004311	0.230091
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	G	Cbar	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eeea51 864b8c531e 8c54	2005				min	- 0.064104	0.853865
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	P	F	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eeea51 864b8c531e 8c54	2005				max	0.001842	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	P	Fbar	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eeea51 864b8c531e 8c54	2005				min	- 0.081544	0.519036
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	P	C	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eeea51 864b8c531e 8c54	2005				max	- 0.000133	0.230091
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	P	Cbar	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eeea51 864b8c531e 8c54	2005				min	- 0.055885	0.853865
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	S	F	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eeea51 864b8c531e 8c54	2005				max	0.047415	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	S	Fbar	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eeea51 864b8c531e 8c54	2005				min	- 0.121901	0.519036

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	S	C	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eaea51 864b8c531e 8c54	2005	Geometry			max	0.060467	0.230091
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	S	Cbar	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eaea51 864b8c531e 8c54	2005				min	- 0.095229	0.853865
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	A	F	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eaea51 864b8c531e 8c54	2005				max	- 0.002167	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	A	Fbar	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eaea51 864b8c531e 8c54	2005				min	- 0.051909	0.519036
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	A	C	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eaea51 864b8c531e 8c54	2005				max	- 0.00359	0.230091
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	A	Cbar	b1138feec5 1dc99c652d 8227a1effc 1d3208140a 2669eaea51 864b8c531e 8c54	2005				min	- 0.044559	0.853865
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	G	F	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				max	0.005167	0.040399
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	G	Fbar	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				min	- 0.086755	0.500748
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	G	C	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				max	0.004408	0.216459
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	G	Cbar	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				min	- 0.091622	0.826434
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	P	F	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				max	0.002429	0.040399
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	P	Fbar	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				min	- 0.105554	0.500748
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	P	C	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				max	0.000444	0.216459

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	P	Cbar	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005	Geometry			min	- 0.09573	0.826434
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	S	F	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				max	0.056481	0.040399
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	S	Fbar	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				min	- 0.126144	0.500748
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	S	C	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				max	0.0577	0.216459
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	S	Cbar	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				min	- 0.117832	0.826434
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	A	F	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				max	0.002738	0.040399
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	A	Fbar	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				min	- 0.047082	0.500748
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	A	C	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				max	0.000371	0.216459
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	A	Cbar	aa3cf5bf4e bd3cd7a1bc 894e3068ac b6bb1fc627 84a41182bf 3f1d6005b2 2f72	2005				min	- 0.04041	0.826434
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	G	F	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				max	0.00394	0.046717
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	G	Fbar	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				min	- 0.07886	0.564755
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	G	C	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				max	0.004401	0.216625
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	G	Cbar	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				min	- 0.048734	0.896093

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	P	F	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005	Geometry			max	0.0014230	0.046717
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	P	Fbar	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				min	- 0.08212	0.564755
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	P	C	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				max	- 0.000558	0.216625
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	P	Cbar	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				min	- 0.017691	0.896093
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	S	F	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				max	0.04624	0.046717
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	S	Fbar	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				min	- 0.13673	0.564755
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	S	C	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				max	0.0541060	0.216625
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	S	Cbar	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				min	- 0.090552	0.896093
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	A	F	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				max	- 0.000269	0.046717
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	A	Fbar	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				min	- 0.074783	0.564755
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	A	C	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				max	- 0.003183	0.216625
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	A	Cbar	ed52943302 03950686f7 b6c56b9e89 645aa914c5 b8520984ed 9a4eff11b7 9b6c	2005				min	- 0.061852	0.896093
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	G	F	8a6ed4d5a3 5ca5bf455a dd3805002c 864d073bc7 2bdd0f01e5 98240ba014 2d10	2005				max	0.0042930	0.054364

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	G	Fbar	8a6ed4d5a35ca5bf455a4d3805002c864d073bc72bdd0f01e598240ba0142d10	2005	Geometry			min	-0.083373	0.567581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	G	C	8a6ed4d5a35ca5bf455a4d3805002c864d073bc72bdd0f01e598240ba0142d10	2005				max	0.004234	0.220449
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	G	Cbar	8a6ed4d5a35ca5bf455a4d3805002c864d073bc72bdd0f01e598240ba0142d10	2005				min	-0.04631	0.902743
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	P	F	8a6ed4d5a35ca5bf455a4d3805002c864d073bc72bdd0f01e598240ba0142d10	2005				max	0.002673	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	P	Fbar	8a6ed4d5a35ca5bf455a4d3805002c864d073bc72bdd0f01e598240ba0142d10	2005				min	-0.083138	0.567581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	P	C	8a6ed4d5a35ca5bf455a4d3805002c864d073bc72bdd0f01e598240ba0142d10	2005				max	0.000324	0.220449
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	P	Cbar	8a6ed4d5a35ca5bf455a4d3805002c864d073bc72bdd0f01e598240ba0142d10	2005				min	-0.00979	0.902743
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	S	F	8a6ed4d5a35ca5bf455a4d3805002c864d073bc72bdd0f01e598240ba0142d10	2005				max	0.050407	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	S	Fbar	8a6ed4d5a35ca5bf455a4d3805002c864d073bc72bdd0f01e598240ba0142d10	2005				min	-0.145287	0.567581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	S	C	8a6ed4d5a35ca5bf455a4d3805002c864d073bc72bdd0f01e598240ba0142d10	2005				max	0.064227	0.220449
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	S	Cbar	8a6ed4d5a35ca5bf455a4d3805002c864d073bc72bdd0f01e598240ba0142d10	2005				min	-0.092216	0.902743
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	A	F	8a6ed4d5a35ca5bf455a4d3805002c864d073bc72bdd0f01e598240ba0142d10	2005				max	-0.002832	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	A	Fbar	8a6ed4d5a35ca5bf455a4d3805002c864d073bc72bdd0f01e598240ba0142d10	2005				min	-0.076729	0.567581

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	A	C	8a6ed4d5a35ca5bf455add3805002c864d073bc72bdd0f01e598240ba0142d10	2005	Geometry			max	-0.005119	0.220449
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	A	Cbar	8a6ed4d5a35ca5bf455add3805002c864d073bc72bdd0f01e598240ba0142d10	2005				min	-0.061266	0.902743
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	G	F	S2a987eef16c8da551cf1f4d55559816a92d350ea6e343904daf4b2a58631b03	2005				max	0.003919	0.049709
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	G	Fbar	S2a987eef16c8da551cf1f4d55559816a92d350ea6e343904daf4b2a58631b03	2005				min	-0.077063	0.575229
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	G	C	S2a987eef16c8da551cf1f4d55559816a92d350ea6e343904daf4b2a58631b03	2005				max	0.004878	0.217124
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	G	Cbar	S2a987eef16c8da551cf1f4d55559816a92d350ea6e343904daf4b2a58631b03	2005				min	-0.044489	0.905071
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	P	F	S2a987eef16c8da551cf1f4d55559816a92d350ea6e343904daf4b2a58631b03	2005				max	0.001428	0.049709
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	P	Fbar	S2a987eef16c8da551cf1f4d55559816a92d350ea6e343904daf4b2a58631b03	2005				min	-0.074325	0.575229
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	P	C	S2a987eef16c8da551cf1f4d55559816a92d350ea6e343904daf4b2a58631b03	2005				max	-0.000407	0.217124
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	P	Cbar	S2a987eef16c8da551cf1f4d55559816a92d350ea6e343904daf4b2a58631b03	2005				min	-0.00803	0.905071
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	S	F	S2a987eef16c8da551cf1f4d55559816a92d350ea6e343904daf4b2a58631b03	2005				max	0.043288	0.049709
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	S	Fbar	S2a987eef16c8da551cf1f4d55559816a92d350ea6e343904daf4b2a58631b03	2005				min	-0.129726	0.575229
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	S	C	S2a987eef16c8da551cf1f4d55559816a92d350ea6e343904daf4b2a58631b03	2005				max	0.053301	0.217124

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	S	Cbar	82a987eef16c8da551cf14d55559816a92d4350ea6e343904daf4b2a58631b03	2005	Geometry			min	-0.08437	0.905071
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	A	F	82a987eef16c8da551cf14d55559816a92d4350ea6e343904daf4b2a58631b03	2005				max	-0.002638	0.049709
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	A	Fbar	82a987eef16c8da551cf14d55559816a92d4350ea6e343904daf4b2a58631b03	2005				min	-0.080987	0.575229
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	A	C	82a987eef16c8da551cf14d55559816a92d4350ea6e343904daf4b2a58631b03	2005				max	-0.004201	0.217124
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	A	Cbar	82a987eef16c8da551cf14d55559816a92d4350ea6e343904daf4b2a58631b03	2005				min	-0.067944	0.905071
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	G	F	e1c015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				max	0.004728	0.063342
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	G	Fbar	e1c015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				min	-0.083748	0.573566
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	G	C	e1c015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				max	0.004926	0.227431
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	G	Cbar	e1c015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				min	-0.044617	0.907731
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	P	F	e1c015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				max	0.002189	0.063342
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	P	Fbar	e1c015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				min	-0.082009	0.573566
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	P	C	e1c015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				max	-0.000386	0.227431
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	P	Cbar	e1c015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				min	-0.007231	0.907731

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	S	F	elc015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005	Geometry			max	0.042548	0.063342
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	S	Fbar	elc015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				min	-0.148505	0.573566
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	S	C	elc015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				max	0.062932	0.227431
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	S	Cbar	elc015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				min	-0.091719	0.907731
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	A	F	elc015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				max	-0.002459	0.063342
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	A	Fbar	elc015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				min	-0.076331	0.573566
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	A	C	elc015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				max	-0.003255	0.227431
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	A	Cbar	elc015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005				min	-0.061824	0.907731
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	G	F	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				max	0.004013	0.048213
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	G	Fbar	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				min	-0.076582	0.578387
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	G	C	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				max	0.004733	0.216625
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	G	Cbar	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				min	-0.041711	0.908894
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	P	F	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				max	0.001509	0.048213

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	P	Fbar	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005	Geometry			min	-0.073341	0.578387
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	P	C	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				max	-5.9416e-05	0.216625
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	P	Cbar	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				min	-0.003774	0.908894
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	S	F	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				max	0.04385	0.048213
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	S	Fbar	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				min	-0.128376	0.578387
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	S	C	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				max	0.052278	0.216625
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	S	Cbar	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				min	-0.082808	0.908894
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	A	F	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				max	-0.002534	0.048213
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	A	Fbar	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				min	-0.077314	0.578387
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	A	C	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				max	-0.006508	0.216625
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	A	Cbar	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aaae21c07624	2005				min	-0.063168	0.908894
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	G	F	90a7d3272fcfabaf4a06bbece596752e0974677aa39216ed5ec4ef93f78a60bc	2005				max	0.004109	0.057357
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	G	Fbar	90a7d3272fcfabaf4a06bbece596752e0974677aa39216ed5ec4ef93f78a60bc	2005				min	-0.083249	0.573566

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	G	C	90a7d3272f cfabaf4a06 bbece59675 2e0974677a a39216ed5e c4ef93f78a 60bc	2005	Geometry			max	0.003841	0.229426
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	G	Cbar	90a7d3272f cfabaf4a06 bbece59675 2e0974677a a39216ed5e c4ef93f78a 60bc	2005				min	- 0.044396	0.905736
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	P	F	90a7d3272f cfabaf4a06 bbece59675 2e0974677a a39216ed5e c4ef93f78a 60bc	2005				max	0.002512	0.057357
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	P	Fbar	90a7d3272f cfabaf4a06 bbece59675 2e0974677a a39216ed5e c4ef93f78a 60bc	2005				min	- 0.079017	0.573566
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	P	C	90a7d3272f cfabaf4a06 bbece59675 2e0974677a a39216ed5e c4ef93f78a 60bc	2005				max	5.3032e- 05	0.229426
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	P	Cbar	90a7d3272f cfabaf4a06 bbece59675 2e0974677a a39216ed5e c4ef93f78a 60bc	2005				min	- 0.008953	0.905736
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	S	F	90a7d3272f cfabaf4a06 bbece59675 2e0974677a a39216ed5e c4ef93f78a 60bc	2005				max	0.047289	0.057357
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	S	Fbar	90a7d3272f cfabaf4a06 bbece59675 2e0974677a a39216ed5e c4ef93f78a 60bc	2005				min	- 0.14651	0.573566
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	S	C	90a7d3272f cfabaf4a06 bbece59675 2e0974677a a39216ed5e c4ef93f78a 60bc	2005				max	0.056719	0.229426
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	S	Cbar	90a7d3272f cfabaf4a06 bbece59675 2e0974677a a39216ed5e c4ef93f78a 60bc	2005				min	- 0.092816	0.905736
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	A	F	90a7d3272f cfabaf4a06 bbece59675 2e0974677a a39216ed5e c4ef93f78a 60bc	2005				max	- 0.003207	0.057357
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	A	Fbar	90a7d3272f cfabaf4a06 bbece59675 2e0974677a a39216ed5e c4ef93f78a 60bc	2005				min	- 0.069848	0.573566
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	A	C	90a7d3272f cfabaf4a06 bbece59675 2e0974677a a39216ed5e c4ef93f78a 60bc	2005				max	- 0.006997	0.229426

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	A	Cbar	90a7d3272fcfabaf4a06bbece596752e0974677aa39216ed5ec4ef93f78a60bc	2005	Geometry			min	-0.060305	0.905736
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	G	F	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				max	0.003514	0.050873
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	G	Fbar	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				min	-0.077233	0.571072
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	G	C	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				max	0.003764	0.219784
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	G	Cbar	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				min	-0.044781	0.903574
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	P	F	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				max	0.000867	0.050873
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	P	Fbar	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				min	-0.077492	0.571072
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	P	C	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				max	-0.000487	0.219784
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	P	Cbar	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				min	-0.009862	0.903574
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	S	F	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				max	0.041244	0.050873
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	S	Fbar	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				min	-0.132035	0.571072
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	S	C	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				max	0.052167	0.219784
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	S	Cbar	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				min	-0.087229	0.903574

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	A	F	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005	Geometry			max	-0.002811	0.050873
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	A	Fbar	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				min	-0.074252	0.571072
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	A	C	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				max	-0.005534	0.219784
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	A	Cbar	42ed1fe0ce28c4725c5e1be950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005				min	-0.06111	0.903574
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	G	F	235695598638c65e0e48ab922b6923d599d13a6b4fa7f47f7647041b82e36b3d	2005				max	0.003607	0.057357
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	G	Fbar	235695598638c65e0e48ab922b6923d599d13a6b4fa7f47f7647041b82e36b3d	2005				min	-0.082054	0.571072
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	G	C	235695598638c65e0e48ab922b6923d599d13a6b4fa7f47f7647041b82e36b3d	2005				max	0.004645	0.222444
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	G	Cbar	235695598638c65e0e48ab922b6923d599d13a6b4fa7f47f7647041b82e36b3d	2005				min	-0.044077	0.906234
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	P	F	235695598638c65e0e48ab922b6923d599d13a6b4fa7f47f7647041b82e36b3d	2005				max	0.002013	0.057357
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	P	Fbar	235695598638c65e0e48ab922b6923d599d13a6b4fa7f47f7647041b82e36b3d	2005				min	-0.07982	0.571072
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	P	C	235695598638c65e0e48ab922b6923d599d13a6b4fa7f47f7647041b82e36b3d	2005				max	-0.000235	0.222444
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	P	Cbar	235695598638c65e0e48ab922b6923d599d13a6b4fa7f47f7647041b82e36b3d	2005				min	-0.005904	0.906234
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	S	F	235695598638c65e0e48ab922b6923d599d13a6b4fa7f47f7647041b82e36b3d	2005				max	0.048785	0.057357

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	S	Fbar	2356955986 38c65e0e48 ab922b6923 d599d13a6b 4fa7f47f76 47041b82e3 6b3d	2005				min	- 0.145502	0.571072
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	S	C	2356955986 38c65e0e48 ab922b6923 d599d13a6b 4fa7f47f76 47041b82e3 6b3d	2005				max	0.063002	0.222444
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	S	Cbar	2356955986 38c65e0e48 ab922b6923 d599d13a6b 4fa7f47f76 47041b82e3 6b3d	2005				min	- 0.090921	0.906234
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	A	F	2356955986 38c65e0e48 ab922b6923 d599d13a6b 4fa7f47f76 47041b82e3 6b3d	2005				max	- 0.001212	0.057357
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	A	Fbar	2356955986 38c65e0e48 ab922b6923 d599d13a6b 4fa7f47f76 47041b82e3 6b3d	2005				min	- 0.074585	0.571072
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	A	C	2356955986 38c65e0e48 ab922b6923 d599d13a6b 4fa7f47f76 47041b82e3 6b3d	2005				max	- 0.005869	0.222444
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	A	Cbar	2356955986 38c65e0e48 ab922b6923 d599d13a6b 4fa7f47f76 47041b82e3 6b3d	2005				min	- 0.059812	0.906234

Table 196: DermaMNIST-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	G	F	0.079468	0.054863	0.079468	0.076707	3947a2b008725b76abe3710304a8613219bf243e0570172ea944acae73cf6459	leave_one_out_naive_single	GuidedBackprop	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	G	Fbar	-0.081629	-0.337656	0.081629	0.034649	3f6eb3ed70f69d48e4888cc4b400fbb76162975fdd52fb21b911c1543dd349	leave_one_out_naive_single	LRP	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	G	C	0.120033	0.257024	0.120033	0.11683	93c3e3a73c9ea54eb4325dea94cbdecae0453af390ae7831987373e8de74ac6b	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	G	Cbar	0.910224	-	-	-	f6810702bd76a298c2671751d6f8715e88854d7c2bd059aaa31d200f5c0aceae	leave_one_out_naive_single	LRP	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	P	F	0.05453	0.054863	0.05453	0.056543	e6c334e0d9749e283e1fba80b3ac800d8691411fda9fb6d9a5d295c281e92c08	leave_one_out_naive_single	GuidedBackprop	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	P	Fbar	-0.068163	-0.337656	0.068163	0.053276	f0b6c089e037bdd0325441762d1fac9d681919356cd3126fa357d1975af3537b	leave_one_out_naive_single	LRP	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	P	C	0.091604	0.257024	0.091604	0.092528	7662ee5bcb24fba7f18dde7dd133ea51c9dadbb3a2a607e1b93387e1880d5848	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	P	Cbar	0.921031	-	-	-	5a1bad1107ce5a23f8c7d70155ec19b25671b79d05fe12a19d5bb11cff16bae0	leave_one_out_naive_single	LRP	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	S	F	0.263508	0.054863	0.263508	0.256158	1b0bbfbfad2aa74355355689746497c84676ab8ba42a76048e0c16e5f2be0f4	leave_one_out_naive_single	GuidedBackprop	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	S	Fbar	0.135495	-	-	-0.0692	8715e87b25a87ad43984fcf1ac259b00b02dc2d8b622c8606158f9d84c2fb32	leave_one_out_naive_single	LRP	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	S	C	0.378221	0.257024	0.378221	0.333129	9bb0244bf837b1757823207421fb39232a718bec15a683bd8a95f24042d66e56	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	S	Cbar	0.842062	-	-	-	d83d723f161935e31da6b2a204fe817e09f09310dce3a20e1f381325c9f8472d	leave_one_out_naive_single	LRP	False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	A	F	0.009978	0.054863	0.009978	0.011242	2491da3bf236055ca674cf07f31ae928c8735b730a575d7786b274d5d8026239	leave_one_out_naive_single	GuidedBackprop	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	A	Fbar	0.304904	-	-	-	6dfe6bb26fa42084b679a1bde8a244272c20b067d779754bb0663de26e1585c	leave_one_out_naive_single	LRP	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	A	C	0.039069	0.257024	0.039069	0.041068	61cb649ff73a19ab8067f093b439a7f9d240c7407d552ffa8240d1313bc7798	leave_one_out_naive_single	Occlusion	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	A	Cbar	0.674813	-	-	-	4e8823adfa727f1423a1f756c5767a74f27db17ed436f9827d6b54	leave_one_out_naive_single	LRP	False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	G	F	0.081131	0.054364	0.081131	0.076505	afbf0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbcd38ffecbd70f875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	G	Fbar	0.132668	-	-	-	782d5e07949398fclbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	G	C	0.1202	0.230091	0.1202	0.115888	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	G	Cbar	0.979551	-	-	-	af0b89e4a8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	P	F	0.057523	0.054364	0.057523	0.055681	dadf86697180f3ee2530c9a53ac5cad80a7813fcbeccc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	P	Fbar	0.123192	-	-	-	7babd4ae43584e48aca09c487aac5670812dc2b0c9304a0b7b220c9750ada57	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	P	C	0.091604	0.230091	0.091604	0.091738	707fd9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	P	Cbar	0.986201	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bcd4	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	S	F	0.299252	0.054364	0.299252	0.251837	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd35c52a3267c6a5d6727f53	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	S	Fbar	0.335498	-	-	-	a80a3b70e778c0ef840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	S	C	0.381712	0.230091	0.381712	0.321245	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	S	Cbar	0.938986	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	A	F	0.009144	0.054364	0.009144	0.011311	6722b607d08f6a9c1382bc74e364773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	A	Fbar	0.489111	-	-	-	99ddb5806e3ff8af0be9cbe2beffaade1a48e6e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	A	C	0.028096	0.230091	0.028096	0.031686	ec1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	A	Cbar	0.823774	-	-	-	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f65dffb7c6789c1d71b1a235	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	G	F	0.080798	0.040399	0.080798	0.075631	ff07e28804cd601836fe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	G	Fbar	0.137656	-	-	-	a832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	G	C	0.119701	0.216459	0.119701	0.115293	ff5b0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbbed38ffe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	G	Cbar	0.989526	-	-	-	cbdf0f875c7395782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	P	F	0.057357	0.040399	0.057357	0.054927	624f55b88ef2cfcfbda780801c6da7b1f1361ee6f785a9373	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	P	Fbar	0.137656	-	-	-	edb093f8d7f283aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	P	Fbar	0.137656	-	-	-	dadf86697180f3ee2530c9a53ac5cad80a7813febcecc2be81f37680016ebc7e	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	P	C	0.091771	0.216459	0.091771	0.091326	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	P	Cbar	0.995511	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	S	F	0.293766	0.040399	0.293766	0.237285	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	S	Fbar	0.325187	-	-	-	a80a3b70e778c0ef840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	S	C	0.370574	0.216459	0.370574	0.312874	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	S	Cbar	0.939651	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	A	F	0.009975	0.040399	0.009975	0.007237	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	A	Fbar	0.46783	-	-	-	db3f99d1bb5806e3ffb8af0be9cbe2beffadela48e6e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	A	C	0.026933	0.216459	0.026933	0.026562	ec1560211fa9876119f2d16ealc701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	A	Cbar	0.792519	-	-	-	f07e28804cd601836fe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	G	F	0.079967	0.046717	0.079967	0.076027	a832251b111a90232ef507c50b3579c4faa59ed8019eafbf0d5a98ff5bbb1952902bf47db95bfc9b0fe7bbcd38ffe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	G	Fbar	0.163092	-	-	-	cbd70f875c7395782d5e07949398fclbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	G	C	0.119701	0.216625	0.119701	0.1153	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	G	Cbar	0.991189	-	-	-	aff9b89e4a4f8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	P	F	0.056692	0.046717	0.056692	0.055268	dadf86697180f3ee2530c9a53ac5cad80a7813febccc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	P	Fbar	0.147631	-	-	-	7babb4ae43584e48aaca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	P	C	0.090773	0.216625	0.090773	0.091331	70f7d9ad3c860b2dad621aed83105b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	P	Cbar	0.995012	-	-	-	0c3cdcfc4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	S	F	0.290108	0.046717	0.290108	0.243868	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	S	Fbar	0.3867	-	-0.3867	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	S	C	0.367082	0.216625	0.367082	0.312976	b40e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	S	Cbar	0.96808	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	A	F	0.008811	0.046717	0.008811	0.00908	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	A	Fbar	0.553117	-	-	-	99ddb5806e3ff8a0be99cbe2beffadela38e6ecec156021ffa9876119f2d16e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	A	C	0.023441	0.216625	0.023441	0.026624	alc701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	A	Cbar	0.882793	-	-	-	ff07e28804cd601836fea832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	G	F	0.080798	0.054364	0.080798	0.076505	afbf0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbbd38fhecdbd70f875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	G	Fbar	0.169077	-	-	-	782d5e07949398fcbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	G	C	0.119701	0.220449	0.119701	0.115467	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	G	Cbar	0.993017	-	-	-	af9b89e4a78d93c8aed55617458ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	P	F	0.058354	0.054364	0.058354	0.055681	dadf86697180f3ee2530c9a53ac5cad80a7813fcbecce2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	P	Fbar	0.150125	-	-	-	7badbd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220e9750adea57	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	P	C	0.091771	0.220449	0.091771	0.091447	70f7d9ad3c860b2dad621aed83165b6d889f77be4823ead6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	P	Cbar	0.994514	-	-	-	0e3cdcf4a655c0a0fa6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	S	F	0.302244	0.054364	0.302244	0.251837	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	S	Fbar	0.397506	-	-	-	a80a3b70e778c0eff840ac0e7a6647e18fe492e84d516e1d423269c1db0107e3	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	S	C	0.379551	0.220449	0.379551	0.315324	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	S	Cbar	0.975062	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	A	F	0.008479	0.054364	0.008479	0.011311	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71baedb3f	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	A	Fbar	0.557608	-	0.567581	0.557608	0.480877	99dbb5806e3ff8af0be9cbe2beffadela48e6e1560211fa9876119f2d16	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	A	C	0.022943	0.220449	0.022943	0.028061	alc701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	A	Cbar	0.888778	-	-	-	0.827512	H07e28804cd601836feaa832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	G	F	0.080133	0.049709	0.080133	0.076214	afbf0d5a98ff5bbb1952902b47adb95bfc9b0fc7bbcd38ffebcd70f875c7395	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	G	Fbar	0.16675	-	-	-	0.089687	782d5e07949398fcb1bdc0b8620e2844e90f1c48b83baee6cad9b8f7131779b2b	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	G	C	0.1202	0.217124	0.1202	0.115322	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edbb093f8d7f283	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	G	Cbar	0.992685	-	-	-	0.948196	aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	P	F	0.056858	0.049709	0.056858	0.05543	dadf86697180f3ee2530c9a53ac5cad80a7813fbbecce2be81f37680016ebc7e	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	P	Fbar	0.145303	-	-	-	0.070978	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	P	C	0.090939	0.217124	0.090939	0.091346	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	P	Cbar	0.995345	-	-	-	0.987315	0c3cdcfc4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	S	F	0.290274	0.049709	0.290274	0.246986	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd35c52a3267c6a5d6727f53	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	S	Fbar	0.38803	-	-	-	0.258304	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	S	C	0.366584	0.217124	0.366584	0.313282	b40e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	S	Cbar	0.969077	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	A	F	0.007315	0.049709	0.007315	0.009953	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	A	Fbar	0.568745	-	-	-	db3f99dbbb5806e3fb8a0b0bea0cbe2beffadela48e6e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	A	C	0.02261	0.217124	0.02261	0.026811	ec1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	A	Cbar	0.897756	-	-	-	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	G	F	0.081796	0.063342	0.081796	0.077067	f07e28804cd601836fe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	G	Fbar	0.172569	-	-	-	a832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	G	C	0.120698	0.227431	0.120698	0.115772	78245e07949398fcbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	G	Cbar	0.994514	-	-	-	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	P	F	0.058354	0.063342	0.058354	0.056165	aff9b89e4a18d93c8aed55617d58ebac09824b291e8953a8c53c9e7a9ebe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	P	Fbar	0.15212	-	-	-	ed70dadf86697180f3ee2530c9a53ac5cad80a7813febcecc2be81f37680016ebc7e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	P	C	0.091272	0.227431	0.091272	0.091657	707fd9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	P	Cbar	0.997506	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bec4	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	S	F	0.303741	0.063342	0.303741	0.261192	4b8e965ed1a99db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	S	Fbar	0.405486	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	S	C	0.382544	0.227431	0.382544	0.319612	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	S	Cbar	0.978554	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	A	F	0.011471	0.063342	0.011471	0.01393	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71baedb3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	A	Fbar	0.562594	-	-	-	99ddb5806e3ffb8af0be9e9cbe2beffadela48e6eecd1560211fa9876119f2d16e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	A	C	0.027431	0.227431	0.027431	0.030686	a1c701378d7eb7619952ffef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	A	Cbar	0.894264	-	-	-	ff07e28804cd601836feab32251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	G	F	0.080133	0.048213	0.080133	0.07612	afb0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbbd38ffeabd70f875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	G	Fbar	0.167914	-	-	-	782d5e07949398fclbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	G	C	0.120033	0.216625	0.120033	0.1153	624f55b88ef2cbbfdbab780801c6da7b1f1361ee6f785a9373eddb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	G	Cbar	0.992352	-	-	-	af9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	P	F	0.056858	0.048213	0.056858	0.055349	dadf86697180f3ee2530c9a53ac5cad80a7813febcccc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	P	Fbar	0.145968	-	-	-	7habd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	P	C	0.091272	0.216625	0.091272	0.091331	70f7d9ad3c860b2ad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	P	Cbar	0.995345	-	-	-	0c3cdcf4a655c0af0a6931770d4f9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	S	F	0.289277	0.048213	0.289277	0.245427	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd4f35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	S	Fbar	0.389194	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	S	C	0.365254	0.216625	0.365254	0.312976	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	S	Cbar	0.970574	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	A	F	0.006983	0.048213	0.006983	0.009517	6722b607d08f6a9c1382bc74c36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	A	Fbar	0.567914	-	-	-0.4906	99d0bb5806e3ff8af0be9e9cbe2beffade1a48e6eecl1560211fa9876119f2d16e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	A	C	0.020116	0.216625	0.020116	0.026624	alc701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	A	Cbar	0.896758	-	-	-	ff07e28804cd601836feaa832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	G	F	0.080798	0.057357	0.080798	0.076693	afb0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbcd38ffe	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	G	Fbar	0.17207	-	-	-	782d5e07949398fcbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	G	C	0.119701	0.229426	0.119701	0.115859	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	G	Cbar	0.993017	-	-	-	f8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	P	F	0.058354	0.057357	0.058354	0.055842	dadf86697180f3ee2530e9a53ac5cad80a7813fcbecce2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	P	Fbar	0.149127	-	-	-	7badb4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	P	C	0.091771	0.229426	0.091771	0.091718	707fd9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	P	Cbar	0.997007	-	-	-	0c3cdcf4a655c0afoa6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	S	F	0.302244	0.057357	0.302244	0.254955	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	S	Fbar	0.403491	-	-	-	a80a3b70e778c0eff849ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	S	C	0.377556	0.229426	0.377556	0.320837	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	S	Cbar	0.978055	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	A	F	0.008978	0.057357	0.008978	0.012184	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae4b3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	A	Fbar	0.55611	-	-	-	99dbb5806e3ff8af0be9cbe2beffade1a48e6e1560211fa9876119f2d16e	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	A	C	0.0244390	0.2294230	0.0244390	0.0314360	6a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	A	Cbar	0.8907730	-	-	-	f07e28804cd601836fea832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	G	F	0.0798	0.0508730	0.0798	0.0762870	afb0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbcd38ffeabd70f875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	G	Fbar	0.1647550	-	-	-	782d5e07949398fcb1bdc0b8620c2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	G	C	0.1192020	0.2197840	0.1192020	0.1154380	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edbd093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	G	Cbar	0.992020	-	-	-	aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	P	F	0.0563590	0.0508730	0.0563590	0.0554920	dadf86697180f3ee2530c9a53ac5cad80a7813febecce2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	P	Fbar	0.1463010	-	-	-	7ba8d4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	P	C	0.0909390	0.2197840	0.0909390	0.0914270	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	P	Cbar	0.9955110	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	S	F	0.2894430	0.0508730	0.2894430	0.2481990	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd4f35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	S	Fbar	0.3870320	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	S	C	0.3670820	0.2197840	0.3670820	0.3149160	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	S	Cbar	0.97074	-	-	-	e31bd493dd4bc7fbf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	A	F	0.007481	0.050873	0.007481	0.010293	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	A	Fbar	0.558271	-	-	-	99dbbb5806e3f8a80be9e9cbe2beffadela48e6ecec1560211fa9876119f2d16e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	A	C	0.022278	0.219784	0.022278	0.027811	a1c701378d76b7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	A	Cbar	0.889443	-	-	-	f07e28804cd601836fea832251b11la90232cf507c50b33579c4faa59ed8019e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	G	F	0.080299	0.057357	0.080299	0.076693	afbf0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbbed38fhec4d70f875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	G	Fbar	0.169576	-	-	-	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f713177912b	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	G	C	0.1202	0.222444	0.1202	0.115554	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	G	Cbar	0.993017	-	-	-	af9b89e4a8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	P	F	0.057855	0.057357	0.057855	0.055842	dadf86697180f3ee2530c9a53ac5ca480a7813febecce2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	P	Fbar	0.148628	-	-	-	7badb4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	P	C	0.091272	0.222444	0.091272	0.091507	707fd9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	P	Cbar	0.994514	-	-	-	0c3cdcfc4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	S	F	0.303741	0.057357	0.303741	0.254955	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	S	Fbar	0.400499	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	S	C	0.379551	0.222444	0.379551	0.316549	b40e69e7c8a4a8b0a3d42bbd76cc3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	S	Cbar	0.976559	-	-	-	e31bd493dd4bcf7bf120823ceb74e94c39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	A	F	0.010973	0.057357	0.010973	0.012184	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	A	Fbar	0.558603	-	-	-	99dbb5806e3ffb8af0be9cbe2beffadela48e6eecl560211fa9876119f2d16e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	A	C	0.022943	0.222444	0.022943	0.028811	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	A	Cbar	0.890773	-	-	-	f07e28804cd601836fa832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		True

Table 197: DermaMNIST-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER ₁ ^o	ER ₂ ^o	ER ₃ ^o
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	54f2c2433ac0d5cd7717d6473e024e72dcdaeaaf1b684359b318f6e856b4c84f	2005					{'C': 'Occlusion', 'Cbar': 'LRP', 'F': 'GuidedBackprop', 'Fbar': 'LRP'}	0.002761	0.04698	0.003203
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	b1138fec51dc99c652d8227a1effc1d3208140a2669eeea51864b8c531e8c54	2005						0.004625	-	0.004311
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	aa3cf5bf4ebd3cd7a1bc894e3068acb6bb1fc62784a41182bf3f1d6005b22f72	2005						0.005167	-	0.004408
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	ed5294330203950686f7b6c56b9e89645aa914c5b8520984ed9a4eff11b79b6c	2005						0.00394	-	0.004401
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	8a6ed4d5a35ca5b5f455ad3805002c864d073bc72bdd0f01e598240ba0142d10	2005						0.004293	-	0.004234
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	82a987eeff16c8da551cf14d55559816a92d350eaf6343904daf4b2a58631b03	2005						0.003919	-	0.004878
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	e1c015e181974e277a55d7d24338a70d893965ef93986a3079c7aa0c3fd1ded7	2005						0.004728	-	0.004926
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	ec9ab8065b466ecd733d28aef48f2a0a8b459dee057793540ab3aane21c07624	2005						0.004013	-	0.004733
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	90a7d3272fcfabaf4a06bbece596752e0974677aa39216ed5ec4ef93f78a60bc	2005						0.004105	-	0.003841
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	42ed1fe0ce28c4725c5e1bc950c10a6a67b1006148e3e428feb9c0d86248f2e0	2005						0.003514	-	0.003764
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	235695598638c65e0e48ab922b6923d59d413a6b4fa7f47f7647041b82e36b3d	2005						0.003607	-	0.004645

Table 198: DermaMNIST–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^{μ}_F	ER^{μ}_F	ER^{μ}_F	ER^{μ}_C	ER^{μ}_C	ER^{μ}_F	ER^{μ}_C	ER^{μ}_C	ER^{μ}_C	ER^{μ}_F
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	-0.084174	-0.002013	0.014887	-0.000923	-0.146294	0.00735	-0.066295	0.045092	-0.110069	-0.001267
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	-0.064104	0.001842	-0.081544	-0.000133	-0.055885	0.047415	-0.121901	0.060467	-0.095229	-0.002167
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	-0.091622	0.002429	-0.105554	0.000444	-0.09573	0.056481	-0.126144	0.0577	-0.117832	0.002738
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	-0.048734	0.001423	-0.08212	-0.000558	-0.017691	0.04624	-0.13673	0.054106	-0.090552	-0.000269
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	-0.04631	0.002673	-0.083138	0.000324	-0.00979	0.050407	-0.145287	0.064227	-0.092216	-0.002832
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	-0.044489	0.001428	-0.074325	-0.000407	-0.00803	0.043288	-0.129726	0.053301	-0.08437	-0.002638
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	-0.044617	0.002189	-0.082009	-0.000386	-0.007231	0.042548	-0.148505	0.062932	-0.091719	-0.002459
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	-0.041711	0.001509	-0.073341	-5.9416e-05	-0.003774	0.04385	-0.128376	0.052278	-0.082808	-0.002534
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	-0.044396	0.002512	-0.079017	5.3032e-05	-0.008953	0.047289	-0.14651	0.056719	-0.092816	-0.003207
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	-0.044781	0.000867	-0.077492	-0.000487	-0.009862	0.041244	-0.132035	0.052167	-0.087229	-0.002811
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	-0.044077	0.002013	-0.07982	-0.000235	-0.005904	0.048785	-0.145502	0.063002	-0.090921	-0.001212

Table 199: DermaMNIST–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_μ	ER^*_c	ER^*_s
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual		1	-0.030356	-0.001999	-0.033706
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NAIVE		11	-0.051909	-0.00359	-0.044559
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Ind		11	-0.047082	0.000371	-0.04041
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NAIVE		11	-0.074783	-0.003183	-0.061852
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Ind		11	-0.076729	-0.005119	-0.061266
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NAIVE		11	-0.080987	-0.004201	-0.067944
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Ind		11	-0.076331	-0.003255	-0.061824
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NAIVE		11	-0.077314	-0.006508	-0.063168
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Ind		11	-0.069848	-0.006997	-0.060305
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NAIVE		11	-0.074252	-0.005534	-0.06111
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Ind		11	-0.074585	-0.005869	-0.059812

Table 200: DermaMNIST-ResNet-18

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ResNet-18	P	Cbar	0c3cdcf64a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4		11	nonnegative__slope__ordinary__least_squares	1.113142	1.113142	False	0.020157	0.036073	0.06331	0.431124	-0.838903	-0.662344	-0.927681	-0.708728
DermaMNIST-ResNet-18	S	F	1b0bbbfbad e2aa74355355689746497c84676ab8ba42a76048e0c16e3f2be0f4	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	1.22825	1.22825	False	0.188773	0.00585	0.027041	0.435754	0.019451	0.076808	0.169576	0.298254
DermaMNIST-ResNet-18	A	F	2491da3bf236055ca674cf07f31ae928c8735b730a575d7786b274d5d8026239	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.281191	0.281191	False	-0.004185	4.7306e-05	0.002432	0.833476	0.019451	0.076808	-0.000499	0.01596
DermaMNIST-ResNet-18	G	F	3947a2b008725b76abe3710304a8613219bf243e0570172ea944acae73cf6459	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.070925	0.070925	False	0.072816	5.817e-05	0.002697	0.205692	0.019451	0.076808	0.069327	0.080798
DermaMNIST-ResNet-18	G	Fbar	3f6eb3ed70f69d48e4888cc4b400fbba76162975f4f452fb21b911c1543dd349	LRP	10	nonnegative__slope__ordinary__least_squares	0.612772	0.612772	False	0.241556	0.03838	0.069264	0.227962	-0.509726	-0.298254	-0.108229	0.097756
DermaMNIST-ResNet-18	S	F	4b8e96fed1af9db2eedf54d178ad7b5191cd322bd3f5c52a3267c6a5d6727f53		11	nonnegative__slope__ordinary__least_squares	1.042056	1.042056	False	0.195187	0.006381	0.026627	0.387744	0.019451	0.076808	0.169576	0.298254
DermaMNIST-ResNet-18	A	Cbar	4e8823adfa03c35fa99d727f1423a1f756c5767a74f27db17ed436f9827d6b54	LRP	10	nonnegative__slope__ordinary__least_squares	0.886766	0.886766	False	-0.007766	0.00504	0.025099	0.760818	-0.838903	-0.662344	-0.771072	-0.610973
DermaMNIST-ResNet-18	P	Cbar	5a1bad1107ce5a23f8c7d70155ec19b25671b79d05fe12a19d5bb11cff16bae0	LRP	10	nonnegative__slope__ordinary__least_squares	1.000578	1.000578	False	-0.060109	0.032674	0.063908	0.384491	-0.838903	-0.662344	-0.918703	-0.708728
DermaMNIST-ResNet-18	A	C	61cb649ff73a19ab8067f093b439a7f9d240c7407d552ffa82d0d1313bc7798	Occlusion	10	nonnegative__slope__ordinary__least_squares	0.365802	0.365802	False	-0.052951	0.00026	0.005703	0.908219	0.159102	0.314713	0.006983	0.06384
DermaMNIST-ResNet-18	G	C	624f55b88ef2cbcfdab780801c6da7bf1f361ee6f785a9373edb093f8d7f283		11	nonnegative__slope__ordinary__least_squares	0.043688	0.043688	False	0.105836	4.1108e-05	0.002137	0.484456	0.159102	0.314713	0.112219	0.1202
DermaMNIST-ResNet-18	A	F	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71baedb3f		11	nonnegative__slope__ordinary__least_squares	0.291721	0.291721	False	-0.004548	4.9006e-05	0.002333	0.866	0.019451	0.076808	-0.000499	0.017955
DermaMNIST-ResNet-18	A	Fbar	6dfebb26fa42084b679aa1bde8a244272c20b067d779754bb0663de26e1585c	LRP	10	nonnegative__slope__ordinary__least_squares	0.820603	0.820603	False	0.002533	0.008382	0.03237	0.707991	-0.509726	-0.298254	-0.438903	-0.267332
DermaMNIST-ResNet-18	P	C	7077d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445		11	nonnegative__slope__ordinary__least_squares	0.030177	0.030177	False	0.084794	2.6254e-05	0.001708	0.412459	0.159102	0.314713	0.086284	0.094264

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ResNet-18	P	C	7662ee5bcb24b6ea7f18d4de7dd133ea51c9dad3a2a607e1b93387e1880d5848	Occlusion	10	nonnegative__slope__ordinary__least_squares	0.029868	0.029868	False	0.084851	2.6217e-05	0.00181	0.395679	0.159102	0.314713	0.086284	0.094264
DermaMNIST-ResNet-18	G	Fbar	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b877131779b2b		11	nonnegative__slope__ordinary__least_squares	0.520748	0.520748	False	0.209862	0.04236	0.068605	0.171134	-0.509726	-0.298254	-0.108229	0.097756
DermaMNIST-ResNet-18	P	Fbar	7babd4ae43584e48aca09e487aae5670812dc2b0c9304a0b7b220c9750adea57		11	nonnegative__slope__ordinary__least_squares	0.521966	0.521966	False	0.229272	0.037025	0.064139	0.191807	-0.509726	-0.298254	-0.069825	0.109726
DermaMNIST-ResNet-18	S	Fbar	8715e87b25a87ad43984fc1ac259b00b02dc2d8b622c8606158f9d84c2fb32	LRP	10	nonnegative__slope__ordinary__least_squares	0.807233	0.807233	False	0.203367	0.061484	0.087667	0.242348	-0.509726	-0.298254	-0.25187	0.013965
DermaMNIST-ResNet-18	G	C	93c3e3a73c9ea54eb4325dea94cbdecae0453af390ae7831987373e8de74ac6b	Occlusion	10	nonnegative__slope__ordinary__least_squares	0.040489	0.040489	False	0.106423	3.7111e-05	0.002154	0.459462	0.159102	0.314713	0.112219	0.1202
DermaMNIST-ResNet-18	A	Fbar	99dbb5806e3ff8aef0be e9cbe2beffade1a48e6e ecl1560211fa9876119f2d16e		11	nonnegative__slope__ordinary__least_squares	0.899695	0.899695	False	0.029772	0.011322	0.035469	0.697496	-0.509726	-0.298254	-0.438903	-0.267332
DermaMNIST-ResNet-18	S	C	9bb0244bf837b1757823207421fb39232a718bc15a683b0d8a9524042d66e56	Occlusion	10	nonnegative__slope__ordinary__least_squares	0.550686	0.550686	False	0.19159	0.002941	0.019174	0.664875	0.159102	0.314713	0.247382	0.363591
DermaMNIST-ResNet-18	A	C	alc701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235		11	nonnegative__slope__ordinary__least_squares	0.3759	0.3759	False	-0.054805	0.0003	0.005774	0.905049	0.159102	0.314713	0.006983	0.06384
DermaMNIST-ResNet-18	S	Fbar	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3		11	nonnegative__slope__ordinary__least_squares	0.795656	0.795656	False	0.19938	0.061547	0.082695	0.249105	-0.509726	-0.298254	-0.25187	0.013965
DermaMNIST-ResNet-18	G	F	afb0d5a98ff5b5bb1952902bf47db95bfc9b0fc7bbbed38ffe cbd70f875c7395		11	nonnegative__slope__ordinary__least_squares	0.062582	0.062582	False	0.073103	5.9237e-05	0.002566	0.197467	0.019451	0.076808	0.069327	0.080798
DermaMNIST-ResNet-18	G	Cbar	aff9b89e4af8d93c8aed55617d58ebac09824b291e8953a8c53c9e7a9ebeed70		11	nonnegative__slope__ordinary__least_squares	0.639551	0.639551	False	-0.369357	0.015794	0.041892	0.363612	-0.838903	-0.662344	-0.919701	-0.781047
DermaMNIST-ResNet-18	S	C	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ecec9360a05a7		11	nonnegative__slope__ordinary__least_squares	0.614071	0.614071	False	0.179953	0.004511	0.022387	0.628531	0.159102	0.314713	0.247382	0.385536
DermaMNIST-ResNet-18	S	Cbar	d83d723f161935e31da6b2a204fc817e09f09310dce3a20e1f381325e9f8472d	LRP	10	nonnegative__slope__ordinary__least_squares	0.728246	0.728246	False	-0.211869	0.025895	0.056893	0.294548	-0.838903	-0.662344	-0.837406	-0.670324

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ResNet-18	P	F	dadf866971803ce2530c9a53ac5cad80a7813febecc2be81f37680016ebc7e		11	nonnegative__slope__ordinary__least_squares	0.053972	0.053972	False	0.052747	6.9485e-05	0.002779	0.134959	0.019451	0.076808	0.049377	0.058354
DermaMNIST-ResNet-18	S	Cbar	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f		11	nonnegative__slope__ordinary__least_squares	0.799727	0.799727	False	-0.160898	0.027266	0.055041	0.341032	-0.838903	-0.662344	-0.837406	-0.670324
DermaMNIST-ResNet-18	P	F	e6c334e0d9749e283e1fba80b3ac800d8691d11fda9fb6d9a5d295c281e92c08	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.094907	0.094907	False	0.051337	4.3798e-05	0.00234	0.381129	0.019451	0.076808	0.049377	0.058354
DermaMNIST-ResNet-18	P	Fbar	f0b6c089e037bdd0325441762d1fac9d681919356cd3126fa357d1975af3537b	LRP	10	nonnegative__slope__ordinary__least_squares	0.558932	0.558932	False	0.242003	0.036383	0.067438	0.205816	-0.509726	-0.298254	-0.069825	0.109726
DermaMNIST-ResNet-18	G	Cbar	f6810702bd76a298c2671751d6f8715e8854d7c2bd059aaa31d200f5c0aceae	LRP	10	nonnegative__slope__ordinary__least_squares	0.566933	0.566933	False	-0.421139	0.014379	0.042396	0.31304	-0.838903	-0.662344	-0.919701	-0.781047
DermaMNIST-ResNet-18	A	Cbar	ff07e28804cd601836fe a832251b111a90232cf507c50b3579c4faa59ed8019e		11	nonnegative__slope__ordinary__least_squares	0.988121	0.988121	False	0.064507	0.007796	0.029432	0.734269	-0.838903	-0.662344	-0.777556	-0.610973

Table 201: DermaMNIST-ResNet-18

Cell	Condition	Metric	Reference Methods
DermaMNIST-ResNet-18	P	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;Occlusion;Saliency
DermaMNIST-ResNet-18	S	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;Occlusion;Saliency
DermaMNIST-ResNet-18	P	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;Occlusion;Saliency
DermaMNIST-ResNet-18	A	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Saliency
DermaMNIST-ResNet-18	G	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;Occlusion;Saliency
DermaMNIST-ResNet-18	P	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	P	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Saliency
DermaMNIST-ResNet-18	G	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb- lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency

Cell	Condition	Metric	Reference Methods
DermaMNIST-ResNet-18	P	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	P	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	P	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	P	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;Occlusion;Saliency
DermaMNIST-ResNet-18	G	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;Occlusion;Saliency

Cell	Condition	Metric	Reference Methods
DermaMNIST-ResNet-18	A	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency

Table 202: DermaMNIST–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model		Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	<i>ER</i>	Clean Quality Raw
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman	q	G	F	504e7cfd96 795d8a6cfa b39b1ac659 80fd984ae4 97011262f5 ff4d51eb3d 38fd	2005				max	- 0.002354	0.076808
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	Fbar	504e7cfd96 795d8a6cfa b39b1ac659 80fd984ae4 97011262f5 ff4d51eb3d 38fd	2005				min	0.085032	0.298254
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	C	504e7cfd96 795d8a6cfa b39b1ac659 80fd984ae4 97011262f5 ff4d51eb3d 38fd	2005				max	0.000921	0.314713
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	Cbar	504e7cfd96 795d8a6cfa b39b1ac659 80fd984ae4 97011262f5 ff4d51eb3d 38fd	2005				min	0.027289	0.662344
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	F	504e7cfd96 795d8a6cfa b39b1ac659 80fd984ae4 97011262f5 ff4d51eb3d 38fd	2005				max	- 5.0524e- 05	0.076808
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	Fbar	504e7cfd96 795d8a6cfa b39b1ac659 80fd984ae4 97011262f5 ff4d51eb3d 38fd	2005				min	0.069144	0.298254
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	C	504e7cfd96 795d8a6cfa b39b1ac659 80fd984ae4 97011262f5 ff4d51eb3d 38fd	2005				max	- 4.0328e- 05	0.314713
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	Cbar	504e7cfd96 795d8a6cfa b39b1ac659 80fd984ae4 97011262f5 ff4d51eb3d 38fd	2005				min	0.011239	0.662344
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	F	504e7cfd96 795d8a6cfa b39b1ac659 80fd984ae4 97011262f5 ff4d51eb3d 38fd	2005				max	- 0.032879	0.076808
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	Fbar	504e7cfd96 795d8a6cfa b39b1ac659 80fd984ae4 97011262f5 ff4d51eb3d 38fd	2005				min	0.102122	0.298254
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	C	504e7cfd96 795d8a6cfa b39b1ac659 80fd984ae4 97011262f5 ff4d51eb3d 38fd	2005				max	- 0.027882	0.314713
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	Cbar	504e7cfd96 795d8a6cfa b39b1ac659 80fd984ae4 97011262f5 ff4d51eb3d 38fd	2005				min	0.04643	0.662344
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	F	504e7cfd96 795d8a6cfa b39b1ac659 80fd984ae4 97011262f5 ff4d51eb3d 38fd	2005				max	- 0.002792	0.076808

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	Fbar	504e7cfd96795d8a6cfab39b1ac65980fd984ae497011262f5ff4d51eb3d38fd	2005				min	-0.05661	0.298254
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	C	504e7cfd96795d8a6cfab39b1ac65980fd984ae497011262f5ff4d51eb3d38fd	2005				max	0.000517	0.314713
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	Cbar	504e7cfd96795d8a6cfab39b1ac65980fd984ae497011262f5ff4d51eb3d38fd	2005				min	-0.048116	0.662344
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	F	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbddfca028	2005				max	0.001487	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	Fbar	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbddfca028	2005				min	-0.039384	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	C	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbddfca028	2005				max	-0.001417	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	Cbar	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbddfca028	2005				min	-0.005276	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	F	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbddfca028	2005				max	0.002404	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	Fbar	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbddfca028	2005				min	-0.039876	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	C	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbddfca028	2005				max	0.000982	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	Cbar	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbddfca028	2005				min	-0.033578	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	F	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbddfca028	2005				max	0.033739	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	Fbar	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbddfca028	2005				min	-0.02567	0.38005

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	C	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbbdfe a028	2005				max	0.023371	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	Cbar	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbbdfe a028	2005				min	0.009277	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	F	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbbdfe a028	2005				max	0.005688	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	Fbar	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbbdfe a028	2005				min	0.061783	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	C	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbbdfe a028	2005				max	0.012408	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	Cbar	78291f92376dcb0f797c04d513d07b0e8923fbacc051ceed26c7e0bbbdfe a028	2005				min	0.037019	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	F	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				max	0.001487	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	Fbar	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				min	-0.039384	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	C	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				max	-0.001417	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	Cbar	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				min	-0.005276	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	F	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				max	0.002404	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	Fbar	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				min	-0.039876	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	C	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				max	0.000982	0.281297

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	Cbar	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				min	-0.033578	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	F	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				max	0.033739	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	Fbar	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				min	-0.02567	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	C	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				max	0.023371	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	Cbar	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				min	0.009277	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	F	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				max	0.005688	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	Fbar	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				min	0.061783	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	C	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				max	0.012408	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	Cbar	f93bb68a4bdad7186033647e91ac00857f81cd02c590875790d8ebf0c40402e5	2005				min	0.037019	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		G	F	f8e7fc6d55448e268e867152f048bcfade17918c98b49c50c27630f2b9bf84a3	2005				max	0.001487	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		G	Fbar	f8e7fc6d55448e268e867152f048bcfade17918c98b49c50c27630f2b9bf84a3	2005				min	0.017497	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		G	C	f8e7fc6d55448e268e867152f048bcfade17918c98b49c50c27630f2b9bf84a3	2005				max	0.001188	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		G	Cbar	f8e7fc6d55448e268e867152f048bcfade17918c98b49c50c27630f2b9bf84a3	2005				min	0.047516	0.722693

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		P	F	f8e7fc6d55 448e268e86 7152f048bc fade17918c 98b49c50c2 7630f2b9bf 84a3	2005				max	0.002336	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		P	Fbar	f8e7fc6d55 448e268e86 7152f048bc fade17918c 98b49c50c2 7630f2b9bf 84a3	2005				min	0.047401	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		P	C	f8e7fc6d55 448e268e86 7152f048bc fade17918c 98b49c50c2 7630f2b9bf 84a3	2005				max	0.000904	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		P	Cbar	f8e7fc6d55 448e268e86 7152f048bc fade17918c 98b49c50c2 7630f2b9bf 84a3	2005				min	0.047644	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		S	F	f8e7fc6d55 448e268e86 7152f048bc fade17918c 98b49c50c2 7630f2b9bf 84a3	2005				max	0.00365	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		S	Fbar	f8e7fc6d55 448e268e86 7152f048bc fade17918c 98b49c50c2 7630f2b9bf 84a3	2005				min	0.044355	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		S	C	f8e7fc6d55 448e268e86 7152f048bc fade17918c 98b49c50c2 7630f2b9bf 84a3	2005				max	0.001024	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		S	Cbar	f8e7fc6d55 448e268e86 7152f048bc fade17918c 98b49c50c2 7630f2b9bf 84a3	2005				min	0.051075	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		A	F	f8e7fc6d55 448e268e86 7152f048bc fade17918c 98b49c50c2 7630f2b9bf 84a3	2005				max	0.003527	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		A	Fbar	f8e7fc6d55 448e268e86 7152f048bc fade17918c 98b49c50c2 7630f2b9bf 84a3	2005				min	0.001241	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		A	C	f8e7fc6d55 448e268e86 7152f048bc fade17918c 98b49c50c2 7630f2b9bf 84a3	2005				max	- 0.003291	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		A	Cbar	f8e7fc6d55 448e268e86 7152f048bc fade17918c 98b49c50c2 7630f2b9bf 84a3	2005				min	0.003715	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		G	F	4ad34b7228 1adb608cb4 9df83d9d75 4226e2fc49 aa1a2b125e b4f66cef14 0014	2005				max	0.001487	0.051372

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		G	Fbar	4ad34b7228 1adb608cb4 9df83d9d75 4226e2fc49 aala2b125e b4f66cef14 0014	2005				min	0.017497	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		G	C	4ad34b7228 1adb608cb4 9df83d9d75 4226e2fc49 aala2b125e b4f66cef14 0014	2005				max	0.001188	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		G	Cbar	4ad34b7228 1adb608cb4 9df83d9d75 4226e2fc49 aala2b125e b4f66cef14 0014	2005				min	0.047516	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		P	F	4ad34b7228 1adb608cb4 9df83d9d75 4226e2fc49 aala2b125e b4f66cef14 0014	2005				max	0.002336	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		P	Fbar	4ad34b7228 1adb608cb4 9df83d9d75 4226e2fc49 aala2b125e b4f66cef14 0014	2005				min	0.047401	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		P	C	4ad34b7228 1adb608cb4 9df83d9d75 4226e2fc49 aala2b125e b4f66cef14 0014	2005				max	0.000904	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		P	Cbar	4ad34b7228 1adb608cb4 9df83d9d75 4226e2fc49 aala2b125e b4f66cef14 0014	2005				min	0.047644	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		S	F	4ad34b7228 1adb608cb4 9df83d9d75 4226e2fc49 aala2b125e b4f66cef14 0014	2005				max	0.00365	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		S	Fbar	4ad34b7228 1adb608cb4 9df83d9d75 4226e2fc49 aala2b125e b4f66cef14 0014	2005				min	0.044355	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		S	C	4ad34b7228 1adb608cb4 9df83d9d75 4226e2fc49 aala2b125e b4f66cef14 0014	2005				max	0.001024	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		S	Cbar	4ad34b7228 1adb608cb4 9df83d9d75 4226e2fc49 aala2b125e b4f66cef14 0014	2005				min	0.051075	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		A	F	4ad34b7228 1adb608cb4 9df83d9d75 4226e2fc49 aala2b125e b4f66cef14 0014	2005				max	0.003527	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		A	Fbar	4ad34b7228 1adb608cb4 9df83d9d75 4226e2fc49 aala2b125e b4f66cef14 0014	2005				min	0.001241	0.357107

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		A	C	4ad34b72281adb608cb49df83d9d754226e2fc49aa1a2b125eb4f66cef140014	2005				max	-0.003291	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		A	Cbar	4ad34b72281adb608cb49df83d9d754226e2fc49aa1a2b125eb4f66cef140014	2005				min	0.003715	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		G	F	1f161bbb7bbebbbe2c40f07b23348951a791f4c3cbe22ea7628d1e290deee6735	2005				max	-0.000632	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		G	Fbar	1f161bbb7bbebbbe2c40f07b23348951a791f4c3cbe22ea7628d1e290deee6735	2005				min	0.038019	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		G	C	1f161bbb7bbebbbe2c40f07b23348951a791f4c3cbe22ea7628d1e290deee6735	2005				max	0.001837	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		G	Cbar	1f161bbb7bbebbbe2c40f07b23348951a791f4c3cbe22ea7628d1e290deee6735	2005				min	0.057613	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		P	F	1f161bbb7bbebbbe2c40f07b23348951a791f4c3cbe22ea7628d1e290deee6735	2005				max	0.000233	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		P	Fbar	1f161bbb7bbebbbe2c40f07b23348951a791f4c3cbe22ea7628d1e290deee6735	2005				min	0.047963	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		P	C	1f161bbb7bbebbbe2c40f07b23348951a791f4c3cbe22ea7628d1e290deee6735	2005				max	0.000165	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		P	Cbar	1f161bbb7bbebbbe2c40f07b23348951a791f4c3cbe22ea7628d1e290deee6735	2005				min	0.055615	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		S	F	1f161bbb7bbebbbe2c40f07b23348951a791f4c3cbe22ea7628d1e290deee6735	2005				max	-0.008902	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		S	Fbar	1f161bbb7bbebbbe2c40f07b23348951a791f4c3cbe22ea7628d1e290deee6735	2005				min	0.03711	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		S	C	1f161bbb7bbebbbe2c40f07b23348951a791f4c3cbe22ea7628d1e290deee6735	2005				max	-0.015847	0.275312

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		S	Cbar	1f161bbb7b ebbbe2c40f 07b2334895 1a791f4c3c be22ea7628 d1e290deee 6735	2005				min	0.055964	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		A	F	1f161bbb7b ebbbe2c40f 07b2334895 1a791f4c3c be22ea7628 d1e290deee 6735	2005				max	- 0.000546	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		A	Fbar	1f161bbb7b ebbbe2c40f 07b2334895 1a791f4c3c be22ea7628 d1e290deee 6735	2005				min	- 0.000402	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		A	C	1f161bbb7b ebbbe2c40f 07b2334895 1a791f4c3c be22ea7628 d1e290deee 6735	2005				max	- 0.002799	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		A	Cbar	1f161bbb7b ebbbe2c40f 07b2334895 1a791f4c3c be22ea7628 d1e290deee 6735	2005				min	0.004766	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		G	F	4ade74a471 7f1b7dfc3f c007d61af4 263e449567 de4d5deb9c 87a7fdf8b3 d24b	2005				max	- 0.000632	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		G	Fbar	4ade74a471 7f1b7dfc3f c007d61af4 263e449567 de4d5deb9c 87a7fdf8b3 d24b	2005				min	0.038019	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		G	C	4ade74a471 7f1b7dfc3f c007d61af4 263e449567 de4d5deb9c 87a7fdf8b3 d24b	2005				max	0.001837	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		G	Cbar	4ade74a471 7f1b7dfc3f c007d61af4 263e449567 de4d5deb9c 87a7fdf8b3 d24b	2005				min	0.057613	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		P	F	4ade74a471 7f1b7dfc3f c007d61af4 263e449567 de4d5deb9c 87a7fdf8b3 d24b	2005				max	0.000233	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		P	Fbar	4ade74a471 7f1b7dfc3f c007d61af4 263e449567 de4d5deb9c 87a7fdf8b3 d24b	2005				min	0.047963	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		P	C	4ade74a471 7f1b7dfc3f c007d61af4 263e449567 de4d5deb9c 87a7fdf8b3 d24b	2005				max	0.000165	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		P	Cbar	4ade74a471 7f1b7dfc3f c007d61af4 263e449567 de4d5deb9c 87a7fdf8b3 d24b	2005				min	0.055615	0.718204

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		S	F	4ade74a4717f1b7dfc3fc007d61af4263e449567de4d5deb9c87a7fdf8b3d24b	2005				max	-0.008902	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		S	Fbar	4ade74a4717f1b7dfc3fc007d61af4263e449567de4d5deb9c87a7fdf8b3d24b	2005				min	0.03711	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		S	C	4ade74a4717f1b7dfc3fc007d61af4263e449567de4d5deb9c87a7fdf8b3d24b	2005				max	-0.015847	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		S	Cbar	4ade74a4717f1b7dfc3fc007d61af4263e449567de4d5deb9c87a7fdf8b3d24b	2005				min	0.055964	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		A	F	4ade74a4717f1b7dfc3fc007d61af4263e449567de4d5deb9c87a7fdf8b3d24b	2005				max	-0.000546	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		A	Fbar	4ade74a4717f1b7dfc3fc007d61af4263e449567de4d5deb9c87a7fdf8b3d24b	2005				min	-0.000402	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		A	C	4ade74a4717f1b7dfc3fc007d61af4263e449567de4d5deb9c87a7fdf8b3d24b	2005				max	-0.002799	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		A	Cbar	4ade74a4717f1b7dfc3fc007d61af4263e449567de4d5deb9c87a7fdf8b3d24b	2005				min	0.004766	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		G	F	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				max	0.000271	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		G	Fbar	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				min	0.023919	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		G	C	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				max	0.001837	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		G	Cbar	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				min	0.047998	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		P	F	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				max	0.000651	0.054863

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		P	Fbar	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				min	0.047834	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		P	C	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				max	0.001162	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		P	Cbar	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				min	0.046026	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		S	F	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				max	- 0.010462	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		S	Fbar	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				min	0.057934	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		S	C	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				max	- 0.01435	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		S	Cbar	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				min	0.056662	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		A	F	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				max	0.00201	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		A	Fbar	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				min	0.004534	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		A	C	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				max	- 0.000305	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		A	Cbar	849b9ccb7f6d38d92d7752b8677f932e26b07d4f79bae893a1dfcf166758cb07	2005				min	0.005775	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		G	F	7cb07615db0f43d71ea33a054faaf2c315208dfd41104dc46307447156ad3f5	2005				max	0.000271	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		G	Fbar	7cb07615db0f43d71ea33a054faaf2c315208dfd41104dc46307447156ad3f5	2005				min	0.023919	0.354115

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		G	C	7cb07615db 0f43d71ea3 3a054faaf2 c315208dfd fd1104dc46 307447156a d3f5	2005				max	0.001837	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		G	Cbar	7cb07615db 0f43d71ea3 3a054faaf2 c315208dfd fd1104dc46 307447156a d3f5	2005				min	0.047998	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		P	F	7cb07615db 0f43d71ea3 3a054faaf2 c315208dfd fd1104dc46 307447156a d3f5	2005				max	0.000651	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		P	Fbar	7cb07615db 0f43d71ea3 3a054faaf2 c315208dfd fd1104dc46 307447156a d3f5	2005				min	0.047834	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		P	C	7cb07615db 0f43d71ea3 3a054faaf2 c315208dfd fd1104dc46 307447156a d3f5	2005				max	0.001162	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		P	Cbar	7cb07615db 0f43d71ea3 3a054faaf2 c315208dfd fd1104dc46 307447156a d3f5	2005				min	0.046026	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		S	F	7cb07615db 0f43d71ea3 3a054faaf2 c315208dfd fd1104dc46 307447156a d3f5	2005				max	- 0.010462	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		S	Fbar	7cb07615db 0f43d71ea3 3a054faaf2 c315208dfd fd1104dc46 307447156a d3f5	2005				min	0.057934	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		S	C	7cb07615db 0f43d71ea3 3a054faaf2 c315208dfd fd1104dc46 307447156a d3f5	2005				max	- 0.01435	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		S	Cbar	7cb07615db 0f43d71ea3 3a054faaf2 c315208dfd fd1104dc46 307447156a d3f5	2005				min	0.056662	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		A	F	7cb07615db 0f43d71ea3 3a054faaf2 c315208dfd fd1104dc46 307447156a d3f5	2005				max	0.00201	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		A	Fbar	7cb07615db 0f43d71ea3 3a054faaf2 c315208dfd fd1104dc46 307447156a d3f5	2005				min	0.004534	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		A	C	7cb07615db 0f43d71ea3 3a054faaf2 c315208dfd fd1104dc46 307447156a d3f5	2005				max	- 0.000305	0.275312

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		A	Cbar	7cb07615db0f43d71ea33a054faaf2c315208dfd1104dc46307447156a43f5	2005				min	0.005775	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		G	F	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				max	0.001799	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		G	Fbar	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				min	0.0306	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		G	C	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				max	0.002575	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		G	Cbar	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				min	0.048815	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		P	F	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				max	- 0.000319	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		P	Fbar	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				min	0.064986	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		P	C	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				max	- 0.000169	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		P	Cbar	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				min	0.049075	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		S	F	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				max	- 0.011438	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		S	Fbar	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				min	0.047471	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		S	C	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				max	- 0.013475	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		S	Cbar	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				min	0.050079	0.717706

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		A	F	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				max	0.001158	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		A	Fbar	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				min	0.003786	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		A	C	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				max	0.004251	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		A	Cbar	bfbfa70f57a12ad6eca4b1591bcdca9db3e08ae550a5e819a89b713d3e892268	2005				min	0.006767	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		G	F	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				max	0.001799	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		G	Fbar	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				min	0.0306	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		G	C	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				max	0.002575	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		G	Cbar	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				min	0.048815	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		P	F	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				max	- 0.000319	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		P	Fbar	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				min	0.064986	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		P	C	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				max	- 0.000169	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		P	Cbar	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				min	0.049075	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		S	F	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				max	- 0.011438	0.054364

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		S	Fbar	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				min	0.047471	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		S	C	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				max	-0.013475	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		S	Cbar	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				min	0.050079	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		A	F	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				max	0.001158	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		A	Fbar	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				min	0.003786	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		A	C	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				max	0.004251	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		A	Cbar	1306e40a65be145c42e8fcab97601a01dd3e338da24ead7510d9fd1f6ca68798	2005				min	0.006767	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	F	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd b52548f8b8fa36	2005				max	-0.002354	0.076808
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	Fbar	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd b52548f8b8fa36	2005				min	0.085032	0.298254
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	C	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd b52548f8b8fa36	2005				max	0.000921	0.314713
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	Cbar	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd b52548f8b8fa36	2005				min	0.027289	0.662344
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	F	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd b52548f8b8fa36	2005				max	-5.0524e-05	0.076808
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	Fbar	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd b52548f8b8fa36	2005				min	0.069144	0.298254

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	C	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd52548f8b8fa36	2005				max	- 4.0328e-05	0.314713
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	Cbar	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd52548f8b8fa36	2005				min	0.011239	0.662344
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	F	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd52548f8b8fa36	2005				max	- 0.032879	0.076808
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	Fbar	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd52548f8b8fa36	2005				min	0.102122	0.298254
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	C	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd52548f8b8fa36	2005				max	- 0.027882	0.314713
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	Cbar	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd52548f8b8fa36	2005				min	0.04643	0.662344
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	F	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd52548f8b8fa36	2005				max	- 0.002792	0.076808
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	Fbar	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd52548f8b8fa36	2005				min	- 0.05661	0.298254
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	C	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd52548f8b8fa36	2005				max	0.000517	0.314713
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	Cbar	17e66c9de9a300ed6d284d6aae49c52189bce83b4d2a990ccd52548f8b8fa36	2005				min	- 0.048116	0.662344
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	F	79cd92b58c8517efb2cf4d394788a19285430fb085a201d52b62e249fa8ca7cf	2005				max	0.001487	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	Fbar	79cd92b58c8517efb2cf4d394788a19285430fb085a201d52b62e249fa8ca7cf	2005				min	- 0.039384	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	C	79cd92b58c8517efb2cf4d394788a19285430fb085a201d52b62e249fa8ca7cf	2005				max	- 0.001417	0.281297

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	Cbar	79cd92b58c 8517efb2cf d4394788a1 9285430fb0 85a201d52b 62e249fa8c a7cf	2005				min	- 0.005276	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	F	79cd92b58c 8517efb2cf d4394788a1 9285430fb0 85a201d52b 62e249fa8c a7cf	2005				max	0.002404	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	Fbar	79cd92b58c 8517efb2cf d4394788a1 9285430fb0 85a201d52b 62e249fa8c a7cf	2005				min	- 0.039876	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	C	79cd92b58c 8517efb2cf d4394788a1 9285430fb0 85a201d52b 62e249fa8c a7cf	2005				max	0.000982	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	Cbar	79cd92b58c 8517efb2cf d4394788a1 9285430fb0 85a201d52b 62e249fa8c a7cf	2005				min	- 0.033578	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	F	79cd92b58c 8517efb2cf d4394788a1 9285430fb0 85a201d52b 62e249fa8c a7cf	2005				max	0.033739	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	Fbar	79cd92b58c 8517efb2cf d4394788a1 9285430fb0 85a201d52b 62e249fa8c a7cf	2005				min	- 0.02567	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	C	79cd92b58c 8517efb2cf d4394788a1 9285430fb0 85a201d52b 62e249fa8c a7cf	2005				max	0.023371	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	Cbar	79cd92b58c 8517efb2cf d4394788a1 9285430fb0 85a201d52b 62e249fa8c a7cf	2005				min	0.009277	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	F	79cd92b58c 8517efb2cf d4394788a1 9285430fb0 85a201d52b 62e249fa8c a7cf	2005				max	0.005688	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	Fbar	79cd92b58c 8517efb2cf d4394788a1 9285430fb0 85a201d52b 62e249fa8c a7cf	2005				min	0.061783	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	C	79cd92b58c 8517efb2cf d4394788a1 9285430fb0 85a201d52b 62e249fa8c a7cf	2005				max	0.012408	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	Cbar	79cd92b58c 8517efb2cf d4394788a1 9285430fb0 85a201d52b 62e249fa8c a7cf	2005				min	0.037019	0.73217

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	F	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				max	0.001487	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	Fbar	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				min	- 0.039844	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	C	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				max	- 0.001417	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	Cbar	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				min	- 0.005276	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	F	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				max	0.002404	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	Fbar	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				min	- 0.039876	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	C	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				max	0.000982	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	Cbar	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				min	- 0.033578	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	F	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				max	0.033739	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	Fbar	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				min	- 0.02567	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	C	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				max	0.023371	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	Cbar	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				min	0.009277	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	F	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				max	0.005688	0.059352

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	Fbar	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				min	0.061783	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	C	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				max	0.012408	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	Cbar	90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005				min	0.037019	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		G	F	c8cb13d64b 526e2cbdbc 0697da09c4 b0c9159ae8 53a1e744b8 dc9e5c9b68 ea00	2005				max	0.001487	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		G	Fbar	c8cb13d64b 526e2cbdbc 0697da09c4 b0c9159ae8 53a1e744b8 dc9e5c9b68 ea00	2005				min	0.017497	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		G	C	c8cb13d64b 526e2cbdbc 0697da09c4 b0c9159ae8 53a1e744b8 dc9e5c9b68 ea00	2005				max	0.001188	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		G	Cbar	c8cb13d64b 526e2cbdbc 0697da09c4 b0c9159ae8 53a1e744b8 dc9e5c9b68 ea00	2005				min	0.047516	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		P	F	c8cb13d64b 526e2cbdbc 0697da09c4 b0c9159ae8 53a1e744b8 dc9e5c9b68 ea00	2005				max	0.002336	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		P	Fbar	c8cb13d64b 526e2cbdbc 0697da09c4 b0c9159ae8 53a1e744b8 dc9e5c9b68 ea00	2005				min	0.047401	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		P	C	c8cb13d64b 526e2cbdbc 0697da09c4 b0c9159ae8 53a1e744b8 dc9e5c9b68 ea00	2005				max	0.000904	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		P	Cbar	c8cb13d64b 526e2cbdbc 0697da09c4 b0c9159ae8 53a1e744b8 dc9e5c9b68 ea00	2005				min	0.047644	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		S	F	c8cb13d64b 526e2cbdbc 0697da09c4 b0c9159ae8 53a1e744b8 dc9e5c9b68 ea00	2005				max	0.00365	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		S	Fbar	c8cb13d64b 526e2cbdbc 0697da09c4 b0c9159ae8 53a1e744b8 dc9e5c9b68 ea00	2005				min	0.044355	0.357107

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		S	C	c8cb13d64b526e2cbdbbc0697da09c4b0c9159ae853a1e744b8dc9e5c9b68ea00	2005				max	0.0010240	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		S	Cbar	c8cb13d64b526e2cbdbbc0697da09c4b0c9159ae853a1e744b8dc9e5c9b68ea00	2005				min	0.0510750	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		A	F	c8cb13d64b526e2cbdbbc0697da09c4b0c9159ae853a1e744b8dc9e5c9b68ea00	2005				max	0.0035270	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		A	Fbar	c8cb13d64b526e2cbdbbc0697da09c4b0c9159ae853a1e744b8dc9e5c9b68ea00	2005				min	0.0012410	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		A	C	c8cb13d64b526e2cbdbbc0697da09c4b0c9159ae853a1e744b8dc9e5c9b68ea00	2005				max	-0.003291	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		A	Cbar	c8cb13d64b526e2cbdbbc0697da09c4b0c9159ae853a1e744b8dc9e5c9b68ea00	2005				min	0.0037150	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		G	F	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				max	0.0014870	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		G	Fbar	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				min	0.0174970	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		G	C	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				max	0.0011880	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		G	Cbar	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				min	0.0475160	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		P	F	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				max	0.0023360	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		P	Fbar	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				min	0.0474010	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		P	C	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				max	0.0009040	0.267332

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		P	Cbar	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				min	0.047644	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		S	F	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				max	0.00365	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		S	Fbar	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				min	0.044355	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		S	C	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				max	0.001024	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		S	Cbar	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				min	0.051075	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		A	F	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				max	0.003527	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		A	Fbar	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				min	0.001241	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		A	C	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				max	- 0.003291	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		A	Cbar	76ec58efeb7f6e39e4f84c768f5a603bd1de7367f14033ec1cacc1e4a7e64480	2005				min	0.003715	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		G	F	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				max	- 0.000632	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		G	Fbar	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				min	0.038019	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		G	C	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				max	0.001837	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		G	Cbar	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				min	0.057613	0.718204

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		P	F	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				max	0.000233	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		P	Fbar	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				min	0.047963	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		P	C	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				max	0.000165	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		P	Cbar	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				min	0.055615	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		S	F	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				max	-0.008902	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		S	Fbar	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				min	0.03711	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		S	C	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				max	-0.015847	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		S	Cbar	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				min	0.055964	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		A	F	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				max	-0.000546	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		A	Fbar	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				min	-0.000402	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		A	C	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				max	-0.002799	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		A	Cbar	7892dbec46cf99a94ad7b67691ce342fab588663f2fca1f09780de7b793bbd98	2005				min	0.004766	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		G	F	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				max	-0.000632	0.053367

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		G	Fbar	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				min	0.0380190.348628	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		G	C	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				max	0.0018370.275312	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		G	Cbar	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				min	0.0576130.718204	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		P	F	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				max	0.0002330.053367	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		P	Fbar	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				min	0.0479630.348628	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		P	C	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				max	0.0001650.275312	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		P	Cbar	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				min	0.0556150.718204	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		S	F	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				max	-0.008902	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		S	Fbar	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				min	0.03711	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		S	C	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				max	-0.015847	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		S	Cbar	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				min	0.0559640.718204	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		A	F	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				max	-0.000546	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		A	Fbar	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				min	-0.000402	0.348628

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		A	C	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				max	-0.002799	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		A	Cbar	df1bce23a19ab6a84bc210cc505c620ee9ed6729d30a157bc8a119971e7f0d1a	2005				min	0.0047660	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		G	F	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				max	0.000271	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		G	Fbar	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				min	0.023919	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		G	C	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				max	0.001837	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		G	Cbar	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				min	0.047998	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		P	F	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				max	0.000651	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		P	Fbar	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				min	0.047834	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		P	C	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				max	0.001162	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		P	Cbar	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				min	0.046026	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		S	F	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				max	-0.010462	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		S	Fbar	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				min	0.057934	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		S	C	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				max	-0.01435	0.275312

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		S	Cbar	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				min	0.056662	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		A	F	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				max	0.00201	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		A	Fbar	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				min	0.004534	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		A	C	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				max	-0.000305	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		A	Cbar	5cf29fde8dab84caa08bd172b9482cb91189aed481bfe904d537a3bd828bbc93	2005				min	0.005775	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		G	F	199eb2556781215e456b028f7b590bd805d2368e5fe12897f2ba2c0a930ce860	2005				max	0.000271	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		G	Fbar	199eb2556781215e456b028f7b590bd805d2368e5fe12897f2ba2c0a930ce860	2005				min	0.023919	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		G	C	199eb2556781215e456b028f7b590bd805d2368e5fe12897f2ba2c0a930ce860	2005				max	0.001837	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		G	Cbar	199eb2556781215e456b028f7b590bd805d2368e5fe12897f2ba2c0a930ce860	2005				min	0.047998	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		P	F	199eb2556781215e456b028f7b590bd805d2368e5fe12897f2ba2c0a930ce860	2005				max	0.000651	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		P	Fbar	199eb2556781215e456b028f7b590bd805d2368e5fe12897f2ba2c0a930ce860	2005				min	0.047834	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		P	C	199eb2556781215e456b028f7b590bd805d2368e5fe12897f2ba2c0a930ce860	2005				max	0.001162	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		P	Cbar	199eb2556781215e456b028f7b590bd805d2368e5fe12897f2ba2c0a930ce860	2005				min	0.046026	0.717207

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		S	F	199eb25567 81215e456b 028f7b590b d805d2368e 5fe12897f2 ba2c0a930c e860	2005				max	- 0.010462	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		S	Fbar	199eb25567 81215e456b 028f7b590b d805d2368e 5fe12897f2 ba2c0a930c e860	2005				min	0.057934	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		S	C	199eb25567 81215e456b 028f7b590b d805d2368e 5fe12897f2 ba2c0a930c e860	2005				max	- 0.01435	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		S	Cbar	199eb25567 81215e456b 028f7b590b d805d2368e 5fe12897f2 ba2c0a930c e860	2005				min	0.056662	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		A	F	199eb25567 81215e456b 028f7b590b d805d2368e 5fe12897f2 ba2c0a930c e860	2005				max	0.00201	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		A	Fbar	199eb25567 81215e456b 028f7b590b d805d2368e 5fe12897f2 ba2c0a930c e860	2005				min	0.004534	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		A	C	199eb25567 81215e456b 028f7b590b d805d2368e 5fe12897f2 ba2c0a930c e860	2005				max	- 0.000305	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		A	Cbar	199eb25567 81215e456b 028f7b590b d805d2368e 5fe12897f2 ba2c0a930c e860	2005				min	0.005775	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		G	F	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				max	0.001799	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		G	Fbar	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				min	0.0306	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		G	C	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				max	0.002575	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		G	Cbar	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				min	0.048815	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		P	F	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				max	- 0.000319	0.054364

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		P	Fbar	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				min	0.064986	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		P	C	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				max	- 0.000169	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		P	Cbar	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				min	0.049075	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		S	F	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				max	- 0.011438	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		S	Fbar	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				min	0.047471	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		S	C	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				max	- 0.013475	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		S	Cbar	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				min	0.050079	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		A	F	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				max	0.001158	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		A	Fbar	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				min	0.003786	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		A	C	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				max	0.004251	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		A	Cbar	6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005				min	0.006767	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		G	F	68d787523c db9b20adad f8e355aa2b 50839878c4 b4d27ab036 5bc3789806 008e	2005				max	0.001799	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		G	Fbar	68d787523c db9b20adad f8e355aa2b 50839878c4 b4d27ab036 5bc3789806 008e	2005				min	0.0306	0.351621

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		G	C	68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005				max	0.0025759	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		G	Cbar	68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005				min	0.0488150	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		P	F	68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005				max	- 0.000319	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		P	Fbar	68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005				min	0.0649860	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		P	C	68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005				max	- 0.000169	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		P	Cbar	68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005				min	0.0490750	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		S	F	68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005				max	- 0.011438	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		S	Fbar	68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005				min	0.0474710	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		S	C	68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005				max	- 0.013475	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		S	Cbar	68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005				min	0.0500790	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		A	F	68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005				max	0.0011580	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		A	Fbar	68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005				min	0.0037860	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		A	C	68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005				max	0.0042510	0.269825

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		A	Cbar	68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005				min	0.006767	0.717706

Table 203: DermaMNIST-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Expected	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	F	0.076309	0.076808	0.076309	0.078663	14e811306b3704f4e6c2e84ed0e03247965024cf0cad14969d9862851a1b3b97	leave_one_out_naive_single	Deconvolution	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	Fbar	-	-	0.097756	0.012724	464c3dd87af14da844f8274831a5ae60abe1e231f86d8d756f50a2dfb11d999	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	C	0.1202	0.314713	0.1202	0.119279	a35f5e634ff4d87837db18d7e84efd205905d39511531c91b2c192cf47da9b3	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	Cbar	0.781047	-	-	-	9c74739c96aedbfaf47aa170f097ac766f696c139d199d9d2cbc18221a42d5f	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	F	0.056858	0.076808	0.056858	0.056908	5e8b12e34379c834f32660089da36477db27ec3ef3771eaeed	leave_one_out_naive_single	Deconvolution	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	Fbar	-	-	0.108728	0.039584	237151690ca3e91804b801743461204a4a742bee710d0f6fe2b88e1eda02d72	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	C	0.094264	0.314713	0.094264	0.094305	6c5a79cf0dd1b0d3f9301ef2502f23502e98beeb053c5a71bcba9e76d190583	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	Cbar	0.712219	-	-	-	4376c10a19d8029969ab4896ef7885671b103f497837e481348e0866fb6cf480	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	F	0.252868	0.076808	0.252868	0.285746	ded282e4dd1a4bcb5ca8fdca7cf6d7431b7a0c8cb56c54419c4f18f244f7a0a	leave_one_out_naive_single	Deconvolution	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	Fbar	-	-	0.013965	-	6deebb5d27b158963cc9b18c2246ef53a08c2c3e09d6e397c41ae0c367fd01bb	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	C	0.354613	0.314713	0.354613	0.382495	ea7aa25d10eed47b0aeebeb0a2c4c56b752c2208fbb847c8a63a8820d68cb4b	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	Cbar	0.670324	-	-	-	70ba74be71a50c292f202335ac3ec1f6c75f20ba157deca1316b4297950f8eb8	leave_one_out_naive_single	GuidedBackprop	True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	F	0.01596	0.076808	0.01596	0.018752	2fda0ab00db6854cf0afce4507a6aa3ead36310466e4f77c6edeba099972852	leave_one_out_naive_single	Deconvolution	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	Fbar	0.267332	-	-	-	fdad3f07cc2b0a2812beeb30a4982946e6c8085432d56d1ea2e74a8ac608de08	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	C	0.06384	0.314713	0.06384	0.063323	17d7e26cb062e8703495447ee4c439724482a4cfd9a3284703884824f080a57	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	Cbar	0.610973	-	-	-	2009ac6c152b49813ed4a5dc381c7e5a0db07b33ce51ec23a120b2	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	F	0.078304	0.059352	0.078304	0.076817	afb0fd5a98ff5bb1952902bf47db95bfc9b0fc7bbbed388fecbd70f875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	Fbar	0.027431	-	-	0.011952	782d5e07949398fclbdc0b8620e2844e90f1c48b83baec6cad9b87f131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	C	0.116708	0.281297	0.116708	0.118125	624f5b588ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edfb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	Cbar	0.842893	-	-	-	aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	F	0.058354	0.059352	0.058354	0.05595	dadf86697180f3ce2530c9a53ac5cad80a7813febeccc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	Fbar	0.008978	-	-	0.030898	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	C	0.094264	0.281297	0.094264	0.093283	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	Cbar	0.828429	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	F	0.290773	0.059352	0.290773	0.257034	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd35c52a3267c6a5d6727153	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	Fbar	0.128678	-0.38005	0.128678	0.103009	a80a3b70e78c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107a3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	C	0.37606	0.281297	0.37606	0.352689	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	Cbar	0.737157	-0.73217	0.737157	0.746434	e31bd493dd4bc77bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	F	0.018454	0.059352	0.018454	0.012766	6722b607d08f6a9c1382bc74a36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	Fbar	0.250374	-0.38005	-0.250374	-0.312157	99ddb5806e3ffbf8af0be9cbe2beffade1a48e6eac1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	C	0.063342	0.281297	0.063342	0.050934	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	Cbar	0.621945	-0.73217	-0.621945	-0.658964	f07e28804cd601836feaa832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	F	0.078304	0.059352	0.078304	0.076817	afaf0d5a98ff5bb1952902bf47db95bfe9b0fc7bbbed38ffe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	Fbar	0.027431	-0.38005	-0.027431	-0.011952	7395782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	C	0.116708	0.281297	0.116708	0.118125	624f55b88ef2cbcfdab780801c6da7bf1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	Cbar	0.842893	-0.73217	-0.842893	-0.837617	aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	F	0.058354	0.059352	0.058354	0.05595	dadf86697180f3ee2530c9a53ac5cad80a7813febcecc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	Fbar	0.008978	-0.38005	-0.008978	-0.030898	7babbd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	C	0.094264	0.281297	0.094264	0.093283	707d9ad3c860b2dad621aed83165b6d889f77be4823ead6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	Cbar	0.828429	0.73217	0.828429	0.794851	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	F	0.290773	0.059352	0.290773	0.257034	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	Fbar	0.128678	-	-	-	a80a3b70e78c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	C	0.37606	0.281297	0.37606	0.352689	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	Cbar	0.737157	0.73217	0.737157	0.746434	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	F	0.018454	0.059352	0.018454	0.012766	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae4db3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	Fbar	0.250374	0.38005	0.250374	0.312157	994bb5806e3ff8aaf0be9cbe2beffade1a48e6eecd1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	C	0.063342	0.281297	0.063342	0.050934	a1c701378d7eb7619952f6e7790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	Cbar	0.621945	0.73217	0.621945	0.658964	ff07e28804cd601836fe832251b111a90232ce507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		G	F	0.077805	0.051372	0.077805	0.076318	afbf0d5a98ff5b5bb1952902bf47db95bfc9b0fc7bbcd38ffe4bd70f875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		G	Fbar	-	-	0.041397	0.0239	782d5e07949398fclbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		G	C	0.118703	0.267332	0.118703	0.117515	624f55b88ef2c6cfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		G	Cbar	0.78404	-	0.722693	0.78404	0.831556	aff9b89e4a55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		P	F	0.057855	0.051372	0.057855	0.055519	dadf86697180f3ee2530c9a53ac5cad80a7813febcccc2be81f37680016ebc7e	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		P	Fbar	-	0.090274	-	0.090274	0.042874	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		P	C	0.093766	0.267332	0.093766	0.092861	70f7d9ad3c860b2dad621a6d83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		P	Cbar	0.736658	-	-	-	0c3cdcfca655c0af0a6931770dff9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		S	F	0.252369	0.051372	0.252369	0.248719	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdff35c52a3267c6a5d6727f53	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		S	Fbar	0.040399	-	-	-	a80a3b70c78c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		S	C	0.345137	0.267332	0.345137	0.344113	bd0e69e7c8b4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		S	Cbar	0.687781	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		A	F	0.013965	0.051372	0.013965	0.010438	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71baeddb3f	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		A	Fbar	0.290274	-	-	-	99dbb5806e3ffb8af0be9cbe2beffade1a48e6eecl560211fa9876119f2d16e	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		A	C	0.042394	0.267332	0.042394	0.045685	al701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		A	Cbar	0.645885	-	-	-	f07e28804cd601836feab32251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False	

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		G	F	0.077805	0.051372	0.077805	0.076318	afbf0d5a98ff5b5bb1952902bbf47db95bfc9b0fc7bbcd38fcb701875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		G	Fbar	-0.041397	-0.357107	0.041397	0.0239	782d5e07949398fcbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		G	C	0.118703	0.267332	0.118703	0.117515	624f55b88e12cbbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		G	Cbar	0.78404	-	-	-	aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		P	F	0.057855	0.051372	0.057855	0.055519	dadf86697180f3ee2530c9a53ac5cad80a7813fdecc02ba81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		P	Fbar	-0.090274	-0.357107	0.090274	0.042874	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		P	C	0.093766	0.267332	0.093766	0.092861	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		P	Cbar	0.736658	-	-	-	0c3edcfc4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		S	F	0.252369	0.051372	0.252369	0.248719	4b8e965ed1af9db2cedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		S	Fbar	0.040399	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		S	C	0.345137	0.267332	0.345137	0.344113	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		S	Cbar	0.687781	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		A	F	0.013965	0.051372	0.013965	0.010438	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71baed3f	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		A	Fbar	0.290274	-	0.357107	0.290274	0.291515	99db55806e3ff8a0be9cbe2beffade1a48e6ee1560211fa9876119f2d116e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		A	C	0.042394	0.267332	0.042394	0.045685	1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		A	Cbar	0.645885	-	-	-	f07e28804cd601836fe832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		G	F	0.07581	0.053367	0.07581	0.076443	afb0d5a98ff5bbb1952902b6f47db95bfc9b0fc7bbcd38ffe	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		G	Fbar	-	-	0.066334	0.028315	782d5e07949398fclbdc0b8620e2844e90f1e48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		G	C	0.119701	0.275312	0.119701	0.117864	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373ed1093f8d7f283	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		G	Cbar	0.771072	-	-	-	affb789e4a8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		P	F	0.05586	0.053367	0.05586	0.055627	dadf86697180f3ee2530c9a53ac5cad80a7813fcbecce2be81f37680016ebc7e	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		P	Fbar	-	-	0.095262	0.047299	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		P	C	0.093267	0.275312	0.093267	0.093102	70f7d9ad3c860b2dad621aed83165b6d889f77be4823ada6a98f67669105445	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		P	Cbar	0.723691	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		S	F	0.241895	0.053367	0.241895	0.250798	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		S	Fbar	0.040898	-	-	-	0.078008	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		S	C	0.333167	0.275312	0.333167	0.349014	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2cece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		S	Cbar	0.679302	-	-	-	c31bd493dd823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		A	F	0.010474	0.053367	0.010474	0.01102	6722b607d086a9c1382bc74c36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		A	Fbar	0.284289	-	-	-	db3f99ddb5806e99cbe2beffade1a48e6e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		A	C	0.045885	0.275312	0.045885	0.048684	ec1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		A	Cbar	0.640399	-	-	-	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		G	F	0.07581	0.053367	0.07581	0.076443	cd601836fea832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		G	Fbar	-	-	0.066334	0.028315	739578245e07949398fclbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		G	C	0.119701	0.275312	0.119701	0.117864	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		G	Cbar	0.771072	-	-	-	aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		P	F	0.05586	0.053367	0.05586	0.055627	dadf86697180f3ee2530c9a53ac5ca480a7813febcecc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		P	Fbar	-	-	0.095262	0.047299	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		P	C	0.093267	0.275312	0.093267	0.093102	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		P	Cbar	0.723691	-	-	-	0c3dcdfc4a931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		S	F	0.241895	0.053367	0.241895	0.250798	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		S	Fbar	0.040898	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		S	C	0.333167	0.275312	0.333167	0.349014	bd0e69c7c8a4a8b0a3d42bbd76ce3d555a87c2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		S	Cbar	0.679302	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25e8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		A	F	0.010474	0.053367	0.010474	0.01102	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4e71bae4b3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		A	Fbar	0.284289	-	-	-	994bb5806e3ffbf8af0be9cbe2beffade1a48e6ee1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		A	C	0.045885	0.275312	0.045885	0.048684	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		A	Cbar	0.640399	-	-	-	f07e28804cd601836feaa832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		G	F	0.076808	0.054863	0.076808	0.076537	afb0d5a98ff5bbb1952902bf47db95bfe9b0fc7bbcd38ffe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		G	Fbar	-	-	0.049377	0.025458	782d5e07949398fclbdc0b8620e2844e90f1c48b83baec5cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		G	C	0.119701	0.275312	0.119701	0.117864	624f5b588ef2cbebfdab780801c6da7b1f1361ee6f785a9373cd1b093f8d7283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		G	Cbar	0.78005	-	-	-	aff9b89e4a8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		P	F	0.056359	0.054863	0.056359	0.055708	dadf86697180f3ee2530c9a53ac5cad80a7813febcccc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		P	Fbar	-	-	0.092269	0.044436	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		P	C	0.094264	0.275312	0.094264	0.093102	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		P	Cbar	0.73217	-	-	-	0c3cdcf4a931770dfda28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		S	F	0.241895	0.054863	0.241895	0.252357	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd1f35e52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		S	Fbar	0.024439	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		S	C	0.334663	0.275312	0.334663	0.349014	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		S	Cbar	0.677805	-	-	-	631bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		A	F	0.013466	0.054863	0.013466	0.011457	6722b607d08f6a9c1382bc74e36d773692d45458c75b46de584c5f4c71baedb3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		A	Fbar	0.284289	-	-	-	99dbb5806e3ffb8af0be e9cbe2beffaade1a48e6eecl1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		A	C	0.048379	0.275312	0.048379	0.048684	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789cd71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		A	Cbar	0.638404	-	-	-	ff07e28804cd601836fea832251b111a90232cf507c50b3579c4fa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		G	F	0.076808	0.054863	0.076808	0.076537	afb0fd5a98ff5bb1952902bf47db95bfc9b0fc7bbcd38fcbcd70f875c7395	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		G	Fbar	-0.049377	-0.354115	0.049377	0.025458	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		G	C	0.119701	0.275312	0.119701	0.117864	624f55b88e72c6cfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		G	Cbar	0.78005	-0.717207	-0.78005	0.828048	84d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		P	F	0.056359	0.054863	0.056359	0.055708	dadf86697180f3ec2530c9a53ac5cad80a7813febcccc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		P	Fbar	-0.092269	-0.354115	0.092269	0.044436	7babdd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		P	C	0.094264	0.275312	0.094264	0.093102	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		P	Cbar	0.73217	-0.717207	-0.73217	0.778196	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		S	F	0.241895	0.054863	0.241895	0.252357	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		S	Fbar	0.024439	-0.354115	-0.024439	0.082373	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		S	C	0.334663	0.275312	0.334663	0.349014	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		S	Cbar	0.677805	-0.717207	-0.677805	0.734468	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		A	F	0.013466	0.054863	0.013466	0.011457	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae4b3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		A	Fbar	0.284289	-0.354115	-0.284289	0.288823	994bb5806e3ff8af0bec9cbe2beffade1a48e6eecl560211fa9876119f2d16e	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		A	C	0.048379	0.275312	0.048379	0.048684	a1c70137bd7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789cd171ba235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		A	Cbar	0.638404	-	0.717207	-	f07e28804cd601836fea832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		G	F	0.078304	0.054364	0.078304	0.076503	afbf0d5a98f55bbb1952902bf47db95bfc9b0fc7bbcd38ffe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		G	Fbar	-	-	0.057357	0.026757	782d5e07949398fclbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		G	C	0.1202	0.269825	0.1202	0.117624	624f55b88ef2cbcfbdab780801c6da7bf1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		G	Cbar	0.779551	-	-	-	aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		P	F	0.055362	0.054364	0.055362	0.055681	dadf86697180f3ee2530c9a53ac5cad80a7813fcbecce2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		P	Fbar	-	-	0.110723	0.045737	7baabd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		P	C	0.092768	0.269825	0.092768	0.092937	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		P	Cbar	0.729676	-	-	-	0c3cdcfca6655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		S	F	0.240399	0.054364	0.240399	0.251837	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd95c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		S	Fbar	0.032918	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		S	C	0.33217	0.269825	0.33217	0.345645	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		S	Cbar	0.684788	-	-	-	e31b4493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		A	F	0.012469	0.054364	0.012469	0.011311	6722b607d086a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae4db3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		A	Fbar	0.282793	-	-	-	99f1b8a0bece9cbe2beffade1a48e6ecec1560211fa9876119fd16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		A	C	0.050873	0.269825	0.050873	0.046622	a1c701378d7eb7619952f6e7790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		A	Cbar	0.637905	-	-	-	ff07e28804cd601836fe a832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		G	F	0.078304	0.054364	0.078304	0.076505	afb0fd5a98ff5bbb1952902bf47db95bfc9b0fc7bbcd38ffe cbd70f875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		G	Fbar	-	-	0.057357	0.026757	782d5e07949398fclbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		G	C	0.1202	0.269825	0.1202	0.117624	624f55b88e12cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		G	Cbar	0.779551	-	-	-	aff9b89e4a78d93c5aed55617d58ebac09824db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		P	F	0.055362	0.054364	0.055362	0.055681	dadf86697180f3ee2530c9a53ac5cad80a7813febcccc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		P	Fbar	-	-	0.110723	0.045737	7babdd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		P	C	0.092768	0.269825	0.092768	0.092937	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		P	Cbar	0.729676	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		S	F	0.240399	0.054364	0.240399	0.251837	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		S	Fbar	0.032918	-	0.032918	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		S	C	0.33217	0.269825	0.33217	0.345645	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		S	Cbar	0.684788	-	-	-	e31bd493dd4bcf7bf120823ceb74e94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		A	F	0.012469	0.054364	0.012469	0.011311	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		A	Fbar	0.282793	-	-	-	99ddb5806e3fb8af0be9e9cbe2beffade1a48e6ee1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		A	C	0.050873	0.269825	0.050873	0.046622	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		A	Cbar	0.637905	-	-	-	f07e28804cd601836fe832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	F	0.076309	0.076808	0.076309	0.078663	14e811306b3704f4e6c2e84ed0e03247965024cf0cad14969d9862851a1b3b97	leave_one_out_naive_single	Deconvolution	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	Fbar	-	-	0.097756	0.012724	464c3dd87af14da844f8274831a5a1e60ab61e231f86d8d756f50a2dfb11d999	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	C	0.1202	0.314713	0.1202	0.119279	a35f5e634ff4df87837db18d7e84efd205905d39511531e91b2c192cf47da9b3	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	Cbar	0.781047	-	-	-	9c74739c96aedbfaa47aa170f097ac766f6f96c139d199d9d2cbc18221a42d5f	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	F	0.056858	0.076808	0.056858	0.056908	5e8b12e34379c834f32660089da36477db27ec3ef3771eaeede531a603fc6dc8	leave_one_out_naive_single	Deconvolution	True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	Fbar	0.108728	0.298254	0.108728	0.039584	237151690ca3e91804b801743461204a4a742bee710d0f6fe2b5f8e1eda02472	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	C	0.094264	0.314713	0.094264	0.094305	6c5a79cf0dd1b0d3f9301ef2502f23502e98beeb053c5a71bcba9e76d190583	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	Cbar	0.712219	-	-	-	d376c10a1968029969ab4896cf7885671b103f497837e481348e0866fb6cf480	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	F	0.252868	0.076808	0.252868	0.285746	ded282e4dd1a4bceb5ca8fdca7cf6d7431b7a0c8cb56c54419c4f18f244f7a0a	leave_one_out_naive__single	Deconvolution	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	Fbar	-	-	0.013965	-	6deebb5d27b158963cc9b18c22d6ef53a08c2c3e0946c397c41ae0c367fd01bb	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	C	0.354613	0.314713	0.354613	0.382495	ea7aa25d10eeed47b0aeb0a2c4c56b752c2208fbfb8f7c8a63a8820d68cb4b	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	Cbar	0.670324	-	-	-	70ba74be71a50c292f202335ac3ec1f6c75f20ba157deca1316b4297950f8eb8	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	F	0.01596	0.076808	0.01596	0.018752	2fada0ab004db6854cf0afce4507a6aa3ead36310466e4f77c6edeaba099972852	leave_one_out_naive__single	Deconvolution	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	Fbar	0.267332	-	-	-	fdad3f07cca2b0a2812beeb30a4982946e6c8085432d56d1ea2e74a8ac608de08	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	C	0.06384	0.314713	0.06384	0.063323	17d7e26cb0062e8703495447ee4c439724482a4cf9a3284703884824f080a57	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	Cbar	0.610973	-	-	-	2009ac6c15959fa603452b49813ed4a5dc381c7e5a0db07b33ce51ec23a120b2	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	F	0.078304	0.059352	0.078304	0.076817	afb0fd5a98ff5b5bb1952902bf47db95bfc9b0fc7bbcd38ffe0bd701875c7395	full_naive__single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	Fbar	0.027431	-	-	0.011952	782d5e07949398fclbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive__single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	C	0.116708	0.281297	0.116708	0.118125	624f55b88e f2cbcfbdab 780801c6da 7b1f1361ee 6f785a9373 ed0093f8d7 f283	full_naive__single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	Cbar	0.842893	-	-	-	aff9b89e4a f8d93c8aed 55617d58eb ac0982db29 1e8953a8c5 3c9e7a9ebe ed70	full_naive__single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	F	0.058354	0.059352	0.058354	0.05595	dadf866971 80f3ee2530 c9a53ac5ca d80a7813fe becce2be81 f37680016e bc7e	full_naive__single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	Fbar	0.008978	-	-	0.030898	7babd4ae43 584e48aca0 9c487aae56 70812dc2b0 c9304a0b7b 220c9750ad ea57	full_naive__single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	C	0.094264	0.281297	0.094264	0.093283	70f7d9ad3c 860b2dad62 1aed83165b 6d889f77be 4823ead6fa 98f6766910 5445	full_naive__single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	Cbar	0.828429	-	-	-	0c3cdcf4a 655c0af0a6 931770dfd9 a28813b271 094514e5bb 5039aa70c8 bce4	full_naive__single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	F	0.290773	0.059352	0.290773	0.257034	4b8c965ed1 af9db2eedf 54d178ad7b 5191cd322b df35c52a32 67c6a5d672 7f53	full_naive__single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	Fbar	0.128678	-	-	-	a80a3b70e7 78c0eff840 ae0e7a6647 e18fe492c8 4d516e1d42 3269c1db01 07c3	full_naive__single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	C	0.37606	0.281297	0.37606	0.352689	bd0e69e7c8 a4a8b0a3d4 2bbd76ce3d 555a87e2ca 4a27a0dd26 b2ece9360a 05a7	full_naive__single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	Cbar	0.737157	-	-	-	e31bd493dd 4bcf7bf120 823ceb74c9 4e39293b3d 90ae25c832 0699c1a631 a05f	full_naive__single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	F	0.018454	0.059352	0.018454	0.012766	6722b607d0 8f6a9c1382 bc74e36d77 3692d5458c 75b46de584 c5f4c71bae db3f	full_naive__single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	Fbar	0.250374	-	-	-	99dbb5806e 3ffba0be e9cbe2beff ade1a48e6e ec1560211f a9876119f2 d16e	full_naive__single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	C	0.063342	0.281297	0.063342	0.050934	alc701378d 7eb7619952 f6ef790d7f 7c13eb3a82 f655dfb7c6 789c1d71b1 a235	full_naive__single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	Cbar	0.621945	-	0.73217	0.621945	ff07e28804cd601836fea832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	F	0.078304	0.059352	0.078304	0.076817	afb0fd5a98ff5b5bb1952902bf47db95bfc9b0fc7bbcd38ffecbd70f875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	Fbar	0.027431	-	-	0.011952	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	C	0.116708	0.281297	0.116708	0.118125	624f55b88ef2c9cfbdab780801e6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	Cbar	0.842893	-	-	-	aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8e53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	F	0.058354	0.059352	0.058354	0.05595	dadf86697180f3ee2530c9a53ac5cad80a7813febcccc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	Fbar	0.008978	-	-	0.030898	7babb4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adaa57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	C	0.094264	0.281297	0.094264	0.093283	707749ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	Cbar	0.828429	-	-	-	0c3cdcf4a655c0a0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	F	0.290773	0.059352	0.290773	0.257034	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd4f35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	Fbar	0.128678	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	C	0.37606	0.281297	0.37606	0.352689	bd0e69e7c8a4a8b0a3d42bbd476ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	Cbar	0.737157	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	F	0.018454	0.059352	0.018454	0.012766	6722b6074086a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae4b3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	Fbar	0.250374	-	0.250374	0.312157	094bb5806e9cbe2beffade1a48e6ecec1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	C	0.063342	0.281297	0.063342	0.050934	1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	Cbar	0.621945	-	-	0.658964	f07e28804cd601836feas832251b11a90232e0507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		G	F	0.077805	0.051372	0.077805	0.076318	afb0d5a98ff5bb1952902bf47db95bfc9b0fc7bbed38ffe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		G	Fbar	-	-	0.041397	0.0239	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b87f131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		G	C	0.118703	0.267332	0.118703	0.117515	624f55b88ef2c9cfbdab780801c6da7b1f1361ee6f785a9373edfb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		G	Cbar	0.78404	-	-	0.831556	af9b89e4a8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		P	F	0.057855	0.051372	0.057855	0.055519	dadf86697180f3ee2530c9a53ac5cad80a7813febeccc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		P	Fbar	-	-	0.090274	0.042874	7babdd4ae43584e48aca09c487faae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		P	C	0.093766	0.267332	0.093766	0.092861	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		P	Cbar	0.736658	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		S	F	0.252369	0.051372	0.252369	0.248719	4b8ce965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727153	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		S	Fbar	0.040399	-	-	-	a80a3b70e78c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107a3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		S	C	0.345137	0.267332	0.345137	0.344113	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		S	Cbar	0.687781	-	-	-	e31bd493dd4bc77bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		A	F	0.013965	0.051372	0.013965	0.010438	6722b607d08f6a9c1382bc74a36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		A	Fbar	0.290274	-	-	-	99ddb5806e3ffbf8af0be e9cbe2beffade1a48e6eac1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		A	C	0.042394	0.267332	0.042394	0.045685	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		A	Cbar	0.645885	-	-	-	f07e28804cd601836fe a832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		G	F	0.077805	0.051372	0.077805	0.076318	afaf0d5a98ff5bb1952902bf47db95bfc9b0fc7bbbed38ffe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		G	Fbar	-	-	0.041397	0.0239	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		G	C	0.118703	0.267332	0.118703	0.117515	624f55b88ef2cbcfdab780801c6da7bf1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		G	Cbar	0.78404	-	-	-	aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		P	F	0.057855	0.051372	0.057855	0.055519	dadf86697180f3ee2530c9a53ac5cad80a7813febcecc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		P	Fbar	-	-	0.090274	0.042874	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		P	C	0.093766	0.267332	0.093766	0.092861	707d9ad3c860b2dad621aed83165b6d889f77be4823ead6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		P	Cbar	0.736658	-	-	-	0c3cdcf4a555c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		S	F	0.252369	0.051372	0.252369	0.248719	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		S	Fbar	0.040399	-	-	-	a80a3b70e78c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		S	C	0.345137	0.267332	0.345137	0.344113	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		S	Cbar	0.687781	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		A	F	0.013965	0.051372	0.013965	0.010438	6722b607d086a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae4db3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		A	Fbar	0.290274	-	-	-	994bb5806e3ffbaaf0be9cbe2beffade1a48e6eecl560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		A	C	0.042394	0.267332	0.042394	0.045685	a1c701378d7eb7619952f6e7790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		A	Cbar	0.645885	-	-	-	ff07e28804cd601836fe832251b111a90232c507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		G	F	0.07581	0.053367	0.07581	0.076443	afbf0d5a98ff5b5bb1952902bf47db95bfc9b0fc7bbbed38ffeabd70f875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		G	Fbar	-	-	0.066334	0.028315	782d5e07949398fclbdc0b8620e2844e90flc48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		G	C	0.119701	0.275312	0.119701	0.117864	624f55b88ef2c6cfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Quality Oriented	Reference Curve	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		G	Cbar	0.771072	-	0.718204	0.771072	0.828685	aff9b89e4a78d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		P	F	0.05586	0.053367	0.05586	0.055627	dadf86697180f3ee2530c9a53ac5cad80a7813febcccc2be81f37680016ebc7e	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		P	Fbar	-	-	0.095262	0.047293	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		P	C	0.093267	0.275312	0.093267	0.093102	70f7d9ad3c860b2dad621aead83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		P	Cbar	0.723691	-	-	-	0c3cdcf4a655c0af0a6931770dff9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		S	F	0.241895	0.053367	0.241895	0.250798	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdff35c52a3267c6a5d6727f53	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		S	Fbar	0.040898	-	-	-	a80a3b70c78c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		S	C	0.333167	0.275312	0.333167	0.349014	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		S	Cbar	0.679302	-	-	-	e31bd493ddbd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		A	F	0.010474	0.053367	0.010474	0.01102	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		A	Fbar	0.284289	-	-	-	99dbb5806e3ff8af0be9cbe2beffade1a48e6eecl560211fa9876119f2d16e	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		A	C	0.045885	0.275312	0.045885	0.048684	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		A	Cbar	0.640399	-	-	-	f07e28804cd601836fe	full_naive_single_pool		False	

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		G	F	0.07581	0.053367	0.07581	0.076443	afbf0d5a98ff5bb1952902bf47db95bfc9b0fc7bbcd38fcb701875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		G	Fbar	-	0.066334	-	0.066334	782d5e07949398fcbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		G	C	0.119701	0.275312	0.119701	0.117864	624f55b88e12cbebfdbab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		G	Cbar	0.771072	-	-	-	aff9b89e4af8d93c8aed55617d58abac09824db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		P	F	0.05586	0.053367	0.05586	0.055627	dadf86697180f3ee2530c9a53ac5cac080a7813fedecc2ba81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		P	Fbar	-	0.095262	-	0.095262	0.0472997babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		P	C	0.093267	0.275312	0.093267	0.093102	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		P	Cbar	0.723691	-	-	-	0c3edcfc4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		S	F	0.241895	0.053367	0.241895	0.250798	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		S	Fbar	0.040898	-	-	-	a80a3b70e78c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		S	C	0.333167	0.275312	0.333167	0.349014	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		S	Cbar	0.679302	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		A	F	0.010474	0.053367	0.010474	0.01102	6722b607d086a9c1382bc74e36d773692d5458c75b46de584c5f4c71baed3f	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		A	Fbar	0.284289	-	0.348628	0.284289	0.283887	99db55806e3ff8a0be9e9cbe2beffade1a48e6ee1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		A	C	0.045885	0.275312	0.045885	0.048684	0.048684	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		A	Cbar	0.640399	-	0.718204	0.640399	0.645165	f07e28804cd601836fe832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		G	F	0.076808	0.054863	0.076808	0.076537	0.076537	afb0d5a98ff5bbb1952902b6f47db95bfc9b0fc7bbcd38ffeabd70f875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		G	Fbar	-	-	0.049377	0.025458	0.025458	782d5e07949398fclbdc0b8620e2844e90f1e48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		G	C	0.119701	0.275312	0.119701	0.117864	0.117864	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373ed1b093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		G	Cbar	0.78005	-	0.717207	0.78005	0.828048	aff9b89e4a8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		P	F	0.056359	0.054863	0.056359	0.055708	0.055708	d4d8f86697180f3ec2530c9a53ac5cad80a7813fcbecce2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		P	Fbar	-	-	0.092269	0.044436	0.044436	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		P	C	0.094264	0.275312	0.094264	0.093102	0.093102	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		P	Cbar	0.73217	-	0.717207	0.73217	0.778196	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		S	F	0.241895	0.054863	0.241895	0.252357	0.252357	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdff35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		S	Fbar	0.024439	-	0.354115	0.024439	0.082373	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		S	C	0.334663	0.275312	0.334663	0.349014	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2cece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		S	Cbar	0.677805	-	-	-	c31bd493dd823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		A	F	0.013466	0.054863	0.013466	0.011457	5722b607d08f6a9c1382bc74c36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		A	Fbar	0.284289	-	-	-	db3f99ddb5806e99cbe2beffade1a48e6e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		A	C	0.048379	0.275312	0.048379	0.048684	ec1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		A	Cbar	0.638404	-	-	-	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		G	F	0.076808	0.054863	0.076808	0.076537	cd601836fea832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		G	Fbar	-	-	0.049377	0.025458	ff5b8af0be99cbe2beffade1a48e6e019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		G	C	0.119701	0.275312	0.119701	0.117864	739578245e07949398fclbdc0b8620e2844e90flc48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		G	Cbar	0.78005	-	-	-	624f55b8e8ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		P	F	0.056359	0.054863	0.056359	0.055708	aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		P	Fbar	-	-	0.092269	0.044436	ad893c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		P	C	0.094264	0.275312	0.094264	0.093102	707d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Expected	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		P	Cbar	0.73217	-	-	-	0c3cdcf4e4a931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		S	F	0.241895	0.054863	0.241895	0.252357	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		S	Fbar	0.024439	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		S	C	0.334663	0.275312	0.334663	0.349014	bd0e69c7c8a4a8b0a3d42bbd76ce3d555a87c2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		S	Cbar	0.677805	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25e8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		A	F	0.013466	0.054863	0.013466	0.011457	6722b67d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4e71bae4b3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		A	Fbar	0.284289	-	-	-	994bb5806e3fffb8af0be9cbe2beffade1a48e6ee1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		A	C	0.048379	0.275312	0.048379	0.048684	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		A	Cbar	0.638404	-	-	-	f07e28804cd601836fe832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		G	F	0.078304	0.054364	0.078304	0.076505	afb0d5a98ff5bbb1952902bf47db95bfe9b0fc7bbcd38ffe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		G	Fbar	-	-	0.057357	0.026757	782d5e07949398fclbdc0b8620e2844e90f1c48b83baec5cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		G	C	0.1202	0.269825	0.1202	0.117624	624f55b88ef2cbebdbab780801c6da7b1f1361ee6f785a9373cd1b093f8d7283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		G	Cbar	0.779551	-	-	-	aff9b89e4a8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		P	F	0.055362	0.054364	0.055362	0.055681	dadf86697180f3ee2530c9a53ac5cad80a7813febccc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		P	Fbar	-	-	0.110723	0.045737	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		P	C	0.092768	0.269825	0.092768	0.092937	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		P	Cbar	0.729676	-	-	-	0c3dcfc4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		S	F	0.240399	0.054364	0.240399	0.251837	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd3f5c552a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		S	Fbar	0.032918	-	-	-	a80a3b70e78c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		S	C	0.33217	0.269825	0.33217	0.345645	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		S	Cbar	0.684788	-	-	-	a31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		A	F	0.012469	0.054364	0.012469	0.011311	6722b607d08f6a9c1382bc74e36df73692d45458c75b46de584c5f4c71baedb3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		A	Fbar	0.282793	-	-	-	99dbb5806e3ffb8af0be e9cbe2beffaade1a48e6eecl1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		A	C	0.050873	0.269825	0.050873	0.046622	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789cd71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		A	Cbar	0.637905	-	-	-	ff07e28804cd601836fea832251b11a90232cf507c50b3579c4fa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		G	F	0.078304	0.054364	0.078304	0.076505	afb0d5a98ff5b5bb1952902bf47db95bfc9b0fc7bbcd38fcbcd70f875c7395	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		G	Fbar	0.057357	-	0.057357	0.026757	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		G	C	0.1202	0.269825	0.1202	0.117624	624f55b88e72c6cfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		G	Cbar	0.779551	-	-	-	af9b89e4a8493c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		P	F	0.055362	0.054364	0.055362	0.055681	dadf86697180f3ee2530c9a53ac5cad80a7813febcccc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		P	Fbar	-	-	0.110723	0.045737	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		P	C	0.092768	0.269825	0.092768	0.092937	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		P	Cbar	0.729676	-	-	-	0c3dcdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		S	F	0.240399	0.054364	0.240399	0.251837	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		S	Fbar	0.032918	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		S	C	0.33217	0.269825	0.33217	0.345645	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		S	Cbar	0.684788	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		A	F	0.012469	0.054364	0.012469	0.011311	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae4b3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		A	Fbar	0.282793	-	-	-	994bb5806e3ff8af0bec9cbe2beffade1a48e6eecl1560211fa9876119f2d16e	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapol ated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		A	C	0.050873	0.269825	0.050873	0.046622	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789cd71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		A	Cbar	0.637905	-	-	-	f07e28804cd601836fea832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False

Table 204: DermaMNIST–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	$ER^{\frac{1}{2}}_z$	$ER^{\frac{1}{2}}_s$	$ER^{\frac{1}{2}}_c$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		504c7cfd96795d8a6cfa b39b1ac65980fd984ae4 97011262f5ff4d51eb3d38fd	2005						- 0.002354	0.085032	0.000921
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		78291f92376dcb0f797c 04d513d07b0e8923fbac c051ceed26c7e0bbbdfe a028	2005						0.001487	- 0.039384	- 0.001417
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		f93bb68a4bdad7186033 647e91ac00857f81cd02 c590875790d8ebf0c404 02e5	2005						0.001487	- 0.039384	- 0.001417
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		f8e7fc6d55448e268e86 7152f048bcfade17918c 98b49c50c27630f2b9bf 84a3	2005						0.001487	0.017497	0.001188
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		4ad34b72281adb608cb4 9df83d9d754226e2fc49 aa1a2b125eb4f66cef14 0014	2005						0.001487	0.017497	0.001188
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		1f161bbb7bebbbe2c40f 07b23348951a791f4c3c be22ea7628d1e290deee 6735	2005						- 0.000632	0.038019	0.001837
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		4ade74a717f1b7dfc3f c007d61af4263e449567 de4d5deb9c87a7fd8b3 d24b	2005						- 0.000632	0.038019	0.001837
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		849b9ccb7f6d38d92d77 52b8677f932e26b07d4f 79bae893a1dfcf166758 cb07	2005						0.000271	0.023919	0.001837
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		7cb07615db0f43d71ea3 3a054faaf2c315208dfd fd1104dc46307447156a d3f5	2005						0.000271	0.023919	0.001837
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		bfbfa70f57a12ad6eca4 b1591bcdca9db3e08ae5 50a5e819a89b713d3e89 2268	2005						0.001799	0.0306	0.002575
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		1306e40a65be145c42e8 fcab97601a01dd3e338d a24ead7510d9fd1f6ca6 8798	2005						0.001799	0.0306	0.002575
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		17e66c9de9a300ed6d28 4d6aae49c52189bce83b 4d2a990ccd	2005						- 0.002354	0.085032	0.000921
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		b52548f8b8fa3679cd92b58c 8517efb2cf	2005						0.001487	- 0.039384	- 0.001417

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER^p_x	ER^p_y	ER^p_c
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		90eacb614a 917bb8cd5a 36664182eb ae349e5d98 c4651378f3 713e2f3443 28ff	2005						0.001487	-	-
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		c8cb13d64b 526e2cbdbc 0697da09c4 b0c9159ae8 53a1e744b8 dc9e5c9b68 ea00	2005						0.001487	0.017497	0.001188
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		76ec58efeb 7f6e39e4f8 4c768f5a60 3bd1de7367 f14033ec1c acc1e4a7e6 4480	2005						0.001487	0.017497	0.001188
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		7892dbec46 cf99a94ad7 b67691ce34 2fab588663 f2fca1f097 80de7b793b bd98	2005						- 0.000632	0.038019	0.001837
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		dflbce23a1 9ab6a84bc2 10cc505c62 0ee9ed6729 d30a157bc8 a119971e7f 0d1a	2005						- 0.000632	0.038019	0.001837
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		5cf29fde8d ab84eaa08b d172b9482c b91189aed4 81bfe904d5 37a3bd828b bc93	2005						0.000271	0.023919	0.001837
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		199eb25567 81215e456b 028f7b590b d805d2368e 5fe12897f2 ba2c0a930c e860	2005						0.000271	0.023919	0.001837
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		6f0694628a 65b8d575bf 5751cf9ec1 834a85b3d3 1aae6b0a6d 538bd8ceb9 bb6a	2005						0.001799	0.0306	0.002575
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		68d787523c db9b20adad f8e355aa2b 50839878c4 bdd27ab036 5bc3789806 008e	2005						0.001799	0.0306	0.002575

Table 205: DermaMNIST-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{S}}$	$ER^p_{\mathcal{B}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{S}}$	$ER^p_{\mathcal{B}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{S}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{S}}$
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		0.027289	-5.0524e-05	0.069144	-4.0328e-05	0.011239	-0.032879	0.102122	-0.027882	0.04643	-0.002792	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		-0.005276	0.002404	-0.039876	0.000982	-0.033578	0.033739	-0.02567	0.023371	0.009277	0.005688	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		-0.005276	0.002404	-0.039876	0.000982	-0.033578	0.033739	-0.02567	0.023371	0.009277	0.005688	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		0.047516	0.002336	0.047401	0.000904	0.047644	0.00365	0.044355	0.001024	0.051075	0.003527	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		0.047516	0.002336	0.047401	0.000904	0.047644	0.00365	0.044355	0.001024	0.051075	0.003527	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		0.057613	0.000233	0.047963	0.000165	0.055615	-0.008902	0.03711	-0.015847	0.055964	-0.000546	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		0.057613	0.000233	0.047963	0.000165	0.055615	-0.008902	0.03711	-0.015847	0.055964	-0.000546	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		0.047998	0.000651	0.047834	0.001162	0.046026	-0.010462	0.057934	-0.01435	0.056662	0.00201	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		0.047998	0.000651	0.047834	0.001162	0.046026	-0.010462	0.057934	-0.01435	0.056662	0.00201	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		0.048815	-0.000319	0.064986	-0.000169	0.049075	-0.011438	0.047471	-0.013475	0.050079	0.001158	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		0.048815	-0.000319	0.064986	-0.000169	0.049075	-0.011438	0.047471	-0.013475	0.050079	0.001158	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		0.027289	-5.0524e-05	0.069144	-4.0328e-05	0.011239	-0.032879	0.102122	-0.027882	0.04643	-0.002792	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		-0.005276	0.002404	-0.039876	0.000982	-0.033578	0.033739	-0.02567	0.023371	0.009277	0.005688	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		-0.005276	0.002404	-0.039876	0.000982	-0.033578	0.033739	-0.02567	0.023371	0.009277	0.005688	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		0.047516	0.002336	0.047401	0.000904	0.047644	0.00365	0.044355	0.001024	0.051075	0.003527	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		0.047516	0.002336	0.047401	0.000904	0.047644	0.00365	0.044355	0.001024	0.051075	0.003527	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		0.057613	0.000233	0.047963	0.000165	0.055615	-0.008902	0.03711	-0.015847	0.055964	-0.000546	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		0.057613	0.000233	0.047963	0.000165	0.055615	-0.008902	0.03711	-0.015847	0.055964	-0.000546	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		0.047998	0.000651	0.047834	0.001162	0.046026	-0.010462	0.057934	-0.01435	0.056662	0.00201	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		0.047998	0.000651	0.047834	0.001162	0.046026	-0.010462	0.057934	-0.01435	0.056662	0.00201	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		0.048815	-0.000319	0.064986	-0.000169	0.049075	-0.011438	0.047471	-0.013475	0.050079	0.001158	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		0.048815	-0.000319	0.064986	-0.000169	0.049075	-0.011438	0.047471	-0.013475	0.050079	0.001158	

Table 206: DermaMNIST–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^a_c	ER^a_c	ER^a_c
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Spearman		-0.05661	0.000517	-0.048116
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Spearman		0.061783	0.012408	0.037019
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Spearman		0.061783	0.012408	0.037019
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Spearman		0.001241	-0.003291	0.003715
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Spearman		0.001241	-0.003291	0.003715
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Spearman		-0.000402	-0.002799	0.004766
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Spearman		-0.000402	-0.002799	0.004766
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Spearman		0.004534	-0.000305	0.005775
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Spearman		0.004534	-0.000305	0.005775
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Spearman		0.003786	0.004251	0.006767
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Spearman		0.003786	0.004251	0.006767
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Best Individual	Kendall		-0.05661	0.000517	-0.048116
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive	Kendall		0.061783	0.012408	0.037019
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE	Kendall		0.061783	0.012408	0.037019
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive	Kendall		0.001241	-0.003291	0.003715
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE	Kendall		0.001241	-0.003291	0.003715
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive	Kendall		-0.000402	-0.002799	0.004766
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE	Kendall		-0.000402	-0.002799	0.004766
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive	Kendall		0.004534	-0.000305	0.005775
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE	Kendall		0.004534	-0.000305	0.005775
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive	Kendall		0.003786	0.004251	0.006767
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE	Kendall		0.003786	0.004251	0.006767

Table 207: DermaMNIST-ResNet-18

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ResNet-18	P	Cbar	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4		11	nonnegative__slope__ordinary__least_squares	1.113142	1.113142	False	0.020157	0.036073	0.06331	0.431124	-0.838903	-0.662344	-0.927681	-0.708728
DermaMNIST-ResNet-18	G	F	14e811306b3704f4e6c2e84ed0e03247965024cf0cad14969d9862851a1b3b97	Deconvolution	10	nonnegative__slope__ordinary__least_squares	0.081052	0.081052	False	0.072438	5.5469e-05	0.002633	0.247939	0.019451	0.073317	0.069327	0.080798
DermaMNIST-ResNet-18	A	C	17d7e26cb0062e8703495447ee4c439724482a4cfd9a3284703884824f080a57	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.37411	0.37411	False	-0.054414	0.0003	0.006122	0.873905	0.159102	0.286284	0.006983	0.054364
DermaMNIST-ResNet-18	A	Cbar	2009ac6c15959fa603452b49813ed4a5dc381c7e5a0db07b33ce51ec23a120b2	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	1.210803	1.210803	False	0.239112	0.006785	0.029123	0.695957	-0.838903	-0.739152	-0.777556	-0.638903
DermaMNIST-ResNet-18	P	Fbar	237151690ca3a91804b801743461204a4a742bee710d0f6fe2bf88e1eda02d72	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.278175	0.278175	False	0.122551	0.034595	0.06576	0.03876	-0.509726	-0.366085	-0.069825	0.109726
DermaMNIST-ResNet-18	A	F	2fada0ab00db6854cf0afce4507a6aa3ead36310466e4f77c6edeaba099972852	Deconvolution	10	nonnegative__slope__ordinary__least_squares	0.313626	0.313626	False	-0.005337	4.3706e-05	0.002337	0.862349	0.019451	0.073317	-0.000499	0.017955
DermaMNIST-ResNet-18	G	Fbar	464c3dd87af14da844f8274831a5a1e60abae1e231f86d8d1756f50a2dfb11d999	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.220939	0.220939	False	0.07862	0.038686	0.06954	0.022241	-0.509726	-0.366085	-0.108229	0.072319
DermaMNIST-ResNet-18	S	F	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdff35c52a3267c6a5d6727f53		11	nonnegative__slope__ordinary__least_squares	1.042056	1.042056	False	0.195187	0.006381	0.026627	0.387744	0.019451	0.076808	0.169576	0.298254
DermaMNIST-ResNet-18	P	F	5e8b12e34379c834f32660089da36477db27ec3ef3771eaeed	Deconvolution	10	nonnegative__slope__ordinary__least_squares	0.054368	0.054368	False	0.052732	6.9483e-05	0.002947	0.105882	0.019451	0.073317	0.049377	0.058354
DermaMNIST-ResNet-18	G	C	e531a603fc6dc8624f55b88ef2cbebfadab780801c6da7b1f1361ee6f785a9373edb093f8d7f283		11	nonnegative__slope__ordinary__least_squares	0.043688	0.043688	False	0.105836	4.1108e-05	0.002137	0.484456	0.159102	0.314713	0.112219	0.1202
DermaMNIST-ResNet-18	A	F	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71baedb3f		11	nonnegative__slope__ordinary__least_squares	0.291721	0.291721	False	-0.004548	4.9006e-05	0.002333	0.866	0.019451	0.076808	-0.000499	0.017955
DermaMNIST-ResNet-18	P	C	6c5a79cf0dd1b0d3f9301ef2502f23502e98beeb053c5a71bcba9e76d190583	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.030316	0.030316	False	0.084764	2.6253e-05	0.001812	0.342024	0.159102	0.286284	0.086284	0.093766
DermaMNIST-ResNet-18	S	Fbar	6deebb5d27b158963cc9b18c22d6ef53a08c2c3e09d6e397c41ae0c367fd01bb	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.435591	0.435591	False	0.041761	0.056247	0.08385	0.057327	-0.509726	-0.366085	-0.25187	-0.022943

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ResNet-18	S	Cbar	70ba74be71a50c292f202335ac3ec1f6c75f20ba157deca1316b4297950f8eb8	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.584847	0.584847	False	-0.329384	0.026325	0.057364	0.121	-0.838903	-0.739152	-0.837406	-0.676808
DermaMNIST-ResNet-18	P	C	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445		11	nonnegative__slope__ordinary__least_squares	0.030177	0.030177	False	0.084794	2.6254e-05	0.001708	0.412459	0.159102	0.314713	0.086284	0.094264
DermaMNIST-ResNet-18	G	Fbar	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b		11	nonnegative__slope__ordinary__least_squares	0.520748	0.520748	False	0.209862	0.04236	0.068605	0.171134	-0.509726	-0.298254	-0.108229	0.097756
DermaMNIST-ResNet-18	P	Fbar	7baabd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57		11	nonnegative__slope__ordinary__least_squares	0.521966	0.521966	False	0.229272	0.037025	0.064139	0.191807	-0.509726	-0.298254	-0.069825	0.109726
DermaMNIST-ResNet-18	A	Fbar	99dbb5806e3ff8aafb0ee9cbe2beffaade1a48e6ecec1560211fa9876119f2d16e		11	nonnegative__slope__ordinary__least_squares	0.899695	0.899695	False	0.029772	0.011322	0.035469	0.697496	-0.509726	-0.298254	-0.438903	-0.267332
DermaMNIST-ResNet-18	G	Cbar	9c74739c96aedbf8aa47aa170f097ac766f6f96c139d19949d2cbc18221a42d5f	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.513257	0.513257	False	-0.468384	0.015469	0.043973	0.152841	-0.838903	-0.739152	-0.919701	-0.790524
DermaMNIST-ResNet-18	A	C	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f6554fb7c6789cd71b1a235		11	nonnegative__slope__ordinary__least_squares	0.3759	0.3759	False	-0.054805	0.0003	0.005774	0.905049	0.159102	0.314713	0.006983	0.06384
DermaMNIST-ResNet-18	G	C	a35f5e634ff4df87837db18d7e84efd205905d39511531c91b2c192cf47da9b3	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.040502	0.040502	False	0.106532	4.0542e-05	0.002251	0.37531	0.159102	0.286284	0.112219	0.119701
DermaMNIST-ResNet-18	S	Fbar	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3		11	nonnegative__slope__ordinary__least_squares	0.795656	0.795656	False	0.19938	0.061547	0.082695	0.249105	-0.509726	-0.298254	-0.25187	0.013965
DermaMNIST-ResNet-18	G	F	afb0d5a98ff5b5bb1952902bf47db95bfc9b0fc7bbbed38ffecbd70f875c7395		11	nonnegative__slope__ordinary__least_squares	0.062582	0.062582	False	0.073103	5.9237e-05	0.002566	0.197467	0.019451	0.076808	0.069327	0.080798
DermaMNIST-ResNet-18	G	Cbar	aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70		11	nonnegative__slope__ordinary__least_squares	0.639551	0.639551	False	-0.369357	0.015794	0.041892	0.363612	-0.838903	-0.662344	-0.919701	-0.781047
DermaMNIST-ResNet-18	S	C	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87c2ca4a27a0dd26b2ece9360a05a7		11	nonnegative__slope__ordinary__least_squares	0.614071	0.614071	False	0.179953	0.004511	0.022387	0.628531	0.159102	0.314713	0.247382	0.385536
DermaMNIST-ResNet-18	P	Cbar	d376c10a1968029969ab4896ef7885671b103f497837e481348e0866fb6cf480	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	1.061128	1.061128	False	-0.020627	0.036018	0.067099	0.248799	-0.838903	-0.739152	-0.927681	-0.708728

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ResNet-18	P	F	dadf866971803ce2530c9a53ac5cad80a7813febecc2be81f37680016ebc7e	Deconvolution	11	nonnegative__slope__ordinary__least_squares	0.053972	0.053972	False	0.052747	6.9485e-05	0.002779	0.134959	0.019451	0.076808	0.049377	0.058354
DermaMNIST-ResNet-18	S	F	ded282e4dd1a4bceb5ca8fdca7cf6d7431b7a0c8cb56c54419c4f18f2447a0a		10	nonnegative__slope__ordinary__least_squares	1.300025	1.300025	False	0.185894	0.005646	0.026566	0.454523	0.019451	0.073317	0.169576	0.298254
DermaMNIST-ResNet-18	S	Cbar	c31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f		11	nonnegative__slope__ordinary__least_squares	0.799727	0.799727	False	-0.160898	0.027266	0.055041	0.341032	-0.838903	-0.662344	-0.837406	-0.670324
DermaMNIST-ResNet-18	S	C	ea7aa25d10cecd47b0aeb0a2c4c56b752c2208fbfb8f7c8a63a8820d68cb4b	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.710513	0.710513	False	0.158888	0.003992	0.022338	0.652498	0.159102	0.286284	0.247382	0.385536
DermaMNIST-ResNet-18	A	Fbar	fdad3f07cca2b0a2812beb30a4982946e6e8085432456d1ea2e74a8ac608de08	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	1.099291	1.099291	False	0.117146	0.009694	0.03481	0.692053	-0.509726	-0.366085	-0.438903	-0.281796
DermaMNIST-ResNet-18	A	Cbar	ff07e28804cd601836fea832251b111a90232cf507c50b3579c4faa59ed8019e		11	nonnegative__slope__ordinary__least_squares	0.988121	0.988121	False	0.064507	0.007796	0.029432	0.734269	-0.838903	-0.662344	-0.777556	-0.610973

Table 208: DermaMNIST-ResNet-18

Cell	Condition	Metric	Reference Methods
DermaMNIST-ResNet-18	P	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	F	DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	P	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	F	DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	P	F	DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	P	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	P	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency

Cell	Condition	Metric	Reference Methods
DermaMNIST-ResNet-18	P	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	P	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	P	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	F	DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency

Table 209: DermaMNIST–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			G	F	2b8308394ae6f7ef92675274879a0f004215eb2e77bfff13e26c634240aebdc7	2005				max	-0.002354	0.076808
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			G	Fbar	2b8308394ae6f7ef92675274879a0f004215eb2e77bfff13e26c634240aebdc7	2005				min	0.085032	0.298254
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			G	C	2b8308394ae6f7ef92675274879a0f004215eb2e77bfff13e26c634240aebdc7	2005				max	0.000921	0.314713
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			G	Cbar	2b8308394ae6f7ef92675274879a0f004215eb2e77bfff13e26c634240aebdc7	2005				min	0.027289	0.662344
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			P	F	2b8308394ae6f7ef92675274879a0f004215eb2e77bfff13e26c634240aebdc7	2005				max	-5.0524e-05	0.076808
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			P	Fbar	2b8308394ae6f7ef92675274879a0f004215eb2e77bfff13e26c634240aebdc7	2005				min	0.069144	0.298254
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			P	C	2b8308394ae6f7ef92675274879a0f004215eb2e77bfff13e26c634240aebdc7	2005				max	-4.0328e-05	0.314713
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			P	Cbar	2b8308394ae6f7ef92675274879a0f004215eb2e77bfff13e26c634240aebdc7	2005				min	0.011239	0.662344
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			S	F	2b8308394ae6f7ef92675274879a0f004215eb2e77bfff13e26c634240aebdc7	2005				max	-0.032879	0.076808
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			S	Fbar	2b8308394ae6f7ef92675274879a0f004215eb2e77bfff13e26c634240aebdc7	2005				min	0.102122	0.298254
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			S	C	2b8308394ae6f7ef92675274879a0f004215eb2e77bfff13e26c634240aebdc7	2005				max	-0.027882	0.314713
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			S	Cbar	2b8308394ae6f7ef92675274879a0f004215eb2e77bfff13e26c634240aebdc7	2005				min	0.04643	0.662344
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			A	F	2b8308394ae6f7ef92675274879a0f004215eb2e77bfff13e26c634240aebdc7	2005				max	-0.002792	0.076808

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			A	Fbar	2b8308394a e6f7ef9267 5274879a0f 004215eb2e 77bfff13e2 6c634240ae bdc7	2005				min	- 0.05661	0.298254
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			A	C	2b8308394a e6f7ef9267 5274879a0f 004215eb2e 77bfff13e2 6c634240ae bdc7	2005				max	0.000517	0.314713
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			A	Cbar	2b8308394a e6f7ef9267 5274879a0f 004215eb2e 77bfff13e2 6c634240ae bdc7	2005				min	- 0.048116	0.662344
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			G	F	ddf5ae11e0 60d12ca152 8d621f739f 320a5fe25a 0c562cac6e d86d7a3739 e749	2005				max	0.001487	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			G	Fbar	ddf5ae11e0 60d12ca152 8d621f739f 320a5fe25a 0c562cac6e d86d7a3739 e749	2005				min	- 0.039384	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			G	C	ddf5ae11e0 60d12ca152 8d621f739f 320a5fe25a 0c562cac6e d86d7a3739 e749	2005				max	- 0.001417	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			G	Cbar	ddf5ae11e0 60d12ca152 8d621f739f 320a5fe25a 0c562cac6e d86d7a3739 e749	2005				min	- 0.005276	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			P	F	ddf5ae11e0 60d12ca152 8d621f739f 320a5fe25a 0c562cac6e d86d7a3739 e749	2005				max	0.002404	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			P	Fbar	ddf5ae11e0 60d12ca152 8d621f739f 320a5fe25a 0c562cac6e d86d7a3739 e749	2005				min	- 0.039876	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			P	C	ddf5ae11e0 60d12ca152 8d621f739f 320a5fe25a 0c562cac6e d86d7a3739 e749	2005				max	0.000982	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			P	Cbar	ddf5ae11e0 60d12ca152 8d621f739f 320a5fe25a 0c562cac6e d86d7a3739 e749	2005				min	- 0.033578	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			S	F	ddf5ae11e0 60d12ca152 8d621f739f 320a5fe25a 0c562cac6e d86d7a3739 e749	2005				max	0.033739	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			S	Fbar	ddf5ae11e0 60d12ca152 8d621f739f 320a5fe25a 0c562cac6e d86d7a3739 e749	2005				min	- 0.02567	0.38005

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			S	C	ddf5ae11e060d12ca1528d621f739f320a5fe25a0c562cac6ed86d7a3739e749	2005				max	0.023371	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			S	Cbar	ddf5ae11e060d12ca1528d621f739f320a5fe25a0c562cac6ed86d7a3739e749	2005				min	0.009277	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			A	F	ddf5ae11e060d12ca1528d621f739f320a5fe25a0c562cac6ed86d7a3739e749	2005				max	0.005688	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			A	Fbar	ddf5ae11e060d12ca1528d621f739f320a5fe25a0c562cac6ed86d7a3739e749	2005				min	0.061783	0.38005
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			A	C	ddf5ae11e060d12ca1528d621f739f320a5fe25a0c562cac6ed86d7a3739e749	2005				max	0.012408	0.281297
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			A	Cbar	ddf5ae11e060d12ca1528d621f739f320a5fe25a0c562cac6ed86d7a3739e749	2005				min	0.037019	0.73217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			G	F	2867da742edd328ac19d5b5f7e776e41fc133a9512609119c2cbefd270e9d534	2005				max	0.001487	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			G	Fbar	2867da742edd328ac19d5b5f7e776e41fc133a9512609119c2cbefd270e9d534	2005				min	0.017497	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			G	C	2867da742edd328ac19d5b5f7e776e41fc133a9512609119c2cbefd270e9d534	2005				max	0.001188	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			G	Cbar	2867da742edd328ac19d5b5f7e776e41fc133a9512609119c2cbefd270e9d534	2005				min	0.047516	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			P	F	2867da742edd328ac19d5b5f7e776e41fc133a9512609119c2cbefd270e9d534	2005				max	0.002336	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			P	Fbar	2867da742edd328ac19d5b5f7e776e41fc133a9512609119c2cbefd270e9d534	2005				min	0.047401	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			P	C	2867da742edd328ac19d5b5f7e776e41fc133a9512609119c2cbefd270e9d534	2005				max	0.000904	0.267332

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			P	Cbar	2867da742e dd328ac19d 5b5f7e776e 41fc133a95 12609119c2 cbcdf270e9 d534	2005				min	0.047644	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			S	F	2867da742e dd328ac19d 5b5f7e776e 41fc133a95 12609119c2 cbcdf270e9 d534	2005				max	0.00365	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			S	Fbar	2867da742e dd328ac19d 5b5f7e776e 41fc133a95 12609119c2 cbcdf270e9 d534	2005				min	0.044355	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			S	C	2867da742e dd328ac19d 5b5f7e776e 41fc133a95 12609119c2 cbcdf270e9 d534	2005				max	0.001024	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			S	Cbar	2867da742e dd328ac19d 5b5f7e776e 41fc133a95 12609119c2 cbcdf270e9 d534	2005				min	0.051075	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			A	F	2867da742e dd328ac19d 5b5f7e776e 41fc133a95 12609119c2 cbcdf270e9 d534	2005				max	0.003527	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			A	Fbar	2867da742e dd328ac19d 5b5f7e776e 41fc133a95 12609119c2 cbcdf270e9 d534	2005				min	0.001241	0.357107
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			A	C	2867da742e dd328ac19d 5b5f7e776e 41fc133a95 12609119c2 cbcdf270e9 d534	2005				max	- 0.003291	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			A	Cbar	2867da742e dd328ac19d 5b5f7e776e 41fc133a95 12609119c2 cbcdf270e9 d534	2005				min	0.003715	0.722693
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			G	F	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				max	- 0.000632	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			G	Fbar	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				min	0.038019	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			G	C	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				max	0.001837	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			G	Cbar	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				min	0.057613	0.718204

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			P	F	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				max	0.000233	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			P	Fbar	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				min	0.047963	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			P	C	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				max	0.000165	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			P	Cbar	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				min	0.055615	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			S	F	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				max	- 0.008902	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			S	Fbar	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				min	0.03711	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			S	C	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				max	- 0.015847	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			S	Cbar	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				min	0.055964	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			A	F	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				max	- 0.000546	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			A	Fbar	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				min	- 0.000402	0.348628
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			A	C	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				max	- 0.002799	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			A	Cbar	9e155ff30f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005				min	0.004766	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			G	F	daea8a99ca eb8176a6a9 529c7f4235 f9469f7d99 e9bc499d54 5f5ae1d885 71a4	2005				max	0.000271	0.054863

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			G	Fbar	daea8a99ca eb8176a6a9 529c7f4235 f9469f7d99 e9bc499d54 5f5ae1d885 71a4	2005				min	0.023919	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			G	C	daea8a99ca eb8176a6a9 529c7f4235 f9469f7d99 e9bc499d54 5f5ae1d885 71a4	2005				max	0.001837	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			G	Cbar	daea8a99ca eb8176a6a9 529c7f4235 f9469f7d99 e9bc499d54 5f5ae1d885 71a4	2005				min	0.047998	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			P	F	daea8a99ca eb8176a6a9 529c7f4235 f9469f7d99 e9bc499d54 5f5ae1d885 71a4	2005				max	0.000651	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			P	Fbar	daea8a99ca eb8176a6a9 529c7f4235 f9469f7d99 e9bc499d54 5f5ae1d885 71a4	2005				min	0.047834	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			P	C	daea8a99ca eb8176a6a9 529c7f4235 f9469f7d99 e9bc499d54 5f5ae1d885 71a4	2005				max	0.001162	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			P	Cbar	daea8a99ca eb8176a6a9 529c7f4235 f9469f7d99 e9bc499d54 5f5ae1d885 71a4	2005				min	0.046026	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			S	F	daea8a99ca eb8176a6a9 529c7f4235 f9469f7d99 e9bc499d54 5f5ae1d885 71a4	2005				max	- 0.010462	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			S	Fbar	daea8a99ca eb8176a6a9 529c7f4235 f9469f7d99 e9bc499d54 5f5ae1d885 71a4	2005				min	0.057934	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			S	C	daea8a99ca eb8176a6a9 529c7f4235 f9469f7d99 e9bc499d54 5f5ae1d885 71a4	2005				max	- 0.01435	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			S	Cbar	daea8a99ca eb8176a6a9 529c7f4235 f9469f7d99 e9bc499d54 5f5ae1d885 71a4	2005				min	0.056662	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			A	F	daea8a99ca eb8176a6a9 529c7f4235 f9469f7d99 e9bc499d54 5f5ae1d885 71a4	2005				max	0.00201	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			A	Fbar	daea8a99ca eb8176a6a9 529c7f4235 f9469f7d99 e9bc499d54 5f5ae1d885 71a4	2005				min	0.004534	0.354115

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			A	C	daea8a99cae8176a9529c7f4235f9469f7d99e9bc499d545f5ae1d88571a4	2005				max	-0.000305	0.275312
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			A	Cbar	daea8a99cae8176a9529c7f4235f9469f7d99e9bc499d545f5ae1d88571a4	2005				min	0.005775	0.717207
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			G	F	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				max	0.001799	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			G	Fbar	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				min	0.0306	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			G	C	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				max	0.002575	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			G	Cbar	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				min	0.048815	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			P	F	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				max	-0.000319	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			P	Fbar	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				min	0.064986	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			P	C	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				max	-0.000169	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			P	Cbar	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				min	0.049075	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			S	F	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				max	-0.011438	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			S	Fbar	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				min	0.047471	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			S	C	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				max	-0.013475	0.269825

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			S	Cbar	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				min	0.050079	0.717706
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			A	F	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				max	0.001158	0.054364
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			A	Fbar	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				min	0.003786	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			A	C	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				max	0.004251	0.269825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			A	Cbar	dec5e782a7406efe9b6f76f8733dc7aca30d3ea9c1f8bb59746f25a66f2f9c64	2005				min	0.006767	0.717706

Table 210: DermaMNIST-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Expected	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			G	F	0.076309	0.076808	0.076309	0.078663	14e811306b3704f4e6c2e84ed0e03247965024cf0cad14969d9862851a1b3b97	leave_one_out_naive__single	Deconvolution	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			G	Fbar	-	-	0.097756	0.012724	464c3dd87af14da844f8274831a5a1e60abe1e231f86d8d756f50a2dfb11d999	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			G	C	0.1202	0.314713	0.1202	0.119279	a35f5e634ff4d87837db18d7e84efd205905d39511531c91b2c192cf47da9b3	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			G	Cbar	0.781047	-	-	-	9c74739c96aedbfaf47aa170f097ac766f696c139d199d9d2cbc18221a42d5f	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			P	F	0.056858	0.076808	0.056858	0.056908	5e8b12e34379c834f32660089da36477db27ec3ef3771eaeedd531a603fc6dc8	leave_one_out_naive__single	Deconvolution	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			P	Fbar	-	-	0.108728	0.039584	237151690ca3e91804b801743461204a4a742bee710d0f6fe2b588e1eda02d72	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			P	C	0.094264	0.314713	0.094264	0.094305	6c5a79cf0dd1b0d3f9301ef2502f23502e98beeb053c5a71bcba9e76d190583	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			P	Cbar	0.712219	-	-	-	4376c10a1968029969ab4896ef7885671b103f497837e481348e0866fb6cf480	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			S	F	0.252868	0.076808	0.252868	0.285746	ded282e4dd1a4bcb5ca8fdca7cf6d7431b7a0c8cb56c54419c4f18f244f7a0a	leave_one_out_naive__single	Deconvolution	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			S	Fbar	-	-	0.013965	-	6deebb5d27b158963cc9b18c2246ef53a08c2c3e09d6e397c41ae0c367fd01bb	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			S	C	0.354613	0.314713	0.354613	0.382495	ea7aa25d10eed47b0aeebeb0a2c4c56b752c2208fbb847c8a63a8820d68cb4b	leave_one_out_naive__single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			S	Cbar	0.670324	-	-	-	70ba74be71a50c292f202335ac3ec1f6c75f20ba157deca1316b4297950f8eb8	leave_one_out_naive__single	GuidedBackprop	True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			A	F	0.01596	0.076808	0.01596	0.018752	2fda0ab00db6854cf0afce4507a6aa3ead36310466e4f77c6edebaa099972852	leave_one_out_naive_single	Deconvolution	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			A	Fbar	0.267332	-	-	0.210722	fdad3f07cc2b0a2812be30a4982946e6c8085432d56d1ea2e74a8ac608de08	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			A	C	0.06384	0.314713	0.06384	0.063323	17d7e26cb062e8703495447ee4c439724482a4cfd9a3284703884824f080a57	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			A	Cbar	0.610973	-	-	-	2009ac6c152b49813ed4a5dc381c7e5a0db07b33ce51ec23a120b2	leave_one_out_naive_single	GuidedBackprop	True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			G	F	0.078304	0.059352	0.078304	0.076817	afb0fd5a98ff5bb1952902bf47db95bfc9b0fc7bbbed388fecbd70f875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			G	Fbar	0.027431	-	-	0.011952	782d5e07949398fclbdc0b8620e2844e90f1c48b83baec6cad9b87f131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			G	C	0.116708	0.281297	0.116708	0.118125	624f55b88ef2cfcfbda780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			G	Cbar	0.842893	-	-	-	af9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			P	F	0.058354	0.059352	0.058354	0.05595	dadf86697180f3ee2530e9a53ac5cad80a7813fcbecce2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			P	Fbar	0.008978	-	-	0.030898	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			P	C	0.094264	0.281297	0.094264	0.093283	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			P	Cbar	0.828429	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			S	F	0.290773	0.059352	0.290773	0.257034	4b8ce96ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727153	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Expected	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			S	Fbar	0.128678	-0.38005	0.128678	-0.103009	a80a3b70e78c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107a3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			S	C	0.37606	0.281297	0.37606	0.352689	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			S	Cbar	0.737157	-0.73217	0.737157	-0.746434	e31bd493dd4bc77bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			A	F	0.018454	0.059352	0.018454	0.012766	6722b607d08f6a9c1382bc74a36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			A	Fbar	0.250374	-0.38005	-0.250374	-0.312157	99ddb5806e3ffbf8af0be e9cbe2beffade1a48e6eac1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			A	C	0.063342	0.281297	0.063342	0.050934	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			A	Cbar	0.621945	-0.73217	-0.621945	-0.658964	f07e28804cd601836fe a832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			G	F	0.077805	0.051372	0.077805	0.076318	afaf0d5a98ff5bb1952902bf47db95bfe9b0fc7bbbed38ffe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			G	Fbar	-0.041397	-0.357107	0.041397	0.0239	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			G	C	0.118703	0.267332	0.118703	0.117515	624f55b88ef2cbcfdab780801c6da7bf1f1361ee6f785a9373	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			G	Cbar	0.78404	-0.722693	-0.78404	-0.831556	edb093f8d7f283aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			P	F	0.057855	0.051372	0.057855	0.055519	dadaf86697180f3ee2530c9a53ac5cad80a7813febcecc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			P	Fbar	-0.090274	-0.357107	0.090274	0.042874	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750ada57	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			P	C	0.093766	0.267332	0.093766	0.092861	707d9ad3c860b2dad621aed83165b6d889f77be4823ead6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			P	Cbar	0.736658	-	-	-	0c3cdcf4a931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			S	F	0.252369	0.051372	0.252369	0.248719	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			S	Fbar	0.040399	-	-	-	a80a3b70e78c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			S	C	0.345137	0.267332	0.345137	0.344113	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			S	Cbar	0.687781	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			A	F	0.013965	0.051372	0.013965	0.010438	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae4db3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			A	Fbar	0.290274	-	-	-	99adb55806e3ffbaaf0be9cbe2beffade1a48e6eecl1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			A	C	0.042394	0.267332	0.042394	0.045685	a1c701378d7eb7619952f6e7790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			A	Cbar	0.645885	-	-	-	ff07e28804cd601836fe a832251b111a90232c507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			G	F	0.07581	0.053367	0.07581	0.076443	afbf0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbcd38ffe cbd70f875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			G	Fbar	-	-	0.066334	0.028315	782d5e07949398fclbdc0b8620e2844e90flc48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			G	C	0.119701	0.275312	0.119701	0.117864	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			G	Cbar	0.771072	-	-	-	aff9b89e4a8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			P	F	0.05586	0.053367	0.05586	0.055627	dadf86697180f3ee2530c9a53ac5cad80a7813febcccc2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			P	Fbar	-	-	0.095262	0.047293	7babdd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			P	C	0.093267	0.275312	0.093267	0.093102	70f7d9ad3c860b2dad621aead3165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			P	Cbar	0.723691	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			S	F	0.241895	0.053367	0.241895	0.250798	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdff35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			S	Fbar	0.040898	-	-	-	a80a3b70e78c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			S	C	0.333167	0.275312	0.333167	0.349014	bd40e69e7c8b4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			S	Cbar	0.679302	-	-	-	e31bd493dd4bce77bf120823ceb74e94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			A	F	0.010474	0.053367	0.010474	0.01102	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71baeddb3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			A	Fbar	0.284289	-	-	-	99ddb5806e3ffbf8af0bee9cbe2beffade1a48e6eecl560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			A	C	0.045885	0.275312	0.045885	0.048684	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			A	Cbar	0.640399	-	-	-	f07e28804cd601836feaa832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			G	F	0.076808	0.054863	0.076808	0.076537	afbf0d5a98ff5bb1952902bf47db95bfc9b0fc7bbcd38fcbcd70f875c7395	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			G	Fbar	- 0.049377	- 0.354115	0.049377	0.025458	782d5e07949398f1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			G	C	0.119701	0.275312	0.119701	0.117864	624f55b88e12cbebfdbab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			G	Cbar	0.78005	- 0.717207	- 0.78005	- 0.828048	aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			P	F	0.056359	0.054863	0.056359	0.055708	dadf86697180f3ee2530c9a53ac5cad80a7813fedecc2ba81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			P	Fbar	- 0.092269	- 0.354115	0.092269	0.044436	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			P	C	0.094264	0.275312	0.094264	0.093102	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			P	Cbar	0.73217	- 0.717207	- 0.73217	- 0.778196	0c3edcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			S	F	0.241895	0.054863	0.241895	0.252357	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			S	Fbar	0.024439	- 0.354115	- 0.024439	- 0.082373	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			S	C	0.334663	0.275312	0.334663	0.349014	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			S	Cbar	0.677805	- 0.717207	- 0.677805	- 0.734468	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			A	F	0.013466	0.054863	0.013466	0.011457	6722b607d086a9c1382bc74e36d773692d5458c75b46de584c5f4c71baedb3f	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			A	Fbar	0.284289	-	0.354115	0.284289	0.288823	99db55806e9cbe2beffade1a48e6eecl560211fa9876119f2d116e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			A	C	0.048379	0.275312	0.048379	0.048684	41c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			A	Cbar	0.638404	-	-	-	f07e28804cd601836fe832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			G	F	0.078304	0.054364	0.078304	0.076505	afbf0d5a98ff5bbb1952902b6f47db95bfc9b0fc7bbcd38ffecbd70f875c7395	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			G	Fbar	-	-	0.057357	0.026757	782d5e07949398fclbdc0b8620c2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			G	C	0.1202	0.269825	0.1202	0.117624	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373ed1b093f8d7f283	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			G	Cbar	0.779551	-	-	-	aff9b89e4a8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			P	F	0.055362	0.054364	0.055362	0.055681	dad86697180f3ee2530c9a53ac5cad80a7813febeccc2be81f37680016ebc7e	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			P	Fbar	-	-	0.110723	0.045737	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			P	C	0.092768	0.269825	0.092768	0.092937	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			P	Cbar	0.729676	-	-	-	0c3cdcfca655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			S	F	0.240399	0.054364	0.240399	0.251837	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			S	Fbar	0.032918	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False	

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			S	C	0.33217	0.269825	0.33217	0.345645	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			S	Cbar	0.684788	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			A	F	0.012469	0.054364	0.012469	0.011311	6722b607d08f6a9c1382bc74c36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			A	Fbar	0.282793	-	-	-	99ddb5806e99cbe2beffa9e1a48e6e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			A	C	0.050873	0.269825	0.050873	0.046622	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			A	Cbar	0.637905	-	-	-	ff07e28804cd601836fa832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False

Table 211: DermaMNIST-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individu al	ER^p_z	ER^p_s	ER^p_c
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			2b8308394a e6f7ef9267 5274879a0f 004215eb2e 77bfdf13e2 6c634240ae bdc7 dddf5ae11e0 60d12ca152 8d621f739f 320a5fe25a 0c562cac6e d86d7a3739 e749	2005						- 0.002354	0.085032	0.000921
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			2b8308394a e6f7ef9267 5274879a0f 004215eb2e 77bfdf13e2 6c634240ae bdc7 dddf5ae11e0 60d12ca152 8d621f739f 320a5fe25a 0c562cac6e d86d7a3739 e749	2005						0.001487	- 0.039384	- 0.001417
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			2867da742e dd328ac19d 5b5f7e776e 41fc133a95 12609119c2 cbcdf270e9 d534 9e155f930f c443139ac0 0c2e7433a1 d763c17d9f a0dba35f8a dc65ad3fa6 a423	2005						0.001487	0.017497	0.001188
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			daea8a99ca eb8176a6a9 529c7f4235 f9469f7499 e9bc499d54 5f5ae1d885 71a4 dec5e782a7 406efe9b6f 76f8733dc7 aca30d3ea9 c1f8bb5974 6f25a66f2f 9c64	2005						- 0.000632	0.038019	0.001837
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			daea8a99ca eb8176a6a9 529c7f4235 f9469f7499 e9bc499d54 5f5ae1d885 71a4 dec5e782a7 406efe9b6f 76f8733dc7 aca30d3ea9 c1f8bb5974 6f25a66f2f 9c64	2005						0.000271	0.023919	0.001837
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			daea8a99ca eb8176a6a9 529c7f4235 f9469f7499 e9bc499d54 5f5ae1d885 71a4 dec5e782a7 406efe9b6f 76f8733dc7 aca30d3ea9 c1f8bb5974 6f25a66f2f 9c64	2005						0.001799	0.0306	0.002575

Table 212: DermaMNIST–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	$ER^p_{\mathcal{D}}$	$ER^p_{\mathcal{E}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{G}}$	$ER^p_{\mathcal{H}}$	$ER^p_{\mathcal{I}}$	$ER^p_{\mathcal{J}}$	$ER^p_{\mathcal{K}}$	$ER^p_{\mathcal{L}}$	$ER^p_{\mathcal{M}}$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			0.027289	-5.0524e-05	0.069144	-4.0328e-05	0.011239	-0.032879	0.102122	-0.027882	0.04643	-0.002792
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			-0.005276	0.002404	-0.039876	0.000982	-0.033578	0.033739	-0.02567	0.023371	0.009277	0.005688
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			0.047516	0.002336	0.047401	0.000904	0.047644	0.00365	0.044355	0.001024	0.051075	0.003527
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			0.057613	0.000233	0.047963	0.000165	0.055615	-0.008902	0.03711	-0.015847	0.055964	-0.000546
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			0.047998	0.000651	0.047834	0.001162	0.046026	-0.010462	0.057934	-0.01435	0.056662	0.00201
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			0.048815	-0.000319	0.064986	-0.000169	0.049075	-0.011438	0.047471	-0.013475	0.050079	0.001158

Table 213: DermaMNIST–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_P	ER^*_C	$ER^*_\bar{C}$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Best Individual	Naive			-0.05661	0.000517	-0.048116
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Naive			0.061783	0.012408	0.037019
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Naive			0.001241	-0.003291	0.003715
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Naive			-0.000402	-0.002799	0.004766
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Naive			0.004534	-0.000305	0.005775
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Naive			0.003786	0.004251	0.006767

Table 214: DermaMNIST-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	G	F	c952a5182a 373f99fe49 bccb03899c 2126d381a8 523be1dfbe 46feef1f8 c7ed	2005				max	0.002359	0.069327
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	G	Fbar	c952a5182a 373f99fe49 bccb03899c 2126d381a8 523be1dfbe 46feef1f8 c7ed	2005				min	- 0.074712	0.38404
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	G	C	c952a5182a 373f99fe49 bccb03899c 2126d381a8 523be1dfbe 46feef1f8 c7ed	2005				max	0.001769	0.288279
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	G	Cbar	c952a5182a 373f99fe49 bccb03899c 2126d381a8 523be1dfbe 46feef1f8 c7ed	2005				min	- 0.037498	0.737157
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	P	F	c952a5182a 373f99fe49 bccb03899c 2126d381a8 523be1dfbe 46feef1f8 c7ed	2005				max	0.001367	0.069327
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	P	Fbar	c952a5182a 373f99fe49 bccb03899c 2126d381a8 523be1dfbe 46feef1f8 c7ed	2005				min	- 0.073704	0.38404
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	P	C	c952a5182a 373f99fe49 bccb03899c 2126d381a8 523be1dfbe 46feef1f8 c7ed	2005				max	- 0.000725	0.288279
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	P	Cbar	c952a5182a 373f99fe49 bccb03899c 2126d381a8 523be1dfbe 46feef1f8 c7ed	2005				min	- 0.061941	0.737157
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	S	F	c952a5182a 373f99fe49 bccb03899c 2126d381a8 523be1dfbe 46feef1f8 c7ed	2005				max	0.032322	0.069327
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	S	Fbar	c952a5182a 373f99fe49 bccb03899c 2126d381a8 523be1dfbe 46feef1f8 c7ed	2005				min	- 0.082345	0.38404
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	S	C	c952a5182a 373f99fe49 bccb03899c 2126d381a8 523be1dfbe 46feef1f8 c7ed	2005				max	0.030554	0.288279
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	S	Cbar	c952a5182a 373f99fe49 bccb03899c 2126d381a8 523be1dfbe 46feef1f8 c7ed	2005				min	- 0.02464	0.737157
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	A	F	c952a5182a 373f99fe49 bccb03899c 2126d381a8 523be1dfbe 46feef1f8 c7ed	2005				max	0.006768	0.069327

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	A	Fbar	c952a5182a373f99fe49bccb03899c2126d381a8523be1dfbe46feef1f8c7ed	2005	Geometry			min	0.042929	0.38404
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	A	C	c952a5182a373f99fe49bccb03899c2126d381a8523be1dfbe46feef1f8c7ed	2005				max	0.013773	0.288279
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	A	Cbar	c952a5182a373f99fe49bccb03899c2126d381a8523be1dfbe46feef1f8c7ed	2005				min	0.033469	0.737157
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	G	F	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				max	0.002887	0.084788
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	G	Fbar	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				min	-0.04209	0.309726
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	G	C	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				max	0.003173	0.313217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	G	Cbar	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				min	0.025176	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	P	F	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				max	-0.000465	0.084788
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	P	Fbar	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				min	-0.023715	0.309726
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	P	C	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				max	1.8256e-05	0.313217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	P	Cbar	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				min	0.002261	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	S	F	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				max	0.003741	0.084788
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	S	Fbar	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				min	-0.045713	0.309726

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	S	C	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005	Geometry			max	0.0017759	0.313217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	S	Cbar	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				min	0.0033099	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	A	F	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				max	0.0027566	0.084788
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	A	Fbar	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				min	- 0.002485	0.309726
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	A	C	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				max	0.015371	0.313217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	A	Cbar	dbb4ad94b753bf63cd9238ad90970fb73cff914b817d1320407f03acd6c0ad07	2005				min	- 0.007627	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	G	F	9ec059035cdfba58b7ab7b8a8be44662f21be2af35b78c6055096f739a781b56	2005				max	0.001484	0.091272
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	G	Fbar	9ec059035cdfba58b7ab7b8a8be44662f21be2af35b78c6055096f739a781b56	2005				min	- 0.060201	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	G	C	9ec059035cdfba58b7ab7b8a8be44662f21be2af35b78c6055096f739a781b56	2005				max	0.002132	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	G	Cbar	9ec059035cdfba58b7ab7b8a8be44662f21be2af35b78c6055096f739a781b56	2005				min	0.041136	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	P	F	9ec059035cdfba58b7ab7b8a8be44662f21be2af35b78c6055096f739a781b56	2005				max	- 0.000815	0.091272
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	P	Fbar	9ec059035cdfba58b7ab7b8a8be44662f21be2af35b78c6055096f739a781b56	2005				min	- 0.02636	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	P	C	9ec059035cdfba58b7ab7b8a8be44662f21be2af35b78c6055096f739a781b56	2005				max	- 0.000511	0.314214

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	P	Cbar	9ec059035c dfba58b7ab 7b8a8be446 62f21be2af 35b78c6055 096f739a78 1b56	2005				min	0.021713	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	S	F	9ec059035c dfba58b7ab 7b8a8be446 62f21be2af 35b78c6055 096f739a78 1b56	2005				max	- 0.009499	0.091272
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	S	Fbar	9ec059035c dfba58b7ab 7b8a8be446 62f21be2af 35b78c6055 096f739a78 1b56	2005				min	- 0.068077	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	S	C	9ec059035c dfba58b7ab 7b8a8be446 62f21be2af 35b78c6055 096f739a78 1b56	2005				max	- 0.002828	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	S	Cbar	9ec059035c dfba58b7ab 7b8a8be446 62f21be2af 35b78c6055 096f739a78 1b56	2005				min	0.001314	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	A	F	9ec059035c dfba58b7ab 7b8a8be446 62f21be2af 35b78c6055 096f739a78 1b56	2005				max	- 0.00512	0.091272
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	A	Fbar	9ec059035c dfba58b7ab 7b8a8be446 62f21be2af 35b78c6055 096f739a78 1b56	2005				min	- 0.018397	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	A	C	9ec059035c dfba58b7ab 7b8a8be446 62f21be2af 35b78c6055 096f739a78 1b56	2005				max	0.009011	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	A	Cbar	9ec059035c dfba58b7ab 7b8a8be446 62f21be2af 35b78c6055 096f739a78 1b56	2005				min	- 0.020096	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	G	F	b6a75f063f 9c49cb602a ed06a5c346 f97c038a6e e72870b217 48af81d73e fb28	2005				max	0.002327	0.077805
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	G	Fbar	b6a75f063f 9c49cb602a ed06a5c346 f97c038a6e e72870b217 48af81d73e fb28	2005				min	- 0.063536	0.309726
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	G	C	b6a75f063f 9c49cb602a ed06a5c346 f97c038a6e e72870b217 48af81d73e fb28	2005				max	0.002069	0.304239
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	G	Cbar	b6a75f063f 9c49cb602a ed06a5c346 f97c038a6e e72870b217 48af81d73e fb28	2005				min	0.037569	0.660349

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	P	F	b6a75f063f9c49cb602aed06a5c346f97c038a6ee72870b21748af81d73efb28	2005				max	-0.000587	0.077805
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	P	Fbar	b6a75f063f9c49cb602aed06a5c346f97c038a6ee72870b21748af81d73efb28	2005				min	-0.03369	0.309726
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	P	C	b6a75f063f9c49cb602aed06a5c346f97c038a6ee72870b21748af81d73efb28	2005				max	0.000289	0.304239
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	P	Cbar	b6a75f063f9c49cb602aed06a5c346f97c038a6ee72870b21748af81d73efb28	2005				min	0.015653	0.660349
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	S	F	b6a75f063f9c49cb602aed06a5c346f97c038a6ee72870b21748af81d73efb28	2005				max	0.008025	0.077805
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	S	Fbar	b6a75f063f9c49cb602aed06a5c346f97c038a6ee72870b21748af81d73efb28	2005				min	-0.05918	0.309726
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	S	C	b6a75f063f9c49cb602aed06a5c346f97c038a6ee72870b21748af81d73efb28	2005				max	0.006789	0.304239
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	S	Cbar	b6a75f063f9c49cb602aed06a5c346f97c038a6ee72870b21748af81d73efb28	2005				min	-0.006265	0.660349
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	A	F	b6a75f063f9c49cb602aed06a5c346f97c038a6ee72870b21748af81d73efb28	2005				max	0.001302	0.077805
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	A	Fbar	b6a75f063f9c49cb602aed06a5c346f97c038a6ee72870b21748af81d73efb28	2005				min	-0.014954	0.309726
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	A	C	b6a75f063f9c49cb602aed06a5c346f97c038a6ee72870b21748af81d73efb28	2005				max	0.013758	0.304239
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	A	Cbar	b6a75f063f9c49cb602aed06a5c346f97c038a6ee72870b21748af81d73efb28	2005				min	-0.018487	0.660349
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	G	F	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				max	0.002981	0.083292

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	G	Fbar	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005	Geometry			min	-0.041632	0.307731
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	G	C	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				max	0.003195	0.312718
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	G	Cbar	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				min	0.025576	0.667332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	P	F	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				max	-0.000384	0.083292
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	P	Fbar	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				min	-0.024258	0.307731
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	P	C	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				max	3.3307e-05	0.312718
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	P	Cbar	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				min	0.000982	0.667332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	S	F	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				max	0.004802	0.083292
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	S	Fbar	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				min	-0.047301	0.307731
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	S	C	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				max	0.00258	0.312718
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	S	Cbar	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				min	0.001314	0.667332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	A	F	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				max	0.002694	0.083292
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	A	Fbar	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				min	-0.002784	0.307731

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	A	C	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				max	0.015559	0.312718
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	A	Cbar	21a755b3ad9fc8857fc94385db7463fb58e82167272636bf43f3cb2abf2d9ce3	2005				min	-0.009592	0.667332

Table 215: DermaMNIST-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	G	F	0.0798	0.069327	0.0798	0.077442	afbf0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbbd38f8eabd70f875c73995	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	G	Fbar	0.064838	-0.38404	-0.064838	0.009874	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	G	C	0.1202	0.288279	0.1202	0.11843	624f55b588ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	G	Cbar	0.878304	-0.737157	-0.878304	-0.840807	af9b89e4a8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	P	F	0.057855	0.069327	0.057855	0.056488	dadf86697180f3ee2530c9a53ac5ca480a7813febecce2be81f37680016ebc7e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	P	Fbar	0.044888	-0.38404	-0.044888	0.028816	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adca57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	P	C	0.092768	0.288279	0.092768	0.093494	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	P	Cbar	0.862344	-0.737157	-0.862344	-0.800403	0c3cdcf4a655c0afa6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	S	F	0.299751	0.069327	0.299751	0.267429	4b8e965ed1af9db2eedff54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	S	Fbar	0.188529	-0.38404	-0.188529	0.106183	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	S	C	0.387531	0.288279	0.387531	0.356977	b40e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	S	Cbar	0.775062	-0.737157	-0.775062	-0.750422	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	A	F	0.022444	0.069327	0.022444	0.015676	66722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae4b3f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	A	Fbar	0.272818	-	-	-	99d4bb5806ee9cbe2beffadela48e6ecec1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	A	C	0.067332	0.288279	0.067332	0.053559	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	A	Cbar	0.630424	-	-	-	f07e28804cd601836feaa32251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	G	F	0.081297	0.084788	0.081297	0.078409	afb6fd5a98ff5bbb1952902bf47db95bfc9b0f67bbcd38ffeabd70f875c7395	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	G	Fbar	-	-	0.006484	0.048573	782d5e07949398fclbdc0b8620e2844e90f1c48b83baecc6cad9b87131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	G	C	0.122693	0.313217	0.122693	0.11952	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	G	Cbar	0.772569	-	-	-	af09b89e4a78d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	P	F	0.056858	0.084788	0.056858	0.057323	dadf86697180f3ee2530c9a53ac5cad80a7813f6beccc2be81f37680016ebc7e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	P	Fbar	-	-	0.04389	0.067605	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	P	C	0.094264	0.313217	0.094264	0.094246	707fd9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	P	Cbar	0.723192	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bcd4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	S	F	0.287282	0.084788	0.287282	0.28354	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	S	Fbar	0.092768	-	0.309726	0.092768	0.047055	a80a3b70e778c0ef840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	S	C	0.374065	0.313217	0.374065	0.37229	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	S	Cbar	0.693267	-	0.669825	0.693267	0.696575	e31bd493dd4bc77bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	A	F	0.022943	0.084788	0.022943	0.020186	6722b607d08f6a9c1382bc74e364773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		True	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	A	Fbar	0.251372	-	0.309726	0.251372	0.248886	99dbb5806e3fb8af0be9cbe2beffa0e1a48e6eac1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	A	C	0.078304	0.313217	0.078304	0.062933	alc701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	A	Cbar	0.604988	-	0.669825	0.604988	0.597361	f07e28804cd601836fe a832251b111a90232cf507c50b3579c4faa59ed819e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	G	F	0.080299	0.091272	0.080299	0.078815	afbf0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbbed38ffe	full_naive_single_pool		True	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	G	Fbar	0.013965	-	0.314214	0.013965	0.046236	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	G	C	0.121696	0.314214	0.121696	0.119564	624f55b88ef2cfcfbda780801c6da7b1f1361ee6f785a9373edbf093f8d7f283	full_naive_single_pool		False	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	G	Cbar	0.756608	-	0.669825	0.756608	0.797745	aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	P	F	0.056858	0.091272	0.056858	0.057673	dadf86697180f3ee2530c9a53ac5cad80a7813febcecc2be81f37680016ebc7e	full_naive_single_pool		True	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	P	Fbar	-	-	0.038903	0.065262	0.065262	7babb4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	P	C	0.093766	0.314214	0.093766	0.094276	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	P	Cbar	0.703741	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	S	F	0.280798	0.091272	0.280798	0.290297	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	S	Fbar	0.118703	-	-	-	a80a3b70e778c0ef840ae0e7a6647e18fe492c874d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	S	C	0.370075	0.314214	0.370075	0.372903	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	S	Cbar	0.695262	-	-	-	e31bd493dd4bc7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	A	F	0.016958	0.091272	0.016958	0.022078	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	A	Fbar	0.271322	-	-	-	db3f994bb5806e3ff8a0be9e9cbe2beffadela48e6e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	A	C	0.072319	0.314214	0.072319	0.063308	ec1560211fa9876119f2d16ealc701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	A	Cbar	0.617456	-	-	-	f07e28804cd601836fe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	G	F	0.080299	0.077805	0.080299	0.077972	a832251b111a90232ef507c50b3579c4faa59ed8019eafbf0d5a98ff5bbb1952902bf47db95bfc9b0fe7bbcd38ffe	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	G	Fbar	0.014963	-	-	0.048573	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b87f131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	G	C	0.121197	0.304239	0.121197	0.119128	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	G	Cbar	0.754118	-	-	-	aff9b89e4a4f8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	P	F	0.056359	0.077805	0.056359	0.056946	dadf86697180f3ee2530c9a53ac5cad80a7813fcbecce2be81f37680016ebc7e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	P	Fbar	-	-	0.033915	0.067605	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	P	C	0.094264	0.304239	0.094264	0.093975	70f7d9ad3c860b2dad621aed83105b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	P	Cbar	0.699252	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	S	F	0.284289	0.077805	0.284289	0.276264	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdff35c52a3267c6a5d6727f53	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	S	Fbar	0.106234	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	S	C	0.373566	0.304239	0.373566	0.366777	b40e69e7c84a48b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	S	Cbar	0.695262	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	A	F	0.019451	0.077805	0.019451	0.018149	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71baebdb3f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	A	Fbar	0.26384	-	-	-	99ddb5806e3ff8a0fbe9cbe2beffadela48e6ecec156021ffa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	A	C	0.073317	0.304239	0.073317	0.059558	alc701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	A	Cbar	0.606484	-	-	-	ff07e28804cd601836fea832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	G	F	0.081297	0.083292	0.081297	0.078316	6afbf0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbbd38fhecdbd70f875c7395	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	G	Fbar	-0.00798	-0.307731	0.00798	0.049612	78245e07949398fclbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	G	C	0.122693	0.312718	0.122693	0.119498	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	G	Cbar	0.770574	-	-	-	af9b89e4afrd93c8aed55617458ebbac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	P	F	0.056858	0.083292	0.056858	0.057242	dadf86697180f3ee2530c9a53ac5cad80a7813f6beccc2be81f37680016ebc7e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	P	Fbar	-0.044389	-0.307731	0.044389	0.068647	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220e9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	P	C	0.094264	0.312718	0.094264	0.094231	70f7d9ad3c860b2dad621aed83165b6d889f77be4823ead6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	P	Cbar	0.721696	-	-	-	0e3cdcf4a655c0a0fa6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	S	F	0.286783	0.083292	0.286783	0.281981	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	S	Fbar	0.092768	-0.307731	-0.092768	0.045468	a80a3b70e778c0eff840ac0e7a6647e18fe492e84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	S	C	0.374564	0.312718	0.374564	0.371984	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	S	Cbar	0.693267	-0.667332	-0.693267	0.694581	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	A	F	0.022444	0.083292	0.022444	0.01975	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71baedb3f	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	A	Fbar	0.249878	-	-	-	-	99dbb5806e3ffb8af0be9cbe2beffadela48e6eecd1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	A	C	0.078304	0.312718	0.078304	0.062745	-	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	A	Cbar	0.604489	-	-	-	-	f07e28804cd601836fe a832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False

Table 216: DermaMNIST-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individu al	ER^p_x	ER^p_z	ER^p_c
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	c952a5182a 373f99fe49 bccb03899c 2126d381a8 523be1dfbe 46feef1f8 c7ed	2005				Deconvolution;GuidedBack prop;Occlusion		0.002359	- 0.074712	0.001769
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	dbb4ad94b7 53bf63cd92 38ad90970f b73eff914b 817d132040 7f03acd6c0 ad07	2005				Deconvolution;GuidedBack prop;Occlusion		0.002887	- 0.04209	0.003173
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	9ec059035c dfba58b7ab 7b8a8be446 62f21be2af 35b78c6055 096f739a78 1b56	2005				Deconvolution;GuidedBack prop;Occlusion		0.001484	- 0.060201	0.002132
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	b6a75f063f 9c49cb602a ed06a5c346 f97c038a6e e72870b217 48af81d73e fb28	2005				Deconvolution;GuidedBack prop;Occlusion		0.002327	- 0.063536	0.002069
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	21a755b3ad 9fc8857fc9 4385db7463 fb58e82167 272636bf43 f3cb2abf2d 9ce3	2005				Deconvolution;GuidedBack prop;Occlusion		0.002981	- 0.041632	0.003195

Table 217: DermaMNIST–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	$ER^p_{\mathcal{D}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{E}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{G}}$	$ER^s_{\mathcal{F}}$	$ER^s_{\mathcal{E}}$	$ER^s_{\mathcal{C}}$	$ER^s_{\mathcal{G}}$	$ER^s_{\mathcal{F}}$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	-0.037498	0.001367	-0.073704	-0.000725	-0.061941	0.032322	-0.082345	0.030554	-0.02464	0.006768
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	0.025176	-0.000465	-0.023715	1.8256e- 05	0.002261	0.003741	-0.045713	0.001775	0.003309	0.002756
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	0.041136	-0.000815	-0.02636	-0.000511	0.021713	-0.009499	-0.068077	-0.002828	0.001314	-0.00512
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	0.037569	-0.000587	-0.03369	0.000289	0.015653	0.008025	-0.05918	0.006789	-0.006265	0.001302
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	0.025576	-0.000384	-0.024258	3.3307e- 05	0.000982	0.004802	-0.047301	0.00258	0.001314	0.002694

Table 218: DermaMNIST–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_p	ER^*_c	ER^*_s
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		3	0.042929	0.013773	0.033469
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	Dual Geometry Noise		3	-0.002485	0.015371	-0.007627
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	Dual Geometry Noise		3	-0.018397	0.009011	-0.020096
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	Dual Geometry Noise		3	-0.014954	0.013758	-0.018487
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	Dual Geometry Noise		3	-0.002784	0.015559	-0.009592

Table 219: DermaMNIST-ResNet-18

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ResNet-18	P	Cbar	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4		11	nonnegative__slope__ordinary__least_squares	1.113142	1.113142	False	0.020157	0.036073	0.06331	0.431124	-0.838903	-0.662344	-0.927681	-0.708728
DermaMNIST-ResNet-18	S	F	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd535c52a3267c6a5d6727f53		11	nonnegative__slope__ordinary__least_squares	1.042056	1.042056	False	0.195187	0.006381	0.026627	0.387744	0.019451	0.076808	0.169576	0.298254
DermaMNIST-ResNet-18	G	C	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edfb093f8d7f283		11	nonnegative__slope__ordinary__least_squares	0.043688	0.043688	False	0.105836	4.1108e-05	0.002137	0.484456	0.159102	0.314713	0.112219	0.1202
DermaMNIST-ResNet-18	A	F	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71baedb3f		11	nonnegative__slope__ordinary__least_squares	0.291721	0.291721	False	-0.004548	4.9006e-05	0.002333	0.866	0.019451	0.076808	-0.000499	0.017955
DermaMNIST-ResNet-18	P	C	70f7d9ad3c860b2dad621a6d83165b6d889f77be4823eada6a98f67669105445		11	nonnegative__slope__ordinary__least_squares	0.030177	0.030177	False	0.084794	2.6254e-05	0.001708	0.412459	0.159102	0.314713	0.086284	0.094264
DermaMNIST-ResNet-18	G	Fbar	782d2e07949398fclbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b		11	nonnegative__slope__ordinary__least_squares	0.520748	0.520748	False	0.209862	0.04236	0.068605	0.171134	-0.509726	-0.298254	-0.108229	0.097756
DermaMNIST-ResNet-18	P	Fbar	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57		11	nonnegative__slope__ordinary__least_squares	0.521966	0.521966	False	0.229272	0.037025	0.064139	0.191807	-0.509726	-0.298254	-0.069825	0.109726
DermaMNIST-ResNet-18	A	Fbar	994db5806e3ff8af0be9cbe2beffade1a48e6eecl560211fa9876119f2d16e		11	nonnegative__slope__ordinary__least_squares	0.899695	0.899695	False	0.029772	0.011322	0.035469	0.697496	-0.509726	-0.298254	-0.438903	-0.267332
DermaMNIST-ResNet-18	A	C	a1c701378d7eb7619952f6e790d7f7c13eb3a82f655dfb7c6789c1d71b1a235		11	nonnegative__slope__ordinary__least_squares	0.3759	0.3759	False	-0.054805	0.0003	0.005774	0.905049	0.159102	0.314713	0.006983	0.06384
DermaMNIST-ResNet-18	S	Fbar	a80a3b70e778c0aff840ae0c7a6647e18fe492c84d516e1d423269c1db0107e3		11	nonnegative__slope__ordinary__least_squares	0.795656	0.795656	False	0.19938	0.061547	0.082695	0.249105	-0.509726	-0.298254	-0.25187	0.013965
DermaMNIST-ResNet-18	G	F	afb0d5a98ff5b5bb1952902bf47db95bfe9b0fc7bbbed38ffeabd70f875c7395		11	nonnegative__slope__ordinary__least_squares	0.062582	0.062582	False	0.073103	5.9237e-05	0.002566	0.197467	0.019451	0.076808	0.069327	0.080798
DermaMNIST-ResNet-18	G	Cbar	aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70		11	nonnegative__slope__ordinary__least_squares	0.639551	0.639551	False	-0.369357	0.015794	0.041892	0.363612	-0.838903	-0.662344	-0.919701	-0.781047

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
DermaMNIST-ResNet-18	S	C	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7		11	nonnegative__slope__ordinary__least_squares	0.614071	0.614071	False	0.179953	0.004511	0.022387	0.628531	0.159102	0.314713	0.247382	0.385536
DermaMNIST-ResNet-18	P	F	dadf86697180f3ee2530c9a53ac5cad80a7813febcccc2be81f37680016ebc7e		11	nonnegative__slope__ordinary__least_squares	0.053972	0.053972	False	0.052747	6.9485e-05	0.002779	0.134959	0.019451	0.076808	0.049377	0.058354
DermaMNIST-ResNet-18	S	Cbar	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f		11	nonnegative__slope__ordinary__least_squares	0.799727	0.799727	False	-0.160898	0.027266	0.055041	0.341032	-0.838903	-0.662344	-0.837406	-0.670324
DermaMNIST-ResNet-18	A	Cbar	ff07e28804cd601836feab832251b111a90232cf507c50b3579c4faa59ed8019e		11	nonnegative__slope__ordinary__least_squares	0.988121	0.988121	False	0.064507	0.007796	0.029432	0.734269	-0.838903	-0.662344	-0.777556	-0.610973

Table 220: DermaMNIST-ResNet-18

Cell	Condition	Metric	Reference Methods
DermaMNIST-ResNet-18	P	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	P	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	P	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	A	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	G	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	P	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
DermaMNIST-ResNet-18	S	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency

Cell	Condition	Metric	Reference Methods
DermaMNIST-ResNet-18	A	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency

Table 221: DermaMNIST-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	G	F	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		max	- 0.001258	0.079302
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	G	Fbar	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		min	0.046918	0.296758
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	G	C	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		max	0.004127	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	G	Cbar	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		min	0.016024	0.657855
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	P	F	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		max	- 0.001665	0.079302
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	P	Fbar	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		min	0.030364	0.296758
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	P	C	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		max	- 1.1845e-05	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	P	Cbar	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		min	0.022353	0.657855
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	S	F	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		max	- 0.025953	0.079302
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	S	Fbar	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		min	0.043221	0.296758
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	S	C	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		max	- 0.021781	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	S	Cbar	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		min	0.028649	0.657855
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	A	F	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		max	- 0.00113	0.079302

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	A	Fbar	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		min	- 0.01116	0.296758
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	A	C	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		max	0.00552	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	A	Cbar	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e a6ad1e82fe 040e	2005	Spearman	NOISE-S		min	- 0.004492	0.657855
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	G	F	86aa45e206 3854a374fa 0c44f2747f 9258f6ca57 d8af65e6d5 e5433f3ab2 9860	2005	Spearman	NOISE-S		max	- 0.001352	0.080798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	G	Fbar	86aa45e206 3854a374fa 0c44f2747f 9258f6ca57 d8af65e6d5 e5433f3ab2 9860	2005	Spearman	NOISE-S		min	- 0.018221	0.294264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	G	C	86aa45e206 3854a374fa 0c44f2747f 9258f6ca57 d8af65e6d5 e5433f3ab2 9860	2005	Spearman	NOISE-S		max	0.004086	0.303741
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	G	Cbar	86aa45e206 3854a374fa 0c44f2747f 9258f6ca57 d8af65e6d5 e5433f3ab2 9860	2005	Spearman	NOISE-S		min	0.057641	0.65586
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	P	F	86aa45e206 3854a374fa 0c44f2747f 9258f6ca57 d8af65e6d5 e5433f3ab2 9860	2005	Spearman	NOISE-S		max	- 0.00025	0.080798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	P	Fbar	86aa45e206 3854a374fa 0c44f2747f 9258f6ca57 d8af65e6d5 e5433f3ab2 9860	2005	Spearman	NOISE-S		min	- 0.012334	0.294264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	P	C	86aa45e206 3854a374fa 0c44f2747f 9258f6ca57 d8af65e6d5 e5433f3ab2 9860	2005	Spearman	NOISE-S		max	0.000304	0.303741
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	P	Cbar	86aa45e206 3854a374fa 0c44f2747f 9258f6ca57 d8af65e6d5 e5433f3ab2 9860	2005	Spearman	NOISE-S		min	0.056542	0.65586
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	S	F	86aa45e206 3854a374fa 0c44f2747f 9258f6ca57 d8af65e6d5 e5433f3ab2 9860	2005	Spearman	NOISE-S		max	- 0.034495	0.080798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	S	Fbar	86aa45e206 3854a374fa 0c44f2747f 9258f6ca57 d8af65e6d5 e5433f3ab2 9860	2005	Spearman	NOISE-S		min	- 0.015621	0.294264

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	S	C	86aa45e2063854a374fa0c44f2747f9258f6ca57d8af65c6d5e5433f3ab29860	2005	Spearman	NOISE-S		max	-0.021334	0.303741
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	S	Cbar	86aa45e2063854a374fa0c44f2747f9258f6ca57d8af65c6d5e5433f3ab29860	2005	Spearman	NOISE-S		min	0.026554	0.65586
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	A	F	86aa45e2063854a374fa0c44f2747f9258f6ca57d8af65c6d5e5433f3ab29860	2005	Spearman	NOISE-S		max	-0.006055	0.080798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	A	Fbar	86aa45e2063854a374fa0c44f2747f9258f6ca57d8af65c6d5e5433f3ab29860	2005	Spearman	NOISE-S		min	-0.023877	0.294264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	A	C	86aa45e2063854a374fa0c44f2747f9258f6ca57d8af65c6d5e5433f3ab29860	2005	Spearman	NOISE-S		max	0.001477	0.303741
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	A	Cbar	86aa45e2063854a374fa0c44f2747f9258f6ca57d8af65c6d5e5433f3ab29860	2005	Spearman	NOISE-S		min	-0.023421	0.65586
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	G	F	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		max	-0.001352	0.080798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	G	Fbar	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		min	-0.018221	0.294264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	G	C	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		max	0.004086	0.303741
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	G	Cbar	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		min	0.057641	0.65586
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	P	F	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		max	-0.00025	0.080798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	P	Fbar	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		min	-0.012334	0.294264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	P	C	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		max	0.000304	0.303741

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	P	Cbar	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		min	0.056542	0.65586
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	S	F	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		max	-0.034495	0.080798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	S	Fbar	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		min	-0.015621	0.294264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	S	C	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		max	-0.021334	0.303741
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	S	Cbar	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		min	0.026554	0.65586
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	A	F	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		max	-0.006055	0.080798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	A	Fbar	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		min	-0.023877	0.294264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	A	C	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		max	0.001477	0.303741
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	A	Cbar	4e999e78fe72d6f249edf402529964c68ada7a5534f039fa0c81d17f8b2b5eec	2005	Spearman	NOISE-S		min	-0.023421	0.65586
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	G	F	405a3a68c99a221542c9dddfe01dfe2f7d96a92103fe0e79d06707e6c874d44a	2005	Spearman	NOISE-S		max	-0.000667	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	G	Fbar	405a3a68c99a221542c9dddfe01dfe2f7d96a92103fe0e79d06707e6c874d44a	2005	Spearman	NOISE-S		min	-0.036302	0.312219
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	G	C	405a3a68c99a221542c9dddfe01dfe2f7d96a92103fe0e79d06707e6c874d44a	2005	Spearman	NOISE-S		max	-0.000427	0.315711
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	G	Cbar	405a3a68c99a221542c9dddfe01dfe2f7d96a92103fe0e79d06707e6c874d44a	2005	Spearman	NOISE-S		min	0.051053	0.665835

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	P	F	405a3a68c9 9a221542c9 dddfc01dfe 2f7d96a921 03fe0e79d0 6707e6c874 d44a	2005	Spearman	NOISE-S		max	- 0.001947	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	P	Fbar	405a3a68c9 9a221542c9 dddfc01dfe 2f7d96a921 03fe0e79d0 6707e6c874 d44a	2005	Spearman	NOISE-S		min	- 0.01593	0.312219
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	P	C	405a3a68c9 9a221542c9 dddfc01dfe 2f7d96a921 03fe0e79d0 6707e6c874 d44a	2005	Spearman	NOISE-S		max	- 0.002052	0.315711
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	P	Cbar	405a3a68c9 9a221542c9 dddfc01dfe 2f7d96a921 03fe0e79d0 6707e6c874 d44a	2005	Spearman	NOISE-S		min	0.068144	0.665835
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	S	F	405a3a68c9 9a221542c9 dddfc01dfe 2f7d96a921 03fe0e79d0 6707e6c874 d44a	2005	Spearman	NOISE-S		max	- 0.030053	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	S	Fbar	405a3a68c9 9a221542c9 dddfc01dfe 2f7d96a921 03fe0e79d0 6707e6c874 d44a	2005	Spearman	NOISE-S		min	- 0.048717	0.312219
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	S	C	405a3a68c9 9a221542c9 dddfc01dfe 2f7d96a921 03fe0e79d0 6707e6c874 d44a	2005	Spearman	NOISE-S		max	- 0.008734	0.315711
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	S	Cbar	405a3a68c9 9a221542c9 dddfc01dfe 2f7d96a921 03fe0e79d0 6707e6c874 d44a	2005	Spearman	NOISE-S		min	0.026053	0.665835
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	A	F	405a3a68c9 9a221542c9 dddfc01dfe 2f7d96a921 03fe0e79d0 6707e6c874 d44a	2005	Spearman	NOISE-S		max	- 0.003853	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	A	Fbar	405a3a68c9 9a221542c9 dddfc01dfe 2f7d96a921 03fe0e79d0 6707e6c874 d44a	2005	Spearman	NOISE-S		min	- 0.020192	0.312219
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	A	C	405a3a68c9 9a221542c9 dddfc01dfe 2f7d96a921 03fe0e79d0 6707e6c874 d44a	2005	Spearman	NOISE-S		max	0.00396	0.315711
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	A	Cbar	405a3a68c9 9a221542c9 dddfc01dfe 2f7d96a921 03fe0e79d0 6707e6c874 d44a	2005	Spearman	NOISE-S		min	- 0.024537	0.665835
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	G	F	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		max	- 0.001352	0.080798

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	G	Fbar	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		min	- 0.018221	0.294264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	G	C	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		max	0.004086	0.303741
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	G	Cbar	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		min	0.057641	0.65586
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	P	F	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		max	- 0.00025	0.080798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	P	Fbar	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		min	- 0.012334	0.294264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	P	C	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		max	0.000304	0.303741
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	P	Cbar	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		min	0.056542	0.65586
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	S	F	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		max	- 0.034495	0.080798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	S	Fbar	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		min	- 0.015621	0.294264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	S	C	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		max	- 0.021334	0.303741
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	S	Cbar	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		min	0.026554	0.65586
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	A	F	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		max	- 0.006055	0.080798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	A	Fbar	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		min	- 0.023877	0.294264

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	A	C	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		max	0.001477	0.303741
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	A	Cbar	36e10424dd acf23ded4e 16d5dcf97a 3eace2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		min	- 0.023421	0.65586
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	G	F	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		max	0.002359	0.069327
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	G	Fbar	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		min	- 0.074712	0.38404
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	G	C	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		max	0.001769	0.288279
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	G	Cbar	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		min	- 0.037498	0.737157
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	P	F	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		max	0.001367	0.069327
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	P	Fbar	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		min	- 0.073704	0.38404
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	P	C	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		max	- 0.000725	0.288279
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	P	Cbar	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		min	- 0.061941	0.737157
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	S	F	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		max	0.032322	0.069327
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	S	Fbar	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		min	- 0.082345	0.38404
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	S	C	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		max	0.030554	0.288279

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	S	Cbar	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		min	- 0.02464	0.737157
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	A	F	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		max	0.006768	0.069327
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	A	Fbar	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		min	0.042929	0.38404
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	A	C	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		max	0.013773	0.288279
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	A	Cbar	77d867c1bd c73f8e299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		min	0.033469	0.737157
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	G	F	e589dab402 8c4dab0c43 4fc6035b9c fd65b732f dd8464da2e e3e4da63f8 789d	2005	Kendall	NOISE-K		max	0.002887	0.084788
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	G	Fbar	e589dab402 8c4dab0c43 4fc6035b9c fd65b732f dd8464da2e e3e4da63f8 789d	2005	Kendall	NOISE-K		min	- 0.04209	0.309726
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	G	C	e589dab402 8c4dab0c43 4fc6035b9c fd65b732f dd8464da2e e3e4da63f8 789d	2005	Kendall	NOISE-K		max	0.003173	0.313217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	G	Cbar	e589dab402 8c4dab0c43 4fc6035b9c fd65b732f dd8464da2e e3e4da63f8 789d	2005	Kendall	NOISE-K		min	0.025176	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	P	F	e589dab402 8c4dab0c43 4fc6035b9c fd65b732f dd8464da2e e3e4da63f8 789d	2005	Kendall	NOISE-K		max	- 0.000465	0.084788
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	P	Fbar	e589dab402 8c4dab0c43 4fc6035b9c fd65b732f dd8464da2e e3e4da63f8 789d	2005	Kendall	NOISE-K		min	- 0.023715	0.309726
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	P	C	e589dab402 8c4dab0c43 4fc6035b9c fd65b732f dd8464da2e e3e4da63f8 789d	2005	Kendall	NOISE-K		max	1.8256e- 05	0.313217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	P	Cbar	e589dab402 8c4dab0c43 4fc6035b9c fd65b732f dd8464da2e e3e4da63f8 789d	2005	Kendall	NOISE-K		min	0.002261	0.669825

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	S	F	e589dab4028c4dab0c434fc6035b9cfd65b732fdd8464da2ee3e4da63f8789d	2005	Kendall	NOISE-K		max	0.003741	0.084788
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	S	Fbar	e589dab4028c4dab0c434fc6035b9cfd65b732fdd8464da2ee3e4da63f8789d	2005	Kendall	NOISE-K		min	-0.045713	0.309726
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	S	C	e589dab4028c4dab0c434fc6035b9cfd65b732fdd8464da2ee3e4da63f8789d	2005	Kendall	NOISE-K		max	0.001775	0.313217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	S	Cbar	e589dab4028c4dab0c434fc6035b9cfd65b732fdd8464da2ee3e4da63f8789d	2005	Kendall	NOISE-K		min	0.003309	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	A	F	e589dab4028c4dab0c434fc6035b9cfd65b732fdd8464da2ee3e4da63f8789d	2005	Kendall	NOISE-K		max	0.002756	0.084788
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	A	Fbar	e589dab4028c4dab0c434fc6035b9cfd65b732fdd8464da2ee3e4da63f8789d	2005	Kendall	NOISE-K		min	-0.002485	0.309726
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	A	C	e589dab4028c4dab0c434fc6035b9cfd65b732fdd8464da2ee3e4da63f8789d	2005	Kendall	NOISE-K		max	0.015371	0.313217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	A	Cbar	e589dab4028c4dab0c434fc6035b9cfd65b732fdd8464da2ee3e4da63f8789d	2005	Kendall	NOISE-K		min	-0.007627	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	G	F	2a4d4806296fff8887c437435ca5582a89537e7a092a1219dcef467bd1b2a25	2005	Kendall	NOISE-K		max	0.001484	0.091272
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	G	Fbar	2a4d4806296fff8887c437435ca5582a89537e7a092a1219dcef467bd1b2a25	2005	Kendall	NOISE-K		min	-0.060201	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	G	C	2a4d4806296fff8887c437435ca5582a89537e7a092a1219dcef467bd1b2a25	2005	Kendall	NOISE-K		max	0.002132	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	G	Cbar	2a4d4806296fff8887c437435ca5582a89537e7a092a1219dcef467bd1b2a25	2005	Kendall	NOISE-K		min	0.041136	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	P	F	2a4d4806296fff8887c437435ca5582a89537e7a092a1219dcef467bd1b2a25	2005	Kendall	NOISE-K		max	-0.000815	0.091272

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	P	Fbar	2a4d480629 6fff8887c 437435ca55 82a89537e7 a092a1219d cef467bd1b 2a25	2005	Kendall	NOISE-K		min	- 0.02636	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	P	C	2a4d480629 6fff8887c 437435ca55 82a89537e7 a092a1219d cef467bd1b 2a25	2005	Kendall	NOISE-K		max	- 0.000511	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	P	Cbar	2a4d480629 6fff8887c 437435ca55 82a89537e7 a092a1219d cef467bd1b 2a25	2005	Kendall	NOISE-K		min	0.021713	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	S	F	2a4d480629 6fff8887c 437435ca55 82a89537e7 a092a1219d cef467bd1b 2a25	2005	Kendall	NOISE-K		max	- 0.009499	0.091272
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	S	Fbar	2a4d480629 6fff8887c 437435ca55 82a89537e7 a092a1219d cef467bd1b 2a25	2005	Kendall	NOISE-K		min	- 0.068077	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	S	C	2a4d480629 6fff8887c 437435ca55 82a89537e7 a092a1219d cef467bd1b 2a25	2005	Kendall	NOISE-K		max	- 0.002828	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	S	Cbar	2a4d480629 6fff8887c 437435ca55 82a89537e7 a092a1219d cef467bd1b 2a25	2005	Kendall	NOISE-K		min	0.001314	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	A	F	2a4d480629 6fff8887c 437435ca55 82a89537e7 a092a1219d cef467bd1b 2a25	2005	Kendall	NOISE-K		max	- 0.00512	0.091272
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	A	Fbar	2a4d480629 6fff8887c 437435ca55 82a89537e7 a092a1219d cef467bd1b 2a25	2005	Kendall	NOISE-K		min	- 0.018397	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	A	C	2a4d480629 6fff8887c 437435ca55 82a89537e7 a092a1219d cef467bd1b 2a25	2005	Kendall	NOISE-K		max	0.009011	0.314214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	A	Cbar	2a4d480629 6fff8887c 437435ca55 82a89537e7 a092a1219d cef467bd1b 2a25	2005	Kendall	NOISE-K		min	- 0.020096	0.669825
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	G	F	9ac831b5df 9f01ecd071 797f9b299d 5f324fac3b e35a24677b 79cb87553a c519	2005	Kendall	NOISE-K		max	0.002327	0.077805
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	G	Fbar	9ac831b5df 9f01ecd071 797f9b299d 5f324fac3b e35a24677b 79cb87553a c519	2005	Kendall	NOISE-K		min	- 0.063536	0.309726

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	G	C	9ac831b5df9f01ecd071797f9b299d5f324fac3be35a24677b79cb87553ac519	2005	Kendall	NOISE-K		max	0.002069	0.304239
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	G	Cbar	9ac831b5df9f01ecd071797f9b299d5f324fac3be35a24677b79cb87553ac519	2005	Kendall	NOISE-K		min	0.037569	0.660349
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	P	F	9ac831b5df9f01ecd071797f9b299d5f324fac3be35a24677b79cb87553ac519	2005	Kendall	NOISE-K		max	- 0.000587	0.077805
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	P	Fbar	9ac831b5df9f01ecd071797f9b299d5f324fac3be35a24677b79cb87553ac519	2005	Kendall	NOISE-K		min	- 0.03369	0.309726
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	P	C	9ac831b5df9f01ecd071797f9b299d5f324fac3be35a24677b79cb87553ac519	2005	Kendall	NOISE-K		max	0.000289	0.304239
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	P	Cbar	9ac831b5df9f01ecd071797f9b299d5f324fac3be35a24677b79cb87553ac519	2005	Kendall	NOISE-K		min	0.015653	0.660349
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	S	F	9ac831b5df9f01ecd071797f9b299d5f324fac3be35a24677b79cb87553ac519	2005	Kendall	NOISE-K		max	0.008025	0.077805
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	S	Fbar	9ac831b5df9f01ecd071797f9b299d5f324fac3be35a24677b79cb87553ac519	2005	Kendall	NOISE-K		min	- 0.05918	0.309726
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	S	C	9ac831b5df9f01ecd071797f9b299d5f324fac3be35a24677b79cb87553ac519	2005	Kendall	NOISE-K		max	0.006789	0.304239
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	S	Cbar	9ac831b5df9f01ecd071797f9b299d5f324fac3be35a24677b79cb87553ac519	2005	Kendall	NOISE-K		min	- 0.006265	0.660349
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	A	F	9ac831b5df9f01ecd071797f9b299d5f324fac3be35a24677b79cb87553ac519	2005	Kendall	NOISE-K		max	0.001302	0.077805
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	A	Fbar	9ac831b5df9f01ecd071797f9b299d5f324fac3be35a24677b79cb87553ac519	2005	Kendall	NOISE-K		min	- 0.014954	0.309726
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	A	C	9ac831b5df9f01ecd071797f9b299d5f324fac3be35a24677b79cb87553ac519	2005	Kendall	NOISE-K		max	0.013758	0.304239

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	A	Cbar	9ac831b5df9f01ecd071797f9b299d5f324fac3b5f35a24677b79cbs87553ac519	2005	Kendall	NOISE-K		min	-0.018487	0.660349
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	G	F	1a056a57f2a8e4a0744bd58b737977f26e242d7450819c216a174fa91427fe4f	2005	Kendall	NOISE-K		max	0.002981	0.083292
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	G	Fbar	1a056a57f2a8e4a0744bd58b737977f26e242d7450819c216a174fa91427fe4f	2005	Kendall	NOISE-K		min	-0.041632	0.307731
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	G	C	1a056a57f2a8e4a0744bd58b737977f26e242d7450819c216a174fa91427fe4f	2005	Kendall	NOISE-K		max	0.003195	0.312718
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	G	Cbar	1a056a57f2a8e4a0744bd58b737977f26e242d7450819c216a174fa91427fe4f	2005	Kendall	NOISE-K		min	0.025576	0.667332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	P	F	1a056a57f2a8e4a0744bd58b737977f26e242d7450819c216a174fa91427fe4f	2005	Kendall	NOISE-K		max	-0.000384	0.083292
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	P	Fbar	1a056a57f2a8e4a0744bd58b737977f26e242d7450819c216a174fa91427fe4f	2005	Kendall	NOISE-K		min	-0.024258	0.307731
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	P	C	1a056a57f2a8e4a0744bd58b737977f26e242d7450819c216a174fa91427fe4f	2005	Kendall	NOISE-K		max	3.3307e-05	0.312718
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	P	Cbar	1a056a57f2a8e4a0744bd58b737977f26e242d7450819c216a174fa91427fe4f	2005	Kendall	NOISE-K		min	0.000982	0.667332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	S	F	1a056a57f2a8e4a0744bd58b737977f26e242d7450819c216a174fa91427fe4f	2005	Kendall	NOISE-K		max	0.004802	0.083292
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	S	Fbar	1a056a57f2a8e4a0744bd58b737977f26e242d7450819c216a174fa91427fe4f	2005	Kendall	NOISE-K		min	-0.047301	0.307731
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	S	C	1a056a57f2a8e4a0744bd58b737977f26e242d7450819c216a174fa91427fe4f	2005	Kendall	NOISE-K		max	0.00258	0.312718
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	S	Cbar	1a056a57f2a8e4a0744bd58b737977f26e242d7450819c216a174fa91427fe4f	2005	Kendall	NOISE-K		min	0.001314	0.667332

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	A	F	1a056a57f2 a8e4a0744b d58b737977 f26e242d74 50819c216a 174fa91427 fe4f	2005	Kendall	NOISE-K		max	0.002694	0.083292
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	A	Fbar	1a056a57f2 a8e4a0744b d58b737977 f26e242d74 50819c216a 174fa91427 fe4f	2005	Kendall	NOISE-K		min	- 0.002784	0.307731
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	A	C	1a056a57f2 a8e4a0744b d58b737977 f26e242d74 50819c216a 174fa91427 fe4f	2005	Kendall	NOISE-K		max	0.015559	0.312718
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	A	Cbar	1a056a57f2 a8e4a0744b d58b737977 f26e242d74 50819c216a 174fa91427 fe4f	2005	Kendall	NOISE-K		min	- 0.009592	0.667332

Table 222: DermaMNIST-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	G	F	0.076808	0.079302	0.076808	0.078066	afbf0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbcd38f8e4bd70f875c73995	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	G	Fbar	-	-	0.102244	0.055326	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	G	C	0.123691	0.314214	0.123691	0.119564	624f55b88ef2cbcf0dab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	G	Cbar	0.774065	-	-	-	af9b89e4a78d93c8aed55617d58ebbac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	P	F	0.055362	0.079302	0.055362	0.057027	dadf86697180f3ee2530c9a53ac5ca480a7813febecce2be81f37680016ebc7e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	P	Fbar	-	-	0.104738	0.074374	7badbd4ae43584e48aca09c487aae5670812dc2b0c5304a0b7b220e9750adea57	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	P	C	0.094264	0.314214	0.094264	0.094276	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	P	Cbar	0.689776	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	S	F	0.25187	0.079302	0.25187	0.277823	4b8e965ed1af9db2eedff54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	S	Fbar	-	-	0.006484	-	a80a3b70e7ae0e7a6647e18fe492e84d516e1d423269c1db0107e3	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	S	C	0.351122	0.314214	0.351122	0.372903	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	S	Cbar	0.658354	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	A	F	0.017456	0.079302	0.017456	0.018586	66722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71baed3f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	A	Fbar	0.248379	-	-	0.23722	99dbb5806ee9cbe2beffadela48e6ecec1560211fa9876119f2d16e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	A	C	0.068828	0.314214	0.068828	0.063308	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	A	Cbar	0.590025	-	-	-	f07e28804cd601836feas32251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	G	F	0.076808	0.080798	0.076808	0.07816	afb0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbcd38ffecbd70f875c7395	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	G	Fbar	-	-	0.038404	0.056625	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b87131779b2b	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	G	C	0.123192	0.303741	0.123192	0.119106	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	G	Cbar	0.731172	-	-	-	af0b89e4a78d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	P	F	0.056858	0.080798	0.056858	0.057108	dadf86697180f3ee2530c9a53ac5cad80a7813fcbeccc2be81f37680016ebc7e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	P	Fbar	-	-	0.063342	0.075676	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	P	C	0.094264	0.303741	0.094264	0.09396	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	P	Cbar	0.653367	-	-	-	0c3cdcf4a655e0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bcd4	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	S	F	0.244888	0.080798	0.244888	0.279383	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	S	Fbar	0.050374	-	-	-	a80a3b70e778c0ef840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	S	C	0.345137	0.303741	0.345137	0.366471	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	S	Cbar	0.658853	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	A	F	0.012968	0.080798	0.012968	0.019022	6722b607d08f6a9c1382bc74e364773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	A	Fbar	0.258853	-	-	-	99dbb5806e3ffb8af0be99cbe2beffa0e1a48e6e1560211fa9876119f2d16e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	A	C	0.060848	0.303741	0.060848	0.059371	alc701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	A	Cbar	0.606983	-	-	-	ff07e28804cd601836fe832251b11a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	G	F	0.076808	0.080798	0.076808	0.07816	afb0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbcd38ffe	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	G	Fbar	-	-	0.038404	0.056625	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	G	C	0.123192	0.303741	0.123192	0.119106	624f55b88ef2cfcfbda780801c6da7b1f1361ee6f785a9373	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	G	Cbar	0.731172	-	-	-	edeb093f8d7f283aff9b89e4af8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebe	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	P	F	0.056858	0.080798	0.056858	0.057108	dadf86697180f3ee2530c9a53ac5cad80a7813febcecc2be81f37680016ebc7e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	P	Fbar	-	-	0.063342	0.075676	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	P	C	0.094264	0.303741	0.094264	0.09396	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	P	Cbar	0.653367	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	S	F	0.244888	0.080798	0.244888	0.279383	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	S	Fbar	0.050374	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	S	C	0.345137	0.303741	0.345137	0.366471	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	S	Cbar	0.658853	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	A	F	0.012968	0.080798	0.012968	0.019022	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	A	Fbar	0.258853	-	-	-	99dbb5806e3ffba8f0be9cbe2beffadela48e6e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	A	C	0.060848	0.303741	0.060848	0.059371	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	A	Cbar	0.606983	-	-	-	f07e28804cd601836fec832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	G	F	0.078304	0.093766	0.078304	0.078971	afbf0d5a98ff5b13952902bf47db95bfc9b0fc7bbcd38ffe	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	G	Fbar	-	-	0.010973	0.047275	782d5e07949398fclbdc0b8620c2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	G	C	0.119202	0.315711	0.119202	0.119629	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	G	Cbar	0.74414	-	0.665835	0.74414	0.795193	aff9b88e4a38d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	P	F	0.05586	0.093766	0.05586	0.057807	dadf86697180f3ee2530c9a53ac5cad80a7813f6beccc2be81f37680016ebc7e	full_naive_single_pool		True	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	P	Fbar	-	0.050374	-	0.050374	0.066304	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	P	C	0.092269	0.315711	0.092269	0.094321	70f7d9ad3c860b2dad621aed83105b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		True	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	P	Cbar	0.652868	-	0.665835	0.652868	0.721012	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	S	F	0.262843	0.093766	0.262843	0.292896	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdff35c52a3267c6a5d6727f53	full_naive_single_pool		True	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	S	Fbar	0.097756	-	0.312219	-	0.049039	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	S	C	0.365087	0.315711	0.365087	0.373822	b40e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		True	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	S	Cbar	0.667332	-	0.665835	-	0.693384	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	A	F	0.018953	0.093766	0.018953	0.022805	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		True	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	A	Fbar	0.271322	-	0.312219	-	0.25113	99d4bb5806e3ff8a0fbee9cbe2beffadela48e6e6ec156021ffa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	A	C	0.06783	0.315711	0.06783	0.06387	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		True	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	A	Cbar	0.617955	-	0.665835	-	0.593418	ff07e28804cd601836fe832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	G	F	0.076808	0.080798	0.076808	0.07816	af5b0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbbd38f8cbcd70f875c7395	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	G	Fbar	-0.038404	-0.294264	0.038404	0.056625	782d5e07949398fcbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	G	C	0.123192	0.303741	0.123192	0.119106	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	G	Cbar	0.731172	-0.65586	-0.731172	0.788813	af9b89e4a55617458ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	P	F	0.056858	0.080798	0.056858	0.057108	dadf86697180f3ee2530c9a53ac5cad80a7813f6becc2b81f37680016ebc7e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	P	Fbar	-0.063342	-0.294264	0.063342	0.075676	7babd4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adae57	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	P	C	0.094264	0.303741	0.094264	0.09396	70f7d9ad3c860b2dad621aed83165b6d889f77be4823ead6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	P	Cbar	0.653367	-0.65586	-0.653367	0.709908	0e3cdcf4a655c0a0fa6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	S	F	0.244888	0.080798	0.244888	0.279383	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	S	Fbar	0.050374	-0.294264	-0.050374	0.034753	a80a3b70e778c0eff840a0e07a6647e18fe492e84d516e1d423269c1db0107e3	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	S	C	0.345137	0.303741	0.345137	0.366471	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	S	Cbar	0.658853	-0.65586	-0.658853	0.685407	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	A	F	0.012968	0.080798	0.012968	0.019022	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71baedb3f	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	A	Fbar	0.258853	-	0.294264	0.258853	0.2349763ff8a0be e9cbe2beff adela48e6e ec1560211f a9876119f2 d16e	full_naive_ single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	A	C	0.060848	0.303741	0.060848	0.059371	alc701378d 7eb7619952 f6ef790d7f 7c13eb3a82 f655dfb7c6 789c1d71b1 a235	full_naive_ single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	A	Cbar	0.606983	-	0.65586	0.606983	0.583562 fc601836fe a832251b11 1a90232cf5 07c50b3579 c4faa59ed8 019e	full_naive_ single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	G	F	0.0798	0.069327	0.0798	0.077442	afb0d5a98 ff5bbb195 2902b47adb 95bfc9b0fc 7bbcd38ffe cbd70f875c 7395	full_naive_ single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	G	Fbar	0.064838	-	0.38404	0.064838	0.009874 782d5e0794 9398fc1bdc 0b8620e284 4e90f1c48b 83baee6cad 9b8f713177 9b2b	full_naive_ single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	G	C	0.1202	0.288279	0.1202	0.11843	624f55b88e f2cbcfdab 780801c6da 7b1f1361ee 6f785a9373 edbb93f8d7 f283	full_naive_ single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	G	Cbar	0.878304	-	0.737157	0.878304	0.840807 aff9b89e4a f8d93c8aed 55617d58eb ac0982db29 1e8953a8c5 3c9e7a9ebe ed70	full_naive_ single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	P	F	0.057855	0.069327	0.057855	0.056488	4adf866971 80f3ee2530 c9a53ac5ca d80a7813fe beccc2be81 f37680016e bc7e	full_naive_ single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	P	Fbar	0.044888	-	0.38404	0.044888	0.028816 7babd4ae43 584e48aca0 9c487aa056 70812dc2b0 c9304a0b7b 220c9750ad ea57	full_naive_ single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	P	C	0.092768	0.288279	0.092768	0.093494	70f7d9ad3c 860b2dad62 1aed83165b 6d889f77be 4823eada6a 98f6766910 5445	full_naive_ single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	P	Cbar	0.862344	-	0.737157	0.862344	0.800403 0c3cdcfc4a 655c0af0a6 931770dfd9 a28813b271 094514e5bb 5039aa70c8 bce4	full_naive_ single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	S	F	0.299751	0.069327	0.299751	0.267429	4b8e965ed1 af9db2eedf 54d178ad7b 5191cd322b df35c52a32 67c6a5d672 7f53	full_naive_ single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	S	Fbar	0.188529	-	0.38404	0.188529	0.106183 a80a3b70e7 78c0eff840 ae0e7a6647 e18fe492c8 4d516e1d42 3269c1db01 07e3	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	P	Cbar	0.723192	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	S	F	0.287282	0.084788	0.287282	0.28354	4b8e965ed1af9db2eedf54d178ad7b5191cd322bdf35c52a3267c6a5d6727f53	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	S	Fbar	0.092768	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	S	C	0.374065	0.313217	0.374065	0.37229	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	S	Cbar	0.693267	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	A	F	0.022943	0.084788	0.022943	0.020186	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	A	Fbar	0.251372	-	-	-	99ddb5806e3ff8af0be9cbe2beffadela48e6e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	A	C	0.078304	0.313217	0.078304	0.062933	ec1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	A	Cbar	0.604988	-	-	-	af07e28804cd601836fe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	G	F	0.080299	0.091272	0.080299	0.078815	a832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	G	Fbar	0.013965	-	-	0.046236	afbf0d5a98ff5bbb1952902bf47db95bf9b0fc7bbbd38ffe	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	G	C	0.121696	0.314214	0.121696	0.119564	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	G	Cbar	0.756608	-	-	-	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373eddb093f8d7f283	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	P	F	0.056858	0.091272	0.056858	0.057673	3adad86697180f3ee2530c9a53ac5cad80a7813febcccc2be81f37680016ebc7e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	P	Fbar	-	-	0.038903	0.065262	7babb4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	P	C	0.093766	0.314214	0.093766	0.094276	7077d9ad3c860b2ad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	P	Cbar	0.703741	-	-	-	0c3cdcf4a655c0af0a6931770d4f9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	S	F	0.280798	0.091272	0.280798	0.290297	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd4f35c52a3267c6a5d6727f53	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	S	Fbar	0.118703	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	S	C	0.370075	0.314214	0.370075	0.372903	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	S	Cbar	0.695262	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	A	F	0.016958	0.091272	0.016958	0.022078	6722b607d08f6a9c1382bc74c36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	A	Fbar	0.271322	-	-	-	99dbb5806e3ff8af0be99cbe2beffade1a48e6ecec156021ffa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	A	C	0.072319	0.314214	0.072319	0.063308	alc701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	A	Cbar	0.617456	-	-	-	ff07e28804cd601836feab832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	G	F	0.080299	0.077805	0.080299	0.077972	afb0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbcd38ffe	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	G	Fbar	0.014963	-	-	0.048573	782d5e07949398fcbdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	G	C	0.121197	0.304239	0.121197	0.119128	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373edb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	G	Cbar	0.754115	-	-	-	f8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	P	F	0.056359	0.077805	0.056359	0.056946	dadf86697180f3ee2530e9a53ac5cad80a7813febcecc2be81f37680016ebc7e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	P	Fbar	-	-	0.033915	0.067605	7abbd4ae43584e48saca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	P	C	0.094264	0.304239	0.094264	0.093975	707fd9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	P	Cbar	0.699252	-	-	-	0c3cdcf4a655c0a0fa6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	S	F	0.284289	0.077805	0.284289	0.276264	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd35c52a3267c6a5d6727f53	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	S	Fbar	0.106234	-	-	-	a80a3b70e778c0eff849ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	S	C	0.373566	0.304239	0.373566	0.366777	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	S	Cbar	0.695262	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	A	F	0.019451	0.077805	0.019451	0.018149	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae4b3f	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	A	Fbar	0.26384	-	-	-	99d1bb5806e3ff8af0be9cbe2beffade1a48e6e1560211fa9876119f2d16e	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	A	C	0.073317	0.304233	0.073317	0.059558	alc701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	A	Cbar	0.606484	-	-	-	f07e28804cd601836fea832251b111a90232cf507c50b3579c4faa59ed8019e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	G	F	0.081297	0.083292	0.081297	0.078316	afb0d5a98ff5bbb1952902bf47db95bfc9b0fc7bbcd38ffeabd70f875c7395	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	G	Fbar	-	-	0.00798	0.049612	782d5e07949398fc1bdc0b8620e2844e90f1c48b83baec6cad9b8f7131779b2b	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	G	C	0.122693	0.312718	0.122693	0.119498	624f55b88ef2cbcfbdab780801c6da7b1f1361ee6f785a9373eddb093f8d7f283	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	G	Cbar	0.770574	-	-	-	aff9b89e4a8d93c8aed55617d58ebac0982db291e8953a8c53c9e7a9ebeed70	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	P	F	0.056858	0.083292	0.056858	0.057242	dadf86697180f3ee2530c9a53ac5cad80a7813febecce2be81f37680016ebc7e	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	P	Fbar	-	-	0.044389	0.068647	7ba8d4ae43584e48aca09c487aae5670812dc2b0c9304a0b7b220c9750adea57	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	P	C	0.094264	0.312718	0.094264	0.094231	70f7d9ad3c860b2dad621aed83165b6d889f77be4823eada6a98f67669105445	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	P	Cbar	0.721696	-	-	-	0c3cdcf4a655c0af0a6931770dfd9a28813b271094514e5bb5039aa70c8bce4	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	S	F	0.286783	0.083292	0.286783	0.281981	4b8e965ed1af9db2eedf54d178ad7b5191cd322bd435c52a3267c6a5d6727f53	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	S	Fbar	0.092768	-	-	-	a80a3b70e778c0eff840ae0e7a6647e18fe492c84d516e1d423269c1db0107e3	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	S	C	0.374564	0.312718	0.374564	0.371984	bd0e69e7c8a4a8b0a3d42bbd76ce3d555a87e2ca4a27a0dd26b2ece9360a05a7	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	S	Cbar	0.693267	-	-	-	e31bd493dd4bcf7bf120823ceb74c94e39293b3d90ae25c8320699c1a631a05f	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	A	F	0.022444	0.083292	0.022444	0.01975	6722b607d08f6a9c1382bc74e36d773692d5458c75b46de584c5f4c71bae	full_naive_single_pool		True
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	A	Fbar	0.249875	-	-	-	db3f99dbbb5806e3ff8a0be9e9cbe2beffadela48e6eecd1560211fa9876119f2d16e	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	A	C	0.078304	0.312718	0.078304	0.062745	a1c701378d7eb7619952f6ef790d7f7c13eb3a82f655dfb7c6789c1d71b1a235	full_naive_single_pool		False
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	A	Cbar	0.604489	-	-	-	f07e28804cd601836fe	full_naive_single_pool		False

Table 223: DermaMNIST-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER^*_2	ER^*_3	ER^*_5
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	c3103724ed bf575123f9 e524bde6af e33a2626cd cf8cf31b0e afad1e82fe 040e	2005	Spearman	NOISE-S		Deconvolution; GuidedBack prop		- 0.001258	0.046918	0.004127
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	86aa45e206 3854a374fa 0c44f2747f 9258f6ca57 d8af65c6d5 e5433f3ab2 9860	2005	Spearman	NOISE-S		Deconvolution; GuidedBack prop		- 0.001352	- 0.018221	0.004086
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	4e999e78fe 72d6f249ed f402529964 c68ada7a55 34f039fa0c 81d17f8b2b 5ecc	2005	Spearman	NOISE-S		Deconvolution; GuidedBack prop		- 0.001352	- 0.018221	0.004086
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	405a3a68c9 9a221542c9 dddfe01dfe 2f7d96a921 03fe0e79d0 6707e6c874 d44a	2005	Spearman	NOISE-S		Deconvolution; GuidedBack prop		- 0.000667	- 0.036302	- 0.000427
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	36e10424dd acf23ded4e 16d54cf97a 3eacce2d03c 848ec9ad3a f165a1081a a130	2005	Spearman	NOISE-S		Deconvolution; GuidedBack prop		- 0.001352	- 0.018221	0.004086
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	77d867c1bd c73ffe299a ef1343e7aa 5c0efa1ffa 6776e182e4 2b699c44fc 0abc	2005	Kendall	NOISE-K		Deconvolution; GuidedBack prop; Occlusion		0.002359	- 0.074712	0.001769
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	e589dab402 8c4dab0c43 4fc6035b9c ff65b732f dd8464da2e e3e4da63f8 789d	2005	Kendall	NOISE-K		Deconvolution; GuidedBack prop; Occlusion		0.002887	- 0.04209	0.003173
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	2a4d480629 6ffh8887c 437435ca55 82a89537e7 a092a1219d cef467bd1b 2a25	2005	Kendall	NOISE-K		Deconvolution; GuidedBack prop; Occlusion		0.001484	- 0.060201	0.002132
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	9ac831b5df 9f01ecd071 797f9b299d 5f324fac3b e35a24677b 79cb87553a c519	2005	Kendall	NOISE-K		Deconvolution; GuidedBack prop; Occlusion		0.002327	- 0.063536	0.002069
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	1a056a57f2 a8e4a0744b 458b737977 f26e242d74 50819c216a 174fa91427 fe4f	2005	Kendall	NOISE-K		Deconvolution; GuidedBack prop; Occlusion		0.002981	- 0.041632	0.003195

Table 224: DermaMNIST–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	$ER^s_{\mathcal{C}}$	$ER^s_{\mathcal{F}}$	$ER^s_{\mathcal{E}}$	$ER^s_{\mathcal{C}^*}$	$ER^s_{\mathcal{C}^*}$	$ER^s_{\mathcal{F}^*}$	$ER^s_{\mathcal{E}^*}$	$ER^s_{\mathcal{C}^*}$	$ER^s_{\mathcal{C}^*}$	$ER^s_{\mathcal{F}^*}$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	0.016024	-0.001665	0.030364	-1.1845e-05	0.022353	-0.025953	0.043221	-0.021781	0.028649	-0.00113
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	0.057641	-0.00025	-0.012334	0.000304	0.056542	-0.034495	-0.015621	-0.021334	0.026554	-0.006055
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	0.057641	-0.00025	-0.012334	0.000304	0.056542	-0.034495	-0.015621	-0.021334	0.026554	-0.006055
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	0.051053	-0.001947	-0.01593	-0.002052	0.068144	-0.030053	-0.048717	-0.008734	0.026053	-0.003853
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	0.057641	-0.00025	-0.012334	0.000304	0.056542	-0.034495	-0.015621	-0.021334	0.026554	-0.006055
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	-0.037498	0.001367	-0.073704	-0.000725	-0.061941	0.032322	-0.082345	0.030554	-0.02464	0.006768
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	0.025176	-0.000465	-0.023715	1.8256e-05	0.002261	0.003741	-0.045713	0.001775	0.003309	0.002756
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	0.041136	-0.000815	-0.02636	-0.000511	0.021713	-0.009499	-0.068077	-0.002828	0.001314	-0.00512
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	0.037569	-0.000587	-0.03369	0.000289	0.015653	0.008025	-0.05918	0.006789	-0.006265	0.001302
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	0.025576	-0.000384	-0.024258	3.3307e-05	0.000982	0.004802	-0.047301	0.00258	0.001314	0.002694

Table 225: DermaMNIST–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_μ	ER^*_ζ	ER^*_ν
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-S		2	-0.01116	0.00552	-0.004492
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-S		2	-0.023877	0.001477	-0.023421
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-S		2	-0.023877	0.001477	-0.023421
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-S		2	-0.020192	0.00396	-0.024537
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-S		2	-0.023877	0.001477	-0.023421
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Simple Averaging	NOISE-K		3	0.042929	0.013773	0.033469
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Borda	NOISE-K		3	-0.002485	0.015371	-0.007627
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Kemeny	NOISE-K		3	-0.018397	0.009011	-0.020096
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	RRF	NOISE-K		3	-0.014954	0.013758	-0.018487
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Test	Schulze	NOISE-K		3	-0.002784	0.015559	-0.009592

Table 226: DermaMNIST–ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	G	F	53a3bec9532b11218e964fed07fe0105d4fd7cfc161101b7510a1cfca4a54b82	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	0.001487	-	-	-	0.001192	0.95
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	6f82ab78939a4fe6603dd4ae027bcb2c3f86039a3721d7ed9259d572f60c2f7	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	-	0.046918	0.086302	0.06077	0.112632	0.95
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	G	C	b04e402f720b8777a1ab44f27cadcc3df02212f7700ea8d9ee57891a814a0484	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	-	0.004127	0.005544	0.001493	0.009973	0.95
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	3e1c1199c2a32854f7d0f2805b8089f2666788ea589a92e3416863af5c09e078	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	-	0.016024	0.0213	-	0.047683	0.95
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	P	F	508c34ac191ed8bd54b2d16665be250233d159cb92833d3b63c5fb70acab9a71	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	0.002404	-	-	-	0.000815	0.95
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	b29ed6f997729dee1d0bcb0e40c502aded2cb0618aca0825bd a6177b2ca2e72c	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	-	0.030364	0.07024	0.044086	0.096699	0.95
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	P	C	87e664d606f87944d048c5ae2f1711df56d3f81d5ac924c727b298c9ea423685	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	0.000982	-	-	-	0.003283	0.95
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	8c71562fa0e13aaaa73f9c78376ac6c026eb2b7b4696deb7319ba87891884180	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	-	0.022353	0.055931	0.023333	0.090936	0.95
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	S	F	39e38ec552c382cfdb8c6767ba487d4b05cb4a54bbec176ad3a8e167a51ec4147	2005	Spearman	NOISE-S	Simple Averaging	Speckle	0.033739	-	-	-	-	0.95
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	8f632fc163f4badcde4a79d59d3dd601134b103f4f772c995235afb7b8461f85	2005	Spearman	NOISE-S	Simple Averaging	Speckle	-0.02567	0.043221	0.06889	0.039133	0.100491	0.95
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	S	C	8272846e132840d762a2b830800519b8ec71fb6dd88a9f14ea0559f7c3b7717d	2005	Spearman	NOISE-S	Simple Averaging	Speckle	0.023371	-	-	-	-	0.95
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	87928e104615ac7870f72f80361d1d3db7fb3ea3f24486a806ef89a568cb5a22	2005	Spearman	NOISE-S	Simple Averaging	Speckle	0.009277	0.028649	0.019372	-	0.048188	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	9246fc1ceb d95524de71 f729a76ced f88810ff4b 18908fe513 d069160dda cb4a	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	0.005688	-0.00113	- 0.006817	- 0.015019	0.002206	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	a810aa0cad d593a8eb76 3462423203 c0d64f751c a30b9ad80 db2ae5e790 f469	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	0.061783	-0.01116	- 0.072942	- 0.098449	- 0.045047	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	da963bfc8 2160e837a4 36ec87af0f d876dd2909 9ea68c78bd 0c8c38899c b3b8	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	0.012408	0.00552	- 0.006887	-0.01868	0.005084	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	f43445a8f2 6a5f977352 7a00ea8474 ebb8ab2a42 ae673d808b e0cba67c20 f457	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	0.037019	- 0.004492	- 0.041511	- 0.065885	- 0.014518	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	a554319aca c213150cb a1585aa18a 098f86c2bb a38d31136a c5c162f7db a9d6	2005	Spearman	NOISE-S	Borda	Gaussian	0.001487	- 0.001352	- 0.002839	- 0.007188	0.001531	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	502f198cfe b066fe952f1 29d99db40 4e6b4f8d81 8c4838c112 d560289db1 d5de	2005	Spearman	NOISE-S	Borda	Gaussian	0.017497	- 0.018221	- 0.035718	- 0.060811	- 0.010291	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	943d543fae 6edadb13a8 546267477b d59d4488b2 5f2d430c07 b06043586a f5c4	2005	Spearman	NOISE-S	Borda	Gaussian	0.001188	0.004086	0.002898	- 0.001925	0.0079	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	3e1e943bf3 783769510e 6a53593bfb ca38ee4e1c ac79c6cbfa 5a187fa454 7875	2005	Spearman	NOISE-S	Borda	Gaussian	0.047516	0.057641	0.010125	- 0.015743	0.037099	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	febde12c7f 74bd78b190 cdd35cc072 d7ce5a623b 9ff45cd470 9d8bc672c1 3f0f	2005	Spearman	NOISE-S	Borda	Salt Pepper	0.002336	-0.00025	- 0.002586	- 0.005413	0.000168	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	fcc6d80934 d6606e67de 685f2d087c 8fd40f772e 81310da407 f0c63dcca4 1b60	2005	Spearman	NOISE-S	Borda	Salt Pepper	0.047401	- 0.012334	- 0.059735	- 0.084741	- 0.033841	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	90b1395c83 591c9d2388 608fef1a50 ac208756c5 9190844243 6c8ef22656 154a	2005	Spearman	NOISE-S	Borda	Salt Pepper	0.000904	0.000304	-0.0006	- 0.004215	0.003029	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	742dd15a53 9b09d1be17 9e982330a4 064aea0a5e e5745ee407 f0cedf259b d121	2005	Spearman	NOISE-S	Borda	Salt Pepper	0.047644	0.056542	0.008897	- 0.024584	0.044111	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	8e85640e42 45e5293cc1 0782da8743 524f369202 19ec806a82 332fe0c6f3 15b2	2005	Spearman	NOISE-S	Borda	Speckle	0.00365	- 0.034495	- 0.038145	- 0.058404	- 0.015251	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	09324c4ea8389c644fe5dce5ab4d630a86b0ff647114f62bdaa6ac281e67fa196	2005	Spearman	NOISE-S	Borda	Speckle	0.044355	-	-	-	-	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	b280b5809514fbcab14eca8f2d5779eebb86e501005803d3b2ad33f78946f32a	2005	Spearman	NOISE-S	Borda	Speckle	0.001024	-	-	-	-	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	a35a03748f088d920c115d5d119cfbe3d78d88d2e361173220a1b4a5ab925a78	2005	Spearman	NOISE-S	Borda	Speckle	0.051075	0.026554	-0.02452	-	0.003626	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	cf416dd1fe5111ab32a5a7c8819eb27927bdfc3402cde0735215fdb22df53a3	2005	Spearman	NOISE-S	Borda	Adversarial	0.003527	-	-	-	-	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	1c4a9cc15b083d659d450a4bbc76bf479ee724f2b0af2f6045efe93cf9b28a7f4	2005	Spearman	NOISE-S	Borda	Adversarial	0.001241	-	-	-	0.002054	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	e8a0cc6305d186598337a67205aa575b0e058d0a2ec6583715b359c287ba8717	2005	Spearman	NOISE-S	Borda	Adversarial	-	0.001477	0.004768	-	0.016611	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	0741179eafac800ab01c18aaab5193d7c95e244f1e0f09de889559cdb3cc2115c	2005	Spearman	NOISE-S	Borda	Adversarial	0.003715	-	-	-	-	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	0fea5718a97d19b7e16172adf21b8e5544b70e933cc04ca97f50fa4a3c778260	2005	Spearman	NOISE-S	RRF	Gaussian	0.000271	-	-	-	0.003042	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	da2d543f438934e3377a9b0b82d44715f2be2b2c10c6f24d815f1cec57e80ea6	2005	Spearman	NOISE-S	RRF	Gaussian	0.023919	-	-	-0.08445	-	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	d02c374931dc2ff84be8518b1acbb0b61a7ca939b9eb12a891703fc2670a67e4	2005	Spearman	NOISE-S	RRF	Gaussian	0.001837	-	-	-	0.002188	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	7a926fe5590d868ee07a1de85b0c68d90427bbc a1de367332642379ddc79351	2005	Spearman	NOISE-S	RRF	Gaussian	0.047998	0.051053	0.003055	-	0.029135	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	809e2940609fc813492e25012acbcc6d1b2e5098df70e37d65e2b4d80f974306	2005	Spearman	NOISE-S	RRF	Salt Pepper	0.000651	-	-	-	0.001321	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	74bf0a78d57820521eb1b3f681f632e333b32b3472174f8e133513d78cf4e63b	2005	Spearman	NOISE-S	RRF	Salt Pepper	0.047834	-0.01593	-	-	-	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	3e856c47a07623925f075184f0a2cb431fa31136608693d4d7775857eda8feaf	2005	Spearman	NOISE-S	RRF	Salt Pepper	0.001162	-0.002052	-0.003214	-0.00779	0.001134	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	9e027b48a774d5e206f5ef7c3a528c44ea89bcc525f251d9b4d4e02f7b085635	2005	Spearman	NOISE-S	RRF	Salt Pepper	0.046026	0.068144	0.022118	-0.010594	0.056838	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	04b65e12dcf94e8200ab8371e0ac831dfeac4f56ed0370d63f6cd842f14cd7d7	2005	Spearman	NOISE-S	RRF	Speckle	-0.010462	-0.030053	-0.019591	-0.040428	0.003951	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	fbfbf2326717b2714c2ff9a1d197663559f30c3a99c3c7be8eb95695b63d5bf8	2005	Spearman	NOISE-S	RRF	Speckle	0.057934	-0.048717	-0.106651	-0.134673	-0.078031	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	68f11071525fee9f89ca6bea1e9dc1f37265656af6b3324b42a13a319e870d38	2005	Spearman	NOISE-S	RRF	Speckle	-0.01435	-0.008734	0.005616	-0.010516	0.022231	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	e84f5cf363ceebaa93199346e50d85125af8575fee701c8933d43cdd5aa3f3c	2005	Spearman	NOISE-S	RRF	Speckle	0.056662	0.026053	-0.030609	-0.057665	-0.002559	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	28c79950cc4272af49ca71e82da20e5c647371c868d3651107627d390f9879d3	2005	Spearman	NOISE-S	RRF	Adversarial	0.00201	-0.003853	-0.005862	-0.013632	0.002919	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	1ee04cdafa4d0ccb6341f470b74a6df225b4c227a18deb29f0a15a8b76670eb	2005	Spearman	NOISE-S	RRF	Adversarial	0.004534	-0.020192	-0.024725	-0.049767	0.00133	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	8c9997ec7189d8ab280726f42341d6cf88d453e43b0b44ba425f2d0554a47f12	2005	Spearman	NOISE-S	RRF	Adversarial	-0.000305	0.00396	0.004265	-0.006781	0.015927	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	7633546577b6fbec6c9dcf1a75d919a1f0de4db617ffa963bc7afd3ffb91be67	2005	Spearman	NOISE-S	RRF	Adversarial	0.005775	-0.024537	-0.030312	-0.054239	-0.004803	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	101d63671f6ade3213c61c4903b04ac009af77ab922afc5ec97713b73b972d91	2005	Spearman	NOISE-S	Kemeny	Gaussian	-0.000632	-0.001352	-0.000719	-0.00517	0.003889	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	7324da79ba9583f5edbdce9e6a788a28ba1b0a7bd1598631a7fcc2169d930357c	2005	Spearman	NOISE-S	Kemeny	Gaussian	0.038019	-0.018221	-0.05624	-0.081159	-0.030792	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	805c8c47cfd1a8bfb4ebb5c130bedba3e18ea336ea841364536b023861435b58	2005	Spearman	NOISE-S	Kemeny	Gaussian	0.001837	0.004086	0.002249	-0.003013	0.007629	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	bd59570a866efd48eb06b6bac434ef d68d1e8a725701af16c b6cda2edd958ac	2005	Spearman	NOISE-S	Kemeny	Gaussian	0.057613	0.057641	2.7991e-05	-0.026219	0.026055	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	b56366a65b255f560db5 b574ad74eb7da326ef17 cfb087a26398f41d6348 882c	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	0.000233	-0.00025	-0.000483	-0.003651	0.002891	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	c9acb33c1bc3438567b4 3d818d2056be6ae9dfd7 c0cb2194aec6f9b5a430 b508	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	0.047963	-0.012334	-0.060296	-0.085172	-0.035067	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	4c69a2813cf3f401d308 c3e98610baa61c69acf1 ec7d26e97f40337d0fbf 1c66	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	0.000165	0.000304	0.00014	-0.003516	0.003819	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	4622376d122565c61622 fd36f5a63bf545fc6e62 8d6848878b2639524f28 b326	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	0.055615	0.056542	0.000926	-0.033175	0.037127	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	867f97a5fd8bf4945416 74aa6a0ac8f736c032a8 3fdbf882628e8ea516f1 293e	2005	Spearman	NOISE-S	Kemeny	Speckle	-0.008902	-0.034495	-0.025593	-0.045444	-0.00322	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	71f35d6cab6d93a506c9 713ac64e718590fee4ff 90957b9d503c8b25bd68 eef5	2005	Spearman	NOISE-S	Kemeny	Speckle	0.03711	-0.015621	-0.052731	-0.081764	-0.023433	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	5cf5cc6899d280bc8962 4fc3449914bc1da59bad dc23566d0a50c7afe993 1898	2005	Spearman	NOISE-S	Kemeny	Speckle	-0.015847	-0.021334	-0.005487	-0.021445	-0.011158	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	2d2010f8629f1ee003aa 284d97298dce1f5d1384 af2b4426735e77ecbabe dacb	2005	Spearman	NOISE-S	Kemeny	Speckle	0.055964	0.026554	-0.029409	-0.056531	-0.000979	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	89108e427dfb15a0b52d ae62fee3a9c233b89185 41bfcc3bc0a409c1ac3f 0c5a	2005	Spearman	NOISE-S	Kemeny	Adversarial	-0.000546	-0.006055	-0.005509	-0.013016	-0.002944	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	28cea7b573ef04eddc5d 1ccb5687204edc9261d4 c565dbe20926ab05dc6f 24db	2005	Spearman	NOISE-S	Kemeny	Adversarial	-0.000402	-0.023877	-0.023475	-0.050376	-0.004101	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	606c5eed7f8cd24279b dabfb63939feb1593be6 8e5dac54100cd005ef92 ca65	2005	Spearman	NOISE-S	Kemeny	Adversarial	-0.002799	0.001477	0.004276	-0.006682	-0.015729	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	127a8bef51efe9fa22ea cd9f6ef787e49cf6b56 eee3b80363ab001886ec 6be6	2005	Spearman	NOISE-S	Kemeny	Adversarial	0.004766	-0.023421	-0.028187	-0.053804	-0.001039	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	f82b56b389 25e4434876 1ad444a5fb 79da0c79d4 aadd00813 9890a70e99 3361	2005	Spearman	NOISE-S	Schulze	Gaussian	0.001799	- 0.001352	- 0.003151	- 0.007064	0.000683	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	4cd86224e4 0b7c51db8d 3a54f7749e 60f20ead1d 7d89234434 fhaeb8abb4 e796	2005	Spearman	NOISE-S	Schulze	Gaussian	0.0306	- 0.018221	- 0.048821	- 0.074237	- 0.023324	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	472684adb9 938f3d0db1 230ac88fa5 06bfaa8af 3eb46c7ea0 490442c6ad 69b8	2005	Spearman	NOISE-S	Schulze	Gaussian	0.002575	0.004086	0.001511	- 0.002997	0.006107	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	c09fdcec5d 834bb51085 6aa6c990d4 367c42b725 dd6e9c0748 eb3b7c8a28 91eb	2005	Spearman	NOISE-S	Schulze	Gaussian	0.048815	0.057641	0.008826	- 0.017589	0.035652	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	58cbe955d6 91024e0b68 95d423a472 291f4f053f 6af48a66aa dc3603789c f7c4	2005	Spearman	NOISE-S	Schulze	Salt Pepper	- 0.000319	-0.00025	6.9578e-05	- 0.003618	0.00399	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	7f755933ec 3e690afc0 0ec120e6bc acce6092a5 9b5ab7382a 1213835e23 6dce	2005	Spearman	NOISE-S	Schulze	Salt Pepper	0.064986	- 0.012334	-0.07732	- 0.102233	- 0.051466	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	988d6110cd 05a8bd2f8d 3b6665d74e cd17a2c07a 6771dd5c13 729c4d9724 96d1	2005	Spearman	NOISE-S	Schulze	Salt Pepper	- 0.000169	0.000304	0.000473	-0.00378	0.004757	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	d4b53a6e7a 59e61e6177 5a0547593c 4443ed8441 eb5778235d 8263d638e3 e778	2005	Spearman	NOISE-S	Schulze	Salt Pepper	0.049075	0.056542	0.007467	- 0.025379	0.042448	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	294ac01757 076dfd0135 78d1085061 dc20813d19 5736dc6fca 3fa3c2b6e5 c55b	2005	Spearman	NOISE-S	Schulze	Speckle	- 0.011438	- 0.034495	- 0.023057	- 0.043105	- 0.001108	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	80001de0cd 491bde05cd aceffdb4e0 3aad3d2c24 3c659d76c7 cff3a9ac94 fe4a	2005	Spearman	NOISE-S	Schulze	Speckle	0.047471	- 0.015621	- 0.063092	- 0.091526	- 0.034198	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	bb01a98967 8c4493503f 1d2f6f5d14 d0c4068fd2 f3ccc7c1a8 2617fbc008 1028	2005	Spearman	NOISE-S	Schulze	Speckle	- 0.013475	- 0.021334	- 0.007859	- 0.023791	0.008893	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	327e83262a 5e48306426 e35ed73cbb e40802f6a6 46e5c463f6 9c66b56eb7 c0fe	2005	Spearman	NOISE-S	Schulze	Speckle	0.050079	0.026554	- 0.023524	- 0.050407	0.004871	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	4044da6a9f 8af055c8cc 5be35165eb 6360e5718a 6a1c9f920f 3da16aeeba 6471	2005	Spearman	NOISE-S	Schulze	Adversarial	0.001158	- 0.006055	- 0.007213	- 0.015431	0.001807	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	c9cc6c7fef 414e259d31 ff425f9c94 f1b0ef7a06 d9a90ce9aa2 956a17213e 6512	2005	Spearman	NOISE-S	Schulze	Adversarial	0.003786	- 0.023877	- 0.027663	- 0.053281	- 0.000754	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	61f83f5aae c993b89931 d2efdb3946 e1ac4acfc1 6af1f047fb c3785015b2 326b	2005	Spearman	NOISE-S	Schulze	Adversarial	0.004251	0.001477	- 0.002774	- 0.014321	0.009052	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	501aa6a007 8b794f7a45 0369d380dc 8f43422e68 9f442d6e0b a567692827 6572	2005	Spearman	NOISE-S	Schulze	Adversarial	0.006767	- 0.023421	- 0.030188	- 0.054743	- 0.003363	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	73a9adb2f 72925cd3c db6e988ecb 1570469296 cbafe9d3d7 53670a73d6 9086	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	0.001487	0.002359	0.000872	- 0.001634	0.003639	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	1698f11876 e2b6e97bec 7229431914 8b95d62cbe 39eed28c78 f95a742a20 c8e5	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	- 0.039384	- 0.074712	- 0.035329	- 0.055836	- 0.014889	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	c5782c105d ea025f3a4f dd985cfl6a 596e559eee f6707d87c9 a592a4b2a7 5d7e	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	- 0.001417	0.001769	0.003186	0.000815	0.005979	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	302f787f82 80246a9272 4ac4c88c28 713e740b49 1f63a14f2c 1c2b526cf4 bc67	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	- 0.005276	- 0.037498	- 0.032222	- 0.052574	- 0.012026	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	1401a2155a e38f34fa0d 96b3b4f55a 00673a0c63 02b31eb232 e749b445ea b8f7	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	0.002404	0.001367	- 0.001037	- 0.003105	0.000829	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	56937b6499 6e8095df24 3cc384cd4d 6258bc88a4 fd0784c118 c75e762f0c 3b5a	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	- 0.039876	- 0.073704	- 0.033828	- 0.053096	- 0.014683	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	778d6710d3 cce5dee518 6f25de68af 235381c7ad 5d50e1b845 812c570900 055a	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	0.000982	- 0.000725	- 0.001707	- 0.004783	0.001231	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	df291f36e4 e8ca86445f 82abbf4aaa 2a3953dd3d 9c8b3fd1ef 7bab78b329 d9c6	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	- 0.033578	- 0.061941	- 0.028363	- 0.053368	- 0.003046	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	4888c37721 ff21f76da4 77608355b8 4ad6d26b18 c235b28873 f67397ce55 013a	2005	Kendall	NOISE-K	Simple Averaging	Speckle	0.033739	0.032322	- 0.001417	- 0.016999	0.014062	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	dc2cea32af ee4352ad44 14344bdf08 ad6a6e017f f3d3756393 8e37b8706d ad0c	2005	Kendall	NOISE-K	Simple Averaging	Speckle	-0.02567	- 0.082345	- 0.056676	- 0.081433	- 0.031692	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	0b2d913ea3a498568b79c536a64c761a21ae6db1d45bfee2a00cc03cf0dbb59d	2005	Kendall	NOISE-K	Simple Averaging	Speckle	0.023371	0.030554	0.007184	-0.004284	0.018949	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	8f6cb901a0dd376eb7d75c0110b1034830d9d27b603e8490517e4c8a3b7c6437	2005	Kendall	NOISE-K	Simple Averaging	Speckle	0.009277	-0.02464	-0.033917	-0.057135	-0.010356	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	54d0356b3c5e981bb4a1ea6b6cccf72dd7f08be8dd227702371e66ff216824	2005	Kendall	NOISE-K	Simple Averaging	Adversarial	0.005688	0.006768	0.00108	-0.006024	0.008664	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	dbde28a92bb437f0c337e795ba27f0a25e0f1e0089de729c09e9d1575960c3c2	2005	Kendall	NOISE-K	Simple Averaging	Adversarial	0.061783	0.042929	-0.018854	-0.042886	0.004691	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	7ff6264e3abb74aa01c3a88307f838a8c4989b9e968e261a11cdalbb68bdcd56	2005	Kendall	NOISE-K	Simple Averaging	Adversarial	0.012408	0.013773	0.001365	-0.008236	0.011268	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	9f94b998c9a91e7f86b68644fa4499c6b6e16c22cf6210d704e2b0ac74433554	2005	Kendall	NOISE-K	Simple Averaging	Adversarial	0.037019	0.033469	-0.003551	-0.026499	0.018885	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	2ff2173bc46091ecb646dc72de886d018d48f01d82e193ae22a8b50a082eda4	2005	Kendall	NOISE-K	Borda	Gaussian	0.001487	0.002887	0.0014	-0.002091	0.005118	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	9fdb35b9c794d8e4d794eddd6fe64cf636cd0d972ea9eda21a742c64c427d2c3	2005	Kendall	NOISE-K	Borda	Gaussian	0.017497	-0.04209	-0.059587	-0.083767	-0.03503	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	6ef63fca66e60359f1f75d192b91de e9a450518fb5ffddff8fc78b1ffab87194	2005	Kendall	NOISE-K	Borda	Gaussian	0.001188	0.003173	0.001985	-0.001654	0.005852	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	785330dfec609e34495329111911070b09efc357b0ef9eddd65016514b50be45	2005	Kendall	NOISE-K	Borda	Gaussian	0.047516	0.025176	-0.02234	-0.0477	0.003961	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	0ed714d598da81d1ecc63cb4b1b906efc207538fc815a7ced29a922c27c446c	2005	Kendall	NOISE-K	Borda	Salt Pepper	0.002336	-0.000465	-0.002801	-0.005731	2.8871e-05	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	a16a50f6af52763b3c7b4e64c7dc0c423cf8a1429081b3a5d1a3f8269a8f7cb7	2005	Kendall	NOISE-K	Borda	Salt Pepper	0.047401	-0.023715	-0.071116	-0.095265	-0.046557	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	7ec585b319ea201cf816a2dfa96147dec689acd e03ace5f742d99907c9c5b5e	2005	Kendall	NOISE-K	Borda	Salt Pepper	0.000904	1.8256e-05	-0.000886	-0.004927	0.003064	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	0c686607668e04fe5873ee6d78f2a3af2c8db838c86bfdef466bed824ab8d4fe1f99e8dea90122f000b925357ad2fedcc3b990b14e8ba2ad501b6e84d6b8859d0dad2fc3f26fd72cf314863e7d8a7187b6f5468bdd978af15fa4b18c2db4622	2005	Kendall	NOISE-K	Borda	Salt Pepper	0.047644	0.002261	-0.045383	-0.077636	-0.012156	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	2acd155ee89e3309824ba359f31e258b73f8adb900de64ef39d18f2387f4cfab64746113e1a62bc754963658eed97c43dfcd393a1aad16be6303f4f7a7d407479d57c6508a428c4ac2addba884f9830f8b7c6dc2a911edb903fa20a74c1617b2f8a5ed23fa17a9ccd8e39f8b806d517de338aa66207f5ad5e8744629a8a3ba4c04af9e470bcccec76c4c2c33ec28eb728106ca9f02622c2f95e87ff2fec93bef	2005	Kendall	NOISE-K	Borda	Speckle	0.00365	0.003741	9.0911e-05	-0.020212	0.022253	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	d0dad2fc3f26fd72cf314863e7d8a7187b6f5468bdd978af15fa4b18c2db4622	2005	Kendall	NOISE-K	Borda	Speckle	0.044355	-0.045713	-0.090068	-0.117531	-0.061939	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	6054f864e3b39916719d250f80e5c3fe56239690e30ef4db079b0075539729eb	2005	Kendall	NOISE-K	Borda	Speckle	0.001024	0.001775	0.000751	-0.014642	0.016846	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	2acd155ee89e3309824ba359f31e258b73f8adb900de64ef39d18f2387f4cfab	2005	Kendall	NOISE-K	Borda	Speckle	0.051075	0.003309	-0.047766	-0.074729	-0.020027	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	64746113e1a62bc754963658eed97c43dfcd393a1aad16be6303f4f7a7d407479d57c6508a428c4ac2addba884f9830f8b7c6dc2a911edb903fa20a74c1617b2f8a5ed23fa17a9ccd8e39f8b806d517de338aa66207f5ad5e8744629a8a3ba4c	2005	Kendall	NOISE-K	Borda	Adversarial	0.003527	0.002756	-0.000771	-0.008765	0.008311	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	9d57c6508a428c4ac2addba884f9830f8b7c6dc2a911edb903fa20a74c1617b2f8a5ed23fa17a9ccd8e39f8b806d517de338aa66207f5ad5e8744629a8a3ba4c	2005	Kendall	NOISE-K	Borda	Adversarial	0.001241	-0.002485	-0.003726	-0.029431	0.023298	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	f8a5ed23fa17a9ccd8e39f8b806d517de338aa66207f5ad5e8744629a8a3ba4c	2005	Kendall	NOISE-K	Borda	Adversarial	-0.003291	0.015371	0.018662	0.007293	0.030584	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	04af9e470bcccec76c4c2c33ec28eb728106ca9f02622c2f95e87ff2fec93bef	2005	Kendall	NOISE-K	Borda	Adversarial	0.003715	-0.007627	-0.011342	-0.035854	0.01465	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	b473eead6bf7d1490f60d55e2f436ab2a59d0d36c3419b9ca80e97783b7692341402e3039bc0eb2b3e68132c7ff1461722b8c629d795dfcbbd03c79506a82de7e	2005	Kendall	NOISE-K	RRF	Gaussian	0.000271	0.002327	0.002055	-0.001284	0.005685	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	b473eead6bf7d1490f60d55e2f436ab2a59d0d36c3419b9ca80e97783b7692341402e3039bc0eb2b3e68132c7ff1461722b8c629d795dfcbbd03c79506a82de7e	2005	Kendall	NOISE-K	RRF	Gaussian	0.023919	-0.063536	-0.087455	-0.112245	-0.062349	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	2c19db2e80ba1510e3e1809d0a19ad4965a8e0b112e39509337ec943e7236afa	2005	Kendall	NOISE-K	RRF	Gaussian	0.001837	0.002069	0.000232	-0.003938	0.004527	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	ebfabee7254c95739e444366396bafe77ed51b4401588814be2f2bb2d503f78	2005	Kendall	NOISE-K	RRF	Gaussian	0.047998	0.037569	-0.010428	-0.035387	0.015375	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	89ffa78623 68d88bd6ad 2520a2ab2d 12558d1a15 f9465e9e7e 485c304266 b808	2005	Kendall	NOISE-K	RRF	Salt Pepper	0.000651	- 0.000587	- 0.001238	- 0.004402	0.00203	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	e0e37cf011 03c78b016e 6508d62db2 368f03d1f ffe41e9992 99901d8271 34f9	2005	Kendall	NOISE-K	RRF	Salt Pepper	0.047834	-0.03369	- 0.081524	- 0.105045	- 0.057387	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	8fdc9677d4 c13bc70447 39ac19ed33 14b49cbe73 d074ec6032 8dcb73d9ca 19f2	2005	Kendall	NOISE-K	RRF	Salt Pepper	0.001162	0.000289	- 0.000873	- 0.005136	0.003266	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	94c7cd13ee 751a68ed39 9634cf6879 e37fb9fe0a f39ef032b2 bcc7226eb0 a25c	2005	Kendall	NOISE-K	RRF	Salt Pepper	0.046026	0.015653	- 0.030373	- 0.062402	0.003006	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	2975d6c128 c0250a8e6d c8e41a0d0d e5e747332c 4ffdd16c9e bf9df701bc b35a	2005	Kendall	NOISE-K	RRF	Speckle	- 0.010462	0.008025	0.018487	- 0.000431	0.038552	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	be9b42af13 135ed73a0b 2f4ab4582a 2aad22eafc 932cfa643d 8d72064560 8b2a	2005	Kendall	NOISE-K	RRF	Speckle	0.057934	-0.05918	- 0.117114	-0.14411	- 0.089417	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	a5c9a7f0b4 92c879a46b 275e36698a 3c0ab0e046 ff1e95db98 c1264fb76b a53b	2005	Kendall	NOISE-K	RRF	Speckle	-0.01435	0.006789	0.021139	0.006023	0.036827	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	740b4d6a52 3fe9047400 f697310f6d d7e664e015 fd011cb9f6 783afa1032 305f	2005	Kendall	NOISE-K	RRF	Speckle	0.056662	- 0.006265	- 0.062927	- 0.089438	- 0.035408	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	8e9d67618f b16e52a9ae 7d5ef7bac1 be705a28b8 a85400d5cc ef56d5357a 3a4d	2005	Kendall	NOISE-K	RRF	Adversarial	0.00201	0.001302	- 0.000708	- 0.008318	0.007589	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	23c34ab90a 641e9b029d 76b07d9eff 57e36a8b4a 89a3225e63 ccfe92ff48 b2e6	2005	Kendall	NOISE-K	RRF	Adversarial	0.004534	- 0.014954	- 0.019488	- 0.044366	0.00667	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	fb75557e5c dbc589e0f5 c701cfe8db a2e57293d1 15628a7f10 5ad88ed3a5 c711	2005	Kendall	NOISE-K	RRF	Adversarial	- 0.000305	0.013758	0.014064	0.003112	0.025248	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	f1d8049381 84a64679f2 f724b51191 83640bbb93 a8526e4332 9822704e36 0ffc	2005	Kendall	NOISE-K	RRF	Adversarial	0.005775	- 0.018487	- 0.024262	- 0.048986	0.001735	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	8c28cbf262 d3a9454505 1bcf71d971 7fb59233d e6052784c3 5410fb8e8b adf8	2005	Kendall	NOISE-K	Kemeny	Gaussian	- 0.000632	0.001484	0.002117	- 0.001389	0.005985	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	55ee01b313 bd3626e0a8 470d303f4f 10ca24a112 6a198e6267 f9a7a1f0b9 2ad2	2005	Kendall	NOISE-K	Kemeny	Gaussian	0.038019	- 0.060201	-0.09822	- 0.123039	- 0.073191	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	c2c1622c67 78de52ac0c dbd6268d4e 9e72da0d3c 07d48c1d74 a9900435e4 a1f8	2005	Kendall	NOISE-K	Kemeny	Gaussian	0.001837	0.002132	0.000295	- 0.003577	0.004209	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	86400e00da 90dfcdadd2 7f09a2f2dd d48d14431a 0e0d47e5a3 be16c67d3e 25b7	2005	Kendall	NOISE-K	Kemeny	Gaussian	0.057613	0.041136	- 0.016477	- 0.041688	0.009146	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	b7812d1837 212ec1b102 f27d2196e2 328119dfa5 3cb4722fa9 7651be5ab4 9ce8	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	0.000233	- 0.000815	- 0.001048	-0.00492	0.002927	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	7be0c9f022 d9471dec73 961c67543a 2e9e8c3491 7d2f16e306 b5684ec1db 5052	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	0.047963	-0.02636	- 0.074322	- 0.098458	- 0.050136	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	17df29a546 f311807ac 958e8c4b6a b95b541d76 ea0e05d256 ac10914f20 6f61	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	0.000165	- 0.000511	- 0.000675	- 0.004806	0.003433	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	4bb4d2989c a56c5eed9 2ab4fecfa1 cc73a01767 ab1a4a7dbd 9145ea2d0e df56	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	0.055615	0.021713	- 0.033903	- 0.066476	0.000992	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	2c3eff4dfc cdd67a6594 86789dfa9a 889e09d2d1 5bbbf683b31 5a83a05109 ddf7	2005	Kendall	NOISE-K	Kemeny	Speckle	- 0.008902	- 0.009499	- 0.000597	- 0.021311	0.023083	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	f695a81129 13148ce93d 2ce7cfb81b 4cc729b94f a5ed09fc08 a99ce6dd1f 41a1	2005	Kendall	NOISE-K	Kemeny	Speckle	0.03711	- 0.068077	- 0.105187	- 0.133274	-0.07694	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	e4c6e0ddf5 c6c0a755d0 71e5f1028d f02656289f 728aff6846 902058663b 0e1b	2005	Kendall	NOISE-K	Kemeny	Speckle	- 0.015847	- 0.002828	0.013019	- 0.002944	0.029866	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	3282b34444 67004855a7 cf551095e9 535ff557e1 1464626e27 85861b1c97 bdeb	2005	Kendall	NOISE-K	Kemeny	Speckle	0.055964	0.001314	-0.05465	- 0.081973	- 0.027029	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	7d2bf8eaae 6e1be7fc99 9fd4b32f4 3516c3a3fa 4134d50d3e ee9faab627 577f	2005	Kendall	NOISE-K	Kemeny	Adversarial	- 0.000546	-0.00512	- 0.004574	- 0.012189	0.00407	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	021717bd93 0f54d50ead 0550dea044 a3ad6cc648 c7aa03a6cc 02612ef038 d13e	2005	Kendall	NOISE-K	Kemeny	Adversarial	- 0.000402	- 0.018397	- 0.017994	- 0.044716	0.010104	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	49224bcc9b82e6a3b531c10381cd09a5193c3adb1f98abc865aca9624d557b759	2005	Kendall	NOISE-K	Kemeny	Adversarial	-0.002799	0.009011	0.01181	0.000954	0.022959	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	b8666b1d188ec8126cd907438e31ddc61982b6c6bfb87234ca0789dfac5f9b6e	2005	Kendall	NOISE-K	Kemeny	Adversarial	0.004766	-0.020096	-0.024862	-0.050695	0.002807	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	35e876ea873fec1767dd695f0fc1ab08e846d8f8568e753f77cc917c72f639d4	2005	Kendall	NOISE-K	Schulze	Gaussian	0.001799	0.002981	0.001182	-0.002066	0.004707	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	433a08d22597423df47132c9a36d7bfc6b25bc9c369cb685c8b9149468e21058d	2005	Kendall	NOISE-K	Schulze	Gaussian	0.0306	-0.041632	-0.072232	-0.097157	-0.047314	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	4baa8c6858b526cea23474c3e43dd479ee993b3b6da28ee495948218ce89a4c6	2005	Kendall	NOISE-K	Schulze	Gaussian	0.002575	0.003195	0.00062	-0.002884	0.004318	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	62f294f715043aa9139664424140a96f75b1960f7c59cef5c04c8e06aa65b6d8	2005	Kendall	NOISE-K	Schulze	Gaussian	0.048815	0.025576	-0.023239	-0.048762	0.002972	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	4e1b36a136723ac257884b508ebce7d15ab694e8cbf4de2cce1e3e023e6881dc	2005	Kendall	NOISE-K	Schulze	Salt Pepper	-0.000319	-0.000384	-6.5014e-05	-0.003645	0.003846	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	581717ac497f05736788d0590d726f4305d6c6d29c520ef3375c34a035adc824	2005	Kendall	NOISE-K	Schulze	Salt Pepper	0.064986	-0.024258	-0.089243	-0.11442	-0.064242	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	22722122f76e074aba4d1566d5f709ee4e49f3af3dc689f6be70ceb99348e54d	2005	Kendall	NOISE-K	Schulze	Salt Pepper	-0.000169	3.3307e-05	0.000202	-0.004187	0.00464	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	42d78bc10024f1fafd4e8b2272126b06bc9fb317cc138626880c447a3fb60b25	2005	Kendall	NOISE-K	Schulze	Salt Pepper	0.049075	0.000982	-0.048093	-0.081277	-0.014248	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	021ab7cd2760aae504699e5e64f26f2a2314c9b1caf16f3707b9f139ae76314c	2005	Kendall	NOISE-K	Schulze	Speckle	-0.011438	0.004802	0.01624	-0.003336	0.037225	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	1d9844929e4baeb9c83b05940a3a44e7fcc69ff8bce800b0420751b501a7264d	2005	Kendall	NOISE-K	Schulze	Speckle	0.047471	-0.047301	-0.094772	-0.12267	-0.066735	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	a4ac16aa13c2a26772c7d2a297ca1ba0f623d192f937a4e7d15c816bdb3f0b3a	2005	Kendall	NOISE-K	Schulze	Speckle	-0.013475	0.00258	0.016055	0.000473	0.031819	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	4a0f222f9973e356b5ac1d55a8f2918779d55ea178eacd9261b2dc64b42da49b	2005	Kendall	NOISE-K	Schulze	Speckle	0.050079	0.001314	-0.048764	-0.076353	-0.020292	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	45609e30050c484886e4e180c903d38884a995a7aadd53e13d8e96f7d8a502e5	2005	Kendall	NOISE-K	Schulze	Adversarial	0.001158	0.002694	0.001536	-0.006515	0.01068	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	908b89833f9c8a037d5464cc8ca4f675bc7719b591a224d235c687c4b6ed7c34	2005	Kendall	NOISE-K	Schulze	Adversarial	0.003786	-0.002784	-0.00657	-0.033029	0.02116	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	c39daa5fae7149ecb1d86df2ad6f9e9d81eb5262c50db047bf026a07b2b6e89f	2005	Kendall	NOISE-K	Schulze	Adversarial	0.004251	0.015559	0.011308	0.000209	0.023001	0.95
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	113792dac47ecf33edac88887b100999d4a2c0c7d68c844408e67f5787284436	2005	Kendall	NOISE-K	Schulze	Adversarial	0.006767	-0.009592	-0.016359	-0.042031	0.010805	0.95

Table 227: DermaMNIST-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	53a3bec9532b11218e964fcd07fe0105444d7efc161101b7510a1cfca4a54b82	0.92075	1	False	0.9123	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	6f82ab78939a4fe6603ddf4ae027bcb2c3f86039a3721d7ed9259d57260c2f7b04e402f720b8777a1ab44f27cadcc3df02212f7700ea8d9ee57891a814a0484	5e-05	0.032	True	5e-05	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	b04e402f720b8777a1ab44f27cadcc3df02212f7700ea8d9ee57891a814a0484	0.0064	1	False	0.0035	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	3e1c1199c2a3285477d0f2805b8089f2666788ea589a92e3416863af5c09e078	0.05715	1	False	0.04565	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	508c34ac191ed8bd54b2d16665be250233d159cb92833d3b63c5fb70acab9a71	0.98735	1	False	0.99465	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	b29ed6f9977290ee1d0bcb0e40c502aded2cb0618aca0825bd a6177b2ca2e72c	5e-05	0.032	True	5e-05	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	87e664d606f87944d048c5ae2f1711df56d3f81d5ac924c727b298c9ea425685	0.6746	1	False	0.6797	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	8c71562fa0e13aaaa73f9c78376ac6c026eb2b7b4696deb7319ba87891884180	0.00085	0.5185	False	0.00055	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	39e38ec552e382cfdb8c6767ba487d4b05cb4a54bbc176ad3a8e167a51ec4147	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	8f632fc163f4badcd4a79d59d3dd601134b103f4f772c995235afb7b8461f85	5e-05	0.032	True	5e-05	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	8272846e132840d762a2b830800519b8ec71fb6dd88a9f14ea0559f7c3b7717d	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	87928e104615ac7870f72f80361d1d3db7fb3ea3f24486a806ef89a568cb5a22	0.1027	1	False	0.079	better

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	9246fc1ceb d95524de71 f729a76ced f8810ff4b 18908fe513 d069160dda cb4a	0.95215	1	False	0.92535	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	a810aa0cad d593a8eb76 3462423203 c0d64f751c a30b9adb80 db2ae5e790 f469	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	daf963bfc8 2160e837a4 36ec87af0f d876dd2909 9ea68c78bd 0c8c38899c b3b8	0.88375	1	False	0.8659	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	f43445a8f2 6a5f977352 7a00ea8474 ebb8ab2a42 ae673d808b e0cba67c20f457	0.99925	1	False	0.99885	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	a554319aca c213150c8b a1585aa18a 098f86c2bb a38d31136a c5c162f7db a9d6	0.9114	1	False	0.89595	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	502f198cfe b96fe952f1 29d99dbbc40 4e6b4f8d81 8c4838c112 d560289db1 d5de	0.997	1	False	0.99745	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	943d543fae 6edadb13a8 546267477b d59d4488b2 5f2d430c07 b06043586a f5c4	0.1247	1	False	0.1191	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	3e1e943bf3 783769510e 6a53593bfb ca38ee4e1c ac79c6cbfa 5a187fa454 7875	0.243	1	False	0.21255	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	febbde12c7f 74bd78b190 cdd35cc072 d7ce5a623b 9ff45cd470 9d8bc672c13f0f	0.96725	1	False	0.9681	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	fcc6d80934 d6606e67de 685f2d087c 8fd40772e 81310da407 f0c63dcca4 1b60	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	90b1395c83 591c9d2388 608fef1a50 ac208756c5 9190844243 6c8ef22656154a	0.6291	1	False	0.6277	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	742dd15a53 9b09d1be17 9e982336a4 064aea0a5e e5745ee407 f0cedf259bd121	0.33425	1	False	0.2762	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	8e85640e42 45e5293cc1 0782da8743 524f369202 19ec806a82 332fe0c6f315b2	0.99955	1	False	0.9998	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	09324c4ea8389c644fe5dce5abd630a86b0ff647114f62bdada6ac281e67fa196b280b5809514fbaeb14eca8f2d5779eebb86e501005803d3b2ad33f78946f32aa35a03748f088d920c115d5d119cfbe3d78d88d2e361173220a1b4a5ab925a78cf416dd1fe5111ab32a5a7c8819eb27927bdfc3402cde0735215fdb22df53a3	0.99995	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	b280b5809514fbaeb14eca8f2d5779eebb86e501005803d3b2ad33f78946f32aa35a03748f088d920c115d5d119cfbe3d78d88d2e361173220a1b4a5ab925a78cf416dd1fe5111ab32a5a7c8819eb27927bdfc3402cde0735215fdb22df53a3	0.9959	1	False	0.99605	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	b280b5809514fbaeb14eca8f2d5779eebb86e501005803d3b2ad33f78946f32aa35a03748f088d920c115d5d119cfbe3d78d88d2e361173220a1b4a5ab925a78cf416dd1fe5111ab32a5a7c8819eb27927bdfc3402cde0735215fdb22df53a3	0.963	1	False	0.95485	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	b280b5809514fbaeb14eca8f2d5779eebb86e501005803d3b2ad33f78946f32aa35a03748f088d920c115d5d119cfbe3d78d88d2e361173220a1b4a5ab925a78cf416dd1fe5111ab32a5a7c8819eb27927bdfc3402cde0735215fdb22df53a3	0.98685	1	False	0.9803	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	b280b5809514fbaeb14eca8f2d5779eebb86e501005803d3b2ad33f78946f32aa35a03748f088d920c115d5d119cfbe3d78d88d2e361173220a1b4a5ab925a78cf416dd1fe5111ab32a5a7c8819eb27927bdfc3402cde0735215fdb22df53a3	0.97175	1	False	0.96535	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	b280b5809514fbaeb14eca8f2d5779eebb86e501005803d3b2ad33f78946f32aa35a03748f088d920c115d5d119cfbe3d78d88d2e361173220a1b4a5ab925a78cf416dd1fe5111ab32a5a7c8819eb27927bdfc3402cde0735215fdb22df53a3	0.21875	1	False	0.19715	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	b280b5809514fbaeb14eca8f2d5779eebb86e501005803d3b2ad33f78946f32aa35a03748f088d920c115d5d119cfbe3d78d88d2e361173220a1b4a5ab925a78cf416dd1fe5111ab32a5a7c8819eb27927bdfc3402cde0735215fdb22df53a3	0.98435	1	False	0.9772	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	b280b5809514fbaeb14eca8f2d5779eebb86e501005803d3b2ad33f78946f32aa35a03748f088d920c115d5d119cfbe3d78d88d2e361173220a1b4a5ab925a78cf416dd1fe5111ab32a5a7c8819eb27927bdfc3402cde0735215fdb22df53a3	0.71765	1	False	0.65045	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	b280b5809514fbaeb14eca8f2d5779eebb86e501005803d3b2ad33f78946f32aa35a03748f088d920c115d5d119cfbe3d78d88d2e361173220a1b4a5ab925a78cf416dd1fe5111ab32a5a7c8819eb27927bdfc3402cde0735215fdb22df53a3	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	b280b5809514fbaeb14eca8f2d5779eebb86e501005803d3b2ad33f78946f32aa35a03748f088d920c115d5d119cfbe3d78d88d2e361173220a1b4a5ab925a78cf416dd1fe5111ab32a5a7c8819eb27927bdfc3402cde0735215fdb22df53a3	0.8436	1	False	0.842	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	b280b5809514fbaeb14eca8f2d5779eebb86e501005803d3b2ad33f78946f32aa35a03748f088d920c115d5d119cfbe3d78d88d2e361173220a1b4a5ab925a78cf416dd1fe5111ab32a5a7c8819eb27927bdfc3402cde0735215fdb22df53a3	0.4296	1	False	0.3898	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	b280b5809514fbaeb14eca8f2d5779eebb86e501005803d3b2ad33f78946f32aa35a03748f088d920c115d5d119cfbe3d78d88d2e361173220a1b4a5ab925a78cf416dd1fe5111ab32a5a7c8819eb27927bdfc3402cde0735215fdb22df53a3	0.91575	1	False	0.8984	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	b280b5809514fbaeb14eca8f2d5779eebb86e501005803d3b2ad33f78946f32aa35a03748f088d920c115d5d119cfbe3d78d88d2e361173220a1b4a5ab925a78cf416dd1fe5111ab32a5a7c8819eb27927bdfc3402cde0735215fdb22df53a3	1	1	False	1	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	3e856c47a07623925f075184f0a2cb431fa31136608693d447775857eda8feaf	0.9182	1	False	0.9281	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	9e027b48a774d5e206f5ef7c3a528c44ea89bcc525f251d9b4d4e02f7b085635	0.1051	1	False	0.0842	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	04b65e12dcf94e8200ab8371e0ac831dfeac4f56ed0370d63f6cd842f14cd7d7	0.9683	1	False	0.93945	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	fbbf2326717b2714c2ff9a1d197663559f30c3a99c3c7be8eb95695b63d5bff8	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	68f11071525fee9f89ca6bea1e9dc1f37265656af6b3324b42a13a319e870d38	0.2665	1	False	0.22965	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	e84fe5cf363ceebaa93199346e50d85125af8575fee701c8933d43cd5aa3f3c	0.98735	1	False	0.98425	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	28c79950cc4272af49ca71e82da20e5c647371c868d3651107627d390f9879d3	0.93795	1	False	0.88625	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	1ee04cdafa4d0ccb6341f470b74a6dff225b4c227a18deb29f0a15a8b76670eb	0.97385	1	False	0.9682	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	8c9997ce718948ab280726f42341d6cf88d453e43b0b44ba425f2d0554a47f12	0.2431	1	False	0.21885	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	7633546577b6fbc6c9dcf1a75d919a1f0de4db617ffa963bc7afd3ffbe91be67	0.9934	1	False	0.99005	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	101d63671f6ade3213c61c4903b04ac009af77ab922afc5ec97713b73b972d91	0.6419	1	False	0.60595	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	7324da79ba9583f5edbdce9e6a788a28ba1b0a7bd1598631a7fcc2169d930357c	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	805c8c47efd1a8bfb4ebb5c130bedba3e18ea336ea841364536b023861435b58	0.20675	1	False	0.2016	better

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonposit ive Probabil ity	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	bd59570a86 6efd48eb06 b6bac434ef d68d81e8a7 25701af16c b6cda2edd9 58ac	0.5194	1	False	0.4789	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	b56366a65b 255f560db5 b574ad74eb 7da326ef17 cfb087a263 98f41d6348 882c	0.63845	1	False	0.5957	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	c9acb33c1b c3438567b4 3d818d2056 be6ae9dfd7 c0cb2194ae c6f9b5a430 b508	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	4c69a2813c f3f401d308 e3e98610ba a61c69acf1 ec7d26e97f 40337d0fb1c66	0.4672	1	False	0.47365	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	4622376d12 2565c61622 fd36f5a63b f545fc6e62 8d6848878b 2639524f28 b326	0.51415	1	False	0.44575	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	867f97a5fd 8bf4945416 74aa6a0ac8 f736c032a8 3fdbf88262 8e8ea516f1293e	0.99185	1	False	0.9882	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	71f35d6cab 6d93a506c9 713ac64e71 8590fee4ff 90957b9d50 3c8b25bd68 ee15	0.99985	1	False	0.99995	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	5cf5cc6899 d280bc8962 4fc3449914 bc1da59bad dc23566d0a 50c7afe9931898	0.76365	1	False	0.73775	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	2d2010f862 9f1ee003aa 284d97298d ce1f5d1384 af2b442673 5e7fecbabe dacb	0.9824	1	False	0.97875	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	89108e427d fb15a0b52d ae62fee3a9 c233b89185 41bfcc3be0 a409c1ac3f0c5a	0.93195	1	False	0.8902	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	28cea7b573 ef04eddc5d 1ccb568720 4edc9261d4 c565dbe209 26ab05dc6f 244b	0.9576	1	False	0.94965	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	606c5eed7 f8cd24279b debf639f39 feb1593be6 8e5dac5410 0cd005ef92ca65	0.24165	1	False	0.21835	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	127a8bef51 efe9fa22ea cd9fe6e7f3 7e49cf6b56 eee3b80363 ab001886ec 6be6	0.9856	1	False	0.97925	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	f82b56b389 25e4434876 1ada44a5fb 79da0c79d4 aadd00813 9890a70e99 3361	0.9481	1	False	0.94305	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	4cd86224e4 0b7c51db8d 3a54f7749e 60f20ead1d 7d89234434 f7aeb8abb4e796	0.99995	1	False	0.99985	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	472684ad99 938f3d0db1 230ac88fa5 06bfaaa8af 3eb46c7ea0 490442c6ad 69b8	0.2603	1	False	0.2561	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	c09fdcec5d 834bb51085 6aa6c990d4 367c42b725 dd6e9c0748 eb3b7c8a28 91eb	0.2742	1	False	0.24305	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	58cbe955d6 91024e0b68 95d423a472 291f4053f 6af48a66aa dc3603789cf7c4	0.50685	1	False	0.46515	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	7f755933ec 3e690afcb0 0ec120e6bc acce6092a5 9b5ab7382a 1213835e23 6dce	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	988d6110cd 05a8bd2f8d 3b6663d74e cd17a2c07a 6771dd5c13 729c4d9724 96d1	0.41535	1	False	0.417	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	d4b53a6e7a 59e61e6177 5a0547593c 4443ed8441 eb5778235d 8263d638e3 e778	0.35835	1	False	0.3035	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	294ac01757 0764fd0135 78d1085061 dc20813d19 5736dc6fca 3fa3c2b6e5 c55b	0.98535	1	False	0.98095	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	80001de0cd 491bde05cd aceffdb4e0 3aad3d2c24 3c659d76c7	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	cf3a9ac94fe4a bb01a98967 8c4493503f 1d2f6f5d14 d0c4068fd2 f3ccc7c1a8 2617fb008 1028	0.84325	1	False	0.81665	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	327e83262a 5e48306426 e35ed73cbb e40802f6a6 46e5c463f6 9c66b56eb7c0fe	0.958	1	False	0.9479	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	4044da6a9f 8af055c8cc 5bc35165eb 6360e5718a 6a1c9f920f 3da16aeeba 6471	0.9603	1	False	0.93635	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	c9cc6c7fef 414e259d31 ff25f9c94 f1b0ef7a06 d9a90e9aa2 956a17213e 6512	0.9826	1	False	0.97815	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	61f83f5aae c993b89931 d2efdb3946 e1ac4acfc1 6af1f047fb c3785015b2 326b	0.69415	1	False	0.6669	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	501aa6a007 8b794f7a45 0369d380dc 8f43422e68 9f442d6e0b a567692827 6572	0.9914	1	False	0.98715	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	73a9adab2f 72925cdf3c db6e988ecb 1570469296 cbafe9d3d7 53670a73d6 9086	0.26205	1	False	0.2494	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	1698f11876 c2b6e97bec 7229431914 8b95d62cbe 39eed28c78 f95a742a20c8e5	0.9996	1	False	0.99955	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	c5782c105d ea025f3a4f dd985cf16a 596e559eee f6707d87e9 a592a4b2a7 5d7e	0.0132	1	False	0.0025	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	302f787f82 80246a9272 4ac4c88c28 713e740bf9 1f63a14f2c 1c2b526cf4 bc67	0.99935	1	False	0.99885	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	1401a2155a e38f34fa0d 96b3b4f55a 00673a0c63 02b31eb232 e749b445ea b8f7	0.8597	1	False	0.86305	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	56937b6499 6e8095df24 3cc384cd4d 6258bc88a4 fd0784c118 c75e762f0c3b5a	0.99985	1	False	0.99975	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	778d6710d3 cce5dee518 6f25de68af 235381c7ad 5d50e1b845 812c570900 055a	0.865	1	False	0.8789	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	df291f36e4 e8ca86445f 82abbf4aaa 2a3953dd3d 9c8b3fd1ef 7bab78b329 d9c6	0.98675	1	False	0.98625	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	4888c37721 ff21f76da4 77608355b8 4ad6d26b18 c235b28873 f67397ce55013a	0.6141	1	False	0.5259	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	dc2ca32af ee4352ad44 14344bdf08 ad6a6e017f f3d3756393 8e37b8706d ad0c	1	1	False	1	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	0b2d913ea3a498568b79c536a64c761a21ae6db1d45bfe2a00cc03cf0dbb59d	0.11225	1	False	0.1095	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	8f6cb901a0dd376eb7d75e0110b1034830d9d27b603e84965f7e4c8a3b7c6437	0.99805	1	False	0.99785	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	54d0356b3c5e981bb4a1ea6b6cccf72dd7ff08be f8dd277023	0.40875	1	False	0.35945	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	71e66ff216824dbde28a92bb437f0e337e795ba27f0a25e0f1e0089de729c09e9d1575960c3c2	0.9394	1	False	0.94125	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	7ff6264e3abb74aa01c3a88307f838a8c4989b99e968e261a11cda1bb68bdc56	0.394	1	False	0.38985	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	9f94b998c9a91e7f86b6864dfa499c6b6e16c22cf6210d704e2b0ac74433554	0.6178	1	False	0.6193	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	2ff2173bc46091ecb646dc72de886d018df8f01d82e193a9e22a8b50a082eda4	0.24685	1	False	0.2022	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	9fdb35b9c794d8e4d794eddd6fe64cf636cd0d972ea9eda21a742c64c427d2c3	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	6ef63fca66e60359f1f75d192b91de9a450518fb5ffddff8fc78b1flab87194	0.1545	1	False	0.1483	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	785330dfec609e34495329111911070b09efc357b0ef9eddd65016514b50be45	0.9581	1	False	0.95095	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	0cd714d598da81d1ecc63cb4b1b906efc207538ff815a7ced29a922c27c446c	0.96985	1	False	0.9736	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	a16a50f6afa52763b3c7b4e64c7dc0c423cf8a1429081b3a5d1a3f8269a877cb7	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	7ec585b319ea201cf816a2dfa96147dec689accd e03ace5f742d99907c9c5b5e	0.6722	1	False	0.666	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	0c686607668e04fe05873ee6d78f2a3af2c8db838c86bfdef466bed824ab8d4f	0.99635	1	False	0.99685	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	e1ff9e8dea90122f000b925357ad2fedcc3b990b14e8ba2ad501b6e84d6b8859	0.60565	1	False	0.38805	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	d0dad2fc3f26fd72cf314863e7d8a7187b6f5468bdd978af15fa4b18c2db4622	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	6054f864e3b39916719d250f80e5c3fe56239690e30ef4db079b0075539729eb	0.48865	1	False	0.43545	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	2ecd155ee89e3309824ba35931e258b73f8adb900de64ef39d18f2387f4cfab	0.99975	1	False	0.99985	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	64746113e1a62bc754963658eed97c43dfcd393a1aa416be5303f4f7a7d40747	0.63085	1	False	0.50425	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	9d57c6508a428c4ac2addba884f9830f8b7c6dc2a911edb903fa20a74c1617b2	0.62605	1	False	0.5968	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	f8a5e4d23fa17a9ccd8e39f8b806d517de338aa66207f5ad5e8744629a8a3ba4c	0.00125	0.76125	False	0.00085	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	04af9e470bcccec76c4c2c33ec28eb728106ca9f02622c2f95c87f2fec93bef	0.8259	1	False	0.7943	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	b473eead6bf7d1490f60d55e2f436ab2a59d0d36c3419b9ca80e97783b769234	0.1329	1	False	0.11325	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	1402e3039bc0eb2b3e68132c7f71461722b8c629d795dfcb403c79506a82de7e	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	2c19db2e80ba1510e3e1809d0a19ad4965a8e0b112e39509337ec943e7236afa	0.46095	1	False	0.44995	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	ebfabeee7254e95739e444366396bafcf7cd51b4401588814be2f2bb2d503f78	0.8044	1	False	0.7728	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	89ffa7862368d88bd6ad2520a2ab2d12558d1a15f9465e9e7e485c304266b808	0.78745	1	False	0.7661	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	e0e37cf01103c78b016e6508d62db2368ff03d1fffc41e999299901d827134f9	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	8fdc9677d4c13bc7044739ac19ed3314b49cbe73d074ec60328dcb73d9ca19f2	0.6591	1	False	0.66095	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	94c7cd13ee751a68ed399634cf6879e37fb9fe0af39ef032b2bcc7226eb0a25c	0.9694	1	False	0.96155	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	2975d6c128c0250a8e6dc8e41a0d0de5e747332c4ffdd16c9ebf9df701bcb35a	0.0368	1	False	0.02705	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	be9b42af13135ed73a0b2f4ab4582a2aa422aafc932cfa643d8d720645608b2a	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	a5c9a7f0b492c879a46b275e36698a3c0ab0e046ff1a95db98c1264fb76ba53b	0.00385	1	False	0.00375	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	740b4d6a523fe9047400f697310f6dd7e664e015fd011cb9f6	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	783afa1032305f8e9de67618fb16e32a9aeb7d5ef7bac1be705a28b8a85400d5ccf56d5357a3a4d	0.61795	1	False	0.5187	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	23c34ab90a641e9b029d76b07d9e9ff57c36a8b4a89a3225e63ccfe92ff48b2e6	0.937	1	False	0.9253	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	fb75557e5cdbc589e0f5c701cfe8dba2e57293d115628a7f105ad88ed3a5c711	0.0067	1	False	0.0058	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	fd1d804938184a64679f2f724b5119183640bbb93a8526e43329822704e360ffc	0.97295	1	False	0.9651	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	8c28cbf262d3a94545051bcf71d9717bf59233de6052784c35410fb8e8badf8	0.14445	1	False	0.1119	better

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	55ee01b313bd3626e0a8470d303f4f10ca24a1126a198e6207f9a7a1f0b92ad2	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	c2c1622c6778de52ac0cdbc6268d4e9e72da0ddc07d48c1d74a9900435e4a1f8	0.4448	1	False	0.4355	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	86400e00da90dfcdadd27f09a2f2dd448d14431a0e0d47e5a3be16c67d3e25b7	0.90645	1	False	0.8908	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	b7812d1837212ec1b102f27d2196e2328119dfa53cb4722fa97651be5ab49ce8	0.72345	1	False	0.67985	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	7be0c9f022d9471dec73961c67543a2e9e8c34917d2f16e306b5684ec1db5052	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	17df29a546ff311807ac958e8cdbc6ab95b541d76ea0e054256ac10914f206f61	0.6237	1	False	0.63115	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	4bb4d2989ca56c5eed92ab4fecfa1cc73a01767ab1a4a7dbd9145ea2d0edf96	0.97985	1	False	0.9723	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	2c3eff4dfccdd67a659486789dfa9a889e09d2df5bbf683b315a83a05109dd7	0.6334	1	False	0.4067	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	f695a8112913148ce93d2ce7cfb81b4cc729b94fa5ed09fc08a99ce6dd1f41a1	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	e4c6e0ddf5c6c0a755d071e5f1028df02656289f728aff6846902058663b0e1b	0.0644	1	False	0.0522	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	3282b34d4467004855a7cf551095e9535ff557e11464626e2785861b1c97bdeb	0.9999	1	False	0.99985	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	7d2bf8eaae6e1bef7c699fddbce32f43516c3a3fa4134d50d3ee9faab627577f	0.90195	1	False	0.82445	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	021717bd930f54d50ead0550dea044a3ad6cc648c7aa03a6cc02612ef038d13e	0.90875	1	False	0.8971	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	49224bcc9b82e6a3b31c10381cd09a5193c3adb1f98abc865a5ca9624d557b759	0.0184	1	False	0.0165	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	b8666b1d188ec8126cd907438e31ddc61982b6c6bfb87234ca0759dfac5f9b6e35e876ea573fec1767dd695f0fc1ab08e846d8f8568e753f77cc917c72f639d4	0.9692	1	False	0.9618	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	433a08d22597423df47132e9a36d7bfcb25bc9c369cb685c8b9149468e21058d	0.2639	1	False	0.22255	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	433a08d22597423df47132e9a36d7bfcb25bc9c369cb685c8b9149468e21058d	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	4baa8c6858b526cea23474c3e43dd479ce993b3b6da28ee495948218ce89a4c6	0.37335	1	False	0.3617	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	62f294f715043aa9139664424140a96f75b1960f7c59cef5c04c8e06aa65b6d8	0.96235	1	False	0.9586	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	4e1b36a136723ac257884b508ebce7d15ab694e8cbf4de2cce1e3e023e6881dc	0.53525	1	False	0.4962	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	581717ac497f05736788d0590d726f4305d6c6d29c520ef3375c34a035adc824	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	22722122f76e074aba4d156645f709ee4e49f3af3dc689f6be70ceb99348e54d	0.46615	1	False	0.46435	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	42d78bc10024f1fafd4e8b2272126b06bc9fb317cc138626880c447a3fb60b25	0.9978	1	False	0.99715	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	021ab7cd2760aae504699e5e64f26f2a2314c9b1ca1f6f3707b9f139ae76314c	0.0772	1	False	0.0456	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	1d9844929e4baeb9c83b05940a3a44e7fcc69ff8bce800b0420751b501a7264d	1	1	False	1	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	a4ac16aa13c2a26772c7d2a297ca1ba0f623d192f937a4e7d15c816bdbb3f0b3a	0.0233	1	False	0.02125	better

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonposit ive Probabil ity	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	4a0f222f99 73e356b6ac 1d55a8f291 8779d55ea1 78eacd9261 b2dc64b42d a49b	0.9997	1	False	0.9995	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	45609e3005 0c484886e4 e180c903d3 8884a995a7 aadd53e13d 8e96f7d8a5 02e5	0.4187	1	False	0.30965	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	908b89833f 9c8a037d54 64cc8ca4f6 75bc7719b5 91a224d235 c687c4b6ed 7c34	0.6948	1	False	0.67415	worse
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	c39daa5fae 7149ecb1d8 6df2ad6f9e 9d81eb5262 c50db047bf 026a07b2b6 e89f	0.0276	1	False	0.02355	better
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	113792dac4 7ecf33edac 88887b1009 99d4a2c0c7 d68c844408 e67f578728 4436	0.8964	1	False	0.8756	worse

Table 228: DermaMNIST–ResNet-18

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
DermaMNIST	ResNet-18	CNN	Test	Best Individual	2005	0.076808	0.298254	0.314713	0.662344	-0.000499	0.39601	-0.194514	-0.118703	-0.01995	0.406983	-0.220449	-0.049875
DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	2005	0.059352	0.38005	0.281297	0.73217	0.018953	0.352618	-0.164589	-0.110723	-0.000998	0.371072	-0.187032	-0.096259
DermaMNIST	ResNet-18	CNN	Test	Borda	2005	0.051372	0.357107	0.267332	0.722693	0.026434	0.398504	-0.148628	-0.061347	0.006484	0.447382	-0.173566	-0.013965
DermaMNIST	ResNet-18	CNN	Test	Kemeny	2005	0.053367	0.348628	0.275312	0.718204	0.022444	0.414963	-0.155611	-0.052868	0.002494	0.44389	-0.182045	-0.005486
DermaMNIST	ResNet-18	CNN	Test	RRF	2005	0.054863	0.354115	0.275312	0.717207	0.021945	0.403491	-0.155611	-0.062843	0.001496	0.446384	-0.181047	-0.014963
DermaMNIST	ResNet-18	CNN	Test	Schulze	2005	0.054364	0.351621	0.269825	0.717706	0.02394	0.408978	-0.149626	-0.061845	0.000998	0.462344	-0.177057	-0.01197

Table 229: DermaMNIST–ResNet-18

Dataset	Model	Architecture	Split	Method	$R^+_{\mathcal{L}}$	$R^+_{\mathcal{F}}$	$R^+_{\mathcal{C}}$	$R^+_{\mathcal{D}}$	$R^+_{\mathcal{E}}$	$R^+_{\mathcal{F}}$	$R^+_{\mathcal{C}}$	$R^+_{\mathcal{D}}$	$F^{\mathcal{D}}$	$F^{\mathcal{F}}$	$C^{\mathcal{D}}$	$C^{\mathcal{F}}$	$F^{\mathcal{D}}$
DermaMNIST	ResNet-18	CNN	Test	Best Individual	0.17606	0.312219	0.0399	-0.00798	-0.060848	0.030923	-0.250873	0.051372	0.076309	-0.097756	0.1202	0.781047	0.056858
DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	0.231421	0.251372	0.094763	-0.004988	-0.040898	0.129676	-0.217955	0.110224	0.078304	0.027431	0.116708	0.842893	0.058354
DermaMNIST	ResNet-18	CNN	Test	Borda	0.200998	0.316708	0.077805	0.034913	-0.037406	0.066833	-0.224938	0.076808	0.077805	-0.041397	0.118703	0.78404	0.057855
DermaMNIST	ResNet-18	CNN	Test	Kemeny	0.188529	0.307731	0.057855	0.038903	-0.042893	0.064339	-0.229426	0.077805	0.07581	-0.066334	0.119701	0.771072	0.05586
DermaMNIST	ResNet-18	CNN	Test	RRF	0.187032	0.329676	0.059352	0.039401	-0.041397	0.069825	-0.226933	0.078803	0.076808	-0.049377	0.119701	0.78005	0.056359
DermaMNIST	ResNet-18	CNN	Test	Schulze	0.186035	0.318703	0.062344	0.032918	-0.041895	0.068828	-0.218953	0.0798	0.078304	-0.057357	0.1202	0.779551	0.055362

Table 230: DermaMNIST–ResNet-18

Dataset	Model	Architecture	Split	Method	$F^p_{\text{perturbed}}$	$C^p_{\text{perturbed}}$	$\bar{C}^p_{\text{perturbed}}$	$F^s_{\text{perturbed}}$	$F^s_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	$\bar{C}^s_{\text{perturbed}}$	$F^a_{\text{perturbed}}$	$F^a_{\text{perturbed}}$	$C^a_{\text{perturbed}}$	$\bar{C}^a_{\text{perturbed}}$	Selected Sources
DermaMNIST	ResNet-18	CNN	Test	Best Individual	-0.108728	0.094264	0.712219	0.252868	-0.013965	0.354613	0.670324	0.01596	0.267332	0.06384	0.610973	f34b994fd846cc29f501 3b47e8224e6d2a86f16c 1a9c0eb7f272bc6c26c4 313d
DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	0.008978	0.094264	0.828429	0.290773	0.128678	0.37606	0.737157	0.018454	0.250374	0.063342	0.621945	
DermaMNIST	ResNet-18	CNN	Test	Borda	-0.090274	0.093766	0.736658	0.252369	0.040399	0.345137	0.687781	0.013965	0.290274	0.042394	0.645885	
DermaMNIST	ResNet-18	CNN	Test	Kemeny	-0.095262	0.093267	0.723691	0.241895	0.040898	0.333167	0.679302	0.010474	0.284289	0.045885	0.640399	
DermaMNIST	ResNet-18	CNN	Test	RRF	-0.092269	0.094264	0.73217	0.241895	0.024439	0.334663	0.677805	0.013466	0.284289	0.048379	0.638404	
DermaMNIST	ResNet-18	CNN	Test	Schulze	-0.110723	0.092768	0.729676	0.240399	0.032918	0.33217	0.684788	0.012469	0.282793	0.050873	0.637905	

Table 231: DermaMNIST-ResNet-18

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
DermaMNIST	ResNet-18	Best Individual	Dataset Model	All	20	4						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	All	20	5	12	0	8			
DermaMNIST	ResNet-18	Borda	Dataset Model	All	20	5	16	0	4	13	0	7
DermaMNIST	ResNet-18	Kemeny	Dataset Model	All	20	3	15	0	5	12	0	8
DermaMNIST	ResNet-18	RRF	Dataset Model	All	20	2	16	0	4	12	0	8
DermaMNIST	ResNet-18	Schulze	Dataset Model	All	20	1	16	0	4	12	0	8
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Quality	4	4						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Quality	4	0	0	0	4			
DermaMNIST	ResNet-18	Borda	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Robustness All	16	0						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Robustness All	16	5	12	0	4			
DermaMNIST	ResNet-18	Borda	Dataset Model	Robustness All	16	5	16	0	0	11	0	5
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Robustness All	16	3	15	0	1	10	0	6
DermaMNIST	ResNet-18	RRF	Dataset Model	Robustness All	16	2	16	0	0	10	0	6
DermaMNIST	ResNet-18	Schulze	Dataset Model	Robustness All	16	1	16	0	0	10	0	6
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Gaussian	4	0						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Gaussian	4	0	3	0	1			
DermaMNIST	ResNet-18	Borda	Dataset Model	Gaussian	4	2	4	0	0	4	0	0
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Gaussian	4	2	4	0	0	4	0	0
DermaMNIST	ResNet-18	RRF	Dataset Model	Gaussian	4	0	4	0	0	4	0	0
DermaMNIST	ResNet-18	Schulze	Dataset Model	Gaussian	4	0	4	0	0	4	0	0
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Salt Pepper	4	0						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Salt Pepper	4	0	2	0	2			
DermaMNIST	ResNet-18	Borda	Dataset Model	Salt Pepper	4	2	4	0	0	4	0	0
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Salt Pepper	4	1	4	0	0	4	0	0
DermaMNIST	ResNet-18	RRF	Dataset Model	Salt Pepper	4	0	4	0	0	4	0	0
DermaMNIST	ResNet-18	Schulze	Dataset Model	Salt Pepper	4	1	4	0	0	4	0	0
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Speckle	4	0						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Speckle	4	2	3	0	1			
DermaMNIST	ResNet-18	Borda	Dataset Model	Speckle	4	0	4	0	0	2	0	2
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Speckle	4	0	3	0	1	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Speckle	4	2	4	0	0	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Speckle	4	0	4	0	0	2	0	2
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Adversarial	4	0						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Adversarial	4	3	4	0	0			
DermaMNIST	ResNet-18	Borda	Dataset Model	Adversarial	4	1	4	0	0	1	0	3
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Adversarial	4	0	4	0	0	0	0	4
DermaMNIST	ResNet-18	RRF	Dataset Model	Adversarial	4	0	4	0	0	0	0	4
DermaMNIST	ResNet-18	Schulze	Dataset Model	Adversarial	4	0	4	0	0	0	0	4
DermaMNIST	ResNet-18	Best Individual	Overall	All	80	21						
DermaMNIST	ResNet-18	Simple Averaging	Overall	All	80	12	34	1	45			
DermaMNIST	ResNet-18	Borda	Overall	All	80	14	46	2	32	52	3	25
DermaMNIST	ResNet-18	Kemeny	Overall	All	80	18	48	0	32	56	0	24
DermaMNIST	ResNet-18	RRF	Overall	All	80	9	48	1	31	52	1	27
DermaMNIST	ResNet-18	Schulze	Overall	All	80	9	46	0	34	50	3	27
DermaMNIST	ResNet-18	Best Individual	Overall	Quality	16	11						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Quality	16	1	5	0	11			
DermaMNIST	ResNet-18	Borda	Overall	Quality	16	1	4	0	12	5	1	10
DermaMNIST	ResNet-18	Kemeny	Overall	Quality	16	0	4	0	12	7	0	9
DermaMNIST	ResNet-18	RRF	Overall	Quality	16	0	4	0	12	6	0	10
DermaMNIST	ResNet-18	Schulze	Overall	Quality	16	3	4	0	12	7	1	8
DermaMNIST	ResNet-18	Best Individual	Overall	Robustness All	64	10						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Robustness All	64	11	29	1	34			
DermaMNIST	ResNet-18	Borda	Overall	Robustness All	64	13	42	2	20	47	2	15
DermaMNIST	ResNet-18	Kemeny	Overall	Robustness All	64	18	44	0	20	49	0	15
DermaMNIST	ResNet-18	RRF	Overall	Robustness All	64	9	44	1	19	46	1	17
DermaMNIST	ResNet-18	Schulze	Overall	Robustness All	64	6	42	0	22	43	2	19
DermaMNIST	ResNet-18	Best Individual	Overall	Gaussian	16	2						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Gaussian	16	1	7	0	9			
DermaMNIST	ResNet-18	Borda	Overall	Gaussian	16	4	12	0	4	13	1	2
DermaMNIST	ResNet-18	Kemeny	Overall	Gaussian	16	6	12	0	4	15	0	1
DermaMNIST	ResNet-18	RRF	Overall	Gaussian	16	1	13	0	3	15	0	1
DermaMNIST	ResNet-18	Schulze	Overall	Gaussian	16	2	12	0	4	14	1	1
DermaMNIST	ResNet-18	Best Individual	Overall	Salt Pepper	16	2						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Salt Pepper	16	0	5	1	10			
DermaMNIST	ResNet-18	Borda	Overall	Salt Pepper	16	5	12	0	4	15	1	0
DermaMNIST	ResNet-18	Kemeny	Overall	Salt Pepper	16	7	12	0	4	16	0	0
DermaMNIST	ResNet-18	RRF	Overall	Salt Pepper	16	3	12	1	3	14	1	1
DermaMNIST	ResNet-18	Schulze	Overall	Salt Pepper	16	1	12	0	4	14	0	2
DermaMNIST	ResNet-18	Best Individual	Overall	Speckle	16	2						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Speckle	16	3	8	0	8			
DermaMNIST	ResNet-18	Borda	Overall	Speckle	16	1	11	0	5	12	0	4
DermaMNIST	ResNet-18	Kemeny	Overall	Speckle	16	2	12	0	4	13	0	3
DermaMNIST	ResNet-18	RRF	Overall	Speckle	16	5	11	0	5	13	0	3
DermaMNIST	ResNet-18	Schulze	Overall	Speckle	16	3	12	0	4	10	1	5
DermaMNIST	ResNet-18	Best Individual	Overall	Adversarial	16	4						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Adversarial	16	7	9	0	7			
DermaMNIST	ResNet-18	Borda	Overall	Adversarial	16	3	7	2	7	7	0	9
DermaMNIST	ResNet-18	Kemeny	Overall	Adversarial	16	3	8	0	8	5	0	11
DermaMNIST	ResNet-18	RRF	Overall	Adversarial	16	0	8	0	8	4	0	12

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	6	0	10	5	0	11

Table 232: DermaMNIST–ResNet-18

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
DermaMNIST	ResNet-18	CNN	Test	Best Individual	2005	0.076808	0.298254	0.314713	0.662344	0.000499	0.282294	0.046883	0.034414	0.000499	0.330673	0.072818	0.022444
DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	2005	0.059352	0.38005	0.281297	0.73217	0.018953	0.352618	0.164589	0.110723	0.000998	0.371072	0.187032	0.096259
DermaMNIST	ResNet-18	CNN	Test	Borda	2005	0.051372	0.357107	0.267332	0.722693	0.026434	0.398504	0.148628	0.061347	0.006484	0.447382	0.173566	0.013965
DermaMNIST	ResNet-18	CNN	Test	Kemeny	2005	0.053367	0.348628	0.275312	0.718204	0.022444	0.414963	0.155611	0.052868	0.002494	0.44389	0.182045	0.005486
DermaMNIST	ResNet-18	CNN	Test	RRF	2005	0.054863	0.354115	0.275312	0.717207	0.021945	0.403491	0.155611	0.062843	0.001496	0.446384	0.181047	0.014963
DermaMNIST	ResNet-18	CNN	Test	Schulze	2005	0.054364	0.351621	0.269825	0.717706	0.02394	0.408978	0.149626	0.061845	0.000998	0.462344	0.177057	0.01197

Table 233: DermaMNIST–ResNet-18

Dataset	Model	Architecture	Split	Method	R'_p	R'_s	R'_c	R''_p	R''_s	R''_c	R'''_p	R'''_s	Selected Sources
DermaMNIST	ResNet-18	CNN	Test	Best Individual	0.146633	0.138653	0.0399	0.00798	0.016958	0.025436	0.15212	0.025935	71be97485badf7c07dda 026914f9ea2a53b3385c a939e5aaa4e748c5fb75 4d55
DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	0.231421	0.251372	0.094763	0.004988	0.040898	0.129676	0.217955	0.110224	
DermaMNIST	ResNet-18	CNN	Test	Borda	0.200998	0.316708	0.077805	0.034913	0.037406	0.066833	0.224938	0.076808	
DermaMNIST	ResNet-18	CNN	Test	Kemeny	0.188529	0.307731	0.057855	0.038903	0.042893	0.064339	0.229426	0.077805	
DermaMNIST	ResNet-18	CNN	Test	RRF	0.187032	0.329676	0.059352	0.039401	0.041397	0.069825	0.226933	0.078803	
DermaMNIST	ResNet-18	CNN	Test	Schulze	0.186035	0.318703	0.062344	0.032918	0.041895	0.068828	0.218953	0.0798	

Table 234: DermaMNIST-ResNet-18

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
DermaMNIST	ResNet-18	Best Individual	Dataset Model	All	20	18						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	All	20	1	1	0	19			
DermaMNIST	ResNet-18	Borda	Dataset Model	All	20	0	1	0	19	11	0	9
DermaMNIST	ResNet-18	Kemeny	Dataset Model	All	20	1	1	0	19	10	0	10
DermaMNIST	ResNet-18	RRF	Dataset Model	All	20	0	1	0	19	10	0	10
DermaMNIST	ResNet-18	Schulze	Dataset Model	All	20	0	1	0	19	10	1	9
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Quality	4	4						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Quality	4	0	0	0	4			
DermaMNIST	ResNet-18	Borda	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Robustness All	16	14						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Robustness All	16	1	1	0	15			
DermaMNIST	ResNet-18	Borda	Dataset Model	Robustness All	16	0	1	0	15	9	0	7
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Robustness All	16	1	1	0	15	8	0	8
DermaMNIST	ResNet-18	RRF	Dataset Model	Robustness All	16	0	1	0	15	8	0	8
DermaMNIST	ResNet-18	Schulze	Dataset Model	Robustness All	16	0	1	0	15	8	1	7
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Gaussian	4	4						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Gaussian	4	0	0	0	4			
DermaMNIST	ResNet-18	Borda	Dataset Model	Gaussian	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Gaussian	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Gaussian	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Gaussian	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Salt Pepper	4	3						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Salt Pepper	4	0	0	0	4			
DermaMNIST	ResNet-18	Borda	Dataset Model	Salt Pepper	4	0	1	0	3	2	0	2
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Salt Pepper	4	1	1	0	3	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Salt Pepper	4	0	1	0	3	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Salt Pepper	4	0	1	0	3	2	1	1
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Speckle	4	3						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Speckle	4	1	1	0	3			
DermaMNIST	ResNet-18	Borda	Dataset Model	Speckle	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Speckle	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Speckle	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Speckle	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Adversarial	4	4						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Adversarial	4	0	0	0	4			
DermaMNIST	ResNet-18	Borda	Dataset Model	Adversarial	4	0	0	0	4	3	0	1
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Best Individual	Overall	All	80	68						
DermaMNIST	ResNet-18	Simple Averaging	Overall	All	80	5	10	0	70			
DermaMNIST	ResNet-18	Borda	Overall	All	80	4	10	0	70	41	3	36
DermaMNIST	ResNet-18	Kemeny	Overall	All	80	1	9	0	71	40	0	40
DermaMNIST	ResNet-18	RRF	Overall	All	80	0	7	0	73	38	1	41
DermaMNIST	ResNet-18	Schulze	Overall	All	80	3	9	0	71	37	4	39
DermaMNIST	ResNet-18	Best Individual	Overall	Quality	16	11						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Quality	16	1	5	0	11			
DermaMNIST	ResNet-18	Borda	Overall	Quality	16	1	4	0	12	5	1	10
DermaMNIST	ResNet-18	Kemeny	Overall	Quality	16	0	4	0	12	7	0	9
DermaMNIST	ResNet-18	RRF	Overall	Quality	16	0	4	0	12	6	0	10
DermaMNIST	ResNet-18	Schulze	Overall	Quality	16	3	4	0	12	7	1	8
DermaMNIST	ResNet-18	Best Individual	Overall	Robustness All	64	57						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Robustness All	64	4	5	0	59			
DermaMNIST	ResNet-18	Borda	Overall	Robustness All	64	3	6	0	58	36	2	26
DermaMNIST	ResNet-18	Kemeny	Overall	Robustness All	64	1	5	0	59	33	0	31
DermaMNIST	ResNet-18	RRF	Overall	Robustness All	64	0	3	0	61	32	1	31
DermaMNIST	ResNet-18	Schulze	Overall	Robustness All	64	0	5	0	59	30	3	31
DermaMNIST	ResNet-18	Best Individual	Overall	Gaussian	16	14						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Gaussian	16	1	2	0	14			
DermaMNIST	ResNet-18	Borda	Overall	Gaussian	16	1	2	0	14	9	1	6
DermaMNIST	ResNet-18	Kemeny	Overall	Gaussian	16	0	2	0	14	9	0	7
DermaMNIST	ResNet-18	RRF	Overall	Gaussian	16	0	1	0	15	9	0	7
DermaMNIST	ResNet-18	Schulze	Overall	Gaussian	16	0	2	0	14	8	1	7
DermaMNIST	ResNet-18	Best Individual	Overall	Salt Pepper	16	13						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Salt Pepper	16	2	2	0	14			
DermaMNIST	ResNet-18	Borda	Overall	Salt Pepper	16	1	3	0	13	8	1	7
DermaMNIST	ResNet-18	Kemeny	Overall	Salt Pepper	16	1	3	0	13	8	0	8
DermaMNIST	ResNet-18	RRF	Overall	Salt Pepper	16	0	2	0	14	8	1	7
DermaMNIST	ResNet-18	Schulze	Overall	Salt Pepper	16	0	3	0	13	8	1	7
DermaMNIST	ResNet-18	Best Individual	Overall	Speckle	16	14						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Speckle	16	1	1	0	15			
DermaMNIST	ResNet-18	Borda	Overall	Speckle	16	1	1	0	15	10	0	6
DermaMNIST	ResNet-18	Kemeny	Overall	Speckle	16	0	0	0	16	9	0	7
DermaMNIST	ResNet-18	RRF	Overall	Speckle	16	0	0	0	16	9	0	7
DermaMNIST	ResNet-18	Schulze	Overall	Speckle	16	0	0	0	16	7	1	8
DermaMNIST	ResNet-18	Best Individual	Overall	Adversarial	16	16						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Adversarial	16	0	0	0	16			
DermaMNIST	ResNet-18	Borda	Overall	Adversarial	16	0	0	0	16	9	0	7
DermaMNIST	ResNet-18	Kemeny	Overall	Adversarial	16	0	0	0	16	7	0	9
DermaMNIST	ResNet-18	RRF	Overall	Adversarial	16	0	0	0	16	6	0	10

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	0	0	16	7	0	9

Table 235: DermaMNIST–ResNet-18

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
DermaMNIST	ResNet-18	CNN	Test	Best Individual	2005	0.076808	0.298254	0.314713	0.662344	0.000499	0.39601	0.194514	0.118703	0.01995	0.406983	0.220449	0.049875
DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	2005	0.059352	0.38005	0.281297	0.73217	0.018953	0.352618	0.164589	0.110723	0.000998	0.371072	0.187032	0.096259
DermaMNIST	ResNet-18	CNN	Test	Borda	2005	0.051372	0.357107	0.267332	0.722693	0.026434	0.398504	0.148628	0.061347	0.006484	0.447382	0.173566	0.013965
DermaMNIST	ResNet-18	CNN	Test	Kemeny	2005	0.053367	0.348628	0.275312	0.718204	0.022444	0.414963	0.155611	0.052868	0.002494	0.44389	0.182045	0.005486
DermaMNIST	ResNet-18	CNN	Test	RRF	2005	0.054863	0.354115	0.275312	0.717207	0.021945	0.403491	0.155611	0.062843	0.001496	0.446384	0.181047	0.014963
DermaMNIST	ResNet-18	CNN	Test	Schulze	2005	0.054364	0.351621	0.269825	0.717706	0.02394	0.408978	0.149626	0.061845	0.000998	0.462344	0.177057	0.01197

Table 236: DermaMNIST–ResNet-18

Dataset	Model	Architecture	Split	Method	R'_c	R'_p	R''_c	R''_p	R'''_c	R'''_p	R''''_c	R''''_p	Selected Sources
DermaMNIST	ResNet-18	CNN	Test	Best Individual	0.17606	0.312219	0.0399	0.00798	0.060848	0.030923	0.250873	0.051372	31200a2a2c207d41e2170534afaa4fc0374dabdc0fd1b62434396e4f1f442e9c
DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	0.231421	0.251372	0.094763	0.004988	0.040898	0.129676	0.217955	0.110224	
DermaMNIST	ResNet-18	CNN	Test	Borda	0.200998	0.316708	0.077805	0.034913	0.037406	0.066833	0.224938	0.076808	
DermaMNIST	ResNet-18	CNN	Test	Kemeny	0.188529	0.307731	0.057855	0.038903	0.042893	0.064339	0.229426	0.077805	
DermaMNIST	ResNet-18	CNN	Test	RRF	0.187032	0.329676	0.059352	0.039401	0.041397	0.069825	0.226933	0.078803	
DermaMNIST	ResNet-18	CNN	Test	Schulze	0.186035	0.318703	0.062344	0.032918	0.041895	0.068828	0.218953	0.0798	

Table 237: DermaMNIST-ResNet-18

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
DermaMNIST	ResNet-18	Best Individual	Dataset Model	All	20	9						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	All	20	6	10	0	10			
DermaMNIST	ResNet-18	Borda	Dataset Model	All	20	3	7	0	13	11	0	9
DermaMNIST	ResNet-18	Kemeny	Dataset Model	All	20	2	8	0	12	10	0	10
DermaMNIST	ResNet-18	RRF	Dataset Model	All	20	0	7	0	13	10	0	10
DermaMNIST	ResNet-18	Schulze	Dataset Model	All	20	1	7	0	13	10	1	9
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Quality	4	4						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Quality	4	0	0	0	4			
DermaMNIST	ResNet-18	Borda	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Robustness All	16	5						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Robustness All	16	6	10	0	6			
DermaMNIST	ResNet-18	Borda	Dataset Model	Robustness All	16	3	7	0	9	9	0	7
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Robustness All	16	2	8	0	8	8	0	8
DermaMNIST	ResNet-18	RRF	Dataset Model	Robustness All	16	0	7	0	9	8	0	8
DermaMNIST	ResNet-18	Schulze	Dataset Model	Robustness All	16	1	7	0	9	8	1	7
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Gaussian	4	1						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Gaussian	4	1	3	0	1			
DermaMNIST	ResNet-18	Borda	Dataset Model	Gaussian	4	1	2	0	2	2	0	2
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Gaussian	4	1	2	0	2	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Gaussian	4	0	2	0	2	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Gaussian	4	0	2	0	2	2	0	2
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Salt Pepper	4	0						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Salt Pepper	4	2	3	0	1			
DermaMNIST	ResNet-18	Borda	Dataset Model	Salt Pepper	4	1	3	0	1	2	0	2
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Salt Pepper	4	1	3	0	1	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Salt Pepper	4	0	3	0	1	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Salt Pepper	4	1	3	0	1	2	1	1
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Speckle	4	2						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Speckle	4	2	2	0	2			
DermaMNIST	ResNet-18	Borda	Dataset Model	Speckle	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Speckle	4	0	1	0	3	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Speckle	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Speckle	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Adversarial	4	2						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Adversarial	4	1	2	0	2			
DermaMNIST	ResNet-18	Borda	Dataset Model	Adversarial	4	1	2	0	2	3	0	1
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Adversarial	4	0	2	0	2	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Adversarial	4	0	2	0	2	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Adversarial	4	0	2	0	2	2	0	2
DermaMNIST	ResNet-18	Best Individual	Overall	All	80	32						
DermaMNIST	ResNet-18	Simple Averaging	Overall	All	80	16	28	1	51			
DermaMNIST	ResNet-18	Borda	Overall	All	80	11	33	2	45	41	3	36
DermaMNIST	ResNet-18	Kemeny	Overall	All	80	17	39	0	41	40	0	40
DermaMNIST	ResNet-18	RRF	Overall	All	80	1	29	1	50	38	1	41
DermaMNIST	ResNet-18	Schulze	Overall	All	80	6	35	0	45	37	4	39
DermaMNIST	ResNet-18	Best Individual	Overall	Quality	16	11						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Quality	16	1	5	0	11			
DermaMNIST	ResNet-18	Borda	Overall	Quality	16	1	4	0	12	5	1	10
DermaMNIST	ResNet-18	Kemeny	Overall	Quality	16	0	4	0	12	7	0	9
DermaMNIST	ResNet-18	RRF	Overall	Quality	16	0	4	0	12	6	0	10
DermaMNIST	ResNet-18	Schulze	Overall	Quality	16	3	4	0	12	7	1	8
DermaMNIST	ResNet-18	Best Individual	Overall	Robustness All	64	21						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Robustness All	64	15	23	1	40			
DermaMNIST	ResNet-18	Borda	Overall	Robustness All	64	10	29	2	33	36	2	26
DermaMNIST	ResNet-18	Kemeny	Overall	Robustness All	64	17	35	0	29	33	0	31
DermaMNIST	ResNet-18	RRF	Overall	Robustness All	64	1	25	1	38	32	1	31
DermaMNIST	ResNet-18	Schulze	Overall	Robustness All	64	3	31	0	33	30	3	31
DermaMNIST	ResNet-18	Best Individual	Overall	Gaussian	16	6						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Gaussian	16	2	5	0	11			
DermaMNIST	ResNet-18	Borda	Overall	Gaussian	16	3	8	0	8	9	1	6
DermaMNIST	ResNet-18	Kemeny	Overall	Gaussian	16	5	8	0	8	9	0	7
DermaMNIST	ResNet-18	RRF	Overall	Gaussian	16	0	7	0	9	9	0	7
DermaMNIST	ResNet-18	Schulze	Overall	Gaussian	16	0	8	0	8	8	1	7
DermaMNIST	ResNet-18	Best Individual	Overall	Salt Pepper	16	3						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Salt Pepper	16	5	8	1	7			
DermaMNIST	ResNet-18	Borda	Overall	Salt Pepper	16	3	9	0	7	8	1	7
DermaMNIST	ResNet-18	Kemeny	Overall	Salt Pepper	16	5	11	0	5	8	0	8
DermaMNIST	ResNet-18	RRF	Overall	Salt Pepper	16	0	9	1	6	8	1	7
DermaMNIST	ResNet-18	Schulze	Overall	Salt Pepper	16	2	11	0	5	8	1	7
DermaMNIST	ResNet-18	Best Individual	Overall	Speckle	16	7						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Speckle	16	3	3	0	13			
DermaMNIST	ResNet-18	Borda	Overall	Speckle	16	2	5	0	11	10	0	6
DermaMNIST	ResNet-18	Kemeny	Overall	Speckle	16	2	6	0	10	9	0	7
DermaMNIST	ResNet-18	RRF	Overall	Speckle	16	1	3	0	13	9	0	7
DermaMNIST	ResNet-18	Schulze	Overall	Speckle	16	1	4	0	12	7	1	8
DermaMNIST	ResNet-18	Best Individual	Overall	Adversarial	16	5						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Adversarial	16	5	7	0	9			
DermaMNIST	ResNet-18	Borda	Overall	Adversarial	16	2	7	2	7	9	0	7
DermaMNIST	ResNet-18	Kemeny	Overall	Adversarial	16	5	10	0	6	7	0	9
DermaMNIST	ResNet-18	RRF	Overall	Adversarial	16	0	6	0	10	6	0	10

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	8	0	8	7	0	9

Table 238: DermaMNIST–ResNet-18

Cell	Dataset	Model	Condition	Metric	Seed Count	Mean	Standard Deviation	Minimum	Maximum	Range	First Half Mean	Second Half Mean	Half Bank Absolute Difference
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Clean	F	8	0.040274	0.005559	0.032419	0.048878	0.016459	0.04015	0.040399	0.000249
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	8	0.593766	0.004501	0.585536	0.598504	0.012968	0.592893	0.594638	0.001746
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Clean	C	8	0.19308	0.00577	0.183042	0.200998	0.017955	0.195137	0.191022	0.004115
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	8	0.912406	0.005016	0.902743	0.917706	0.014963	0.91197	0.912843	0.000873
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	G	F	8	0.079863	0.000562	0.078803	0.080798	0.001995	0.0798	0.079925	0.000125
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	G	Fbar	8	0.14788	0.002639	0.144638	0.153616	0.008978	0.146758	0.149002	0.002244
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	G	C	8	0.118641	0.000494	0.118204	0.119701	0.001496	0.118454	0.118828	0.000374
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	G	Cbar	8	0.989152	0.00166	0.986534	0.991521	0.004988	0.989277	0.989027	0.000249
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	P	F	8	0.05611	0.001222	0.053865	0.057357	0.003491	0.05586	0.056359	0.000499
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	P	Fbar	8	0.133603	0.003377	0.128678	0.138155	0.009476	0.133541	0.133666	0.000125
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	P	C	8	0.090461	0.000702	0.089277	0.091272	0.001995	0.090274	0.090648	0.000374
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	P	Cbar	8	0.993579	0.001422	0.991022	0.995012	0.00399	0.993142	0.994015	0.000873
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	S	F	8	0.289464	0.002528	0.285287	0.292269	0.006983	0.288279	0.290648	0.002369
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	S	Fbar	8	0.343017	0.004943	0.334165	0.350623	0.016459	0.341646	0.344389	0.002743
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	S	C	8	0.370823	0.002896	0.366584	0.375062	0.008479	0.36995	0.371696	0.001746
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	S	Cbar	8	0.947132	0.00203	0.943641	0.950623	0.006983	0.946758	0.947506	0.000748
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	A	F	8	0.003865	0.001991	0.001496	0.006484	0.004988	0.003491	0.004239	0.000748
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	A	Fbar	8	0.57288	0.005318	0.566085	0.58005	0.013965	0.571945	0.573815	0.00187
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	A	C	8	0.017082	0.002162	0.012968	0.01995	0.006983	0.017706	0.016459	0.001247
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	A	Cbar	8	0.891895	0.005989	0.883292	0.897756	0.014464	0.891895	0.891895	0

Table 239: DermaMNIST-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	50c128a290 d722e8460 c3fbc13181 a0a1ad5642 d278263a70 74ac693712 1683	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	max	0.040274	0.079863	0.019077	- 0.001559	1.081699
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	4b57d5f4f3 8ed27062c7 53bfecb9c7 aac0532445 23d33678a0 c4e3b2e1f1 e0b6	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	min	0.593766	0.14788	0.213716	0.120449	0.436406
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	a305bfff3f2 303b096e51 075f37dd05 3baa04496a 9d40b3c7aa 0404056dd3 e001	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	max	0.19308	0.118641	0.088217	- 0.001933	1.021908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	e8708ea9f2 3dd243222b 056247d6ed d49d728a69 5820de3d49 0c093487d1 18e0	2005	Spearman	NOISE-S	Simple Averaging	Gaussian	min	0.912406	0.989152	0.180237	0.146259	0.188516
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	812fca9010 96f53453fd 90082222ed 83f4062faf 90773efcf9 ae3c40dcff 3bdf	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	max	0.040274	0.05611	0.019077	0.002244	0.882353
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	efc8100dba f885610339 9954920119 3df6f5d1b6 ac362ff2e1 0352a1bd11 8045	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	min	0.593766	0.133603	0.213716	0.124626	0.416861
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	ae44b27f84 df91cbda93 d15461a1b3 6beaffc5d4 7f8437dfaa d04d6e1395 85db	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	max	0.19308	0.090461	0.088217	0.003803	0.95689
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	e6b3cffe00 c2941f3ff8 af2258bc99 c5d71757e9 f40b13ddbc b0956e9f01 8ebbb	2005	Spearman	NOISE-S	Simple Averaging	Salt Pepper	min	0.912406	0.993579	0.180237	0.16515	0.083708
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	b61d83a62b 1dd70d086b 58a025ae1c 7f8d603bb6 50b9447d81 3aa1f160a1 8c47	2005	Spearman	NOISE-S	Simple Averaging	Speckle	max	0.040274	0.289464	0.019077	0.001309	0.931373
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	e7166e3622 1c4e5e4aaf d40c2b9824 f4acfae8d6 f86e77e57e 39a449de1f 42be	2005	Spearman	NOISE-S	Simple Averaging	Speckle	min	0.593766	0.343017	0.213716	0.214339	- 0.002917
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	9f46f49d1 8542b79a1e 9758358202 62d78dd6a7 0d0e6f91b4 b2458b044b 8a0f	2005	Spearman	NOISE-S	Simple Averaging	Speckle	max	0.19308	0.370823	0.088217	0.005237	0.940636
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	339cc68865 6857f14a5e 3a0affb-cf6 c4f4770e4c dde4786c71 e6963e52f2 d9bd	2005	Spearman	NOISE-S	Simple Averaging	Speckle	min	0.912406	0.947132	0.180237	0.209975	- 0.164995

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	de6f415be2957a49436d1a74a6ddee cbe27d583400c12d1971765e1529cc be6d	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	max	0.040274	0.003865	0.019077	0.014589	0.235294
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	0f606bf4e76d770783db c60ea2d3c06ba46dea4f 6a9a93c5f0a0fb8eced8 4996	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	min	0.593766	0.57288	0.213716	0.322506	- 0.509043
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	f89d841b8303c66fea0d 760101ea1c78435000bd f7a1dee357ffa4ddc954 bffa	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	max	0.19308	0.017082	0.088217	0.046259	0.475618
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	f9d7695887a074cb133f cec3746cbf501302eb8a 172a526858e7a3721a56 a357	2005	Spearman	NOISE-S	Simple Averaging	Adversarial	min	0.912406	0.891895	0.180237	0.26995	- 0.497752
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	b423472bc86f97454ae5 fc6970f16f148cb8bdba 821e59b15d41a9e27d8b b021	2005	Spearman	NOISE-S	Borda	Gaussian	max	0.040274	0.079863	0.011097	- 0.002057	1.185393
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	e2c226087e41c2319e07 615024a68f10d666a228 013faca83916e1d85136 0f2d	2005	Spearman	NOISE-S	Borda	Gaussian	min	0.593766	0.14788	0.236658	0.189277	0.200211
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	397212e649cd1dab8c15 584bd4eb78fe425a332f c189d1dfb26a4a0d6470 33b5	2005	Spearman	NOISE-S	Borda	Gaussian	max	0.19308	0.118641	0.074252	6.2344e-05	0.99916
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	6386672eeb4ea3536b1a 32cd0eb438b529abda5d 489b8f127bcc9b49cfa2 64bf	2005	Spearman	NOISE-S	Borda	Gaussian	min	0.912406	0.989152	0.189713	0.205112	-0.08117
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	1f55cf9054f97bc27607 f6013f197040325726a5 246ffc977368f3775750 5897	2005	Spearman	NOISE-S	Borda	Salt Pepper	max	0.040274	0.05611	0.011097	0.001746	0.842697
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	c3a4083892258d268e23 857226bc09ce71bc0bef af390d9f38a359bb5c49 f7b3	2005	Spearman	NOISE-S	Borda	Salt Pepper	min	0.593766	0.133603	0.236658	0.223878	0.054004
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	ade70ad050bc28650ce05 97ea0f413c8856452583 4e66d9b1ebfa3c06c697 6106	2005	Spearman	NOISE-S	Borda	Salt Pepper	max	0.19308	0.090461	0.074252	0.003304	0.9555
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	83bf227dde6e631b1897 3440354706282ced13db 22748d042a52343ece46 d809	2005	Spearman	NOISE-S	Borda	Salt Pepper	min	0.912406	0.993579	0.189713	0.25692	- 0.354256
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	dfd445ddee01a6c0579 825ff03a8aa35b43fdec 05da6ef73851f8aefda 67e6	2005	Spearman	NOISE-S	Borda	Speckle	max	0.040274	0.289464	0.011097	- 0.037095	4.342697

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	f8c6750533 abf34966bc 42f6551d5e f0a547d59 0ff7fe6087 dfda313ffe f094	2005	Spearman	NOISE-S	Borda	Speckle	min	0.593766	0.343017	0.236658	0.302618	- 0.278714
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	960fd7089c 79380cbf18 d666d79213 c23df6aaca c63d761345 ee39ee6285 3f8e	2005	Spearman	NOISE-S	Borda	Speckle	max	0.19308	0.370823	0.074252	- 0.025686	1.345928
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	9a6687df0b 8d49263c6e 5389325ad9 ea0e6bce9a 28e6a2bff0 f8fc95b4b8 32cd	2005	Spearman	NOISE-S	Borda	Speckle	min	0.912406	0.947132	0.189713	0.259352	- 0.367072
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	5ddea862bf e78fc5a156 bb6a4623b3 c691a368b9 e040643659 13eaf93866 0656	2005	Spearman	NOISE-S	Borda	Adversarial	max	0.040274	0.003865	0.011097	0.0101	0.089888
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	83ee9cffe4 39c943caa5 4710cd0aad 2cda75590a 3d0a7cd210 afc929f829 41e4	2005	Spearman	NOISE-S	Borda	Adversarial	min	0.593766	0.57288	0.236658	0.282606	- 0.194152
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	441ccbb1bf 848e63a84a ae7e034f50 80e10b4fb6 01d7ae8083 08042164c0 1312	2005	Spearman	NOISE-S	Borda	Adversarial	max	0.19308	0.017082	0.074252	0.025312	0.65911
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	3ed74dafa4 7c29faf631 3650d23138 7d0d963b1a 0b5a111cff 93a5046207 8bf0	2005	Spearman	NOISE-S	Borda	Adversarial	min	0.912406	0.891895	0.189713	0.24601	- 0.296747
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	bfe4c08fa7 aa2f56f6ac 1182d34da3 ca9010184f 6a4933556b e573381393 6b6d	2005	Spearman	NOISE-S	RRF	Gaussian	max	0.040274	0.079863	0.014589	- 0.003055	1.209402
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	4f83f945e5 04d12b04d2 2a48882e08 10ebfe5a10 4550b3d12a fc5c6f1de5 01e0	2005	Spearman	NOISE-S	RRF	Gaussian	min	0.593766	0.14788	0.239651	0.197257	0.176899
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	f43e7d150d ba845abc40 7c778161c6 4e791b4822 4e6b02a131 ecc9ab0e43 499f	2005	Spearman	NOISE-S	RRF	Gaussian	max	0.19308	0.118641	0.082232	0.00106	0.987111
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	83703cdf42 5a24ed5ae1 919b50df59 81ab461aed a4eedd471b 8e831df8ac f2c4	2005	Spearman	NOISE-S	RRF	Gaussian	min	0.912406	0.989152	0.1952	0.209102	- 0.071223
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	5080ee55eb a2d7060721 369ee05e71 655d3a39be b4c6774235 01bbbf88e9 f7a0	2005	Spearman	NOISE-S	RRF	Salt Pepper	max	0.040274	0.05611	0.014589	0.000249	0.982906
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	d0b91303ae 58029fea9f 921bfc9401 a6aa77d516 df6246cc26 a8c261910d 565e	2005	Spearman	NOISE-S	RRF	Salt Pepper	min	0.593766	0.133603	0.239651	0.225873	0.057492

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	16ab83e369b55faddf94c7ca35fa07f61b5be1790f990286a4bb510bfbfe1a	2005	Spearman	NOISE-S	RRF	Salt Pepper	max	0.19308	0.090461	0.082232	0.003803	0.953753
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	7f2f03452ee545cbe567908f0c67667b9c3e1f69b37ecdd41dbe8c2a84f6ac90	2005	Spearman	NOISE-S	RRF	Salt Pepper	min	0.912406	0.993579	0.1952	0.261409	-0.339189
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	a2a73323aa17e9fd27b9ef2308711715c4c12d863151f19d02a63d	2005	Spearman	NOISE-S	RRF	Speckle	max	0.040274	0.289464	0.014589	-0.047569	4.260684
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	f28de567d3fbb82c9bf3315ff8f19408cccc33c4da37bf28a4666ad435315407	2005	Spearman	NOISE-S	RRF	Speckle	min	0.593766	0.343017	0.239651	0.318579	-0.329344
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	9324639910ae097dc9040260edade30b6715f5b14d6f00bdcf88733966a3f585	2005	Spearman	NOISE-S	RRF	Speckle	max	0.19308	0.370823	0.082232	-0.03616	1.439727
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	9b65ddcef3aca83ea96084d4cb2d3b94b3aa1223f1cc4206327603b1c231a2c2	2005	Spearman	NOISE-S	RRF	Speckle	min	0.912406	0.947132	0.1952	0.269327	-0.379751
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	e51a3e0187b8ef1713feb0c593a3a56b801a0f0e283bfe9f13a24e83127bc37e	2005	Spearman	NOISE-S	RRF	Adversarial	max	0.040274	0.003865	0.014589	0.009601	0.34188
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	926d5186c1754938179c560924fe305f8a0a05f5474516e8d0954bfe108521d7	2005	Spearman	NOISE-S	RRF	Adversarial	min	0.593766	0.57288	0.239651	0.288591	-0.204214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	81ff7c6ec7366658e5bd2aa53851d92499b34faf301c74d67d7638ea20b38992	2005	Spearman	NOISE-S	RRF	Adversarial	max	0.19308	0.017082	0.082232	0.031297	0.619409
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	82bbdd35a1d5b40ec461e82485c1bcd7ef3895eb7376be2806ace838b69c6a41	2005	Spearman	NOISE-S	RRF	Adversarial	min	0.912406	0.891895	0.1952	0.253491	-0.298627
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	013fd853656b93d484255848889bbf95891ab70d50bc319bf8f8eb0fb21175eb	2005	Spearman	NOISE-S	Kemeny	Gaussian	max	0.040274	0.079863	0.013092	-0.004052	1.309524
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	7b00b801599539a1500cda15121b4a23a9fc1951d5b2f77e6356efc85009ff7	2005	Spearman	NOISE-S	Kemeny	Gaussian	min	0.593766	0.14788	0.245137	0.214214	0.126144
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	e9f930f46dfcd7cc8472085f818dbbbaddff37d1448247f06342c4f0a4bf51fd7	2005	Spearman	NOISE-S	Kemeny	Gaussian	max	0.19308	0.118641	0.082232	0.00106	0.987111

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	fa99efd79 98b004abcb 4e12a51090 b2c0e3a5f 3fc6c36dc3 d669d474c3 43c7	2005	Spearman	NOISE-S	Kemeny	Gaussian	min	0.912406	0.989152	0.194202	0.21808	- 0.122953
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	6783cb6154 457b4f493c ca312438c2 6e32e04a5b e2d29e79af a67bb93271 11a5	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	max	0.040274	0.05611	0.013092	- 0.000249	1.019048
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	4fab63a67e 39623c402f d24d8da988 4da9563e73 d0824da9d4 274bfa96ed 700c	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	min	0.593766	0.133603	0.245137	0.228865	0.066378
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	6a5583e211 730b0ca156 db4097f6fe e107c2be07 1bd99aa0f6 f7edde5f34 afc0	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	max	0.19308	0.090461	0.082232	0.002805	0.965883
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	b0d6e08e36 d8f5d2bae8 7ca647ee03 7ccaab87a3 248da797ce 5499ba2402 029b	2005	Spearman	NOISE-S	Kemeny	Salt Pepper	min	0.912406	0.993579	0.194202	0.269888	- 0.389727
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	4f23d878e5 600eb585ee 5cbb9792b8 2ba50c55d8 72a9c39800 233ee214e8 84ef	2005	Spearman	NOISE-S	Kemeny	Speckle	max	0.040274	0.289464	0.013092	- 0.047569	4.633333
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	742f3f8cd1 76eaae95eb 846a33ec60 2509509379 7691c6868a 8f57a7dce4 62e6	2005	Spearman	NOISE-S	Kemeny	Speckle	min	0.593766	0.343017	0.245137	0.30212	- 0.232452
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	64a01e7bfa e42aef8669 2ada19d5be cce2e29921 846d457ee9f 2c43984ed9 83e5	2005	Spearman	NOISE-S	Kemeny	Speckle	max	0.19308	0.370823	0.082232	- 0.037656	1.457923
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	5a35aeb5a0 0199246cd3 3a528b9050 85de5d16f0 fb57e93ae3 ef37744266 f953	2005	Spearman	NOISE-S	Kemeny	Speckle	min	0.912406	0.947132	0.194202	0.26783	- 0.379133
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	187f4e6003 471268fa52 484417b82f 1a37107c65 1bb6231515 2bc510d7cf 49b5	2005	Spearman	NOISE-S	Kemeny	Adversarial	max	0.040274	0.003865	0.013092	0.006608	0.495238
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	c017450f8d 79eb825e6d 80f40e3cb5 a49ed58955 37fea6b83 95b25cb3f8 720c	2005	Spearman	NOISE-S	Kemeny	Adversarial	min	0.593766	0.57288	0.245137	0.288591	- 0.177263
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	ba6320f95c eb6888e44a 2c2100ce52 4d7046f328 adb7dc5e93 cf4f493a54 68f9	2005	Spearman	NOISE-S	Kemeny	Adversarial	max	0.19308	0.017082	0.082232	0.028803	0.649735
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	410c4b635c ca560b40f6 7b0f46b670 c53507a6fe 6da8e9cf5f f3bfc0d7cf d59d	2005	Spearman	NOISE-S	Kemeny	Adversarial	min	0.912406	0.891895	0.194202	0.251496	- 0.295024

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	50c4b67396 d22fa503d1 d392596f70 b350143a3f 9b3a1c182a 88001c70d7 97a8	2005	Spearman	NOISE-S	Schulze	Gaussian	max	0.040274	0.079863	0.01409	- 0.001559	1.110619
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	2702aa4618 68b4041134 20f1e99585 b187548de2 dc365bca30 24f3710603 bbcc	2005	Spearman	NOISE-S	Schulze	Gaussian	min	0.593766	0.14788	0.242145	0.205237	0.15242
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	07cfl217c0 fde849d043 71604d0f85 3808202270 ec189eb076 e20b888751 54e1	2005	Spearman	NOISE-S	Schulze	Gaussian	max	0.19308	0.118641	0.076746	0.001559	0.979691
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	faa442670e 062bf7fca5 f305765dfa 9fc57b6e7f 606a15bab6 9ea564f9da 9b4d	2005	Spearman	NOISE-S	Schulze	Gaussian	min	0.912406	0.989152	0.194701	0.209601	- 0.076529
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	06fd92537d a369ae1f92 d5574d20ec 332b47292f 3e96728055 b3c3cd6066 cf3b	2005	Spearman	NOISE-S	Schulze	Salt Pepper	max	0.040274	0.05611	0.01409	- 0.000748	1.053097
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	8a2d293634 b4527b6d2c ab12ddb362 73ed67b538 f9d3707e13 754441deb9 3012	2005	Spearman	NOISE-S	Schulze	Salt Pepper	min	0.593766	0.133603	0.242145	0.244327	- 0.009011
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	466f70fff1 e73aa27a17 e5ec88d5a9 7ce57f2b49 5968094700 996ade5a74 2ba2	2005	Spearman	NOISE-S	Schulze	Salt Pepper	max	0.19308	0.090461	0.076746	0.002307	0.969943
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	6c6f566c4a f1b6cdela1 0c40d6abe0 f3fe71040 c893fec394 f133410cc3 b0ab	2005	Spearman	NOISE-S	Schulze	Salt Pepper	min	0.912406	0.993579	0.194701	0.263903	- 0.355427
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	522a39b176 1f3d1e52b7 10c64aa2e7 1173a2664d 7a89642f57 edb3310214 a279	2005	Spearman	NOISE-S	Schulze	Speckle	max	0.040274	0.289464	0.01409	- 0.049065	4.482301
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	802efe36c2 2c53af0fee b4f9d587d4 d5c759546d 0572d018ff 3c3164bc73 a6e3	2005	Spearman	NOISE-S	Schulze	Speckle	min	0.593766	0.343017	0.242145	0.3101	- 0.280639
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	f003259630 6dd93a1fb0 cef4c03c10 776fa94b77 876f2954ec 974b469057 35a4	2005	Spearman	NOISE-S	Schulze	Speckle	max	0.19308	0.370823	0.076746	- 0.038653	1.503656
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	d99793cb08 787a736732 1a41f265fe a7d0690014 33310bcfa3 6a8dc244e9 9918	2005	Spearman	NOISE-S	Schulze	Speckle	min	0.912406	0.947132	0.194701	0.262344	- 0.347422
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	62ef678b1e 4e8f99e51c b3c8f3a6ef 6da9251646 dcb1cf0822 c977113930 ae75	2005	Spearman	NOISE-S	Schulze	Adversarial	max	0.040274	0.003865	0.01409	0.008603	0.389381

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	3b3265f4f7c aaaa947375 91d1ce57df 0a3775be4f fae0b899db dbcf49e1fb a157	2005	Spearman	NOISE-S	Schulze	Adversarial	min	0.593766	0.57288	0.242145	0.290087	- 0.197992
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	bc585f58ff d236c84344 b50df6798c bdff887369 a942aa23d3 fedffc6e1fe4f5	2005	Spearman	NOISE-S	Schulze	Adversarial	max	0.19308	0.017082	0.076746	0.033791	0.559708
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	e4f19b562a 575a5fdc3f 73a839af42 57866f079a 632bb7e258 e01c3b2db 392f	2005	Spearman	NOISE-S	Schulze	Adversarial	min	0.912406	0.891895	0.194701	0.25399	- 0.304515
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	3f24d31c92 d952889b53 34cbfd76b5 4e8cfa6885 ef22f7fb22 0a2339679e e6c4	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	max	0.040274	0.079863	0.019077	- 0.001559	1.081699
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	3c8a6c8634 cb98549b97 c57a7c1720 9a8b4d1be2 9732d51b35 80fd80a6ca a31c	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	min	0.593766	0.14788	0.213716	0.120449	0.436406
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	09c1d55ed8 d113e5c904 cd74f4f09 2423bcb8bb fe554ff514 07cf2df9de 3d1b	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	max	0.19308	0.118641	0.088217	- 0.001933	1.021908
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	e064964be2 5ccbb0e827 7cd345002b 04afc15f84 08876acbb20 5e906e7f6c 5775	2005	Kendall	NOISE-K	Simple Averaging	Gaussian	min	0.912406	0.989152	0.180237	0.146259	0.188516
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	a88ef7ca3d 225a9cd7b4 a809bbe9bb 4d1ae261bb 6cd8bb358c fb1e6464b7 50bc	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	max	0.040274	0.05611	0.019077	0.002244	0.882353
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	7066b36b25 799f4089d6 4ff154efcc c2f2587934 15d208c0b0 83fdff1ca8 bdef	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	min	0.593766	0.133603	0.213716	0.124626	0.416861
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	65aecdd8bc8 68e52d1431 75d7788b23 bbcd7a3a28 a0117c7ae7 3d94498d72 1561	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	max	0.19308	0.090461	0.088217	0.003803	0.95689
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	8acbbbc2383 7a3dd85078 8919d25f1b 75a70f1e47 ef3a3d5b6c b41c92d011 197b	2005	Kendall	NOISE-K	Simple Averaging	Salt Pepper	min	0.912406	0.993579	0.180237	0.16515	0.083708
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	ca2b931a51 e9a0473b3f 9ff631961 75d55afl50 59ef811036 c911e0881d 841f	2005	Kendall	NOISE-K	Simple Averaging	Speckle	max	0.040274	0.289464	0.019077	0.001309	0.931373
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	479a22a56e 803358b310 798f10e141 e5070ed28f 76dcf86f71 5eeec1c2b8e 232a	2005	Kendall	NOISE-K	Simple Averaging	Speckle	min	0.593766	0.343017	0.213716	0.214339	- 0.002917

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	8c892359e8 9445ea3df7 0868f694ea 29c5141a37 8b26894e60 18368d7f21 968b	2005	Kendall	NOISE-K	Simple Averaging	Speckle	max	0.19308	0.370823	0.088217	0.005237	0.940636
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	46a5af014d 7f0072e6c1 b78c3cf9bd 2feac51033 c9b0f8dd02 0dfd923aa6 a596	2005	Kendall	NOISE-K	Simple Averaging	Speckle	min	0.912406	0.947132	0.180237	0.209975	- 0.164995
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	61a006640c 43070991c2 af6dac3cf6 82ff6780d8 d88891530e 3693769f3d 9867	2005	Kendall	NOISE-K	Simple Averaging	Adversarial	max	0.040274	0.003865	0.019077	0.014589	0.235294
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	9125498b60 5e0b3eeab7 cdd932825c 48f7b7a820 69443e1aa2 e856d58d80 f325	2005	Kendall	NOISE-K	Simple Averaging	Adversarial	min	0.593766	0.57288	0.213716	0.322506	- 0.509043
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	e592e445a1 0c4a076c7f 89fe019c61 973f0110ca afc6d687bd c85a689070 d8e1	2005	Kendall	NOISE-K	Simple Averaging	Adversarial	max	0.19308	0.017082	0.088217	0.046259	0.475618
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	449a3dec18 bd720edceb 82cbe118c4 6c820485d5 bdf84c90d6 0d943a09d1 306f	2005	Kendall	NOISE-K	Simple Averaging	Adversarial	min	0.912406	0.891895	0.180237	0.26995	- 0.497752
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	7f4a877179 14445d51ca a56032bb74 4665453c06 5d04c03bab e6162a4ebd 8643	2005	Kendall	NOISE-K	Borda	Gaussian	max	0.040274	0.079863	0.011097	- 0.002057	1.185393
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	887a9b78a1 ee61a90d1f 916c92f4b1 35ca1fdd7d 57260a2776 2c362eafaf e5ce	2005	Kendall	NOISE-K	Borda	Gaussian	min	0.593766	0.14788	0.236658	0.189277	0.200211
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	2e54466bbb 772ea95314 1b213ffa80 b3f7f1214c a850a776f5 5c9a43e110 e900	2005	Kendall	NOISE-K	Borda	Gaussian	max	0.19308	0.118641	0.074252	6.2344e- 05	0.99916
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	a23b554c5f 5d79f0976d bae9095406 7c696ea3f6 b9784395c8 09e1217e63 ac97	2005	Kendall	NOISE-K	Borda	Gaussian	min	0.912406	0.989152	0.189713	0.205112	-0.08117
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	4cccaa3a70 7f4888082 6dd10b8389 b2cb501959 b026ee127e 4963730a8a d95a	2005	Kendall	NOISE-K	Borda	Salt Pepper	max	0.040274	0.05611	0.011097	0.001746	0.842697
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	ae6d4b1ddb 52b545d0bd 27566a819b 08b1ff52bd 708720c92c e616b75001 088d	2005	Kendall	NOISE-K	Borda	Salt Pepper	min	0.593766	0.133603	0.236658	0.223878	0.054004
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	41747afd5a 84b215aba4 a3357b8b54 33d72e9180 322646c910 12ee64178c 1c8d	2005	Kendall	NOISE-K	Borda	Salt Pepper	max	0.19308	0.090461	0.074252	0.003304	0.9555

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	c7f431e6f8 732fb4b89b 89cc314324 d736e8f2d6 a7bff6b3b9 898b7095de 861a	2005	Kendall	NOISE-K	Borda	Salt Pepper	min	0.912406	0.993579	0.189713	0.25692	- 0.354256
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	3e560294a5 2d65b3dbf3 8a70856f9a 19d0395f23 26dc3985f 3306b8ac19 de3a	2005	Kendall	NOISE-K	Borda	Speckle	max	0.040274	0.289464	0.011097	- 0.037095	4.342697
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	4b00fe5de0 559c7e46e5 cd849532f0 faf116fd6 2416794b2c 518f5087e2 24ef	2005	Kendall	NOISE-K	Borda	Speckle	min	0.593766	0.343017	0.236658	0.302618	- 0.278714
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	d11efd395b 40b077565d 7062ea6f80 a8bcb08b5c 2dd1849aa1 ef0d7929d 11c3	2005	Kendall	NOISE-K	Borda	Speckle	max	0.19308	0.370823	0.074252	- 0.025686	1.345928
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	73e0840c30 7a74da8924 8ca8ba9313 1bd28a7668 65bef8059 71955bc25e 238e	2005	Kendall	NOISE-K	Borda	Speckle	min	0.912406	0.947132	0.189713	0.259352	- 0.367072
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	3d4d8a335a b46c0e2d26 0e4dc8f941 05224d1950 afe15741d8 5e2abfd9b1 a0a0	2005	Kendall	NOISE-K	Borda	Adversarial	max	0.040274	0.003865	0.011097	0.0101	0.089888
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	d09b5ca9d2 444c2dfd17 914cf72b0d 92860bb785 e81f989b04 ac87e686f5 6ed6	2005	Kendall	NOISE-K	Borda	Adversarial	min	0.593766	0.57288	0.236658	0.282606	- 0.194152
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	dc2801e5b5 01a3098a0f 577cfb6c02 17f9a95323 cd7ea8b022 09a0e2a9b7 82c5	2005	Kendall	NOISE-K	Borda	Adversarial	max	0.19308	0.017082	0.074252	0.025312	0.65911
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	0d857a0af1 ba9bce0085 4b974e8281 6479100395 9218668f56 3d81f3e802 d64f	2005	Kendall	NOISE-K	Borda	Adversarial	min	0.912406	0.891895	0.189713	0.24601	- 0.296747
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	5ecc33f929 0f525468b8 c8bc2f76e7 0aa1d67f33 fc7a7b7e53 aec2be8bb2 50eb	2005	Kendall	NOISE-K	RRF	Gaussian	max	0.040274	0.079863	0.014589	- 0.003055	1.209402
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	c2cab42505 6deb157b4 alb1c1a210 b8b7a37d8a 10f2c37203 c4f0f3b79c d4d5	2005	Kendall	NOISE-K	RRF	Gaussian	min	0.593766	0.14788	0.239651	0.197257	0.176899
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	4af5fc2923 f5517e25f0 d340b2a88e b332f0a2a8 bda60d17ac 735e7291bd 51f6	2005	Kendall	NOISE-K	RRF	Gaussian	max	0.19308	0.118641	0.082232	0.00106	0.987111
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	d15f262bc5 3774acc19d 5d1a6ae3ca 48cae134c 74f8093c83 f25b46c5e4 0260	2005	Kendall	NOISE-K	RRF	Gaussian	min	0.912406	0.989152	0.1952	0.209102	- 0.071223

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	98d592ca41 fbad4c69ea 5cdbl3b42 334e12f464 c70c1ed296 400ffae674 f81c	2005	Kendall	NOISE-K	RRF	Salt Pepper	max	0.040274	0.05611	0.014589	0.000249	0.982906
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	59ba2f82ad ff49e6a6f7 e59fb03adc 6732dc8260 48b1a205ae 20c3893135 a37a	2005	Kendall	NOISE-K	RRF	Salt Pepper	min	0.593766	0.133603	0.239651	0.225873	0.057492
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	87e8bc17bd 9a7d178e55 2a45bf61f3 c551c5ba34 6879632e26 594ae0e77e 2a99	2005	Kendall	NOISE-K	RRF	Salt Pepper	max	0.19308	0.090461	0.082232	0.003803	0.953753
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	b6c2d45697 33b787bb71 4dd9d6412d 2c17f20b8c eed522cc50 009ff02055 254a	2005	Kendall	NOISE-K	RRF	Salt Pepper	min	0.912406	0.993579	0.1952	0.261409	- 0.339189
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	02596eab56 e9996304ad 36ff656549 885fe4af5c 69928b808c e549a0acbc bc8a	2005	Kendall	NOISE-K	RRF	Speckle	max	0.040274	0.289464	0.014589	- 0.047569	4.260684
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	3cd6913c66 6103a5cc08 9d86f2ab11 88c1f15cae 02a02c9ebe b5aeaec55e 6d7c	2005	Kendall	NOISE-K	RRF	Speckle	min	0.593766	0.343017	0.239651	0.318579	- 0.329344
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	350fbdf5dd afd1bf391b fbdff3f0a a0e41a6284 064f50b22a f64203be63 4d0f	2005	Kendall	NOISE-K	RRF	Speckle	max	0.19308	0.370823	0.082232	-0.03616	1.439727
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	e35bb5bc5f f517645246 b9c34e8576 0a23c24bf7 cd001078f0 92316b9933 02fc	2005	Kendall	NOISE-K	RRF	Speckle	min	0.912406	0.947132	0.1952	0.269327	- 0.379751
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	17551a8867 6fcb3c9b7 63d8a524da 30e81de669 6b8e8d256f 236aed86ec e04c	2005	Kendall	NOISE-K	RRF	Adversarial	max	0.040274	0.003865	0.014589	0.009601	0.34188
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	9d3f7469e2 5d5cb4bcff a27fcd8efb b6374059f7 52a28430ae 8757b53ccc 7d35	2005	Kendall	NOISE-K	RRF	Adversarial	min	0.593766	0.57288	0.239651	0.288591	- 0.204214
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	a38c61a90e 5a28921a9 2602e7521a bd33a9f792 8eb87ebfd2 6c523e13fa 1f75	2005	Kendall	NOISE-K	RRF	Adversarial	max	0.19308	0.017082	0.082232	0.031297	0.619409
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	0889b0b01a be3f51c8f0 64d4146899 53af186ae2 cb8cb19b20 7f374ae058 8ad3	2005	Kendall	NOISE-K	RRF	Adversarial	min	0.912406	0.891895	0.1952	0.253491	- 0.298627
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	892fc28f00 c234e5376c 6ebbf40be 127d5a00d7 4257b765cb 4cda4cd59a 6a60	2005	Kendall	NOISE-K	Kemeny	Gaussian	max	0.040274	0.079863	0.013092	- 0.004052	1.309524

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	e17f2b5be9582625135e5b00e6cd7d8079e8f5b1483d4554fd4a5883b926a5ce0	2005	Kendall	NOISE-K	Kemeny	Gaussian	min	0.593766	0.14788	0.245137	0.214214	0.126144
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	bfbec3b21f6232cbee04a2d2060b87271348f32cbdd232ab50c7ea3ada7357709	2005	Kendall	NOISE-K	Kemeny	Gaussian	max	0.19308	0.118641	0.082232	0.00106	0.987111
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	bf10d9e50b09ac7f138fb26399a3781e6cea0a89322496eb9a485a71ceff6e9dd	2005	Kendall	NOISE-K	Kemeny	Gaussian	min	0.912406	0.989152	0.194202	0.21808	- 0.122953
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	86092a385fd3b470b34de0c9f178baace1350d3d0a515fbee4c7190e2086e9b	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	max	0.040274	0.05611	0.013092	- 0.000249	1.019048
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	b5dde01e30ebbd6109ba6d4b1d6abd9ff21bdc81a23272f8a5cf0722436f8b10	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	min	0.593766	0.133603	0.245137	0.228865	0.066378
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	3b7671877514a0ed400557691ef0294184165c38af6639c2fc1eedb605c8e3e1	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	max	0.19308	0.090461	0.082232	0.002805	0.965883
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	da2d52d0fe308363e071cc2fb6789f26a0e8ecc13d5385cc36b20865fd91f17b	2005	Kendall	NOISE-K	Kemeny	Salt Pepper	min	0.912406	0.993579	0.194202	0.269888	- 0.389727
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	6f28604bb1ebb0693bfa04d50a87cbf0ba665e3d008ba6fe287aa7d3bd08011	2005	Kendall	NOISE-K	Kemeny	Speckle	max	0.040274	0.289464	0.013092	- 0.047569	4.633333
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	aa41f4a6847c9f115dab7ad2261139e322474974ed0a96aff6c963caad9ed90	2005	Kendall	NOISE-K	Kemeny	Speckle	min	0.593766	0.343017	0.245137	0.30212	- 0.232452
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	37df0cf4fc5e96af47b43d45b0ec43eddf6789354884ebd81c091898656c3df7	2005	Kendall	NOISE-K	Kemeny	Speckle	max	0.19308	0.370823	0.082232	- 0.037656	1.457923
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	21e312dc00feb014794a1e365d800e6a3efd0d8fcc3415a2407c7d63c2a1d0b2	2005	Kendall	NOISE-K	Kemeny	Speckle	min	0.912406	0.947132	0.194202	0.26783	- 0.379133
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	c71ee29e01851e237946a050110584dcfc9aa6bc38f90ab0b233fb78bddbe02c	2005	Kendall	NOISE-K	Kemeny	Adversarial	max	0.040274	0.003865	0.013092	0.006608	0.495238
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	cb45bd2cafdd99d40710b8f45db2c42737fb2d42c0f44184957aebac2ffb8e2f7	2005	Kendall	NOISE-K	Kemeny	Adversarial	min	0.593766	0.57288	0.245137	0.288591	- 0.177263

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	a2bbc9621d 2c2545e3c2 4ac92c8111 e6b88712da 6d9ccb28fb 1d55e3a363 cfb3	2005	Kendall	NOISE-K	Kemeny	Adversarial	max	0.19308	0.017082	0.082232	0.028803	0.649735
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	12629858b4 f5cfe977ea b8e3e61a2b 09b8c14305 e1eb49699f 7980f7dd9d b735	2005	Kendall	NOISE-K	Kemeny	Adversarial	min	0.912406	0.891895	0.194202	0.251496	- 0.295024
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	9647b6a371 a7fa11c152 d4302b0dc0 e7f8ebeb0e d6535690c8 91fc6c8285 d29f	2005	Kendall	NOISE-K	Schulze	Gaussian	max	0.040274	0.079863	0.01409	- 0.001559	1.110619
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	1dcee5d38e f4a9048349 9e3d7bbf7b d719075e2d 28797ac60f 081817ca12 9ac7	2005	Kendall	NOISE-K	Schulze	Gaussian	min	0.593766	0.14788	0.242145	0.205237	0.15242
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	65f7500dd3 95c9eb3194 8412a6083a 3874a943fe af1bb217ca 99d2e9b7f3 6e0b	2005	Kendall	NOISE-K	Schulze	Gaussian	max	0.19308	0.118641	0.076746	0.001559	0.979691
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	e94e2b0346 cb92b6447b aef0975ab4 62a37026dd 6d904c3c97 f8429657d6 4400	2005	Kendall	NOISE-K	Schulze	Gaussian	min	0.912406	0.989152	0.194701	0.209601	- 0.076529
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	ceebc40f73 1fcb11326d 93dd7bd0be a46d18b899 15f7d6fa92 cf7edcd572 9442	2005	Kendall	NOISE-K	Schulze	Salt Pepper	max	0.040274	0.05611	0.01409	- 0.000748	1.053097
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	8a0f2cdad d8f61a9ccb 077ebc20ac 2c03951051 fbb0763c4 4b2139d508 8e30	2005	Kendall	NOISE-K	Schulze	Salt Pepper	min	0.593766	0.133603	0.242145	0.244327	- 0.009011
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	d5192aae00 5a70b2f4a3 71b70d934b 70057d8aed 70b029213e 12392ad819 ca50	2005	Kendall	NOISE-K	Schulze	Salt Pepper	max	0.19308	0.090461	0.076746	0.002307	0.969943
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	d0262a4c9 00cbe0fb2b 3adfd150ff c65ce6dd5a 65c3484c9f ed8a1821bb 2594	2005	Kendall	NOISE-K	Schulze	Salt Pepper	min	0.912406	0.993579	0.194701	0.263903	- 0.355427
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	9e1ca6dd6ab ef8137e565 508dd33f1e f171303249 df2a16a650 d1f7195a7a 4c63	2005	Kendall	NOISE-K	Schulze	Speckle	max	0.040274	0.289464	0.01409	- 0.049065	4.482301
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	adac57cfe5 a3d9b0abce 28e87e755d 0ce7f0bde3 767e7379aa 7c06b4e710 35ee	2005	Kendall	NOISE-K	Schulze	Speckle	min	0.593766	0.343017	0.242145	0.3101	- 0.280639
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	9d869b51cd 4979c76961 85d1534bcb d8ebfd536 e47c0bb9e2 86c431330c 14ed	2005	Kendall	NOISE-K	Schulze	Speckle	max	0.19308	0.370823	0.076746	- 0.038653	1.503656

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	7594284e36f955b0c0e57ec90186b4c8fe3b1c9efcd55b99d615119529f1e1e6	2005	Kendall	NOISE-K	Schulze	Speckle	min	0.912406	0.947132	0.194701	0.262344	-0.347422
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	1f12ceb8cc35cf6539001d12fd7c4d68f4af21227c9568b07597069d5ebce989	2005	Kendall	NOISE-K	Schulze	Adversarial	max	0.040274	0.003865	0.01409	0.008603	0.389381
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	c5c56528957c3405f2af6930f28509ef0d7f4c3b3841bee2eedbdeaf62772e	2005	Kendall	NOISE-K	Schulze	Adversarial	min	0.593766	0.57288	0.242145	0.290087	-0.197992
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	9056755fe4ee6e52c2795ec4a4a54aab3fe09b3ffab6b3b0e0e6ad0603dba945	2005	Kendall	NOISE-K	Schulze	Adversarial	max	0.19308	0.017082	0.076746	0.033791	0.559708
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	cd4742537870f4bb69ef8acf169eff477a3f4217ef02cb31f700373ffd884d28	2005	Kendall	NOISE-K	Schulze	Adversarial	min	0.912406	0.891895	0.194701	0.25399	-0.304515

Table 240: DermaMNIST–ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	G	F	50c128a290d722ef8460c3fbc13181a0a1ad5642d278263a7074ac6937121683	0.039027	-0.003055	1.078275	0.003425	-0.001496	-0.156094	0.296444	0.9959	-0.005486	0.002494	1
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	4b57d5f4f38ed27062c753bfccb9c7aac053244523d33678a0e4c3b2e1f1e0b6	0.297007	0.250125	0.157851	0.278556	0.129676	0.171192	0.383918	1	0.107207	0.151621	1
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	G	C	a305bff3f2303b096e51075f37dd053baa04496a9d40b3c7aa0404056dd3e001	0.121135	0.00505	0.958312	0.063596	0.006983	0.02519	0.107315	1	0.002993	0.011471	1
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	e8708ea9f23dd243222b056247d6ed449d728a695820de3d490c093487d118e0	0.254551	0.215087	0.155033	0.033483	0.068828	-0.097945	0.159678	1	0.047382	0.089776	1
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	P	F	812fca901096f53453fd90082222ed83f4062faf90773efcf9ae3c40dcff3bdf	0.039027	-0.000748	1.019169	-0.136816	-0.002993	-0.485069	-0.028006	0.9959	-0.005985	0	1
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	e6c8100dba f88561033999549201193df6f5d1b6ac362ff2e10352a1bd118045	0.297007	0.238342	0.197523	0.219338	0.113716	0.112188	0.323859	1	0.091272	0.13616	1
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	P	C	ae44b27f84df91cbda93d15461a1b36beaf7c5d47f8437dfaad04d6e139585db	0.121135	0.003803	0.968605	-0.011715	0	-0.053965	0.027999	1	-0.00399	0.00399	1
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	e6b3cffe00c2941f3ff8af2258bc99c5d71757e9f40b13ddbc b0956e9f018eb b	0.254551	0.303803	-0.193485	0.277193	0.138653	0.127696	0.427145	1	0.114713	0.163092	1
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	S	F	b61d83a62b14d70d086b58a025ae1c7f8d603bb650b9447d813aa1f160a18c47	0.039027	-0.037594	1.963259	-1.031886	-0.038903	-1.99289	-0.477977	0.9959	-0.050873	-0.026933	1
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	e7166e36221c4e5e4aaf d40c2b9824f4acfae8d6f86e77e57e39a449def42be	0.297007	0.349501	-0.176742	0.173825	0.135162	0.03991	0.303599	1	0.111721	0.158603	1
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	S	C	3ff46f49d18542b79a1e975835820262d78dd6a70d0e691b4b2458b044b8a0f	0.121135	-0.019701	1.162635	-0.221999	-0.024938	-0.352246	-0.104257	1	-0.037406	-0.012469	1
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	339cc688656857f14a5e3d0affbcf6c4f4770e4c dde4786c71e6963e52f2d9bd	0.254551	0.288778	-0.13446	-0.030535	0.078803	-0.190176	0.117132	1	0.05586	0.101746	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	de6f415be2957a49436d1a74a6ddee cbe27d583400c12d1971765e1529ccbe6d	0.039027	0.013591	0.651757	-0.416463	-0.000998	-2.214944	0.008337	0.9959	-0.008978	0.006484	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	0f606bf4e76d770783dbc60ea2d3c06ba46dea4f6a9a93c5f0a0fb8eced84996	0.297007	0.324501	-0.092569	-0.416474	0.001995	-0.565414	-0.280843	1	-0.017456	0.021446	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	f89d841b8303c66fea0d760101ea1c78435000bd f7a1dee357ffa4ddc954bff4	0.121135	0.051746	0.572826	-0.097207	0.005486	-0.241823	0.028806	1	-0.004988	0.01596	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	f9d7695887a074cb133fcec3740cbf501302eb8a172a526858e7a3721a56a357	0.254551	0.30187	-0.185893	-0.311859	0.03192	-0.475501	-0.159617	1	0.013965	0.049875	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	bd23472bc86f97454ae5fc6970f16f148cb8bdba821e59b15d41a9e27d8bb021	0.040524	-0.003055	1.075385	0.110009	-0.000998	-0.127011	1.781961	0.936897	-0.004988	0.002993	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	e2c226087ed1e2319c07615024a68f10d666a228013faca83916e1d851360f2d	0.299501	0.186284	0.378018	-0.177808	-0.002993	-0.283583	-0.077689	1	-0.024938	0.018454	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	397212e649cd1dab8c15584bd4eb78fe425a332fc189d1dfb26a4a0d647033b5	0.110661	0.004551	0.958873	0.040287	0.004489	-0.009013	0.094484	1	0	0.009476	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	6386672eeb4ea3536b1a32cd0eb438b529abda5d489b8f127bcc9b49cfa264bf	0.256546	0.25798	-0.005589	-0.075581	0.052868	-0.220928	0.063801	1	0.029925	0.07581	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	1f55cf9054f97bc27607f6013f197040325726a5246ffc977368f37757505897	0.040524	0.000748	0.981538	-0.138842	-0.000998	-1.479276	0.02963	0.936897	-0.003491	0.001496	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	c3a4083892258d268e23857226bc09ce71bc0befaf390d9f38a359bb5c49f7b3	0.299501	0.196945	0.342423	-0.288419	-0.026933	-0.400326	-0.17982	1	-0.049377	-0.004963	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	ade70ad050bc28650c0597ea0f413c88564525834e6649b1ebfa3c066976106	0.110661	0.003803	0.965634	-0.010134	0.000499	-0.055959	0.032363	1	-0.002993	0.00399	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	83bf227dde6e31b18973440354706282ced13db22748d042a52343ecec46d89	0.256546	0.340212	-0.326124	-0.028132	0.083292	-0.199249	0.137114	1	0.058354	0.108728	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	df4445ddec01a5c0579825ff03a8aa35b43fdec05da6ef73851f8ae8fda67e6	0.040524	-0.044576	2.1	2.242697	-0.007481	0.283687	29.927725	0.936897	-0.01995	0.004988	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	f8c6750533 abf34966bc 42f6551d5e f0a5f7df39 0ff7a6087 dfda313fefe094	0.299501	0.292643	0.022898	-0.301612	-0.009975	-0.435009	-0.175107	1	-0.032918	0.012993	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	960fd7089c 79380cbf18 d666d79213 c23df6aeaa c63d761345 ee39ee62853fbe	0.110661	-0.025686	1.232113	0.113815	0	-0.050732	0.301783	1	-0.012993	0.012968	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	9a6687df0b 8d49263c6e 5389325ad9 ea0e6bce9a 28e6a2bff0 f8fc95b4b832cd	0.256546	0.288279	-0.123694	-0.243378	0.028928	-0.404285	-0.095876	1	0.005985	0.051372	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	5ddeea862bf e78fc5a156 bb6a4623b3 c691a368b9 e040643659 13eaf93866 0656	0.040524	0.009102	0.775385	-0.685497	-0.000998	-7.963468	-0.075157	0.936897	-0.008479	0.006484	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	83ee9cffe4 39c943caa5 4710cd0aad 2cda75590a 3d0a7c4210 afe929f82941e4	0.299501	0.314027	-0.048501	-0.14565	0.031421	-0.261764	-0.033465	1	0.010474	0.052868	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	441ccbb1bf 848e63a84a ae7e034f50 80e10b4fb6 01d7ae8083 08042164c0 1312	0.110661	0.043766	0.604507	0.054603	0.018454	-0.084648	0.180876	1	0.008479	0.028429	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	3ed74daf4e 7c29afa631 3650d23138 7d0d963b1a 0b5a111cff 93a5046207 8bf0	0.256546	0.284913	-0.110571	-0.186176	0.038903	-0.32388	-0.0553	1	0.01995	0.058354	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	bfe4c08fa7 aa2f56f6ac 1182d34da3 ca9010184f 6a4933556b e573381393 6b6d	0.053491	-0.001559	1.029138	0.180264	0.001496	-0.012187	1.27532	0.979499	-0.002494	0.005486	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	4f83f945e5 04d12b04d2 2a48882e08 10ebfe5a10 4550b3d12a fc5c6f1de501e0	0.281546	0.158853	0.435784	-0.258885	-0.038404	-0.366447	-0.156908	1	-0.05985	-0.016958	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	f43e7d150d ba845abc40 7c778161c6 4e791b4822 4e6b02a131 ecc9ab0e43499f	0.122631	0.000561	0.995425	-0.008313	-0.000499	-0.057249	0.039638	1	-0.004988	0.00399	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	83703cdf42 5a24ed5ae1 919b50df59 81ab461aed a4eadd471b 8e831df8acf2c4	0.246571	0.245012	0.006321	-0.077544	0.03591	-0.219641	0.05841	1	0.013466	0.058354	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	5080ee55eb a2d7060721 369ee05e71 655d3a39be b4c6774235 01bbb88e9 f7a0	0.053491	-0.000249	1.004662	-0.021756	-0.000499	-0.405019	0.313097	0.979499	-0.00399	0.002993	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	d0b91303ae 58029fea9f 921bfc9401 a6aa7d516 df6246cc26 a8c261910d 565e	0.281546	0.183978	0.346546	-0.289053	-0.041895	-0.402225	-0.180566	1	-0.064339	-0.018953	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	16ab83e369 b55ffaddf9 4c7ca35ffa 07f61b5be1 790f990286 a4bb510bfb fe1a	0.122631	0.001808	0.985257	-0.031504	-0.001995	-0.082738	0.015929	1	-0.006484	0.002494	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	7f2f03452e e545cbe567 908f0c6766 7b9c3e1f69 b37ecdd41d be8c2a84f6 ac90	0.246571	0.340711	-0.381795	0.042606	0.079302	-0.127037	0.207032	1	0.054364	0.105237	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	349eca4251 a2a73323aa 17e9fd27b9 ef23087117 15c4c12d86 3151f19d02 a63d	0.053491	-0.026621	1.497669	2.763015	0.020948	1.089366	17.968631	0.979499	0.008978	0.033416	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	f28da56743 fbb82c9bf3 315ff8f194 08cccc33c4 da37bf28a4 666ad43531 5407	0.281546	0.245262	0.128875	-0.45822	-0.073317	-0.595612	-0.329707	1	-0.096259	-0.050374	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	9324639910 ae097dc904 0260edade3 0b6715f5b1 4d6f00bdcf 88733966a3 f585	0.122631	-0.005736	1.046772	0.392955	0.030424	0.245424	0.577079	1	0.017955	0.042893	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	9b65ddcef3 aca83ea960 84d4cb2d3b 94b3aa1223 f1cc420632 7603b1c231 a2c2	0.246571	0.2798	-0.134766	-0.244985	0.010474	-0.406169	-0.092661	1	-0.012968	0.033441	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	e51a3e0187 b8ef1713fb e0c593a3a5 6b801a0f0e 283bfe9f13 a24e83127b c37e	0.053491	0.015087	0.717949	-0.376068	0.005486	-3.340144	0.028481	0.979499	-0.000998	0.01197	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	926d5186c1 754938179c 560924fe30 5ffa0a05f5 474516e8d0 954bfe1085 21d7	0.281546	0.301559	-0.071081	-0.133134	0.012968	-0.25216	-0.022479	1	-0.00798	0.033915	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	81ff7c6ec7 366658e5bd 2aa53851d9 2499b34faf 301c74d67d 7638ea20b3 8992	0.122631	0.050748	0.586172	0.033237	0.019451	-0.090897	0.147374	1	0.009476	0.029426	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	82bbdd35a1 d5b40ec461 e82485c1bc d7ef3895eb 7376be2806 aee838b69c 6a41	0.246571	0.27394	-0.110999	-0.187628	0.020449	-0.321523	-0.061485	1	0.001496	0.0399	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	013fd85365 6b93d48425 5848889bbf 95891ab70d 50bc319bf8 f8eb0fb21175eb	0.040524	-0.003055	1.075385	0.234139	0.000998	-0.013549	2.15045	0.960248	-0.003491	0.005486	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	7b00b80159 9539a1500c da15121b4a 23a9fc1951 d5b2f7f7e6 356efc85009ff7	0.299501	0.186284	0.378018	-0.251874	-0.02793	-0.358326	-0.1497	1	-0.049875	-0.005985	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	e9f930f46d fcd7cc8472 085f818dbb addff37d14 48247f0634 2c4f0a4bf51fd7	0.110661	0.004551	0.958873	0.028238	0.003491	-0.027521	0.086199	1	-0.001496	0.008978	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	fa99efd79 98b004abcb 4e12a51090 b2cf0e3a5f 3fe6e36de3 d669d474c3 43c7	0.256546	0.25798	-0.005589	-0.117364	0.0399	-0.264021	0.02244	1	0.017456	0.062344	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	6783cb6154 457b4f493c ca312438c2 6e32e04a5b e2d29e79af a67b993271 11a5	0.040524	0.000748	0.981538	0.037509	0.000998	-0.357537	0.52745	0.960248	-0.001995	0.00399	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	4fab63a67e 39623c402f d24d8da988 4da9563e73 d0824da9d4 274bfa96ed 700c	0.299501	0.196945	0.342423	-0.276045	-0.03192	-0.386995	-0.168435	1	-0.054364	-0.009476	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	6a5583e211 730b0ca156 db4097f6fe e107c2be07 1bd99aa0f6 f7edde5f34afc0	0.110661	0.003803	0.965634	0.000249	0.000998	-0.042361	0.042421	1	-0.002494	0.004489	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	b0d6e08e36 d8f5d2bae8 7ca647ee03 7ccaa87a3 248da797ce 5499ba2402 029b	0.256546	0.340212	-0.326124	-0.063603	0.070324	-0.244394	0.109557	1	0.045387	0.096259	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	4f23d878e5 600eb585ee 5cb97972b8 2ba50c55d8 72a9c39800 233ee214e884ef	0.040524	-0.044576	2.1	2.533333	0.002993	0.585184	25.246667	0.960248	-0.008978	0.015461	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	742f3f8cd1 76eaac95eb 846a33ec60 2509509379 7691c6868a 8f57a7dce462e6	0.299501	0.292643	0.022898	-0.255349	-0.009476	-0.38637	-0.129717	1	-0.032918	0.013466	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	64a01e7bfa e42ae8669 2ada19d5be cce2e29921 846d57ec9f 2c43984ed9 83e5	0.110661	-0.025686	1.232113	0.22581	0.01197	0.075212	0.40888	1	-0.000499	0.024439	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	5a35aeb5a0 0199246cd3 3a528b9050 85de5d16f0 fb57e93ae3 ef37744266f953	0.256546	0.288279	-0.123694	-0.255439	0.020449	-0.419855	-0.102239	1	-0.002993	0.043392	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	187f4e6003 471268fa52 484417b82f 1a37107c65 1bb6231515 2bc510d7cf 49b5	0.040524	0.009102	0.775385	-0.280147	0.002494	-3.140516	0.136571	0.960248	-0.00399	0.008978	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	c017450f8d 79eb825c6d 80f40e3cb5 a49ed58955 37feaf6b83 95b25cb3f8 720c	0.299501	0.314027	-0.048501	-0.128762	0.025436	-0.246941	-0.013979	1	0.004489	0.046883	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	bac6320f95c eb6888e44a 2c2100cc52 4d7046f328 adb7dc5e93 cf4f493a5468f9	0.110661	0.043766	0.604507	0.045228	0.014963	-0.078917	0.163536	1	0.005486	0.024938	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	410c4b635c ca560b40f6 7b0f46b670 c53507a6fc 6da8e9cf5f f3bfc0d7cfd59d	0.256546	0.284913	-0.110571	-0.184453	0.033416	-0.322088	-0.05086	1	0.013965	0.053367	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	50c4b67396 d22fa503d1 d39259fa70 b350143a3f 9b3a1c182a 88001c70d7 97a8	0.040524	-0.003055	1.075385	0.035235	-0.001496	-0.147138	0.748147	0.974649	-0.004988	0.001995	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	2702aa4618 68b4041134 20f1e99585 b187548de2 dc365bca30 24f3710603 bbcc	0.299501	0.186284	0.378018	-0.225598	-0.018953	-0.330951	-0.123922	1	-0.040898	0.002993	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	07cfl217c0 fde849d043 71604d0f85 3808202270 ec189eb076 e20b888751 54e1	0.110661	0.004551	0.958873	0.020818	0.002993	-0.025561	0.067761	1	-0.001496	0.007481	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	faa442670e 062bf7fca5 f305765dfa 9fc57b6e7f 606a15bab6 9ea564f9da 9b4d	0.256546	0.25798	-0.005589	-0.07094	0.048379	-0.213828	0.067058	1	0.025436	0.07182	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	0efd92537d a369ae1f92 d5574d20ec 332b47292f 3e96728055 b3c3cd6066 cf3b	0.040524	0.000748	0.981538	0.071559	0.001496	-0.237351	0.641741	0.974649	-0.001995	0.004988	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	8a2d293634 b4527b6d2c ab12ddb362 73ad67b538 f943707e13 754441deb9 3012	0.299501	0.196945	0.342423	-0.351434	-0.047382	-0.466918	-0.241246	1	-0.069825	-0.025436	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	466f70ff1 e73a427a17 e5ec88d5a9 7ef57f2bf9 5968094700 996ade5a74 2ba2	0.110661	0.003803	0.965634	0.004309	0.001496	-0.04854	0.056461	1	-0.002494	0.005985	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	6c6f566c4a f1b6cde1a1 0c40d6abe0 ff3fe71040 c893fec394 f133410cc3 b0ab	0.256546	0.340212	-0.326124	-0.029304	0.076309	-0.19461	0.133725	1	0.051372	0.101746	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	522a39b176 f3d1e52b7 10c64aa2e7 1173a2664d 7a89642f57 edb3310214 a279	0.040524	-0.044576	2.1	2.382301	0.004489	0.605154	22.055275	0.974649	-0.00798	0.016958	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	802efe36c2 2c53af0fee b4f9d587d4 d5c759546d 0572d018ff 3c3164bc73 a6e3	0.299501	0.292643	0.022898	-0.303536	-0.017456	-0.434818	-0.181311	1	-0.040399	0.005486	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	fb03259630 6dd93af1b0 cef4c03c10 776fa94b77 876f2954ec 974b469057 35a4	0.110661	-0.025686	1.232113	0.271543	0.012968	0.106339	0.477271	1	0	0.025935	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	d99793cb08 787a736732 1a41f265fe a7d0690014 33310bcfa3 6a8dc244e9 9918	0.256546	0.288279	-0.123694	-0.223729	0.025935	-0.379038	-0.075434	1	0.003491	0.048379	1

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	62ef678b1e 4e8f99e51c b3c8f3a6ef 6da9251646 dcb1cf0822 c977113930 ae75	0.040524	0.009102	0.775385	-0.386004	0.000499	-3.543791	0.047145	0.974649	-0.006983	0.00798	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	3b3265f47f caaa947375 91d1ce57df 0a3775be4f fae0b899db dbc49e1fba157	0.299501	0.314027	-0.048501	-0.149491	0.02394	-0.263908	-0.038745	1	0.002494	0.044888	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	bcc58558ff 4236c84344 b50df6798c bdf887369 a942aa23d3 fedffc6e1fe4f5	0.110661	0.043766	0.604507	-0.044799	0.009975	-0.191637	0.086222	1	0	0.01995	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	e4f19b562a 575a5fdc3f 73a839af42 57866f079a 632bb7e258 e014c3b2db 392f	0.256546	0.284913	-0.110571	-0.193944	0.030923	-0.331962	-0.065075	1	0.011471	0.050374	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	3f24d31c92 d952889b53 34cbfd76b5 4e8cfa6885 ef22f7b22 0a2339679e e6c4	0.029052	-6.2344e-05	1.002146	0.079553	0.001496	-0.039401	0.364938	0.9959	-0.000998	0.00399	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	3c8a6c8634 cb98549b97 c57a7c1720 9a8b4d1be2 9732d51b35 80fd80a6ca a31c	0.209726	0.083042	0.604043	-0.167637	-0.037406	-0.263588	-0.071141	1	-0.055362	-0.019451	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	09c1455ed8 d113e5e904 cfd74f4f09 2423bcb8bb fe554ff514 07cf2df9de 3d1b	0.0952	0.001559	0.983628	0.03828	0.003491	0.01206	0.07101	1	0.000998	0.006484	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	e064964be2 5ccb0e827 7cd345002b 04afc15f84 08876ecb20 5e906e7f6c5775	0.175249	0.110848	0.367485	-0.178969	-0.035411	-0.301076	-0.058203	1	-0.052868	-0.017456	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	a88ef7ca3d 225a9cd7b4 a809bbe9bb 4d1ae261bb 6cd8bb358c fb1e6464b7 50bc	0.029052	0.001746	0.939914	-0.057561	-0.000499	-0.369391	0.034697	0.9959	-0.002494	0.000998	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	7066b36b25 799f4089d6 4ff154efcc e2f2587934 154208c0b0 83fdff1ca8bdef	0.209726	0.088716	0.576992	-0.160131	-0.03591	-0.253332	-0.071736	1	-0.052369	-0.019451	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	65aced8bc8 68e52d1431 75d7788b23 bbcd7a3a28 a0117c7ae7 3d94498d72 1561	0.0952	0.002307	0.975769	-0.018879	-0.001496	-0.054379	0.013532	1	-0.004489	0.001496	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	8acbbec2383 7a3dd85078 8919f25f1b 75a70f1e47 ef3a3d5b6c b41c92d011 197b	0.175249	0.131234	0.251156	-0.167448	-0.033915	-0.29601	-0.042179	1	-0.05187	-0.01596	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	ca2b931a51 e9a0473b3f 9ff631961 75455af150 59ef811036 c911e0881d 841f	0.029052	0.010287	0.645923	0.28545	0.008978	-0.205889	0.897389	0.9959	0.001995	0.01596	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	479a22a56e 803358b310 798f10e141 e5070ed28f 76dc86771 5ceelc2b8e 232a	0.209726	0.154489	0.263377	-0.266294	-0.05985	-0.391053	-0.144401	1	-0.080299	-0.0399	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	8c892359e8 9445ea3df7 0868f694ea 29c5141a37 8b26894e60 18368d7f21 968b	0.0952	0.016708	0.824492	0.116144	0.011471	0.032293	0.207463	1	0.004489	0.018953	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	46a5af014d 7f0072e6c1 b78c3cf9bd 2feac51033 c9b0f8dd02 0dfd923aa6 a596	0.175249	0.17207	0.018143	-0.183138	-0.037905	-0.331622	-0.038496	1	-0.057357	-0.018454	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	61a006640c 43070991c2 af6dac3cf6 82ff6780d8 d88891530e 3693769f3d 9867	0.029052	0.018579	0.360515	-0.125221	0.00399	-1.711377	0.370337	0.9959	-0.002494	0.010474	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	9125498b60 5e0b3eeab7 cd4932825c 48f7b7a820 69443e1aa2 e856d58d80 f325	0.209726	0.300062	-0.430737	-0.078306	-0.022444	-0.228848	0.07103	1	-0.0399	-0.004988	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	e592e445a1 0c4a076c7f 89fe019e61 973f0110ea afc6d687bd c85a689070 d8e1	0.0952	0.050249	0.472168	0.003451	0.00399	-0.121182	0.124947	1	-0.00399	0.012469	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	449a3dec18 bd720edceb 82cbe118c4 6c820485d5 bd84c90d6 0d943a09d1 306f	0.175249	0.261471	-0.491996	-0.005756	-0.008479	-0.170492	0.154724	1	-0.024938	0.00798	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	7f4a877179 14445d51ca a56032bb74 4665453c06 5d04c03bab e6162a4ebd 8643	0.044514	0.001434	0.967787	0.217606	0.003491	-0.016441	1.907131	0.936897	0.000499	0.006983	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	887a9b78a1 ee61a90d1f 916c92f4b1 35ca1fdd7d 57260a2776 2c362eafafe5ce	0.28404	0.154364	0.456541	-0.25633	-0.034913	-0.362025	-0.156461	1	-0.056359	-0.013965	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	2e54466bbb 772ea95314 1b213fa80 b3f7f1214c a850a776f5 5c9a43e110 e900	0.120137	0.004052	0.966269	0.032892	0.00399	-0.009166	0.078688	1	0.000499	0.00798	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	a23b554c5f 5d79f0976d bae9095406 7c596ea3f6 b9784395c8 09e1217e63 ac97	0.242581	0.216584	0.10717	-0.18834	0.011471	-0.33128	-0.051843	1	-0.010474	0.033416	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	4cceaa3a70 f74888082 6dd10b8389 b2cb501959 b026ee127e 4963730a8a 495a	0.044514	0.000748	0.983193	-0.140497	-0.000998	-1.474765	0.032309	0.936897	-0.003491	0.001496	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	ae6d4b1ddb 52b545d0bd 27566e819b 08b1f52bd 708720c92c e616b75001 088d	0.28404	0.177494	0.37511	-0.321106	-0.046384	-0.429277	-0.215358	1	-0.06783	-0.024938	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	41747afd5a 84b215aba4 a3357b8b54 33df2e9180 322646e910 12ee64178c 1c8d	0.120137	0.003803	0.968345	-0.012845	0.000499	-0.061551	0.031487	1	-0.003491	0.004489	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	c7f431e6f8 732fb4b89b 89ce314324 d736e8f2d6 a7bf6b53b9 898b7095de 861a	0.242581	0.270387	-0.114623	-0.239632	0.013466	-0.407388	-0.082172	1	-0.010474	0.037406	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	3e560294a5 2d65b3dbf3 8a70856f9a 19d0395f23 26de39885f 3306b8ac19 de3a	0.044514	-0.002182	1.04902	3.293677	0.034913	1.289851	31.393895	0.936897	0.02394	0.045885	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	4b06fc5de0 559c7e46e5 cd849532f0 faf116f6d6 2416794b2c 518f5087e224ef	0.28404	0.250249	0.118964	-0.397678	-0.052369	-0.525653	-0.27514	1	-0.074813	-0.029925	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	d11efd395b 40b077565d 7052ea6f80 a8bcb08b5c 2dd1849aa1 eff0d7929d11c3	0.120137	0.003242	0.973015	0.372913	0.028928	0.218879	0.566612	1	0.017456	0.040898	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	73e08d0c30 7a74da8924 8ca8ba9313 1bd28a7668 65bef8059 71955bc25e 238e	0.242581	0.253865	-0.046518	-0.320554	-0.005486	-0.477777	-0.174381	1	-0.027431	0.016958	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	3d4d8a335a b46c0e2d26 0c4dc8f941 05224d1950 afe15741d8 5e2abfd9b1 a0a0	0.044514	0.019077	0.571429	-0.481541	0.008978	-7.659365	0.115456	0.936897	0.001496	0.016958	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	d09b5ca9d2 444c2dfd17 914cf72b0d 92860bb785 e81f989b04 ac87e686f56ed6	0.28404	0.321509	-0.131914	-0.062238	0.038903	-0.181914	0.054342	1	0.018454	0.059352	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	dc2801e5b5 01a3098a0f 577cfb6e02 17f9a95323 cd7ea8b022 09a0e2a9b7 82c5	0.120137	0.061222	0.4904	0.16871	0.03591	0.033519	0.294528	1	0.025935	0.046384	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	0d857a0af1 ba9bce0085 4b974e8281 6479100395 9218668f56 3d81f3e802d64f	0.242581	0.286908	-0.182729	-0.114017	0.040898	-0.253351	0.018255	1	0.021945	0.059352	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	5ccc33f929 0f525468b8 c8bc2f76e7 0aa1d67f33 fc7a7b7e53 aec2be8bb2 50eb	0.037531	0.000436	0.988372	0.22103	0.003491	0.026541	1.3207	0.979499	0	0.006983	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	c2cab42505 6debb157b4 a1b1c1a210 b8b7a37d8a 10f2c37203 c4f0f3b79cd4d5	0.28404	0.132918	0.532046	-0.355147	-0.064339	-0.46101	-0.255304	1	-0.085786	-0.042893	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	4a5fc2923 f5517e25f0 d340b2a88e b332f0a2a8 bda60d17ac 735e7291bd 51f6	0.11116	0.002556	0.977005	0.010106	0.001496	-0.038481	0.059409	1	-0.002494	0.005985	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	d15f262bc5 3774acc19d 5d1a6ae3ca 48caea134c 74f8093e83 f25b46c5e4 0260	0.252057	0.235037	0.067524	-0.138747	0.025935	-0.273916	-0.006814	1	0.00399	0.048379	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	98d592ca41 fbad4c69ea 5cdb1e3b42 334e12f464 c70cled296 490ffae674f81c	0.037531	0.000249	0.993355	-0.010449	0	-0.385817	0.321549	0.979499	-0.002993	0.002993	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	59bba2f82ad ff49e6a6f7 e59fb03adc 6732dc8260 48b1a205ae 20c3893135 a37a	0.28404	0.167519	0.410228	-0.352736	-0.058354	-0.462259	-0.248879	1	-0.0798	-0.036409	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	87e8bc17bd 9a7d178e55 2a45bf61f3 c551c5ba34 6879632e26 594ae0e77e 2a99	0.11116	0.003803	0.965788	-0.012035	0	-0.061917	0.03526	1	-0.00399	0.00399	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	b6c2d45697 33b787bb71 4dd9d6412d 2c1720b8c eed522cc50 009ff0205525da	0.252057	0.294327	-0.167697	-0.171492	0.032918	-0.336149	-0.017194	1	0.008479	0.057357	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	02596eab56 e9996304ad 36ff656549 885fe4af5c 69928b808c e549a0acbc bc8a	0.037531	-0.005175	1.137874	3.12281	0.042394	1.425971	18.362235	0.979499	0.030923	0.053865	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	3cd6913c66 6105a5cc08 9d86f2ab11 88c1f15cae 02a02c9ebe b5aeaec55e 6d7c	0.28404	0.236783	0.166374	-0.495718	-0.081796	-0.625842	-0.374783	1	-0.104738	-0.059352	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	350fbd5fdd afd11bf391b fbdff3f0a a0e41a6284 064f50b22a f64203be634d0f	0.11116	0.002743	0.975322	0.464405	0.038903	0.315088	0.654897	1	0.027431	0.050873	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	e35bb5bc5f f517645246 b9c34e8576 0a23c24bf7 cd001078f0 92316b9933 02fc	0.252057	0.25187	0.000742	-0.380493	-0.017456	-0.535913	-0.240223	1	-0.0399	0.004988	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	17551a8867 6fcbc3c9b7 63d8a524da 30e81de669 6b8e8d256f 236aed86ec e04c	0.037531	0.015586	0.584718	-0.242837	0.005985	-3.155477	0.18357	0.979499	-0.000524	0.012968	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	9d3f7469e2 5d5cb4bcff a27fcd8efb b6374059f7 52a28430ae 8757f53ccc 7d35	0.28404	0.30904	-0.088016	-0.116199	0.020449	-0.232346	-0.007143	1	0.000499	0.040898	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	a38c61a90e 5af28921a9 2602e7521a bd33a9f792 8eb87ebfd2 6c523e13fa1f75	0.11116	0.056234	0.494111	0.125298	0.024938	0.000728	0.244511	1	0.014963	0.034913	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	0889b0b01a be3f51e8f0 6444146899 53af186ae2 cb8cb19b20 7f374ae058 8ad3	0.252057	0.285411	-0.132327	-0.166299	0.03192	-0.299446	-0.043591	1	0.013466	0.050374	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	892fc28f00c234e5376c6ebbbfb40be127d5a00d74257b765cb4cda4cd59a6a60	0.050998	0.000436	0.991443	0.318081	0.004489	0.081145	2.255805	0.960248	0.000998	0.00798	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	e17f2b5be9582625135e5b00e6cd7d8079e8f3b1483d554fd4a5883b926a5ce0	0.279551	0.133915	0.520963	-0.394819	-0.080299	-0.504575	-0.290643	1	-0.101746	-0.058354	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	bfbcb3b21f6232cbee04a2d2060b87271348ff32cbd232ab50c7ea3ada7357709	0.121135	0.003055	0.974781	0.01233	0.001995	-0.033256	0.058639	1	-0.001995	0.005985	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	b1f049e50b09ac7f1f3fb26399a3781e6cea0a89322496eb9a485a71cef6e9dd	0.242581	0.232544	0.041378	-0.164331	0.014464	-0.310253	-0.024168	1	-0.00798	0.037406	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	86092a385fd3b470b34de0e9f178baace1350d3d0a515fbbeb4c7190e2086e9b	0.050998	0.000748	0.98533	0.033718	0.000998	-0.37494	0.535317	0.960248	-0.002494	0.004489	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	b5dde01e30ebbd6109ba6d4b1d6abd9ff21bdc81a23272f8a5cf0722436f8b10	0.279551	0.172506	0.382917	-0.316539	-0.056359	-0.427318	-0.21106	1	-0.078304	-0.034913	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	3b767f1877514a0ed0f0557691ef0294184165c38af6639c2fc1eedb605c8e3e1	0.121135	0.003304	0.972723	-0.006839	0.000499	-0.052615	0.038234	1	-0.003491	0.004489	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	4a2d52d0fe308363e071cc2fb6789f26a0e8ecc13d5385cc36b20865fd91f17b	0.242581	0.289838	-0.194809	-0.194919	0.01995	-0.370347	-0.027888	1	-0.004489	0.044888	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	628604bb1ebb0693bfa04d50a87cbf0ba665e3d008ba6fc287aaa7d3bd08011	0.050998	-0.008666	1.169927	3.463407	0.038903	1.466106	26.489077	0.960248	0.027431	0.050873	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	aa41f4a6847c9f115dab7ad2261139e322474974ed0a96aff6c963caad9ed90	0.279551	0.224314	0.197591	-0.430043	-0.077805	-0.557732	-0.308656	1	-0.101247	-0.054863	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	37df0cf4fc5e96af47b43d45b0ec43eddf6789354884ebd81c091898656c3df7	0.121135	-0.000748	1.006176	0.451747	0.036908	0.302123	0.644284	1	0.024938	0.049377	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	21e312dc00feb014794a1e365d800e6a3efd0d8fcc3415a2407c7d63c2a1d0b2	0.242581	0.25187	-0.038293	-0.34084	-0.01596	-0.500149	-0.190177	1	-0.038903	0.006484	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	c71ee29e01851e237946a050110584dfc9aa6bc38f90ab0b233fb78bddbe02c	0.050998	0.013092	0.743276	-0.248038	0.006484	-3.086951	0.151443	0.960248	0	0.012968	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	cb45bd2caf fd99d40710 b8f45db2c4 2737b2d42c 0f4184957 aebac2ffb8e2f7	0.279551	0.301559	-0.078724	-0.098539	0.012968	-0.219207	0.019781	1	-0.007481	0.033416	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	a2bbc9621d 2c2545e3c2 4ac92c8111 e6b88712da 6d9ccb28fb 1d55e3a363 cfb3	0.121135	0.055237	0.544004	0.105731	0.026434	-0.012389	0.219341	1	0.016958	0.03591	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	12629858b4 f5cfe977ea b8e3e61a2b 09b8c14305 e1eb49699f 7980f7dd9d b735	0.242581	0.274439	-0.131329	-0.163695	0.022943	-0.305708	-0.026218	1	0.003491	0.042394	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	9647b6a371 a7fa1e132 44302b0dc0 e7f8ebeb0e d6535690c8 91fc6c8285d29f	0.043017	0.001434	0.966667	0.143953	0.002993	-0.036044	0.87259	0.974649	0	0.005985	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	1dcee5d38e f4a9048349 9e3d7bbf7b d719075e2d 28797ac60f 081817ca12 9ac7	0.286035	0.15586	0.4551	-0.30268	-0.049377	-0.408052	-0.20195	1	-0.070823	-0.02793	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	65f7500d43 95c9eb3194 8412a6083a 3874a943fe af1bb217ca 99d2e9b7f3 6e0b	0.119638	0.004052	0.966128	0.013563	0.002494	-0.027106	0.054013	1	-0.000998	0.005985	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	e94e2b0346 cb02b6447b aef0975ab4 62a37026dd 6d904c3c97 f8429657d6 4400	0.245075	0.218579	0.108115	-0.184644	0.008978	-0.327501	-0.049662	1	-0.012968	0.031421	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	ceeb040f73 1fcb11326d 93dd7bd0be a46d18b899 15f7d6fa92 cf7edcd572 9442	0.043017	0.000748	0.982609	0.070489	0.001496	-0.245498	0.641206	0.974649	-0.001995	0.004988	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	8a0f2fcdad d8f61a9ccb 077ebc20ac 2c03951051 ffb0763c4 4b2139d508 8e30	0.286035	0.177993	0.377724	-0.386736	-0.066334	-0.502508	-0.277689	1	-0.088778	-0.044389	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	d5192aae00 5a70b2f4a3 71b70d934b 70057d8aed 70b029213e 12392ad819 ca50	0.119638	0.003803	0.968213	0.001731	0.001496	-0.051673	0.053851	1	-0.002494	0.005985	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	df0262a4c9 00cbe0fb2b 3adfd150ff c65ce6dd5a 65c3484c9f ed8a1821bb 2594	0.245075	0.271883	-0.109387	-0.246041	0.00798	-0.416001	-0.086107	1	-0.016958	0.032918	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	9e1ca6d6ab ef8137e565 508dd33f1e f171303249 df2a16a650 d1f7195a7a 4c63	0.043017	-0.002681	1.062319	3.419982	0.046384	1.597554	23.305184	0.974649	0.035411	0.057855	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	adac57cfe5 a349b0abce 28e87e755d 0ce7f0bde3 767e7379aa 7c06b4e710 35ee	0.286035	0.250249	0.125109	-0.405747	-0.05985	-0.533059	-0.285715	1	-0.082793	-0.036908	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	9d869b51cd4979c7696185d1534bcbd8ebf4d536e47c0bb9e286c431330c14ed	0.119638	0.003741	0.968734	0.534922	0.042394	0.368476	0.754081	1	0.030923	0.054364	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	7594284e36f955b0c0e57ee90186b4c8fe3b1e9efcd55b99d615119529f1e1e6	0.245075	0.253865	-0.035869	-0.311554	-0.008479	-0.466835	-0.165692	1	-0.031421	0.013965	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	35cf6539001d12fd7c4d68f4af21227c9568b07597069d5ebee989	0.043017	0.018579	0.568116	-0.178735	0.009975	-3.29496	0.259083	0.974649	0.002494	0.017456	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	c5c56528957c3405f2af6930f28509ef0d7f4c3b3841bee2eedbdeaf62772e	0.286035	0.323005	-0.12925	-0.068742	0.032918	-0.189381	0.046663	1	0.01197	0.053865	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	9056755fe4ee6e52c2795ec4a4a54aab3fe09b3fab6b3b0e0e6ad0603dba945	0.119638	0.061222	0.488275	0.071432	0.027431	-0.067529	0.198783	1	0.017955	0.037406	1
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	cd4742537870f4bb69ef8acfl69eff477a3f4217ef02cb31f700373ff4d884d28	0.245075	0.287406	-0.17273	-0.131785	0.033416	-0.274851	0.003144	1	0.013965	0.052868	1

Table 241: DermaMNIST-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	50c128a290d722ef8460c3fbc13181a0a1ad5642d278263a7074ac6937121683	0.194055	False	relative_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	4b57d5f4f38ed27062c753bfccb9c7aac053244523d33678a0c4e3b2e1f1e0b6a30b5bf32303b096e51075f37d4053baa04496a9d40b3c7aa0404056dd3e001	1	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	e8708ea9f23dd243222b056247d6ed449d728a695820de3d490c093487d118e0	0.99935	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	812fca901096f53453fd90082222ed83f4062faf90773efcf9ae3c40dcff3bdf	0.697435	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	e6c8100dba f88561033999549201193df6f5d1b6ac362ff2e10352a1bd118045	0.004017	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	ae44b27f84df91cbda93d15461a1b36beaf7c5d47f8437dfaa d04d6e139585db	1	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	e6b3cfff00c2941f3f8af2258bc99c5d71757e9f40b13ddbc b0956e9f018eb b61d83a62b1dd70d086b58a025ae1c7f8d603bb650b9447d813aa1f160a18c47	0.280564	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	e7166e36221c4e5e4aaf d40c2b9824f4acfac8d6f86e77e57e39a449de1f42be	0.9999	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	3ff46f49d18542b79a1e975835820262d78dd6a70d0e6f91b4b2458b044b8a0f	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	339cc688656857f14a5e3d0affbcf6c4f4770e4c dde4786c71e6963e52f2d9bd	0.9943	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C		0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar		0.350868	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	de6f415be2 957a49436d 1a74a6ddee cbe27d5834 00c12d1971 765e1529cc be6d	0.025807	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	0f606bf4e7 6d770783db c60ea2d3c0 6ba46dea4f 6a9a93c5f0 a0fb8eced8 4996	0	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	f89d841b83 03c66fea0d 760101ea1c 78435000bd f7a1dee357 ffa4ddc954bf4	0.068203	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	f9d7695887 a074cb133f cec3746cbf 501302cb8a 172a526858 e7a3721a56 a357	0	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	bd23472bc8 6f97454ae5 fc6970f16f 148cb8bdba 821e59b15d 41a9e27d8b b021	0.265411	False	relative_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	e2c226087e d1e2319c07 615024a68f 10d666a228 013faca839 16e1d85136 0f2d	0.00035	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	397212e649 cd1dab8c15 584bd4eb78 fe425a332f c189d1dfb2 6a4a0d6470 33b5	0.940597	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	6386672eeb 4ea3536b1a 32cd0eb438 b529abda5d 489b8f127b cc9b49cfa264bf	0.149707	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	1f55cf9054 f97bc27607 f6013f1970 40325726a5 246ffc9773 68f3775750 5897	0.042643	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	c3a4083892 258d268e23 857226bc09 ce71bc0bef a390d9f38 a359bb5c49 f7b3	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	ade70ad050 bc28650c05 97ea0f413c 8856452583 4e66d9b1eb fa3c06c6976106	0.319716	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	83b3d27dde e6e31b1897 3440354706 282ced13db 22748d042a 52343ece46 d809	0.375369	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	dfd445ddee c01a6c0579 825ff03a8a a35b43fdec 05da6ef738 51f8ae8fda67e6	0.1148	False	relative_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	f8c6750533 abf34966bc 42f6551d5e f0a5f7df39 0f7fe6087 d4da313ffe094	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	960fd7089c 79380cbf18 d666d79213 c23df6aeaa c63d761345 ee39ee62853fbe	0.485324	False	relative_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	9a6687df0b 8d49263c6e 5389325ad9 ea0e6bce9a 28e6a2bff0 f8fc95b4b832cd	0.00035	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	5dde862bf e78fc5a156 bb6a4623b3 c691a368b9 e040643659 13eaf93866 0656	0.009713	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	83ee9cffe4 39c943caa5 4710cd0aad 2cda75590a 3d0a7cd210 afc929f82941e4	0.0058	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	441ecbb1bf 848e63a84a ae7e034f50 80e10b4fb6 01d7ae8083 08042164c0 1312	0.788639	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	3ed74dfe4 7c29fa6b31 3650d23138 7d0d963b1a 0b5a111cff 93a5046207 8bf0	0.0028	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	bfe4c08fa7 aa2f56f6ac 1182d34da3 ca9010184f 6a4933556b e573381393 6b6d	0.73189	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	4f83f945e5 04d12b04d2 2a48882e08 10ebfe5a10 4550b3d12a fe5c6f1de501e0	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	f43e7d150d ba845abc40 7c778161c6 4e791b4822 4e6b02a131 ecc9ab0e43499f	0.338617	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	83703cdf42 5a24ed5ae1 919b50df59 81ab461aed a4eedd471b 8e831df8acf2c4	0.133307	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	5080ee55eb a2d7060721 369ee05e71 655d3a39be b4c6774235 01bbb88e9 f7a0	0.277605	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	d0b91303ae 58029fea9f 921bfc9401 a6aaf7d516 df6246cc26 a8c261910d 565e	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	16ab83e369 b55ffaddf9 4c7ca35ffa 07f61b5be1 790f990286 a4bb510bfb fela	0.095255	False	no_advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	7f2f03452e e545cbe567 908f0c6766 7b9c3e1f69 b37ecd41d be8c2a84f6 ac90	0.688884	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	349eca4251 a2a73323aa 17e9fd27b9 ef23087117 15c4c12d86 3151f19d02 a63d	0.999643	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	f28de567d3 fbb82c9bf3 315ff8f194 08cccc33c4 da37bf28a4 666ad43531 5407	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	9324639910 ae097dc904 0260edade3 0b6715f5b1 4d6f00bdcf 88733966a3 f585	1	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	9b65ddcef3 aca83ea960 84d4cb2d5b 94b3aa1223 flcc420632 7603b1c231 a2c2	0.00055	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	e51a3e0187 b8ef1713fb e0c593a3a5 6b801a0f0e 283bfe9f13 a24e83127b c37e	0.039359	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	926d5186c1 754938179c 560924fe30 5ffa0a05f5 474516e8d0 954bfe1085 21d7	0.0094	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	81ff7c6ec7 366658e5bd 2aa53851d9 2499b34faf 301c74d67d 7638ea20b3 8992	0.709285	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	82bbdd35a1 d5b40ec461 e82485c1bc d7ef3895eb 7376bc2806 aee838b69c 6a41	0.0013	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	013fd85365 6b93d48425 584889bbf 95891ab70d 50bc319bf8 f8eb0fb21175eb	0.62763	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	7b00b80159 9539a1500c da15121b4a 23a9fc1951 d5b2f77e6 356efc85009ff7	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	e9f930f46d fcd7cc8472 085f818dbb addff37d14 48247f0634	0.837692	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	2c4f0a4bf51fd7 faf99efd79 98b004abcb 4e12a51090 b2cf0e3a5f 3fc6c36dc3 d669d474c3 43c7	0.049602	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	6783cb6154 457b4f493c ca312438c2 6e32e04a5b e2d29e79af a67bb93271 11a5	0.563372	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	4fab63a67e 39623c402f d24d8da988 4da9563e73 d0824da9d4 274bfa96ed 700c	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	6a5583e211 730b0ca156 db4097f6fe e107c2be07 1bd99aa0f6 f7edde5f34afc0	0.509725	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	b0d6e08e36 d8f5d2bae8 7ca647ee03 7ccaa87a3 248da797ce 5499ba2402 029b	0.237762	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	4f23d878e5 600eb585ee 5cb97972b8 2ba50c55d8 72a9c39800 233ee214e884ef	0.670173	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	742f3f8cd1 76eac95eb 846a33ec60 2509509379 7691c6868a 8f57a7dce462e6	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	64a01e7bfa e42ae18669 2ada19d5be cce2e29921 846d57ec9f 2c43984ed9 83e5	0.967848	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	5a35aeb5a0 0199246cd3 3a528b9050 85de5d16f0 fb57e93ac3 ef37744266f953	0.00025	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	187f4e6003 471268fa52 484417b82f 1a37107c65 1bb6231515 2bc510d7cf 49b5	0.111539	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	c017450f8d 79eb825c6d 80f40e3cb5 a49ed58955 37feaf6b83 95b25cb3f8 720c	0.013301	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	ba6320f95c eb6888e44a 2c2100cc52 4d7046f328 adb7dc5e93 cf4f493a5468f9	0.771539	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	410c4b635c ca560b40f6 7b0f46b670 c53507a6fc 6da8e9cf5f f3bfc0d7cfd59d	0.003	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	F	50c4b67396 d22fa503d1 d39259fa70 b350143a3f 9b3a1c182a 88001c70d7 97a8	0.160784	False	relative_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Fbar	2702aa4618 68b4041134 20f1e99585 b187548de2 dc365bca30 24f3710603 bbcc	0	False	no_advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	C	07cf1217c0fde849d04371604d0f853808202270ec189eb076e20b8875154e1	0.811341	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	G	Cbar	faa442670e062bf7fca5f305765dfa9fc57b6e7f606a15bab69ea564f9da9b4d	0.159208	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	F	0ef492537da369ae1f92d5574d20ec332b47292f3e96728055b3c3cd6066cf3b	0.674584	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Fbar	8a2d293634b4527b6d2cab12ddb36273ed67b538f9d3707e13754441deb93012	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	C	466f70ff1e73a427a17e5ec88d5a97cf57f2b495968094700996ade5a742ba2	0.569278	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	P	Cbar	6c6f566c4aflb6cde1a10c40d6abe0ff3fe71040c893fec394f133410cc3b0ab	0.363818	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	F	522a39b1761f3d1e52b710c64aa2e71173a2664d7a89642f57edbb3310214a279	0.749282	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Fbar	802efe36c22c53af0fee b4f9d587d4d5c759546d0572d018ff3c3164bc73a6e3	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	C	fb032596306dd93affb0cef4c03c10776fa94b77876f2954ec974b46905735a4	0.974199	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	S	Cbar	d99793cb08787a7367321a41f265fe a7d069001433310bcfa36a8dc244e99918	0.00125	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	F	62ef678b1e4e8f99e51cb3c8f3a6ef6da9251646dcb1cf0822c977113930ae75	0.044428	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Fbar	3b3265f4f7caaa94737591d1ce57df0a3775be4ffa0b8994bdbc49e1fba157	0.0041	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	C	bc585f58ff d236c84344b50df6798c bdf887369a942aa23d3fedffc6e1fe4f5	0.251213	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	A	Cbar	e4f19b562a 575a5fdc3f 73a839af42 57866f079a 632bb7e258 e014c3b2db 392f	0.00175	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	3f24d31c92 d952889b53 34cbfd76b5 4e8cfa6885 ef22f7fb22 0a2339679e e6c4	0.823317	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	3c8a6c8634 cb98549b97 c57a7c1720 9a8b4d1be2 9732d51b35 80fd80a6ca a31c	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	09cd1d55ed8 4113e5c904 cfd74f4f09 2423bcb8bb fe554ff514 07cf2df9de 3d1b	0.99925	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	e064964be2 5ccb0e827 7cd345002b 04afc15f84 08876eeb20 5e906e7f6c5775	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	a88ef7ca3d 225a9cd7b4 a809bbe9bb 4d1ae261bb 6cd8bb358c fb1e6464b7 50bc	0.098459	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	7066b36b25 799f4089d6 4ff154efcc c2f2587934 15d208c0b0 83fdff1ca8bdef	5.0003e-05	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	65aced8bc8 68e52d1431 75d7788b23 bbcd7a3a28 a0117c7ae7 3d94498d72 1561	0.111056	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	8acbbc2383 7a3dd85078 8919f25f1b 75a70f1e47 ef3a3d5b6c b41c92d011 197b	0.0003	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	ca2b931a51 e9a0473b3f 9ff631961 75d55af150 59ef811036 c911e0881d 841f	0.91796	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	479a22a56e 803358b310 798f10e141 e5070ed28f 76dcf86f71 5cee1c2b8e 232a	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	8c892359e8 9445ea3df7 0868f694ea 29c5141a37 8b26894e60 18368d7f21 968b	0.996	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	46a5af014d 7f0072e6c1 b78c3cf9bd 2feac51033 c9b0f8dd02 0dfd923aa6 a596	0.0001	False	no_advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	61a006640c 43070991c2 af6dac3cf6 82ff6780d8 d88891530e 3693769f3d 9867	0.304413	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	9125498b60 5e0b3eeab7 cdd932825c 48f7b7a820 69443e1aa2 e856d58d80 f325	0.0034	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	e592e445a1 0c4a076c7f 89fe019c61 973f0110ca afc6d687bd c85a689070 d8e1	0.510576	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	449a3dec18 bd720edecb 82cbe118c4 6c820485d5 bdf84c90d6 0d943a09d1 306f	0.122206	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	7f4a877179 14445d51ca a56032bb74 4665453c06 5d04c03bab e6162a4ebd 8643	0.958158	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	887a9b78a1 ee61a90d1f 916c92f4b1 35ca1fd7d 57260a2776 2c362eafaf5ce	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	2e54466bbb 772ea95314 1b213ffa80 b3f7f1214c a850a776f5 5c9a43e110 e900	0.935947	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	a23b554c5f 5d79f0976d bae9095406 7c696ea3f6 b9784395c8 09e1217e63 ac97	0.003	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	4cceaa3a70 f74888082 6dd10b8339 b2cb501959 b026ee127e 4963730a8a d95a	0.046699	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	ae6d4b1ddb 52b545d0bd 27566e819b 08b1f52bd 708720c92c e616b75001 088d	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	41747afd5a 84b215aba4 a3357b8b54 33df2e9180 322646c910 12ee64178c 1c8d	0.285314	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	c7f431e6f8 732fb4b89b 89ce314324 d736e8f2d6 a7bff6b3b9 898b7095de 861a	0.00135	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	3e560294a5 2d65b3dbf3 8a70856f9a 19d0395f23 26de39885f 3306b8ac19 de3a	1	True	advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	4b00fe5de0 559c7e46e5 cd849532f0 faf116fd6 2416794b2c 51815087e224ef	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	d11ef4395b 40b077565d 7062ea6f80 a8bcb08b5c 2dd1849aa1 eff0d7929d11c3	1	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	73e08d0c30 7a74da8924 8ca8ba9313 1bd28a7668 65beff8059 71955bc25e 238e	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	3d4d8a335a b46c0e2d26 0c4dc8f941 05224d1950 afe15741d8 5e2abfd9b1 a0a0	0.081923	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	d09b5ca9d2 444c2dfd17 914cf72b0d 92860bb785 e81f989b04 ac87e986f56ed6	0.145307	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	dc2801e5b5 01a3098a0f 577cfb6c02 17f9a95323 cd7ea8b022 09a0e2a9b7 82c5	0.99225	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	0d857a0af1 ba9bce0085 4b974e8281 6479100395 9218668f56 3d81f3e802d64f	0.045452	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	5ccc33f929 0f525468b8 c8bc2f76e7 0aa1d67f33 fc7a7b7e53 aec2be8bb2 50eb	0.967278	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	c2cab42505 6debb157b4 a1b1c1a210 b8b7a37d8a 10f2c37203 c4f0f9b79cd4d5	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	4af5fc2923 f5517e25f0 d340b2a88e b332f0a2a8 bda60d17ac 735e7291bd 51f6	0.663333	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	d15f262bc5 3774aec19d 5d1a6ae3ca 48caea134c 74f8093c83 f25b46c5e4 0260	0.019351	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	98d592ca41 fbad4c69ea 5edbbe3b42 334e12f464 c70c1ed296 400ffae674f81c	0.374802	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	59ba2f82ad ff49e6a6f7 e59fb03adc 6732dc8260 48b1a205ae 20c3893135 a37a	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	87e8bc17bd 9a7d178e55 2a45bf61f3 c551c5ba34 6879632e26 594ae0e77e 2a99	0.314666	False	no_advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	b6c2d4569733b787bb714dd9d6412d2c17f20b8ced522cc50009f0205525da	0.015301	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	02596eab56e9996304ad36ff656549885fe4af5c69928b808ce549a0acbc	1	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	bc8a3cd6913c666105a5cc089d86f2ab1188c1f15cae02a02c9ebeb5aeaec55e6d7c	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	350fbd5fddafd1bf391bfbdff3f0aa0e41a6284064f50b22af64203be634d0f	1	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	e35bb5bc5ff517645246b9c34e85760a23c24bf7cd001078f092316b993302fc	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	17551a88676fcbcb3c9b763d8a524da30e81de6696b8e8d256f236aed86ec	0.167696	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	e04c9d3f7469e25d5cb4bcffa27fcd8efb6374059f752a28430ae8757b53ccc7d35	0.018601	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	a38c61a90e5af28921a92602e7521abd33a9f7928eb87ebfd26c523e13fa1f75	0.975699	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	0889b0b01abe3f51c8f064d414689953af186ae2cbs8cb19b207f374ae0588ad3	0.0043	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	892fc28f00c234e5376c6ebbf40be127d5a00d74257b765cb4cda4cd59a6a60	0.994272	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	e17f2b5be9582625135e5b00e6cd7d8079e8f3b1483d554fd4a5883b926a5ce0	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	bfbcb3b21f6232cbee04a2d2060b87271348ff32cbd232ab50c7ea3ada7357709	0.710286	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	bf10d9e50b09ac7f138fb26399a3781e6cea0a89322496eb9a485a71cef6e9dd	0.010651	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	86092a385f d3b470b34d e0c9f178ba ace1350d3d 0a515fbee 4c7190e208 6e9b	0.543428	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	b5dde01e30 ebbd6109ba 6d4b1d6abd 9ff21bdc81 a23272f8a5 cf0722436f8b10	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	3b76718775 14a0ed0f05 57691ef029 4184165c38 af6639c2fc 1eedb605c8 e3e1	0.387869	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	da2d52d0fe 308363e071 cc2fb6789f 26a0e8ecc1 3d5385ec36 b20865fd91 f17b	0.011301	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	6f28604bb1 ebb0693bfa 04d50a87cb f0ba665c3d 008ba6fc28 7aaa7d3bd0 8011	1	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	aa41f4a684 7c9f115dab 7ad2261139 e322474974 ed0a96afff 6c963caad9 ed90	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	37df0cf4fc 5e96af47b4 3d45b0ec43 eddf678935 4884ebd81c 091898656c 3df7	1	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	21e312dc00 feb014794a 1e365d800e 6a3efd0d8f cc3415a240 7c7d63c2a1 d0b2	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	c71ee29e01 851e237946 a050110584 dcfc9aa6bc 38f90ab0b2 33fb78bdbb e02c	0.143147	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	cb45bd2caf fd99d40710 b8f45db2c4 2737b2d42c 0f44184957 aebac2ffb8e2f7	0.050303	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	a2bbc9621d 2c2545e3c2 4ac92c8111 e6b88712da 6d9ccb28fb 1d55e3a363 cfb3	0.960598	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	12629858b4 f5cfe977ea b8e3e61a2b 09b8c14305 e1eb49699f 7980f7d9d b735	0.010251	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	F	9647b6a371 a7fa11c152 d4302b0dc0 e7f8eb0e d6535690c8 91fc6c8285d29f	0.932075	False	advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Fbar	1dcee5d38ef4a90483499e3d7bbf7bd719075e2d28797ac60f081817ca129ac7	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	C	65f7500dd395c9eb31948412a6083a3874a943feaf1bb217ca99d2e9b7f36e0b	0.749287	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	G	Cbar	e94e2b0346cb02b6447baef0975ab462a37026dd6d904c3c97f8429657d64400	0.0035	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	F	ceebe40f731fcb11326d93dd7bd0bea46d18b89915f7d6fa92cf7edcd5729442	0.677457	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Fbar	8a0f2fcdad8f61a9ccb077ebc20ac2ec03951051fbb0763c44b2139d5088e30	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	C	d5192aae005a70b2f4a371b70d934b70057d8aed70b029213e12392ad819ca50	0.530777	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	P	Cbar	df0262a4c900cbe0fb2b3adfd150ffc65ce6dd5a65c3484c9fed8a1821bb2594	0.00105	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	F	9e1ca6d6abef8137e565508dd33f1ef171303249df2a16a650d1f7195a7a4c63	1	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Fbar	adac57cfc5a3d9b0abce28e87e755d0ce7f0bde3767e7379aa7c06b4e71035ee	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	C	9d869b51cd4979c7696185d1534becbd8ebf4d536e47c0bb9e286c431330c14ed	1	True	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	S	Cbar	7594284e36f955b0c0e57ee90186b4c8f63b1e9efcd55b99d615119529f1e1e6	0	False	no_advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	F	1f12ceb8cc35cf6539001d12fd7c4d68f4af21227c9568b0759709d5ebce989	0.255028	False	quality_only
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Fbar	c5c56528957c3405f2af6930f28509ef0d7f4c3b3841bee2eedbdeaf62772e	0.125506	False	quality_only

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	C	9056755fe4 ee6e52c279 5ec4a4a54a ab3fe09b3f fab6b3b0e0 e6ad0603db a945	0.848842	False	advantage
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	A	Cbar	cd47425378 70f4bb69ef 8acf169eff 477a3f4217 ef02cb31f7 00373ffd88 4d28	0.027301	False	quality_only

Table 242: DermaMNIST–ResNet-18

Dataset	Model	Condition	K	Condition Kind	Sample Count	F	$\hat{F}$	C	$\hat{C}$
DermaMNIST	ResNet-18	Adversarial Sara 2 255	20	Adversarial	2005	0.003865	0.57288	0.017082	0.891895
DermaMNIST	ResNet-18	Clean	20	Clean	2005	0.040274	0.593766	0.19308	0.912406
DermaMNIST	ResNet-18	Gaussian 0.15	20	Factory	2005	0.079863	0.14788	0.118641	0.989152
DermaMNIST	ResNet-18	Salt Pepper 0.05	20	Factory	2005	0.05611	0.133603	0.090461	0.993579
DermaMNIST	ResNet-18	Speckle 0.15	20	Factory	2005	0.289464	0.343017	0.370823	0.947132

Table 243: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.75773	0.83549	0.79063	0.95613	0.09172	0.00199	0.08873	0.12961	0.05583	0.00598
Simple Averaging	0.75972	0.81854	0.80957	0.94018	0.07976	0.05085	0.09073	0.19043	0.07577	0.01695
Borda (NAIVE)	0.75872	0.82353	0.8016	0.94118	0.09172	0.05583	0.08973	0.1984	0.07079	0.02094
Borda (THEORY)	0.74975	0.81954	0.79661	0.94915	0.06879	0.04487	0.08076	0.20339	0.05085	0.01196
RRF (NAIVE)	0.77168	0.82353	0.80658	0.94816	0.09073	0.04586	0.10269	0.19342	0.08275	0.01695
RRF (THEORY)	0.75274	0.82851	0.78863	0.95912	0.07777	0.05783	0.08375	0.21137	0.06879	0.00698
Schulze (NAIVE)	0.7667	0.82054	0.81356	0.93719	0.09472	0.02293	0.09771	0.18644	0.08076	0.02891
Schulze (THEORY)	0.75872	0.82752	0.78664	0.95513	0.06879	0.06381	0.08973	0.21336	0.08275	0.01396
Kemeny Young (NAIVE)	0.75773	0.82453	0.79462	0.94915	0.08076	0.04786	0.08873	0.20538	0.0678	0.00798
Kemeny Young (THEORY)	0.75573	0.82652	0.79561	0.96012	0.07577	0.04088	0.08674	0.20439	0.07178	0.00698

Table 244: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.75773	0.83549	0.79063	0.95613	0.09172	0.00199	0.08873	0.12961	0.05583	0.00598
Simple Averaging	0.742772	0.823529	0.773679	0.94317	0.07976	0.05085	0.09073	0.19043	0.07577	0.01695
Borda	0.730808	0.831505	0.761715	0.949153	0.09172	0.05583	0.08973	0.1984	0.07079	0.02094
RRF	0.742772	0.825523	0.761715	0.944167	0.09073	0.04586	0.10269	0.19342	0.08275	0.01695
Schulze	0.729811	0.825523	0.750748	0.953141	0.09472	0.02293	0.09771	0.18644	0.08076	0.02891
Kemeny Young	0.733799	0.830508	0.752742	0.949153	0.08076	0.04786	0.08873	0.20538	0.0678	0.00798
Best Explanation (Decorr)	0.7787	0.8355	0.8116	0.9561	0.1037	0.002	0.1097	0.1276	0.0668	0.006
SimpleAvg (Decorr)	0.7597	0.8185	0.8096	0.9402	0.0798	0.0508	0.0907	0.1904	0.0758	0.0169
Borda (Decorr)	0.7498	0.8195	0.7966	0.9492	0.0688	0.0449	0.0808	0.2034	0.0508	0.012
RRF (Decorr)	0.7527	0.8285	0.7886	0.9591	0.0778	0.0578	0.0837	0.2114	0.0688	0.007
Schulze (Decorr)	0.7587	0.8275	0.7866	0.9551	0.0688	0.0638	0.0897	0.2134	0.0828	0.014
Kemeny Young (Decorr)	0.7557	0.8265	0.7956	0.9601	0.0758	0.0409	0.0867	0.2044	0.0718	0.007

Table 245: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.71685	0.82353	0.73978	0.92323	0.05882	0.01296	0.04786	0.17846	0.05683	0.00897
Simple Averaging	0.72483	0.80658	0.75872	0.90429	0.07079	0.04387	0.05583	0.24128	0.08873	0.02193
Borda (NAIVE)	0.7328	0.80259	0.74875	0.90628	0.09272	0.03589	0.06381	0.25125	0.10568	0.02393
Borda (THEORY)	0.7009	0.81954	0.72881	0.93121	0.05184	0.06879	0.0319	0.27119	0.09073	0.02891
RRF (NAIVE)	0.72881	0.80957	0.75573	0.91326	0.07876	0.04985	0.05982	0.24427	0.09571	0.0319
RRF (THEORY)	0.70489	0.82154	0.72981	0.92722	0.04985	0.07677	0.03589	0.27019	0.07677	0.00897
Schulze (NAIVE)	0.72981	0.80758	0.7657	0.89332	0.06979	0.0339	0.06082	0.2343	0.09073	0.0329
Schulze (THEORY)	0.70788	0.82154	0.73081	0.92522	0.05384	0.0678	0.03888	0.26919	0.06879	0.01695
Kemeny Young (NAIVE)	0.71984	0.81157	0.74177	0.91326	0.07079	0.05085	0.05085	0.25823	0.10369	0.01795
Kemeny Young (THEORY)	0.70588	0.81655	0.72483	0.93121	0.05683	0.06381	0.03689	0.27517	0.08574	0.02592

Table 246: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.71685	0.82353	0.73978	0.92323	0.05882	0.01296	0.04786	0.17846	0.05683	0.00897
Simple Averaging	0.68993	0.805583	0.691924	0.904287	0.07079	0.04387	0.05583	0.24128	0.08873	0.02193
Borda	0.675972	0.817547	0.686939	0.908275	0.09272	0.03589	0.06381	0.25125	0.10568	0.02393
RRF	0.681954	0.814556	0.685942	0.905284	0.07876	0.04985	0.05982	0.24427	0.09571	0.0319
Schulze	0.667996	0.808574	0.67996	0.902293	0.06979	0.0339	0.06082	0.2343	0.09073	0.0329
Kemeny Young	0.683948	0.809571	0.696909	0.907278	0.07079	0.05085	0.05085	0.25823	0.10369	0.01795
Best Explanation (Decorr)	0.7268	0.8235	0.7458	0.9232	0.0588	0.013	0.0578	0.1775	0.0618	0.009
SimpleAvg (Decorr)	0.7248	0.8066	0.7587	0.9043	0.0708	0.0439	0.0558	0.2413	0.0887	0.0219
Borda (Decorr)	0.7009	0.8195	0.7288	0.9312	0.0518	0.0688	0.0319	0.2712	0.0907	0.0289
RRF (Decorr)	0.7049	0.8215	0.7298	0.9272	0.0499	0.0768	0.0359	0.2702	0.0768	0.009
Schulze (Decorr)	0.7079	0.8215	0.7308	0.9252	0.0538	0.0678	0.0389	0.2692	0.0688	0.0169
Kemeny Young (Decorr)	0.7059	0.8166	0.7248	0.9312	0.0568	0.0638	0.0369	0.2752	0.0857	0.0259

Table 247: DermaMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.64307	0.79362	0.65803	0.87637	0.05284	0.00798	0.00199	0.2014	0.06381	0.01097
Simple Averaging	0.665	0.74177	0.68195	0.81655	0.1346	0.10668	0.00399	0.31805	0.17448	0.10768
Borda (NAIVE)	0.66102	0.75374	0.67597	0.82851	0.1326	0.09771	0.00798	0.32403	0.17348	0.11167
Borda (THEORY)	0.61914	0.79761	0.62812	0.8674	0.10967	0.05484	0.04985	0.37188	0.13061	0.05085
RRF (NAIVE)	0.67697	0.75673	0.68495	0.83649	0.13958	0.10369	0.00798	0.31505	0.19741	0.11565
RRF (THEORY)	0.61914	0.79362	0.62413	0.86441	0.10867	0.04885	0.04985	0.37587	0.12861	0.04686
Schulze (NAIVE)	0.67298	0.74277	0.68893	0.81356	0.14058	0.11964	0.00399	0.31107	0.18345	0.11864
Schulze (THEORY)	0.60917	0.80459	0.62014	0.87836	0.10369	0.05384	0.05982	0.37986	0.12662	0.05384
Kemeny Young (NAIVE)	0.65902	0.76072	0.67198	0.83649	0.13161	0.10269	0.00997	0.32802	0.17348	0.11167
Kemeny Young (THEORY)	0.63011	0.78963	0.64706	0.85842	0.10469	0.07677	0.03888	0.35294	0.15055	0.08475

Table 248: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.64307	0.79362	0.65803	0.87637	0.05284	0.00798	0.00199	0.2014	0.06381	0.01097
Simple Averaging	0.579262	0.753739	0.577268	0.809571	0.1346	0.10668	0.00399	0.31805	0.17448	0.10768
Borda	0.581256	0.749751	0.576271	0.812562	0.1326	0.09771	0.00798	0.32403	0.17348	0.11167
RRF	0.587238	0.751745	0.585244	0.818544	0.13958	0.10369	0.00798	0.31505	0.19741	0.11565
Schulze	0.581256	0.74676	0.575274	0.817547	0.14058	0.11964	0.00399	0.31107	0.18345	0.11864
Kemeny Young	0.599202	0.747757	0.596211	0.81655	0.13161	0.10269	0.00997	0.32802	0.17348	0.11167
Best Explanation (Decorr)	0.6471	0.7936	0.658	0.8764	0.0528	0.016	0.0219	0.2014	0.0638	0.011
SimpleAvg (Decorr)	0.665	0.7418	0.682	0.8166	0.1346	0.1067	0.004	0.318	0.1745	0.1077
Borda (Decorr)	0.6191	0.7976	0.6281	0.8674	0.1097	0.0548	0.0499	0.3719	0.1306	0.0508
RRF (Decorr)	0.6191	0.7936	0.6241	0.8644	0.1087	0.0489	0.0499	0.3759	0.1286	0.0469
Schulze (Decorr)	0.6092	0.8046	0.6201	0.8784	0.1037	0.0538	0.0598	0.3799	0.1266	0.0538
Kemeny Young (Decorr)	0.6301	0.7896	0.6471	0.8584	0.1047	0.0768	0.0389	0.3529	0.1505	0.0847

Table 249: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.78265	0.84048	0.84347	0.97607	0.09671	0.00598	0.11366	0.05783	0.05982	0.00299
Simple Averaging	0.79362	0.83549	0.84646	0.96012	0.11067	0.02193	0.12463	0.15354	0.08774	0.02592
Borda (NAIVE)	0.80359	0.83051	0.84048	0.9671	0.11067	0.02792	0.1346	0.15952	0.09372	0.02094
Borda (THEORY)	0.77966	0.82951	0.83151	0.97109	0.09472	0.04187	0.11067	0.16849	0.07577	0.00997
RRF (NAIVE)	0.79661	0.83649	0.84347	0.97208	0.10768	0.03988	0.12762	0.15653	0.08973	0.02094
RRF (THEORY)	0.77866	0.83749	0.8345	0.97607	0.10269	0.04786	0.10967	0.1655	0.06879	0.01097
Schulze (NAIVE)	0.80359	0.83151	0.86241	0.96211	0.11366	0.02393	0.1346	0.13759	0.09472	0.03689
Schulze (THEORY)	0.78365	0.8325	0.8325	0.9671	0.10369	0.06082	0.11466	0.1675	0.07378	0.00199
Kemeny Young (NAIVE)	0.79262	0.8325	0.8325	0.97208	0.11067	0.02991	0.12363	0.1675	0.08375	0.02293
Kemeny Young (THEORY)	0.78166	0.83848	0.83549	0.97408	0.09372	0.03789	0.11266	0.16451	0.07278	0.01296

Table 250: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.78265	0.84048	0.84347	0.97607	0.09671	0.00598	0.11366	0.05783	0.05982	0.00299
Simple Averaging	0.778664	0.831505	0.820538	0.972084	0.11067	0.02193	0.12463	0.15354	0.08774	0.02592
Borda	0.779661	0.835494	0.814556	0.973081	0.11067	0.02792	0.1346	0.15952	0.09372	0.02094
RRF	0.77667	0.830508	0.817547	0.973081	0.10768	0.03988	0.12762	0.15653	0.08973	0.02094
Schulze	0.768694	0.8335	0.808574	0.965105	0.11366	0.02393	0.1346	0.13759	0.09472	0.03689
Kemeny Young	0.775673	0.829511	0.818544	0.964108	0.11067	0.02991	0.12363	0.1675	0.08375	0.02293
Best Explanation (Decorr)	0.7876	0.8405	0.8594	0.9761	0.1167	0.006	0.1186	0.0578	0.0598	0.003
SimpleAvg (Decorr)	0.7936	0.8355	0.8465	0.9601	0.1107	0.0219	0.1246	0.1535	0.0877	0.0259
Borda (Decorr)	0.7797	0.8295	0.8315	0.9711	0.0947	0.0419	0.1107	0.1685	0.0758	0.01
RRF (Decorr)	0.7787	0.8375	0.8345	0.9761	0.1027	0.0479	0.1097	0.1655	0.0688	0.011
Schulze (Decorr)	0.7836	0.8325	0.8325	0.9671	0.1037	0.0608	0.1147	0.1675	0.0738	0.002
Kemeny Young (Decorr)	0.7817	0.8385	0.8355	0.9741	0.0937	0.0379	0.1127	0.1645	0.0728	0.013

Table 251: DermaMNIST–DenseNet-121

					AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom						
Best Explanation	0.54337	0.75174	0.54835	0.80558	0.06082	0.01196	0.01396	0.32901	0.04088	0.01695
Simple Averaging	0.59023	0.67597	0.59422	0.73081	0.19342	0.21436	0.07777	0.40479	0.22433	0.14357
Borda (NAIVE)	0.60518	0.66201	0.61815	0.71984	0.20738	0.23829	0.06381	0.38185	0.23729	0.17946
Borda (THEORY)	0.55733	0.77168	0.55135	0.81655	0.17946	0.18843	0.11167	0.44865	0.20439	0.12064
RRF (NAIVE)	0.59521	0.68993	0.59821	0.73878	0.21037	0.22532	0.07378	0.40179	0.22333	0.14457
RRF (THEORY)	0.55035	0.75972	0.55334	0.81456	0.17647	0.19143	0.11864	0.44666	0.18544	0.10369
Schulze (NAIVE)	0.5992	0.67797	0.60917	0.73779	0.20339	0.2323	0.06979	0.39083	0.21336	0.13958
Schulze (THEORY)	0.54935	0.72881	0.54935	0.77966	0.17448	0.1984	0.11964	0.45065	0.18345	0.0997
Kemeny Young (NAIVE)	0.59222	0.69192	0.59621	0.74676	0.20738	0.23031	0.07677	0.40379	0.2323	0.15354
Kemeny Young (THEORY)	0.57527	0.74377	0.57627	0.80259	0.18544	0.21834	0.09372	0.42373	0.22532	0.14855

Table 252: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.54337	0.75174	0.54835	0.80558	0.06082	0.01196	0.01396	0.32901	0.04088	0.01695
Simple Averaging	0.497507	0.66999	0.500499	0.705882	0.19342	0.21436	0.07777	0.40479	0.22433	0.14357
Borda	0.512463	0.677966	0.504487	0.720837	0.20738	0.23829	0.06381	0.38185	0.23729	0.17946
RRF	0.510469	0.690927	0.508475	0.71984	0.21037	0.22532	0.07378	0.40179	0.22333	0.14457
Schulze	0.495513	0.666002	0.485543	0.707876	0.20339	0.2323	0.06979	0.39083	0.21336	0.13958
Kemeny Young	0.525424	0.662014	0.518445	0.711864	0.20738	0.23031	0.07677	0.40379	0.2323	0.15354
Best Explanation (Decorr)	0.5434	0.7517	0.5484	0.8056	0.0608	0.012	0.014	0.347	0.0778	0.0169
SimpleAvg (Decorr)	0.5902	0.676	0.5942	0.7308	0.1934	0.2144	0.0778	0.4048	0.2243	0.1436
Borda (Decorr)	0.5573	0.7717	0.5513	0.8166	0.1795	0.1884	0.1117	0.4487	0.2044	0.1206
RRF (Decorr)	0.5503	0.7597	0.5533	0.8146	0.1765	0.1914	0.1186	0.4467	0.1854	0.1037
Schulze (Decorr)	0.5494	0.7288	0.5494	0.7797	0.1745	0.1984	0.1196	0.4506	0.1834	0.0997
Kemeny Young (Decorr)	0.5753	0.7438	0.5763	0.8026	0.1854	0.2183	0.0937	0.4237	0.2253	0.1486

Table 253: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method	0.74377	0.82552	0.77468	0.94118	0.06481	0.00698	0.07478	0.12463	0.05882	0.00698
Best Explanation	0.73878	0.82353	0.77866	0.93719	0.06181	0.05583	0.06979	0.22134	0.07876	0.00897
Simple Averaging	0.74177	0.82253	0.76471	0.93719	0.0668	0.05384	0.07278	0.23529	0.09172	0.01795
Borda (NAIVE)	0.73081	0.83151	0.76171	0.94915	0.06879	0.08076	0.06181	0.23829	0.07278	0.00499
Borda (THEORY)	0.75174	0.82054	0.77567	0.93819	0.0678	0.05683	0.08275	0.22433	0.09571	0.00997
RRF (NAIVE)	0.7348	0.82752	0.75773	0.94915	0.06481	0.07278	0.0658	0.24227	0.07677	0.00199
RRF (THEORY)	0.75872	0.81755	0.78764	0.92921	0.08275	0.03988	0.08973	0.21236	0.10369	0.03589
Schulze (NAIVE)	0.72981	0.82552	0.75075	0.95314	0.05683	0.08076	0.06082	0.24925	0.07478	0.01296
Schulze (THEORY)	0.74676	0.82453	0.76072	0.93819	0.0678	0.06281	0.07777	0.23928	0.09272	0.001
Kemeny Young (NAIVE)	0.7328	0.82453	0.75573	0.94616	0.07876	0.07677	0.06381	0.24427	0.08275	0.00299
Kemeny Young (THEORY)										

Table 254: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.74377	0.82552	0.77468	0.94118	0.06481	0.00698	0.07478	0.12463	0.05882	0.00698
Simple Averaging	0.742772	0.823529	0.773679	0.94317	0.06181	0.05583	0.06979	0.22134	0.07876	0.00897
Borda	0.730808	0.831505	0.761715	0.949153	0.0668	0.05384	0.07278	0.23529	0.09172	0.01795
RRF	0.742772	0.825523	0.761715	0.944167	0.0678	0.05683	0.08275	0.22433	0.09571	0.00997
Schulze	0.729811	0.825523	0.750748	0.953141	0.08275	0.03988	0.08973	0.21236	0.10369	0.03589
Kemeny Young	0.733799	0.830508	0.752742	0.949153	0.0678	0.06281	0.07777	0.23928	0.09272	0.001
Best Explanation (Decorr)	0.7537	0.8245	0.7906	0.9382	0.0788	0.006	0.0847	0.1246	0.0588	0.0209
SimpleAvg (Decorr)	0.7388	0.8235	0.7787	0.9372	0.0618	0.0558	0.0698	0.2213	0.0788	0.009
Borda (Decorr)	0.7308	0.8315	0.7617	0.9492	0.0688	0.0808	0.0618	0.2383	0.0728	0.005
RRF (Decorr)	0.7348	0.8275	0.7577	0.9492	0.0648	0.0728	0.0658	0.2423	0.0768	0.002
Schulze (Decorr)	0.7298	0.8255	0.7507	0.9531	0.0568	0.0808	0.0608	0.2493	0.0748	0.013
Kemeny Young (Decorr)	0.7328	0.8245	0.7557	0.9462	0.0788	0.0768	0.0638	0.2443	0.0828	0.003

Table 255: DermaMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.68195	0.81655	0.69791	0.91326	0.03091	0.00199	0.01296	0.17547	0.04088	0.00399
Simple Averaging	0.70887	0.78166	0.73679	0.87637	0.07577	0.01296	0.03988	0.26321	0.12463	0.05982
Borda (NAIVE)	0.68993	0.78863	0.70389	0.88534	0.0668	0.03988	0.02094	0.29611	0.10568	0.04187
Borda (THEORY)	0.67298	0.80459	0.68395	0.8993	0.05284	0.06181	0.00399	0.31605	0.10568	0.02393
RRF (NAIVE)	0.70887	0.80259	0.72283	0.89133	0.07577	0.0349	0.03988	0.27717	0.12263	0.04985
RRF (THEORY)	0.665	0.81954	0.67697	0.91226	0.03689	0.07577	0.00399	0.32303	0.1007	0.01894
Schulze (NAIVE)	0.71286	0.78664	0.73679	0.8674	0.08475	0.01196	0.04387	0.26321	0.12961	0.07079
Schulze (THEORY)	0.66401	0.81555	0.67498	0.9003	0.04487	0.08175	0.00499	0.32502	0.09472	0.02193
Kemeny Young (NAIVE)	0.68794	0.79561	0.70588	0.88734	0.05783	0.04885	0.01894	0.29412	0.11765	0.04287
Kemeny Young (THEORY)	0.67597	0.81755	0.68694	0.90828	0.05085	0.0678	0.00698	0.31306	0.09671	0.02393

Table 256: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.68195	0.81655	0.69791	0.91326	0.03091	0.00199	0.01296	0.17547	0.04088	0.00399
Simple Averaging	0.68993	0.805583	0.691924	0.904287	0.07577	0.01296	0.03988	0.26321	0.12463	0.05982
Borda	0.675972	0.817547	0.686939	0.908275	0.0668	0.03988	0.02094	0.29611	0.10568	0.04187
RRF	0.681954	0.814556	0.685942	0.905284	0.07577	0.0349	0.03988	0.27717	0.12263	0.04985
Schulze	0.667996	0.808574	0.67996	0.902293	0.08475	0.01196	0.04387	0.26321	0.12961	0.07079
Kemeny Young	0.683948	0.809571	0.696909	0.907278	0.05783	0.04885	0.01894	0.29412	0.11765	0.04287
Best Explanation (Decorr)	0.682	0.8166	0.6979	0.9133	0.0309	0.003	0.013	0.1755	0.0409	0.004
SimpleAvg (Decorr)	0.7089	0.7817	0.7368	0.8764	0.0758	0.013	0.0399	0.2632	0.1246	0.0598
Borda (Decorr)	0.673	0.8046	0.6839	0.8993	0.0528	0.0618	0.004	0.3161	0.1057	0.0239
RRF (Decorr)	0.665	0.8195	0.677	0.9123	0.0369	0.0758	0.004	0.323	0.1007	0.0189
Schulze (Decorr)	0.664	0.8156	0.675	0.9003	0.0449	0.0818	0.005	0.325	0.0947	0.0219
Kemeny Young (Decorr)	0.676	0.8175	0.6869	0.9083	0.0508	0.0678	0.007	0.3131	0.0967	0.0239

Table 257: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.57527	0.75972	0.58225	0.81954	0.03091	0.01097	0.00698	0.32403	0.04487	0.00598
Simple Averaging	0.61316	0.70688	0.61416	0.75972	0.10568	0.08175	0.05583	0.38584	0.18046	0.09571
Borda (NAIVE)	0.61615	0.71486	0.62413	0.77168	0.11466	0.08973	0.05284	0.37587	0.18644	0.11266
Borda (THEORY)	0.58126	0.74975	0.57627	0.81256	0.08076	0.04387	0.08774	0.42373	0.14058	0.05384
RRF (NAIVE)	0.62114	0.71884	0.63111	0.78365	0.11864	0.10169	0.04786	0.3679	0.17647	0.10867
RRF (THEORY)	0.58325	0.77966	0.58026	0.83051	0.09073	0.05184	0.08574	0.41974	0.14058	0.05484
Schulze (NAIVE)	0.62911	0.71087	0.6331	0.7667	0.12164	0.10967	0.03988	0.3669	0.17647	0.10269
Schulze (THEORY)	0.57827	0.7667	0.57228	0.82652	0.09472	0.05284	0.08973	0.42672	0.13759	0.05184
Kemeny Young (NAIVE)	0.61515	0.71785	0.61914	0.77866	0.11765	0.08076	0.05384	0.38086	0.18544	0.10668
Kemeny Young (THEORY)	0.58624	0.78265	0.58126	0.83549	0.09073	0.0658	0.08275	0.41874	0.14257	0.05583

Table 258: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.57527	0.75972	0.58225	0.81954	0.03091	0.01097	0.00698	0.32403	0.04487	0.00598
Simple Averaging	0.579262	0.753739	0.577268	0.809571	0.10568	0.08175	0.05583	0.38584	0.18046	0.09571
Borda	0.581256	0.749751	0.576271	0.812562	0.11466	0.08973	0.05284	0.37587	0.18644	0.11266
RRF	0.587238	0.751745	0.585244	0.818544	0.11864	0.10169	0.04786	0.3679	0.17647	0.10867
Schulze	0.581256	0.74676	0.575274	0.817547	0.12164	0.10967	0.03988	0.3669	0.17647	0.10269
Kemeny Young	0.599202	0.747757	0.596211	0.81655	0.11765	0.08076	0.05384	0.38086	0.18544	0.10668
Best Explanation (Decorr)	0.5753	0.7597	0.5823	0.8195	0.0309	0.011	0.007	0.329	0.0449	0.006
SimpleAvg (Decorr)	0.6132	0.7069	0.6142	0.7597	0.1057	0.0818	0.0558	0.3858	0.1805	0.0957
Borda (Decorr)	0.5813	0.7498	0.5763	0.8126	0.0808	0.0439	0.0877	0.4237	0.1406	0.0538
RRF (Decorr)	0.5833	0.7797	0.5803	0.8305	0.0907	0.0518	0.0857	0.4197	0.1406	0.0548
Schulze (Decorr)	0.5783	0.7667	0.5723	0.8265	0.0947	0.0528	0.0897	0.4267	0.1376	0.0518
Kemeny Young (Decorr)	0.5862	0.7827	0.5813	0.8355	0.0907	0.0658	0.0828	0.4187	0.1426	0.0558

Table 259: DermaMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.77567	0.83948	0.82851	0.96909	0.09472	0	0.10668	0.07577	0.05683	0.00299
Simple Averaging	0.77069	0.82851	0.82154	0.96012	0.08475	0.05484	0.10169	0.17846	0.06281	0.01496
Borda (NAIVE)	0.78664	0.82154	0.83051	0.96012	0.10269	0.04387	0.11765	0.16949	0.09472	0.03091
Borda (THEORY)	0.76969	0.83051	0.80957	0.97009	0.08574	0.04786	0.1007	0.19043	0.07677	0.00698
RRF (NAIVE)	0.79362	0.8325	0.84247	0.9661	0.10568	0.02094	0.12463	0.15753	0.09671	0.04387
RRF (THEORY)	0.77567	0.82851	0.81954	0.96311	0.08973	0.04885	0.10668	0.18046	0.07976	0.00997
Schulze (NAIVE)	0.79262	0.83051	0.82951	0.96211	0.10269	0.03689	0.12363	0.17049	0.08574	0.03091
Schulze (THEORY)	0.76869	0.8335	0.80857	0.9651	0.07777	0.05882	0.0997	0.19143	0.07378	0.00199
Kemeny Young (NAIVE)	0.77966	0.82353	0.82154	0.96311	0.08973	0.04487	0.11067	0.17846	0.08275	0.01496
Kemeny Young (THEORY)	0.77567	0.82951	0.81854	0.96411	0.09172	0.05982	0.10668	0.18146	0.08175	0.01396

Table 260: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.77567	0.83948	0.82851	0.96909	0.09472	0	0.10668	0.07577	0.05683	0.00299
Simple Averaging	0.778664	0.831505	0.820538	0.972084	0.08475	0.05484	0.10169	0.17846	0.06281	0.01496
Borda	0.779661	0.835494	0.814556	0.973081	0.10269	0.04387	0.11765	0.16949	0.09472	0.03091
RRF	0.77667	0.830508	0.817547	0.973081	0.10568	0.02094	0.12463	0.15753	0.09671	0.04387
Schulze	0.768694	0.8335	0.808574	0.965105	0.10269	0.03689	0.12363	0.17049	0.08574	0.03091
Kemeny Young	0.775673	0.829511	0.818544	0.964108	0.08973	0.04487	0.11067	0.17846	0.08275	0.01496
Best Explanation (Decorr)	0.7856	0.8395	0.8435	0.9691	0.1097	0	0.1167	0.0748	0.0568	0.01
SimpleAvg (Decorr)	0.7707	0.8285	0.8215	0.9601	0.0847	0.0548	0.1017	0.1785	0.0628	0.015
Borda (Decorr)	0.7697	0.8305	0.8096	0.9701	0.0857	0.0479	0.1007	0.1904	0.0768	0.007
RRF (Decorr)	0.7757	0.8285	0.8195	0.9631	0.0897	0.0489	0.1067	0.1805	0.0798	0.01
Schulze (Decorr)	0.7687	0.8335	0.8086	0.9651	0.0778	0.0588	0.0997	0.1914	0.0738	0.002
Kemeny Young (Decorr)	0.7757	0.8295	0.8185	0.9641	0.0917	0.0598	0.1067	0.1815	0.0818	0.014

Table 261: DermaMNIST–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.45264	0.68495	0.44865	0.71884	0.04487	0.00698	0.04885	0.38385	0.05683	0.00499
Simple Averaging	0.52144	0.62512	0.52542	0.65803	0.15553	0.17547	0.14756	0.47458	0.15454	0.08175
Borda (NAIVE)	0.5324	0.62313	0.54437	0.65503	0.14556	0.16451	0.13659	0.45563	0.13958	0.07976
Borda (THEORY)	0.47258	0.69691	0.46959	0.7348	0.08873	0.0997	0.19641	0.53041	0.12861	0.04287
RRF (NAIVE)	0.54138	0.63111	0.55035	0.66201	0.15354	0.17747	0.12762	0.44965	0.14257	0.08574
RRF (THEORY)	0.4676	0.69292	0.4656	0.7348	0.08175	0.09472	0.2014	0.5344	0.04387	0.0319
Schulze (NAIVE)	0.54536	0.64307	0.54636	0.68096	0.15254	0.17846	0.12363	0.45364	0.13061	0.05783
Schulze (THEORY)	0.47159	0.69591	0.47059	0.7328	0.09571	0.10568	0.19741	0.52941	0.06082	0.00997
Kemeny Young (NAIVE)	0.53539	0.64008	0.53639	0.67697	0.13958	0.14756	0.1336	0.46361	0.13659	0.07278
Kemeny Young (THEORY)	0.51246	0.67797	0.50449	0.72084	0.12064	0.11964	0.15553	0.49352	0.18843	0.10169

Table 262: DermaMNIST–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.45264	0.68495	0.44865	0.71884	0.04487	0.00698	0.04885	0.38385	0.05683	0.00499
Simple Averaging	0.497507	0.66999	0.500499	0.705882	0.15553	0.17547	0.14756	0.47458	0.15454	0.08175
Borda	0.512463	0.677966	0.504487	0.720837	0.14556	0.16451	0.13659	0.45563	0.13958	0.07976
RRF	0.510469	0.690927	0.508475	0.71984	0.15354	0.17747	0.12762	0.44965	0.14257	0.08574
Schulze	0.495513	0.666002	0.485543	0.707876	0.15254	0.17846	0.12363	0.45364	0.13061	0.05783
Kemeny Young	0.525424	0.662014	0.518445	0.711864	0.13958	0.14756	0.1336	0.46361	0.13659	0.07278
Best Explanation (Decorr)	0.4526	0.6849	0.4487	0.7188	0.0558	0.0419	0.0489	0.3838	0.0887	0.004
SimpleAvg (Decorr)	0.5214	0.6251	0.5254	0.658	0.1555	0.1755	0.1476	0.4746	0.1545	0.0818
Borda (Decorr)	0.4726	0.6969	0.4696	0.7348	0.0887	0.0997	0.1964	0.5304	0.1286	0.0429
RRF (Decorr)	0.4676	0.6929	0.4656	0.7348	0.0818	0.0947	0.2014	0.5344	0.0439	0.0319
Schulze (Decorr)	0.4716	0.6959	0.4706	0.7328	0.0957	0.1057	0.1974	0.5294	0.0608	0.01
Kemeny Young (Decorr)	0.5125	0.678	0.5045	0.7208	0.1206	0.1196	0.1555	0.4935	0.1884	0.1017

Table 263: DermaMNIST–DenseNet-121

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.732802	0.755733	0.824526	0.946162
Borda (n=3)	Ensemble	0.730808	0.761715	0.831505	0.949153
Borda (n=4)	Ensemble	0.733799	0.752742	0.830508	0.949153
Borda (n=5)	Ensemble	0.741775	0.763709	0.832502	0.947159
Borda (n=6)	Ensemble	0.744766	0.760718	0.827517	0.947159
Borda (n=7)	Ensemble	0.74676	0.760718	0.824526	0.938185
Borda (n=8)	Ensemble	0.741775	0.764706	0.822532	0.937188
Kemeny Young (n=2)	Ensemble	0.732802	0.755733	0.824526	0.946162
Kemeny Young (n=3)	Ensemble	0.730808	0.761715	0.831505	0.949153
Kemeny Young (n=4)	Ensemble	0.733799	0.752742	0.830508	0.949153
Kemeny Young (n=5)	Ensemble	0.741775	0.763709	0.832502	0.947159
Kemeny Young (n=6)	Ensemble	0.744766	0.760718	0.827517	0.947159
Kemeny Young (n=7)	Ensemble	0.74676	0.760718	0.824526	0.938185
Kemeny Young (n=8)	Ensemble	0.741775	0.764706	0.822532	0.937188
RRF (n=2)	Ensemble	0.738784	0.760718	0.825523	0.951147
RRF (n=3)	Ensemble	0.742772	0.761715	0.825523	0.944167
RRF (n=4)	Ensemble	0.734796	0.757727	0.827517	0.949153
RRF (n=5)	Ensemble	0.739781	0.762712	0.829511	0.946162
RRF (n=6)	Ensemble	0.755733	0.778664	0.819541	0.939182
RRF (n=7)	Ensemble	0.753739	0.777667	0.820538	0.941176
RRF (n=8)	Ensemble	0.751745	0.775673	0.820538	0.938185
Schulze (n=2)	Ensemble	0.73679	0.758724	0.820538	0.944167
Schulze (n=3)	Ensemble	0.729811	0.750748	0.825523	0.953141
Schulze (n=4)	Ensemble	0.735793	0.780658	0.828514	0.946162
Schulze (n=5)	Ensemble	0.748754	0.770688	0.814556	0.94317
Schulze (n=6)	Ensemble	0.7667	0.790628	0.817547	0.925224
Schulze (n=7)	Ensemble	0.760718	0.790628	0.815553	0.928215
Schulze (n=8)	Ensemble	0.758724	0.787637	0.817547	0.929212
Norm Ensemble (n=2)	Ensemble	0.733799	0.761715	0.831505	0.946162
Norm Ensemble (n=3)	Ensemble	0.742772	0.773679	0.823529	0.94317
Norm Ensemble (n=4)	Ensemble	0.739781	0.767697	0.824526	0.942173
Norm Ensemble (n=5)	Ensemble	0.73679	0.7667	0.818544	0.9332
Norm Ensemble (n=6)	Ensemble	0.743769	0.775673	0.815553	0.928215
Norm Ensemble (n=7)	Ensemble	0.744766	0.777667	0.829511	0.934197
Norm Ensemble (n=8)	Ensemble	0.738784	0.778664	0.823529	0.937188
Deconvolution	Single	0.79661	0.875374	0.771685	0.839482
Deconvolution	Single	0.79661	0.875374	0.771685	0.839482
DeepLIFT SHAP	Single	0.770688	0.820538	0.821535	0.918245
Baselines Combined Zng	Single	0.770688	0.820538	0.821535	0.918245
DeepLIFT SHAP	Single	0.770688	0.820538	0.821535	0.918245
Baselines Combined Zng	Single	0.770688	0.820538	0.821535	0.918245
DeepLIFT SHAP	Single	0.770688	0.820538	0.821535	0.918245
Baselines Combined Zng	Single	0.743769	0.77667	0.825523	0.941176
Global Mean	Single	0.743769	0.77667	0.825523	0.941176
DeepLIFT Baselines	Single	0.743769	0.77667	0.825523	0.941176
Global Mean	Single	0.750748	0.774676	0.81655	0.938185
GradientShap Baselines	Single	0.750748	0.774676	0.81655	0.938185
Combined Zng N	Single	0.750748	0.774676	0.81655	0.938185
Samples 20	Single	0.750748	0.774676	0.81655	0.938185
GradientShap Baselines	Single	0.745763	0.787637	0.822532	0.936191
Combined Zng N	Single	0.745763	0.787637	0.822532	0.936191
Samples 40	Single	0.745763	0.787637	0.822532	0.936191
GradientShap Baselines	Single	0.745763	0.787637	0.822532	0.936191
Combined Zng N	Single	0.745763	0.787637	0.822532	0.936191
Samples 40	Single	0.745763	0.787637	0.822532	0.936191
GuidedBackprop	Single	0.753739	0.790628	0.824526	0.938185
GuidedBackprop	Single	0.753739	0.790628	0.824526	0.938185
InputXGradient	Single	0.775673	0.829511	0.803589	0.914257
InputXGradient	Single	0.775673	0.829511	0.803589	0.914257
IntegratedGradients	Single	0.762712	0.798604	0.815553	0.921236
Baselines Zero N Steps	Single	0.762712	0.798604	0.815553	0.921236
200	Single	0.762712	0.798604	0.815553	0.921236
IntegratedGradients	Single	0.762712	0.798604	0.815553	0.921236
Baselines Zero N Steps	Single	0.762712	0.798604	0.815553	0.921236
200	Single	0.762712	0.798604	0.815553	0.921236
IntegratedGradients	Single	0.771685	0.803589	0.815553	0.920239
Baselines Zero N Steps	Single	0.771685	0.803589	0.815553	0.920239
50	Single	0.771685	0.803589	0.815553	0.920239
IntegratedGradients	Single	0.771685	0.803589	0.815553	0.920239
Baselines Zero N Steps	Single	0.771685	0.803589	0.815553	0.920239
50	Single	0.771685	0.803589	0.815553	0.920239
Saliency	Single	0.781655	0.82652	0.821535	0.929212
Saliency	Single	0.781655	0.82652	0.821535	0.929212

Table 264: DermaMNIST–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.078764	0.07677	0.063809	0.244267	0.082752	0.002991	0.150548	0.064806	0.155533	0.053838	0.102692	0.011964
Borda (n=3)	Ensemble	0.068794	0.080758	0.061815	0.238285	0.072782	0.004985	0.157527	0.044865	0.162512	0.050847	0.117647	0.006979
Borda (n=4)	Ensemble	0.05683	0.075773	0.064806	0.247258	0.075773	0.002991	0.147557	0.040877	0.161515	0.050847	0.107677	0.004985
Borda (n=5)	Ensemble	0.060818	0.074776	0.072782	0.236291	0.088734	0.010967	0.165503	0.045862	0.163509	0.052841	0.114656	0.008973
Borda (n=6)	Ensemble	0.071785	0.057827	0.075773	0.239282	0.099701	0.010967	0.163509	0.038883	0.158524	0.052841	0.110668	0.005982
Borda (n=7)	Ensemble	0.067797	0.062812	0.077767	0.239282	0.092722	0.000997	0.168495	0.047856	0.155533	0.061815	0.109671	0.00997
Borda (n=8)	Ensemble	0.0668	0.053838	0.072782	0.235294	0.091725	0.017946	0.164506	0.04985	0.153539	0.062812	0.102692	0.014955
Kemeny Young (n=2)	Ensemble	0.078764	0.07677	0.063809	0.244267	0.082752	0.002991	0.150548	0.064806	0.155533	0.053838	0.102692	0.011964
Kemeny Young (n=3)	Ensemble	0.068794	0.080758	0.061815	0.238285	0.072782	0.004985	0.157527	0.044865	0.162512	0.050847	0.117647	0.006979
Kemeny Young (n=4)	Ensemble	0.05683	0.075773	0.064806	0.247258	0.075773	0.002991	0.147557	0.040877	0.161515	0.050847	0.107677	0.004985
Kemeny Young (n=5)	Ensemble	0.060818	0.074776	0.072782	0.236291	0.088734	0.010967	0.165503	0.045862	0.163509	0.052841	0.114656	0.008973
Kemeny Young (n=6)	Ensemble	0.071785	0.057827	0.075773	0.239282	0.099701	0.010967	0.163509	0.038883	0.158524	0.052841	0.110668	0.005982
Kemeny Young (n=7)	Ensemble	0.067797	0.062812	0.077767	0.239282	0.092722	0.000997	0.168495	0.047856	0.155533	0.061815	0.109671	0.00997
Kemeny Young (n=8)	Ensemble	0.0668	0.053838	0.072782	0.235294	0.091725	0.017946	0.164506	0.04985	0.153539	0.062812	0.102692	0.014955
RRF (n=2)	Ensemble	0.060818	0.071785	0.069791	0.239282	0.088734	0.003988	0.1665	0.089731	0.15653	0.048853	0.108674	0.007976
RRF (n=3)	Ensemble	0.078764	0.067797	0.073779	0.238285	0.084746	0.004985	0.159521	0.075773	0.15653	0.055833	0.104686	0.014955
RRF (n=4)	Ensemble	0.064806	0.072782	0.065803	0.242273	0.07677	0.001994	0.167498	0.081755	0.158524	0.050847	0.110668	0.004985
RRF (n=5)	Ensemble	0.058824	0.062812	0.070788	0.237288	0.070788	0.011964	0.168495	0.067797	0.160518	0.053838	0.112662	0.007976
RRF (n=6)	Ensemble	0.07677	0.053838	0.08674	0.221336	0.098704	0.025922	0.158524	0.051844	0.150548	0.060818	0.103689	0.018943
RRF (n=7)	Ensemble	0.075773	0.055833	0.084746	0.222333	0.09671	0.015952	0.163509	0.052841	0.151545	0.055824	0.114656	0.003988
RRF (n=8)	Ensemble	0.067797	0.05683	0.082752	0.224327	0.095713	0.00997	0.172483	0.051844	0.151545	0.061815	0.100698	0.007976
Schulze (n=2)	Ensemble	0.063809	0.065803	0.067797	0.241276	0.084746	0.004985	0.161515	0.077767	0.151545	0.055833	0.10668	0.014955
Schulze (n=3)	Ensemble	0.05683	0.080758	0.060818	0.249252	0.074776	0.012961	0.162512	0.046859	0.15653	0.046859	0.110668	0.002991
Schulze (n=4)	Ensemble	0.054835	0.058824	0.0668	0.219342	0.069791	0.011964	0.165503	0.031904	0.159521	0.053838	0.118644	0.006979
Schulze (n=5)	Ensemble	0.069791	0.069791	0.079761	0.229312	0.070788	0.006979	0.14656	0.027916	0.145563	0.05683	0.102692	0.013958
Schulze (n=6)	Ensemble	0.089731	0.04985	0.097707	0.209372	0.108674	0.025922	0.143569	0.001994	0.148554	0.074776	0.100698	0.035892
Schulze (n=7)	Ensemble	0.087737	0.046859	0.091725	0.209372	0.100698	0.024925	0.148554	0.003988	0.14656	0.071785	0.100698	0.02991
Schulze (n=8)	Ensemble	0.082752	0.03988	0.089731	0.212363	0.103689	0.035892	0.162512	0.004985	0.148554	0.070788	0.099701	0.02991
Norm Ensemble (n=2)	Ensemble	0.054835	0.07677	0.064806	0.238285	0.082752	0.004985	0.165503	0.115653	0.162512	0.053838	0.119641	0.004985
Norm Ensemble (n=3)	Ensemble	0.065803	0.0668	0.073779	0.226321	0.084746	0.010967	0.157527	0.112662	0.154536	0.05683	0.109671	0.00997
Norm Ensemble (n=4)	Ensemble	0.057827	0.064806	0.070788	0.232303	0.075773	0.000997	0.158524	0.111665	0.155533	0.057827	0.110668	0.008973
Norm Ensemble (n=5)	Ensemble	0.05683	0.063809	0.067797	0.2333	0.074776	0.002991	0.152542	0.102692	0.149551	0.0668	0.107677	0.014955
Norm Ensemble (n=6)	Ensemble	0.068794	0.053838	0.074776	0.224327	0.084746	0.010967	0.149551	0.097707	0.14656	0.071785	0.100698	0.020937
Norm Ensemble (n=7)	Ensemble	0.068794	0.050847	0.075773	0.222333	0.078764	0.010967	0.163509	0.103689	0.160518	0.065803	0.115653	0.008973
Norm Ensemble (n=8)	Ensemble	0.061815	0.055833	0.069791	0.221336	0.078764	0.008973	0.157527	0.10668	0.154536	0.062812	0.107677	0
Deconvolution	Single	0.109671	0.006979	0.127617	0.124626	0.08674	0.021934	0.105683	0.008973	0.102692	0.160518	0.08674	0.011964
Deconvolution	Single	0.109671	0.006979	0.127617	0.124626	0.08674	0.021934	0.105683	0.008973	0.102692	0.160518	0.08674	0.011964
DeepLIFT SHAP	Single	0.099701	0.007976	0.101695	0.179462	0.069791	0.006979	0.144566	0.046859	0.152542	0.081755	0.117647	0.024925
Baselines Combined Zng	Single	0.099701	0.007976	0.101695	0.179462	0.069791	0.006979	0.144566	0.046859	0.152542	0.081755	0.117647	0.024925
DeepLIFT SHAP	Single	0.099701	0.007976	0.101695	0.179462	0.069791	0.006979	0.144566	0.046859	0.152542	0.081755	0.117647	0.024925
Baselines Combined Zng	Single	0.099701	0.007976	0.101695	0.179462	0.069791	0.006979	0.144566	0.046859	0.152542	0.081755	0.117647	0.024925
DeepLIFT SHAP	Single	0.099701	0.007976	0.101695	0.179462	0.069791	0.006979	0.144566	0.046859	0.152542	0.081755	0.117647	0.024925
Baselines Combined Zng	Single	0.064806	0.032901	0.074776	0.22333	0.068794	0.008973	0.151545	0.036889	0.15653	0.058824	0.119641	0.015952
Global Mean	Single	0.064806	0.032901	0.074776	0.22333	0.068794	0.008973	0.151545	0.036889	0.15653	0.058824	0.119641	0.015952
GradientShap Baselines	Single	0.070788	0.057827	0.081755	0.225324	0.100698	0.010967	0.147557	0.011964	0.147557	0.061815	0.100698	0.012961
Combined Zng N	Single	0.070788	0.057827	0.081755	0.225324	0.100698	0.010967	0.147557	0.011964	0.147557	0.061815	0.100698	0.012961
Samples 20	Single	0.070788	0.057827	0.081755	0.225324	0.100698	0.010967	0.147557	0.011964	0.147557	0.061815	0.100698	0.012961
GradientShap Baselines	Single	0.07677	0.055833	0.07677	0.212363	0.088734	0.027916	0.150548	0.012961	0.153539	0.063809	0.104686	0.016949
Combined Zng N	Single	0.07677	0.055833	0.07677	0.212363	0.088734	0.027916	0.150548	0.012961	0.153539	0.063809	0.104686	0.016949
Samples 40	Single	0.07677	0.055833	0.07677	0.212363	0.088734	0.027916	0.150548	0.012961	0.153539	0.063809	0.104686	0.016949
GradientShap Baselines	Single	0.078764	0.059821	0.084746	0.209372	0.058824	0.025922	0.155533	0.047856	0.155533	0.061815	0.113659	0.002991
Combined Zng N	Single	0.078764	0.059821	0.084746	0.209372	0.058824	0.025922	0.155533	0.047856	0.155533	0.061815	0.113659	0.002991
Samples 20	Single	0.078764	0.059821	0.084746	0.209372	0.058824	0.025922	0.155533	0.047856	0.155533	0.061815	0.113659	0.002991
GradientShap Baselines	Single	0.109671	0.008973	0.10668	0.170489	0.092722	0.047856	0.145563	0.002991	0.134596	0.085743	0.094716	0.036889
Combined Zng N	Single	0.109671	0.008973	0.10668	0.170489	0.092722	0.047856	0.145563	0.002991	0.134596	0.085743	0.094716	0.036889
Samples 40	Single	0.109671	0.008973	0.10668	0.170489	0.092722	0.047856	0.145563	0.002991	0.134596	0.085743	0.094716	0.036889
GradientShap Baselines	Single	0.084746	0.044865	0.093719	0.201396	0.09671	0.022931	0.147557	0.001994	0.14656	0.078764	0.105683	0.023928
Combined Zng N	Single	0.084746	0.044865	0.093719	0.201396	0.09671	0.022931	0.147557	0.001994	0.14656	0.078764	0.105683	0.023928
Samples 200	Single	0.084746	0.044865	0.093719	0.201396	0.09671	0.022931	0.147557	0.001994	0.14656	0.078764	0.105683	0.023928
IntegratedGradients	Single	0.098704	0.026919	0.102692	0.196411	0.108674	0.032901	0.151545	0.007976	0.14656	0.079761	0.107677	0.027916
Baselines Zero N Steps	Single	0.098704	0.026919	0.102692	0.196411	0.108674	0.032901	0.151545	0.007976	0.14656	0.079761	0.107677	0.027916
Samples 50	Single	0.098704	0.026919	0.102692	0.196411	0.108674	0.032901	0.151545	0.007976	0.14656	0.079761	0.107677	0.027916
IntegratedGradients	Single	0.098704	0.026919	0.102692	0.196411	0.108674	0.032901	0.151545	0.007976	0.14656	0.079761	0.107677	0.027916
Baselines Zero N Steps	Single	0.098704	0.026919	0.102692	0.196411	0.108674	0.032901	0.151545	0.007976	0.14656	0.079761	0.107677	0.027916
Samples 50	Single	0.098704	0.026919	0.102692	0.196411	0.108674	0.032901	0.151545	0.007976	0.14656	0.079761	0.107677	0.027916
IntegratedGradients	Single	0.127617	0.014955	0.112662	0.17348	0.10668	0.03988	0.157527	0.004985	0.152542	0.070788	0.108674	0.028913
Saliency	Single	0.127617	0.014955	0.112662	0.17348	0.10668	0.03988	0.157527	0.004985	0.152542	0.070788	0.108674	0.028913
Saliency	Single	0.127617	0.014955	0.112662	0.17348	0.10668	0.03988	0.157527	0.004985	0.152542	0.070788	0.	

Table 265: DermaMNIST–DenseNet-121

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.672981	0.683948	0.804586	0.899302
Borda (n=3)	Ensemble	0.675972	0.686939	0.817547	0.908275
Borda (n=4)	Ensemble	0.683948	0.696909	0.809571	0.907278
Borda (n=5)	Ensemble	0.677966	0.696909	0.802592	0.902293
Borda (n=6)	Ensemble	0.693918	0.710867	0.80658	0.89332
Borda (n=7)	Ensemble	0.687936	0.705882	0.795613	0.887338
Borda (n=8)	Ensemble	0.68993	0.703888	0.788634	0.885344
Kemeny Young (n=2)	Ensemble	0.672981	0.683948	0.804586	0.899302
Kemeny Young (n=3)	Ensemble	0.675972	0.686939	0.817547	0.908275
Kemeny Young (n=4)	Ensemble	0.683948	0.696909	0.809571	0.907278
Kemeny Young (n=5)	Ensemble	0.677966	0.696909	0.802592	0.902293
Kemeny Young (n=6)	Ensemble	0.693918	0.710867	0.80658	0.89332
Kemeny Young (n=7)	Ensemble	0.687936	0.705882	0.795613	0.887338
Kemeny Young (n=8)	Ensemble	0.68993	0.703888	0.788634	0.885344
RRF (n=2)	Ensemble	0.665005	0.676969	0.819541	0.912263
RRF (n=3)	Ensemble	0.681954	0.685942	0.814556	0.905284
RRF (n=4)	Ensemble	0.685942	0.702891	0.811565	0.907278
RRF (n=5)	Ensemble	0.692921	0.712861	0.803589	0.895314
RRF (n=6)	Ensemble	0.694915	0.716849	0.811565	0.89332
RRF (n=7)	Ensemble	0.703888	0.717846	0.801595	0.888335
RRF (n=8)	Ensemble	0.708873	0.722832	0.802592	0.891326
Schulze (n=2)	Ensemble	0.664008	0.674975	0.815553	0.900299
Schulze (n=3)	Ensemble	0.667996	0.67996	0.808574	0.902293
Schulze (n=4)	Ensemble	0.67996	0.695912	0.802592	0.894317
Schulze (n=5)	Ensemble	0.695912	0.723829	0.789631	0.869392
Schulze (n=6)	Ensemble	0.701894	0.730808	0.788634	0.868395
Schulze (n=7)	Ensemble	0.706879	0.734796	0.784646	0.869392
Schulze (n=8)	Ensemble	0.712861	0.73679	0.78664	0.867398
Norm Ensemble (n=2)	Ensemble	0.66999	0.67996	0.825523	0.919242
Norm Ensemble (n=3)	Ensemble	0.68993	0.691924	0.805583	0.904287
Norm Ensemble (n=4)	Ensemble	0.694915	0.700897	0.804586	0.898305
Norm Ensemble (n=5)	Ensemble	0.6999	0.718843	0.787637	0.878365
Norm Ensemble (n=6)	Ensemble	0.705882	0.728814	0.789631	0.876371
Norm Ensemble (n=7)	Ensemble	0.701894	0.728814	0.787637	0.875374
Norm Ensemble (n=8)	Ensemble	0.708873	0.73679	0.781655	0.876371
Deconvolution	Single	0.774676	0.824526	0.729811	0.768694
Deconvolution	Single	0.774676	0.824526	0.729811	0.768694
DeepLIFT SHAP	Single	0.711864	0.75673	0.790628	0.86341
Baselines Combined Zng	Single	0.711864	0.75673	0.790628	0.86341
DeepLIFT SHAP	Single	0.711864	0.75673	0.790628	0.86341
Baselines Combined Zng	Single	0.711864	0.75673	0.790628	0.86341
DeepLIFT SHAP	Single	0.711864	0.75673	0.790628	0.86341
Baselines Combined Zng	Single	0.681954	0.6999	0.799601	0.898305
Global Mean	Single	0.681954	0.6999	0.799601	0.898305
DeepLIFT Baselines	Single	0.681954	0.6999	0.799601	0.898305
Global Mean	Single	0.700897	0.728814	0.803589	0.88335
GradientShap Baselines	Single	0.700897	0.728814	0.803589	0.88335
Combined Zng N	Single	0.700897	0.728814	0.803589	0.88335
Samples 20	Single	0.700897	0.728814	0.803589	0.88335
GradientShap Baselines	Single	0.693918	0.729811	0.789631	0.874377
Combined Zng N	Single	0.693918	0.729811	0.789631	0.874377
Samples 40	Single	0.693918	0.729811	0.789631	0.874377
GradientShap Baselines	Single	0.693918	0.729811	0.789631	0.874377
Combined Zng N	Single	0.693918	0.729811	0.789631	0.874377
Samples 40	Single	0.693918	0.729811	0.789631	0.874377
GuidedBackprop	Single	0.681954	0.697906	0.81655	0.91326
GuidedBackprop	Single	0.681954	0.697906	0.81655	0.91326
InputXGradient	Single	0.745763	0.770688	0.761715	0.835494
InputXGradient	Single	0.745763	0.770688	0.761715	0.835494
IntegratedGradients	Single	0.713858	0.740778	0.769691	0.84347
Baselines Zero N Steps	Single	0.713858	0.740778	0.769691	0.84347
200	Single	0.713858	0.740778	0.769691	0.84347
IntegratedGradients	Single	0.713858	0.740778	0.769691	0.84347
Baselines Zero N Steps	Single	0.713858	0.740778	0.769691	0.84347
200	Single	0.713858	0.740778	0.769691	0.84347
IntegratedGradients	Single	0.720837	0.744766	0.770688	0.849452
Baselines Zero N Steps	Single	0.720837	0.744766	0.770688	0.849452
50	Single	0.720837	0.744766	0.770688	0.849452
IntegratedGradients	Single	0.720837	0.744766	0.770688	0.849452
Baselines Zero N Steps	Single	0.720837	0.744766	0.770688	0.849452
50	Single	0.720837	0.744766	0.770688	0.849452
Saliency	Single	0.74676	0.774676	0.788634	0.870389
Saliency	Single	0.74676	0.774676	0.788634	0.870389

Table 266: DermaMNIST–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Salt Speckle Std 0.15	ConsRob Replace Top Salt Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.052841	0.061815	0.003988	0.316052	0.105683	0.023928	0.181456	0.142572	0.135593	0.100698	0.104686	0.013958
Borda (n=3)	Ensemble	0.050847	0.067797	0.006979	0.313061	0.09671	0.023928	0.191426	0.149551	0.148554	0.091725	0.111665	0.020937
Borda (n=4)	Ensemble	0.05683	0.057827	0.014955	0.303091	0.093719	0.022931	0.177468	0.110668	0.140578	0.092722	0.101695	0.00997
Borda (n=5)	Ensemble	0.046859	0.070788	0.008973	0.303091	0.092722	0.015952	0.165503	0.092722	0.133599	0.097707	0.097707	0.010967
Borda (n=6)	Ensemble	0.057827	0.046859	0.024925	0.289133	0.121635	0.051844	0.162512	0.080758	0.137587	0.10668	0.095713	0.030907
Borda (n=7)	Ensemble	0.057827	0.048853	0.018943	0.294118	0.117647	0.042871	0.153539	0.060818	0.12662	0.112662	0.092722	0.036889
Borda (n=8)	Ensemble	0.0668	0.03988	0.020937	0.296112	0.105683	0.041874	0.142572	0.050847	0.119641	0.114656	0.08674	0.035892
Kemeny Young (n=2)	Ensemble	0.052841	0.061815	0.003988	0.316052	0.105683	0.023928	0.181456	0.142572	0.135593	0.100698	0.104686	0.013958
Kemeny Young (n=3)	Ensemble	0.050847	0.067797	0.006979	0.313061	0.09671	0.023928	0.191426	0.149551	0.148554	0.091725	0.111665	0.020937
Kemeny Young (n=4)	Ensemble	0.05683	0.057827	0.014955	0.303091	0.093719	0.022931	0.177468	0.110668	0.140578	0.092722	0.101695	0.00997
Kemeny Young (n=5)	Ensemble	0.046859	0.070788	0.008973	0.303091	0.092722	0.015952	0.165503	0.092722	0.133599	0.097707	0.097707	0.010967
Kemeny Young (n=6)	Ensemble	0.057827	0.046859	0.024925	0.289133	0.121635	0.051844	0.162512	0.080758	0.137587	0.10668	0.095713	0.030907
Kemeny Young (n=7)	Ensemble	0.057827	0.048853	0.018943	0.294118	0.117647	0.042871	0.153539	0.060818	0.12662	0.112662	0.092722	0.036889
Kemeny Young (n=8)	Ensemble	0.0668	0.03988	0.020937	0.296112	0.105683	0.041874	0.142572	0.050847	0.119641	0.114656	0.08674	0.035892
RRF (n=2)	Ensemble	0.036889	0.075773	0.003988	0.323031	0.100698	0.018943	0.200399	0.150548	0.150548	0.087737	0.118644	0.006979
RRF (n=3)	Ensemble	0.052841	0.072782	0.012961	0.314058	0.100698	0.013958	0.186441	0.123629	0.145563	0.094716	0.108674	0.017946
RRF (n=4)	Ensemble	0.059821	0.048853	0.016949	0.297109	0.104686	0.034895	0.17348	0.094716	0.142572	0.092722	0.110668	0.007976
RRF (n=5)	Ensemble	0.063809	0.04985	0.023928	0.287139	0.105683	0.038883	0.160518	0.084746	0.134596	0.104686	0.101695	0.030907
RRF (n=6)	Ensemble	0.063809	0.042871	0.025922	0.283151	0.119641	0.057827	0.17348	0.071785	0.142572	0.10668	0.112662	0.034895
RRF (n=7)	Ensemble	0.081755	0.034895	0.034895	0.282154	0.125623	0.048853	0.168495	0.0668	0.132602	0.111665	0.088734	0.031904
RRF (n=8)	Ensemble	0.075773	0.034895	0.03988	0.277168	0.122632	0.04985	0.172483	0.075773	0.133599	0.108674	0.095713	0.028913
Schulze (n=2)	Ensemble	0.044865	0.081755	0.004985	0.325025	0.094716	0.021934	0.176471	0.109671	0.14656	0.099701	0.114656	0.01994
Schulze (n=3)	Ensemble	0.038883	0.083749	0.000997	0.32004	0.09671	0.013958	0.175474	0.104686	0.139581	0.097707	0.10668	0.014955
Schulze (n=4)	Ensemble	0.058824	0.057827	0.010967	0.304088	0.094716	0.015952	0.149551	0.025922	0.133599	0.105683	0.09671	0.025922
Schulze (n=5)	Ensemble	0.080758	0.018943	0.026919	0.276171	0.124626	0.057827	0.132602	0.007976	0.120638	0.130608	0.087737	0.054835
Schulze (n=6)	Ensemble	0.071785	0.021934	0.032901	0.269192	0.137587	0.075773	0.129611	0.003988	0.119641	0.131605	0.079761	0.068794
Schulze (n=7)	Ensemble	0.073779	0.013958	0.037886	0.265204	0.129611	0.067797	0.132602	0.010967	0.115653	0.130608	0.078764	0.057827
Schulze (n=8)	Ensemble	0.084746	0.011964	0.043868	0.26321	0.129611	0.070788	0.123629	0.014955	0.117647	0.132602	0.080758	0.058824
Norm Ensemble (n=2)	Ensemble	0.046859	0.073779	0.000997	0.32004	0.094716	0.013958	0.151545	0.134596	0.15653	0.080758	0.125623	0.001994
Norm Ensemble (n=3)	Ensemble	0.0668	0.074776	0.020937	0.308076	0.110668	0.016949	0.131605	0.119641	0.13659	0.095713	0.109671	0.010967
Norm Ensemble (n=4)	Ensemble	0.065803	0.053838	0.025922	0.299103	0.110668	0.021934	0.130608	0.113659	0.135593	0.101695	0.10668	0.00997
Norm Ensemble (n=5)	Ensemble	0.074776	0.03988	0.030907	0.281157	0.119641	0.045862	0.113659	0.093719	0.118644	0.121635	0.081755	0.046859
Norm Ensemble (n=6)	Ensemble	0.071785	0.024925	0.036889	0.271186	0.128614	0.061815	0.115653	0.091725	0.120638	0.123629	0.085743	0.031904
Norm Ensemble (n=7)	Ensemble	0.063809	0.033898	0.032901	0.271186	0.117647	0.046859	0.113659	0.090728	0.118644	0.124626	0.079761	0.035892
Norm Ensemble (n=8)	Ensemble	0.075773	0.012961	0.03988	0.26321	0.124626	0.059821	0.107677	0.091725	0.112662	0.123629	0.080758	0.037886
Deconvolution	Single	0.09671	0.003988	0.105683	0.175474	0.089731	0.003988	0.055833	0.015952	0.060818	0.231306	0.068794	0.016949
Deconvolution	Single	0.09671	0.003988	0.105683	0.175474	0.089731	0.003988	0.055833	0.015952	0.060818	0.231306	0.068794	0.016949
DeepLIFT SHAP	Single	0.061815	0.027916	0.042871	0.24327	0.041874	0.035892	0.149551	0.060818	0.121635	0.13659	0.143569	0.052841
Baselines Combined Zng	Single	0.061815	0.027916	0.042871	0.24327	0.041874	0.035892	0.149551	0.060818	0.121635	0.13659	0.143569	0.052841
DeepLIFT SHAP	Single	0.061815	0.027916	0.042871	0.24327	0.041874	0.035892	0.149551	0.060818	0.121635	0.13659	0.143569	0.052841
Baselines Combined Zng	Single	0.061815	0.027916	0.042871	0.24327	0.041874	0.035892	0.149551	0.060818	0.121635	0.13659	0.143569	0.052841
DeepLIFT SHAP	Single	0.061815	0.027916	0.042871	0.24327	0.041874	0.035892	0.149551	0.060818	0.121635	0.13659	0.143569	0.052841
Baselines Combined Zng	Single	0.034895	0.035892	0.012961	0.3001	0.083749	0.006979	0.13659	0.03988	0.130608	0.101695	0.112662	0.014955
Global Mean	Single	0.034895	0.035892	0.012961	0.3001	0.083749	0.006979	0.13659	0.03988	0.130608	0.101695	0.112662	0.014955
DeepLIFT Baselines	Single	0.062812	0.005982	0.031904	0.271186	0.129611	0.073779	0.145563	0.024925	0.134596	0.11665	0.097707	0.037886
GradientShap Baselines	Single	0.062812	0.005982	0.031904	0.271186	0.129611	0.073779	0.145563	0.024925	0.134596	0.11665	0.097707	0.037886
Combined Zng N	Single	0.062812	0.005982	0.031904	0.271186	0.129611	0.073779	0.145563	0.024925	0.134596	0.11665	0.097707	0.037886
Samples 20	Single	0.0668	0.021934	0.024925	0.270189	0.122632	0.07677	0.122632	0.005982	0.120638	0.125623	0.080758	0.053838
GradientShap Baselines	Single	0.0668	0.021934	0.024925	0.270189	0.122632	0.07677	0.122632	0.005982	0.120638	0.125623	0.080758	0.053838
Combined Zng N	Single	0.0668	0.021934	0.024925	0.270189	0.122632	0.07677	0.122632	0.005982	0.120638	0.125623	0.080758	0.053838
Samples 40	Single	0.0668	0.021934	0.024925	0.270189	0.122632	0.07677	0.122632	0.005982	0.120638	0.125623	0.080758	0.053838
GradientShap Baselines	Single	0.030907	0.087737	0.012961	0.302094	0.040877	0.050847	0.152542	0.080758	0.147557	0.08674	0.10668	0.012961
Combined Zng N	Single	0.030907	0.087737	0.012961	0.302094	0.040877	0.050847	0.152542	0.080758	0.147557	0.08674	0.10668	0.012961
Samples 20	Single	0.120638	0.002991	0.07677	0.229312	0.140578	0.0668	0.118644	0	0.092722	0.164506	0.063809	0.072782
GradientShap Baselines	Single	0.120638	0.002991	0.07677	0.229312	0.140578	0.0668	0.118644	0	0.092722	0.164506	0.063809	0.072782
Combined Zng N	Single	0.09671	0.010967	0.044865	0.259222	0.12662	0.062812	0.119641	0.008973	0.100698	0.15653	0.067797	0.072782
Samples 40	Single	0.09671	0.010967	0.044865	0.259222	0.12662	0.062812	0.119641	0.008973	0.100698	0.15653	0.067797	0.072782
GradientShap Baselines	Single	0.09671	0.010967	0.044865	0.259222	0.12662	0.062812	0.119641	0.008973	0.100698	0.15653	0.067797	0.072782
Combined Zng N	Single	0.09671	0.010967	0.044865	0.259222	0.12662	0.062812	0.119641	0.008973	0.100698	0.15653	0.067797	0.072782
Samples 200	Single	0.09671	0.010967	0.044865	0.259222	0.12662	0.062812	0.119641	0.008973	0.100698	0.15653	0.067797	0.072782
GradientShap Baselines	Single	0.09671	0.010967	0.044865	0.259222	0.12662	0.062812	0.119641	0.008973	0.100698	0.15653	0.067797	0.072782
Combined Zng N	Single	0.09671	0.010967	0.044865	0.259222	0.12662	0.062812	0.119641	0.008973	0.100698	0.15653	0.067797	0.072782
Samples 50	Single	0.09671	0.010967	0.044865	0.259222	0.12662	0.062812	0.119641	0.008973	0.100698	0.15653	0.067797	0.072782
GradientShap Baselines	Single	0.09671	0.010967	0.044865	0.259222	0.12662	0.062812	0.119641	0.008973	0.100698	0.15653	0.067797	0.072782
Combined Zng N	Single	0.09671	0.010967	0.044865	0.259222	0.12662	0.062812	0.119641	0.008973	0.100698	0.15653	0.067797	0.072782
Samples 50	Single	0.09671	0.010967	0.044865	0.259222	0.12662	0.062812	0.119641	0.008973	0.100698	0.15653	0.067797	0.072782
GradientShap Baselines	Single	0.09671	0.010967	0.044865	0.259222	0.12662	0.062812	0.119641	0.008973	0.100698	0.15653	0.067797	0.072782
Combined Zng N	Single	0.09671	0.010967	0.044865	0.259222	0.12662	0.062812	0.119641	0.008973	0.100698	0.15653	0.067797	0.072782
Samples 50													

Table 267: DermaMNIST–DenseNet-121

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.586241	0.581256	0.782652	0.835494
Borda (n=3)	Ensemble	0.581256	0.576271	0.749751	0.812562
Borda (n=4)	Ensemble	0.599202	0.596211	0.747757	0.81655
Borda (n=5)	Ensemble	0.608175	0.605184	0.725823	0.79661
Borda (n=6)	Ensemble	0.602193	0.606181	0.725823	0.783649
Borda (n=7)	Ensemble	0.615155	0.619143	0.717846	0.778664
Borda (n=8)	Ensemble	0.616152	0.624128	0.714855	0.771685
Kemeny Young (n=2)	Ensemble	0.586241	0.581256	0.782652	0.835494
Kemeny Young (n=3)	Ensemble	0.581256	0.576271	0.749751	0.812562
Kemeny Young (n=4)	Ensemble	0.599202	0.596211	0.747757	0.81655
Kemeny Young (n=5)	Ensemble	0.608175	0.605184	0.725823	0.79661
Kemeny Young (n=6)	Ensemble	0.602193	0.606181	0.725823	0.783649
Kemeny Young (n=7)	Ensemble	0.615155	0.619143	0.717846	0.778664
Kemeny Young (n=8)	Ensemble	0.616152	0.624128	0.714855	0.771685
RRF (n=2)	Ensemble	0.58325	0.580259	0.779661	0.830508
RRF (n=3)	Ensemble	0.587238	0.585244	0.751745	0.818544
RRF (n=4)	Ensemble	0.602193	0.598205	0.743769	0.808574
RRF (n=5)	Ensemble	0.612164	0.611167	0.733799	0.800598
RRF (n=6)	Ensemble	0.607178	0.614158	0.72682	0.791625
RRF (n=7)	Ensemble	0.619143	0.623131	0.70987	0.77667
RRF (n=8)	Ensemble	0.621137	0.631107	0.718843	0.783649
Schulze (n=2)	Ensemble	0.578265	0.572283	0.7667	0.82652
Schulze (n=3)	Ensemble	0.581256	0.575274	0.74676	0.817547
Schulze (n=4)	Ensemble	0.605184	0.604187	0.735793	0.805583
Schulze (n=5)	Ensemble	0.614158	0.616152	0.733799	0.785643
Schulze (n=6)	Ensemble	0.622134	0.631107	0.708873	0.762712
Schulze (n=7)	Ensemble	0.621137	0.628116	0.702891	0.763709
Schulze (n=8)	Ensemble	0.629113	0.633101	0.710867	0.7667
Norm Ensemble (n=2)	Ensemble	0.567298	0.565304	0.760718	0.82652
Norm Ensemble (n=3)	Ensemble	0.579262	0.577268	0.753739	0.809571
Norm Ensemble (n=4)	Ensemble	0.585244	0.586241	0.729811	0.789631
Norm Ensemble (n=5)	Ensemble	0.596211	0.596211	0.723829	0.783649
Norm Ensemble (n=6)	Ensemble	0.60319	0.609172	0.721834	0.77667
Norm Ensemble (n=7)	Ensemble	0.607178	0.613161	0.707876	0.768694
Norm Ensemble (n=8)	Ensemble	0.613161	0.614158	0.706879	0.759721
Deconvolution	Single	0.659023	0.665005	0.628116	0.648056
Deconvolution	Single	0.659023	0.665005	0.628116	0.648056
DeepLIFT SHAP	Single	0.678963	0.675972	0.678963	0.733799
Baselines Combined Zng	Single	0.678963	0.675972	0.678963	0.733799
DeepLIFT SHAP	Single	0.678963	0.675972	0.678963	0.733799
Baselines Combined Zng	Single	0.678963	0.675972	0.678963	0.733799
DeepLIFT SHAP	Single	0.678963	0.675972	0.678963	0.733799
Baselines Combined Zng	Single	0.613161	0.612164	0.741775	0.799601
DeepLIFT Baselines	Single	0.613161	0.612164	0.741775	0.799601
Global Mean	Single	0.606181	0.610169	0.722832	0.779661
GradientShap Baselines	Single	0.606181	0.610169	0.722832	0.779661
Combined Zng N	Single	0.616152	0.622134	0.720837	0.778664
Samples 20	Single	0.616152	0.622134	0.720837	0.778664
GradientShap Baselines	Single	0.616152	0.622134	0.720837	0.778664
Combined Zng N	Single	0.616152	0.622134	0.720837	0.778664
Samples 40	Single	0.616152	0.622134	0.720837	0.778664
GradientShap Baselines	Single	0.616152	0.622134	0.720837	0.778664
Combined Zng N	Single	0.616152	0.622134	0.720837	0.778664
Samples 40	Single	0.616152	0.622134	0.720837	0.778664
GuidedBackprop	Single	0.575274	0.582253	0.759721	0.819541
GuidedBackprop	Single	0.575274	0.582253	0.759721	0.819541
InputXGradient	Single	0.662014	0.670987	0.657029	0.68993
InputXGradient	Single	0.662014	0.670987	0.657029	0.68993
IntegratedGradients	Single	0.635095	0.648056	0.687936	0.74676
Baselines Zero N Steps	Single	0.635095	0.648056	0.687936	0.74676
200	Single	0.635095	0.648056	0.687936	0.74676
IntegratedGradients	Single	0.635095	0.648056	0.687936	0.74676
Baselines Zero N Steps	Single	0.635095	0.648056	0.687936	0.74676
200	Single	0.635095	0.648056	0.687936	0.74676
IntegratedGradients	Single	0.636092	0.647059	0.690927	0.747757
Baselines Zero N Steps	Single	0.636092	0.647059	0.690927	0.747757
50	Single	0.636092	0.647059	0.690927	0.747757
IntegratedGradients	Single	0.636092	0.647059	0.690927	0.747757
Baselines Zero N Steps	Single	0.636092	0.647059	0.690927	0.747757
50	Single	0.636092	0.647059	0.690927	0.747757
Saliency	Single	0.654038	0.668993	0.673978	0.725823
Saliency	Single	0.654038	0.668993	0.673978	0.725823

Table 268: DermaMNIST–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Salt Speckle Std 0.15	ConsRob Replace Top Salt Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.090728	0.065803	0.082752	0.418744	0.142572	0.055833	0.150548	0.069791	0.113659	0.164506	0.104686	0.033898
Borda (n=3)	Ensemble	0.080758	0.043868	0.087737	0.423729	0.140578	0.053838	0.131605	0.051844	0.080758	0.187438	0.074776	0.058824
Borda (n=4)	Ensemble	0.091725	0.070788	0.069791	0.403789	0.14656	0.0668	0.130608	0.05683	0.078764	0.18345	0.072782	0.059821
Borda (n=5)	Ensemble	0.104686	0.073779	0.060818	0.394816	0.171486	0.089731	0.113659	0.026919	0.05683	0.20339	0.046859	0.075773
Borda (n=6)	Ensemble	0.107677	0.071785	0.0668	0.393819	0.1665	0.08674	0.107677	0.028913	0.05683	0.216351	0.048853	0.089731
Borda (n=7)	Ensemble	0.117647	0.080758	0.053838	0.380857	0.185444	0.10668	0.098704	0.026919	0.048853	0.221336	0.03988	0.103689
Borda (n=8)	Ensemble	0.114656	0.089731	0.052841	0.375872	0.186441	0.112662	0.091725	0.023928	0.045862	0.228315	0.044865	0.098704
Kemeny Young (n=2)	Ensemble	0.090728	0.065803	0.082752	0.418744	0.142572	0.055833	0.150548	0.069791	0.113659	0.164506	0.104686	0.033898
Kemeny Young (n=3)	Ensemble	0.080758	0.043868	0.087737	0.423729	0.140578	0.053838	0.131605	0.051844	0.080758	0.187438	0.074776	0.058824
Kemeny Young (n=4)	Ensemble	0.091725	0.070788	0.069791	0.403789	0.14656	0.0668	0.130608	0.05683	0.078764	0.18345	0.072782	0.059821
Kemeny Young (n=5)	Ensemble	0.104686	0.073779	0.060818	0.394816	0.171486	0.089731	0.113659	0.026919	0.05683	0.20339	0.046859	0.075773
Kemeny Young (n=6)	Ensemble	0.107677	0.071785	0.0668	0.393819	0.1665	0.08674	0.107677	0.028913	0.05683	0.216351	0.048853	0.089731
Kemeny Young (n=7)	Ensemble	0.117647	0.080758	0.053838	0.380857	0.185444	0.10668	0.098704	0.026919	0.048853	0.221336	0.03988	0.103689
Kemeny Young (n=8)	Ensemble	0.114656	0.089731	0.052841	0.375872	0.186441	0.112662	0.091725	0.023928	0.045862	0.228315	0.044865	0.098704
RRF (n=2)	Ensemble	0.090728	0.051844	0.085743	0.419741	0.140578	0.054835	0.248255	0.241276	0.110668	0.169492	0.107677	0.041874
RRF (n=3)	Ensemble	0.082752	0.046859	0.081755	0.414756	0.137587	0.060818	0.171486	0.15653	0.082752	0.181456	0.079761	0.05683
RRF (n=4)	Ensemble	0.103689	0.074776	0.0668	0.401795	0.157527	0.069791	0.141575	0.10668	0.074776	0.191426	0.070788	0.068794
RRF (n=5)	Ensemble	0.115653	0.081755	0.05683	0.388833	0.161515	0.080758	0.127617	0.090728	0.064806	0.199402	0.058824	0.070788
RRF (n=6)	Ensemble	0.114656	0.081755	0.060818	0.384845	0.1665	0.088734	0.121635	0.069791	0.057827	0.208375	0.04985	0.087737
RRF (n=7)	Ensemble	0.117647	0.091725	0.04985	0.375872	0.17348	0.09671	0.105683	0.070788	0.040877	0.22333	0.046859	0.081755
RRF (n=8)	Ensemble	0.118644	0.101695	0.047856	0.367896	0.176471	0.108674	0.120638	0.072782	0.04985	0.216351	0.048853	0.081755
Schulze (n=2)	Ensemble	0.094716	0.052841	0.089731	0.42672	0.137587	0.051844	0.181456	0.202393	0.097707	0.17348	0.095713	0.048853
Schulze (n=3)	Ensemble	0.09671	0.053838	0.087737	0.424726	0.148554	0.062812	0.185444	0.165503	0.077767	0.182453	0.069791	0.055833
Schulze (n=4)	Ensemble	0.112662	0.089731	0.063809	0.395813	0.175474	0.094716	0.133599	0.07677	0.0668	0.194417	0.053838	0.075773
Schulze (n=5)	Ensemble	0.134596	0.107677	0.054835	0.383848	0.184447	0.108674	0.122632	0.046859	0.064806	0.214357	0.058824	0.089731
Schulze (n=6)	Ensemble	0.129611	0.118644	0.046859	0.368893	0.18345	0.110668	0.094716	0.020937	0.03988	0.237288	0.02991	0.115653
Schulze (n=7)	Ensemble	0.121635	0.101695	0.047856	0.371884	0.182453	0.110668	0.08674	0.012961	0.033898	0.236291	0.020937	0.112662
Schulze (n=8)	Ensemble	0.121635	0.109671	0.03988	0.366899	0.176471	0.102692	0.097707	0.007976	0.041874	0.2333	0.036889	0.109671
Norm Ensemble (n=2)	Ensemble	0.07677	0.043868	0.101695	0.434696	0.132602	0.052841	0.168495	0.195414	0.091725	0.17348	0.087737	0.044865
Norm Ensemble (n=3)	Ensemble	0.087737	0.03988	0.089731	0.422732	0.138584	0.062812	0.161515	0.178465	0.084746	0.190429	0.078764	0.063809
Norm Ensemble (n=4)	Ensemble	0.089731	0.059821	0.083749	0.413759	0.134596	0.057827	0.137587	0.158524	0.060818	0.210369	0.046859	0.085743
Norm Ensemble (n=5)	Ensemble	0.097707	0.069791	0.072782	0.403789	0.157527	0.075773	0.131605	0.152542	0.054835	0.216351	0.047856	0.082752
Norm Ensemble (n=6)	Ensemble	0.108674	0.078764	0.065803	0.390828	0.152542	0.079761	0.129611	0.145563	0.052841	0.22333	0.040877	0.094716
Norm Ensemble (n=7)	Ensemble	0.104686	0.088734	0.061815	0.386839	0.165503	0.085743	0.115653	0.137587	0.038883	0.231306	0.031904	0.092722
Norm Ensemble (n=8)	Ensemble	0.105683	0.081755	0.055833	0.385842	0.180459	0.095713	0.114656	0.128614	0.037886	0.240279	0.041874	0.100698
Deconvolution	Single	0.030907	0.057827	0.00997	0.334995	0.044865	0.055833	0.035892	0.016949	0.040877	0.351944	0.052841	0.004985
Deconvolution	Single	0.030907	0.057827	0.00997	0.334995	0.044865	0.055833	0.035892	0.016949	0.040877	0.351944	0.052841	0.004985
DeepLIFT SHAP	Single	0.04985	0.022931	0.00997	0.324028	0.067797	0.042871	0.153539	0.132602	0.00997	0.266201	0.160518	0.085743
Baselines Combined Zng	Single	0.04985	0.022931	0.00997	0.324028	0.067797	0.042871	0.153539	0.132602	0.00997	0.266201	0.160518	0.085743
DeepLIFT SHAP	Single	0.04985	0.022931	0.00997	0.324028	0.067797	0.042871	0.153539	0.132602	0.00997	0.266201	0.160518	0.085743
Baselines Combined Zng	Single	0.04985	0.022931	0.00997	0.324028	0.067797	0.042871	0.153539	0.132602	0.00997	0.266201	0.160518	0.085743
DeepLIFT SHAP	Single	0.04985	0.022931	0.00997	0.324028	0.067797	0.042871	0.153539	0.132602	0.00997	0.266201	0.160518	0.085743
Baselines Combined Zng	Single	0.065803	0.020937	0.055833	0.387836	0.139581	0.058824	0.142572	0.082752	0.072782	0.200399	0.105683	0.005982
DeepLIFT Baselines	Single	0.065803	0.020937	0.055833	0.387836	0.139581	0.058824	0.142572	0.082752	0.072782	0.200399	0.105683	0.005982
Global Mean	Single	0.118644	0.100698	0.062812	0.389831	0.170489	0.088734	0.100698	0.032901	0.053838	0.220339	0.050847	0.088734
GradientShap Baselines	Single	0.118644	0.100698	0.062812	0.389831	0.170489	0.088734	0.100698	0.032901	0.053838	0.220339	0.050847	0.088734
Combined Zng N	Single	0.118644	0.100698	0.062812	0.389831	0.170489	0.088734	0.100698	0.032901	0.053838	0.220339	0.050847	0.088734
Samples 20	Single	0.119641	0.10668	0.052841	0.377866	0.169492	0.091725	0.110668	0.040877	0.051844	0.221336	0.044865	0.088734
GradientShap Baselines	Single	0.119641	0.10668	0.052841	0.377866	0.169492	0.091725	0.110668	0.040877	0.051844	0.221336	0.044865	0.088734
Combined Zng N	Single	0.119641	0.10668	0.052841	0.377866	0.169492	0.091725	0.110668	0.040877	0.051844	0.221336	0.044865	0.088734
Samples 40	Single	0.119641	0.10668	0.052841	0.377866	0.169492	0.091725	0.110668	0.040877	0.051844	0.221336	0.044865	0.088734
GradientShap Baselines	Single	0.119641	0.10668	0.052841	0.377866	0.169492	0.091725	0.110668	0.040877	0.051844	0.221336	0.044865	0.088734
Combined Zng N	Single	0.119641	0.10668	0.052841	0.377866	0.169492	0.091725	0.110668	0.040877	0.051844	0.221336	0.044865	0.088734
Samples 40	Single	0.119641	0.10668	0.052841	0.377866	0.169492	0.091725	0.110668	0.040877	0.051844	0.221336	0.044865	0.088734
GuidedBackprop	Single	0.043868	0.010967	0.093719	0.417747	0.067797	0.005982	0.148554	0.073779	0.090728	0.180459	0.092722	0.001994
GuidedBackprop	Single	0.043868	0.010967	0.093719	0.417747	0.067797	0.005982	0.148554	0.073779	0.090728	0.180459	0.092722	0.001994
InputXGradient	Single	0.169492	0.125623	0.006979	0.329013	0.224327	0.150548	0.037886	0.041874	0.011964	0.31007	0.006979	0.167498
InputXGradient	Single	0.169492	0.125623	0.006979	0.329013	0.224327	0.150548	0.037886	0.041874	0.011964	0.31007	0.006979	0.167498
IntegratedGradients	Single	0.147557	0.124626	0.033898	0.351944	0.184447	0.114656	0.074776	0.013958	0.018943	0.25324	0.001994	0.125623
Baselines Zero N Steps	Single	0.147557	0.124626	0.033898	0.351944	0.184447	0.114656	0.074776	0.013958	0.018943	0.25324	0.001994	0.125623
200	Single	0.147557	0.124626	0.033898	0.351944	0.184447	0.114656	0.074776	0.013958	0.018943	0.25324	0.001994	0.125623
IntegratedGradients	Single	0.147557	0.125623	0.032901	0.352941	0.197408	0.133599	0.071785	0.012961	0.021934	0.252243	0.011964	0.124626
Baselines Zero N Steps	Single	0.147557	0.125623	0.032901	0.352941	0.197408	0.133599	0.071785	0.012961	0.021934	0.252243	0.011964	0.124626
50	Single	0.147557	0.125623	0.032901	0.352941	0.197408	0.133599	0.071785	0.012961	0.021934	0.252243	0.011964	0.124626
IntegratedGradients	Single	0.147557	0.125623	0.032901	0.352941	0.197408	0.133599	0.071785	0.012961	0.021934	0.252243	0.011964	0.124626
Baselines Zero N Steps	Single	0.147557	0.125623	0.032901	0.352941	0.197408	0.133599	0.071785	0.012961	0.021934	0.252243	0.011964	0.124626
50	Single	0.147557	0.125623	0.032901	0.352941	0.197408	0.133599	0.071785	0.012961	0.021934	0.252243	0.011964	0.124626
Saliency	Single	0.157527	0.135593	0.014955	0.331007	0.216351	0.148554	0.046859	0.033898	0.004985	0.274177	0.01	

Table 269: DermaMNIST–DenseNet-121

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.777667	0.818544	0.831505	0.971087
Borda (n=3)	Ensemble	0.779661	0.814556	0.835494	0.973081
Borda (n=4)	Ensemble	0.775673	0.818544	0.829511	0.964108
Borda (n=5)	Ensemble	0.769691	0.809571	0.830508	0.97009
Borda (n=6)	Ensemble	0.779661	0.813559	0.834497	0.969093
Borda (n=7)	Ensemble	0.779661	0.821535	0.823529	0.963111
Borda (n=8)	Ensemble	0.78664	0.830508	0.821535	0.96012
Kemeny Young (n=2)	Ensemble	0.777667	0.818544	0.831505	0.971087
Kemeny Young (n=3)	Ensemble	0.779661	0.814556	0.835494	0.973081
Kemeny Young (n=4)	Ensemble	0.775673	0.818544	0.829511	0.964108
Kemeny Young (n=5)	Ensemble	0.769691	0.809571	0.830508	0.97009
Kemeny Young (n=6)	Ensemble	0.779661	0.813559	0.834497	0.969093
Kemeny Young (n=7)	Ensemble	0.779661	0.821535	0.823529	0.963111
Kemeny Young (n=8)	Ensemble	0.78664	0.830508	0.821535	0.96012
RRF (n=2)	Ensemble	0.781655	0.820538	0.832502	0.97009
RRF (n=3)	Ensemble	0.77667	0.817547	0.830508	0.973081
RRF (n=4)	Ensemble	0.777667	0.819541	0.831505	0.968096
RRF (n=5)	Ensemble	0.775673	0.819541	0.828514	0.963111
RRF (n=6)	Ensemble	0.781655	0.829511	0.825523	0.966102
RRF (n=7)	Ensemble	0.793619	0.832502	0.8335	0.966102
RRF (n=8)	Ensemble	0.793619	0.842473	0.832502	0.966102
Schulze (n=2)	Ensemble	0.780658	0.824526	0.829511	0.968096
Schulze (n=3)	Ensemble	0.768694	0.808574	0.8335	0.965105
Schulze (n=4)	Ensemble	0.77667	0.820538	0.829511	0.971087
Schulze (n=5)	Ensemble	0.773679	0.822532	0.827517	0.969093
Schulze (n=6)	Ensemble	0.780658	0.819541	0.823529	0.964108
Schulze (n=7)	Ensemble	0.787637	0.824526	0.827517	0.965105
Schulze (n=8)	Ensemble	0.792622	0.829511	0.830508	0.962114
Norm Ensemble (n=2)	Ensemble	0.775673	0.82652	0.828514	0.971087
Norm Ensemble (n=3)	Ensemble	0.778664	0.820538	0.831505	0.972084
Norm Ensemble (n=4)	Ensemble	0.782652	0.822532	0.832502	0.958126
Norm Ensemble (n=5)	Ensemble	0.778664	0.823529	0.832502	0.963111
Norm Ensemble (n=6)	Ensemble	0.777667	0.821535	0.823529	0.96012
Norm Ensemble (n=7)	Ensemble	0.77667	0.823529	0.82652	0.957129
Norm Ensemble (n=8)	Ensemble	0.770688	0.821535	0.828514	0.96012
Deconvolution	Single	0.824526	0.924227	0.82652	0.937188
DeepLIFT SHAP	Single	0.824526	0.924227	0.82652	0.937188
Baselines Combined Zng	Single	0.790628	0.857428	0.819541	0.951147
DeepLIFT SHAP	Single	0.790628	0.857428	0.819541	0.951147
Baselines Combined Zng	Single	0.790628	0.857428	0.819541	0.951147
DeepLIFT SHAP	Single	0.790628	0.857428	0.819541	0.951147
Baselines Combined Zng	Single	0.790628	0.857428	0.819541	0.951147
DeepLIFT Baselines	Single	0.775673	0.828514	0.832502	0.965105
Global Mean	Single	0.775673	0.828514	0.832502	0.965105
DeepLIFT Baselines	Single	0.775673	0.828514	0.832502	0.965105
Global Mean	Single	0.775673	0.828514	0.832502	0.965105
GradientShap Baselines	Single	0.787637	0.834497	0.825523	0.965105
Combined Zng N	Single	0.787637	0.834497	0.825523	0.965105
Samples 20	Single	0.787637	0.834497	0.825523	0.965105
GradientShap Baselines	Single	0.787637	0.834497	0.825523	0.965105
Combined Zng N	Single	0.787637	0.834497	0.825523	0.965105
Samples 40	Single	0.787637	0.834497	0.825523	0.965105
GradientShap Baselines	Single	0.787637	0.834497	0.825523	0.965105
Combined Zng N	Single	0.787637	0.834497	0.825523	0.965105
Samples 40	Single	0.787637	0.834497	0.825523	0.965105
GuidedBackprop	Single	0.785643	0.84347	0.839482	0.969093
GuidedBackprop	Single	0.785643	0.84347	0.839482	0.969093
InputXGradient	Single	0.810568	0.868395	0.819541	0.955135
InputXGradient	Single	0.810568	0.868395	0.819541	0.955135
IntegratedGradients	Single	0.795613	0.840479	0.828514	0.955135
Baselines Zero N Steps	Single	0.795613	0.840479	0.828514	0.955135
200	Single	0.795613	0.840479	0.828514	0.955135
IntegratedGradients	Single	0.795613	0.840479	0.828514	0.955135
Baselines Zero N Steps	Single	0.795613	0.840479	0.828514	0.955135
200	Single	0.795613	0.840479	0.828514	0.955135
IntegratedGradients	Single	0.795613	0.840479	0.828514	0.955135
Baselines Zero N Steps	Single	0.795613	0.840479	0.828514	0.955135
50	Single	0.795613	0.840479	0.828514	0.955135
IntegratedGradients	Single	0.795613	0.840479	0.828514	0.955135
Baselines Zero N Steps	Single	0.795613	0.840479	0.828514	0.955135
50	Single	0.795613	0.840479	0.828514	0.955135
Saliency	Single	0.801595	0.86341	0.832502	0.966102
Saliency	Single	0.801595	0.86341	0.832502	0.966102

Table 270: DermaMNIST–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.099701	0.050847	0.108674	0.181456	0.09671	0.033898	0.160518	0.051844	0.162512	0.028913	0.109671	0.022931
Borda (n=3)	Ensemble	0.092722	0.054835	0.110668	0.185444	0.077767	0.024925	0.160518	0.053838	0.1665	0.026919	0.111665	0.024925
Borda (n=4)	Ensemble	0.091725	0.059821	0.10668	0.181456	0.081755	0.013958	0.153539	0.050847	0.160518	0.035892	0.110668	0.001994
Borda (n=5)	Ensemble	0.085743	0.047856	0.100698	0.190429	0.07677	0.006979	0.15653	0.048853	0.161515	0.02991	0.117647	0.020937
Borda (n=6)	Ensemble	0.098704	0.051844	0.110668	0.186441	0.08674	0.007976	0.160518	0.040877	0.165503	0.030907	0.124626	0.013958
Borda (n=7)	Ensemble	0.089731	0.044865	0.110668	0.178465	0.082752	0.014955	0.151545	0.031904	0.154536	0.036889	0.10668	0.005982
Borda (n=8)	Ensemble	0.102692	0.043868	0.117647	0.169492	0.094716	0.030907	0.159521	0.024925	0.152542	0.03988	0.098704	0.000997
Kemeny Young (n=2)	Ensemble	0.099701	0.050847	0.108674	0.181456	0.09671	0.033898	0.160518	0.051844	0.162512	0.028913	0.109671	0.022931
Kemeny Young (n=3)	Ensemble	0.092722	0.054835	0.110668	0.185444	0.077767	0.024925	0.160518	0.053838	0.1665	0.026919	0.111665	0.024925
Kemeny Young (n=4)	Ensemble	0.091725	0.059821	0.10668	0.181456	0.081755	0.013958	0.153539	0.050847	0.160518	0.035892	0.110668	0.001994
Kemeny Young (n=5)	Ensemble	0.085743	0.047856	0.100698	0.190429	0.07677	0.006979	0.15653	0.048853	0.161515	0.02991	0.117647	0.020937
Kemeny Young (n=6)	Ensemble	0.098704	0.051844	0.110668	0.186441	0.08674	0.007976	0.160518	0.040877	0.165503	0.030907	0.124626	0.013958
Kemeny Young (n=7)	Ensemble	0.089731	0.044865	0.110668	0.178465	0.082752	0.014955	0.151545	0.031904	0.154536	0.036889	0.10668	0.005982
Kemeny Young (n=8)	Ensemble	0.102692	0.043868	0.117647	0.169492	0.094716	0.030907	0.159521	0.024925	0.152542	0.03988	0.098704	0.000997
RRF (n=2)	Ensemble	0.099701	0.047856	0.112662	0.179462	0.090728	0.016949	0.161515	0.054835	0.163509	0.02991	0.110668	0.005982
RRF (n=3)	Ensemble	0.095713	0.043868	0.107677	0.182453	0.077767	0.018943	0.164506	0.04985	0.161515	0.026919	0.113659	0.004985
RRF (n=4)	Ensemble	0.091725	0.044865	0.108674	0.180459	0.077767	0.002991	0.168495	0.032901	0.162512	0.031904	0.111665	0.001994
RRF (n=5)	Ensemble	0.089731	0.048853	0.10668	0.180459	0.079761	0.00997	0.163509	0.023928	0.159521	0.036889	0.111665	0.005982
RRF (n=6)	Ensemble	0.090728	0.039907	0.112662	0.170489	0.090728	0.025922	0.162512	0.030907	0.15653	0.033898	0.110668	0.00997
RRF (n=7)	Ensemble	0.108674	0.032901	0.124626	0.167498	0.09671	0.027916	0.167498	0.044865	0.164506	0.033898	0.112662	0.003988
RRF (n=8)	Ensemble	0.105683	0.020937	0.124626	0.157527	0.09671	0.043868	0.167498	0.03988	0.163509	0.033898	0.102692	0.004985
Schulze (n=2)	Ensemble	0.094716	0.053838	0.111665	0.175474	0.08674	0.01994	0.161515	0.035892	0.160518	0.031904	0.110668	0
Schulze (n=3)	Ensemble	0.077767	0.058824	0.099701	0.191426	0.073779	0.001994	0.160518	0.00997	0.164506	0.034895	0.11665	0.000997
Schulze (n=4)	Ensemble	0.084746	0.051844	0.107677	0.179462	0.079761	0.008973	0.1665	0.015952	0.160518	0.028913	0.110668	0.004985
Schulze (n=5)	Ensemble	0.089731	0.045862	0.104686	0.177468	0.068794	0.011964	0.161515	0.016949	0.158524	0.030907	0.111665	0.002991
Schulze (n=6)	Ensemble	0.087737	0.051844	0.111665	0.180459	0.084746	0.020937	0.161515	0.00997	0.154536	0.035892	0.104686	0.005982
Schulze (n=7)	Ensemble	0.097707	0.036889	0.118644	0.175474	0.091725	0.024925	0.162512	0.010967	0.158524	0.034895	0.105683	0.003988
Schulze (n=8)	Ensemble	0.102692	0.036889	0.123629	0.170489	0.085743	0.030907	0.163509	0.014955	0.161515	0.037886	0.108674	0.011964
Norm Ensemble (n=2)	Ensemble	0.089731	0.040877	0.10668	0.17348	0.082752	0.020937	0.149551	0.061815	0.159521	0.028913	0.107677	0.00997
Norm Ensemble (n=3)	Ensemble	0.092722	0.042871	0.109671	0.179462	0.089731	0.01994	0.152542	0.062812	0.162512	0.027916	0.111665	0.00997
Norm Ensemble (n=4)	Ensemble	0.094716	0.046859	0.113659	0.177468	0.089731	0.01994	0.153539	0.048853	0.163509	0.041874	0.119641	0.000997
Norm Ensemble (n=5)	Ensemble	0.094716	0.042871	0.109671	0.176471	0.083749	0.016949	0.153539	0.053838	0.163509	0.036889	0.11665	0.004985
Norm Ensemble (n=6)	Ensemble	0.08674	0.047856	0.108674	0.178465	0.074776	0.010967	0.144566	0.050847	0.154536	0.03988	0.108674	0.001994
Norm Ensemble (n=7)	Ensemble	0.093719	0.045862	0.107677	0.176471	0.070788	0.01994	0.147557	0.047856	0.157527	0.042871	0.108674	0.001994
Norm Ensemble (n=8)	Ensemble	0.084746	0.054835	0.101695	0.178465	0.062812	0.014955	0.149551	0.050847	0.159521	0.03988	0.101695	0
Deconvolution	Single	0.143569	0.022931	0.155533	0.075773	0.099701	0.00997	0.147557	0.027916	0.157527	0.062812	0.105683	0
Deconvolution	Single	0.143569	0.022931	0.155533	0.075773	0.099701	0.00997	0.147557	0.027916	0.157527	0.062812	0.105683	0
DeepLIFT SHAP	Single	0.108674	0.007976	0.121635	0.142572	0.07677	0.002991	0.14656	0.045862	0.150548	0.048853	0.095713	0.023928
Baselines Combined Zng	Single	0.108674	0.007976	0.121635	0.142572	0.07677	0.002991	0.14656	0.045862	0.150548	0.048853	0.095713	0.023928
DeepLIFT SHAP	Single	0.108674	0.007976	0.121635	0.142572	0.07677	0.002991	0.14656	0.045862	0.150548	0.048853	0.095713	0.023928
Baselines Combined Zng	Single	0.108674	0.007976	0.121635	0.142572	0.07677	0.002991	0.14656	0.045862	0.150548	0.048853	0.095713	0.023928
DeepLIFT SHAP	Single	0.108674	0.007976	0.121635	0.142572	0.07677	0.002991	0.14656	0.045862	0.150548	0.048853	0.095713	0.023928
Baselines Combined Zng	Single	0.094716	0.024925	0.10668	0.171486	0.077767	0.011964	0.152542	0.031904	0.163509	0.034895	0.109671	0.022931
DeepLIFT Baselines	Single	0.094716	0.024925	0.10668	0.171486	0.077767	0.011964	0.152542	0.031904	0.163509	0.034895	0.109671	0.022931
Global Mean	Single	0.101695	0.038883	0.118644	0.165503	0.094716	0.032901	0.165503	0.013958	0.15653	0.034895	0.107677	0.003988
GradientShap Baselines	Single	0.101695	0.038883	0.118644	0.165503	0.094716	0.032901	0.165503	0.013958	0.15653	0.034895	0.107677	0.003988
Combined Zng N	Single	0.101695	0.038883	0.118644	0.165503	0.094716	0.032901	0.165503	0.013958	0.15653	0.034895	0.107677	0.003988
Samples 20	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
GradientShap Baselines	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
Combined Zng N	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
Samples 40	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
GradientShap Baselines	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
Combined Zng N	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
Samples 40	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
GradientShap Baselines	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
Combined Zng N	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
Samples 40	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
GradientShap Baselines	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
Combined Zng N	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
Samples 40	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
GradientShap Baselines	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
Combined Zng N	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
Samples 40	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
GradientShap Baselines	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
Combined Zng N	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
Samples 40	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
GradientShap Baselines	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.008973
Combined Zng N	Single	0.099701	0.040877	0.117647	0.170489	0.085743	0.014955	0.15653	0.002991	0.157527	0.040877	0.107677	0.0

Table 271: DermaMNIST–DenseNet-121

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.472582	0.469591	0.696909	0.734796
Borda (n=3)	Ensemble	0.512463	0.504487	0.677966	0.720837
Borda (n=4)	Ensemble	0.525424	0.518445	0.662014	0.711864
Borda (n=5)	Ensemble	0.538385	0.529412	0.637089	0.673978
Borda (n=6)	Ensemble	0.520439	0.521436	0.642074	0.668993
Borda (n=7)	Ensemble	0.535394	0.536391	0.64008	0.676969
Borda (n=8)	Ensemble	0.532403	0.544367	0.623131	0.655035
Kemeny Young (n=2)	Ensemble	0.472582	0.469591	0.696909	0.734796
Kemeny Young (n=3)	Ensemble	0.512463	0.504487	0.677966	0.720837
Kemeny Young (n=4)	Ensemble	0.525424	0.518445	0.662014	0.711864
Kemeny Young (n=5)	Ensemble	0.538385	0.529412	0.637089	0.673978
Kemeny Young (n=6)	Ensemble	0.520439	0.521436	0.642074	0.668993
Kemeny Young (n=7)	Ensemble	0.535394	0.536391	0.64008	0.676969
Kemeny Young (n=8)	Ensemble	0.532403	0.544367	0.623131	0.655035
RRF (n=2)	Ensemble	0.467597	0.465603	0.692921	0.734796
RRF (n=3)	Ensemble	0.510469	0.508475	0.690927	0.71984
RRF (n=4)	Ensemble	0.525424	0.52343	0.666002	0.706879
RRF (n=5)	Ensemble	0.525424	0.516451	0.662014	0.695912
RRF (n=6)	Ensemble	0.522433	0.520439	0.638086	0.675972
RRF (n=7)	Ensemble	0.544367	0.544367	0.632104	0.663011
RRF (n=8)	Ensemble	0.541376	0.550349	0.631107	0.662014
Schulze (n=2)	Ensemble	0.471585	0.470588	0.695912	0.732802
Schulze (n=3)	Ensemble	0.495513	0.485543	0.666002	0.707876
Schulze (n=4)	Ensemble	0.507478	0.50349	0.672981	0.722832
Schulze (n=5)	Ensemble	0.526421	0.529412	0.651047	0.691924
Schulze (n=6)	Ensemble	0.536391	0.536391	0.629113	0.666002
Schulze (n=7)	Ensemble	0.542373	0.54337	0.63011	0.670987
Schulze (n=8)	Ensemble	0.545364	0.546361	0.643071	0.680957
Norm Ensemble (n=2)	Ensemble	0.47657	0.475573	0.691924	0.734796
Norm Ensemble (n=3)	Ensemble	0.497507	0.500499	0.66999	0.705882
Norm Ensemble (n=4)	Ensemble	0.515454	0.511466	0.657029	0.692921
Norm Ensemble (n=5)	Ensemble	0.515454	0.516451	0.63011	0.66999
Norm Ensemble (n=6)	Ensemble	0.522433	0.521436	0.631107	0.663011
Norm Ensemble (n=7)	Ensemble	0.526421	0.525424	0.637089	0.672981
Norm Ensemble (n=8)	Ensemble	0.521436	0.525424	0.625125	0.658026
Deconvolution	Single	0.62014	0.616152	0.63011	0.633101
Deconvolution	Single	0.62014	0.616152	0.63011	0.633101
DeepLIFT SHAP	Single	0.599202	0.611167	0.577268	0.602193
Baselines Combined Zng	Single	0.599202	0.611167	0.577268	0.602193
DeepLIFT SHAP	Single	0.599202	0.611167	0.577268	0.602193
Baselines Combined Zng	Single	0.599202	0.611167	0.577268	0.602193
DeepLIFT SHAP	Single	0.599202	0.611167	0.577268	0.602193
Baselines Combined Zng	Single	0.599202	0.611167	0.577268	0.602193
DeepLIFT Baselines	Single	0.505484	0.50349	0.666002	0.705882
Global Mean	Single	0.505484	0.50349	0.666002	0.705882
DeepLIFT Baselines	Single	0.505484	0.50349	0.666002	0.705882
Global Mean	Single	0.505484	0.50349	0.666002	0.705882
GradientShap Baselines	Single	0.527418	0.535394	0.633101	0.666999
Combined Zng N	Single	0.527418	0.535394	0.633101	0.666999
Samples 20	Single	0.527418	0.535394	0.633101	0.666999
GradientShap Baselines	Single	0.527418	0.535394	0.633101	0.666999
Combined Zng N	Single	0.527418	0.535394	0.633101	0.666999
Samples 20	Single	0.527418	0.535394	0.633101	0.666999
GradientShap Baselines	Single	0.52343	0.530409	0.641077	0.672981
Combined Zng N	Single	0.52343	0.530409	0.641077	0.672981
Samples 40	Single	0.52343	0.530409	0.641077	0.672981
GradientShap Baselines	Single	0.52343	0.530409	0.641077	0.672981
Combined Zng N	Single	0.52343	0.530409	0.641077	0.672981
Samples 40	Single	0.52343	0.530409	0.641077	0.672981
GuidedBackprop	Single	0.452642	0.448654	0.684945	0.718843
GuidedBackprop	Single	0.452642	0.448654	0.684945	0.718843
InputXGradient	Single	0.551346	0.564307	0.540379	0.560319
InputXGradient	Single	0.551346	0.564307	0.540379	0.560319
IntegratedGradients	Single	0.540379	0.552343	0.594217	0.617149
Baselines Zero N Steps	Single	0.540379	0.552343	0.594217	0.617149
200	Single	0.540379	0.552343	0.594217	0.617149
IntegratedGradients	Single	0.540379	0.552343	0.594217	0.617149
Baselines Zero N Steps	Single	0.540379	0.552343	0.594217	0.617149
200	Single	0.540379	0.552343	0.594217	0.617149
IntegratedGradients	Single	0.534397	0.542373	0.590229	0.619143
Baselines Zero N Steps	Single	0.534397	0.542373	0.590229	0.619143
50	Single	0.534397	0.542373	0.590229	0.619143
IntegratedGradients	Single	0.534397	0.542373	0.590229	0.619143
Baselines Zero N Steps	Single	0.534397	0.542373	0.590229	0.619143
50	Single	0.534397	0.542373	0.590229	0.619143
Saliency	Single	0.557328	0.560319	0.542373	0.551346
Saliency	Single	0.557328	0.560319	0.542373	0.551346

Table 272: DermaMNIST–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.088734	0.099701	0.196411	0.530409	0.128614	0.042871	0.277168	0.309073	0.027916	0.264207	0.053838	0.068794
Borda (n=3)	Ensemble	0.120638	0.119641	0.155533	0.493519	0.188435	0.101695	0.159521	0.152542	0.008973	0.278166	0.024925	0.103689
Borda (n=4)	Ensemble	0.134596	0.130608	0.143569	0.481555	0.189432	0.113659	0.129611	0.103689	0.006979	0.287139	0.011964	0.113659
Borda (n=5)	Ensemble	0.134596	0.130608	0.130608	0.470588	0.17348	0.093719	0.067797	0.041874	0.031904	0.326022	0.012961	0.161515
Borda (n=6)	Ensemble	0.125623	0.132602	0.148554	0.478564	0.144566	0.080758	0.079761	0.02991	0.026919	0.331007	0.006979	0.169492
Borda (n=7)	Ensemble	0.139581	0.147557	0.133599	0.463609	0.13659	0.072782	0.079761	0.045862	0.028913	0.323031	0.025922	0.1665
Borda (n=8)	Ensemble	0.145563	0.164506	0.13659	0.455633	0.139581	0.079761	0.055833	0.007976	0.045862	0.344965	0.028913	0.171486
Kemeny Young (n=2)	Ensemble	0.088734	0.099701	0.196411	0.530409	0.128614	0.042871	0.277168	0.309073	0.027916	0.264207	0.053838	0.068794
Kemeny Young (n=3)	Ensemble	0.120638	0.119641	0.155533	0.493519	0.188435	0.101695	0.159521	0.152542	0.008973	0.278166	0.024925	0.103689
Kemeny Young (n=4)	Ensemble	0.134596	0.130608	0.143569	0.481555	0.189432	0.113659	0.129611	0.103689	0.006979	0.287139	0.011964	0.113659
Kemeny Young (n=5)	Ensemble	0.134596	0.130608	0.130608	0.470588	0.17348	0.093719	0.067797	0.041874	0.031904	0.326022	0.012961	0.161515
Kemeny Young (n=6)	Ensemble	0.125623	0.132602	0.148554	0.478564	0.144566	0.080758	0.079761	0.02991	0.026919	0.331007	0.006979	0.169492
Kemeny Young (n=7)	Ensemble	0.139581	0.147557	0.133599	0.463609	0.13659	0.072782	0.079761	0.045862	0.028913	0.323031	0.025922	0.1665
Kemeny Young (n=8)	Ensemble	0.145563	0.164506	0.13659	0.455633	0.139581	0.079761	0.055833	0.007976	0.045862	0.344965	0.028913	0.171486
RRF (n=2)	Ensemble	0.081755	0.094716	0.201396	0.534397	0.043868	0.031904	0.272183	0.299103	0.023928	0.265204	0.040877	0.085743
RRF (n=3)	Ensemble	0.130608	0.133599	0.158524	0.491525	0.081755	0.007976	0.176471	0.15653	0.021934	0.28016	0.042871	0.10668
RRF (n=4)	Ensemble	0.140578	0.144566	0.143569	0.47657	0.128614	0.05683	0.141575	0.122632	0.000997	0.29013	0.018943	0.119641
RRF (n=5)	Ensemble	0.12662	0.130608	0.144566	0.482552	0.125623	0.041874	0.120638	0.087737	0.006979	0.304088	0.012961	0.137587
RRF (n=6)	Ensemble	0.143569	0.149551	0.14656	0.479561	0.133599	0.063809	0.085743	0.050847	0.030907	0.324028	0.014955	0.161515
RRF (n=7)	Ensemble	0.163509	0.167498	0.124626	0.455633	0.151545	0.082752	0.094716	0.050847	0.036889	0.336989	0.016949	0.165503
RRF (n=8)	Ensemble	0.153539	0.177468	0.127617	0.449651	0.142572	0.085743	0.08674	0.041874	0.037886	0.337986	0.000997	0.147557
Schulze (n=2)	Ensemble	0.095713	0.105683	0.197408	0.529412	0.060818	0.00997	0.214357	0.270189	0.026919	0.267198	0.03988	0.08674
Schulze (n=3)	Ensemble	0.124626	0.130608	0.17348	0.514457	0.093719	0.006979	0.174477	0.222333	0.002991	0.291127	0.018943	0.111665
Schulze (n=4)	Ensemble	0.118644	0.138584	0.161515	0.49651	0.113659	0.043868	0.137587	0.115653	0.003988	0.276171	0.022931	0.09671
Schulze (n=5)	Ensemble	0.130608	0.148554	0.142572	0.470588	0.121635	0.052841	0.082752	0.048853	0.017946	0.308076	0.002991	0.13659
Schulze (n=6)	Ensemble	0.144566	0.160518	0.132602	0.463609	0.125623	0.05683	0.070788	0.028913	0.03988	0.333998	0.030907	0.171486
Schulze (n=7)	Ensemble	0.143569	0.154536	0.12662	0.45663	0.145563	0.069791	0.059821	0.00997	0.038883	0.329013	0.035892	0.1665
Schulze (n=8)	Ensemble	0.152542	0.178465	0.123629	0.453639	0.130608	0.057827	0.064806	0.016949	0.025922	0.319043	0.016949	0.163509
Norm Ensemble (n=2)	Ensemble	0.097707	0.11665	0.191426	0.52343	0.077767	0.003988	0.088734	0.109671	0.022931	0.265204	0.041874	0.081755
Norm Ensemble (n=3)	Ensemble	0.12662	0.150548	0.171486	0.499501	0.084746	0.018943	0.0668	0.080758	0.000997	0.294118	0.027916	0.109671
Norm Ensemble (n=4)	Ensemble	0.12662	0.119641	0.153539	0.488534	0.110668	0.034895	0.053838	0.067797	0.010967	0.306082	0.008973	0.125623
Norm Ensemble (n=5)	Ensemble	0.133599	0.148554	0.153539	0.483549	0.128614	0.060818	0.026919	0.044865	0.037886	0.329013	0.016949	0.14656
Norm Ensemble (n=6)	Ensemble	0.145563	0.160518	0.14656	0.478564	0.138584	0.063809	0.027916	0.037886	0.037886	0.336989	0.012961	0.160518
Norm Ensemble (n=7)	Ensemble	0.15653	0.181456	0.143569	0.473579	0.160518	0.083749	0.033898	0.047856	0.031904	0.327019	0.005982	0.131605
Norm Ensemble (n=8)	Ensemble	0.155533	0.175474	0.147557	0.474576	0.154536	0.081755	0.021934	0.032901	0.043868	0.341974	0.006979	0.134596
Deconvolution	Single	0.05683	0.042871	0.048853	0.383848	0.089731	0.004985	0.026919	0.007976	0.037886	0.365902	0.068794	0.007976
Deconvolution	Single	0.05683	0.042871	0.048853	0.383848	0.089731	0.004985	0.026919	0.007976	0.037886	0.365902	0.068794	0.007976
DeepLIFT SHAP	Single	0.044865	0.006979	0.069791	0.388833	0.05683	0.023928	0.175474	0.202393	0.090728	0.39681	0.210369	0.124626
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.044865	0.006979	0.069791	0.388833	0.05683	0.023928	0.175474	0.202393	0.090728	0.39681	0.210369	0.124626
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.044865	0.006979	0.069791	0.388833	0.05683	0.023928	0.175474	0.202393	0.090728	0.39681	0.210369	0.124626
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.044865	0.006979	0.069791	0.388833	0.05683	0.023928	0.175474	0.202393	0.090728	0.39681	0.210369	0.124626
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.105683	0.104686	0.162512	0.494516	0.150548	0.077767	0.160518	0.169492	0.002991	0.293121	0.119641	0.022931
Global Mean													
DeepLIFT Baselines	Single	0.105683	0.104686	0.162512	0.494516	0.150548	0.077767	0.160518	0.169492	0.002991	0.293121	0.119641	0.022931
Global Mean													
GradientShap Baselines	Single	0.152542	0.1665	0.141575	0.464606	0.127617	0.058824	0.085743	0.026919	0.035892	0.331007	0.008973	0.144566
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.152542	0.1665	0.141575	0.464606	0.127617	0.058824	0.085743	0.026919	0.035892	0.331007	0.008973	0.144566
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.139581	0.178465	0.145563	0.469591	0.132602	0.061815	0.081755	0.033898	0.027916	0.327019	0	0.140578
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.139581	0.178465	0.145563	0.469591	0.132602	0.061815	0.081755	0.033898	0.027916	0.327019	0	0.140578
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.089731	0.094716	0.216351	0.551346	0.109671	0.024925	0.159521	0.117647	0.015952	0.281157	0.117647	0.005982
GuidedBackprop	Single	0.089731	0.094716	0.216351	0.551346	0.109671	0.024925	0.159521	0.117647	0.015952	0.281157	0.117647	0.005982
InputXGradient	Single	0.181456	0.215354	0.117647	0.434696	0.206381	0.13659	0.016949	0.084746	0.128614	0.439681	0.077767	0.210369
InputXGradient	Single	0.181456	0.215354	0.117647	0.434696	0.206381	0.13659	0.016949	0.084746	0.128614	0.439681	0.077767	0.210369
IntegratedGradients	Single	0.1665	0.18345	0.127617	0.44666	0.147557	0.078764	0.033898	0.01994	0.074776	0.382851	0.04985	0.188435
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.1665	0.18345	0.127617	0.44666	0.147557	0.078764	0.033898	0.01994	0.074776	0.382851	0.04985	0.188435
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.143569	0.167498	0.134596	0.457627	0.140578	0.071785	0.02991	0.008973	0.078764	0.37986	0.052841	0.182453
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.143569	0.167498	0.134596	0.457627	0.140578	0.071785	0.02991	0.008973	0.078764	0.37986	0.052841	0.182453
Baselines Zero N Steps													
50													
Saliency	Single	0.169492	0.196411	0.111665	0.439681	0.20339	0.132602	0.017946	0.092722	0.12662	0.448654	0.0668	0.222333
Saliency	Single	0.169492	0.196411	0.111665	0.439681	0.20339	0.132602	0.017946	0.092722	0.12662	0.448654	0.0668	0.222333

Table 273: DermaMNIST–DenseNet-121

Method	Type	Accuracy	Consistency
Borda (n=2)	Ensemble	0.70987	0.739781
Kemeny Young (n=2)	Ensemble	0.70987	0.739781
RRF (n=2)	Ensemble	0.704885	0.729811
Schulze (n=2)	Ensemble	0.710867	0.731805
Norm Ensemble (n=2)	Ensemble	0.704885	0.722832
Deconvolution	Single	0.765703	0.821535
DeepLIFT	Single	0.723829	0.739781
DeepLIFT SHAP	Single	0.751745	0.789631
GradientShap	Single	0.716849	0.74676
GuidedBackprop	Single	0.72682	0.745763
InputXGradient	Single	0.772682	0.807577
IntegratedGradients	Single	0.74676	0.779661
Saliency	Single	0.762712	0.798604

Table 274: DermaMNIST–DenseNet-121

Method	Clean	Robustness Gaussian Std 0.15	Robustness Salt Pepper Amount 0.05	Robustness Speckle Std 0.15
DeepLIFT Baselines	0.723829	0.073779	0.054835	0.097707
Global Mean				
GuidedBackprop	0.72682	0.058824	0.057827	0.061815
IntegratedGradients	0.74676	0.092722	0.077767	0.103689
Baselines Zero N Steps				
50				
IntegratedGradients	0.751745	0.095713	0.082752	0.113659
Baselines Zero N Steps				
200				
Saliency	0.762712	0.12662	0.093719	0.133599
InputXGradient	0.772682	0.118644	0.103689	0.128614
GradientShap Baselines	0.716849	0.081755	0.047856	0.085743
Combined Zng N				
Samples 40				
GradientShap Baselines	0.727817	0.08674	0.058824	0.099701
Combined Zng N				
Samples 20				
Deconvolution	0.765703	0.105683	0.09671	0.079761
DeepLIFT SHAP	0.751745	0.095713	0.082752	0.05683
Baselines Combined Zng				
RRF N2	0.704885	0.04985	0.035892	0.07677
Schulze N2	0.710867	0.059821	0.041874	0.085743
Norm Ensemble Normal	0.704885	0.048853	0.035892	0.075773
Mean N2				
Norm Ensemble Robust	0.71984	0.064806	0.050847	0.084746
Mean N2				
Norm Ensemble Scaling	0.715852	0.060818	0.046859	0.084746
Mean N2				
RRF N3	0.711864	0.054835	0.042871	0.079761
Schulze N3	0.707876	0.053838	0.038883	0.068794
Norm Ensemble Normal	0.717846	0.065803	0.048853	0.075773
Mean N3				
Norm Ensemble Robust	0.715852	0.062812	0.046859	0.072782
Mean N3				
Norm Ensemble Scaling	0.711864	0.055833	0.042871	0.077767
Mean N3				
RRF N4	0.729811	0.081755	0.060818	0.093719
Schulze N4	0.720837	0.068794	0.051844	0.08674
Norm Ensemble Normal	0.735793	0.088734	0.0668	0.104686
Mean N4				
Norm Ensemble Robust	0.727817	0.080758	0.058824	0.083749
Mean N4				
Norm Ensemble Scaling	0.729811	0.080758	0.060818	0.088734
Mean N4				
RRF N5	0.725823	0.073779	0.05683	0.087737
Schulze N5	0.722832	0.069791	0.053838	0.090728
Norm Ensemble Normal	0.724826	0.078764	0.055833	0.085743
Mean N5				
Norm Ensemble Robust	0.727817	0.079761	0.058824	0.088734
Mean N5				
Norm Ensemble Scaling	0.729811	0.085743	0.060818	0.090728
Mean N5				
RRF N6	0.730808	0.072782	0.061815	0.088734
Schulze N6	0.73679	0.082752	0.067797	0.084746
Norm Ensemble Normal	0.733799	0.089731	0.064806	0.094716
Mean N6				
Norm Ensemble Robust	0.731805	0.083749	0.062812	0.080758
Mean N6				
Norm Ensemble Scaling	0.731805	0.087737	0.062812	0.093719
Mean N6				
RRF N7	0.71984	0.073779	0.050847	0.092722
Schulze N7	0.729811	0.079761	0.060818	0.090728
Norm Ensemble Normal	0.71984	0.071785	0.050847	0.079761
Mean N7				
Norm Ensemble Robust	0.724826	0.080758	0.055833	0.088734
Mean N7				
Norm Ensemble Scaling	0.72682	0.080758	0.057827	0.089731
Mean N7				
RRF N8	0.728814	0.078764	0.059821	0.095713
Schulze N8	0.729811	0.069791	0.060818	0.090728
Norm Ensemble Normal	0.724826	0.070788	0.055833	0.088734
Mean N8				
Norm Ensemble Robust	0.732802	0.064806	0.063809	0.095713
Mean N8				
Norm Ensemble Scaling	0.730808	0.07677	0.061815	0.092722
Mean N8				
Dynamic Borda N2	0.70987	0.060818	0.040877	0.094716
Dynamic Kemeny Young	0.70987	0.060818	0.040877	0.094716
N2				
Dynamic Borda N3	0.700897	0.051844	0.031904	0.090728
Dynamic Kemeny Young	0.700897	0.051844	0.031904	0.090728
N3				
Dynamic Borda N4	0.705882	0.05683	0.036889	0.085743

Method	Clean	Robustness Gaussian Std 0.15	Robustness Salt Pepper Amount 0.05	Robustness Speckle Std 0.15
Dynamic Kemeny Young N4	0.705882	0.05683	0.036889	0.085743
Dynamic Borda N5	0.733799	0.091725	0.064806	0.10668
Dynamic Kemeny Young N5	0.733799	0.091725	0.064806	0.10668
Dynamic Borda N6	0.727817	0.074776	0.058824	0.10668
Dynamic Kemeny Young N6	0.727817	0.074776	0.058824	0.10668
Dynamic Borda N7	0.71984	0.070788	0.050847	0.103689
Dynamic Kemeny Young N7	0.71984	0.070788	0.050847	0.103689
Dynamic Borda N8	0.732802	0.092722	0.063809	0.105683
Dynamic Kemeny Young N8	0.732802	0.092722	0.063809	0.105683

Table 275: DermaMNIST–DenseNet-121

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.70987	0.739781	0.823529	0.925224
Kemeny Young (n=2)	Ensemble	0.70987	0.739781	0.823529	0.925224
RRF (n=2)	Ensemble	0.704885	0.729811	0.821535	0.927218
Schulze (n=2)	Ensemble	0.710867	0.731805	0.821535	0.921236
Norm Ensemble (n=2)	Ensemble	0.704885	0.722832	0.820538	0.926221
Deconvolution	Single	0.765703	0.821535	0.7667	0.824526
DeepLIFT	Single	0.723829	0.739781	0.811565	0.908275
DeepLIFT SHAP	Single	0.751745	0.789631	0.801595	0.895314
GradientShap	Single	0.716849	0.74676	0.801595	0.896311
GuidedBackprop	Single	0.72682	0.745763	0.823529	0.92323
InputXGradient	Single	0.772682	0.807577	0.782652	0.864407
IntegratedGradients	Single	0.74676	0.779661	0.799601	0.879362
Saliency	Single	0.762712	0.798604	0.805583	0.900299

Table 277: DermaMNIST–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.060818	0.05683	0.040877	0.260219	0.094716	0.044865	0.182453	0.143569	0.154536	0.074776	0.113659	0.010967
Kemeny Young (n=2)	Ensemble	0.060818	0.05683	0.040877	0.260219	0.094716	0.044865	0.182453	0.143569	0.154536	0.074776	0.113659	0.010967
RRF (n=2)	Ensemble	0.04985	0.07677	0.035892	0.270189	0.07677	0.008973	0.192423	0.152542	0.152542	0.072782	0.110668	0.000997
Schulze (n=2)	Ensemble	0.059821	0.073779	0.041874	0.268195	0.085743	0	0.165503	0.10668	0.152542	0.078764	0.111665	0.007976
Norm Ensemble (n=2)	Ensemble	0.048853	0.079761	0.035892	0.277168	0.075773	0.004985	0.149551	0.097707	0.151545	0.073779	0.107677	0.004985
Deconvolution	Single	0.105683	0.013958	0.09671	0.178465	0.079761	0.00997	0.095713	0.003988	0.097707	0.175474	0.099701	0.027916
DeepLIFT	Single	0.073779	0.023928	0.054835	0.260219	0.097707	0.008973	0.149551	0.047856	0.142572	0.091725	0.11665	0.011964
DeepLIFT SHAP	Single	0.095713	0.016949	0.082752	0.210369	0.05683	0.033898	0.165503	0.080758	0.132602	0.104686	0.133599	0.048853
GradientShap	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
GuidedBackprop	Single	0.058824	0.068794	0.057827	0.254237	0.061815	0.025922	0.15653	0.062812	0.154536	0.07677	0.107677	0.003988
InputXGradient	Single	0.118644	0.012961	0.103689	0.192423	0.128614	0.051844	0.124626	0.010967	0.113659	0.135593	0.070788	0.069791
IntegratedGradients	Single	0.092722	0.026919	0.077767	0.220339	0.103689	0.028913	0.142572	0.007976	0.130608	0.120638	0.089731	0.04985
Saliency	Single	0.12662	0.015952	0.093719	0.201396	0.133599	0.057827	0.139581	0.00997	0.13659	0.099701	0.095713	0.030907

Table 278: DermaMNIST–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.060818	0.05683	0.040877	0.260219	0.094716	0.044865	0.182453	0.143569	0.154536	0.074776	0.113659	0.010967
Borda (n=3)	Ensemble	0.051844	0.068794	0.031904	0.271186	0.090728	0.028913	0.165503	0.140578	0.150548	0.068794	0.109671	0.004985
Borda (n=4)	Ensemble	0.05683	0.063809	0.036889	0.275174	0.085743	0.025922	0.169492	0.092722	0.147557	0.068794	0.109671	0.000997
Borda (n=5)	Ensemble	0.091725	0.038883	0.064806	0.25324	0.10668	0.030907	0.162512	0.069791	0.145563	0.075773	0.099701	0.015952
Borda (n=6)	Ensemble	0.074776	0.051844	0.058824	0.252243	0.10668	0.024925	0.157527	0.065803	0.141575	0.081755	0.098704	0.012961
Borda (n=7)	Ensemble	0.070788	0.050847	0.050847	0.258225	0.103689	0.017946	0.157527	0.041874	0.142572	0.08674	0.104686	0.011994
Borda (n=8)	Ensemble	0.092722	0.035892	0.063809	0.251246	0.105683	0.023928	0.14656	0.031904	0.133599	0.093719	0.089731	0.023928
Kemeny Young (n=2)	Ensemble	0.060818	0.05683	0.040877	0.260219	0.094716	0.044865	0.182453	0.143569	0.154536	0.074776	0.113659	0.010967
Kemeny Young (n=3)	Ensemble	0.051844	0.068794	0.031904	0.271186	0.090728	0.028913	0.165503	0.140578	0.150548	0.068794	0.109671	0.004985
Kemeny Young (n=4)	Ensemble	0.05683	0.063809	0.036889	0.275174	0.085743	0.025922	0.169492	0.092722	0.147557	0.068794	0.109671	0.000997
Kemeny Young (n=5)	Ensemble	0.091725	0.038883	0.064806	0.25324	0.10668	0.030907	0.162512	0.069791	0.145563	0.075773	0.099701	0.015952
Kemeny Young (n=6)	Ensemble	0.074776	0.051844	0.058824	0.252243	0.10668	0.024925	0.157527	0.065803	0.141575	0.081755	0.098704	0.012961
Kemeny Young (n=7)	Ensemble	0.070788	0.050847	0.050847	0.258225	0.103689	0.017946	0.157527	0.041874	0.142572	0.08674	0.104686	0.011994
Kemeny Young (n=8)	Ensemble	0.092722	0.035892	0.063809	0.251246	0.105683	0.023928	0.14656	0.031904	0.133599	0.093719	0.089731	0.023928
RRF (n=2)	Ensemble	0.04985	0.07677	0.035892	0.270189	0.07677	0.008973	0.192423	0.152542	0.152542	0.072782	0.110668	0.000997
RRF (n=3)	Ensemble	0.054835	0.059821	0.042871	0.26321	0.079761	0.001994	0.171486	0.10668	0.148554	0.078764	0.111665	0.008973
RRF (n=4)	Ensemble	0.081755	0.069791	0.060818	0.26321	0.093719	0.008973	0.168495	0.113659	0.143569	0.080758	0.104686	0.013958
RRF (n=5)	Ensemble	0.073779	0.059821	0.05683	0.257228	0.087737	0	0.176471	0.102692	0.154536	0.077767	0.113659	0.001994
RRF (n=6)	Ensemble	0.072782	0.04985	0.061815	0.246261	0.088734	0.011964	0.168495	0.080758	0.144566	0.081755	0.099701	0.017946
RRF (n=7)	Ensemble	0.073779	0.059821	0.050847	0.261216	0.092722	0.003988	0.15653	0.055833	0.134596	0.090728	0.088734	0.025922
RRF (n=8)	Ensemble	0.078764	0.04985	0.059821	0.244267	0.095713	0.031904	0.15653	0.05683	0.140578	0.08674	0.095713	0.020937
Schulze (n=2)	Ensemble	0.059821	0.073779	0.041874	0.268195	0.085743	0	0.165503	0.10668	0.152542	0.078764	0.111665	0.007976
Schulze (n=3)	Ensemble	0.053838	0.067797	0.038883	0.269192	0.068794	0.016949	0.161515	0.085743	0.152542	0.074776	0.112662	0.001994
Schulze (n=4)	Ensemble	0.068794	0.059821	0.051844	0.260219	0.08674	0.006979	0.137587	0.014955	0.144566	0.080758	0.104686	0.013958
Schulze (n=5)	Ensemble	0.069791	0.064806	0.053838	0.251246	0.090728	0.003988	0.141575	0.017946	0.137587	0.097707	0.100698	0.028913
Schulze (n=6)	Ensemble	0.082752	0.037886	0.067797	0.237288	0.084746	0.008973	0.137587	0.020937	0.137587	0.094716	0.090728	0.034895
Schulze (n=7)	Ensemble	0.079761	0.045862	0.060818	0.245264	0.090728	0.010967	0.138584	0.005982	0.132602	0.103689	0.08674	0.041874
Schulze (n=8)	Ensemble	0.069791	0.033898	0.060818	0.234297	0.090728	0.032901	0.137587	0.008973	0.138584	0.10668	0.091725	0.046859
Norm Ensemble (n=2)	Ensemble	0.048853	0.079761	0.035892	0.277168	0.075773	0.004985	0.149551	0.097707	0.151545	0.073779	0.107677	0.004985
Norm Ensemble (n=3)	Ensemble	0.065803	0.05683	0.048853	0.256231	0.075773	0.001994	0.138584	0.087737	0.140578	0.083749	0.102692	0.010967
Norm Ensemble (n=4)	Ensemble	0.088734	0.050847	0.0668	0.247258	0.104686	0.00997	0.135593	0.094716	0.137587	0.07677	0.101695	0.001994
Norm Ensemble (n=5)	Ensemble	0.078764	0.050847	0.055833	0.250249	0.085743	0	0.133599	0.078764	0.135593	0.092722	0.091725	0.01994
Norm Ensemble (n=6)	Ensemble	0.089731	0.040877	0.064806	0.240279	0.094716	0.017946	0.133599	0.077767	0.135593	0.093719	0.08674	0.022931
Norm Ensemble (n=7)	Ensemble	0.071785	0.048853	0.050847	0.252243	0.079761	0.002991	0.133599	0.07677	0.135593	0.094716	0.089731	0.016949
Norm Ensemble (n=8)	Ensemble	0.070788	0.043868	0.055833	0.241276	0.088734	0.021934	0.135593	0.075773	0.137587	0.095713	0.089731	0.022931
Deconvolution	Single	0.105683	0.013958	0.09671	0.178465	0.079761	0.00997	0.095713	0.003988	0.097707	0.175474	0.099701	0.027916
Deconvolution	Single	0.105683	0.013958	0.09671	0.178465	0.079761	0.00997	0.095713	0.003988	0.097707	0.175474	0.099701	0.027916
DeepLIFT SHAP	Single	0.095713	0.016949	0.082752	0.210369	0.05683	0.033898	0.165503	0.080758	0.132602	0.104686	0.133599	0.048853
Baselines Combined Zng	Single	0.095713	0.016949	0.082752	0.210369	0.05683	0.033898	0.165503	0.080758	0.132602	0.104686	0.133599	0.048853
DeepLIFT SHAP	Single	0.095713	0.016949	0.082752	0.210369	0.05683	0.033898	0.165503	0.080758	0.132602	0.104686	0.133599	0.048853
Baselines Combined Zng	Single	0.095713	0.016949	0.082752	0.210369	0.05683	0.033898	0.165503	0.080758	0.132602	0.104686	0.133599	0.048853
DeepLIFT SHAP	Single	0.095713	0.016949	0.082752	0.210369	0.05683	0.033898	0.165503	0.080758	0.132602	0.104686	0.133599	0.048853
Baselines Combined Zng	Single	0.073779	0.023928	0.054835	0.260219	0.097707	0.008973	0.149551	0.047856	0.142572	0.091725	0.11665	0.011964
Global Mean	Single	0.073779	0.023928	0.054835	0.260219	0.097707	0.008973	0.149551	0.047856	0.142572	0.091725	0.11665	0.011964
DeepLIFT Baselines	Single	0.073779	0.023928	0.054835	0.260219	0.097707	0.008973	0.149551	0.047856	0.142572	0.091725	0.11665	0.011964
Global Mean	Single	0.073779	0.023928	0.054835	0.260219	0.097707	0.008973	0.149551	0.047856	0.142572	0.091725	0.11665	0.011964
GradientShap Baselines	Single	0.08674	0.036889	0.058824	0.244267	0.099701	0.016949	0.137587	0.003988	0.134596	0.100698	0.095713	0.037886
Combined Zng N	Single	0.08674	0.036889	0.058824	0.244267	0.099701	0.016949	0.137587	0.003988	0.134596	0.100698	0.095713	0.037886
Samples 20	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
GradientShap Baselines	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
Combined Zng N	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
Samples 40	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
GradientShap Baselines	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
Combined Zng N	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
Samples 40	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
GradientShap Baselines	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
Combined Zng N	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
Samples 40	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
GradientShap Baselines	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
Combined Zng N	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
Samples 40	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
GradientShap Baselines	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
Combined Zng N	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
Samples 40	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
GradientShap Baselines	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
Combined Zng N	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
Samples 40	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689	0.093719	0.035892
GradientShap Baselines	Single	0.081755	0.041874	0.047856	0.25324	0.085743	0.014955	0.143569	0.006979	0.132602	0.103689		

Table 279: DermaMNIST–DenseNet-121

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
DermaMNIST	DenseNet-121	Saliency	1		1			
DermaMNIST	DenseNet-121	InputXGradient	1		1			
DermaMNIST	DenseNet-121	IntegratedGradients	1	true	1	1	0.087542	6.6774e+09
DermaMNIST	DenseNet-121	GuidedBackprop	1		1			
DermaMNIST	DenseNet-121	Deconvolution	1		1			
DermaMNIST	DenseNet-121	FeatureAblation	1	true	1			
DermaMNIST	DenseNet-121	Occlusion	1	true	1			
DermaMNIST	DenseNet-121	DeepLift	1		1			
DermaMNIST	DenseNet-121	GradientShap	1	true	1			
DermaMNIST	DenseNet-121	DeepLiftShap	1		1			
DermaMNIST	DenseNet-121	LRP	1	true	1			

B EfficientNet-B0

Table 280: DermaMNIST–EfficientNet-B0

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
DermaMNIST	EfficientNet-B0	Saliency	1	true	1	1	0.373154	3.8024e+08
DermaMNIST	EfficientNet-B0	InputXGradient	1	true	1	1	0.243658	3.8265e+08
DermaMNIST	EfficientNet-B0	IntegratedGradients	1	true	1	1	0.038899	4.5561e+09
DermaMNIST	EfficientNet-B0	GuidedBackprop	1	true	1			
DermaMNIST	EfficientNet-B0	Deconvolution	1	true	1			
DermaMNIST	EfficientNet-B0	FeatureAblation	1	true	1			
DermaMNIST	EfficientNet-B0	Occlusion	1	true	1			
DermaMNIST	EfficientNet-B0	DeepLift	1	true	1	1	0.022512	2.7867e+08
DermaMNIST	EfficientNet-B0	GradientShap	1		1			
DermaMNIST	EfficientNet-B0	DeepLiftShap	1	true	1	1	0.023539	6.5473e+08
DermaMNIST	EfficientNet-B0	LRP						

C MobileNetV3-Large

Table 281: DermaMNIST-MobileNetV3-Large

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
DermaMNIST	MobileNetV3-Large	Saliency	1	true	1			
DermaMNIST	MobileNetV3-Large	InputXGradient	1	true	1			
DermaMNIST	MobileNetV3-Large	IntegratedGradients	1	true	1	1	0.022657	2.4103e+09
DermaMNIST	MobileNetV3-Large	GuidedBackprop	1	true	1			
DermaMNIST	MobileNetV3-Large	Deconvolution	1	true	1			
DermaMNIST	MobileNetV3-Large	FeatureAblation	1	true	1			
DermaMNIST	MobileNetV3-Large	Occlusion	1	true	1			
DermaMNIST	MobileNetV3-Large	DeepLift	1	true	1	1	0.008977	2.2835e+08
DermaMNIST	MobileNetV3-Large	GradientShap	1	true	1			
DermaMNIST	MobileNetV3-Large	DeepLiftShap	1	true	1	1	0.008901	5.0209e+08
DermaMNIST	MobileNetV3-Large	LRP						

D ResNet-18

Table 282: DermaMNIST–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	Selection Rule	Methods	F	$\bar{F}$	C	$\bar{C}$	R^e	R^e_{-c}	R^e_{+c}	R^e_{-c}	R^e_{+c}	R^e_{-c}
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Best Individual	Best Individual			71be97485b adf7c07dda 026914f9ea 2a53b3385c a939e5aaa4 e748c5fb75 4d55	0.076808	0.298254	0.314713	0.662344	0.000499	0.046883	0.000499	0.072818	0.146633	0.0399
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	Naive	11			0.059352	0.38005	0.281297	0.73217	0.018953	0.164589	0.000998	0.187032	0.231421	0.094763
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	NOISE	3	Kemeny	[“Deconvolution prop”, “Occlusion”]	0.068271	0.38404	0.288279	0.737157	0.010474	0.16808	0.011471	0.195511	0.230424	0.099252
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	Naive	11			0.051372	0.357107	0.267332	0.722693	0.026434	0.148628	0.006484	0.173566	0.200998	0.077805
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	NOISE	3	Kemeny	[“Deconvolution prop”, “Occlusion”]	0.047881	0.349726	0.313217	0.669825	0.003491	0.190524	0.02793	0.218953	0.202494	0.060848
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	Naive	11			0.053367	0.348628	0.275312	0.718204	0.022444	0.155611	0.002494	0.182045	0.188529	0.057855
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	NOISE	3	Kemeny	[“Deconvolution prop”, “Occlusion”]	0.041771	0.344214	0.314214	0.669825	0.010973	0.192519	0.034414	0.220449	0.189526	0.05586
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	Naive	11			0.054863	0.354115	0.275312	0.717207	0.021945	0.155611	0.001496	0.181047	0.187032	0.059352
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	NOISE	3	Kemeny	[“Deconvolution prop”, “Occlusion”]	0.075865	0.349726	0.304239	0.660349	0.002494	0.183042	0.021446	0.209975	0.206484	0.069327
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	Naive	11			0.054364	0.351621	0.269825	0.717706	0.02394	0.149626	0.000998	0.177057	0.186035	0.062344
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	NOISE	3	Kemeny	[“Deconvolution prop”, “Occlusion”]	0.068271	0.347731	0.312718	0.667332	0.001995	0.190025	0.026434	0.218454	0.203491	0.061845

Table 283: DermaMNIST–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	R^a_{β}	R^a_{γ}	R^a_{δ}	R^a_{ϵ}	R^a_{ζ}	R^a_{η}	R^a_{θ}	R^a_{ι}	R^a_{κ}	R^a_{λ}
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Best Individual	Best Individual		0.016958	0.15212	0.282294	0.034414	0.330673	0.022444	0.138653	0.00798	0.025436	0.025935
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	Naive	11	0.040898	0.217955	0.352618	0.110723	0.371072	0.096259	0.251372	0.004988	0.129676	0.110224
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	NOISE	3	0.046883	0.220948	0.319202	0.141147	0.339152	0.125187	0.195511	0.037905	0.111222	0.106733
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	Naive	11	0.037406	0.224938	0.398504	0.061347	0.447382	0.013965	0.316708	0.034913	0.066833	0.076808
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	NOISE	3	0.061845	0.234913	0.316209	0.102743	0.353616	0.053367	0.216958	0.023441	0.058354	0.064838
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	Naive	11	0.042893	0.229426	0.414963	0.052868	0.44389	0.005486	0.307731	0.038903	0.064339	0.077805
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	NOISE	3	0.074314	0.241895	0.300249	0.086783	0.353117	0.033915	0.195511	0.025436	0.042893	0.052369
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	Naive	11	0.041397	0.226933	0.403491	0.062843	0.446384	0.014963	0.329676	0.039401	0.069825	0.078803
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	NOISE	3	0.058354	0.230923	0.294763	0.093766	0.343641	0.038903	0.203491	0.034913	0.045885	0.053865
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	Naive	11	0.041895	0.218953	0.408978	0.061845	0.462344	0.01197	0.318703	0.032918	0.068828	0.0798
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	NOISE	3	0.060848	0.234414	0.315711	0.103242	0.35212	0.054364	0.214963	0.025935	0.057855	0.062843

Table 284: DermaMNIST-ResNet-18

Cell	Dataset	Model	Method	Setting	Q	Selection Rule	Methods	F	F	C	C	R^a_c	R^b_c	R^c_c	R^d_c	R^e_c	R^f_c
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Best Individual	Best Individual			71be97485b adf7c07dda 026914f9ea 2a53b3385c a939e5aaa4 e748c5fb75 4d55	0.076808	0.298254	0.314713	0.662344	0.000499	0.046883	0.000499	0.072818	0.146633	0.0399
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	Naive	11			0.059352	0.38005	0.281297	0.73217	0.018953	0.164589	0.000998	0.187032	0.231421	0.094763
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	NOISE	3	Borda	[*Deconvolution prop*,"Occlusion"]	0.068271	0.38404	0.288279	0.737157	0.010474	0.16808	0.011471	0.195511	0.230424	0.099252
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Borda	Naive	11			0.051372	0.357107	0.267332	0.722693	0.026434	0.148628	0.006484	0.173566	0.200998	0.077805
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Borda	NOISE	3	Borda	[*Deconvolution prop*,"Occlusion"]	0.047881	0.349726	0.313217	0.669825	0.003491	0.190524	0.02793	0.218953	0.202494	0.060848
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kemeny	Naive	11			0.053367	0.348628	0.275312	0.718204	0.022444	0.155611	0.002494	0.182045	0.188529	0.057855
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kemeny	NOISE	3	Borda	[*Deconvolution prop*,"Occlusion"]	0.041761	0.344214	0.314214	0.669825	0.010973	0.192519	0.034414	0.220449	0.189526	0.05586
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	RRF	Naive	11			0.054863	0.354115	0.275312	0.717207	0.021945	0.155611	0.001496	0.181047	0.187032	0.059352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	RRF	NOISE	3	Borda	[*Deconvolution prop*,"Occlusion"]	0.075865	0.349726	0.304239	0.660349	0.002494	0.183042	0.021446	0.209975	0.206484	0.069327
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Schulze	Naive	11			0.054364	0.351621	0.269825	0.717706	0.02394	0.149626	0.000998	0.177057	0.186035	0.062344
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Schulze	NOISE	3	Borda	[*Deconvolution prop*,"Occlusion"]	0.068271	0.347731	0.312718	0.667332	0.001995	0.190025	0.026434	0.218454	0.203491	0.061845

Table 285: DermaMNIST–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	R^a_{β}	R^a_{γ}	R^a_{δ}	R^a_{ϵ}	R^a_{ζ}	R^a_{η}	R^a_{θ}	R^a_{ι}	R^a_{κ}	R^a_{λ}
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Best Individual	Best Individual											
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	Naive	11	0.040898	0.217955	0.352618	0.110723	0.371072	0.096259	0.251372	0.004988	0.129676	0.110224
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	NOISE	3	0.046883	0.220948	0.319202	0.141147	0.339152	0.125187	0.195511	0.037905	0.111222	0.106733
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	Naive	11	0.037406	0.224938	0.398504	0.061347	0.447382	0.013965	0.316708	0.034913	0.066833	0.076808
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	NOISE	3	0.061845	0.234913	0.316209	0.102743	0.353616	0.053367	0.216958	0.023441	0.058354	0.064838
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	Naive	11	0.042893	0.229426	0.414963	0.052868	0.44389	0.005486	0.307731	0.038903	0.064339	0.077805
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	NOISE	3	0.074314	0.241895	0.300249	0.086783	0.353117	0.033915	0.195511	0.025436	0.042893	0.052369
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	Naive	11	0.041397	0.226933	0.403491	0.062843	0.446384	0.014963	0.329676	0.039401	0.069825	0.078803
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	NOISE	3	0.058354	0.230923	0.294763	0.093766	0.343641	0.038903	0.203491	0.034913	0.045885	0.053865
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	Naive	11	0.041895	0.218953	0.408978	0.061845	0.462344	0.01197	0.318703	0.032918	0.068828	0.0798
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	NOISE	3	0.060848	0.234414	0.315711	0.103242	0.35212	0.054364	0.214963	0.025935	0.057855	0.062843

Table 286: DermaMNIST–ResNet-18

Cell	Dataset	Model	Rule	F	$F(q)$	F	$F(q)$	C	$C(q)$	C	$C(q)$	R_F^p	$R_F^p(q)$	R_F^p	$R_F^p(q)$	R_{SC}^p	$R_{SC}^p(q)$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Simple Averaging	0.079302	2	0.296758	2	0.314214	2	0.657855	2	0.002494	2	0.319202	3	0.146633	4
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Borda	0.084788	3	0.294264	2	0.313217	3	0.65586	2	0.003491	3	0.314713	4	0.148628	11
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kemeny	0.091272	3	0.294264	2	0.316708	5	0.65586	2	0.000499	5	0.300249	3	0.155611	11
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	RRF	0.093766	2	0.309726	3	0.315711	2	0.660349	3	0.001995	5	0.294763	3	0.155611	11
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Schulze	0.083292	3	0.294264	2	0.312718	3	0.65586	2	0.001995	3	0.302244	4	0.149626	11

Table 287: DermaMNIST–ResNet-18

Cell	Dataset	Model	$R^p_{\hat{\beta}}$	$R^p_{\hat{\beta}}(q)$	R^p_F	$R^p_F(q)$	$R^p_{\hat{\beta}}$	$R^p_{\hat{\beta}}(q)$	R^p_F	$R^p_F(q)$	$R^p_{\hat{\beta}}$	$R^p_{\hat{\beta}}(q)$	R^p_F	$R^p_F(q)$	$R^p_{\hat{\beta}}$	$R^p_{\hat{\beta}}(q)$	R^p_F
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.110723	11	0	4	0.339152	3	0.173566	4	0.03192	2	0.172569	2	0.195511	3	0.036908
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.061347	11	0	8	0.353616	3	0.173566	11	0.002494	2	0.16409	2	0.216958	3	0.041397
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.052868	11	0.000998	8	0.351621	4	0.182045	11	0.001496	10	0.16409	2	0.195511	3	0.041397
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.062843	11	0.001496	8	0.341147	4	0.181047	11	0.012968	2	0.169077	2	0.203491	3	0.049377
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.054364	9	0.000998	8	0.347132	4	0.177057	11	0.002494	2	0.16409	2	0.214963	3	0.041397

Table 288: DermaMNIST–ResNet-18

Cell	Dataset	Model	$R'_{\mathcal{C}}(q)$	$R'_{\mathcal{C}}$	$R'_{\mathcal{C}}(q)$	$R''_{\mathcal{C}}$	$R''_{\mathcal{C}}(q)$	$R''_{\mathcal{C}}$	$R''_{\mathcal{C}}(q)$	$R''_{\mathcal{C}}$	$R''_{\mathcal{C}}(q)$	$R''_{\mathcal{C}}$	$R''_{\mathcal{C}}(q)$
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	0.000499	2	0.040898	4	0.048379	2	0.205486	4	0.06783	2
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	0.000499	6	0.037406	7	0.035411	2	0.221446	7	0.048878	2
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	0.002993	2	0.039401	8	0.035411	2	0.226933	9	0.048878	2
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	0.001496	2	0.041397	11	0.040898	2	0.221446	4	0.04788	2
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	0.002993	2	0.041397	8	0.035411	2	0.218953	11	0.048878	2

Table 289: DermaMNIST–ResNet-18

Cell	Dataset	Model	Q	Rule	Methods	F	$\bar{F}$	C	$\bar{C}$	R_F^*	R_F^*	R_C^*	R_C^*	R_F^*	R_F^*	R_C^*	R_C^*
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	Simple Averaging	["Deconvolution prop"]	0.070303	0.0296758	0.314214	0.657855	0.002494	0.399002	0.190524	0.116209	0.02394	0.401496	0.21995	0.03192
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	3	Borda	["Deconvolution prop", "Occlusion"]	0.084788	0.019726	0.313217	0.669825	0.003491	0.316209	0.190524	0.102743	0.02793	0.353616	0.218953	0.053367
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	3	Kemeny	["Deconvolution prop", "Occlusion"]	0.084788	0.014214	0.314214	0.669825	0.010973	0.300249	0.192519	0.086783	0.034414	0.353117	0.220449	0.033915
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	RRF	["Deconvolution prop"]	0.084788	0.012219	0.315711	0.665835	0.015461	0.323192	0.196509	0.078304	0.037905	0.362594	0.223441	0.012968
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	3	Schulze	["Deconvolution prop", "Occlusion"]	0.084788	0.007731	0.312718	0.667332	0.001995	0.315711	0.190025	0.103242	0.026434	0.35212	0.218454	0.054364

Table 290: DermaMNIST–ResNet-18

Cell	Dataset	Model	Q	R_F^*	R_S^*	R_G^*	R_C^*	R_F^*	R_S^*	R_G^*	R_C^*
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	0.172569	0.303242	0.036908	0.000499	0.061845	0.048379	0.245387	0.06783
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	3	0.202494	0.216958	0.060848	0.023441	0.061845	0.058354	0.234913	0.064838
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	3	0.189526	0.195511	0.05586	0.025436	0.074314	0.042893	0.241895	0.052369
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	0.169077	0.214464	0.049377	0.001496	0.074813	0.040898	0.24788	0.04788
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	3	0.203491	0.214963	0.061845	0.025935	0.060848	0.057855	0.234414	0.062843

Table 291: DermaMNIST-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.060848	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.078304	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.069327	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.070324	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.064339	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.066334	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.057357	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.048878	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.05187	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.042394	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.060848	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.072319	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.074813	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.06783	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.070823	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.064838	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.058354	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.049377	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.053367	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.045885	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.06783	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.073317	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.072818	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.072818	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.07182	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.064838	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.063342	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.054863	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.05586	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.048379	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.060848	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.078304	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.070823	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.070324	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.065835	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.062344	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.056858	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.048878	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.052369	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.050873	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.068828	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.067332	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.061347	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.062344	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.06783	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.066334	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.068828	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.066334	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.067332	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.063342	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.606983	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.604988	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.598005	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.616958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.610973	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.614963	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.626434	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.635411	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.624439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.645885	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.606983	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.617456	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.597506	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.596509	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.624439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.61596	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.621446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.62793	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.629925	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.640399	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.617955	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.606484	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.601995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.611471	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.61197	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.615461	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.610973	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.630424	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.624938	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.638404	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.606983	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.604489	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.593017	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.605985	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.610474	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.621446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.624938	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.626434	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.622444	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.637905	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.590025	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.630424	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.623441	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.626434	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.631421	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.634414	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.624938	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.626933	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.624439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.621945	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.012968	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.022943	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.017456	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.021446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.014963	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.018454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.013466	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.013466	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.013965	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.012968	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.022444	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.017955	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.019451	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.015461	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.016459	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.010474	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.013965	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.010474	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.018953	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.019451	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.021446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.01995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.019451	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F		RRF	Conditioned Quality	0.014963	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F		RRF	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F		RRF	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F		RRF	Conditioned Quality	0.013466	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.012968	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.022444	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.021945	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.020948	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.013466	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.015461	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.014963	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.009975	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.014963	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.012469	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.017456	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.022444	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.018454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.01995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.017955	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.018953	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.018454	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.258853	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.251372	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.246384	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.248379	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.233915	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.24389	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.258354	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.267332	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.256858	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.290274	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.258853	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.271322	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.253367	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.236409	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.246883	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.249377	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.258853	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.268329	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.261845	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.284289	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.271322	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.26384	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.248379	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.255362	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.244888	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.245387	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.250374	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.269327	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.263342	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.284289	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.258853	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.249875	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.242394	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.248379	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.234414	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.25187	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.25586	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.258354	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.262344	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.282793	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.248379	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.272818	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.261845	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.260848	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.261845	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.258354	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.25187	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.259352	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.255362	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.250374	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Borda	Conditioned Quality	0.123192	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Borda	Conditioned Quality	0.122693	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Borda	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Borda	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Borda	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Borda	Conditioned Quality	0.118703	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Borda	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Borda	Conditioned Quality	0.1202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Borda	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Borda	Conditioned Quality	0.118703	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.123192	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.121696	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.118703	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.118204	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.117207	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.118204	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.119701	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	RRF	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	RRF	Conditioned Quality	0.121197	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	RRF	Conditioned Quality	0.118703	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	RRF	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	RRF	Conditioned Quality	0.1202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	RRF	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	RRF	Conditioned Quality	0.121197	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	RRF	Conditioned Quality	0.117207	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	RRF	Conditioned Quality	0.117706	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	RRF	Conditioned Quality	0.119701	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Schulze	Conditioned Quality	0.123192	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Schulze	Conditioned Quality	0.122693	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Schulze	Conditioned Quality	0.121696	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Schulze	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Schulze	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Schulze	Conditioned Quality	0.120698	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Schulze	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Schulze	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Schulze	Conditioned Quality	0.118703	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Schulze	Conditioned Quality	0.1202	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.123691	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.1202	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.1202	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.120698	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.1202	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.120698	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.116708	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.731172	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.772569	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.812968	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.798005	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.771571	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.76808	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.774564	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.777057	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.777057	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.78404	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.731172	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.756608	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.806484	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.78803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.771571	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.7601	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.76409	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.774564	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.767581	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.771072	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.74414	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.754115	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.787531	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.78005	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.765586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.767082	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.753616	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.769576	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.769576	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.78005	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.731172	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.770574	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.809476	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.787032	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.777556	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.755112	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.773067	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.761097	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.763591	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.779551	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.774065	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.878304	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.883791	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.879302	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.868828	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.869327	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.85586	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.845885	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.843392	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.842893	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	Borda	Conditioned Quality	0.076808	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	Borda	Conditioned Quality	0.081297	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	Borda	Conditioned Quality	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	Borda	Conditioned Quality	0.0798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	Borda	Conditioned Quality	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	Borda	Conditioned Quality	0.078803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	F	Borda	Conditioned Quality	0.078304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	F	Borda	Conditioned Quality	0.076309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	F	Borda	Conditioned Quality	0.078304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	F	Borda	Conditioned Quality	0.077805	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.076808	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.0798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.079302	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.078803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.078304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.078304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.076309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.07581	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.07581	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	RRF	Conditioned Quality	0.078304	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	RRF	Conditioned Quality	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	RRF	Conditioned Quality	0.080798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	RRF	Conditioned Quality	0.080798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	RRF	Conditioned Quality	0.0798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	RRF	Conditioned Quality	0.0798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.038404	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.006484	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.02793	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.003491	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.018953	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.034414	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.051372	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.05985	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.050374	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.041397	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.038404	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.013965	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.020948	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.013466	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.024439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.05985	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.076309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.081796	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.078803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.066334	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.010973	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.014963	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.026434	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.018454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.022444	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.03192	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.066334	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.063342	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.067332	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.049377	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.038404	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.00798	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.024439	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.015461	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.025935	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.037406	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.060349	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.073815	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.060349	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.057357	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.102244	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.064838	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.058354	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.058853	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.046883	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.041397	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.040898	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.039401	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.036908	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.027431	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.094264	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.094264	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.093267	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.092269	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.094264	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.093766	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.093267	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.093766	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.094264	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.093766	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.093766	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.095262	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.094264	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.090274	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.093267	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.096259	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.093267	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.092269	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.094264	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.094763	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.653367	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.723192	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.785536	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.75611	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.725686	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.738155	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.713716	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.733666	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.736658	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.736658	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.653367	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.703741	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.747631	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.727681	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.721696	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.729177	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.697756	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.722195	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.700249	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.723691	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.652868	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.699252	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.749127	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.727681	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.722195	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.716209	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.063342	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.04389	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.028429	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.030424	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.064838	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.087781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.084788	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.083292	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.101247	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.090274	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.063342	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.038903	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.024439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.044888	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.085786	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.109726	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.106234	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.123192	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.115711	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.095262	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.050374	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.033915	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.012469	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.044888	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.06783	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.077307	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.102244	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.102743	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.085786	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.092269	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.063342	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.044389	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.020449	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.046384	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.071322	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.104738	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.094763	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.102244	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.110224	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.110723	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	-0.104738	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.044888	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.038903	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.030424	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.02394	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.01995	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.017955	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.010474	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.01197	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.008978	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Borda	Conditioned Quality	0.345137	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Borda	Conditioned Quality	0.374065	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Borda	Conditioned Quality	0.37207	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Borda	Conditioned Quality	0.373067	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Borda	Conditioned Quality	0.365586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Borda	Conditioned Quality	0.359102	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Borda	Conditioned Quality	0.354115	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Borda	Conditioned Quality	0.349626	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Borda	Conditioned Quality	0.346135	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Borda	Conditioned Quality	0.345137	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Kemeny	Conditioned Quality	0.345137	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Kemeny	Conditioned Quality	0.370075	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Kemeny	Conditioned Quality	0.374564	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Kemeny	Conditioned Quality	0.370574	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Kemeny	Conditioned Quality	0.36808	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Kemeny	Conditioned Quality	0.351122	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Kemeny	Conditioned Quality	0.345636	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Kemeny	Conditioned Quality	0.331172	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Kemeny	Conditioned Quality	0.338653	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Kemeny	Conditioned Quality	0.333167	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	RRF	Conditioned Quality	0.365087	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	RRF	Conditioned Quality	0.373566	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	RRF	Conditioned Quality	0.369576	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	RRF	Conditioned Quality	0.371072	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	RRF	Conditioned Quality	0.364589	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	RRF	Conditioned Quality	0.363591	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	RRF	Conditioned Quality	0.3601	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	RRF	Conditioned Quality	0.341147	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	RRF	Conditioned Quality	0.341147	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	RRF	Conditioned Quality	0.334663	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Schulze	Conditioned Quality	0.345137	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Schulze	Conditioned Quality	0.374564	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Schulze	Conditioned Quality	0.374065	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Schulze	Conditioned Quality	0.366584	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Schulze	Conditioned Quality	0.362594	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Schulze	Conditioned Quality	0.358603	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Schulze	Conditioned Quality	0.357107	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Schulze	Conditioned Quality	0.338653	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Schulze	Conditioned Quality	0.336658	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Schulze	Conditioned Quality	0.33217	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.351122	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.387531	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.380549	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.380549	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.380549	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.379551	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.378554	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.375062	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.374564	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.37606	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.658853	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.693267	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.714713	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.702244	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.684289	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.676808	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.657855	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.672818	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.680798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.687781	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.658853	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.695262	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.705736	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.693267	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.678304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.675312	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.66384	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.670823	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.663342	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.679302	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.667332	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.695262	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.699751	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.692768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.676808	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.663342	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.656359	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.672319	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.668828	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.677805	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.658853	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.693267	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.706234	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.702244	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.685287	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.676309	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.666833	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.668828	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.668329	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.684788	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.658354	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.775062	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.794514	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.784539	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.776559	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.763092	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.746135	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.733167	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.733167	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.737157	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Borda	Conditioned Quality	0.244888	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Borda	Conditioned Quality	0.287282	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Borda	Conditioned Quality	0.284289	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Borda	Conditioned Quality	0.284788	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Borda	Conditioned Quality	0.27581	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Borda	Conditioned Quality	0.266334	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Borda	Conditioned Quality	0.262344	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Borda	Conditioned Quality	0.25586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Borda	Conditioned Quality	0.253865	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Borda	Conditioned Quality	0.252369	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Kemeny	Conditioned Quality	0.244888	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Kemeny	Conditioned Quality	0.280798	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Kemeny	Conditioned Quality	0.289277	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Kemeny	Conditioned Quality	0.279302	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Kemeny	Conditioned Quality	0.279302	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Kemeny	Conditioned Quality	0.262344	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Kemeny	Conditioned Quality	0.25586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Kemeny	Conditioned Quality	0.242394	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Kemeny	Conditioned Quality	0.239401	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Kemeny	Conditioned Quality	0.241895	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	RRF	Conditioned Quality	0.262843	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	RRF	Conditioned Quality	0.284289	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	RRF	Conditioned Quality	0.280798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	RRF	Conditioned Quality	0.284788	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	RRF	Conditioned Quality	0.272818	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	RRF	Conditioned Quality	0.274314	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	RRF	Conditioned Quality	0.269327	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	RRF	Conditioned Quality	0.251372	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	RRF	Conditioned Quality	0.249377	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	RRF	Conditioned Quality	0.241895	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Schulze	Conditioned Quality	0.244888	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Schulze	Conditioned Quality	0.286783	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Schulze	Conditioned Quality	0.285287	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Schulze	Conditioned Quality	0.278803	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Schulze	Conditioned Quality	0.27581	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Schulze	Conditioned Quality	0.262843	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Schulze	Conditioned Quality	0.261347	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Schulze	Conditioned Quality	0.250374	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Schulze	Conditioned Quality	0.251372	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Schulze	Conditioned Quality	0.240399	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.25187	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.299751	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.295262	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.294264	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.293766	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.292768	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.293267	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.288778	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.287781	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.290773	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.050374	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.098753	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.075312	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.054364	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.046883	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.010973	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.034913	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.042893	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.040399	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.050374	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.118703	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.118703	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.040898	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.022943	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	-0.008479	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.022444	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.024439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.040898	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.097756	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.106234	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.098254	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.085287	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.04788	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.024938	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.01197	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.027431	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.022943	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.024439	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.050374	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.097756	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.084289	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.05586	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.021446	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.01197	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.026434	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.029925	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.032918	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.006484	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.188529	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.170075	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.165586	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.157107	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.14015	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.137157	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.12818	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.125686	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.128678	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Borda	Quality	0.303741	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Borda	Quality	0.313217	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	C	Borda	Quality	0.291771	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	C	Borda	Quality	0.308229	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	C	Borda	Quality	0.291771	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	C	Borda	Quality	0.287781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	C	Borda	Quality	0.291272	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	C	Borda	Quality	0.281796	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	C	Borda	Quality	0.278803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	C	Borda	Quality	0.267332	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Kemeny	Quality	0.303741	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kemeny	Quality	0.314214	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	C	Kemeny	Quality	0.304738	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	C	Kemeny	Quality	0.316708	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	C	Kemeny	Quality	0.307731	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	C	Kemeny	Quality	0.301247	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	C	Kemeny	Quality	0.292768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	C	Kemeny	Quality	0.276309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	C	Kemeny	Quality	0.287781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	C	Kemeny	Quality	0.275312	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	RRF	Quality	0.315711	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	RRF	Quality	0.304239	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	C	RRF	Quality	0.294264	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	C	RRF	Quality	0.313217	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	C	RRF	Quality	0.302244	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	C	RRF	Quality	0.305736	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	C	RRF	Quality	0.287282	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	C	RRF	Quality	0.290274	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	C	RRF	Quality	0.283791	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	C	RRF	Quality	0.275312	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Schulze	Quality	0.303741	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Schulze	Quality	0.312718	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	C	Schulze	Quality	0.302244	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	C	Schulze	Quality	0.303242	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	C	Schulze	Quality	0.302244	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	C	Schulze	Quality	0.293766	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	C	Schulze	Quality	0.289776	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	C	Schulze	Quality	0.2798	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	C	Schulze	Quality	0.276808	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	C	Schulze	Quality	0.269825	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Simple Averaging	Quality	0.314214	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Simple Averaging	Quality	0.288279	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	C	Simple Averaging	Quality	0.266833	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	C	Simple Averaging	Quality	0.278803	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	C	Simple Averaging	Quality	0.282294	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	C	Simple Averaging	Quality	0.284788	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	C	Simple Averaging	Quality	0.287282	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	C	Simple Averaging	Quality	0.285287	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	C	Simple Averaging	Quality	0.283791	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	C	Simple Averaging	Quality	0.281297	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Borda	Quality	0.65586	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Borda	Quality	0.669825	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Cbar	Borda	Quality	0.697756	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Cbar	Borda	Quality	0.686284	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Cbar	Borda	Quality	0.683791	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Cbar	Borda	Quality	0.700249	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Cbar	Borda	Quality	0.693766	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Cbar	Borda	Quality	0.703242	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Cbar	Borda	Quality	0.712219	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Cbar	Borda	Quality	0.722693	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Kemeny	Quality	0.65586	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kemeny	Quality	0.669825	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Cbar	Kemeny	Quality	0.674314	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Cbar	Kemeny	Quality	0.678304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Cbar	Kemeny	Quality	0.687781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Cbar	Kemeny	Quality	0.693766	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Cbar	Kemeny	Quality	0.692768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Cbar	Kemeny	Quality	0.704239	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Cbar	Kemeny	Quality	0.698753	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Cbar	Kemeny	Quality	0.718204	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	RRF	Quality	0.665835	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	RRF	Quality	0.660349	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Cbar	RRF	Quality	0.672818	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Cbar	RRF	Quality	0.6798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Cbar	RRF	Quality	0.679302	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Cbar	RRF	Quality	0.693766	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Cbar	RRF	Quality	0.682793	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Cbar	RRF	Quality	0.702244	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Cbar	RRF	Quality	0.696758	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Cbar	RRF	Quality	0.717207	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Schulze	Quality	0.65586	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Schulze	Quality	0.667332	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Cbar	Schulze	Quality	0.683292	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Cbar	Schulze	Quality	0.681297	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Cbar	Schulze	Quality	0.688778	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Cbar	Schulze	Quality	0.694763	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Cbar	Schulze	Quality	0.685287	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Cbar	Schulze	Quality	0.706733	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Cbar	Schulze	Quality	0.705736	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Cbar	Schulze	Quality	0.717706	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Simple Averaging	Quality	0.657855	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Simple Averaging	Quality	0.737157	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Cbar	Simple Averaging	Quality	0.739152	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Cbar	Simple Averaging	Quality	0.736658	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Cbar	Simple Averaging	Quality	0.729676	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Cbar	Simple Averaging	Quality	0.72818	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Cbar	Simple Averaging	Quality	0.726185	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Cbar	Simple Averaging	Quality	0.728678	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Cbar	Simple Averaging	Quality	0.731172	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Cbar	Simple Averaging	Quality	0.73217	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Borda	Quality	0.080798	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Borda	Quality	0.084788	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	F	Borda	Quality	0.065337	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	F	Borda	Quality	0.066334	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	F	Borda	Quality	0.054364	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	F	Borda	Quality	0.05586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	F	Borda	Quality	0.058354	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	F	Borda	Quality	0.060349	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	F	Borda	Quality	0.06384	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	F	Borda	Quality	0.051372	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Kemeny	Quality	0.080798	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kemeny	Quality	0.091272	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	F	Kemeny	Quality	0.076808	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	F	Kemeny	Quality	0.078803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	F	Kemeny	Quality	0.075312	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	F	Kemeny	Quality	0.062843	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	F	Kemeny	Quality	0.05586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	F	Kemeny	Quality	0.053367	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	F	Kemeny	Quality	0.064339	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	F	Kemeny	Quality	0.053367	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	RRF	Quality	0.093766	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	RRF	Quality	0.077805	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	F	RRF	Quality	0.066833	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	F	RRF	Quality	0.078803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	F	RRF	Quality	0.06783	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	F	RRF	Quality	0.076309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	F	RRF	Quality	0.058853	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	F	RRF	Quality	0.063342	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	F	RRF	Quality	0.06384	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	F	RRF	Quality	0.054863	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Schulze	Quality	0.080798	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Schulze	Quality	0.083292	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	F	Schulze	Quality	0.076309	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	F	Schulze	Quality	0.071322	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	F	Schulze	Quality	0.061347	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	F	Schulze	Quality	0.065835	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	F	Schulze	Quality	0.056359	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	F	Schulze	Quality	0.053367	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	F	Schulze	Quality	0.062843	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	F	Schulze	Quality	0.054364	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Simple Averaging	Quality	0.079302	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Simple Averaging	Quality	0.069327	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	F	Simple Averaging	Quality	0.057855	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	F	Simple Averaging	Quality	0.068329	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	F	Simple Averaging	Quality	0.066833	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	F	Simple Averaging	Quality	0.06783	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	F	Simple Averaging	Quality	0.068329	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	F	Simple Averaging	Quality	0.066334	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	F	Simple Averaging	Quality	0.065835	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	F	Simple Averaging	Quality	0.059352	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Borda	Quality	0.294264	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Borda	Quality	0.309726	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Fbar	Borda	Quality	0.342643	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Fbar	Borda	Quality	0.325686	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Fbar	Borda	Quality	0.315711	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Fbar	Borda	Quality	0.332668	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Fbar	Borda	Quality	0.322693	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Fbar	Borda	Quality	0.334165	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Fbar	Borda	Quality	0.337656	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Fbar	Borda	Quality	0.357107	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Kemeny	Quality	0.294264	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kemeny	Quality	0.314214	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Fbar	Kemeny	Quality	0.327182	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Fbar	Kemeny	Quality	0.319701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Fbar	Kemeny	Quality	0.318703	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Fbar	Kemeny	Quality	0.323192	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Fbar	Kemeny	Quality	0.325686	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Fbar	Kemeny	Quality	0.334663	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Fbar	Kemeny	Quality	0.325686	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Fbar	Kemeny	Quality	0.348628	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	RRF	Quality	0.312219	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	RRF	Quality	0.309726	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Fbar	RRF	Quality	0.328678	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Fbar	RRF	Quality	0.327182	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Fbar	RRF	Quality	0.316708	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Fbar	RRF	Quality	0.321197	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Fbar	RRF	Quality	0.319701	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Fbar	RRF	Quality	0.33217	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Fbar	RRF	Quality	0.329676	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Fbar	RRF	Quality	0.354115	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Schulze	Quality	0.294264	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Schulze	Quality	0.307731	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Fbar	Schulze	Quality	0.326683	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Fbar	Schulze	Quality	0.323691	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Fbar	Schulze	Quality	0.322195	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Fbar	Schulze	Quality	0.328678	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Fbar	Schulze	Quality	0.311721	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Fbar	Schulze	Quality	0.334663	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Fbar	Schulze	Quality	0.34015	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Fbar	Schulze	Quality	0.351621	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Simple Averaging	Quality	0.296758	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Simple Averaging	Quality	0.38404	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Fbar	Simple Averaging	Quality	0.385536	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Fbar	Simple Averaging	Quality	0.380549	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Fbar	Simple Averaging	Quality	0.376559	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Fbar	Simple Averaging	Quality	0.374065	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Fbar	Simple Averaging	Quality	0.371571	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Fbar	Simple Averaging	Quality	0.375561	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Fbar	Simple Averaging	Quality	0.377057	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Fbar	Simple Averaging	Quality	0.38005	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C	C	Borda	Robustness	-0.242893	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C	C	Borda	Robustness	-0.234913	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C	C	Borda	Robustness	-0.222444	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C	C	Borda	Robustness	-0.237905	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C	C	Borda	Robustness	-0.227431	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C	C	Borda	Robustness	-0.221446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C	C	Borda	Robustness	-0.233915	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C	C	Borda	Robustness	-0.232918	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C	C	Borda	Robustness	-0.226933	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C	C	Borda	Robustness	-0.224938	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C	C	Kemeny	Robustness	-0.242893	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C	C	Kemeny	Robustness	-0.241895	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C	C	Kemeny	Robustness	-0.229925	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C	C	Kemeny	Robustness	-0.248878	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C	C	Kemeny	Robustness	-0.236908	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C	C	Kemeny	Robustness	-0.236409	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C	C	Kemeny	Robustness	-0.234414	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C	C	Kemeny	Robustness	-0.226933	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C	C	Kemeny	Robustness	-0.234414	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C	C	Kemeny	Robustness	-0.229426	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C	C	RRF	Robustness	-0.24788	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C	C	RRF	Robustness	-0.230923	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C	C	RRF	Robustness	-0.221446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C	C	RRF	Robustness	-0.240399	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C	C	RRF	Robustness	-0.230424	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C	C	RRF	Robustness	-0.240898	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		RRF	Robustness	-0.22394	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		RRF	Robustness	-0.235411	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		RRF	Robustness	-0.22793	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		RRF	Robustness	-0.226933	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C		Schulze	Robustness	-0.242893	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C		Schulze	Robustness	-0.234414	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C		Schulze	Robustness	-0.231421	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C		Schulze	Robustness	-0.232918	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C		Schulze	Robustness	-0.236409	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C		Schulze	Robustness	-0.231421	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		Schulze	Robustness	-0.232918	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		Schulze	Robustness	-0.230923	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		Schulze	Robustness	-0.224439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		Schulze	Robustness	-0.218953	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.245387	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.220948	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.205486	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.216459	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.214464	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.218454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.218454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.218953	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.216459	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.217955	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.048878	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.064838	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.099751	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.069327	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.072818	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.085287	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.067332	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.06783	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.087781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.076808	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.048878	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.052369	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.076808	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.081796	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.063342	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.077805	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.071322	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.076309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.068828	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.077805	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.04788	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.053865	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.070823	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.068329	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.067332	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.078304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.07182	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.07182	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.07182	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.078803	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.048878	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.062843	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.090274	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.075312	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.078304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.073317	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.060349	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.083292	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.0798	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.06783	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.106733	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.115711	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.110224	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.098254	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.093766	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.101247	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.101746	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.106733	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.110224	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.06783	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.061845	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.04788	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.044888	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.039401	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.037406	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.044888	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.046883	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.046883	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.037406	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.06783	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.074314	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.054364	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.060848	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.05586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.047382	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.039401	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.042893	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.050374	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.042893	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.074813	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.058354	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.045387	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.058853	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.048379	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.059352	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.04389	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.046384	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.046883	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.041397	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.06783	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.060848	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.054364	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.050374	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.04788	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.050374	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.041397	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.043392	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.04788	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.041895	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.061845	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.046883	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.040898	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.049875	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.046883	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.049875	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.049377	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.049377	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.048878	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.040898	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.035411	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.058354	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.096259	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.077307	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.081796	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.088778	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.064339	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.066833	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.080798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.066833	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.035411	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.042893	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.073815	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.083292	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.07182	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.073815	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.066833	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.066334	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.06384	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.064339	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.040898	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.045885	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.07182	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.07182	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.07581	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		RRF	Robustness	0.069327	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		RRF	Robustness	0.062843	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		RRF	Robustness	0.066334	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		RRF	Robustness	0.069825	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.035411	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.057855	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.084289	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.075312	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.087781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.076808	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.05586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.076309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.077805	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.068828	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.048379	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.111222	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.123691	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.114713	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.115711	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.116209	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.121696	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.129676	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Borda	Robustness	-0.180549	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Borda	Robustness	-0.190524	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Borda	Robustness	-0.17207	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Borda	Robustness	-0.189027	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Borda	Robustness	-0.17207	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Borda	Robustness	-0.169077	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Borda	Robustness	-0.17207	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Borda	Robustness	-0.161596	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Borda	Robustness	-0.159601	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Borda	Robustness	-0.148628	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Kemeny	Robustness	-0.180549	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Kemeny	Robustness	-0.192519	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Kemeny	Robustness	-0.186035	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Kemeny	Robustness	-0.197506	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Kemeny	Robustness	-0.188529	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Kemeny	Robustness	-0.181546	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Kemeny	Robustness	-0.174564	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Kemeny	Robustness	-0.159102	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Kemeny	Robustness	-0.169576	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Kemeny	Robustness	-0.155611	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	RRF	Robustness	-0.196509	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	RRF	Robustness	-0.183042	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	RRF	Robustness	-0.175561	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	RRF	Robustness	-0.193516	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	RRF	Robustness	-0.182045	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	RRF	Robustness	-0.186035	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	RRF	Robustness	-0.166085	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	RRF	Robustness	-0.173067	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	RRF	Robustness	-0.166085	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	RRF	Robustness	-0.155611	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Schulze	Robustness	-0.180549	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Schulze	Robustness	-0.190025	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Schulze	Robustness	-0.180549	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Schulze	Robustness	-0.18404	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Schulze	Robustness	-0.183042	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Schulze	Robustness	-0.173067	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Schulze	Robustness	-0.170075	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Schulze	Robustness	-0.160599	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Schulze	Robustness	-0.158105	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Schulze	Robustness	-0.149626	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Simple Averaging	Robustness	-0.190524	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Simple Averaging	Robustness	-0.16808	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Simple Averaging	Robustness	-0.146633	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Simple Averaging	Robustness	-0.158105	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Simple Averaging	Robustness	-0.162095	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Simple Averaging	Robustness	-0.16409	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Simple Averaging	Robustness	-0.167581	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Simple Averaging	Robustness	-0.165586	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Simple Averaging	Robustness	-0.16409	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Simple Averaging	Robustness	-0.164589	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Borda	Robustness	-0.075312	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Borda	Robustness	-0.102743	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Borda	Robustness	-0.115212	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Borda	Robustness	-0.111721	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Borda	Robustness	-0.087781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Borda	Robustness	-0.06783	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Borda	Robustness	-0.080798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Borda	Robustness	-0.073815	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Borda	Robustness	-0.064838	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Borda	Robustness	-0.061347	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.075312	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.086783	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.13217	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.109726	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.083791	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.066334	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.071322	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.070324	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.068828	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.052868	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	RRF	Robustness	-0.078304	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	RRF	Robustness	-0.093766	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	RRF	Robustness	-0.114713	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	RRF	Robustness	-0.100249	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	RRF	Robustness	-0.086284	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	RRF	Robustness	-0.073317	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	RRF	Robustness	-0.070823	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	RRF	Robustness	-0.067332	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	RRF	Robustness	-0.072818	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	RRF	Robustness	-0.062843	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Schulze	Robustness	-0.075312	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Schulze	Robustness	-0.103242	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Schulze	Robustness	-0.126185	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Schulze	Robustness	-0.105736	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Schulze	Robustness	-0.088778	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Schulze	Robustness	-0.060349	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Schulze	Robustness	-0.087781	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Schulze	Robustness	-0.054364	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Schulze	Robustness	-0.057855	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Schulze	Robustness	-0.061845	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.116209	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.141147	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.144638	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.142643	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.139152	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.141147	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.129676	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.117207	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.112219	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.110723	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	Borda	Robustness	-0.00399	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	Borda	Robustness	-0.003491	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	Borda	Robustness	0.014963	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	Borda	Robustness	0.013466	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	Borda	Robustness	0.025935	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	Borda	Robustness	0.022943	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	F	Borda	Robustness	0.01995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	F	Borda	Robustness	0.01596	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	F	Borda	Robustness	0.014464	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	F	Borda	Robustness	0.026434	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	Kemeny	Robustness	-0.00399	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	Kemeny	Robustness	-0.010973	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	Kemeny	Robustness	0.002993	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	Kemeny	Robustness	0.000499	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	Kemeny	Robustness	0.003491	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	Kemeny	Robustness	0.015461	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	F	Kemeny	Robustness	0.022444	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	F	Kemeny	Robustness	0.022943	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	F	Kemeny	Robustness	0.011471	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	F	Kemeny	Robustness	0.022444	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	RRF	Robustness	-0.015461	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	RRF	Robustness	0.002494	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	RRF	Robustness	0.013965	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	RRF	Robustness	0.001995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	RRF	Robustness	0.01197	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	RRF	Robustness	0.003491	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	F	RRF	Robustness	0.020449	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	F	RRF	Robustness	0.013965	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	F	RRF	Robustness	0.013965	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	F	RRF	Robustness	0.021945	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	Schulze	Robustness	-0.00399	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	Schulze	Robustness	-0.001995	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	Schulze	Robustness	0.004489	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	Schulze	Robustness	0.008978	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	Schulze	Robustness	0.017955	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	Schulze	Robustness	0.012469	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	F	Schulze	Robustness	0.021945	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	F	Schulze	Robustness	0.024938	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	F	Schulze	Robustness	0.01596	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	F	Schulze	Robustness	0.02394	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	Simple Averaging	Robustness	-0.002494	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.010474	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.021945	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.011471	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.013466	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.012968	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.01197	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.013466	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.013965	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.018953	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Borda	Robustness	0.332668	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Borda	Robustness	0.316209	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Borda	Robustness	0.314713	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Borda	Robustness	0.322195	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Borda	Robustness	0.334663	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Borda	Robustness	0.367082	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Borda	Robustness	0.374065	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Borda	Robustness	0.394015	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Borda	Robustness	0.38803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Borda	Robustness	0.398504	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.332668	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.300249	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.306234	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.306234	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.343142	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.383042	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.401995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.416459	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.404489	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.414963	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	RRF	Robustness	0.323192	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	RRF	Robustness	0.294763	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	RRF	Robustness	0.302244	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	RRF	Robustness	0.308728	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	RRF	Robustness	0.339152	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	RRF	Robustness	0.353117	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	RRF	Robustness	0.386035	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	RRF	Robustness	0.395511	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	RRF	Robustness	0.397007	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	RRF	Robustness	0.403491	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.332668	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.315711	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.302244	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.308229	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.34813	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.366085	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.37207	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.408479	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.400499	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.408978	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.399002	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.319202	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.327182	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.321696	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.329676	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.332668	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.330673	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.33616	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.34015	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.352618	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	Borda	Robustness	-0.209476	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	Borda	Robustness	-0.218953	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	Borda	Robustness	-0.198504	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	Borda	Robustness	-0.21596	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	Borda	Robustness	-0.199002	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	Borda	Robustness	-0.195012	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	C	Borda	Robustness	-0.197007	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	C	Borda	Robustness	-0.18803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	C	Borda	Robustness	-0.185536	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	C	Borda	Robustness	-0.173566	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	Kemeny	Robustness	-0.209476	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	Kemeny	Robustness	-0.220449	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	Kemeny	Robustness	-0.210973	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	Kemeny	Robustness	-0.221446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	Kemeny	Robustness	-0.213466	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	Kemeny	Robustness	-0.208479	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	C	Kemeny	Robustness	-0.202494	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	C	Kemeny	Robustness	-0.183042	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	C	Kemeny	Robustness	-0.191521	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	C	Kemeny	Robustness	-0.182045	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	RRF	Robustness	-0.223441	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	RRF	Robustness	-0.209975	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	RRF	Robustness	-0.201496	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	RRF	Robustness	-0.218454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	RRF	Robustness	-0.209476	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	RRF	Robustness	-0.212968	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	C	RRF	Robustness	-0.193017	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	C	RRF	Robustness	-0.19601	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	C	RRF	Robustness	-0.190524	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	C	RRF	Robustness	-0.181047	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	Schulze	Robustness	-0.209476	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	Schulze	Robustness	-0.218454	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	Schulze	Robustness	-0.209476	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	Schulze	Robustness	-0.209975	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	Schulze	Robustness	-0.209975	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	Schulze	Robustness	-0.199501	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	C	Schulze	Robustness	-0.198005	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	C	Schulze	Robustness	-0.187032	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	C	Schulze	Robustness	-0.181047	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	C	Schulze	Robustness	-0.177057	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.21995	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.195511	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.173566	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.186035	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.189526	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.192519	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.194015	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.190524	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.190025	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.187032	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.002494	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.053367	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.087781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.069825	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.041895	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.037905	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.01995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.030424	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.024439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.013965	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.002494	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.033915	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.073317	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.049377	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.033915	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.035411	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.004988	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.017955	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.001496	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.005486	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.012968	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.038903	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.076309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.04788	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.042893	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.022444	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.01995	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.01596	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.021446	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.014963	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.002494	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.054364	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.081297	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.063342	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.037905	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.032918	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.020449	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.005486	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.014464	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.01197	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.03192	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.125187	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.138155	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.139651	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.137157	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.12818	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.117207	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.114713	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.105736	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.096259	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	F	Borda	Robustness	-0.02394	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	F	Borda	Robustness	-0.02793	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	F	Borda	Robustness	-0.007481	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	F	Borda	Robustness	-0.008479	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	F	Borda	Robustness	0.003491	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	F	Borda	Robustness	0.002494	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	F	Borda	Robustness	0	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	F	Borda	Robustness	-0.001995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	F	Borda	Robustness	-0.006983	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	F	Borda	Robustness	0.006484	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	F	Kemeny	Robustness	-0.02394	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	F	Kemeny	Robustness	-0.034414	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	F	Kemeny	Robustness	-0.019451	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	F	Kemeny	Robustness	-0.021945	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	F	Kemeny	Robustness	-0.017955	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	F	Kemeny	Robustness	-0.004988	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.000998	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.002494	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	F	Kemeny	Robustness	-0.006983	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.002494	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	F	RRF	Robustness	-0.037905	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	F	RRF	Robustness	-0.021446	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	F	RRF	Robustness	-0.008978	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	F	RRF	Robustness	-0.021446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	F	RRF	Robustness	-0.009975	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	F	RRF	Robustness	-0.018953	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	F	RRF	Robustness	-0.001496	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	F	RRF	Robustness	-0.006983	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	F	RRF	Robustness	-0.005486	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	F	RRF	Robustness	0.001496	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	F	Schulze	Robustness	-0.02394	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	F	Schulze	Robustness	-0.026434	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	F	Schulze	Robustness	-0.018454	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	F	Schulze	Robustness	-0.013466	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	F	Schulze	Robustness	-0.002993	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	F	Schulze	Robustness	-0.006983	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	F	Schulze	Robustness	0.000998	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	F	Schulze	Robustness	0.001995	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	F	Schulze	Robustness	-0.00798	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	F	Schulze	Robustness	0.000998	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.02394	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.011471	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.011471	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.009975	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.010973	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.009975	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.008479	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.00798	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.000998	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.357606	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.353616	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.371072	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.35611	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.380549	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.420449	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.407481	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.417456	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.438903	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.447382	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.357606	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.353117	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.351621	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.364589	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.404489	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.432918	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.43192	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.457855	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.441397	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.44389	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.362594	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.343641	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.341147	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.37207	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.384539	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.398504	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.421945	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.434913	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.415461	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.446384	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.357606	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.35212	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.347132	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.370075	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.393516	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.433416	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.406484	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.436908	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.450374	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.462344	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.401496	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.339152	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.346633	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.350125	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.352618	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.354115	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.353616	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.365087	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.365087	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.371072	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Borda	Robustness	0.041397	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Borda	Robustness	0.060848	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Borda	Robustness	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Borda	Robustness	0.064838	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Borda	Robustness	0.073815	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Borda	Robustness	0.071322	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Borda	Robustness	0.062843	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Borda	Robustness	0.06783	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Borda	Robustness	0.067332	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Borda	Robustness	0.077805	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Kemeny	Robustness	0.041397	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Kemeny	Robustness	0.05586	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Kemeny	Robustness	0.069825	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Kemeny	Robustness	0.053865	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Kemeny	Robustness	0.060349	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Kemeny	Robustness	0.049875	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Kemeny	Robustness	0.052868	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Kemeny	Robustness	0.054863	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Kemeny	Robustness	0.050873	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Kemeny	Robustness	0.057855	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	RRF	Robustness	0.049377	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	RRF	Robustness	0.069327	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	RRF	Robustness	0.075312	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	RRF	Robustness	0.057855	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	RRF	Robustness	0.062344	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	RRF	Robustness	0.057855	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	RRF	Robustness	0.072818	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	RRF	Robustness	0.050873	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	RRF	Robustness	0.057357	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	RRF	Robustness	0.059352	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Schulze	Robustness	0.041397	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Schulze	Robustness	0.061845	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Schulze	Robustness	0.07182	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Schulze	Robustness	0.063342	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Schulze	Robustness	0.060349	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Schulze	Robustness	0.064838	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Schulze	Robustness	0.067332	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Schulze	Robustness	0.058853	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Schulze	Robustness	0.05985	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Schulze	Robustness	0.062344	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Simple Averaging	Robustness	0.036908	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Simple Averaging	Robustness	0.099252	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Simple Averaging	Robustness	0.113716	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Simple Averaging	Robustness	0.101746	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Simple Averaging	Robustness	0.098254	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Simple Averaging	Robustness	0.094763	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Simple Averaging	Robustness	0.091272	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Simple Averaging	Robustness	0.089776	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Simple Averaging	Robustness	0.090773	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Simple Averaging	Robustness	0.094763	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Borda	Robustness	-0.002993	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Borda	Robustness	-0.023441	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Borda	Robustness	-0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Borda	Robustness	-0.01596	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Borda	Robustness	-0.000499	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Borda	Robustness	0.023441	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Borda	Robustness	0.03591	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Borda	Robustness	0.030424	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Borda	Robustness	0.031421	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Borda	Robustness	0.034913	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Kemeny	Robustness	-0.002993	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Kemeny	Robustness	-0.025436	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Kemeny	Robustness	-0.031421	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Kemeny	Robustness	-0.014963	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.009476	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.018454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.028928	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.033416	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.035411	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.038903	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	RRF	Robustness	-0.001496	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	RRF	Robustness	-0.034913	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	RRF	Robustness	-0.026933	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	RRF	Robustness	-0.012968	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	RRF	Robustness	0.002494	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	RRF	Robustness	0.030424	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	RRF	Robustness	0.026434	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	RRF	Robustness	0.029925	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	RRF	Robustness	0.02793	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	RRF	Robustness	0.039401	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Schulze	Robustness	-0.002993	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Schulze	Robustness	-0.025935	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Schulze	Robustness	-0.022943	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Schulze	Robustness	-0.020948	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Schulze	Robustness	0.003491	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Schulze	Robustness	0.018454	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Schulze	Robustness	0.018454	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Schulze	Robustness	0.037905	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Schulze	Robustness	0.037406	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Schulze	Robustness	0.032918	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.000499	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.037905	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.055362	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.04788	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.046883	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.034913	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.01995	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.004489	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.001995	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.004988	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Borda	Robustness	0.16409	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Borda	Robustness	0.202494	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Borda	Robustness	0.218953	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Borda	Robustness	0.218454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Borda	Robustness	0.221446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Borda	Robustness	0.210474	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Borda	Robustness	0.20399	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Borda	Robustness	0.195511	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Borda	Robustness	0.190025	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Borda	Robustness	0.200998	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Kemeny	Robustness	0.16409	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Kemeny	Robustness	0.189526	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Kemeny	Robustness	0.212469	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Kemeny	Robustness	0.200499	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Kemeny	Robustness	0.20399	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Kemeny	Robustness	0.199501	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Kemeny	Robustness	0.2	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Kemeny	Robustness	0.189027	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Kemeny	Robustness	0.175062	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Kemeny	Robustness	0.188529	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	RRF	Robustness	0.169077	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	RRF	Robustness	0.206484	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	RRF	Robustness	0.213965	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	RRF	Robustness	0.205985	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	RRF	Robustness	0.204988	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	RRF	Robustness	0.198005	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	RRF	Robustness	0.210474	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	RRF	Robustness	0.18803	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	RRF	Robustness	0.185536	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	RRF	Robustness	0.187032	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Schulze	Robustness	0.16409	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Schulze	Robustness	0.203491	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Schulze	Robustness	0.208978	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Schulze	Robustness	0.207481	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Schulze	Robustness	0.214464	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Schulze	Robustness	0.197007	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Schulze	Robustness	0.204988	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Schulze	Robustness	0.197007	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Schulze	Robustness	0.188529	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Schulze	Robustness	0.186035	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Simple Averaging	Robustness	0.172569	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Simple Averaging	Robustness	0.230424	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Simple Averaging	Robustness	0.237406	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Simple Averaging	Robustness	0.225935	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Simple Averaging	Robustness	0.226933	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Simple Averaging	Robustness	0.224938	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Simple Averaging	Robustness	0.224938	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Simple Averaging	Robustness	0.222444	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Simple Averaging	Robustness	0.221945	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Simple Averaging	Robustness	0.231421	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Borda	Robustness	0.24389	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Borda	Robustness	0.216958	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Borda	Robustness	0.24389	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Borda	Robustness	0.250374	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Borda	Robustness	0.261347	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Borda	Robustness	0.285786	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Borda	Robustness	0.311721	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Borda	Robustness	0.299252	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Borda	Robustness	0.294763	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Borda	Robustness	0.316708	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.24389	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.195511	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.208479	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.239401	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.277805	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.300249	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.334165	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.312219	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.301247	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.307731	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	RRF	Robustness	0.214464	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	RRF	Robustness	0.203491	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	RRF	Robustness	0.230424	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	RRF	Robustness	0.241895	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	RRF	Robustness	0.268828	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	RRF	Robustness	0.296259	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	RRF	Robustness	0.307731	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	RRF	Robustness	0.304738	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	RRF	Robustness	0.306733	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	RRF	Robustness	0.329676	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Schulze	Robustness	0.24389	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Schulze	Robustness	0.214963	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Schulze	Robustness	0.228928	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Schulze	Robustness	0.239401	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Schulze	Robustness	0.266334	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Schulze	Robustness	0.307232	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Schulze	Robustness	0.299751	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Schulze	Robustness	0.308229	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Schulze	Robustness	0.310224	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Schulze	Robustness	0.318703	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.303242	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.195511	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.215461	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.214963	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.219451	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.233915	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.234414	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.247382	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.251372	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.251372	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb- lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad [ent]"]

2089

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Kemeny	2821.6	4010	kendall__mallows__exact__distance	0.333723	0.002	0.057528	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62feae6886a59aad33ff	f9be9bc2bfa59aad33ff
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Kemeny	3763	6015	kendall__mallows__exact__distance	0.387061	0.002	0.040366	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62feae6886a59aad33ff	f9be9bc2bfa59aad33ff
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Kemeny	4346.7	8020	kendall__mallows__exact__distance	0.26951	0.002	0.033114	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62feae6886a59aad33ff	f9be9bc2bfa59aad33ff
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Kemeny	4732.6	10025	kendall__mallows__exact__distance	0.301961	0.002	0.029158	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62feae6886a59aad33ff	f9be9bc2bfa59aad33ff
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Kemeny	4689.6	12030	kendall__mallows__exact__distance	0.323871	0.002	0.029572	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62feae6886a59aad33ff	f9be9bc2bfa59aad33ff
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Kemeny	4584.6	14035	kendall__mallows__exact__distance	0.359395	0.002	0.030611	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62feae6886a59aad33ff	f9be9bc2bfa59aad33ff
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Kemeny	4626.8	16040	kendall__mallows__exact__distance	0.369441	0.002	0.030188	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62feae6886a59aad33ff	f9be9bc2bfa59aad33ff
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Kemeny	4698.9	18045	kendall__mallows__exact__distance	0.369659	0.002	0.029482	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62feae6886a59aad33ff	f9be9bc2bfa59aad33ff
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Kemeny	4972.4	20050	kendall__mallows__exact__distance	0.367942	0.002	0.02695	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62feae6886a59aad33ff	f9be9bc2bfa59aad33ff
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Kemeny	4949.8	22055	kendall__mallows__exact__distance	0.370073	0.002	0.027152	11	True	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	62feae6886a59aad33ff	f9be9bc2bfa59aad33ff
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Borda	1.4978e+05	4010	spearman__multi__proposal__importance__binned__symmetric__approximation	0.316523	0.002	0.000511	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	c3471e314cac91063afe	6c82b11f0e217d7ec2
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Borda	2.8288e+05	6015	spearman__multi__proposal__importance__binned__symmetric__approximation	0.432355	0.002	0.000203	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	c3471e314cac91063afe	6c82b11f0e217d7ec2

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Borda	3.4901e+05	8020	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.188462	0.002	0.000188	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Borda	4.1081e+05	10025	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.307775	0.002	0.000171	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Borda	4.032e+05	12030	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.306792	0.002	0.000174	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Borda	3.9095e+05	14035	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.318128	0.002	0.000178	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Borda	3.9751e+05	16040	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.344808	0.002	0.000176	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap", "Saliency"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Borda	4.1092e+05	18045	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.370101	0.002	0.000171	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap", "Saliency", "Integrated Gradients"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Borda	4.5308e+05	20050	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.406797	0.002	0.000151	11	False	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap", "Saliency", "Integrated Gradients", "LRP"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Borda	4.5102e+05	22055	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.409139	0.002	0.000152	11	True	True	["Deconvolutional", "Occlusion", "DeepLift", "Shap", "Saliency", "Integrated Gradients", "LRP"]	6c3471e314c	ac91063afe1a038c71946cf82b11f0ee2f7d7ec229438a14b40ce8

Table 293: DermaMNIST-ResNet-18

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.944095206262487,"theta":0.05752826383045076},"refit":true,"statistic":0.3337226108969908}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.960437930017157,"theta":0.040365921436191415},"refit":true,"statistic":0.3870606540007367}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.967428368302677,"theta":0.03311389474919265},"refit":true,"statistic":0.2695098914421051}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9712633315384729,"theta":0.029157651228744957},"refit":true,"statistic":0.30196100544300575}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9708606862228104,"theta":0.029572295523083596},"refit":true,"statistic":0.32387097328023207}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9698530631590534,"theta":0.030610700238482724},"refit":true,"statistic":0.3593951772162413}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9702629993474869,"theta":0.030188110886787422},"refit":true,"statistic":0.3694405921843933}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9709483854695848,"theta":0.029481968159685686},"refit":true,"statistic":0.3696588800535095}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9734095225483979,"theta":0.02695039886055207},"refit":true,"statistic":0.3679419832370711}
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9732137746043164,"theta":0.027151514243304975},"refit":true,"statistic":0.37007313087939603}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0005105107624488762,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.31652332921252385}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00020319151536234235,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.4323553826303283}}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00018761123420685667,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.18846230079434753}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00017079238712220464,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.3077750812769779}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.000173619740272561,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.3067919856964134}}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	{ "B":499,"model__name":"spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__", "p__value":0.002,"parameters":{"approximation":"multi__proposal__importance__binned__symmetric", "bin__count":795,"boundary":false,"calibration__config__digest":"b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669", "converged":true,"ess":3393.3187352208124,"exact":false,"full__support":true,"maximum__calibrated__distance":2509780,"maximum__symmetry__residual":0.9541754783417995,"maximum__unsampled__distance_gap__fraction":0.002012925435695559,"original__maximum__distance":1603644,"pilot__digest":"a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795", "pilot__seed":20260714,"r__hat":0.999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion":"exact__reverse__symmetry","theoretical__maximum__distance":2509780,"theta":0.00017756133280760148,"upper__tail__probability__bound":0.002493330037518726,"validation__bin__ess":1.005307755246587,"validation__distances__digest":"b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd"}, "refit":true,"statistic":0.3181282325265837}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0001755383726495143,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.34480783663447545}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0001707512501471715,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.3701005370109631}

Cell	Dataset	Model	Distance Model	q	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	{ "B":499,"model__name":"spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__", "p__value":0.002,"parameters":{"approximation":"multi__proposal__importance__binned__symmetric", "bin__count":795,"boundary":false,"calibration__config__digest":"b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669", "converged":true,"ess":3393.3187352208124,"exact":false,"full__support":true,"maximum__calibrated__distance":2509780,"maximum__symmetry__residual":0.9541754783417995,"maximum__unsampled__distance_gap__fraction":0.002012925435695559,"original__maximum__distance":1603644,"pilot__digest":"a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795", "pilot__seed":20260714,"r__hat":0.999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion":"exact__reverse__symmetry","theoretical__maximum__distance":2509780,"theta":0.00015136405816499774,"upper__tail__probability__bound":0.002493330037518726,"validation__bin__ess":1.005307755246587,"validation__distances__digest":"b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd"}, "refit":true,"statistic":0.4067974718054558}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00015232405456548637,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.4091394291345025}

Table 294: DermaMNIST-ResNet-18

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	Borda	Quality	max	3	0.313217	[3]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	Borda	Quality	min	2	0.65586	[2]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	Borda	Quality	max	3	0.084788	[3]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	Borda	Quality	min	2	0.294264	[2]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	Borda	Robustness	max	7	-0.221446	[7]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	Borda	Robustness	max	4	0.099751	[4]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	Borda	Robustness	max	7	-0.037406	[7, 11]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	Borda	Robustness	max	4	0.096259	[4]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	Borda	Robustness	max	11	-0.148628	[11]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	Borda	Robustness	max	11	-0.061347	[11]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	Borda	Robustness	max	11	0.026434	[11]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	Borda	Robustness	max	11	0.398504	[11]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	Borda	Robustness	max	11	-0.173566	[11]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	Borda	Robustness	max	2	0.002494	[2]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	Borda	Robustness	max	11	0.006484	[11]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	Borda	Robustness	max	11	0.447382	[11]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	Borda	Robustness	max	4	0.080299	[4]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	Borda	Robustness	max	8	0.03591	[8]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	Borda	Robustness	max	6	0.221446	[6]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	Borda	Robustness	max	11	0.316708	[11]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	Kemeny	Quality	max	5	0.316708	[5]	smallest_q_within__absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	Kemeny	Quality	min	2	0.65586	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	Kemeny	Quality	max	3	0.091272	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	Kemeny	Quality	min	2	0.294264	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	Kemeny	Robustness	max	9	-0.226933	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	max	5	0.081796	[5]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	Kemeny	Robustness	max	8	-0.039401	[8]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	max	5	0.083292	[5]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	Kemeny	Robustness	max	11	-0.155611	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	Kemeny	Robustness	max	11	-0.052868	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	Kemeny	Robustness	max	9	0.022943	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	Kemeny	Robustness	max	9	0.416459	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	Kemeny	Robustness	max	11	-0.182045	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	Kemeny	Robustness	max	2	0.002494	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	Kemeny	Robustness	max	9	0.002494	[9, 11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	Kemeny	Robustness	max	9	0.457855	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	Kemeny	Robustness	max	4	0.069825	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	Kemeny	Robustness	max	11	0.038903	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	Kemeny	Robustness	max	4	0.212469	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	Kemeny	Robustness	max	8	0.334165	[8]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	RRF	Quality	max	2	0.315711	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	RRF	Quality	min	3	0.660349	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	RRF	Quality	max	2	0.093766	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	RRF	Quality	min	3	0.309726	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	RRF	Robustness	max	4	-0.221446	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	RRF	Robustness	max	11	0.078803	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	RRF	Robustness	max	11	-0.041397	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	RRF	Robustness	max	4	0.080299	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	RRF	Robustness	max	11	-0.155611	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	RRF	Robustness	max	11	-0.062843	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	RRF	Robustness	max	11	0.021945	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	RRF	Robustness	max	11	0.403491	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	RRF	Robustness	max	11	-0.181047	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	RRF	Robustness	max	2	0.012968	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	RRF	Robustness	max	11	0.001496	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	RRF	Robustness	max	11	0.446384	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	RRF	Robustness	max	4	0.075312	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	RRF	Robustness	max	11	0.039401	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	RRF	Robustness	max	4	0.213965	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	RRF	Robustness	max	11	0.329676	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	Schulze	Quality	max	3	0.312718	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	Schulze	Quality	min	2	0.65586	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	Schulze	Quality	max	3	0.083292	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	Schulze	Quality	min	2	0.294264	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	Schulze	Robustness	max	11	-0.218953	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	Schulze	Robustness	max	4	0.090274	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	Schulze	Robustness	max	8	-0.041397	[8]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	Schulze	Robustness	max	6	0.087781	[6]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	Schulze	Robustness	max	11	-0.149626	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	Schulze	Robustness	max	9	-0.054364	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	Schulze	Robustness	max	9	0.024938	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	Schulze	Robustness	max	11	0.408978	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	Schulze	Robustness	max	11	-0.177057	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	Schulze	Robustness	max	2	0.002494	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	Schulze	Robustness	max	9	0.001995	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	Schulze	Robustness	max	11	0.462344	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	Schulze	Robustness	max	4	0.07182	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	Schulze	Robustness	max	9	0.037905	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	Schulze	Robustness	max	6	0.214464	[6]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	Schulze	Robustness	max	11	0.318703	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	Simple Averaging	Quality	max	2	0.314214	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	Simple Averaging	Quality	min	2	0.657855	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	Simple Averaging	Quality	max	2	0.079302	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	Simple Averaging	Quality	min	2	0.296758	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	Simple Averaging	Robustness	max	4	-0.205486	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	max	4	0.115711	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	Simple Averaging	Robustness	max	4	-0.040898	[4,11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	max	11	0.129676	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	Simple Averaging	Robustness	max	4	-0.146633	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	Simple Averaging	Robustness	max	11	-0.110723	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	Simple Averaging	Robustness	max	4	0.021945	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	Simple Averaging	Robustness	max	2	0.399002	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	Simple Averaging	Robustness	max	4	-0.173566	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	max	2	-0.03192	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	Simple Averaging	Robustness	max	4	0	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	max	2	0.401496	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	Simple Averaging	Robustness	max	4	0.113716	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	Simple Averaging	Robustness	max	2	-0.000499	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	Simple Averaging	Robustness	max	4	0.237406	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	Simple Averaging	Robustness	max	2	0.303242	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]

Table 295: DermaMNIST-ResNet-18

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Simple Averaging	False	["Deconvolution", "prop"]	0.076808	0.123691	0.314214	0.657855	0.076808	-0.102244	0.123691	0.774065	0.055362	-0.104738	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Borda	False	["Deconvolution", "prop"]	0.080798	0.123192	0.303741	0.65586	0.076808	-0.038404	0.123192	0.731172	0.056858	-0.063342	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	RRF	False	["Deconvolution", "prop"]	0.093766	0.112219	0.315711	0.665835	0.078304	-0.010973	0.119202	0.74414	0.05586	-0.050374	0.092269
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Kemeny	False	["Deconvolution", "prop"]	0.080798	0.123192	0.303741	0.65586	0.076808	-0.038404	0.123192	0.731172	0.056858	-0.063342	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Schulze	False	["Deconvolution", "prop"]	0.080798	0.123192	0.303741	0.65586	0.076808	-0.038404	0.123192	0.731172	0.056858	-0.063342	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Simple Averaging	False	["Deconvolution", "prop", "Occlusion"]	0.066825	0.138404	0.288279	0.731757	0.0798	0.064838	0.1202	0.878304	0.057855	0.044888	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Borda	False	["Deconvolution", "prop", "Occlusion"]	0.081297	0.131217	0.313217	0.669825	0.081297	-0.006484	0.122693	0.772569	0.056858	-0.04389	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	RRF	False	["Deconvolution", "prop", "Occlusion"]	0.078065	0.1309726	0.304239	0.660349	0.080299	0.014963	0.121197	0.754115	0.056359	-0.033915	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Kemeny	False	["Deconvolution", "prop", "Occlusion"]	0.081297	0.131217	0.314214	0.669825	0.080299	0.013965	0.121696	0.756608	0.056858	-0.038903	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Schulze	False	["Deconvolution", "prop", "Occlusion"]	0.081297	0.131217	0.312718	0.667332	0.081297	-0.00798	0.122693	0.770574	0.056858	-0.044389	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Simple Averaging	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation"]	0.058536	0.1385536	0.266833	0.739152	0.0798	0.058354	0.1202	0.883791	0.057855	0.038903	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Borda	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation"]	0.066825	0.1342643	0.291771	0.697756	0.080299	0.02793	0.119701	0.812968	0.057855	-0.028429	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	RRF	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation"]	0.066825	0.1328678	0.294264	0.672818	0.080798	0.026434	0.118703	0.787531	0.057855	-0.012469	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Kemeny	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation"]	0.076808	0.1327182	0.304738	0.674314	0.0798	0.020948	0.118703	0.806484	0.057357	-0.024439	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Schulze	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation"]	0.076808	0.1326683	0.302244	0.683292	0.080798	0.024439	0.121696	0.809476	0.057855	-0.020449	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Simple Averaging	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap"]	0.066825	0.1380549	0.278803	0.736658	0.0798	0.058853	0.120698	0.879302	0.056858	0.030424	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Borda	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap"]	0.066825	0.1325686	0.308229	0.686284	0.0798	0.003491	0.119202	0.798005	0.057855	-0.030424	0.092269
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	RRF	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap"]	0.076808	0.1327182	0.313217	0.6798	0.080798	0.018454	0.119701	0.78005	0.057357	-0.044888	0.094763
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Kemeny	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap"]	0.076808	0.1319701	0.316708	0.678304	0.079302	0.013466	0.119202	0.78803	0.056858	-0.044888	0.095262
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Schulze	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap"]	0.076808	0.1323691	0.303242	0.681297	0.080299	0.015461	0.119202	0.787032	0.057855	-0.046384	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Simple Averaging	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap", "DeepLift"]	0.066825	0.1376559	0.282294	0.729676	0.080299	0.046883	0.1202	0.868828	0.056858	0.02394	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Borda	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap", "DeepLift"]	0.054364	0.1315711	0.291771	0.683791	0.080299	-0.018953	0.119701	0.771571	0.057855	-0.064838	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	RRF	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap", "DeepLift"]	0.067811	0.1316708	0.302244	0.679302	0.0798	-0.022444	0.1202	0.765586	0.057855	-0.06783	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Kemeny	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap", "DeepLift"]	0.076808	0.1318703	0.307731	0.687781	0.078803	-0.024439	0.119202	0.771571	0.057357	-0.085786	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Schulze	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap", "DeepLift"]	0.066825	0.1322195	0.302244	0.688778	0.079302	-0.025935	0.119202	0.777556	0.058354	-0.071322	0.092269
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Simple Averaging	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap", "DeepLift", "GradientShap"]	0.067811	0.1374065	0.284788	0.72818	0.080798	0.041397	0.120698	0.869327	0.056858	0.01995	0.092269
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Borda	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap", "DeepLift", "GradientShap"]	0.055861	0.1332668	0.287781	0.700249	0.078803	-0.034414	0.118703	0.76808	0.058354	-0.087781	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	RRF	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap", "DeepLift", "GradientShap"]	0.076808	0.1321197	0.305736	0.693766	0.0798	-0.03192	0.119701	0.767082	0.057357	-0.077307	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Kemeny	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap", "DeepLift", "GradientShap"]	0.080798	0.1323192	0.301247	0.693766	0.078304	-0.05985	0.119701	0.7601	0.057855	-0.109726	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Schulze	False	["Deconvolution", "prop", "Occlusion", "FeatureAbliation", "DeepLiftShap", "DeepLift", "GradientShap"]	0.066825	0.1328678	0.293766	0.694763	0.078304	-0.037406	0.120698	0.755112	0.058853	-0.104738	0.094264

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{toxin}	C_{clean}	C_{toxin}	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Simple Averaging	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]	0.063321	0.06371571	0.287282	0.726185	0.080299	0.040898	0.119701	0.85586	0.058354	0.017955	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Borda	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]	0.053354	0.06322693	0.291272	0.693766	0.078304	-0.051372	0.119202	0.774564	0.058354	-0.084788	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	RRF	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]	0.058853	0.06319701	0.287282	0.682793	0.079302	-0.066334	0.121197	0.753616	0.057357	-0.102244	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Kemeny	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]	0.055561	0.06325686	0.292768	0.692768	0.078304	-0.076309	0.118204	0.76409	0.056858	-0.106234	0.090274
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Schulze	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]	0.056359	0.06311721	0.289776	0.685287	0.078304	-0.060349	0.119701	0.773067	0.057357	-0.094763	0.091771
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Simple Averaging	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]	0.063344	0.06375561	0.285287	0.728678	0.0798	0.039401	0.119701	0.845885	0.057855	0.010474	0.094763
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Borda	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]	0.063344	0.06334165	0.281796	0.703242	0.076309	-0.05985	0.1202	0.777057	0.058354	-0.083292	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	RRF	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]	0.063344	0.0633217	0.290274	0.702244	0.077307	-0.063342	0.117207	0.769576	0.056359	-0.102743	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Kemeny	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]	0.053367	0.06334663	0.276309	0.704239	0.076309	-0.081796	0.117207	0.774564	0.05586	-0.123192	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Schulze	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]	0.053367	0.06334663	0.2798	0.706733	0.078304	-0.073815	0.119202	0.761097	0.055362	-0.102244	0.092768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Simple Averaging	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]	0.065827	0.06377057	0.283791	0.731172	0.0798	0.036908	0.119701	0.843392	0.057855	0.01197	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Borda	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]	0.065841	0.06337656	0.278803	0.712219	0.078304	-0.050374	0.119202	0.777057	0.056858	-0.101247	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	RRF	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]	0.065841	0.06329676	0.283791	0.696758	0.077805	-0.067332	0.117706	0.769576	0.058354	-0.085786	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Kemeny	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]	0.064320	0.06325686	0.287781	0.698753	0.07581	-0.078803	0.118204	0.767581	0.057357	-0.115711	0.096259
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Schulze	False	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]	0.062843	0.06334015	0.276808	0.705736	0.078803	-0.060349	0.118703	0.763591	0.054863	-0.110224	0.095761
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Simple Averaging	True	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.050352	0.06338005	0.281297	0.73217	0.078304	0.027431	0.116708	0.842893	0.058354	0.008978	0.094264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Borda	True	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.054371	0.06357107	0.267332	0.722693	0.077805	-0.041397	0.118703	0.78404	0.057855	-0.090274	0.093766
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	RRF	True	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.054363	0.06354115	0.275312	0.717207	0.076808	-0.049377	0.119701	0.78005	0.056359	-0.092269	0.094264

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	$\bar{F}$ Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Kemeny	True	["Deconvolution", "prop", "Occlusion", "Feature Ablation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.653675	0.48628	0.275312	0.718204	0.07581	-0.066334	0.119701	0.771072	0.05586	-0.095262	0.093267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Schulze	True	["Deconvolution", "prop", "Occlusion", "Feature Ablation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.653675	0.48628	0.269825	0.717706	0.078304	-0.057357	0.1202	0.779551	0.055362	-0.110723	0.092768

Table 296: DermaMNIST-ResNet-18

Cell	Dataset	Model	Q	C Perturbed Salt-pep per-0.05	F Perturbed Speckle- 0.15	F Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	F Perturbed Adversar ial-sara -2-255	F Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	R_F Gaussian-0.05	R_F Gaussian-0.05	R_C Gaussian-0.05	R_C Gaussian-0.05	R_F Salt-pepper-0.05
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.689776	0.25187	-0.006484	0.351122	0.658354	0.017456	0.248379	0.068828	0.590025	-0.002494	0.399002	-0.190524	-0.116209	-0.02394
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.653367	0.244888	0.050374	0.345137	0.658853	0.012968	0.258853	0.060848	0.606983	-0.00399	0.332668	-0.180549	-0.075312	-0.02394
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.652868	0.262843	0.097756	0.365087	0.667332	0.018953	0.271322	0.067783	0.617955	-0.015461	0.323192	-0.196509	-0.078304	-0.037905
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.653367	0.244888	0.050374	0.345137	0.658853	0.012968	0.258853	0.060848	0.606983	-0.00399	0.332668	-0.180549	-0.075312	-0.02394
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.653367	0.244888	0.050374	0.345137	0.658853	0.012968	0.258853	0.060848	0.606983	-0.00399	0.332668	-0.180549	-0.075312	-0.02394
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.862344	0.299751	0.188529	0.387531	0.775062	0.022444	0.272818	0.067332	0.630424	0.010474	0.319202	-0.16808	-0.141147	-0.011471
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.723192	0.287282	0.092768	0.374065	0.693267	0.022943	0.251372	0.078304	0.604988	-0.003491	0.316209	-0.190524	-0.102743	-0.02793
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.699252	0.284289	0.106234	0.373566	0.695262	0.019451	0.26384	0.073317	0.606484	0.002494	0.294763	-0.183042	-0.087766	-0.021446
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.703741	0.280798	0.118703	0.370075	0.695262	0.016958	0.271322	0.073319	0.617456	-0.010973	0.300249	-0.192519	-0.086783	-0.034414
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.721696	0.286783	0.092768	0.374564	0.693267	0.022444	0.249875	0.078304	0.604489	-0.001995	0.315711	-0.190025	-0.103242	-0.026434
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.877307	0.295262	0.170075	0.380549	0.794514	0.016958	0.261845	0.061347	0.623441	0.021945	0.327182	-0.146633	-0.144638	0
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.785536	0.284289	0.098753	0.37207	0.714713	0.017456	0.246384	0.069327	0.598005	0.014963	0.314713	-0.17207	-0.115212	-0.007481
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.749127	0.280798	0.098254	0.369576	0.699751	0.021446	0.248379	0.072818	0.601995	0.013965	0.302244	-0.175561	-0.114713	-0.008978
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.747631	0.289277	0.118703	0.374564	0.705736	0.022444	0.253367	0.074813	0.597506	0.002993	0.306234	-0.186035	-0.13217	-0.019451
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.764589	0.285287	0.097756	0.374065	0.706234	0.021945	0.242394	0.070823	0.593017	0.004489	0.302244	-0.180549	-0.126185	-0.018454
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.876309	0.294264	0.165586	0.380549	0.784539	0.018454	0.260848	0.062344	0.626434	0.011471	0.321696	-0.158105	-0.142643	-0.011471
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.75611	0.284788	0.075312	0.373067	0.702244	0.021446	0.248379	0.070324	0.616958	0.013466	0.322195	-0.189027	-0.111721	-0.008479
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.727681	0.284788	0.085287	0.371072	0.692768	0.01995	0.255362	0.072818	0.611471	0.001995	0.308728	-0.193516	-0.100249	-0.021446
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.727681	0.279302	0.080299	0.370574	0.693267	0.017955	0.236409	0.06783	0.596509	0.000499	0.306234	-0.197506	-0.109726	-0.021945
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.744638	0.278803	0.084289	0.366584	0.702244	0.020948	0.248379	0.070324	0.605985	0.008978	0.308229	-0.18404	-0.105736	-0.013466
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.866833	0.293766	0.157107	0.380549	0.776559	0.01995	0.261845	0.06783	0.631421	0.013466	0.329676	-0.162095	-0.139152	-0.009975
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.725686	0.27581	0.054364	0.365586	0.684289	0.014963	0.233915	0.064339	0.610973	0.025935	0.334663	-0.17207	-0.087781	0.003491
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.722195	0.272818	0.04788	0.364589	0.676808	0.019451	0.244888	0.07182	0.61197	0.01197	0.339152	-0.182045	-0.086284	-0.009975
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.721696	0.279302	0.040898	0.36808	0.678304	0.019451	0.246883	0.070823	0.624439	0.003491	0.343142	-0.188529	-0.083791	-0.017955
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.726683	0.27581	0.05586	0.362594	0.685287	0.013466	0.234414	0.065835	0.610474	0.017955	0.34813	-0.183042	-0.088778	-0.002993
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.856359	0.292768	0.14015	0.379551	0.763092	0.017955	0.258354	0.066334	0.634414	0.012968	0.332668	-0.16409	-0.141147	-0.010973
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.738155	0.266334	0.046883	0.359102	0.676808	0.018454	0.24389	0.066334	0.614963	0.022943	0.367082	-0.169077	-0.06783	0.002494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.716209	0.274314	0.024938	0.363591	0.663342	0.016958	0.245387	0.064838	0.615461	0.003491	0.353117	-0.186035	-0.073317	-0.018953
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.729177	0.262344	0.022943	0.351122	0.675312	0.015461	0.249377	0.064838	0.61596	0.015461	0.383042	-0.181546	-0.066334	-0.004988
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.727681	0.262843	0.021446	0.358603	0.676309	0.015461	0.25187	0.062344	0.621446	0.012469	0.366085	-0.173067	-0.060349	-0.006983
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.843392	0.293267	0.137157	0.378554	0.746135	0.018953	0.25187	0.068828	0.624938	0.01197	0.330673	-0.167581	-0.129676	-0.009975
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.713716	0.262344	0.010973	0.354115	0.657855	0.013466	0.258354	0.057357	0.626434	0.01995	0.374065	-0.17207	-0.080798	0
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.702743	0.269327	0.01197	0.3601	0.656359	0.014963	0.250374	0.063342	0.610973	0.020449	0.386035	-0.166085	-0.070823	-0.001496
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.697756	0.25586	-0.008479	0.345636	0.66384	0.016459	0.258853	0.058354	0.621446	0.022444	0.401995	-0.174564	-0.071322	0.000998
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.705376	0.261347	0.01197	0.357107	0.666833	0.014963	0.25586	0.056858	0.624938	0.021945	0.37207	-0.170075	-0.087781	0.000998
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.843392	0.288778	0.12818	0.375062	0.733167	0.016958	0.259352	0.066334	0.626933	0.013466	0.33616	-0.165586	-0.117207	-0.008479
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.733666	0.25586	0.034913	0.349626	0.672818	0.013466	0.267332	0.048878	0.635411	0.01596	0.394015	-0.161596	-0.073815	-0.001995
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.718204	0.251372	0.027431	0.341147	0.672319	0.016958	0.269327	0.054863	0.630424	0.013965	0.395511	-0.173067	-0.067332	-0.006983
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.722195	0.242394	0.022444	0.331172	0.670823	0.010474	0.268329	0.049377	0.62793	0.022943	0.416459	-0.159102	-0.070324	0.002494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.712219	0.250374	0.026434	0.338653	0.668828	0.009975	0.258354	0.048878	0.626434	0.024938	0.408479	-0.160599	-0.054364	0.001995
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.836908	0.287781	0.125686	0.374564	0.733167	0.016958	0.255362	0.067332	0.624439	0.013965	0.34015	-0.16409	-0.112219	-0.00798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.736658	0.253865	0.042893	0.346135	0.680798	0.016958	0.256858	0.05187	0.624439	0.014464	0.38803	-0.159601	-0.064838	-0.006983
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.718204	0.249377	0.022943	0.341147	0.668828	0.016958	0.263342	0.05586	0.624938	0.013965	0.397007	-0.166085	-0.072818	-0.005486
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.700249	0.239401	0.024439	0.338653	0.663342	0.013965	0.261845	0.053367	0.629925	0.011471	0.404489	-0.169576	-0.068828	-0.006983
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.7202	0.251372	0.029925	0.336658	0.668329	0.014963	0.262344	0.052369	0.622444	0.01596	0.400499	-0.158105	-0.057855	-0.00798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.828429	0.290773	0.128678	0.37606	0.737157	0.018454	0.250374	0.063342	0.621945	0.018953	0.352618	-0.164589	-0.110723	-0.000998
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.736658	0.252369	0.040399	0.345137	0.687781	0.013965	0.290274	0.042394	0.645885	0.026434	0.398504	-0.148628	-0.061347	0.006484
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.73217	0.241895	0.024439	0.334663	0.677805	0.013466	0.284289	0.048379	0.638404	0.021945	0.403491	-0.155611	-0.062843	0.001496
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.723691	0.241895	0.040898	0.333167	0.679302	0.010474	0.284289	0.045885	0.640399	0.022444	0.414963	-0.155611	-0.052868	0.002494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.729676	0.240399	0.032918	0.33217	0.684788	0.012469	0.282793	0.050873	0.637905	0.02394	0.408978	-0.149626	-0.061845	0.000998

Table 297: DermaMNIST-ResNet-18

Cell	Dataset	Model	q	R_F Salt-pepper	R_C Salt-pepper	R_G Salt-pepper	R_F Speckle-0	R_C Speckle-0	R_G Speckle-0	R_F Speckle-0	R_C Speckle-0	R_G Speckle-0	R_F Diversaria	R_C Diversaria	R_G Diversaria	R_F Adversarial	R_C Adversarial	R_G Adversarial
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.401496	-0.21995	-0.03192	0.172569	0.303242	0.036908	-0.000499	-0.061845	0.048379	-0.245387	0.06783				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.357606	-0.209476	0.002494	0.16409	0.24389	0.041397	-0.002993	-0.06783	0.035411	-0.242893	0.048878				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.362594	-0.223441	0.012968	0.169077	0.214464	0.049377	-0.001496	-0.074813	0.040898	-0.24788	0.04788				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.357606	-0.209476	0.002494	0.16409	0.24389	0.041397	-0.002993	-0.06783	0.035411	-0.242893	0.048878				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	0.357606	-0.209476	0.002494	0.16409	0.24389	0.041397	-0.002993	-0.06783	0.035411	-0.242893	0.048878				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.339152	-0.195511	-0.125187	0.230424	0.195511	0.099252	-0.037905	-0.046883	0.111222	-0.220948	0.106733				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.353616	-0.218953	-0.053367	0.202494	0.216958	0.060848	-0.023441	-0.061845	0.058354	-0.234913	0.064838				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.343641	-0.209975	-0.038903	0.206484	0.203491	0.069327	-0.034913	-0.058354	0.045885	-0.230923	0.053865				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.353117	-0.220449	-0.033915	0.189526	0.195511	0.05586	-0.025436	-0.074314	0.042893	-0.241895	0.052369				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	0.35212	-0.218454	-0.054364	0.203491	0.214963	0.061845	-0.025935	-0.060848	0.057855	-0.234414	0.062843				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.346633	-0.173566	-0.138155	0.237406	0.215461	0.113716	-0.055362	-0.040898	0.123691	-0.205486	0.115711				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.371072	-0.198504	-0.087781	0.218953	0.24389	0.080299	-0.016958	-0.04788	0.096259	-0.222444	0.099751				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.341147	-0.201496	-0.076309	0.213965	0.230424	0.075312	-0.026933	-0.045387	0.080299	-0.221446	0.070823				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.351621	-0.210973	-0.073317	0.212469	0.208479	0.069825	-0.031421	-0.054364	0.073815	-0.229925	0.076808				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	0.347132	-0.209476	-0.081297	0.208978	0.228928	0.07182	-0.022943	-0.054364	0.084289	-0.231421	0.090274				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.350125	-0.186035	-0.139651	0.225935	0.214963	0.101746	-0.04788	-0.049875	0.119701	-0.216459	0.110224				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.35611	-0.21596	-0.069825	0.218454	0.250374	0.064838	-0.01596	-0.044888	0.077307	-0.237905	0.069327				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.37207	-0.218454	-0.04788	0.205985	0.241895	0.057855	-0.012968	-0.058853	0.07182	-0.240399	0.068329				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.364589	-0.221446	-0.049377	0.200499	0.239401	0.053865	-0.014963	-0.060848	0.083292	-0.248878	0.081796				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	0.370075	-0.209975	-0.063342	0.207481	0.239401	0.063342	-0.020948	-0.050374	0.075312	-0.232918	0.075312				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.352618	-0.189526	-0.137157	0.226933	0.219451	0.098254	-0.046883	-0.046883	0.114713	-0.214464	0.098254				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.380549	-0.199002	-0.041895	0.221446	0.261347	0.073815	-0.000499	-0.039401	0.081796	-0.227431	0.072818				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.384539	-0.209476	-0.042893	0.204988	0.268828	0.062344	0.002494	-0.048379	0.07182	-0.230424	0.067332				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.404489	-0.213466	-0.033915	0.20399	0.277805	0.060349	0.009476	-0.05586	0.07182	-0.236908	0.063342				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	0.393516	-0.209975	-0.037905	0.214464	0.266334	0.060349	0.003491	-0.04788	0.087781	-0.236409	0.078304				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.354115	-0.192519	-0.12818	0.224938	0.233915	0.094763	-0.034913	-0.049875	0.115711	-0.218454	0.093766				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.420449	-0.195012	-0.037905	0.210474	0.285786	0.071322	0.023441	-0.037406	0.088778	-0.221446	0.085287				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.398504	-0.212968	-0.022444	0.198005	0.296259	0.057855	0.030424	-0.059352	0.07581	-0.240898	0.078304				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.432918	-0.208479	-0.035411	0.199501	0.300249	0.049875	0.018454	-0.047382	0.073815	-0.236409	0.077805				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	0.433416	-0.199501	-0.032918	0.197007	0.307232	0.064838	0.018454	-0.050374	0.076808	-0.231421	0.073317				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.353616	-0.194015	-0.117207	0.224938	0.234414	0.091272	-0.01995	-0.049377	0.119701	-0.218454	0.101247				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.407481	-0.197007	-0.01995	0.20399	0.311721	0.062843	0.03591	-0.044888	0.064339	-0.233915	0.067332				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.421945	-0.193017	-0.01995	0.210474	0.307731	0.072818	0.026434	-0.04389	0.069327	-0.22394	0.07182				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.431192	-0.202494	-0.004988	0.2	0.334165	0.052868	0.028928	-0.039401	0.066833	-0.234414	0.071322				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	0.406484	-0.198005	-0.020449	0.204988	0.299751	0.067332	0.018454	-0.041397	0.05586	-0.232918	0.060349				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.365087	-0.190524	-0.114713	0.222444	0.247382	0.089776	-0.004489	-0.049377	0.116209	-0.218953	0.101746				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.417456	-0.18803	-0.030424	0.195511	0.299252	0.06783	0.030424	-0.046883	0.066833	-0.232918	0.06783				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.434913	-0.19601	-0.01596	0.18803	0.304738	0.050873	0.029925	-0.046384	0.062843	-0.235411	0.07182				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.457855	-0.183042	-0.017955	0.189027	0.312219	0.054863	0.033416	-0.042893	0.066334	-0.226933	0.076309				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0.436908	-0.187032	-0.005486	0.197007	0.308229	0.058853	0.037905	-0.043392	0.076309	-0.230923	0.080299				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.365087	-0.190025	-0.105736	0.221945	0.251372	0.090773	-0.001995	-0.048878	0.121696	-0.216459	0.106733				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.438903	-0.185536	-0.024439	0.190025	0.294763	0.067332	0.031421	-0.046883	0.080798	-0.226933	0.087781				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.415461	-0.190524	-0.021446	0.185536	0.306733	0.057357	0.02793	-0.046883	0.066334	-0.22793	0.07182				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.441397	-0.191521	-0.001496	0.175062	0.301247	0.050873	0.035411	-0.050374	0.06384	-0.234414	0.068828				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	0.450374	-0.181047	-0.014464	0.188529	0.310224	0.05985	0.037406	-0.04788	0.077805	-0.224439	0.083292				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.371072	-0.187032	-0.096259	0.231421	0.251372	0.094763	-0.004988	-0.040898	0.129676	-0.217955	0.110224				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.447382	-0.173566	-0.013965	0.200998	0.316708	0.077805	0.034913	-0.037406	0.066833	-0.224938	0.076808				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.446384	-0.181047	-0.014963	0.187032	0.329676	0.059352	0.039401	-0.041397	0.069825	-0.226933	0.078803				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.44389	-0.182045	-0.005486	0.188529	0.307731	0.057855	0.038903	-0.042893	0.064339	-0.229426	0.077803				
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	0.462344	-0.177057	-0.01197	0.186035	0.318703	0.062344	0.032918	-0.041895	0.068828	-0.218953	0.0798				

5-sara-2-255

Table 298: DermaMNIST-ResNet-18

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	Borda	Quality	0.303741	max	0.303741	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	Borda	Quality	0.313217	max	0.313217	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	Borda	Quality	0.291771	max	0.291771	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	Borda	Quality	0.308229	max	0.308229	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	Borda	Quality	0.291771	max	0.291771	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	C	Borda	Quality	0.287781	max	0.287781	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	C	Borda	Quality	0.291272	max	0.291272	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	C	Borda	Quality	0.281796	max	0.281796	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	C	Borda	Quality	0.278803	max	0.278803	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	C	Borda	Quality	0.267332	max	0.267332	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	Kemeny	Quality	0.303741	max	0.303741	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	Kemeny	Quality	0.314214	max	0.314214	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	Kemeny	Quality	0.304738	max	0.304738	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	Kemeny	Quality	0.316708	max	0.316708	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	Kemeny	Quality	0.307731	max	0.307731	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	C	Kemeny	Quality	0.301247	max	0.301247	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	C	Kemeny	Quality	0.292768	max	0.292768	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	C	Kemeny	Quality	0.276309	max	0.276309	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	C	Kemeny	Quality	0.287781	max	0.287781	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	C	Kemeny	Quality	0.275312	max	0.275312	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	RRF	Quality	0.315711	max	0.315711	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	RRF	Quality	0.304239	max	0.304239	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	RRF	Quality	0.294264	max	0.294264	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	RRF	Quality	0.313217	max	0.313217	kendall_ mallows_ exact_ distance	0.301961	-	0.301961	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	RRF	Quality	0.302244	max	0.302244	kendall_ mallows_ exact_ distance	0.323871	-	0.323871	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	C	RRF	Quality	0.305736	max	0.305736	kendall_ mallows_ exact_ distance	0.359395	-	0.359395	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	C	RRF	Quality	0.287282	max	0.287282	kendall_ mallows_ exact_ distance	0.369441	-	0.369441	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	C	RRF	Quality	0.290274	max	0.290274	kendall_ mallows_ exact_ distance	0.369659	-	0.369659	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	C	RRF	Quality	0.283791	max	0.283791	kendall_ mallows_ exact_ distance	0.367942	-	0.367942	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	C	RRF	Quality	0.275312	max	0.275312	kendall_ mallows_ exact_ distance	0.370073	-	0.370073	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	Schulze	Quality	0.303741	max	0.303741	kendall_ mallows_ exact_ distance	0.333723	-	0.333723	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	Schulze	Quality	0.312718	max	0.312718	kendall_ mallows_ exact_ distance	0.387061	-	0.387061	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	Schulze	Quality	0.302244	max	0.302244	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	Schulze	Quality	0.303242	max	0.303242	kendall_ mallows_ exact_ distance	0.301961	-	0.301961	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	Schulze	Quality	0.302244	max	0.302244	kendall_ mallows_ exact_ distance	0.323871	-	0.323871	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	C	Schulze	Quality	0.293766	max	0.293766	kendall_ mallows_ exact_ distance	0.359395	-	0.359395	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	C	Schulze	Quality	0.289776	max	0.289776	kendall_ mallows_ exact_ distance	0.369441	-	0.369441	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	C	Schulze	Quality	0.2798	max	0.2798	kendall_ mallows_ exact_ distance	0.369659	-	0.369659	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	C	Schulze	Quality	0.276808	max	0.276808	kendall_ mallows_ exact_ distance	0.367942	-	0.367942	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	C	Schulze	Quality	0.269825	max	0.269825	kendall_ mallows_ exact_ distance	0.370073	-	0.370073	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	Simple Averaging	Quality	0.314214	max	0.314214	kendall_ mallows_ exact_ distance	0.333723	-	0.333723	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	Simple Averaging	Quality	0.288279	max	0.288279	kendall_ mallows_ exact_ distance	0.387061	-	0.387061	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	Simple Averaging	Quality	0.266833	max	0.266833	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	Simple Averaging	Quality	0.278803	max	0.278803	kendall_ mallows_ exact_ distance	0.301961	-	0.301961	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	Simple Averaging	Quality	0.282294	max	0.282294	kendall_ mallows_ exact_ distance	0.323871	-	0.323871	4689.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	C	Simple Averaging	Quality	0.284788	max	0.284788	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	C	Simple Averaging	Quality	0.287282	max	0.287282	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	C	Simple Averaging	Quality	0.285287	max	0.285287	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	C	Simple Averaging	Quality	0.283791	max	0.283791	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	C	Simple Averaging	Quality	0.281297	max	0.281297	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Cbar	Borda	Quality	0.65586	min	-0.65586	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Cbar	Borda	Quality	0.669825	min	-	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Cbar	Borda	Quality	0.697756	min	-	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Cbar	Borda	Quality	0.686284	min	-	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Cbar	Borda	Quality	0.683791	min	-	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Cbar	Borda	Quality	0.700249	min	-	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Cbar	Borda	Quality	0.693766	min	-	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Cbar	Borda	Quality	0.703242	min	-	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Cbar	Borda	Quality	0.712219	min	-	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Cbar	Borda	Quality	0.722693	min	-	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Cbar	Kemeny	Quality	0.65586	min	-0.65586	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Cbar	Kemeny	Quality	0.669825	min	-	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Cbar	Kemeny	Quality	0.674314	min	-	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Cbar	Kemeny	Quality	0.678304	min	-	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Cbar	Kemeny	Quality	0.687781	min	-	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Cbar	Kemeny	Quality	0.693766	min	-	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Cbar	Kemeny	Quality	0.692768	min	-	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Cbar	Kemeny	Quality	0.704239	min	-	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Cbar	Kemeny	Quality	0.698753	min	-0.698753	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Cbar	Kemeny	Quality	0.718204	min	-0.718204	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Cbar	RRF	Quality	0.665835	min	-0.665835	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Cbar	RRF	Quality	0.660349	min	-0.660349	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Cbar	RRF	Quality	0.672818	min	-0.672818	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Cbar	RRF	Quality	0.6798	min	-0.6798	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Cbar	RRF	Quality	0.679302	min	-0.679302	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Cbar	RRF	Quality	0.693766	min	-0.693766	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Cbar	RRF	Quality	0.682793	min	-0.682793	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Cbar	RRF	Quality	0.702244	min	-0.702244	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Cbar	RRF	Quality	0.696758	min	-0.696758	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Cbar	RRF	Quality	0.717207	min	-0.717207	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Cbar	Schulze	Quality	0.65586	min	-0.65586	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Cbar	Schulze	Quality	0.667332	min	-0.667332	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Cbar	Schulze	Quality	0.683292	min	-0.683292	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Cbar	Schulze	Quality	0.681297	min	-0.681297	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Cbar	Schulze	Quality	0.688778	min	-0.688778	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Cbar	Schulze	Quality	0.694763	min	-0.694763	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Cbar	Schulze	Quality	0.685287	min	-0.685287	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Cbar	Schulze	Quality	0.706733	min	-0.706733	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Cbar	Schulze	Quality	0.705736	min	-0.705736	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Cbar	Schulze	Quality	0.717706	min	-0.717706	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Cbar	Simple Averaging	Quality	0.657855	min	-0.657855	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Cbar	Simple Averaging	Quality	0.737157	min	- 0.737157	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Cbar	Simple Averaging	Quality	0.739152	min	- 0.739152	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Cbar	Simple Averaging	Quality	0.736658	min	- 0.736658	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Cbar	Simple Averaging	Quality	0.729676	min	- 0.729676	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Cbar	Simple Averaging	Quality	0.72818	min	-0.72818	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Cbar	Simple Averaging	Quality	0.726185	min	- 0.726185	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Cbar	Simple Averaging	Quality	0.728678	min	- 0.728678	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Cbar	Simple Averaging	Quality	0.731172	min	- 0.731172	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Cbar	Simple Averaging	Quality	0.73217	min	-0.73217	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	F	Borda	Quality	0.080798	max	0.080798	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	F	Borda	Quality	0.084788	max	0.084788	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	F	Borda	Quality	0.065337	max	0.065337	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	F	Borda	Quality	0.066334	max	0.066334	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	F	Borda	Quality	0.054364	max	0.054364	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	F	Borda	Quality	0.05586	max	0.05586	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	F	Borda	Quality	0.058354	max	0.058354	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	F	Borda	Quality	0.060349	max	0.060349	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	F	Borda	Quality	0.06384	max	0.06384	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	F	Borda	Quality	0.051372	max	0.051372	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	F	Kemeny	Quality	0.080798	max	0.080798	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	F	Kemeny	Quality	0.091272	max	0.091272	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	F	Kemeny	Quality	0.076808	max	0.076808	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	F	Kemeny	Quality	0.078803	max	0.078803	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	F	Kemeny	Quality	0.075312	max	0.075312	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	F	Kemeny	Quality	0.062843	max	0.062843	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	F	Kemeny	Quality	0.05586	max	0.05586	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	F	Kemeny	Quality	0.053367	max	0.053367	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	F	Kemeny	Quality	0.064339	max	0.064339	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	F	Kemeny	Quality	0.053367	max	0.053367	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	F	RRF	Quality	0.093766	max	0.093766	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	F	RRF	Quality	0.077805	max	0.077805	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	F	RRF	Quality	0.066833	max	0.066833	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	F	RRF	Quality	0.078803	max	0.078803	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	F	RRF	Quality	0.06783	max	0.06783	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	F	RRF	Quality	0.076309	max	0.076309	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	F	RRF	Quality	0.058853	max	0.058853	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	F	RRF	Quality	0.063342	max	0.063342	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	F	RRF	Quality	0.06384	max	0.06384	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	F	RRF	Quality	0.054863	max	0.054863	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	F	Schulze	Quality	0.080798	max	0.080798	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	F	Schulze	Quality	0.083292	max	0.083292	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	F	Schulze	Quality	0.076309	max	0.076309	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	F	Schulze	Quality	0.071322	max	0.071322	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	F	Schulze	Quality	0.061347	max	0.061347	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	F	Schulze	Quality	0.065835	max	0.065835	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	F	Schulze	Quality	0.056359	max	0.056359	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	F	Schulze	Quality	0.053367	max	0.053367	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	F	Schulze	Quality	0.062843	max	0.062843	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	F	Schulze	Quality	0.054364	max	0.054364	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	F	Simple Averaging	Quality	0.079302	max	0.079302	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	F	Simple Averaging	Quality	0.069327	max	0.069327	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	F	Simple Averaging	Quality	0.057855	max	0.057855	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	F	Simple Averaging	Quality	0.068329	max	0.068329	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	F	Simple Averaging	Quality	0.066833	max	0.066833	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	F	Simple Averaging	Quality	0.06783	max	0.06783	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	F	Simple Averaging	Quality	0.068329	max	0.068329	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	F	Simple Averaging	Quality	0.066334	max	0.066334	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	F	Simple Averaging	Quality	0.065835	max	0.065835	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	F	Simple Averaging	Quality	0.059352	max	0.059352	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Fbar	Borda	Quality	0.294264	min	-	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Fbar	Borda	Quality	0.309726	min	-	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Fbar	Borda	Quality	0.342643	min	-	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Fbar	Borda	Quality	0.325686	min	-	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Fbar	Borda	Quality	0.315711	min	-	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Fbar	Borda	Quality	0.332668	min	-	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Fbar	Borda	Quality	0.322693	min	-	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Fbar	Borda	Quality	0.334165	min	-	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Fbar	Borda	Quality	0.337656	min	-	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Fbar	Borda	Quality	0.357107	min	-	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Fbar	Kemeny	Quality	0.294264	min	- 0.294264	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Fbar	Kemeny	Quality	0.314214	min	- 0.314214	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Fbar	Kemeny	Quality	0.327182	min	- 0.327182	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Fbar	Kemeny	Quality	0.319701	min	- 0.319701	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Fbar	Kemeny	Quality	0.318703	min	- 0.318703	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Fbar	Kemeny	Quality	0.323192	min	- 0.323192	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Fbar	Kemeny	Quality	0.325686	min	- 0.325686	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Fbar	Kemeny	Quality	0.334663	min	- 0.334663	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Fbar	Kemeny	Quality	0.325686	min	- 0.325686	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Fbar	Kemeny	Quality	0.348628	min	- 0.348628	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Fbar	RRF	Quality	0.312219	min	- 0.312219	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Fbar	RRF	Quality	0.309726	min	- 0.309726	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Fbar	RRF	Quality	0.328678	min	- 0.328678	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Fbar	RRF	Quality	0.327182	min	- 0.327182	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Fbar	RRF	Quality	0.316708	min	- 0.316708	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Fbar	RRF	Quality	0.321197	min	- 0.321197	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Fbar	RRF	Quality	0.319701	min	- 0.319701	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Fbar	RRF	Quality	0.33217	min	-0.33217	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Fbar	RRF	Quality	0.329676	min	- 0.329676	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Fbar	RRF	Quality	0.354115	min	- 0.354115	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Fbar	Schulze	Quality	0.294264	min	- 0.294264	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Fbar	Schulze	Quality	0.307731	min	- 0.307731	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Fbar	Schulze	Quality	0.326683	min	- 0.326683	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Fbar	Schulze	Quality	0.323691	min	- 0.323691	kendall_ mallows_ exact_ distance	0.301961 -	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Fbar	Schulze	Quality	0.322195	min	- 0.322195	kendall_ mallows_ exact_ distance	0.323871 -	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Fbar	Schulze	Quality	0.328678	min	- 0.328678	kendall_ mallows_ exact_ distance	0.359395 -	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Fbar	Schulze	Quality	0.311721	min	- 0.311721	kendall_ mallows_ exact_ distance	0.369441 -	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Fbar	Schulze	Quality	0.334663	min	- 0.334663	kendall_ mallows_ exact_ distance	0.369659 -	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Fbar	Schulze	Quality	0.34015	min	-0.34015	kendall_ mallows_ exact_ distance	0.367942 -	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Fbar	Schulze	Quality	0.351621	min	- 0.351621	kendall_ mallows_ exact_ distance	0.370073 -	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Fbar	Simple Averaging	Quality	0.296758	min	- 0.296758	kendall_ mallows_ exact_ distance	0.333723 -	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Fbar	Simple Averaging	Quality	0.38404	min	-0.38404	kendall_ mallows_ exact_ distance	0.387061 -	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Fbar	Simple Averaging	Quality	0.385536	min	- 0.385536	kendall_ mallows_ exact_ distance	0.26951 -	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Fbar	Simple Averaging	Quality	0.380549	min	- 0.380549	kendall_ mallows_ exact_ distance	0.301961 -	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Fbar	Simple Averaging	Quality	0.376559	min	- 0.376559	kendall_ mallows_ exact_ distance	0.323871 -	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Fbar	Simple Averaging	Quality	0.374065	min	- 0.374065	kendall_ mallows_ exact_ distance	0.359395 -	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Fbar	Simple Averaging	Quality	0.371571	min	- 0.371571	kendall_ mallows_ exact_ distance	0.369441 -	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Fbar	Simple Averaging	Quality	0.375561	min	- 0.375561	kendall_ mallows_ exact_ distance	0.369659 -	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Fbar	Simple Averaging	Quality	0.377057	min	- 0.377057	kendall_ mallows_ exact_ distance	0.367942 -	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Fbar	Simple Averaging	Quality	0.38005	min	-0.38005	kendall_ mallows_ exact_ distance	0.370073 -	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 255	C	Borda	Robustness	- 0.242893	max	- 0.242893	kendall_ mallows_ exact_ distance	0.333723 -	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 255	C	Borda	Robustness	- 0.234913	max	- 0.234913	kendall_ mallows_ exact_ distance	0.387061 -	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 255	C	Borda	Robustness	- 0.222444	max	- 0.222444	kendall_ mallows_ exact_ distance	0.26951 -	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 255	C	Borda	Robustness	- 0.237905	max	- 0.237905	kendall_ mallows_ exact_ distance	0.301961 -	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 255	C	Borda	Robustness	- 0.227431	max	- 0.227431	kendall_ mallows_ exact_ distance	0.323871 -	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 255	C	Borda	Robustness	- 0.221446	max	- 0.221446	kendall_ mallows_ exact_ distance	0.359395 -	0.359395	0.002	4584.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Borda	Robustness	- 0.233915	max	- 0.233915	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Borda	Robustness	- 0.232918	max	- 0.232918	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Borda	Robustness	- 0.226933	max	- 0.226933	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Borda	Robustness	- 0.224938	max	- 0.224938	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.242893	max	- 0.242893	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.241895	max	- 0.241895	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.229925	max	- 0.229925	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.248878	max	- 0.248878	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.236908	max	- 0.236908	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.236409	max	- 0.236409	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.234414	max	- 0.234414	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.226933	max	- 0.226933	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.234414	max	- 0.234414	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.229426	max	- 0.229426	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	RRF	Robustness	-0.24788	max	-0.24788	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	RRF	Robustness	- 0.230923	max	- 0.230923	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	RRF	Robustness	- 0.221446	max	- 0.221446	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	RRF	Robustness	- 0.240399	max	- 0.240399	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	RRF	Robustness	- 0.230424	max	- 0.230424	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	RRF	Robustness	- 0.240898	max	- 0.240898	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	RRF	Robustness	-0.22394	max	-0.22394	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	RRF	Robustness	- 0.235411	max	- 0.235411	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	RRF	Robustness	-0.22793	max	-0.22793	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	RRF	Robustness	- 0.226933	max	- 0.226933	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.242893	max	- 0.242893	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.234414	max	- 0.234414	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.231421	max	- 0.231421	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.232918	max	- 0.232918	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.236409	max	- 0.236409	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.231421	max	- 0.231421	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.232918	max	- 0.232918	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.230923	max	- 0.230923	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.224439	max	- 0.224439	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.218953	max	- 0.218953	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.245387	max	- 0.245387	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.220948	max	- 0.220948	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.205486	max	- 0.205486	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.216459	max	- 0.216459	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.214464	max	- 0.214464	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.218454	max	- 0.218454	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.218454	max	- 0.218454	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.218953	max	- 0.218953	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.216459	max	- 0.216459	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.217955	max	- 0.217955	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.048878	max	0.048878	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.064838	max	0.064838	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.099751	max	0.099751	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.069327	max	0.069327	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.072818	max	0.072818	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.085287	max	0.085287	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.067332	max	0.067332	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.06783	max	0.06783	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.087781	max	0.087781	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.076808	max	0.076808	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.048878	max	0.048878	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.052369	max	0.052369	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.076808	max	0.076808	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.081796	max	0.081796	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.063342	max	0.063342	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.077805	max	0.077805	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.071322	max	0.071322	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.076309	max	0.076309	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.068828	max	0.068828	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.077805	max	0.077805	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.04788	max	0.04788	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.053865	max	0.053865	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.070823	max	0.070823	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.068329	max	0.068329	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.067332	max	0.067332	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.078304	max	0.078304	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.07182	max	0.07182	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.07182	max	0.07182	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.07182	max	0.07182	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.078803	max	0.078803	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.048878	max	0.048878	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.062843	max	0.062843	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.090274	max	0.090274	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.075312	max	0.075312	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.078304	max	0.078304	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.073317	max	0.073317	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.060349	max	0.060349	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.080299	max	0.080299	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.083292	max	0.083292	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0798	max	0.0798	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.06783	max	0.06783	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.106733	max	0.106733	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.115711	max	0.115711	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.110224	max	0.110224	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.098254	max	0.098254	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.093766	max	0.093766	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.101247	max	0.101247	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.101746	max	0.101746	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.106733	max	0.106733	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.110224	max	0.110224	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Borda	Robustness	-0.06783	max	-0.06783	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Borda	Robustness	-0.04788	max	-0.04788	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.06783	max	-0.06783	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.05586	max	-0.05586	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	RRF	Robustness	-	max	-	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	RRF	Robustness	- 0.058354	max	- 0.058354	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	RRF	Robustness	- 0.045387	max	- 0.045387	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	RRF	Robustness	- 0.058853	max	- 0.058853	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	RRF	Robustness	- 0.048379	max	- 0.048379	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	RRF	Robustness	- 0.059352	max	- 0.059352	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	RRF	Robustness	-0.04389	max	-0.04389	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	RRF	Robustness	- 0.046384	max	- 0.046384	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	RRF	Robustness	- 0.046883	max	- 0.046883	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	RRF	Robustness	- 0.041397	max	- 0.041397	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Schulze	Robustness	-0.06783	max	-0.06783	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.060848	max	- 0.060848	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.054364	max	- 0.054364	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.050374	max	- 0.050374	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Schulze	Robustness	-0.04788	max	-0.04788	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.050374	max	- 0.050374	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.041397	max	- 0.041397	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.043392	max	- 0.043392	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Schulze	Robustness	-0.04788	max	-0.04788	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.041895	max	- 0.041895	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.061845	max	- 0.061845	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.046883	max	- 0.046883	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.040898	max	- 0.040898	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.049875	max	- 0.049875	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.046883	max	- 0.046883	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.049875	max	- 0.049875	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.049377	max	- 0.049377	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.049377	max	- 0.049377	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.048878	max	- 0.048878	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.040898	max	- 0.040898	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.035411	max	0.035411	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.058354	max	0.058354	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.096259	max	0.096259	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.077307	max	0.077307	kendall__mallows__exact__distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.081796	max	0.081796	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.088778	max	0.088778	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.064339	max	0.064339	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.066833	max	0.066833	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.080798	max	0.080798	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.066833	max	0.066833	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.035411	max	0.035411	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.042893	max	0.042893	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.073815	max	0.073815	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.083292	max	0.083292	kendall__mallows__exact__distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.07182	max	0.07182	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.073815	max	0.073815	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.066833	max	0.066833	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.066334	max	0.066334	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.06384	max	0.06384	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.064339	max	0.064339	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.040898	max	0.040898	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.045885	max	0.045885	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.080299	max	0.080299	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.07182	max	0.07182	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.07182	max	0.07182	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.07581	max	0.07581	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.069327	max	0.069327	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.062843	max	0.062843	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.066334	max	0.066334	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.069825	max	0.069825	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.035411	max	0.035411	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.057855	max	0.057855	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.084289	max	0.084289	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.075312	max	0.075312	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.087781	max	0.087781	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.076808	max	0.076808	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.05586	max	0.05586	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.076309	max	0.076309	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.077805	max	0.077805	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.068828	max	0.068828	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.048379	max	0.048379	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.111222	max	0.111222	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.123691	max	0.123691	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.119701	max	0.119701	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.114713	max	0.114713	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.115711	max	0.115711	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.119701	max	0.119701	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.116209	max	0.116209	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.121696	max	0.121696	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.129676	max	0.129676	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	C	Borda	Robustness	-0.17207	max	-0.17207	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	C	Borda	Robustness	-0.17207	max	-0.17207	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	C	Borda	Robustness	-0.17207	max	-0.17207	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	C	Borda	Robustness	-	max	-	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	C	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	C	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	C	Kemeny	Robustness	-	max	-	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	C	Kemeny	Robustness	- 0.197506	max	- 0.197506	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	C	Kemeny	Robustness	- 0.188529	max	- 0.188529	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	C	Kemeny	Robustness	- 0.181546	max	- 0.181546	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	C	Kemeny	Robustness	- 0.174564	max	- 0.174564	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	C	Kemeny	Robustness	- 0.159102	max	- 0.159102	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	C	Kemeny	Robustness	- 0.169576	max	- 0.169576	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	C	Kemeny	Robustness	- 0.155611	max	- 0.155611	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	C	RRF	Robustness	- 0.196509	max	- 0.196509	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	C	RRF	Robustness	- 0.183042	max	- 0.183042	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	C	RRF	Robustness	- 0.175561	max	- 0.175561	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	C	RRF	Robustness	- 0.193516	max	- 0.193516	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	C	RRF	Robustness	- 0.182045	max	- 0.182045	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	C	RRF	Robustness	- 0.186035	max	- 0.186035	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	C	RRF	Robustness	- 0.166085	max	- 0.166085	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	C	RRF	Robustness	- 0.173067	max	- 0.173067	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	C	RRF	Robustness	- 0.166085	max	- 0.166085	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	C	RRF	Robustness	- 0.155611	max	- 0.155611	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	C	Schulze	Robustness	- 0.180549	max	- 0.180549	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	C	Schulze	Robustness	- 0.190025	max	- 0.190025	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	C	Schulze	Robustness	- 0.180549	max	- 0.180549	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	C	Schulze	Robustness	-0.18404	max	-0.18404	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	C	Schulze	Robustness	- 0.183042	max	- 0.183042	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	C	Schulze	Robustness	- 0.173067	max	- 0.173067	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	C	Schulze	Robustness	- 0.170075	max	- 0.170075	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	C	Schulze	Robustness	- 0.160599	max	- 0.160599	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	C	Schulze	Robustness	- 0.158105	max	- 0.158105	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	C	Schulze	Robustness	- 0.149626	max	- 0.149626	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.190524	max	- 0.190524	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	C	Simple Averaging	Robustness	-0.16808	max	-0.16808	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.146633	max	- 0.146633	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.158105	max	- 0.158105	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.162095	max	- 0.162095	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	C	Simple Averaging	Robustness	-0.16409	max	-0.16409	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.167581	max	- 0.167581	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.165586	max	- 0.165586	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	C	Simple Averaging	Robustness	-0.16409	max	-0.16409	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.164589	max	- 0.164589	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Borda	Robustness	- 0.075312	max	- 0.075312	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Borda	Robustness	- 0.102743	max	- 0.102743	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Borda	Robustness	- 0.115212	max	- 0.115212	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Borda	Robustness	- 0.111721	max	- 0.111721	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Borda	Robustness	- 0.087781	max	- 0.087781	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Borda	Robustness	-0.06783	max	-0.06783	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Borda	Robustness	- 0.080798	max	- 0.080798	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Borda	Robustness	- 0.073815	max	- 0.073815	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Borda	Robustness	- 0.064838	max	- 0.064838	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Borda	Robustness	- 0.061347	max	- 0.061347	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.075312	max	- 0.075312	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.086783	max	- 0.086783	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.13217	max	-0.13217	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.109726	max	- 0.109726	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.083791	max	- 0.083791	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.066334	max	- 0.066334	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.071322	max	- 0.071322	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.070324	max	- 0.070324	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.068828	max	- 0.068828	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.052868	max	- 0.052868	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	RRF	Robustness	- 0.078304	max	- 0.078304	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	RRF	Robustness	- 0.093766	max	- 0.093766	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	RRF	Robustness	- 0.114713	max	- 0.114713	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	RRF	Robustness	- 0.100249	max	- 0.100249	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	RRF	Robustness	- 0.086284	max	- 0.086284	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	RRF	Robustness	- 0.073317	max	- 0.073317	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	RRF	Robustness	- 0.070823	max	- 0.070823	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	RRF	Robustness	- 0.067332	max	- 0.067332	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	RRF	Robustness	- 0.072818	max	- 0.072818	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	RRF	Robustness	- 0.062843	max	- 0.062843	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.075312	max	- 0.075312	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.103242	max	- 0.103242	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.126185	max	- 0.126185	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.105736	max	- 0.105736	kendall_ mallows_ exact_ distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.088778	max	- 0.088778	kendall_ mallows_ exact_ distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.060349	max	- 0.060349	kendall_ mallows_ exact_ distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.087781	max	- 0.087781	kendall_ mallows_ exact_ distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.054364	max	- 0.054364	kendall_ mallows_ exact_ distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.057855	max	- 0.057855	kendall_ mallows_ exact_ distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.061845	max	- 0.061845	kendall_ mallows_ exact_ distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.116209	max	- 0.116209	kendall_ mallows_ exact_ distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.141147	max	- 0.141147	kendall_ mallows_ exact_ distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.144638	max	- 0.144638	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.142643	max	- 0.142643	kendall_ mallows_ exact_ distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.139152	max	- 0.139152	kendall_ mallows_ exact_ distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.141147	max	- 0.141147	kendall_ mallows_ exact_ distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.129676	max	- 0.129676	kendall_ mallows_ exact_ distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.117207	max	- 0.117207	kendall_ mallows_ exact_ distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.112219	max	- 0.112219	kendall_ mallows_ exact_ distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.110723	max	- 0.110723	kendall_ mallows_ exact_ distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	F	Borda	Robustness	-0.00399	max	-0.00399	kendall_ mallows_ exact_ distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	F	Borda	Robustness	- 0.003491	max	- 0.003491	kendall_ mallows_ exact_ distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	F	Borda	Robustness	0.014963	max	0.014963	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	F	Borda	Robustness	0.013466	max	0.013466	kendall_ mallows_ exact_ distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	F	Borda	Robustness	0.025935	max	0.025935	kendall_ mallows_ exact_ distance	0.323871	-0.323871	0.002	4689.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	F	Borda	Robustness	0.022943	max	0.022943	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	F	Borda	Robustness	0.01995	max	0.01995	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	F	Borda	Robustness	0.01596	max	0.01596	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	F	Borda	Robustness	0.014464	max	0.014464	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	F	Borda	Robustness	0.026434	max	0.026434	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	F	Kemeny	Robustness	-0.00399	max	-0.00399	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	F	Kemeny	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	F	Kemeny	Robustness	0.002993	max	0.002993	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	F	Kemeny	Robustness	0.000499	max	0.000499	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	F	Kemeny	Robustness	0.003491	max	0.003491	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	F	Kemeny	Robustness	0.015461	max	0.015461	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	F	Kemeny	Robustness	0.022444	max	0.022444	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	F	Kemeny	Robustness	0.022943	max	0.022943	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	F	Kemeny	Robustness	0.011471	max	0.011471	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	F	Kemeny	Robustness	0.022444	max	0.022444	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	F	RRF	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	F	RRF	Robustness	0.002494	max	0.002494	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	F	RRF	Robustness	0.013965	max	0.013965	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	F	RRF	Robustness	0.001995	max	0.001995	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	F	RRF	Robustness	0.01197	max	0.01197	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	F	RRF	Robustness	0.003491	max	0.003491	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	F	RRF	Robustness	0.020449	max	0.020449	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	F	RRF	Robustness	0.013965	max	0.013965	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	F	RRF	Robustness	0.013965	max	0.013965	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	F	RRF	Robustness	0.021945	max	0.021945	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	F	Schulze	Robustness	-0.00399	max	-0.00399	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	F	Schulze	Robustness	-	max	-	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	F	Schulze	Robustness	0.004489	max	0.004489	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	F	Schulze	Robustness	0.008978	max	0.008978	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	F	Schulze	Robustness	0.017955	max	0.017955	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	F	Schulze	Robustness	0.012469	max	0.012469	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	F	Schulze	Robustness	0.021945	max	0.021945	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	F	Schulze	Robustness	0.024938	max	0.024938	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	F	Schulze	Robustness	0.01596	max	0.01596	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	F	Schulze	Robustness	0.02394	max	0.02394	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	F	Simple Averaging	Robustness	-	max	-	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.010474	max	0.010474	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.021945	max	0.021945	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.011471	max	0.011471	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.013466	max	0.013466	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.012968	max	0.012968	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.01197	max	0.01197	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.013466	max	0.013466	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.013965	max	0.013965	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.018953	max	0.018953	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Borda	Robustness	0.332668	max	0.332668	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Borda	Robustness	0.316209	max	0.316209	kendall_ mallows_ exact_ distance	0.387061 -	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Borda	Robustness	0.314713	max	0.314713	kendall_ mallows_ exact_ distance	0.26951 -0.26951	0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Borda	Robustness	0.322195	max	0.322195	kendall_ mallows_ exact_ distance	0.301961 -	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Borda	Robustness	0.334663	max	0.334663	kendall_ mallows_ exact_ distance	0.323871 -	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Borda	Robustness	0.367082	max	0.367082	kendall_ mallows_ exact_ distance	0.359395 -	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Borda	Robustness	0.374065	max	0.374065	kendall_ mallows_ exact_ distance	0.369441 -	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Borda	Robustness	0.394015	max	0.394015	kendall_ mallows_ exact_ distance	0.369659 -	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Borda	Robustness	0.38803	max	0.38803	kendall_ mallows_ exact_ distance	0.367942 -	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Borda	Robustness	0.398504	max	0.398504	kendall_ mallows_ exact_ distance	0.370073 -	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.332668	max	0.332668	kendall_ mallows_ exact_ distance	0.333723 -	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.300249	max	0.300249	kendall_ mallows_ exact_ distance	0.387061 -	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.306234	max	0.306234	kendall_ mallows_ exact_ distance	0.26951 -0.26951	0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.306234	max	0.306234	kendall_ mallows_ exact_ distance	0.301961 -	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.343142	max	0.343142	kendall_ mallows_ exact_ distance	0.323871 -	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.383042	max	0.383042	kendall_ mallows_ exact_ distance	0.359395 -	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.401995	max	0.401995	kendall_ mallows_ exact_ distance	0.369441 -	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.416459	max	0.416459	kendall_ mallows_ exact_ distance	0.369659 -	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.404489	max	0.404489	kendall_ mallows_ exact_ distance	0.367942 -	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.414963	max	0.414963	kendall_ mallows_ exact_ distance	0.370073 -	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	RRF	Robustness	0.323192	max	0.323192	kendall_ mallows_ exact_ distance	0.333723 -	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	RRF	Robustness	0.294763	max	0.294763	kendall_ mallows_ exact_ distance	0.387061 -	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	RRF	Robustness	0.302244	max	0.302244	kendall_ mallows_ exact_ distance	0.26951 -0.26951	0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	RRF	Robustness	0.308728	max	0.308728	kendall_ mallows_ exact_ distance	0.301961 -	0.301961	0.002	4732.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	RRF	Robustness	0.339152	max	0.339152	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	RRF	Robustness	0.353117	max	0.353117	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	RRF	Robustness	0.386035	max	0.386035	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	RRF	Robustness	0.395511	max	0.395511	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	RRF	Robustness	0.397007	max	0.397007	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	RRF	Robustness	0.403491	max	0.403491	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.332668	max	0.332668	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.315711	max	0.315711	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.302244	max	0.302244	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.308229	max	0.308229	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.34813	max	0.34813	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.366085	max	0.366085	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.37207	max	0.37207	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.408479	max	0.408479	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.400499	max	0.400499	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.408978	max	0.408978	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.399002	max	0.399002	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.319202	max	0.319202	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.327182	max	0.327182	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.321696	max	0.321696	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.329676	max	0.329676	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.332668	max	0.332668	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.330673	max	0.330673	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.33616	max	0.33616	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.34015	max	0.34015	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.352618	max	0.352618	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Borda	Robustness	-0.209476	max	-0.209476	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Borda	Robustness	-0.218953	max	-0.218953	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Borda	Robustness	-0.198504	max	-0.198504	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Borda	Robustness	-0.21596	max	-0.21596	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Borda	Robustness	-0.199002	max	-0.199002	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Borda	Robustness	-0.195012	max	-0.195012	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Borda	Robustness	-0.197007	max	-0.197007	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Borda	Robustness	-0.18803	max	-0.18803	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Borda	Robustness	-0.185536	max	-0.185536	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Borda	Robustness	-0.173566	max	-0.173566	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Kemeny	Robustness	-0.209476	max	-0.209476	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Kemeny	Robustness	-0.220449	max	-0.220449	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Kemeny	Robustness	-0.210973	max	-0.210973	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Kemeny	Robustness	-0.221446	max	-0.221446	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Kemeny	Robustness	-0.213466	max	-0.213466	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Kemeny	Robustness	-0.208479	max	-0.208479	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Kemeny	Robustness	-0.202494	max	-0.202494	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Kemeny	Robustness	-0.183042	max	-0.183042	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Kemeny	Robustness	-0.191521	max	-0.191521	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Kemeny	Robustness	-0.182045	max	-0.182045	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	C	RRF	Robustness	- 0.223441	max	- 0.223441	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	C	RRF	Robustness	- 0.209975	max	- 0.209975	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	C	RRF	Robustness	- 0.201496	max	- 0.201496	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	C	RRF	Robustness	- 0.218454	max	- 0.218454	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	C	RRF	Robustness	- 0.209476	max	- 0.209476	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	C	RRF	Robustness	- 0.212968	max	- 0.212968	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	C	RRF	Robustness	- 0.193017	max	- 0.193017	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	C	RRF	Robustness	-0.19601	max	-0.19601	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	C	RRF	Robustness	- 0.190524	max	- 0.190524	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	C	RRF	Robustness	- 0.181047	max	- 0.181047	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Schulze	Robustness	- 0.209476	max	- 0.209476	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Schulze	Robustness	- 0.218454	max	- 0.218454	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Schulze	Robustness	- 0.209476	max	- 0.209476	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Schulze	Robustness	- 0.209975	max	- 0.209975	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Schulze	Robustness	- 0.209975	max	- 0.209975	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Schulze	Robustness	- 0.199501	max	- 0.199501	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Schulze	Robustness	- 0.198005	max	- 0.198005	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Schulze	Robustness	- 0.187032	max	- 0.187032	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Schulze	Robustness	- 0.181047	max	- 0.181047	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Schulze	Robustness	- 0.177057	max	- 0.177057	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.21995	max	-0.21995	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.195511	max	- 0.195511	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.173566	max	- 0.173566	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.186035	max	- 0.186035	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.189526	max	- 0.189526	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.192519	max	- 0.192519	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.194015	max	- 0.194015	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.190524	max	- 0.190524	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.190025	max	- 0.190025	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.187032	max	- 0.187032	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.002494	max	0.002494	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.053367	max	- 0.053367	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.087781	max	- 0.087781	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.069825	max	- 0.069825	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.041895	max	- 0.041895	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.037905	max	- 0.037905	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.01995	max	-0.01995	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.030424	max	- 0.030424	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.024439	max	- 0.024439	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.013965	max	- 0.013965	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.002494	max	0.002494	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.033915	max	- 0.033915	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.073317	max	- 0.073317	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.049377	max	- 0.049377	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.033915	max	- 0.033915	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.035411	max	- 0.035411	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.004988	max	- 0.004988	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.017955	max	- 0.017955	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.001496	max	- 0.001496	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.005486	max	- 0.005486	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.012968	max	0.012968	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	RRF	Robustness	- 0.038903	max	- 0.038903	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	RRF	Robustness	- 0.076309	max	- 0.076309	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.04788	max	-0.04788	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	RRF	Robustness	- 0.042893	max	- 0.042893	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	RRF	Robustness	- 0.022444	max	- 0.022444	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.01995	max	-0.01995	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.01596	max	-0.01596	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	RRF	Robustness	- 0.021446	max	- 0.021446	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	RRF	Robustness	- 0.014963	max	- 0.014963	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.002494	max	0.002494	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.054364	max	- 0.054364	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.081297	max	- 0.081297	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.063342	max	- 0.063342	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.037905	max	- 0.037905	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.032918	max	- 0.032918	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.020449	max	- 0.020449	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.005486	max	- 0.005486	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.014464	max	- 0.014464	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.01197	max	-0.01197	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.03192	max	-0.03192	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.12818	max	-0.12818	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Borda	Robustness	-0.02394	max	-0.02394	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Borda	Robustness	-0.02793	max	-0.02793	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Borda	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Borda	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Borda	Robustness	0.003491	max	0.003491	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Borda	Robustness	0.002494	max	0.002494	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Borda	Robustness	0	max	0	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Borda	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Borda	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Borda	Robustness	0.006484	max	0.006484	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Kemeny	Robustness	-0.02394	max	-0.02394	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Kemeny	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.019451	max	- 0.019451	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.021945	max	- 0.021945	kendall_ mallows_ exact_ distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.017955	max	- 0.017955	kendall_ mallows_ exact_ distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.004988	max	- 0.004988	kendall_ mallows_ exact_ distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.000998	max	0.000998	kendall_ mallows_ exact_ distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.002494	max	0.002494	kendall_ mallows_ exact_ distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.006983	max	- 0.006983	kendall_ mallows_ exact_ distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.002494	max	0.002494	kendall_ mallows_ exact_ distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	F	RRF	Robustness	- 0.037905	max	- 0.037905	kendall_ mallows_ exact_ distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	F	RRF	Robustness	- 0.021446	max	- 0.021446	kendall_ mallows_ exact_ distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	F	RRF	Robustness	- 0.008978	max	- 0.008978	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	F	RRF	Robustness	- 0.021446	max	- 0.021446	kendall_ mallows_ exact_ distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	F	RRF	Robustness	- 0.009975	max	- 0.009975	kendall_ mallows_ exact_ distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	F	RRF	Robustness	- 0.018953	max	- 0.018953	kendall_ mallows_ exact_ distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	F	RRF	Robustness	- 0.001496	max	- 0.001496	kendall_ mallows_ exact_ distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	F	RRF	Robustness	- 0.006983	max	- 0.006983	kendall_ mallows_ exact_ distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	F	RRF	Robustness	- 0.005486	max	- 0.005486	kendall_ mallows_ exact_ distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	F	RRF	Robustness	0.001496	max	0.001496	kendall_ mallows_ exact_ distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Schulze	Robustness	-0.02394	max	-0.02394	kendall_ mallows_ exact_ distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Schulze	Robustness	- 0.026434	max	- 0.026434	kendall_ mallows_ exact_ distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Schulze	Robustness	- 0.018454	max	- 0.018454	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Schulze	Robustness	- 0.013466	max	- 0.013466	kendall_ mallows_ exact_ distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Schulze	Robustness	- 0.002993	max	- 0.002993	kendall_ mallows_ exact_ distance	0.323871	-0.323871	0.002	4689.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Schulze	Robustness	- 0.006983	max	- 0.006983	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Schulze	Robustness	0.000998	max	0.000998	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Schulze	Robustness	0.001995	max	0.001995	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Schulze	Robustness	-0.00798	max	-0.00798	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Schulze	Robustness	0.000998	max	0.000998	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.02394	max	-0.02394	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.011471	max	- 0.011471	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0	max	0	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.011471	max	- 0.011471	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.009975	max	- 0.009975	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.010973	max	- 0.010973	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.009975	max	- 0.009975	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.008479	max	- 0.008479	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.00798	max	-0.00798	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.000998	max	- 0.000998	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.357606	max	0.357606	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.353616	max	0.353616	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.371072	max	0.371072	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.35611	max	0.35611	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.380549	max	0.380549	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.420449	max	0.420449	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.407481	max	0.407481	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.417456	max	0.417456	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.438903	max	0.438903	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.447382	max	0.447382	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.357606	max	0.357606	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.353117	max	0.353117	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.351621	max	0.351621	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.364589	max	0.364589	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.404489	max	0.404489	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.432918	max	0.432918	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.43192	max	0.43192	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.457855	max	0.457855	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.441397	max	0.441397	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.44389	max	0.44389	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.362594	max	0.362594	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.343641	max	0.343641	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.341147	max	0.341147	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.37207	max	0.37207	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.384539	max	0.384539	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.398504	max	0.398504	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.421945	max	0.421945	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.434913	max	0.434913	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.415461	max	0.415461	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.446384	max	0.446384	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.357606	max	0.357606	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.35212	max	0.35212	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.347132	max	0.347132	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.370075	max	0.370075	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.393516	max	0.393516	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.433416	max	0.433416	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.406484	max	0.406484	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.436908	max	0.436908	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.450374	max	0.450374	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.462344	max	0.462344	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.401496	max	0.401496	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.339152	max	0.339152	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.346633	max	0.346633	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.350125	max	0.350125	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.352618	max	0.352618	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.354115	max	0.354115	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.353616	max	0.353616	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.365087	max	0.365087	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.365087	max	0.365087	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.371072	max	0.371072	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	C	Borda	Robustness	0.041397	max	0.041397	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	C	Borda	Robustness	0.060848	max	0.060848	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	C	Borda	Robustness	0.080299	max	0.080299	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	C	Borda	Robustness	0.064838	max	0.064838	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	C	Borda	Robustness	0.073815	max	0.073815	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	C	Borda	Robustness	0.071322	max	0.071322	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	C	Borda	Robustness	0.062843	max	0.062843	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	C	Borda	Robustness	0.06783	max	0.06783	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	C	Borda	Robustness	0.067332	max	0.067332	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	C	Borda	Robustness	0.077805	max	0.077805	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	C	Kemeny	Robustness	0.041397	max	0.041397	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	C	Kemeny	Robustness	0.05586	max	0.05586	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	C	Kemeny	Robustness	0.069825	max	0.069825	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	C	Kemeny	Robustness	0.053865	max	0.053865	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	C	Kemeny	Robustness	0.060349	max	0.060349	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	C	Kemeny	Robustness	0.049875	max	0.049875	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	C	Kemeny	Robustness	0.052868	max	0.052868	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	C	Kemeny	Robustness	0.054863	max	0.054863	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	C	Kemeny	Robustness	0.050873	max	0.050873	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	C	Kemeny	Robustness	0.057855	max	0.057855	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	C	RRF	Robustness	0.049377	max	0.049377	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	C	RRF	Robustness	0.069327	max	0.069327	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	C	RRF	Robustness	0.075312	max	0.075312	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	C	RRF	Robustness	0.057855	max	0.057855	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	C	RRF	Robustness	0.062344	max	0.062344	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	C	RRF	Robustness	0.057855	max	0.057855	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	C	RRF	Robustness	0.072818	max	0.072818	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	C	RRF	Robustness	0.050873	max	0.050873	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	C	RRF	Robustness	0.057357	max	0.057357	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	C	RRF	Robustness	0.059352	max	0.059352	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	C	Schulze	Robustness	0.041397	max	0.041397	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	C	Schulze	Robustness	0.061845	max	0.061845	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	C	Schulze	Robustness	0.07182	max	0.07182	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	C	Schulze	Robustness	0.063342	max	0.063342	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	C	Schulze	Robustness	0.060349	max	0.060349	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	C	Schulze	Robustness	0.064838	max	0.064838	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	C	Schulze	Robustness	0.067332	max	0.067332	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	C	Schulze	Robustness	0.058853	max	0.058853	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	C	Schulze	Robustness	0.05985	max	0.05985	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	C	Schulze	Robustness	0.062344	max	0.062344	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	C	Simple Averaging	Robustness	0.036908	max	0.036908	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	C	Simple Averaging	Robustness	0.099252	max	0.099252	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	C	Simple Averaging	Robustness	0.113716	max	0.113716	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	C	Simple Averaging	Robustness	0.101746	max	0.101746	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	C	Simple Averaging	Robustness	0.098254	max	0.098254	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	C	Simple Averaging	Robustness	0.094763	max	0.094763	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	C	Simple Averaging	Robustness	0.091272	max	0.091272	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	C	Simple Averaging	Robustness	0.089776	max	0.089776	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	C	Simple Averaging	Robustness	0.090773	max	0.090773	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	C	Simple Averaging	Robustness	0.094763	max	0.094763	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Borda	Robustness	- 0.002993	max	- 0.002993	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Borda	Robustness	- 0.023441	max	- 0.023441	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Borda	Robustness	- 0.016958	max	- 0.016958	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Borda	Robustness	-0.01596	max	-0.01596	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Borda	Robustness	- 0.000499	max	- 0.000499	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Borda	Robustness	0.023441	max	0.023441	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Borda	Robustness	0.03591	max	0.03591	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Borda	Robustness	0.030424	max	0.030424	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Borda	Robustness	0.031421	max	0.031421	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Borda	Robustness	0.034913	max	0.034913	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Kemeny	Robustness	- 0.002993	max	- 0.002993	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Kemeny	Robustness	- 0.025436	max	- 0.025436	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Kemeny	Robustness	- 0.031421	max	- 0.031421	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Kemeny	Robustness	- 0.014963	max	- 0.014963	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.009476	max	0.009476	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.018454	max	0.018454	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.028928	max	0.028928	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.033416	max	0.033416	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.035411	max	0.035411	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.038903	max	0.038903	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Cbar	RRF	Robustness	- 0.001496	max	- 0.001496	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Cbar	RRF	Robustness	- 0.034913	max	- 0.034913	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Cbar	RRF	Robustness	- 0.026933	max	- 0.026933	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Cbar	RRF	Robustness	- 0.012968	max	- 0.012968	kendall_ mallows_ exact_ distance	0.301961 - 0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Cbar	RRF	Robustness	0.002494	max	0.002494	kendall_ mallows_ exact_ distance	0.323871 - 0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Cbar	RRF	Robustness	0.030424	max	0.030424	kendall_ mallows_ exact_ distance	0.359395 - 0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Cbar	RRF	Robustness	0.026434	max	0.026434	kendall_ mallows_ exact_ distance	0.369441 - 0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Cbar	RRF	Robustness	0.029925	max	0.029925	kendall_ mallows_ exact_ distance	0.369659 - 0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Cbar	RRF	Robustness	0.02793	max	0.02793	kendall_ mallows_ exact_ distance	0.367942 - 0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Cbar	RRF	Robustness	0.039401	max	0.039401	kendall_ mallows_ exact_ distance	0.370073 - 0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Schulze	Robustness	- 0.002993	max	- 0.002993	kendall_ mallows_ exact_ distance	0.333723 - 0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Schulze	Robustness	- 0.025935	max	- 0.025935	kendall_ mallows_ exact_ distance	0.387061 - 0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Schulze	Robustness	- 0.022943	max	- 0.022943	kendall_ mallows_ exact_ distance	0.26951 -0.26951	-	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Schulze	Robustness	- 0.020948	max	- 0.020948	kendall_ mallows_ exact_ distance	0.301961 - 0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Schulze	Robustness	0.003491	max	0.003491	kendall_ mallows_ exact_ distance	0.323871 - 0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Schulze	Robustness	0.018454	max	0.018454	kendall_ mallows_ exact_ distance	0.359395 - 0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Schulze	Robustness	0.018454	max	0.018454	kendall_ mallows_ exact_ distance	0.369441 - 0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Schulze	Robustness	0.037905	max	0.037905	kendall_ mallows_ exact_ distance	0.369659 - 0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Schulze	Robustness	0.037406	max	0.037406	kendall_ mallows_ exact_ distance	0.367942 - 0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Schulze	Robustness	0.032918	max	0.032918	kendall_ mallows_ exact_ distance	0.370073 - 0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	- 0.000499	max	- 0.000499	kendall_ mallows_ exact_ distance	0.333723 - 0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	- 0.037905	max	- 0.037905	kendall_ mallows_ exact_ distance	0.387061 - 0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	- 0.055362	max	- 0.055362	kendall_ mallows_ exact_ distance	0.26951 -0.26951	-	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.04788	max	-0.04788	kendall_ mallows_ exact_ distance	0.301961 - 0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	- 0.046883	max	- 0.046883	kendall_ mallows_ exact_ distance	0.323871 - 0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	- 0.034913	max	- 0.034913	kendall_ mallows_ exact_ distance	0.359395 - 0.359395	-	0.002	4584.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.01995	max	-0.01995	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	-	max	-	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	F	Borda	Robustness	0.16409	max	0.16409	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	F	Borda	Robustness	0.202494	max	0.202494	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	F	Borda	Robustness	0.218953	max	0.218953	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	F	Borda	Robustness	0.218454	max	0.218454	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	F	Borda	Robustness	0.221446	max	0.221446	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	F	Borda	Robustness	0.210474	max	0.210474	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	F	Borda	Robustness	0.20399	max	0.20399	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	F	Borda	Robustness	0.195511	max	0.195511	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	F	Borda	Robustness	0.190025	max	0.190025	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	F	Borda	Robustness	0.200998	max	0.200998	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	F	Kemeny	Robustness	0.16409	max	0.16409	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	F	Kemeny	Robustness	0.189526	max	0.189526	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	F	Kemeny	Robustness	0.212469	max	0.212469	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	F	Kemeny	Robustness	0.200499	max	0.200499	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	F	Kemeny	Robustness	0.20399	max	0.20399	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	F	Kemeny	Robustness	0.199501	max	0.199501	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	F	Kemeny	Robustness	0.2	max	0.2	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	F	Kemeny	Robustness	0.189027	max	0.189027	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	F	Kemeny	Robustness	0.175062	max	0.175062	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	F	Kemeny	Robustness	0.188529	max	0.188529	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	F	RRF	Robustness	0.169077	max	0.169077	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	F	RRF	Robustness	0.206484	max	0.206484	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	F	RRF	Robustness	0.213965	max	0.213965	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	F	RRF	Robustness	0.205985	max	0.205985	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	F	RRF	Robustness	0.204988	max	0.204988	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	F	RRF	Robustness	0.198005	max	0.198005	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	F	RRF	Robustness	0.210474	max	0.210474	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	F	RRF	Robustness	0.18803	max	0.18803	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	F	RRF	Robustness	0.185536	max	0.185536	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	F	RRF	Robustness	0.187032	max	0.187032	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	F	Schulze	Robustness	0.16409	max	0.16409	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	F	Schulze	Robustness	0.203491	max	0.203491	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	F	Schulze	Robustness	0.208978	max	0.208978	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	F	Schulze	Robustness	0.207481	max	0.207481	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	F	Schulze	Robustness	0.214464	max	0.214464	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	F	Schulze	Robustness	0.197007	max	0.197007	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	F	Schulze	Robustness	0.204988	max	0.204988	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	F	Schulze	Robustness	0.197007	max	0.197007	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	F	Schulze	Robustness	0.188529	max	0.188529	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	F	Schulze	Robustness	0.186035	max	0.186035	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	F	Simple Averaging	Robustness	0.172569	max	0.172569	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	F	Simple Averaging	Robustness	0.230424	max	0.230424	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	F	Simple Averaging	Robustness	0.237406	max	0.237406	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	F	Simple Averaging	Robustness	0.225935	max	0.225935	kendall_ mallows_ exact_ distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	F	Simple Averaging	Robustness	0.226933	max	0.226933	kendall_ mallows_ exact_ distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	F	Simple Averaging	Robustness	0.224938	max	0.224938	kendall_ mallows_ exact_ distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	F	Simple Averaging	Robustness	0.224938	max	0.224938	kendall_ mallows_ exact_ distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	F	Simple Averaging	Robustness	0.222444	max	0.222444	kendall_ mallows_ exact_ distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	F	Simple Averaging	Robustness	0.221945	max	0.221945	kendall_ mallows_ exact_ distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	F	Simple Averaging	Robustness	0.231421	max	0.231421	kendall_ mallows_ exact_ distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Borda	Robustness	0.24389	max	0.24389	kendall_ mallows_ exact_ distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Borda	Robustness	0.216958	max	0.216958	kendall_ mallows_ exact_ distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Borda	Robustness	0.24389	max	0.24389	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Borda	Robustness	0.250374	max	0.250374	kendall_ mallows_ exact_ distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Borda	Robustness	0.261347	max	0.261347	kendall_ mallows_ exact_ distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Borda	Robustness	0.285786	max	0.285786	kendall_ mallows_ exact_ distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Borda	Robustness	0.311721	max	0.311721	kendall_ mallows_ exact_ distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Borda	Robustness	0.299252	max	0.299252	kendall_ mallows_ exact_ distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Borda	Robustness	0.294763	max	0.294763	kendall_ mallows_ exact_ distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Borda	Robustness	0.316708	max	0.316708	kendall_ mallows_ exact_ distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.24389	max	0.24389	kendall_ mallows_ exact_ distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.195511	max	0.195511	kendall_ mallows_ exact_ distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.208479	max	0.208479	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.239401	max	0.239401	kendall_ mallows_ exact_ distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.277805	max	0.277805	kendall_ mallows_ exact_ distance	0.323871	-0.323871	0.002	4689.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.300249	max	0.300249	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.334165	max	0.334165	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.312219	max	0.312219	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.301247	max	0.301247	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.307731	max	0.307731	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Fbar	RRF	Robustness	0.214464	max	0.214464	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Fbar	RRF	Robustness	0.203491	max	0.203491	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Fbar	RRF	Robustness	0.230424	max	0.230424	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Fbar	RRF	Robustness	0.241895	max	0.241895	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Fbar	RRF	Robustness	0.268828	max	0.268828	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Fbar	RRF	Robustness	0.296259	max	0.296259	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Fbar	RRF	Robustness	0.307731	max	0.307731	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Fbar	RRF	Robustness	0.304738	max	0.304738	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Fbar	RRF	Robustness	0.306733	max	0.306733	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Fbar	RRF	Robustness	0.329676	max	0.329676	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Schulze	Robustness	0.24389	max	0.24389	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Schulze	Robustness	0.214963	max	0.214963	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Schulze	Robustness	0.228928	max	0.228928	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Schulze	Robustness	0.239401	max	0.239401	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Schulze	Robustness	0.266334	max	0.266334	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Schulze	Robustness	0.307232	max	0.307232	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Schulze	Robustness	0.299751	max	0.299751	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Schulze	Robustness	0.308229	max	0.308229	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Schulze	Robustness	0.310224	max	0.310224	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Schulze	Robustness	0.318703	max	0.318703	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.303242	max	0.303242	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.195511	max	0.195511	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.215461	max	0.215461	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.214963	max	0.214963	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.219451	max	0.219451	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.233915	max	0.233915	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.234414	max	0.234414	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.247382	max	0.247382	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.251372	max	0.251372	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.251372	max	0.251372	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	Borda	Quality	0.303741	max	0.303741	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	Borda	Quality	0.313217	max	0.313217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	Borda	Quality	0.291771	max	0.291771	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	Borda	Quality	0.308229	max	0.308229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	Borda	Quality	0.291771	max	0.291771	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	C	Borda	Quality	0.287781	max	0.287781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	C	Borda	Quality	0.291272	max	0.291272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	C	Borda	Quality	0.281796	max	0.281796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	C	Borda	Quality	0.278803	max	0.278803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	C	Borda	Quality	0.267332	max	0.267332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	Kemeny	Quality	0.303741	max	0.303741	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	Kemeny	Quality	0.314214	max	0.314214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	Kemeny	Quality	0.304738	max	0.304738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	Kemeny	Quality	0.316708	max	0.316708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	Kemeny	Quality	0.307731	max	0.307731	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	C	Kemeny	Quality	0.301247	max	0.301247	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	C	Kemeny	Quality	0.292768	max	0.292768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	C	Kemeny	Quality	0.276309	max	0.276309	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	C	Kemeny	Quality	0.287781	max	0.287781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	C	Kemeny	Quality	0.275312	max	0.275312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	RRF	Quality	0.315711	max	0.315711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	RRF	Quality	0.304239	max	0.304239	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	RRF	Quality	0.294264	max	0.294264	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	RRF	Quality	0.313217	max	0.313217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	RRF	Quality	0.302244	max	0.302244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	C	RRF	Quality	0.305736	max	0.305736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	C	RRF	Quality	0.287282	max	0.287282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	C	RRF	Quality	0.290274	max	0.290274	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	C	RRF	Quality	0.283791	max	0.283791	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	C	RRF	Quality	0.275312	max	0.275312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	Schulze	Quality	0.303741	max	0.303741	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	Schulze	Quality	0.312718	max	0.312718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	Schulze	Quality	0.302244	max	0.302244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	Schulze	Quality	0.303242	max	0.303242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	Schulze	Quality	0.302244	max	0.302244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	C	Schulze	Quality	0.293766	max	0.293766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	C	Schulze	Quality	0.289776	max	0.289776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	C	Schulze	Quality	0.2798	max	0.2798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	C	Schulze	Quality	0.276808	max	0.276808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	C	Schulze	Quality	0.269825	max	0.269825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	Simple Averaging	Quality	0.314214	max	0.314214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	Simple Averaging	Quality	0.288279	max	0.288279	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	Simple Averaging	Quality	0.266833	max	0.266833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	Simple Averaging	Quality	0.278803	max	0.278803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	Simple Averaging	Quality	0.282294	max	0.282294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	C	Simple Averaging	Quality	0.284788	max	0.284788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	C	Simple Averaging	Quality	0.287282	max	0.287282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	C	Simple Averaging	Quality	0.285287	max	0.285287	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	C	Simple Averaging	Quality	0.283791	max	0.283791	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	C	Simple Averaging	Quality	0.281297	max	0.281297	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Cbar	Borda	Quality	0.65586	min	-0.65586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Cbar	Borda	Quality	0.669825	min	- 0.669825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Cbar	Borda	Quality	0.697756	min	- 0.697756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Cbar	Borda	Quality	0.686284	min	- 0.686284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Cbar	Borda	Quality	0.683791	min	- 0.683791	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Cbar	Borda	Quality	0.700249	min	- 0.700249	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Cbar	Borda	Quality	0.693766	min	- 0.693766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Cbar	Borda	Quality	0.703242	min	- 0.703242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Cbar	Borda	Quality	0.712219	min	- 0.712219	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Cbar	Borda	Quality	0.722693	min	- 0.722693	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Cbar	Kemeny	Quality	0.65586	min	-0.65586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Cbar	Kemeny	Quality	0.669825	min	-0.669825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Cbar	Kemeny	Quality	0.674314	min	-0.674314	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Cbar	Kemeny	Quality	0.678304	min	-0.678304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Cbar	Kemeny	Quality	0.687781	min	-0.687781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Cbar	Kemeny	Quality	0.693766	min	-0.693766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Cbar	Kemeny	Quality	0.692768	min	-0.692768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Cbar	Kemeny	Quality	0.704239	min	-0.704239	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Cbar	Kemeny	Quality	0.698753	min	-0.698753	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Cbar	Kemeny	Quality	0.718204	min	-0.718204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Cbar	RRF	Quality	0.665835	min	-0.665835	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Cbar	RRF	Quality	0.660349	min	-0.660349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Cbar	RRF	Quality	0.672818	min	-0.672818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Cbar	RRF	Quality	0.6798	min	-0.6798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Cbar	RRF	Quality	0.679302	min	-0.679302	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Cbar	RRF	Quality	0.693766	min	-0.693766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Cbar	RRF	Quality	0.682793	min	-0.682793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Cbar	RRF	Quality	0.702244	min	-0.702244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Cbar	RRF	Quality	0.696758	min	-0.696758	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Cbar	RRF	Quality	0.717207	min	-0.717207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Cbar	Schulze	Quality	0.65586	min	-0.65586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Cbar	Schulze	Quality	0.667332	min	-0.667332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Cbar	Schulze	Quality	0.683292	min	- 0.683292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Cbar	Schulze	Quality	0.681297	min	- 0.681297	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Cbar	Schulze	Quality	0.688778	min	- 0.688778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Cbar	Schulze	Quality	0.694763	min	- 0.694763	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Cbar	Schulze	Quality	0.685287	min	- 0.685287	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Cbar	Schulze	Quality	0.706733	min	- 0.706733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Cbar	Schulze	Quality	0.705736	min	- 0.705736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Cbar	Schulze	Quality	0.717706	min	- 0.717706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Cbar	Simple Averaging	Quality	0.657855	min	- 0.657855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Cbar	Simple Averaging	Quality	0.737157	min	- 0.737157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Cbar	Simple Averaging	Quality	0.739152	min	- 0.739152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Cbar	Simple Averaging	Quality	0.736658	min	-0.736658	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Cbar	Simple Averaging	Quality	0.729676	min	-0.729676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Cbar	Simple Averaging	Quality	0.72818	min	-0.72818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Cbar	Simple Averaging	Quality	0.726185	min	-0.726185	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Cbar	Simple Averaging	Quality	0.728678	min	-0.728678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Cbar	Simple Averaging	Quality	0.731172	min	-0.731172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Cbar	Simple Averaging	Quality	0.73217	min	-0.73217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	F	Borda	Quality	0.080798	max	0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	F	Borda	Quality	0.084788	max	0.084788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	F	Borda	Quality	0.065337	max	0.065337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	F	Borda	Quality	0.066334	max	0.066334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	F	Borda	Quality	0.054364	max	0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	F	Borda	Quality	0.05586	max	0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	F	Borda	Quality	0.058354	max	0.058354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	F	Borda	Quality	0.060349	max	0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	F	Borda	Quality	0.06384	max	0.06384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	F	Borda	Quality	0.051372	max	0.051372	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	F	Kemeny	Quality	0.080798	max	0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	F	Kemeny	Quality	0.091272	max	0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	F	Kemeny	Quality	0.076808	max	0.076808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	F	Kemeny	Quality	0.078803	max	0.078803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	F	Kemeny	Quality	0.075312	max	0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	F	Kemeny	Quality	0.062843	max	0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	F	Kemeny	Quality	0.05586	max	0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	F	Kemeny	Quality	0.053367	max	0.053367	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	F	Kemeny	Quality	0.064339	max	0.064339	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	F	Kemeny	Quality	0.053367	max	0.053367	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	F	RRF	Quality	0.093766	max	0.093766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	F	RRF	Quality	0.077805	max	0.077805	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	F	RRF	Quality	0.066833	max	0.066833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	F	RRF	Quality	0.078803	max	0.078803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	F	RRF	Quality	0.06783	max	0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	F	RRF	Quality	0.076309	max	0.076309	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	F	RRF	Quality	0.058853	max	0.058853	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	F	RRF	Quality	0.063342	max	0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	F	RRF	Quality	0.06384	max	0.06384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	F	RRF	Quality	0.054863	max	0.054863	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	F	Schulze	Quality	0.080798	max	0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	F	Schulze	Quality	0.083292	max	0.083292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	F	Schulze	Quality	0.076309	max	0.076309	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	F	Schulze	Quality	0.071322	max	0.071322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	F	Schulze	Quality	0.061347	max	0.061347	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	F	Schulze	Quality	0.065835	max	0.065835	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	F	Schulze	Quality	0.056359	max	0.056359	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	F	Schulze	Quality	0.053367	max	0.053367	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	F	Schulze	Quality	0.062843	max	0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	F	Schulze	Quality	0.054364	max	0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	F	Simple Averaging	Quality	0.079302	max	0.079302	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	F	Simple Averaging	Quality	0.069327	max	0.069327	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	F	Simple Averaging	Quality	0.057855	max	0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	F	Simple Averaging	Quality	0.068329	max	0.068329	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	F	Simple Averaging	Quality	0.066833	max	0.066833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	F	Simple Averaging	Quality	0.06783	max	0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	F	Simple Averaging	Quality	0.068329	max	0.068329	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	F	Simple Averaging	Quality	0.066334	max	0.066334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	F	Simple Averaging	Quality	0.065835	max	0.065835	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	F	Simple Averaging	Quality	0.059352	max	0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Fbar	Borda	Quality	0.294264	min	- 0.294264	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Fbar	Borda	Quality	0.309726	min	- 0.309726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Fbar	Borda	Quality	0.342643	min	- 0.342643	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Fbar	Borda	Quality	0.325686	min	- 0.325686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Fbar	Borda	Quality	0.315711	min	- 0.315711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Fbar	Borda	Quality	0.332668	min	- 0.332668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Fbar	Borda	Quality	0.322693	min	- 0.322693	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Fbar	Borda	Quality	0.334165	min	- 0.334165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Fbar	Borda	Quality	0.337656	min	- 0.337656	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Fbar	Borda	Quality	0.357107	min	- 0.357107	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Fbar	Kemeny	Quality	0.294264	min	- 0.294264	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Fbar	Kemeny	Quality	0.314214	min	- 0.314214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Fbar	Kemeny	Quality	0.327182	min	- 0.327182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Fbar	Kemeny	Quality	0.319701	min	- 0.319701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Fbar	Kemeny	Quality	0.318703	min	- 0.318703	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Fbar	Kemeny	Quality	0.323192	min	- 0.323192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Fbar	Kemeny	Quality	0.325686	min	- 0.325686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Fbar	Kemeny	Quality	0.334663	min	- 0.334663	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Fbar	Kemeny	Quality	0.325686	min	- 0.325686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Fbar	Kemeny	Quality	0.348628	min	- 0.348628	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Fbar	RRF	Quality	0.312219	min	-0.312219	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Fbar	RRF	Quality	0.309726	min	-0.309726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Fbar	RRF	Quality	0.328678	min	-0.328678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Fbar	RRF	Quality	0.327182	min	-0.327182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Fbar	RRF	Quality	0.316708	min	-0.316708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Fbar	RRF	Quality	0.321197	min	-0.321197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Fbar	RRF	Quality	0.319701	min	-0.319701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Fbar	RRF	Quality	0.33217	min	-0.33217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Fbar	RRF	Quality	0.329676	min	-0.329676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Fbar	RRF	Quality	0.354115	min	-0.354115	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Fbar	Schulze	Quality	0.294264	min	-0.294264	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Fbar	Schulze	Quality	0.307731	min	-0.307731	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Fbar	Schulze	Quality	0.326683	min	-0.326683	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Fbar	Schulze	Quality	0.323691	min	-0.323691	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Fbar	Schulze	Quality	0.322195	min	-0.322195	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Fbar	Schulze	Quality	0.328678	min	-0.328678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Fbar	Schulze	Quality	0.311721	min	-0.311721	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Fbar	Schulze	Quality	0.334663	min	-0.334663	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Fbar	Schulze	Quality	0.34015	min	-0.34015	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Fbar	Schulze	Quality	0.351621	min	-0.351621	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Fbar	Simple Averaging	Quality	0.296758	min	-0.296758	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Fbar	Simple Averaging	Quality	0.38404	min	-0.38404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Fbar	Simple Averaging	Quality	0.385536	min	-0.385536	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Fbar	Simple Averaging	Quality	0.380549	min	-0.380549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Fbar	Simple Averaging	Quality	0.376559	min	-0.376559	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Fbar	Simple Averaging	Quality	0.374065	min	-0.374065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Fbar	Simple Averaging	Quality	0.371571	min	-0.371571	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Fbar	Simple Averaging	Quality	0.375561	min	-0.375561	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Fbar	Simple Averaging	Quality	0.377057	min	-0.377057	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Fbar	Simple Averaging	Quality	0.38005	min	-0.38005	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 255	C	Borda	Robustness	-0.242893	max	-0.242893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 255	C	Borda	Robustness	-0.234913	max	-0.234913	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 255	C	Borda	Robustness	-0.222444	max	-0.222444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Borda	Robustness	- 0.237905	max	- 0.237905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Borda	Robustness	- 0.227431	max	- 0.227431	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Borda	Robustness	- 0.221446	max	- 0.221446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Borda	Robustness	- 0.233915	max	- 0.233915	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Borda	Robustness	- 0.232918	max	- 0.232918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Borda	Robustness	- 0.226933	max	- 0.226933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Borda	Robustness	- 0.224938	max	- 0.224938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.242893	max	- 0.242893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.241895	max	- 0.241895	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.229925	max	- 0.229925	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.248878	max	- 0.248878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.236908	max	- 0.236908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.236409	max	- 0.236409	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.234414	max	- 0.234414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.226933	max	- 0.226933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.234414	max	- 0.234414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Kemeny	Robustness	- 0.229426	max	- 0.229426	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	RRF	Robustness	-0.24788	max	-0.24788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	RRF	Robustness	- 0.230923	max	- 0.230923	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	RRF	Robustness	- 0.221446	max	- 0.221446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	RRF	Robustness	- 0.240399	max	- 0.240399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	RRF	Robustness	- 0.230424	max	- 0.230424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	RRF	Robustness	- 0.240898	max	- 0.240898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	RRF	Robustness	-0.22394	max	-0.22394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	RRF	Robustness	- 0.235411	max	- 0.235411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	RRF	Robustness	-0.22793	max	-0.22793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	RRF	Robustness	- 0.226933	max	- 0.226933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.242893	max	- 0.242893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.234414	max	- 0.234414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.231421	max	- 0.231421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.232918	max	- 0.232918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.236409	max	- 0.236409	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.231421	max	- 0.231421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.232918	max	- 0.232918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.230923	max	- 0.230923	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.224439	max	- 0.224439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Schulze	Robustness	- 0.218953	max	- 0.218953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.245387	max	- 0.245387	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.220948	max	- 0.220948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.205486	max	- 0.205486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.216459	max	- 0.216459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.214464	max	- 0.214464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.218454	max	- 0.218454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.218454	max	- 0.218454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.218953	max	- 0.218953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.216459	max	- 0.216459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	- 0.217955	max	- 0.217955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.048878	max	0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.064838	max	0.064838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.099751	max	0.099751	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.069327	max	0.069327	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.072818	max	0.072818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.085287	max	0.085287	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.067332	max	0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.06783	max	0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.087781	max	0.087781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.076808	max	0.076808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.048878	max	0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.052369	max	0.052369	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.076808	max	0.076808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.081796	max	0.081796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.063342	max	0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.077805	max	0.077805	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.071322	max	0.071322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.076309	max	0.076309	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.068828	max	0.068828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.077805	max	0.077805	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.04788	max	0.04788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.053865	max	0.053865	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.070823	max	0.070823	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.068329	max	0.068329	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.067332	max	0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.078304	max	0.078304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.07182	max	0.07182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.07182	max	0.07182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.07182	max	0.07182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.078803	max	0.078803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.048878	max	0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.062843	max	0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.090274	max	0.090274	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.075312	max	0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.078304	max	0.078304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.073317	max	0.073317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.060349	max	0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.080299	max	0.080299	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.083292	max	0.083292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0798	max	0.0798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.06783	max	0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.106733	max	0.106733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 - 0.432355	-	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.115711	max	0.115711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 - 0.188462	-	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.110224	max	0.110224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 - 0.307775	-	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.098254	max	0.098254	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 - 0.306792	-	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.093766	max	0.093766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 - 0.318128	-	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.101247	max	0.101247	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 - 0.344808	-	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.101746	max	0.101746	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 - 0.370101	-	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.106733	max	0.106733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 - 0.406797	-	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.110224	max	0.110224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 - 0.409139	-	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 255	F	Borda	Robustness	-0.06783	max	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 - 0.316523	-	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 255	F	Borda	Robustness	- 0.061845	max	- 0.061845	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 - 0.432355	-	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 255	F	Borda	Robustness	-0.04788	max	-0.04788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 255	F	Borda	Robustness	- 0.044888	max	- 0.044888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 255	F	Borda	Robustness	- 0.039401	max	- 0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 255	F	Borda	Robustness	- 0.037406	max	- 0.037406	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 255	F	Borda	Robustness	- 0.044888	max	- 0.044888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 255	F	Borda	Robustness	- 0.046883	max	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 255	F	Borda	Robustness	- 0.046883	max	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 255	F	Borda	Robustness	- 0.037406	max	- 0.037406	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 255	F	Kemeny	Robustness	-0.06783	max	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 255	F	Kemeny	Robustness	- 0.074314	max	- 0.074314	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 255	F	Kemeny	Robustness	- 0.054364	max	- 0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.060848	max	- 0.060848	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.05586	max	-0.05586	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.047382	max	- 0.047382	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.039401	max	- 0.039401	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.042893	max	- 0.042893	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.050374	max	- 0.050374	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	Kemeny	Robustness	- 0.042893	max	- 0.042893	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	RRF	Robustness	- 0.074813	max	- 0.074813	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	RRF	Robustness	- 0.058354	max	- 0.058354	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	RRF	Robustness	- 0.045387	max	- 0.045387	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	RRF	Robustness	- 0.058853	max	- 0.058853	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.307775	- 0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	RRF	Robustness	- 0.048379	max	- 0.048379	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	RRF	Robustness	- 0.059352	max	- 0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	RRF	Robustness	-0.04389	max	-0.04389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	RRF	Robustness	- 0.046384	max	- 0.046384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	RRF	Robustness	- 0.046883	max	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	RRF	Robustness	- 0.041397	max	- 0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	Schulze	Robustness	-0.06783	max	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.060848	max	- 0.060848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.054364	max	- 0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.050374	max	- 0.050374	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	Schulze	Robustness	-0.04788	max	-0.04788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.050374	max	- 0.050374	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.041397	max	- 0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.043392	max	- 0.043392	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	Schulze	Robustness	-0.04788	max	-0.04788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	Schulze	Robustness	- 0.041895	max	- 0.041895	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.061845	max	- 0.061845	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.046883	max	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.040898	max	- 0.040898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.049875	max	- 0.049875	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.046883	max	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.049875	max	- 0.049875	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.049377	max	- 0.049377	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.049377	max	- 0.049377	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.048878	max	- 0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	- 0.040898	max	- 0.040898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.035411	max	0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.058354	max	0.058354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.096259	max	0.096259	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.077307	max	0.077307	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.081796	max	0.081796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.088778	max	0.088778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.064339	max	0.064339	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.066833	max	0.066833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.080798	max	0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.066833	max	0.066833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.035411	max	0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.042893	max	0.042893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.073815	max	0.073815	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.083292	max	0.083292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.07182	max	0.07182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.073815	max	0.073815	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.066833	max	0.066833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.066334	max	0.066334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.06384	max	0.06384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.064339	max	0.064339	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.040898	max	0.040898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.045885	max	0.045885	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.080299	max	0.080299	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.07182	max	0.07182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.07182	max	0.07182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.07581	max	0.07581	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.069327	max	0.069327	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.062843	max	0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.066334	max	0.066334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.069825	max	0.069825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.035411	max	0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.057855	max	0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.084289	max	0.084289	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.075312	max	0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.087781	max	0.087781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.076808	max	0.076808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.05586	max	0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.076309	max	0.076309	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.077805	max	0.077805	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.068828	max	0.068828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.048379	max	0.048379	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.111222	max	0.111222	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.123691	max	0.123691	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.119701	max	0.119701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.114713	max	0.114713	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.115711	max	0.115711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.119701	max	0.119701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.116209	max	0.116209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.121696	max	0.121696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.129676	max	0.129676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	C	Borda	Robustness	- 0.180549	max	- 0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	C	Borda	Robustness	- 0.190524	max	- 0.190524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	C	Borda	Robustness	-0.17207	max	-0.17207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	C	Borda	Robustness	- 0.189027	max	- 0.189027	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	C	Borda	Robustness	-0.17207	max	-0.17207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	C	Borda	Robustness	- 0.169077	max	- 0.169077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	C	Borda	Robustness	-0.17207	max	-0.17207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	C	Borda	Robustness	- 0.161596	max	- 0.161596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	C	Borda	Robustness	- 0.159601	max	- 0.159601	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	C	Borda	Robustness	- 0.148628	max	- 0.148628	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	C	Kemeny	Robustness	- 0.180549	max	- 0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	C	Kemeny	Robustness	- 0.192519	max	- 0.192519	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	C	Kemeny	Robustness	- 0.186035	max	- 0.186035	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	C	Kemeny	Robustness	- 0.197506	max	- 0.197506	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	C	Kemeny	Robustness	- 0.188529	max	- 0.188529	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	C	Kemeny	Robustness	- 0.181546	max	- 0.181546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	C	Kemeny	Robustness	- 0.174564	max	- 0.174564	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	C	Kemeny	Robustness	- 0.159102	max	- 0.159102	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	C	Kemeny	Robustness	- 0.169576	max	- 0.169576	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	C	Kemeny	Robustness	- 0.155611	max	- 0.155611	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	C	RRF	Robustness	- 0.196509	max	- 0.196509	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	C	RRF	Robustness	- 0.183042	max	- 0.183042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	C	RRF	Robustness	- 0.175561	max	- 0.175561	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	C	RRF	Robustness	- 0.193516	max	- 0.193516	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	C	RRF	Robustness	- 0.182045	max	- 0.182045	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	C	RRF	Robustness	- 0.186035	max	- 0.186035	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	C	RRF	Robustness	- 0.166085	max	- 0.166085	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	C	RRF	Robustness	- 0.173067	max	- 0.173067	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	C	RRF	Robustness	- 0.166085	max	- 0.166085	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	C	RRF	Robustness	- 0.155611	max	- 0.155611	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	C	Schulze	Robustness	- 0.180549	max	- 0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	C	Schulze	Robustness	- 0.190025	max	- 0.190025	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	C	Schulze	Robustness	- 0.180549	max	- 0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	C	Schulze	Robustness	-0.18404	max	-0.18404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	C	Schulze	Robustness	- 0.183042	max	- 0.183042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	C	Schulze	Robustness	- 0.173067	max	- 0.173067	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	C	Schulze	Robustness	- 0.170075	max	- 0.170075	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	C	Schulze	Robustness	- 0.160599	max	- 0.160599	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	C	Schulze	Robustness	- 0.158105	max	- 0.158105	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	C	Schulze	Robustness	- 0.149626	max	- 0.149626	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.190524	max	- 0.190524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	C	Simple Averaging	Robustness	-0.16808	max	-0.16808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.146633	max	- 0.146633	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.158105	max	- 0.158105	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.162095	max	- 0.162095	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	C	Simple Averaging	Robustness	-0.16409	max	-0.16409	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.167581	max	- 0.167581	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.165586	max	- 0.165586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	C	Simple Averaging	Robustness	-0.16409	max	-0.16409	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	C	Simple Averaging	Robustness	- 0.164589	max	- 0.164589	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Borda	Robustness	- 0.075312	max	- 0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Borda	Robustness	- 0.102743	max	- 0.102743	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Borda	Robustness	- 0.115212	max	- 0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Borda	Robustness	- 0.111721	max	- 0.111721	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Borda	Robustness	- 0.087781	max	- 0.087781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Borda	Robustness	-0.06783	max	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Borda	Robustness	- 0.080798	max	- 0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Borda	Robustness	- 0.073815	max	- 0.073815	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Borda	Robustness	- 0.064838	max	- 0.064838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Borda	Robustness	- 0.061347	max	- 0.061347	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.075312	max	- 0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.086783	max	- 0.086783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.13217	max	-0.13217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.109726	max	- 0.109726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.083791	max	- 0.083791	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.066334	max	- 0.066334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.071322	max	- 0.071322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.070324	max	- 0.070324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.068828	max	- 0.068828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Kemeny	Robustness	- 0.052868	max	- 0.052868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	RRF	Robustness	- 0.078304	max	- 0.078304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	RRF	Robustness	- 0.093766	max	- 0.093766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	RRF	Robustness	- 0.114713	max	- 0.114713	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	RRF	Robustness	- 0.100249	max	- 0.100249	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	RRF	Robustness	- 0.086284	max	- 0.086284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	RRF	Robustness	- 0.073317	max	- 0.073317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	RRF	Robustness	- 0.070823	max	- 0.070823	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	RRF	Robustness	- 0.067332	max	- 0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	RRF	Robustness	- 0.072818	max	- 0.072818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	RRF	Robustness	- 0.062843	max	- 0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.075312	max	- 0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.103242	max	- 0.103242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.126185	max	- 0.126185	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.105736	max	- 0.105736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.088778	max	- 0.088778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.060349	max	- 0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.087781	max	- 0.087781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.054364	max	- 0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.057855	max	- 0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Schulze	Robustness	- 0.061845	max	- 0.061845	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.116209	max	- 0.116209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.141147	max	- 0.141147	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.144638	max	- 0.144638	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.142643	max	- 0.142643	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.139152	max	- 0.139152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.141147	max	- 0.141147	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.129676	max	- 0.129676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.117207	max	- 0.117207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.112219	max	- 0.112219	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	- 0.110723	max	- 0.110723	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	F	Borda	Robustness	-0.00399	max	-0.00399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	F	Borda	Robustness	- 0.003491	max	- 0.003491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	F	Borda	Robustness	0.014963	max	0.014963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	F	Borda	Robustness	0.013466	max	0.013466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	F	Borda	Robustness	0.025935	max	0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	F	Borda	Robustness	0.022943	max	0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	F	Borda	Robustness	0.01995	max	0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	F	Borda	Robustness	0.01596	max	0.01596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	F	Borda	Robustness	0.014464	max	0.014464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	F	Borda	Robustness	0.026434	max	0.026434	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	F	Kemeny	Robustness	-0.00399	max	-0.00399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	F	Kemeny	Robustness	- 0.010973	max	- 0.010973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 - 0.432355	-	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	F	Kemeny	Robustness	0.002993	max	0.002993	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 - 0.188462	-	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	F	Kemeny	Robustness	0.000499	max	0.000499	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 - 0.307775	-	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	F	Kemeny	Robustness	0.003491	max	0.003491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 - 0.306792	-	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	F	Kemeny	Robustness	0.015461	max	0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 - 0.318128	-	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	F	Kemeny	Robustness	0.022444	max	0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 - 0.344808	-	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	F	Kemeny	Robustness	0.022943	max	0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 - 0.370101	-	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	F	Kemeny	Robustness	0.011471	max	0.011471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 - 0.406797	-	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	F	Kemeny	Robustness	0.022444	max	0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 - 0.409139	-	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	F	RRF	Robustness	- 0.015461	max	- 0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 - 0.316523	-	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	F	RRF	Robustness	0.002494	max	0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 - 0.432355	-	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	F	RRF	Robustness	0.013965	max	0.013965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	F	RRF	Robustness	0.001995	max	0.001995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	F	RRF	Robustness	0.01197	max	0.01197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	F	RRF	Robustness	0.003491	max	0.003491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	F	RRF	Robustness	0.020449	max	0.020449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	F	RRF	Robustness	0.013965	max	0.013965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	F	RRF	Robustness	0.013965	max	0.013965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	F	RRF	Robustness	0.021945	max	0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	F	Schulze	Robustness	-0.00399	max	-0.00399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	F	Schulze	Robustness	- 0.001995	max	- 0.001995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	F	Schulze	Robustness	0.004489	max	0.004489	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	F	Schulze	Robustness	0.008978	max	0.008978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	F	Schulze	Robustness	0.017955	max	0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	F	Schulze	Robustness	0.012469	max	0.012469	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	F	Schulze	Robustness	0.021945	max	0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	F	Schulze	Robustness	0.024938	max	0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	F	Schulze	Robustness	0.01596	max	0.01596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	F	Schulze	Robustness	0.02394	max	0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	F	Simple Averaging	Robustness	- 0.002494	max	- 0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.010474	max	0.010474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.021945	max	0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.011471	max	0.011471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.013466	max	0.013466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.012968	max	0.012968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.01197	max	0.01197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.013466	max	0.013466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.013965	max	0.013965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.018953	max	0.018953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Borda	Robustness	0.332668	max	0.332668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Borda	Robustness	0.316209	max	0.316209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Borda	Robustness	0.314713	max	0.314713	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Borda	Robustness	0.322195	max	0.322195	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Borda	Robustness	0.334663	max	0.334663	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Borda	Robustness	0.367082	max	0.367082	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Borda	Robustness	0.374065	max	0.374065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Borda	Robustness	0.394015	max	0.394015	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Borda	Robustness	0.38803	max	0.38803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Borda	Robustness	0.398504	max	0.398504	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.332668	max	0.332668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.300249	max	0.300249	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.306234	max	0.306234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.306234	max	0.306234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.343142	max	0.343142	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.383042	max	0.383042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.401995	max	0.401995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.416459	max	0.416459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.404489	max	0.404489	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.414963	max	0.414963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	RRF	Robustness	0.323192	max	0.323192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	RRF	Robustness	0.294763	max	0.294763	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	RRF	Robustness	0.302244	max	0.302244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	RRF	Robustness	0.308728	max	0.308728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	RRF	Robustness	0.339152	max	0.339152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	RRF	Robustness	0.353117	max	0.353117	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	RRF	Robustness	0.386035	max	0.386035	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	RRF	Robustness	0.395511	max	0.395511	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	RRF	Robustness	0.397007	max	0.397007	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	RRF	Robustness	0.403491	max	0.403491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.332668	max	0.332668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.315711	max	0.315711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.302244	max	0.302244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.308229	max	0.308229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.34813	max	0.34813	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.366085	max	0.366085	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.37207	max	0.37207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.408479	max	0.408479	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.400499	max	0.400499	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.408978	max	0.408978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.399002	max	0.399002	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.319202	max	0.319202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.327182	max	0.327182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.321696	max	0.321696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.329676	max	0.329676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.332668	max	0.332668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.330673	max	0.330673	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.33616	max	0.33616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.34015	max	0.34015	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.352618	max	0.352618	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Borda	Robustness	- 0.209476	max	- 0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Borda	Robustness	- 0.218953	max	- 0.218953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Borda	Robustness	- 0.198504	max	- 0.198504	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Borda	Robustness	-0.21596	max	-0.21596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Borda	Robustness	- 0.199002	max	- 0.199002	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Borda	Robustness	- 0.195012	max	- 0.195012	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Borda	Robustness	- 0.197007	max	- 0.197007	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Borda	Robustness	-0.18803	max	-0.18803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Borda	Robustness	- 0.185536	max	- 0.185536	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Borda	Robustness	- 0.173566	max	- 0.173566	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.209476	max	- 0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.220449	max	- 0.220449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.210973	max	- 0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.221446	max	- 0.221446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.213466	max	- 0.213466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.208479	max	- 0.208479	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.202494	max	- 0.202494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.183042	max	- 0.183042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.191521	max	- 0.191521	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Kemeny	Robustness	- 0.182045	max	- 0.182045	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	C	RRF	Robustness	- 0.223441	max	- 0.223441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	C	RRF	Robustness	- 0.209975	max	- 0.209975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	C	RRF	Robustness	- 0.201496	max	- 0.201496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	C	RRF	Robustness	- 0.218454	max	- 0.218454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	C	RRF	Robustness	- 0.209476	max	- 0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	C	RRF	Robustness	- 0.212968	max	- 0.212968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	C	RRF	Robustness	- 0.193017	max	- 0.193017	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	C	RRF	Robustness	-0.19601	max	-0.19601	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	C	RRF	Robustness	- 0.190524	max	- 0.190524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	C	RRF	Robustness	- 0.181047	max	- 0.181047	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Schulze	Robustness	- 0.209476	max	- 0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Schulze	Robustness	- 0.218454	max	- 0.218454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Schulze	Robustness	- 0.209476	max	- 0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Schulze	Robustness	- 0.209975	max	- 0.209975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Schulze	Robustness	- 0.209975	max	- 0.209975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Schulze	Robustness	- 0.199501	max	- 0.199501	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Schulze	Robustness	- 0.198005	max	- 0.198005	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Schulze	Robustness	- 0.187032	max	- 0.187032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Schulze	Robustness	- 0.181047	max	- 0.181047	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Schulze	Robustness	- 0.177057	max	- 0.177057	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	-0.21995	max	-0.21995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.195511	max	- 0.195511	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.173566	max	- 0.173566	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.186035	max	- 0.186035	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.189526	max	- 0.189526	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.192519	max	- 0.192519	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.194015	max	- 0.194015	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.190524	max	- 0.190524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.190025	max	- 0.190025	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	- 0.187032	max	- 0.187032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.002494	max	0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.053367	max	- 0.053367	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.087781	max	- 0.087781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.069825	max	- 0.069825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.041895	max	- 0.041895	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.037905	max	- 0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.030424	max	- 0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.024439	max	- 0.024439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Borda	Robustness	- 0.013965	max	- 0.013965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.002494	max	0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.033915	max	- 0.033915	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.073317	max	- 0.073317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.049377	max	- 0.049377	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.033915	max	- 0.033915	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.035411	max	- 0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.004988	max	- 0.004988	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.017955	max	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.001496	max	- 0.001496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	- 0.005486	max	- 0.005486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.012968	max	0.012968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	RRF	Robustness	- 0.038903	max	- 0.038903	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	RRF	Robustness	- 0.076309	max	- 0.076309	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.04788	max	-0.04788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	RRF	Robustness	- 0.042893	max	- 0.042893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	RRF	Robustness	- 0.022444	max	- 0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.01596	max	-0.01596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	RRF	Robustness	- 0.021446	max	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	RRF	Robustness	- 0.014963	max	- 0.014963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.002494	max	0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.054364	max	- 0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.081297	max	- 0.081297	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.063342	max	- 0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.037905	max	- 0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.032918	max	- 0.032918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.020449	max	- 0.020449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.005486	max	- 0.005486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	- 0.014464	max	- 0.014464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.01197	max	-0.01197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.03192	max	-0.03192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	- 0.125187	max	- 0.125187	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	- 0.138155	max	- 0.138155	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	- 0.139651	max	- 0.139651	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	- 0.137157	max	- 0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.12818	max	-0.12818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	- 0.117207	max	- 0.117207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	- 0.114713	max	- 0.114713	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	- 0.105736	max	- 0.105736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	- 0.096259	max	- 0.096259	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Borda	Robustness	-0.02394	max	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Borda	Robustness	-0.02793	max	-0.02793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Borda	Robustness	- 0.007481	max	- 0.007481	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Borda	Robustness	- 0.008479	max	- 0.008479	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Borda	Robustness	0.003491	max	0.003491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Borda	Robustness	0.002494	max	0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Borda	Robustness	0	max	0	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Borda	Robustness	- 0.001995	max	- 0.001995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Borda	Robustness	- 0.006983	max	- 0.006983	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Borda	Robustness	0.006484	max	0.006484	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Kemeny	Robustness	-0.02394	max	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.034414	max	- 0.034414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.019451	max	- 0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.021945	max	- 0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.017955	max	- 0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.004988	max	- 0.004988	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.000998	max	0.000998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.002494	max	0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Kemeny	Robustness	- 0.006983	max	- 0.006983	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.002494	max	0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	F	RRF	Robustness	- 0.037905	max	- 0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	F	RRF	Robustness	- 0.021446	max	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	F	RRF	Robustness	- 0.008978	max	- 0.008978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	F	RRF	Robustness	- 0.021446	max	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	F	RRF	Robustness	- 0.009975	max	- 0.009975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	F	RRF	Robustness	- 0.018953	max	- 0.018953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	F	RRF	Robustness	- 0.001496	max	- 0.001496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	F	RRF	Robustness	- 0.006983	max	- 0.006983	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	F	RRF	Robustness	- 0.005486	max	- 0.005486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	F	RRF	Robustness	0.001496	max	0.001496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Schulze	Robustness	-0.02394	max	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Schulze	Robustness	- 0.026434	max	- 0.026434	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Schulze	Robustness	- 0.018454	max	- 0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Schulze	Robustness	- 0.013466	max	- 0.013466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Schulze	Robustness	- 0.002993	max	- 0.002993	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Schulze	Robustness	- 0.006983	max	- 0.006983	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Schulze	Robustness	0.000998	max	0.000998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Schulze	Robustness	0.001995	max	0.001995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Schulze	Robustness	-0.00798	max	-0.00798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Schulze	Robustness	0.000998	max	0.000998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.02394	max	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.011471	max	- 0.011471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0	max	0	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.011471	max	- 0.011471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.009975	max	- 0.009975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.010973	max	- 0.010973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.009975	max	- 0.009975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.008479	max	- 0.008479	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.00798	max	-0.00798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	- 0.000998	max	- 0.000998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.357606	max	0.357606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.353616	max	0.353616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.371072	max	0.371072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.35611	max	0.35611	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.380549	max	0.380549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.420449	max	0.420449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.407481	max	0.407481	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.417456	max	0.417456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.438903	max	0.438903	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.447382	max	0.447382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.357606	max	0.357606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.353117	max	0.353117	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.351621	max	0.351621	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.364589	max	0.364589	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.404489	max	0.404489	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.432918	max	0.432918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.43192	max	0.43192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.457855	max	0.457855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.441397	max	0.441397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.44389	max	0.44389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.362594	max	0.362594	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.343641	max	0.343641	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.341147	max	0.341147	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.37207	max	0.37207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.384539	max	0.384539	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.398504	max	0.398504	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.421945	max	0.421945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.434913	max	0.434913	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.415461	max	0.415461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.446384	max	0.446384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.357606	max	0.357606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.35212	max	0.35212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.347132	max	0.347132	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.370075	max	0.370075	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.393516	max	0.393516	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.433416	max	0.433416	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.406484	max	0.406484	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.436908	max	0.436908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.450374	max	0.450374	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.462344	max	0.462344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.401496	max	0.401496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.339152	max	0.339152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.346633	max	0.346633	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.350125	max	0.350125	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.352618	max	0.352618	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.354115	max	0.354115	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.353616	max	0.353616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.365087	max	0.365087	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.365087	max	0.365087	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.371072	max	0.371072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	C	Borda	Robustness	0.041397	max	0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	C	Borda	Robustness	0.060848	max	0.060848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	C	Borda	Robustness	0.080299	max	0.080299	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	C	Borda	Robustness	0.064838	max	0.064838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	C	Borda	Robustness	0.073815	max	0.073815	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	C	Borda	Robustness	0.071322	max	0.071322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	C	Borda	Robustness	0.062843	max	0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	C	Borda	Robustness	0.06783	max	0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	C	Borda	Robustness	0.067332	max	0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	C	Borda	Robustness	0.077805	max	0.077805	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	C	Kemeny	Robustness	0.041397	max	0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	C	Kemeny	Robustness	0.05586	max	0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	C	Kemeny	Robustness	0.069825	max	0.069825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	C	Kemeny	Robustness	0.053865	max	0.053865	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	C	Kemeny	Robustness	0.060349	max	0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	C	Kemeny	Robustness	0.049875	max	0.049875	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	C	Kemeny	Robustness	0.052868	max	0.052868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	C	Kemeny	Robustness	0.054863	max	0.054863	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	C	Kemeny	Robustness	0.050873	max	0.050873	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	C	Kemeny	Robustness	0.057855	max	0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	C	RRF	Robustness	0.049377	max	0.049377	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	C	RRF	Robustness	0.069327	max	0.069327	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	C	RRF	Robustness	0.075312	max	0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	C	RRF	Robustness	0.057855	max	0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	C	RRF	Robustness	0.062344	max	0.062344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	C	RRF	Robustness	0.057855	max	0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	C	RRF	Robustness	0.072818	max	0.072818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	C	RRF	Robustness	0.050873	max	0.050873	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	C	RRF	Robustness	0.057357	max	0.057357	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	C	RRF	Robustness	0.059352	max	0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	C	Schulze	Robustness	0.041397	max	0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	C	Schulze	Robustness	0.061845	max	0.061845	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	C	Schulze	Robustness	0.07182	max	0.07182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	C	Schulze	Robustness	0.063342	max	0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	C	Schulze	Robustness	0.060349	max	0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	C	Schulze	Robustness	0.064838	max	0.064838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	C	Schulze	Robustness	0.067332	max	0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	C	Schulze	Robustness	0.058853	max	0.058853	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	C	Schulze	Robustness	0.05985	max	0.05985	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	C	Schulze	Robustness	0.062344	max	0.062344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	C	Simple Averaging	Robustness	0.036908	max	0.036908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	C	Simple Averaging	Robustness	0.099252	max	0.099252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	C	Simple Averaging	Robustness	0.113716	max	0.113716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	C	Simple Averaging	Robustness	0.101746	max	0.101746	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	C	Simple Averaging	Robustness	0.098254	max	0.098254	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	C	Simple Averaging	Robustness	0.094763	max	0.094763	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	C	Simple Averaging	Robustness	0.091272	max	0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	C	Simple Averaging	Robustness	0.089776	max	0.089776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	C	Simple Averaging	Robustness	0.090773	max	0.090773	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	C	Simple Averaging	Robustness	0.094763	max	0.094763	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Borda	Robustness	- 0.002993	max	- 0.002993	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Borda	Robustness	- 0.023441	max	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Borda	Robustness	- 0.016958	max	- 0.016958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Borda	Robustness	-0.01596	max	-0.01596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Borda	Robustness	- 0.000499	max	- 0.000499	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Borda	Robustness	0.023441	max	0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Borda	Robustness	0.03591	max	0.03591	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Borda	Robustness	0.030424	max	0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Borda	Robustness	0.031421	max	0.031421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Borda	Robustness	0.034913	max	0.034913	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Kemeny	Robustness	- 0.002993	max	- 0.002993	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Kemeny	Robustness	- 0.025436	max	- 0.025436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Kemeny	Robustness	- 0.031421	max	- 0.031421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Kemeny	Robustness	- 0.014963	max	- 0.014963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.009476	max	0.009476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.018454	max	0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.028928	max	0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.033416	max	0.033416	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.035411	max	0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.038903	max	0.038903	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Cbar	RRF	Robustness	- 0.001496	max	- 0.001496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Cbar	RRF	Robustness	- 0.034913	max	- 0.034913	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Cbar	RRF	Robustness	- 0.026933	max	- 0.026933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Cbar	RRF	Robustness	- 0.012968	max	- 0.012968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Cbar	RRF	Robustness	0.002494	max	0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Cbar	RRF	Robustness	0.030424	max	0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Cbar	RRF	Robustness	0.026434	max	0.026434	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Cbar	RRF	Robustness	0.029925	max	0.029925	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Cbar	RRF	Robustness	0.02793	max	0.02793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Cbar	RRF	Robustness	0.039401	max	0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Schulze	Robustness	- 0.002993	max	- 0.002993	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Schulze	Robustness	- 0.025935	max	- 0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Schulze	Robustness	- 0.022943	max	- 0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Schulze	Robustness	- 0.020948	max	- 0.020948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Schulze	Robustness	0.003491	max	0.003491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Schulze	Robustness	0.018454	max	0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Schulze	Robustness	0.018454	max	0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Schulze	Robustness	0.037905	max	0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Schulze	Robustness	0.037406	max	0.037406	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Schulze	Robustness	0.032918	max	0.032918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	- 0.000499	max	- 0.000499	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	- 0.037905	max	- 0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	- 0.055362	max	- 0.055362	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.04788	max	-0.04788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	- 0.046883	max	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	- 0.034913	max	- 0.034913	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.01995	max	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	- 0.004489	max	- 0.004489	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	- 0.001995	max	- 0.001995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	- 0.004988	max	- 0.004988	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	F	Borda	Robustness	0.16409	max	0.16409	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	F	Borda	Robustness	0.202494	max	0.202494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	F	Borda	Robustness	0.218953	max	0.218953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	F	Borda	Robustness	0.218454	max	0.218454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	F	Borda	Robustness	0.221446	max	0.221446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	F	Borda	Robustness	0.210474	max	0.210474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	F	Borda	Robustness	0.20399	max	0.20399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	F	Borda	Robustness	0.195511	max	0.195511	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	F	Borda	Robustness	0.190025	max	0.190025	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	F	Borda	Robustness	0.200998	max	0.200998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	F	Kemeny	Robustness	0.16409	max	0.16409	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	F	Kemeny	Robustness	0.189526	max	0.189526	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	F	Kemeny	Robustness	0.212469	max	0.212469	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	F	Kemeny	Robustness	0.200499	max	0.200499	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	F	Kemeny	Robustness	0.20399	max	0.20399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	F	Kemeny	Robustness	0.199501	max	0.199501	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	F	Kemeny	Robustness	0.2	max	0.2	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	F	Kemeny	Robustness	0.189027	max	0.189027	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	F	Kemeny	Robustness	0.175062	max	0.175062	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	F	Kemeny	Robustness	0.188529	max	0.188529	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	F	RRF	Robustness	0.169077	max	0.169077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	F	RRF	Robustness	0.206484	max	0.206484	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	F	RRF	Robustness	0.213965	max	0.213965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	F	RRF	Robustness	0.205985	max	0.205985	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	F	RRF	Robustness	0.204988	max	0.204988	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	F	RRF	Robustness	0.198005	max	0.198005	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	F	RRF	Robustness	0.210474	max	0.210474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	F	RRF	Robustness	0.18803	max	0.18803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	F	RRF	Robustness	0.185536	max	0.185536	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	F	RRF	Robustness	0.187032	max	0.187032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	F	Schulze	Robustness	0.16409	max	0.16409	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	F	Schulze	Robustness	0.203491	max	0.203491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	F	Schulze	Robustness	0.208978	max	0.208978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	F	Schulze	Robustness	0.207481	max	0.207481	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	F	Schulze	Robustness	0.214464	max	0.214464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	F	Schulze	Robustness	0.197007	max	0.197007	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	F	Schulze	Robustness	0.204988	max	0.204988	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	F	Schulze	Robustness	0.197007	max	0.197007	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	F	Schulze	Robustness	0.188529	max	0.188529	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	F	Schulze	Robustness	0.186035	max	0.186035	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	F	Simple Averaging	Robustness	0.172569	max	0.172569	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	F	Simple Averaging	Robustness	0.230424	max	0.230424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	F	Simple Averaging	Robustness	0.237406	max	0.237406	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	F	Simple Averaging	Robustness	0.225935	max	0.225935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	F	Simple Averaging	Robustness	0.226933	max	0.226933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	F	Simple Averaging	Robustness	0.224938	max	0.224938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	F	Simple Averaging	Robustness	0.224938	max	0.224938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	F	Simple Averaging	Robustness	0.222444	max	0.222444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	F	Simple Averaging	Robustness	0.221945	max	0.221945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	F	Simple Averaging	Robustness	0.231421	max	0.231421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Borda	Robustness	0.24389	max	0.24389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Borda	Robustness	0.216958	max	0.216958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Borda	Robustness	0.24389	max	0.24389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Borda	Robustness	0.250374	max	0.250374	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Borda	Robustness	0.261347	max	0.261347	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Borda	Robustness	0.285786	max	0.285786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Borda	Robustness	0.311721	max	0.311721	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Borda	Robustness	0.299252	max	0.299252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Borda	Robustness	0.294763	max	0.294763	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Borda	Robustness	0.316708	max	0.316708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.24389	max	0.24389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.195511	max	0.195511	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.208479	max	0.208479	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.239401	max	0.239401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.277805	max	0.277805	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.300249	max	0.300249	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.334165	max	0.334165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.312219	max	0.312219	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.301247	max	0.301247	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.307731	max	0.307731	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Fbar	RRF	Robustness	0.214464	max	0.214464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Fbar	RRF	Robustness	0.203491	max	0.203491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Fbar	RRF	Robustness	0.230424	max	0.230424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Fbar	RRF	Robustness	0.241895	max	0.241895	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Fbar	RRF	Robustness	0.268828	max	0.268828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Fbar	RRF	Robustness	0.296259	max	0.296259	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Fbar	RRF	Robustness	0.307731	max	0.307731	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Fbar	RRF	Robustness	0.304738	max	0.304738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Fbar	RRF	Robustness	0.306733	max	0.306733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Fbar	RRF	Robustness	0.329676	max	0.329676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Schulze	Robustness	0.24389	max	0.24389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Schulze	Robustness	0.214963	max	0.214963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Schulze	Robustness	0.228928	max	0.228928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Schulze	Robustness	0.239401	max	0.239401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Schulze	Robustness	0.266334	max	0.266334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Schulze	Robustness	0.307232	max	0.307232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Schulze	Robustness	0.299751	max	0.299751	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Schulze	Robustness	0.308229	max	0.308229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Schulze	Robustness	0.310224	max	0.310224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Schulze	Robustness	0.318703	max	0.318703	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.303242	max	0.303242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.195511	max	0.195511	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.215461	max	0.215461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.214963	max	0.214963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.219451	max	0.219451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.233915	max	0.233915	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.234414	max	0.234414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.247382	max	0.247382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.251372	max	0.251372	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.251372	max	0.251372	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Table 299: DermaMNIST-ResNet-18

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	False	True	3	True	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	C	True	True	3	False	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	False	True	5	True	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	C	True	True	5	False	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	False	True	2	True	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	False	True	2	False	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	False	True	2	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	False	True	2	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	False	True	2	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Fbar	True	True	2	False	True	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency', 'IntegratedGradients', 'LRP', 'InputXGradient']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	False	True	3	True	False	['Deconvolution', 'GuidedBackprop', 'Occlusion']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency', 'IntegratedGradients']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency', 'IntegratedGradients', 'LRP']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	C	True	True	3	False	True	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency', 'IntegratedGradients', 'LRP', 'InputXGradient']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	False	True	5	True	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency', 'IntegratedGradients']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency', 'IntegratedGradients', 'LRP']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	C	True	True	5	False	True	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency', 'IntegratedGradients', 'LRP', 'InputXGradient']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	False	True	2	True	False	['Deconvolution', 'GuidedBackprop']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	False	True	2	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	False	True	2	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	False	True	2	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	False	True	2	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Fbar	True	True	2	False	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb- lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad- ient"]

Table 300: DermaMNIST–ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C	C	Borda	Conditioned Quality	0.060848	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C	C	Borda	Conditioned Quality	0.078304	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C	C	Borda	Conditioned Quality	0.069327	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C	C	Borda	Conditioned Quality	0.070324	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C	C	Borda	Conditioned Quality	0.064339	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C	C	Borda	Conditioned Quality	0.066334	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C	C	Borda	Conditioned Quality	0.057357	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C	C	Borda	Conditioned Quality	0.048878	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C	C	Borda	Conditioned Quality	0.05187	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C	C	Borda	Conditioned Quality	0.042394	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C	C	Kemeny	Conditioned Quality	0.060848	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C	C	Kemeny	Conditioned Quality	0.072319	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C	C	Kemeny	Conditioned Quality	0.074813	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C	C	Kemeny	Conditioned Quality	0.06783	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C	C	Kemeny	Conditioned Quality	0.070823	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C	C	Kemeny	Conditioned Quality	0.064838	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C	C	Kemeny	Conditioned Quality	0.058354	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C	C	Kemeny	Conditioned Quality	0.049377	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C	C	Kemeny	Conditioned Quality	0.053367	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C	C	Kemeny	Conditioned Quality	0.045885	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C	C	RRF	Conditioned Quality	0.06783	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C	C	RRF	Conditioned Quality	0.073317	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C	C	RRF	Conditioned Quality	0.072818	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C	C	RRF	Conditioned Quality	0.072818	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C	C	RRF	Conditioned Quality	0.07182	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C	C	RRF	Conditioned Quality	0.064838	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.063342	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.054863	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.05586	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.048379	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.060848	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.078304	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.070823	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.070324	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.065835	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.062344	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.056858	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.048878	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.052369	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		Schulze	Conditioned Quality	0.050873	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.068828	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.067332	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.061347	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.062344	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.06783	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.066334	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.068828	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.066334	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.067332	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.063342	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.606983	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.604988	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.598005	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.616958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.610973	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.614963	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.626434	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.635411	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.624439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.645885	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.606983	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.617456	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.597506	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.596509	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.624439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.61596	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.621446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.62793	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.629925	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.640399	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.617955	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.606484	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.601995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.611471	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.61197	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.615461	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.610973	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.630424	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.624938	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		RRF	Conditioned Quality	0.638404	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.606983	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.604489	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.593017	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.605985	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.610474	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.621446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.624938	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.626434	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.622444	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Schulze	Conditioned Quality	0.637905	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.590025	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.630424	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.623441	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.626434	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.631421	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.634414	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.624938	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.626933	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.624439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Simple Averaging	Conditioned Quality	0.621945	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.012968	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.022943	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.017456	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.021446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.014963	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.018454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.013466	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.013466	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.013965	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.012968	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.022444	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.017955	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.019451	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.015461	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.016459	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.010474	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.013965	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.010474	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.018953	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.019451	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.021446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.01995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.019451	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F		RRF	Conditioned Quality	0.014963	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F		RRF	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F		RRF	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F		RRF	Conditioned Quality	0.013466	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.012968	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.022444	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.021945	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.020948	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.013466	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.015461	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.014963	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.009975	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.014963	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F		Schulze	Conditioned Quality	0.012469	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.017456	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.022444	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.018454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.01995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.017955	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.018953	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F		Simple Averaging	Conditioned Quality	0.018454	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.258853	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.251372	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.246384	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.248379	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.233915	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.24389	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.258354	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.267332	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.256858	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		Borda	Conditioned Quality	0.290274	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.258853	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.271322	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.253367	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.236409	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.246883	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.249377	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.258853	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.268329	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.261845	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		Kemeny	Conditioned Quality	0.284289	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.271322	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.26384	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.248379	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.255362	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.244888	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.245387	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.250374	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.269327	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.263342	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.284289	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.258853	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.249875	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.242394	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.248379	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.234414	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.25187	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.25586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.258354	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.262344	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.282793	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.248379	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.272818	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.261845	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.260848	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.261845	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.258354	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.25187	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.259352	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.255362	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.250374	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Borda	Conditioned Quality	0.123192	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Borda	Conditioned Quality	0.122693	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Borda	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Borda	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Borda	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Borda	Conditioned Quality	0.118703	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Borda	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Borda	Conditioned Quality	0.1202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Borda	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Borda	Conditioned Quality	0.118703	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.123192	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.121696	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.118703	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.118204	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.117207	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.118204	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.119701	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	RRF	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	RRF	Conditioned Quality	0.121197	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	RRF	Conditioned Quality	0.118703	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	RRF	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	RRF	Conditioned Quality	0.1202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	RRF	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	RRF	Conditioned Quality	0.121197	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	RRF	Conditioned Quality	0.117207	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	RRF	Conditioned Quality	0.117706	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	RRF	Conditioned Quality	0.119701	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Schulze	Conditioned Quality	0.123192	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Schulze	Conditioned Quality	0.122693	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Schulze	Conditioned Quality	0.121696	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Schulze	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Schulze	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Schulze	Conditioned Quality	0.120698	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Schulze	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Schulze	Conditioned Quality	0.119202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Schulze	Conditioned Quality	0.118703	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Schulze	Conditioned Quality	0.1202	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.123691	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.1202	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.1202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.120698	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.1202	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.120698	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.119701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.116708	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.731172	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.772569	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.812968	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.798005	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.771571	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.76808	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.774564	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.777057	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.777057	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.78404	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.731172	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.756608	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.806484	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.78803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.771571	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.7601	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.76409	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.774564	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.767581	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.771072	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.74414	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.754115	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.787531	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.78005	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.765586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.767082	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.753616	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.769576	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.769576	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.78005	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.731172	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.770574	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.809476	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.787032	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.777556	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.755112	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.773067	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.761097	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.763591	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.779551	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.774065	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.878304	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.883791	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.879302	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.868828	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.869327	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.85586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.845885	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.843392	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.842893	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	Borda	Conditioned Quality	0.076808	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	Borda	Conditioned Quality	0.081297	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	Borda	Conditioned Quality	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	Borda	Conditioned Quality	0.0798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	Borda	Conditioned Quality	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	Borda	Conditioned Quality	0.078803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	F	Borda	Conditioned Quality	0.078304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	F	Borda	Conditioned Quality	0.076309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	F	Borda	Conditioned Quality	0.078304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	F	Borda	Conditioned Quality	0.077805	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.076808	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.0798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.079302	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.078803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.078304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.078304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.076309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.07581	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.07581	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	RRF	Conditioned Quality	0.078304	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	RRF	Conditioned Quality	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	RRF	Conditioned Quality	0.080798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	RRF	Conditioned Quality	0.080798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	RRF	Conditioned Quality	0.0798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	RRF	Conditioned Quality	0.0798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.038404	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.006484	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.02793	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.003491	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.018953	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.034414	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.051372	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.05985	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.050374	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.041397	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.038404	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.013965	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.020948	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.013466	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.024439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.05985	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.076309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.081796	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.078803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.066334	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.010973	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.014963	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.026434	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.018454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.022444	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.03192	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.066334	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.063342	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.067332	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.049377	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.038404	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.00798	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.024439	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.015461	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.025935	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.037406	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.060349	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.073815	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.060349	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.057357	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.102244	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.064838	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.058354	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.058853	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.046883	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.041397	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.040898	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.039401	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.036908	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.027431	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.094264	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.094264	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.093267	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.092269	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.094264	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.093766	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.093267	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.093766	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.094264	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.093766	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.093766	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.095262	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.094264	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.090274	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.093267	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.096259	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.093267	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.092269	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.094264	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.094763	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.653367	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.723192	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.785536	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.75611	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.725686	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.738155	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.713716	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.733666	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.736658	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.736658	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.653367	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.703741	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.747631	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.727681	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.721696	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.729177	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.697756	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.722195	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.700249	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.723691	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.652868	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.699252	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.749127	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.727681	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.722195	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.716209	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.063342	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.04389	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.028429	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.030424	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.064838	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.087781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.084788	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.083292	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.101247	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.090274	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.063342	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.038903	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.024439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.044888	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.085786	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.109726	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.106234	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.123192	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.115711	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.095262	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.050374	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.033915	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.012469	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.044888	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.06783	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.077307	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.102244	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.102743	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.085786	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.092269	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.063342	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.044389	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.020449	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.046384	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.071322	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.104738	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.094763	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.102244	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.110224	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.110723	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	-0.104738	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.044888	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.038903	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.030424	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.02394	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.01995	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.017955	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.010474	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.01197	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.008978	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Borda	Conditioned Quality	0.345137	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Borda	Conditioned Quality	0.374065	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Borda	Conditioned Quality	0.37207	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Borda	Conditioned Quality	0.373067	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Borda	Conditioned Quality	0.365586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Borda	Conditioned Quality	0.359102	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Borda	Conditioned Quality	0.354115	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Borda	Conditioned Quality	0.349626	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Borda	Conditioned Quality	0.346135	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Borda	Conditioned Quality	0.345137	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Kemeny	Conditioned Quality	0.345137	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Kemeny	Conditioned Quality	0.370075	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Kemeny	Conditioned Quality	0.374564	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Kemeny	Conditioned Quality	0.370574	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Kemeny	Conditioned Quality	0.36808	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Kemeny	Conditioned Quality	0.351122	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Kemeny	Conditioned Quality	0.345636	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Kemeny	Conditioned Quality	0.331172	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Kemeny	Conditioned Quality	0.338653	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Kemeny	Conditioned Quality	0.333167	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	RRF	Conditioned Quality	0.365087	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	RRF	Conditioned Quality	0.373566	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	RRF	Conditioned Quality	0.369576	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	RRF	Conditioned Quality	0.371072	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	RRF	Conditioned Quality	0.364589	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	RRF	Conditioned Quality	0.363591	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	RRF	Conditioned Quality	0.3601	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	RRF	Conditioned Quality	0.341147	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	RRF	Conditioned Quality	0.341147	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	RRF	Conditioned Quality	0.334663	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Schulze	Conditioned Quality	0.345137	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Schulze	Conditioned Quality	0.374564	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Schulze	Conditioned Quality	0.374065	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Schulze	Conditioned Quality	0.366584	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Schulze	Conditioned Quality	0.362594	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Schulze	Conditioned Quality	0.358603	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Schulze	Conditioned Quality	0.357107	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Schulze	Conditioned Quality	0.338653	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Schulze	Conditioned Quality	0.336658	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Schulze	Conditioned Quality	0.33217	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.351122	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.387531	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.380549	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.380549	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.380549	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.379551	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.378554	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.375062	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.374564	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.37606	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.658853	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.693267	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.714713	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.702244	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.684289	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.676808	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.657855	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.672818	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.680798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.687781	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.658853	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.695262	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.705736	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.693267	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.678304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.675312	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.66384	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.670823	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.663342	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.679302	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.667332	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.695262	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.699751	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.692768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.676808	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.663342	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.656359	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.672319	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.668828	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.677805	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.658853	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.693267	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.706234	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.702244	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.685287	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.676309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.666833	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.668828	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.668329	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.684788	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.658354	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.775062	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.794514	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.784539	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.776559	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.763092	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.746135	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.733167	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.733167	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.737157	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Borda	Conditioned Quality	0.244888	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Borda	Conditioned Quality	0.287282	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Borda	Conditioned Quality	0.284289	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Borda	Conditioned Quality	0.284788	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Borda	Conditioned Quality	0.27581	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Borda	Conditioned Quality	0.266334	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Borda	Conditioned Quality	0.262344	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Borda	Conditioned Quality	0.25586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Borda	Conditioned Quality	0.253865	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Borda	Conditioned Quality	0.252369	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Kemeny	Conditioned Quality	0.244888	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Kemeny	Conditioned Quality	0.280798	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Kemeny	Conditioned Quality	0.289277	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Kemeny	Conditioned Quality	0.279302	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Kemeny	Conditioned Quality	0.279302	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Kemeny	Conditioned Quality	0.262344	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Kemeny	Conditioned Quality	0.25586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Kemeny	Conditioned Quality	0.242394	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Kemeny	Conditioned Quality	0.239401	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Kemeny	Conditioned Quality	0.241895	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	RRF	Conditioned Quality	0.262843	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	RRF	Conditioned Quality	0.284289	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	RRF	Conditioned Quality	0.280798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	RRF	Conditioned Quality	0.284788	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	RRF	Conditioned Quality	0.272818	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	RRF	Conditioned Quality	0.274314	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAbl ation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	RRF	Conditioned Quality	0.269327	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	RRF	Conditioned Quality	0.251372	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	RRF	Conditioned Quality	0.249377	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	RRF	Conditioned Quality	0.241895	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Schulze	Conditioned Quality	0.244888	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Schulze	Conditioned Quality	0.286783	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Schulze	Conditioned Quality	0.285287	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Schulze	Conditioned Quality	0.278803	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Schulze	Conditioned Quality	0.27581	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Schulze	Conditioned Quality	0.262843	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Schulze	Conditioned Quality	0.261347	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Schulze	Conditioned Quality	0.250374	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Schulze	Conditioned Quality	0.251372	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Schulze	Conditioned Quality	0.240399	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.25187	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.299751	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.295262	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.294264	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.293766	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.292768	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.293267	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.288778	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.287781	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.290773	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.050374	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.098753	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.075312	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.054364	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.046883	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.010973	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.034913	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.042893	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.040399	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.050374	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.118703	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.118703	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.040898	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.022943	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	-0.008479	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.022444	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.024439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.040898	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.097756	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.106234	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.098254	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.085287	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.04788	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.024938	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.01197	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.027431	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.022943	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.024439	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.050374	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.092768	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.097756	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.084289	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.05586	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.021446	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.01197	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.026434	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.029925	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.032918	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.006484	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.188529	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.170075	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.165586	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.157107	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.14015	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.137157	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.12818	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.125686	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.128678	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Borda	Quality	0.303741	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Borda	Quality	0.313217	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	C	Borda	Quality	0.291771	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	C	Borda	Quality	0.308229	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	C	Borda	Quality	0.291771	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	C	Borda	Quality	0.287781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	C	Borda	Quality	0.291272	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	C	Borda	Quality	0.281796	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	C	Borda	Quality	0.278803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	C	Borda	Quality	0.267332	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Kemeny	Quality	0.303741	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kemeny	Quality	0.314214	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	C	Kemeny	Quality	0.304738	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	C	Kemeny	Quality	0.316708	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	C	Kemeny	Quality	0.307731	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	C	Kemeny	Quality	0.301247	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	C	Kemeny	Quality	0.292768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	C	Kemeny	Quality	0.276309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	C	Kemeny	Quality	0.287781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	C	Kemeny	Quality	0.275312	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	RRF	Quality	0.315711	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	RRF	Quality	0.304239	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	C	RRF	Quality	0.294264	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	C	RRF	Quality	0.313217	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	C	RRF	Quality	0.302244	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	C	RRF	Quality	0.305736	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	C	RRF	Quality	0.287282	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	C	RRF	Quality	0.290274	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	C	RRF	Quality	0.283791	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	C	RRF	Quality	0.275312	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Schulze	Quality	0.303741	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Schulze	Quality	0.312718	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	C	Schulze	Quality	0.302244	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	C	Schulze	Quality	0.303242	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	C	Schulze	Quality	0.302244	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	C	Schulze	Quality	0.293766	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	C	Schulze	Quality	0.289776	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	C	Schulze	Quality	0.2798	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	C	Schulze	Quality	0.276808	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	C	Schulze	Quality	0.269825	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Simple Averaging	Quality	0.314214	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Simple Averaging	Quality	0.288279	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	C	Simple Averaging	Quality	0.266833	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	C	Simple Averaging	Quality	0.278803	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	C	Simple Averaging	Quality	0.282294	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	C	Simple Averaging	Quality	0.284788	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	C	Simple Averaging	Quality	0.287282	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	C	Simple Averaging	Quality	0.285287	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	C	Simple Averaging	Quality	0.283791	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	C	Simple Averaging	Quality	0.281297	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Borda	Quality	0.65586	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Borda	Quality	0.669825	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Cbar	Borda	Quality	0.697756	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Cbar	Borda	Quality	0.686284	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Cbar	Borda	Quality	0.683791	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Cbar	Borda	Quality	0.700249	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Cbar	Borda	Quality	0.693766	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Cbar	Borda	Quality	0.703242	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Cbar	Borda	Quality	0.712219	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Cbar	Borda	Quality	0.722693	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Kemeny	Quality	0.65586	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kemeny	Quality	0.669825	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Cbar	Kemeny	Quality	0.674314	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Cbar	Kemeny	Quality	0.678304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Cbar	Kemeny	Quality	0.687781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Cbar	Kemeny	Quality	0.693766	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Cbar	Kemeny	Quality	0.692768	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Cbar	Kemeny	Quality	0.704239	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Cbar	Kemeny	Quality	0.698753	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Cbar	Kemeny	Quality	0.718204	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	RRF	Quality	0.665835	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	RRF	Quality	0.660349	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Cbar	RRF	Quality	0.672818	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Cbar	RRF	Quality	0.6798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Cbar	RRF	Quality	0.679302	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Cbar	RRF	Quality	0.693766	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Cbar	RRF	Quality	0.682793	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Cbar	RRF	Quality	0.702244	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Cbar	RRF	Quality	0.696758	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Cbar	RRF	Quality	0.717207	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Schulze	Quality	0.65586	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Schulze	Quality	0.667332	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Cbar	Schulze	Quality	0.683292	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Cbar	Schulze	Quality	0.681297	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Cbar	Schulze	Quality	0.688778	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Cbar	Schulze	Quality	0.694763	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Cbar	Schulze	Quality	0.685287	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Cbar	Schulze	Quality	0.706733	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Cbar	Schulze	Quality	0.705736	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Cbar	Schulze	Quality	0.717706	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Simple Averaging	Quality	0.657855	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Simple Averaging	Quality	0.737157	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Cbar	Simple Averaging	Quality	0.739152	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Cbar	Simple Averaging	Quality	0.736658	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Cbar	Simple Averaging	Quality	0.729676	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Cbar	Simple Averaging	Quality	0.72818	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Cbar	Simple Averaging	Quality	0.726185	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Cbar	Simple Averaging	Quality	0.728678	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Cbar	Simple Averaging	Quality	0.731172	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Cbar	Simple Averaging	Quality	0.73217	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Borda	Quality	0.080798	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Borda	Quality	0.084788	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	F	Borda	Quality	0.065337	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	F	Borda	Quality	0.066334	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	F	Borda	Quality	0.054364	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	F	Borda	Quality	0.05586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	F	Borda	Quality	0.058354	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	F	Borda	Quality	0.060349	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	F	Borda	Quality	0.06384	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	F	Borda	Quality	0.051372	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Kemeny	Quality	0.080798	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kemeny	Quality	0.091272	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	F	Kemeny	Quality	0.076808	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	F	Kemeny	Quality	0.078803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	F	Kemeny	Quality	0.075312	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	F	Kemeny	Quality	0.062843	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	F	Kemeny	Quality	0.05586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	F	Kemeny	Quality	0.053367	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	F	Kemeny	Quality	0.064339	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	F	Kemeny	Quality	0.053367	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	RRF	Quality	0.093766	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	RRF	Quality	0.077805	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	F	RRF	Quality	0.066833	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	F	RRF	Quality	0.078803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	F	RRF	Quality	0.06783	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	F	RRF	Quality	0.076309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	F	RRF	Quality	0.058853	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	F	RRF	Quality	0.063342	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	F	RRF	Quality	0.06384	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	F	RRF	Quality	0.054863	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Schulze	Quality	0.080798	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Schulze	Quality	0.083292	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	F	Schulze	Quality	0.076309	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	F	Schulze	Quality	0.071322	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	F	Schulze	Quality	0.061347	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	F	Schulze	Quality	0.065835	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	F	Schulze	Quality	0.056359	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	F	Schulze	Quality	0.053367	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	F	Schulze	Quality	0.062843	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	F	Schulze	Quality	0.054364	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Simple Averaging	Quality	0.079302	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Simple Averaging	Quality	0.069327	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	F	Simple Averaging	Quality	0.057855	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	F	Simple Averaging	Quality	0.068329	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	F	Simple Averaging	Quality	0.066833	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	F	Simple Averaging	Quality	0.06783	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	F	Simple Averaging	Quality	0.068329	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	F	Simple Averaging	Quality	0.066334	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	F	Simple Averaging	Quality	0.065835	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	F	Simple Averaging	Quality	0.059352	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Borda	Quality	0.294264	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Borda	Quality	0.309726	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Fbar	Borda	Quality	0.342643	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Fbar	Borda	Quality	0.325686	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Fbar	Borda	Quality	0.315711	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Fbar	Borda	Quality	0.332668	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Fbar	Borda	Quality	0.322693	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Fbar	Borda	Quality	0.334165	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Fbar	Borda	Quality	0.337656	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Fbar	Borda	Quality	0.357107	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Kemeny	Quality	0.294264	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kemeny	Quality	0.314214	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Fbar	Kemeny	Quality	0.327182	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Fbar	Kemeny	Quality	0.319701	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Fbar	Kemeny	Quality	0.318703	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Fbar	Kemeny	Quality	0.323192	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Fbar	Kemeny	Quality	0.325686	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Fbar	Kemeny	Quality	0.334663	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Fbar	Kemeny	Quality	0.325686	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Fbar	Kemeny	Quality	0.348628	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	RRF	Quality	0.312219	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	RRF	Quality	0.309726	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Fbar	RRF	Quality	0.328678	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Fbar	RRF	Quality	0.327182	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Fbar	RRF	Quality	0.316708	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Fbar	RRF	Quality	0.321197	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Fbar	RRF	Quality	0.319701	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Fbar	RRF	Quality	0.33217	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Fbar	RRF	Quality	0.329676	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Fbar	RRF	Quality	0.354115	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Schulze	Quality	0.294264	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Schulze	Quality	0.307731	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Fbar	Schulze	Quality	0.326683	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Fbar	Schulze	Quality	0.323691	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Fbar	Schulze	Quality	0.322195	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Fbar	Schulze	Quality	0.328678	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Fbar	Schulze	Quality	0.311721	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Fbar	Schulze	Quality	0.334663	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Fbar	Schulze	Quality	0.34015	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Fbar	Schulze	Quality	0.351621	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Simple Averaging	Quality	0.296758	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Simple Averaging	Quality	0.38404	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Clean	Fbar	Simple Averaging	Quality	0.385536	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Clean	Fbar	Simple Averaging	Quality	0.380549	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Clean	Fbar	Simple Averaging	Quality	0.376559	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Clean	Fbar	Simple Averaging	Quality	0.374065	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Clean	Fbar	Simple Averaging	Quality	0.371571	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Clean	Fbar	Simple Averaging	Quality	0.375561	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Clean	Fbar	Simple Averaging	Quality	0.377057	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Clean	Fbar	Simple Averaging	Quality	0.38005	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C		Borda	Robustness	0.242893	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C		Borda	Robustness	0.234913	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C		Borda	Robustness	0.222444	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C		Borda	Robustness	0.237905	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C		Borda	Robustness	0.227431	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C		Borda	Robustness	0.221446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		Borda	Robustness	0.233915	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		Borda	Robustness	0.232918	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		Borda	Robustness	0.226933	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		Borda	Robustness	0.224938	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C		Kemeny	Robustness	0.242893	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C		Kemeny	Robustness	0.241895	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C		Kemeny	Robustness	0.229925	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C		Kemeny	Robustness	0.248878	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C		Kemeny	Robustness	0.236908	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C		Kemeny	Robustness	0.236409	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		Kemeny	Robustness	0.234414	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		Kemeny	Robustness	0.226933	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		Kemeny	Robustness	0.234414	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		Kemeny	Robustness	0.229426	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C		RRF	Robustness	0.24788	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C		RRF	Robustness	0.230923	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C		RRF	Robustness	0.221446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C		RRF	Robustness	0.240399	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C		RRF	Robustness	0.230424	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C		RRF	Robustness	0.240898	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		RRF	Robustness	0.22394	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		RRF	Robustness	0.235411	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		RRF	Robustness	0.22793	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		RRF	Robustness	0.226933	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C		Schulze	Robustness	0.242893	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C		Schulze	Robustness	0.234414	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C		Schulze	Robustness	0.231421	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C		Schulze	Robustness	0.232918	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C		Schulze	Robustness	0.236409	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C		Schulze	Robustness	0.231421	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		Schulze	Robustness	0.232918	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		Schulze	Robustness	0.230923	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		Schulze	Robustness	0.224439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		Schulze	Robustness	0.218953	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.245387	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.220948	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.205486	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.216459	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.214464	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.218454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.218454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.218953	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.216459	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.217955	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.048878	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.064838	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.099751	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.069327	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.072818	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.085287	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.067332	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.06783	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.087781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.076808	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.048878	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.052369	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.076808	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.081796	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.063342	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.077805	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.071322	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.076309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.068828	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.077805	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.04788	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.053865	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.070823	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.068329	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.067332	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.078304	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.07182	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.07182	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.07182	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.078803	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.048878	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.062843	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.090274	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.075312	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.078304	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.073317	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.060349	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.080299	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.083292	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Schulze	Robustness	0.0798	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.06783	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.106733	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.115711	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.110224	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.098254	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.093766	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.101247	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.101746	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.106733	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Cbar		Simple Averaging	Robustness	0.110224	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F	F	Borda	Robustness	0.06783	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F	F	Borda	Robustness	0.061845	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F	F	Borda	Robustness	0.04788	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F	F	Borda	Robustness	0.044888	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F	F	Borda	Robustness	0.039401	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F	F	Borda	Robustness	0.037406	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F	F	Borda	Robustness	0.044888	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F	F	Borda	Robustness	0.046883	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F	F	Borda	Robustness	0.046883	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F	F	Borda	Robustness	0.037406	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F	F	Kemeny	Robustness	0.06783	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F	F	Kemeny	Robustness	0.074314	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F	F	Kemeny	Robustness	0.054364	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F	F	Kemeny	Robustness	0.060848	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F	F	Kemeny	Robustness	0.05586	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F	F	Kemeny	Robustness	0.047382	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F	F	Kemeny	Robustness	0.039401	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F	F	Kemeny	Robustness	0.042893	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F	F	Kemeny	Robustness	0.050374	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F	F	Kemeny	Robustness	0.042893	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F	F	RRF	Robustness	0.074813	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F	F	RRF	Robustness	0.058354	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F	F	RRF	Robustness	0.045387	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F	F	RRF	Robustness	0.058853	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F	F	RRF	Robustness	0.048379	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F	F	RRF	Robustness	0.059352	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F		RRF	Robustness	0.04389	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F		RRF	Robustness	0.046384	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F		RRF	Robustness	0.046883	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F		RRF	Robustness	0.041397	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F		Schulze	Robustness	0.06783	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F		Schulze	Robustness	0.060848	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F		Schulze	Robustness	0.054364	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F		Schulze	Robustness	0.050374	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F		Schulze	Robustness	0.04788	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F		Schulze	Robustness	0.050374	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F		Schulze	Robustness	0.041397	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F		Schulze	Robustness	0.043392	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F		Schulze	Robustness	0.04788	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F		Schulze	Robustness	0.041895	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.061845	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.046883	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.040898	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.049875	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.046883	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.049875	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.049377	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.049377	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.048878	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.040898	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.035411	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.058354	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.096259	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.077307	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.081796	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.088778	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.064339	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.066833	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.080798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar	Fbar	Borda	Robustness	0.066833	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.035411	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.042893	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.073815	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.083292	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.07182	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.073815	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.066833	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.066334	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.06384	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.064339	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.040898	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.045885	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.07182	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.07182	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.07581	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		RRF	Robustness	0.069327	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		RRF	Robustness	0.062843	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		RRF	Robustness	0.066334	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		RRF	Robustness	0.069825	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.035411	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.057855	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.084289	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.075312	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.087781	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.076808	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.05586	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.076309	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.077805	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		Schulze	Robustness	0.068828	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.048379	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.111222	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.123691	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.119701	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.114713	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.115711	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.119701	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.116209	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.121696	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Adversarial Sara 2 255 Fbar		Simple Averaging	Robustness	0.129676	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Borda	Robustness	0.180549	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Borda	Robustness	0.190524	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Borda	Robustness	0.17207	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Borda	Robustness	0.189027	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Borda	Robustness	0.17207	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Borda	Robustness	0.169077	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Borda	Robustness	0.17207	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Borda	Robustness	0.161596	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Borda	Robustness	0.159601	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Borda	Robustness	0.148628	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Kemeny	Robustness	0.180549	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Kemeny	Robustness	0.192519	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Kemeny	Robustness	0.186035	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Kemeny	Robustness	0.197506	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Kemeny	Robustness	0.188529	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Kemeny	Robustness	0.181546	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Kemeny	Robustness	0.174564	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Kemeny	Robustness	0.159102	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Kemeny	Robustness	0.169576	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Kemeny	Robustness	0.155611	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	RRF	Robustness	0.196509	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	RRF	Robustness	0.183042	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	RRF	Robustness	0.175561	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	RRF	Robustness	0.193516	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	RRF	Robustness	0.182045	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	RRF	Robustness	0.186035	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	RRF	Robustness	0.166085	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	RRF	Robustness	0.173067	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	RRF	Robustness	0.166085	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	RRF	Robustness	0.155611	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Schulze	Robustness	0.180549	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Schulze	Robustness	0.190025	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Schulze	Robustness	0.180549	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Schulze	Robustness	0.18404	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Schulze	Robustness	0.183042	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Schulze	Robustness	0.173067	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Schulze	Robustness	0.170075	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Schulze	Robustness	0.160599	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Schulze	Robustness	0.158105	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Schulze	Robustness	0.149626	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.190524	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.16808	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.146633	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.158105	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.162095	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.16409	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.167581	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.165586	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.16409	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.164589	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Borda	Robustness	0.075312	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Borda	Robustness	0.102743	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Borda	Robustness	0.115212	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Borda	Robustness	0.111721	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Borda	Robustness	0.087781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Borda	Robustness	0.06783	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Borda	Robustness	0.080798	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Borda	Robustness	0.073815	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Borda	Robustness	0.064838	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Borda	Robustness	0.061347	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.075312	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.086783	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.13217	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.109726	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.083791	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.066334	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.071322	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.070324	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.068828	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.052868	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	RRF	Robustness	0.078304	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	RRF	Robustness	0.093766	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	RRF	Robustness	0.114713	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	RRF	Robustness	0.100249	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	RRF	Robustness	0.086284	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	RRF	Robustness	0.073317	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	RRF	Robustness	0.070823	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	RRF	Robustness	0.067332	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	RRF	Robustness	0.072818	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	RRF	Robustness	0.062843	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.075312	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.103242	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.126185	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.105736	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.088778	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.060349	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.087781	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.054364	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.057855	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.061845	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.116209	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.141147	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.144638	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.142643	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.139152	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.141147	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129676	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.117207	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.112219	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.110723	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	Borda	Robustness	0.00399	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	Borda	Robustness	0.003491	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	Borda	Robustness	0.014963	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	Borda	Robustness	0.013466	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	Borda	Robustness	0.025935	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	Borda	Robustness	0.022943	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	F	Borda	Robustness	0.01995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	F	Borda	Robustness	0.01596	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	F	Borda	Robustness	0.014464	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	F	Borda	Robustness	0.026434	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	Kemeny	Robustness	0.00399	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	Kemeny	Robustness	0.010973	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	Kemeny	Robustness	0.002993	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	Kemeny	Robustness	0.000499	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	Kemeny	Robustness	0.003491	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	Kemeny	Robustness	0.015461	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	F	Kemeny	Robustness	0.022444	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	F	Kemeny	Robustness	0.022943	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	F	Kemeny	Robustness	0.011471	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	F	Kemeny	Robustness	0.022444	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	RRF	Robustness	0.015461	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	RRF	Robustness	0.002494	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	RRF	Robustness	0.013965	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	RRF	Robustness	0.001995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	RRF	Robustness	0.01197	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	RRF	Robustness	0.003491	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	F	RRF	Robustness	0.020449	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	F	RRF	Robustness	0.013965	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	F	RRF	Robustness	0.013965	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	F	RRF	Robustness	0.021945	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	Schulze	Robustness	0.00399	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	Schulze	Robustness	0.001995	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	Schulze	Robustness	0.004489	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	Schulze	Robustness	0.008978	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	Schulze	Robustness	0.017955	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	Schulze	Robustness	0.012469	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	F	Schulze	Robustness	0.021945	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	F	Schulze	Robustness	0.024938	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	F	Schulze	Robustness	0.01596	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	F	Schulze	Robustness	0.02394	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.002494	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.010474	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.021945	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.011471	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.013466	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.012968	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.01197	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.013466	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.013965	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.018953	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Borda	Robustness	0.332668	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Borda	Robustness	0.316209	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Borda	Robustness	0.314713	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Borda	Robustness	0.322195	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Borda	Robustness	0.334663	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Borda	Robustness	0.367082	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Borda	Robustness	0.374065	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Borda	Robustness	0.394015	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Borda	Robustness	0.38803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Borda	Robustness	0.398504	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.332668	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.300249	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.306234	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.306234	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.343142	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.383042	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.401995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.416459	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.404489	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.414963	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	RRF	Robustness	0.323192	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	RRF	Robustness	0.294763	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	RRF	Robustness	0.302244	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	RRF	Robustness	0.308728	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	RRF	Robustness	0.339152	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	RRF	Robustness	0.353117	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	RRF	Robustness	0.386035	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	RRF	Robustness	0.395511	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	RRF	Robustness	0.397007	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	RRF	Robustness	0.403491	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.332668	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.315711	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.302244	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.308229	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.34813	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.366085	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.37207	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.408479	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.400499	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.408978	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.399002	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.319202	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.327182	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.321696	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.329676	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.332668	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.330673	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.33616	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.34015	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.352618	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	Borda	Robustness	0.209476	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	Borda	Robustness	0.218953	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	Borda	Robustness	0.198504	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	Borda	Robustness	0.21596	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	Borda	Robustness	0.199002	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	Borda	Robustness	0.195012	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	C	Borda	Robustness	0.197007	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	C	Borda	Robustness	0.18803	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	C	Borda	Robustness	0.185536	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	C	Borda	Robustness	0.173566	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.209476	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.220449	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.210973	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.221446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.213466	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.208479	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.202494	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.183042	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.191521	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.182045	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	RRF	Robustness	0.223441	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	RRF	Robustness	0.209975	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	RRF	Robustness	0.201496	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	RRF	Robustness	0.218454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	RRF	Robustness	0.209476	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	RRF	Robustness	0.212968	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	C	RRF	Robustness	0.193017	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	C	RRF	Robustness	0.19601	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	C	RRF	Robustness	0.190524	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	C	RRF	Robustness	0.181047	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	Schulze	Robustness	0.209476	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	Schulze	Robustness	0.218454	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	Schulze	Robustness	0.209476	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	Schulze	Robustness	0.209975	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	Schulze	Robustness	0.209975	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	Schulze	Robustness	0.199501	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	C	Schulze	Robustness	0.198005	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	C	Schulze	Robustness	0.187032	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	C	Schulze	Robustness	0.181047	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	C	Schulze	Robustness	0.177057	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.21995	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.195511	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.173566	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.186035	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.189526	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.192519	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.194015	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.190524	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.190025	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.187032	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.002494	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.053367	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.087781	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.069825	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.041895	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.037905	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.01995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.030424	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.024439	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.013965	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.002494	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.033915	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.073317	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.049377	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.033915	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.035411	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.004988	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.017955	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.001496	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.005486	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.012968	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.038903	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.076309	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.04788	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.042893	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.022444	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.01995	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.01596	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.021446	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.014963	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.002494	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.054364	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.081297	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.063342	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.037905	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.032918	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.020449	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.005486	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.014464	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.01197	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.03192	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.125187	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.138155	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.139651	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.137157	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.12818	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.117207	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.114713	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.105736	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.096259	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	F	Borda	Robustness	0.02394	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	F	Borda	Robustness	0.02793	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	F	Borda	Robustness	0.007481	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	F	Borda	Robustness	0.008479	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	F	Borda	Robustness	0.003491	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	F	Borda	Robustness	0.002494	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	F	Borda	Robustness	0	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	F	Borda	Robustness	0.001995	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	F	Borda	Robustness	0.006983	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	F	Borda	Robustness	0.006484	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.02394	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.034414	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.019451	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.021945	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.017955	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.004988	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.000998	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.002494	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.006983	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.002494	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	F	RRF	Robustness	0.037905	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	F	RRF	Robustness	0.021446	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	F	RRF	Robustness	0.008978	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	F	RRF	Robustness	0.021446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	F	RRF	Robustness	0.009975	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	F	RRF	Robustness	0.018953	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	F	RRF	Robustness	0.001496	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	F	RRF	Robustness	0.006983	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	F	RRF	Robustness	0.005486	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	F	RRF	Robustness	0.001496	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	F	Schulze	Robustness	0.02394	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	F	Schulze	Robustness	0.026434	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	F	Schulze	Robustness	0.018454	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	F	Schulze	Robustness	0.013466	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	F	Schulze	Robustness	0.002993	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	F	Schulze	Robustness	0.006983	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	F	Schulze	Robustness	0.000998	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	F	Schulze	Robustness	0.001995	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	F	Schulze	Robustness	0.00798	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	F	Schulze	Robustness	0.000998	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.02394	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.011471	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.011471	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.009975	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.010973	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.009975	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.008479	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.00798	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.000998	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.357606	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.353616	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.371072	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.35611	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.380549	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.420449	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.407481	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.417456	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.438903	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.447382	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.357606	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.353117	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.351621	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.364589	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.404489	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.432918	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.43192	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.457855	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.441397	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.44389	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.362594	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.343641	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.341147	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.37207	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.384539	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.398504	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.421945	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.434913	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.415461	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.446384	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.357606	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.35212	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.347132	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.370075	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.393516	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.433416	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.406484	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.436908	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.450374	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.462344	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.401496	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.339152	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.346633	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.350125	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.352618	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.354115	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.353616	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.365087	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.365087	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.371072	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Borda	Robustness	0.041397	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Borda	Robustness	0.060848	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Borda	Robustness	0.080299	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Borda	Robustness	0.064838	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Borda	Robustness	0.073815	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Borda	Robustness	0.071322	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Borda	Robustness	0.062843	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Borda	Robustness	0.06783	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Borda	Robustness	0.067332	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Borda	Robustness	0.077805	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Kemeny	Robustness	0.041397	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Kemeny	Robustness	0.05586	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Kemeny	Robustness	0.069825	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Kemeny	Robustness	0.053865	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Kemeny	Robustness	0.060349	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Kemeny	Robustness	0.049875	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Kemeny	Robustness	0.052868	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Kemeny	Robustness	0.054863	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Kemeny	Robustness	0.050873	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Kemeny	Robustness	0.057855	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	RRF	Robustness	0.049377	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	RRF	Robustness	0.069327	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	RRF	Robustness	0.075312	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	RRF	Robustness	0.057855	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	RRF	Robustness	0.062344	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	RRF	Robustness	0.057855	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	RRF	Robustness	0.072818	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	RRF	Robustness	0.050873	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	RRF	Robustness	0.057357	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	RRF	Robustness	0.059352	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Schulze	Robustness	0.041397	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Schulze	Robustness	0.061845	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Schulze	Robustness	0.07182	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Schulze	Robustness	0.063342	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Schulze	Robustness	0.060349	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Schulze	Robustness	0.064838	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Schulze	Robustness	0.067332	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Schulze	Robustness	0.058853	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Schulze	Robustness	0.05985	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Schulze	Robustness	0.062344	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	C	Simple Averaging	Robustness	0.036908	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	C	Simple Averaging	Robustness	0.099252	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	C	Simple Averaging	Robustness	0.113716	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	C	Simple Averaging	Robustness	0.101746	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	C	Simple Averaging	Robustness	0.098254	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	C	Simple Averaging	Robustness	0.094763	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	C	Simple Averaging	Robustness	0.091272	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	C	Simple Averaging	Robustness	0.089776	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	C	Simple Averaging	Robustness	0.090773	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	C	Simple Averaging	Robustness	0.094763	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Borda	Robustness	0.002993	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Borda	Robustness	0.023441	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Borda	Robustness	0.016958	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Borda	Robustness	0.01596	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Borda	Robustness	0.000499	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Borda	Robustness	0.023441	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Borda	Robustness	0.03591	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Borda	Robustness	0.030424	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Borda	Robustness	0.031421	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Borda	Robustness	0.034913	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.002993	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.025436	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.031421	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.014963	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.009476	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.018454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.028928	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.033416	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.035411	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.038903	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	RRF	Robustness	0.001496	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	RRF	Robustness	0.034913	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	RRF	Robustness	0.026933	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	RRF	Robustness	0.012968	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	RRF	Robustness	0.002494	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	RRF	Robustness	0.030424	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	RRF	Robustness	0.026434	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	RRF	Robustness	0.029925	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	RRF	Robustness	0.02793	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	RRF	Robustness	0.039401	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Schulze	Robustness	0.002993	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Schulze	Robustness	0.025935	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Schulze	Robustness	0.022943	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Schulze	Robustness	0.020948	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Schulze	Robustness	0.003491	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Schulze	Robustness	0.018454	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Schulze	Robustness	0.018454	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Schulze	Robustness	0.037905	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Schulze	Robustness	0.037406	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Schulze	Robustness	0.032918	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.000499	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.037905	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.055362	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.04788	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.046883	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.034913	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.01995	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.004489	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.001995	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.004988	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Borda	Robustness	0.16409	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Borda	Robustness	0.202494	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Borda	Robustness	0.218953	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Borda	Robustness	0.218454	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Borda	Robustness	0.221446	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Borda	Robustness	0.210474	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Borda	Robustness	0.20399	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Borda	Robustness	0.195511	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Borda	Robustness	0.190025	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Borda	Robustness	0.200998	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Kemeny	Robustness	0.16409	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Kemeny	Robustness	0.189526	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Kemeny	Robustness	0.212469	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Kemeny	Robustness	0.200499	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Kemeny	Robustness	0.20399	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Kemeny	Robustness	0.199501	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Kemeny	Robustness	0.2	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Kemeny	Robustness	0.189027	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Kemeny	Robustness	0.175062	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Kemeny	Robustness	0.188529	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	RRF	Robustness	0.169077	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	RRF	Robustness	0.206484	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	RRF	Robustness	0.213965	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	RRF	Robustness	0.205985	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	RRF	Robustness	0.204988	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	RRF	Robustness	0.198005	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	RRF	Robustness	0.210474	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	RRF	Robustness	0.18803	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	RRF	Robustness	0.185536	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	RRF	Robustness	0.187032	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Schulze	Robustness	0.16409	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Schulze	Robustness	0.203491	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Schulze	Robustness	0.208978	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Schulze	Robustness	0.207481	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Schulze	Robustness	0.214464	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Schulze	Robustness	0.197007	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Schulze	Robustness	0.204988	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Schulze	Robustness	0.197007	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Schulze	Robustness	0.188529	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Schulze	Robustness	0.186035	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	F	Simple Averaging	Robustness	0.172569	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	F	Simple Averaging	Robustness	0.230424	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	F	Simple Averaging	Robustness	0.237406	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	F	Simple Averaging	Robustness	0.225935	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	F	Simple Averaging	Robustness	0.226933	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	F	Simple Averaging	Robustness	0.224938	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	F	Simple Averaging	Robustness	0.224938	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	F	Simple Averaging	Robustness	0.222444	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	F	Simple Averaging	Robustness	0.221945	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	F	Simple Averaging	Robustness	0.231421	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Borda	Robustness	0.24389	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Borda	Robustness	0.216958	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Borda	Robustness	0.24389	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Borda	Robustness	0.250374	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Borda	Robustness	0.261347	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Borda	Robustness	0.285786	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Borda	Robustness	0.311721	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Borda	Robustness	0.299252	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Borda	Robustness	0.294763	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Borda	Robustness	0.316708	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.24389	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.195511	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.208479	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.239401	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.277805	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.300249	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.334165	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.312219	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.301247	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.307731	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad ient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	RRF	Robustness	0.214464	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	RRF	Robustness	0.203491	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	RRF	Robustness	0.230424	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	RRF	Robustness	0.241895	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	RRF	Robustness	0.268828	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	RRF	Robustness	0.296259	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	RRF	Robustness	0.307731	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	RRF	Robustness	0.304738	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	RRF	Robustness	0.306733	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	RRF	Robustness	0.329676	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Schulze	Robustness	0.24389	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Schulze	Robustness	0.214963	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Schulze	Robustness	0.228928	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Schulze	Robustness	0.239401	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Schulze	Robustness	0.266334	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Schulze	Robustness	0.307232	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Schulze	Robustness	0.299751	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Schulze	Robustness	0.308229	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Schulze	Robustness	0.310224	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Schulze	Robustness	0.318703	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.303242	False	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.195511	False	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.215461	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.214963	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.219451	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.233915	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.234414	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.247382	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.251372	False	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.251372	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb- lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad [ent]"]

Table 301: DermaMNIST-ResNet-18

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	Borda	Quality	max	3	0.313217	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	Borda	Quality	min	2	0.65586	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	Borda	Quality	max	3	0.084788	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	Borda	Quality	min	2	0.294264	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	Borda	Robustness	min	7	0.221446	[7]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbolation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	Borda	Robustness	min	2	0.048878	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	Borda	Robustness	min	7	0.037406	[7,11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbolation", "DeepLiftShap", "DeepLift", "GradientShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	Borda	Robustness	min	2	0.035411	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	Borda	Robustness	min	11	0.148628	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbolation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	Borda	Robustness	min	11	0.061347	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbolation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	Borda	Robustness	min	3	0.003491	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	Borda	Robustness	min	4	0.314713	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbolation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	Borda	Robustness	min	11	0.173566	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbolation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	Borda	Robustness	min	2	0.002494	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	Borda	Robustness	min	8	0	[8]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbolation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	Borda	Robustness	min	3	0.353616	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	Borda	Robustness	min	2	0.041397	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	Borda	Robustness	min	6	0.000499	[6]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbolation", "DeepLiftShap", "DeepLift"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	Borda	Robustness	min	2	0.16409	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	Borda	Robustness	min	3	0.216958	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	Kemeny	Quality	max	5	0.316708	[5]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbolation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	Kemeny	Quality	min	2	0.65586	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	Kemeny	Quality	max	3	0.091272	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	Kemeny	Quality	min	2	0.294264	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	Kemeny	Robustness	min	9	0.226933	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAbolation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	min	2	0.048878	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	Kemeny	Robustness	min	8	0.039401	[8]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	min	2	0.035411	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	Kemeny	Robustness	min	11	0.155611	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	Kemeny	Robustness	min	11	0.052868	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	Kemeny	Robustness	min	5	0.000499	[5]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	Kemeny	Robustness	min	3	0.300249	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	Kemeny	Robustness	min	11	0.182045	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	Kemeny	Robustness	min	10	0.001496	[10]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	Kemeny	Robustness	min	8	0.000998	[8]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	Kemeny	Robustness	min	4	0.351621	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	Kemeny	Robustness	min	2	0.041397	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	Kemeny	Robustness	min	2	0.002993	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	Kemeny	Robustness	min	2	0.16409	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	Kemeny	Robustness	min	3	0.195511	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	RRF	Quality	max	2	0.315711	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	RRF	Quality	min	3	0.660349	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	RRF	Quality	max	2	0.093766	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	RRF	Quality	min	3	0.309726	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	RRF	Robustness	min	4	0.221446	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	RRF	Robustness	min	2	0.04788	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	RRF	Robustness	min	11	0.041397	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	RRF	Robustness	min	2	0.040898	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	RRF	Robustness	min	11	0.155611	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "IntegratedGradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	RRF	Robustness	min	11	0.062843	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	RRF	Robustness	min	5	0.001995	[5]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	RRF	Robustness	min	3	0.294763	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	RRF	Robustness	min	11	0.181047	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	RRF	Robustness	min	2	0.012968	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	RRF	Robustness	min	8	0.001496	[8,11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	RRF	Robustness	min	4	0.341147	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	RRF	Robustness	min	2	0.049377	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	RRF	Robustness	min	2	0.001496	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	RRF	Robustness	min	2	0.169077	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	RRF	Robustness	min	3	0.203491	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	Schulze	Quality	max	3	0.312718	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	Schulze	Quality	min	2	0.65586	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	Schulze	Quality	max	3	0.083292	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	Schulze	Quality	min	2	0.294264	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	Schulze	Robustness	min	11	0.218953	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	Schulze	Robustness	min	2	0.048878	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	Schulze	Robustness	min	8	0.041397	[8]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	Schulze	Robustness	min	2	0.035411	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	Schulze	Robustness	min	11	0.149626	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	Schulze	Robustness	min	9	0.054364	[9]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	Schulze	Robustness	min	3	0.001995	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	Schulze	Robustness	min	4	0.302244	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	Schulze	Robustness	min	11	0.177057	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	Schulze	Robustness	min	2	0.002494	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	Schulze	Robustness	min	8	0.000998	[8,11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	Schulze	Robustness	min	4	0.347132	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	Schulze	Robustness	min	2	0.041397	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	Schulze	Robustness	min	2	0.002993	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	Schulze	Robustness	min	2	0.16409	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	Schulze	Robustness	min	3	0.214963	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	C	Simple Averaging	Quality	max	2	0.314214	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Cbar	Simple Averaging	Quality	min	2	0.657855	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	F	Simple Averaging	Quality	max	2	0.079302	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Clean	Fbar	Simple Averaging	Quality	min	2	0.296758	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	C	Simple Averaging	Robustness	min	4	0.205486	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	min	2	0.06783	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	F	Simple Averaging	Robustness	min	4	0.040898	[4,11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	min	2	0.048379	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	C	Simple Averaging	Robustness	min	4	0.146633	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Cbar	Simple Averaging	Robustness	min	11	0.110723	[11]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation", "DeepLiftShap", "DeepLift", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	F	Simple Averaging	Robustness	min	2	0.002494	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Gaussian 0.15	Fbar	Simple Averaging	Robustness	min	3	0.319202	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	C	Simple Averaging	Robustness	min	4	0.173566	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	min	2	0.03192	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	F	Simple Averaging	Robustness	min	4	0	[4]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAblation"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	min	3	0.339152	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	C	Simple Averaging	Robustness	min	2	0.036908	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Cbar	Simple Averaging	Robustness	min	2	0.000499	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	F	Simple Averaging	Robustness	min	2	0.172569	[2]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop"]
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Speckle 0.15	Fbar	Simple Averaging	Robustness	min	3	0.195511	[3]	smallest_q_within_absolute_1e-12	["Deconvolution", "GuidedBackprop", "Occlusion"]

Table 302: DermaMNIST-ResNet-18

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	Borda	Quality	0.303741	max	0.303741	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	Borda	Quality	0.313217	max	0.313217	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	Borda	Quality	0.291771	max	0.291771	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	Borda	Quality	0.308229	max	0.308229	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	Borda	Quality	0.291771	max	0.291771	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	C	Borda	Quality	0.287781	max	0.287781	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	C	Borda	Quality	0.291272	max	0.291272	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	C	Borda	Quality	0.281796	max	0.281796	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	C	Borda	Quality	0.278803	max	0.278803	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	C	Borda	Quality	0.267332	max	0.267332	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	Kemeny	Quality	0.303741	max	0.303741	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	Kemeny	Quality	0.314214	max	0.314214	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	Kemeny	Quality	0.304738	max	0.304738	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	Kemeny	Quality	0.316708	max	0.316708	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	Kemeny	Quality	0.307731	max	0.307731	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	C	Kemeny	Quality	0.301247	max	0.301247	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	C	Kemeny	Quality	0.292768	max	0.292768	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	C	Kemeny	Quality	0.276309	max	0.276309	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	C	Kemeny	Quality	0.287781	max	0.287781	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	C	Kemeny	Quality	0.275312	max	0.275312	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	RRF	Quality	0.315711	max	0.315711	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	RRF	Quality	0.304239	max	0.304239	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	RRF	Quality	0.294264	max	0.294264	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	RRF	Quality	0.313217	max	0.313217	kendall__mallows__exact__distance	0.301961	-	0.301961	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	RRF	Quality	0.302244	max	0.302244	kendall__mallows__exact__distance	0.323871	-	0.323871	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	C	RRF	Quality	0.305736	max	0.305736	kendall__mallows__exact__distance	0.359395	-	0.359395	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	C	RRF	Quality	0.287282	max	0.287282	kendall__mallows__exact__distance	0.369441	-	0.369441	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	C	RRF	Quality	0.290274	max	0.290274	kendall__mallows__exact__distance	0.369659	-	0.369659	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	C	RRF	Quality	0.283791	max	0.283791	kendall__mallows__exact__distance	0.367942	-	0.367942	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	C	RRF	Quality	0.275312	max	0.275312	kendall__mallows__exact__distance	0.370073	-	0.370073	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	Schulze	Quality	0.303741	max	0.303741	kendall__mallows__exact__distance	0.333723	-	0.333723	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	Schulze	Quality	0.312718	max	0.312718	kendall__mallows__exact__distance	0.387061	-	0.387061	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	Schulze	Quality	0.302244	max	0.302244	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	Schulze	Quality	0.303242	max	0.303242	kendall__mallows__exact__distance	0.301961	-	0.301961	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	Schulze	Quality	0.302244	max	0.302244	kendall__mallows__exact__distance	0.323871	-	0.323871	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	C	Schulze	Quality	0.293766	max	0.293766	kendall__mallows__exact__distance	0.359395	-	0.359395	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	C	Schulze	Quality	0.289776	max	0.289776	kendall__mallows__exact__distance	0.369441	-	0.369441	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	C	Schulze	Quality	0.2798	max	0.2798	kendall__mallows__exact__distance	0.369659	-	0.369659	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	C	Schulze	Quality	0.276808	max	0.276808	kendall__mallows__exact__distance	0.367942	-	0.367942	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	C	Schulze	Quality	0.269825	max	0.269825	kendall__mallows__exact__distance	0.370073	-	0.370073	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	Simple Averaging	Quality	0.314214	max	0.314214	kendall__mallows__exact__distance	0.333723	-	0.333723	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	Simple Averaging	Quality	0.288279	max	0.288279	kendall__mallows__exact__distance	0.387061	-	0.387061	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	Simple Averaging	Quality	0.266833	max	0.266833	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	Simple Averaging	Quality	0.278803	max	0.278803	kendall__mallows__exact__distance	0.301961	-	0.301961	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	Simple Averaging	Quality	0.282294	max	0.282294	kendall__mallows__exact__distance	0.323871	-	0.323871	4689.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	C	Simple Averaging	Quality	0.284788	max	0.284788	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	C	Simple Averaging	Quality	0.287282	max	0.287282	kendall__mallows__exact__distance	0.369441	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	C	Simple Averaging	Quality	0.285287	max	0.285287	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	C	Simple Averaging	Quality	0.283791	max	0.283791	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	C	Simple Averaging	Quality	0.281297	max	0.281297	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Cbar	Borda	Quality	0.65586	min	-0.65586	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Cbar	Borda	Quality	0.669825	min	-0.669825	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Cbar	Borda	Quality	0.697756	min	-0.697756	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Cbar	Borda	Quality	0.686284	min	-0.686284	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Cbar	Borda	Quality	0.683791	min	-0.683791	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Cbar	Borda	Quality	0.700249	min	-0.700249	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Cbar	Borda	Quality	0.693766	min	-0.693766	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Cbar	Borda	Quality	0.703242	min	-0.703242	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Cbar	Borda	Quality	0.712219	min	-0.712219	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Cbar	Borda	Quality	0.722693	min	-0.722693	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Cbar	Kemeny	Quality	0.65586	min	-0.65586	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Cbar	Kemeny	Quality	0.669825	min	-0.669825	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Cbar	Kemeny	Quality	0.674314	min	-0.674314	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Cbar	Kemeny	Quality	0.678304	min	-0.678304	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Cbar	Kemeny	Quality	0.687781	min	-0.687781	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Cbar	Kemeny	Quality	0.693766	min	-0.693766	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Cbar	Kemeny	Quality	0.692768	min	-0.692768	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Cbar	Kemeny	Quality	0.704239	min	-0.704239	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Cbar	Kemeny	Quality	0.698753	min	-0.698753	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Cbar	Kemeny	Quality	0.718204	min	-0.718204	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Cbar	RRF	Quality	0.665835	min	-0.665835	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Cbar	RRF	Quality	0.660349	min	-0.660349	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Cbar	RRF	Quality	0.672818	min	-0.672818	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Cbar	RRF	Quality	0.6798	min	-0.6798	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Cbar	RRF	Quality	0.679302	min	-0.679302	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Cbar	RRF	Quality	0.693766	min	-0.693766	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Cbar	RRF	Quality	0.682793	min	-0.682793	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Cbar	RRF	Quality	0.702244	min	-0.702244	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Cbar	RRF	Quality	0.696758	min	-0.696758	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Cbar	RRF	Quality	0.717207	min	-0.717207	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Cbar	Schulze	Quality	0.65586	min	-0.65586	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Cbar	Schulze	Quality	0.667332	min	-0.667332	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Cbar	Schulze	Quality	0.683292	min	-0.683292	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Cbar	Schulze	Quality	0.681297	min	-0.681297	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Cbar	Schulze	Quality	0.688778	min	-0.688778	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Cbar	Schulze	Quality	0.694763	min	-0.694763	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Cbar	Schulze	Quality	0.685287	min	-0.685287	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Cbar	Schulze	Quality	0.706733	min	-0.706733	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Cbar	Schulze	Quality	0.705736	min	-0.705736	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Cbar	Schulze	Quality	0.717706	min	-0.717706	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Cbar	Simple Averaging	Quality	0.657855	min	-0.657855	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Cbar	Simple Averaging	Quality	0.737157	min	- 0.737157	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Cbar	Simple Averaging	Quality	0.739152	min	- 0.739152	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Cbar	Simple Averaging	Quality	0.736658	min	- 0.736658	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Cbar	Simple Averaging	Quality	0.729676	min	- 0.729676	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Cbar	Simple Averaging	Quality	0.72818	min	-0.72818	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Cbar	Simple Averaging	Quality	0.726185	min	- 0.726185	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Cbar	Simple Averaging	Quality	0.728678	min	- 0.728678	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Cbar	Simple Averaging	Quality	0.731172	min	- 0.731172	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Cbar	Simple Averaging	Quality	0.73217	min	-0.73217	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	F	Borda	Quality	0.080798	max	0.080798	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	F	Borda	Quality	0.084788	max	0.084788	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	F	Borda	Quality	0.065337	max	0.065337	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	F	Borda	Quality	0.066334	max	0.066334	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	F	Borda	Quality	0.054364	max	0.054364	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	F	Borda	Quality	0.05586	max	0.05586	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	F	Borda	Quality	0.058354	max	0.058354	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	F	Borda	Quality	0.060349	max	0.060349	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	F	Borda	Quality	0.06384	max	0.06384	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	F	Borda	Quality	0.051372	max	0.051372	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	F	Kemeny	Quality	0.080798	max	0.080798	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	F	Kemeny	Quality	0.091272	max	0.091272	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	F	Kemeny	Quality	0.076808	max	0.076808	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	F	Kemeny	Quality	0.078803	max	0.078803	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	F	Kemeny	Quality	0.075312	max	0.075312	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	F	Kemeny	Quality	0.062843	max	0.062843	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	F	Kemeny	Quality	0.05586	max	0.05586	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	F	Kemeny	Quality	0.053367	max	0.053367	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	F	Kemeny	Quality	0.064339	max	0.064339	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	F	Kemeny	Quality	0.053367	max	0.053367	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	F	RRF	Quality	0.093766	max	0.093766	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	F	RRF	Quality	0.077805	max	0.077805	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	F	RRF	Quality	0.066833	max	0.066833	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	F	RRF	Quality	0.078803	max	0.078803	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	F	RRF	Quality	0.06783	max	0.06783	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	F	RRF	Quality	0.076309	max	0.076309	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	F	RRF	Quality	0.058853	max	0.058853	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	F	RRF	Quality	0.063342	max	0.063342	kendall_ mallows_ exact_ distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	F	RRF	Quality	0.06384	max	0.06384	kendall_ mallows_ exact_ distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	F	RRF	Quality	0.054863	max	0.054863	kendall_ mallows_ exact_ distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	F	Schulze	Quality	0.080798	max	0.080798	kendall_ mallows_ exact_ distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	F	Schulze	Quality	0.083292	max	0.083292	kendall_ mallows_ exact_ distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	F	Schulze	Quality	0.076309	max	0.076309	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	F	Schulze	Quality	0.071322	max	0.071322	kendall_ mallows_ exact_ distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	F	Schulze	Quality	0.061347	max	0.061347	kendall_ mallows_ exact_ distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	F	Schulze	Quality	0.065835	max	0.065835	kendall_ mallows_ exact_ distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	F	Schulze	Quality	0.056359	max	0.056359	kendall_ mallows_ exact_ distance	0.369441	-	0.002	4626.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	F	Schulze	Quality	0.053367	max	0.053367	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	F	Schulze	Quality	0.062843	max	0.062843	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	F	Schulze	Quality	0.054364	max	0.054364	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	F	Simple Averaging	Quality	0.079302	max	0.079302	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	F	Simple Averaging	Quality	0.069327	max	0.069327	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	F	Simple Averaging	Quality	0.057855	max	0.057855	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	F	Simple Averaging	Quality	0.068329	max	0.068329	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	F	Simple Averaging	Quality	0.066833	max	0.066833	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	F	Simple Averaging	Quality	0.06783	max	0.06783	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	F	Simple Averaging	Quality	0.068329	max	0.068329	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	F	Simple Averaging	Quality	0.066334	max	0.066334	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	F	Simple Averaging	Quality	0.065835	max	0.065835	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	F	Simple Averaging	Quality	0.059352	max	0.059352	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Fbar	Borda	Quality	0.294264	min	-	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Fbar	Borda	Quality	0.309726	min	-	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Fbar	Borda	Quality	0.342643	min	-	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Fbar	Borda	Quality	0.325686	min	-	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Fbar	Borda	Quality	0.315711	min	-	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Fbar	Borda	Quality	0.332668	min	-	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Fbar	Borda	Quality	0.322693	min	-	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Fbar	Borda	Quality	0.334165	min	-	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Fbar	Borda	Quality	0.337656	min	-	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Fbar	Borda	Quality	0.357107	min	-	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Fbar	Kemeny	Quality	0.294264	min	- 0.294264	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Fbar	Kemeny	Quality	0.314214	min	- 0.314214	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Fbar	Kemeny	Quality	0.327182	min	- 0.327182	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Fbar	Kemeny	Quality	0.319701	min	- 0.319701	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Fbar	Kemeny	Quality	0.318703	min	- 0.318703	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Fbar	Kemeny	Quality	0.323192	min	- 0.323192	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Fbar	Kemeny	Quality	0.325686	min	- 0.325686	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Fbar	Kemeny	Quality	0.334663	min	- 0.334663	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Fbar	Kemeny	Quality	0.325686	min	- 0.325686	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Fbar	Kemeny	Quality	0.348628	min	- 0.348628	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Fbar	RRF	Quality	0.312219	min	- 0.312219	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Fbar	RRF	Quality	0.309726	min	- 0.309726	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Fbar	RRF	Quality	0.328678	min	- 0.328678	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Fbar	RRF	Quality	0.327182	min	- 0.327182	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Fbar	RRF	Quality	0.316708	min	- 0.316708	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Fbar	RRF	Quality	0.321197	min	- 0.321197	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Fbar	RRF	Quality	0.319701	min	- 0.319701	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Fbar	RRF	Quality	0.33217	min	-0.33217	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Fbar	RRF	Quality	0.329676	min	- 0.329676	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Fbar	RRF	Quality	0.354115	min	- 0.354115	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Fbar	Schulze	Quality	0.294264	min	- 0.294264	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Fbar	Schulze	Quality	0.307731	min	- 0.307731	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Fbar	Schulze	Quality	0.326683	min	- 0.326683	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Fbar	Schulze	Quality	0.323691	min	- 0.323691	kendall_ mallows_ exact_ distance	0.301961 -	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Fbar	Schulze	Quality	0.322195	min	- 0.322195	kendall_ mallows_ exact_ distance	0.323871 -	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Fbar	Schulze	Quality	0.328678	min	- 0.328678	kendall_ mallows_ exact_ distance	0.359395 -	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Fbar	Schulze	Quality	0.311721	min	- 0.311721	kendall_ mallows_ exact_ distance	0.369441 -	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Fbar	Schulze	Quality	0.334663	min	- 0.334663	kendall_ mallows_ exact_ distance	0.369659 -	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Fbar	Schulze	Quality	0.34015	min	-0.34015	kendall_ mallows_ exact_ distance	0.367942 -	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Fbar	Schulze	Quality	0.351621	min	- 0.351621	kendall_ mallows_ exact_ distance	0.370073 -	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	Fbar	Simple Averaging	Quality	0.296758	min	- 0.296758	kendall_ mallows_ exact_ distance	0.333723 -	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	Fbar	Simple Averaging	Quality	0.38404	min	-0.38404	kendall_ mallows_ exact_ distance	0.387061 -	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	Fbar	Simple Averaging	Quality	0.385536	min	- 0.385536	kendall_ mallows_ exact_ distance	0.26951 -	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	Fbar	Simple Averaging	Quality	0.380549	min	- 0.380549	kendall_ mallows_ exact_ distance	0.301961 -	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	Fbar	Simple Averaging	Quality	0.376559	min	- 0.376559	kendall_ mallows_ exact_ distance	0.323871 -	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	Fbar	Simple Averaging	Quality	0.374065	min	- 0.374065	kendall_ mallows_ exact_ distance	0.359395 -	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	Fbar	Simple Averaging	Quality	0.371571	min	- 0.371571	kendall_ mallows_ exact_ distance	0.369441 -	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	Fbar	Simple Averaging	Quality	0.375561	min	- 0.375561	kendall_ mallows_ exact_ distance	0.369659 -	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	Fbar	Simple Averaging	Quality	0.377057	min	- 0.377057	kendall_ mallows_ exact_ distance	0.367942 -	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	Fbar	Simple Averaging	Quality	0.38005	min	-0.38005	kendall_ mallows_ exact_ distance	0.370073 -	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 255	C	Borda	Robustness	0.242893	min	- 0.242893	kendall_ mallows_ exact_ distance	0.333723 -	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 255	C	Borda	Robustness	0.234913	min	- 0.234913	kendall_ mallows_ exact_ distance	0.387061 -	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 255	C	Borda	Robustness	0.222444	min	- 0.222444	kendall_ mallows_ exact_ distance	0.26951 -	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 255	C	Borda	Robustness	0.237905	min	- 0.237905	kendall_ mallows_ exact_ distance	0.301961 -	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 255	C	Borda	Robustness	0.227431	min	- 0.227431	kendall_ mallows_ exact_ distance	0.323871 -	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 255	C	Borda	Robustness	0.221446	min	- 0.221446	kendall_ mallows_ exact_ distance	0.359395 -	0.359395	0.002	4584.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Borda	Robustness	0.233915	min	- 0.233915	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Borda	Robustness	0.232918	min	- 0.232918	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Borda	Robustness	0.226933	min	- 0.226933	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Borda	Robustness	0.224938	min	- 0.224938	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	Kemeny	Robustness	0.242893	min	- 0.242893	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	Kemeny	Robustness	0.241895	min	- 0.241895	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.229925	min	- 0.229925	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.248878	min	- 0.248878	kendall__mallows__exact__distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	Kemeny	Robustness	0.236908	min	- 0.236908	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	Kemeny	Robustness	0.236409	min	- 0.236409	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Kemeny	Robustness	0.234414	min	- 0.234414	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Kemeny	Robustness	0.226933	min	- 0.226933	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Kemeny	Robustness	0.234414	min	- 0.234414	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Kemeny	Robustness	0.229426	min	- 0.229426	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	RRF	Robustness	0.24788	min	-0.24788	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	RRF	Robustness	0.230923	min	- 0.230923	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	RRF	Robustness	0.221446	min	- 0.221446	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	RRF	Robustness	0.240399	min	- 0.240399	kendall__mallows__exact__distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	RRF	Robustness	0.230424	min	- 0.230424	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	RRF	Robustness	0.240898	min	- 0.240898	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	RRF	Robustness	0.22394	min	-0.22394	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	RRF	Robustness	0.235411	min	- 0.235411	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	RRF	Robustness	0.22793	min	-0.22793	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	RRF	Robustness	0.226933	min	- 0.226933	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	Schulze	Robustness	0.242893	min	- 0.242893	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	Schulze	Robustness	0.234414	min	- 0.234414	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	Schulze	Robustness	0.231421	min	- 0.231421	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	Schulze	Robustness	0.232918	min	- 0.232918	kendall__mallows__exact__distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	Schulze	Robustness	0.236409	min	- 0.236409	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	Schulze	Robustness	0.231421	min	- 0.231421	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Schulze	Robustness	0.232918	min	- 0.232918	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Schulze	Robustness	0.230923	min	- 0.230923	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Schulze	Robustness	0.224439	min	- 0.224439	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Schulze	Robustness	0.218953	min	- 0.218953	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.245387	min	- 0.245387	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.220948	min	- 0.220948	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.205486	min	- 0.205486	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.216459	min	- 0.216459	kendall__mallows__exact__distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.214464	min	- 0.214464	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.218454	min	- 0.218454	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.218454	min	- 0.218454	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.218953	min	- 0.218953	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.216459	min	- 0.216459	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.217955	min	- 0.217955	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.048878	min	- 0.048878	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.064838	min	- 0.064838	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.099751	min	-0.099751	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.069327	min	-0.069327	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.072818	min	-0.072818	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.085287	min	-0.085287	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.067332	min	-0.067332	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.06783	min	-0.06783	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.087781	min	-0.087781	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.076808	min	-0.076808	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.048878	min	-0.048878	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.052369	min	-0.052369	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.076808	min	-0.076808	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.081796	min	-0.081796	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.063342	min	-0.063342	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.077805	min	-0.077805	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.071322	min	-0.071322	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.076309	min	-0.076309	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.068828	min	-0.068828	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.077805	min	-0.077805	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.04788	min	-0.04788	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.053865	min	-0.053865	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.070823	min	-0.070823	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.068329	min	-0.068329	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.067332	min	-0.067332	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.078304	min	- 0.078304	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.07182	min	-0.07182	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.07182	min	-0.07182	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.07182	min	-0.07182	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.078803	min	- 0.078803	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.048878	min	- 0.048878	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.062843	min	- 0.062843	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.090274	min	- 0.090274	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.075312	min	- 0.075312	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.078304	min	- 0.078304	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.073317	min	- 0.073317	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.060349	min	- 0.060349	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.080299	min	- 0.080299	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.083292	min	- 0.083292	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0798	min	-0.0798	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.06783	min	-0.06783	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.106733	min	- 0.106733	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.115711	min	- 0.115711	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.110224	min	- 0.110224	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.098254	min	- 0.098254	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.093766	min	- 0.093766	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.101247	min	- 0.101247	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.101746	min	- 0.101746	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.106733	min	- 0.106733	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.110224	min	- 0.110224	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Borda	Robustness	0.06783	min	-0.06783	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Borda	Robustness	0.061845	min	- 0.061845	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Borda	Robustness	0.04788	min	-0.04788	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Borda	Robustness	0.044888	min	- 0.044888	kendall__mallows__exact__distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Borda	Robustness	0.039401	min	- 0.039401	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Borda	Robustness	0.037406	min	- 0.037406	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Borda	Robustness	0.044888	min	- 0.044888	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Borda	Robustness	0.046883	min	- 0.046883	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Borda	Robustness	0.046883	min	- 0.046883	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Borda	Robustness	0.037406	min	- 0.037406	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Kemeny	Robustness	0.06783	min	-0.06783	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Kemeny	Robustness	0.074314	min	- 0.074314	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Kemeny	Robustness	0.054364	min	- 0.054364	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Kemeny	Robustness	0.060848	min	- 0.060848	kendall__mallows__exact__distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Kemeny	Robustness	0.05586	min	-0.05586	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Kemeny	Robustness	0.047382	min	- 0.047382	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Kemeny	Robustness	0.039401	min	- 0.039401	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Kemeny	Robustness	0.042893	min	- 0.042893	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Kemeny	Robustness	0.050374	min	- 0.050374	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Kemeny	Robustness	0.042893	min	- 0.042893	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	RRF	Robustness	0.074813	min	- 0.074813	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	RRF	Robustness	0.058354	min	-0.058354	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	RRF	Robustness	0.045387	min	-0.045387	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	RRF	Robustness	0.058853	min	-0.058853	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	RRF	Robustness	0.048379	min	-0.048379	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	RRF	Robustness	0.059352	min	-0.059352	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	RRF	Robustness	0.04389	min	-0.04389	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	RRF	Robustness	0.046384	min	-0.046384	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	RRF	Robustness	0.046883	min	-0.046883	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	RRF	Robustness	0.041397	min	-0.041397	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Schulze	Robustness	0.06783	min	-0.06783	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Schulze	Robustness	0.060848	min	-0.060848	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Schulze	Robustness	0.054364	min	-0.054364	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.050374	min	-0.050374	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.04788	min	-0.04788	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.050374	min	-0.050374	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Schulze	Robustness	0.041397	min	-0.041397	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Schulze	Robustness	0.043392	min	-0.043392	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Schulze	Robustness	0.04788	min	-0.04788	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Schulze	Robustness	0.041895	min	-0.041895	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.061845	min	-0.061845	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.046883	min	-0.046883	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.040898	min	-0.040898	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.049875	min	-0.049875	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.046883	min	- 0.046883	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.049875	min	- 0.049875	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.049377	min	- 0.049377	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.049377	min	- 0.049377	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.048878	min	- 0.048878	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.040898	min	- 0.040898	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.035411	min	- 0.035411	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.058354	min	- 0.058354	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.096259	min	- 0.096259	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.077307	min	- 0.077307	kendall__mallows__exact__distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.081796	min	- 0.081796	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.088778	min	- 0.088778	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.064339	min	- 0.064339	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.066833	min	- 0.066833	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.080798	min	- 0.080798	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.066833	min	- 0.066833	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.035411	min	- 0.035411	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.042893	min	- 0.042893	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.073815	min	- 0.073815	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.083292	min	- 0.083292	kendall__mallows__exact__distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.07182	min	-0.07182	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.073815	min	- 0.073815	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.066833	min	- 0.066833	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.066334	min	-0.066334	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.06384	min	-0.06384	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.064339	min	-0.064339	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.040898	min	-0.040898	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.045885	min	-0.045885	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.080299	min	-0.080299	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.07182	min	-0.07182	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.07182	min	-0.07182	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.07581	min	-0.07581	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.069327	min	-0.069327	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.062843	min	-0.062843	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.066334	min	-0.066334	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.069825	min	-0.069825	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.035411	min	-0.035411	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.057855	min	-0.057855	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.084289	min	-0.084289	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.075312	min	-0.075312	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.087781	min	-0.087781	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.076808	min	-0.076808	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.05586	min	-0.05586	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.076309	min	-0.076309	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.077805	min	-0.077805	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.068828	min	-0.068828	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.048379	min	- 0.048379	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.111222	min	- 0.111222	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.123691	min	- 0.123691	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.119701	min	- 0.119701	kendall__mallows__exact__distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.114713	min	- 0.114713	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.115711	min	- 0.115711	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.119701	min	- 0.119701	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.116209	min	- 0.116209	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.121696	min	- 0.121696	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.129676	min	- 0.129676	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	C	Borda	Robustness	0.180549	min	- 0.180549	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	C	Borda	Robustness	0.190524	min	- 0.190524	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	C	Borda	Robustness	0.17207	min	-0.17207	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	C	Borda	Robustness	0.189027	min	- 0.189027	kendall__mallows__exact__distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	C	Borda	Robustness	0.17207	min	-0.17207	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	C	Borda	Robustness	0.169077	min	- 0.169077	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	C	Borda	Robustness	0.17207	min	-0.17207	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	C	Borda	Robustness	0.161596	min	- 0.161596	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	C	Borda	Robustness	0.159601	min	- 0.159601	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	C	Borda	Robustness	0.148628	min	- 0.148628	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	C	Kemeny	Robustness	0.180549	min	- 0.180549	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	C	Kemeny	Robustness	0.192519	min	- 0.192519	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	C	Kemeny	Robustness	0.186035	min	- 0.186035	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	C	Kemeny	Robustness	0.197506	min	- 0.197506	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	C	Kemeny	Robustness	0.188529	min	- 0.188529	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	C	Kemeny	Robustness	0.181546	min	- 0.181546	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	C	Kemeny	Robustness	0.174564	min	- 0.174564	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	C	Kemeny	Robustness	0.159102	min	- 0.159102	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	C	Kemeny	Robustness	0.169576	min	- 0.169576	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	C	Kemeny	Robustness	0.155611	min	- 0.155611	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	C	RRF	Robustness	0.196509	min	- 0.196509	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	C	RRF	Robustness	0.183042	min	- 0.183042	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	C	RRF	Robustness	0.175561	min	- 0.175561	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	C	RRF	Robustness	0.193516	min	- 0.193516	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	C	RRF	Robustness	0.182045	min	- 0.182045	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	C	RRF	Robustness	0.186035	min	- 0.186035	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	C	RRF	Robustness	0.166085	min	- 0.166085	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	C	RRF	Robustness	0.173067	min	- 0.173067	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	C	RRF	Robustness	0.166085	min	- 0.166085	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	C	RRF	Robustness	0.155611	min	- 0.155611	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	C	Schulze	Robustness	0.180549	min	- 0.180549	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	C	Schulze	Robustness	0.190025	min	- 0.190025	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	C	Schulze	Robustness	0.180549	min	- 0.180549	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	C	Schulze	Robustness	0.18404	min	-0.18404	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	C	Schulze	Robustness	0.183042	min	- 0.183042	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	C	Schulze	Robustness	0.173067	min	- 0.173067	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	C	Schulze	Robustness	0.170075	min	- 0.170075	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	C	Schulze	Robustness	0.160599	min	- 0.160599	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	C	Schulze	Robustness	0.158105	min	- 0.158105	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	C	Schulze	Robustness	0.149626	min	- 0.149626	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.190524	min	- 0.190524	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.16808	min	-0.16808	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.146633	min	- 0.146633	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.158105	min	- 0.158105	kendall__mallows__exact__distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.162095	min	- 0.162095	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.16409	min	-0.16409	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.167581	min	- 0.167581	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.165586	min	- 0.165586	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.16409	min	-0.16409	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.164589	min	- 0.164589	kendall__mallows__exact__distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Borda	Robustness	0.075312	min	- 0.075312	kendall__mallows__exact__distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Borda	Robustness	0.102743	min	- 0.102743	kendall__mallows__exact__distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Borda	Robustness	0.115212	min	- 0.115212	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Borda	Robustness	0.111721	min	- 0.111721	kendall__mallows__exact__distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Borda	Robustness	0.087781	min	- 0.087781	kendall__mallows__exact__distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Borda	Robustness	0.06783	min	-0.06783	kendall__mallows__exact__distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Borda	Robustness	0.080798	min	- 0.080798	kendall__mallows__exact__distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Borda	Robustness	0.073815	min	- 0.073815	kendall__mallows__exact__distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Borda	Robustness	0.064838	min	- 0.064838	kendall__mallows__exact__distance	0.367942	- 0.367942	0.002	4972.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Borda	Robustness	0.061347	min	-0.061347	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.075312	min	-0.075312	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.086783	min	-0.086783	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.13217	min	-0.13217	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.109726	min	-0.109726	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.083791	min	-0.083791	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.066334	min	-0.066334	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.071322	min	-0.071322	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.070324	min	-0.070324	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.068828	min	-0.068828	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.052868	min	-0.052868	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	RRF	Robustness	0.078304	min	-0.078304	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	RRF	Robustness	0.093766	min	-0.093766	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	RRF	Robustness	0.114713	min	-0.114713	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	RRF	Robustness	0.100249	min	-0.100249	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	RRF	Robustness	0.086284	min	-0.086284	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	RRF	Robustness	0.073317	min	-0.073317	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	RRF	Robustness	0.070823	min	-0.070823	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	RRF	Robustness	0.067332	min	-0.067332	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	RRF	Robustness	0.072818	min	-0.072818	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	RRF	Robustness	0.062843	min	-0.062843	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.075312	min	-0.075312	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.103242	min	-0.103242	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.126185	min	- 0.126185	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.105736	min	- 0.105736	kendall_ mallows_ exact_ distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.088778	min	- 0.088778	kendall_ mallows_ exact_ distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.060349	min	- 0.060349	kendall_ mallows_ exact_ distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.087781	min	- 0.087781	kendall_ mallows_ exact_ distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.054364	min	- 0.054364	kendall_ mallows_ exact_ distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.057855	min	- 0.057855	kendall_ mallows_ exact_ distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.061845	min	- 0.061845	kendall_ mallows_ exact_ distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.116209	min	- 0.116209	kendall_ mallows_ exact_ distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.141147	min	- 0.141147	kendall_ mallows_ exact_ distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.144638	min	- 0.144638	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.142643	min	- 0.142643	kendall_ mallows_ exact_ distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.139152	min	- 0.139152	kendall_ mallows_ exact_ distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.141147	min	- 0.141147	kendall_ mallows_ exact_ distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129676	min	- 0.129676	kendall_ mallows_ exact_ distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.117207	min	- 0.117207	kendall_ mallows_ exact_ distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.112219	min	- 0.112219	kendall_ mallows_ exact_ distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.110723	min	- 0.110723	kendall_ mallows_ exact_ distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	F	Borda	Robustness	0.00399	min	-0.00399	kendall_ mallows_ exact_ distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	F	Borda	Robustness	0.003491	min	- 0.003491	kendall_ mallows_ exact_ distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	F	Borda	Robustness	0.014963	min	- 0.014963	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	F	Borda	Robustness	0.013466	min	- 0.013466	kendall_ mallows_ exact_ distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	F	Borda	Robustness	0.025935	min	- 0.025935	kendall_ mallows_ exact_ distance	0.323871	-0.323871	0.002	4689.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	F	Borda	Robustness	0.022943	min	-0.022943	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	F	Borda	Robustness	0.01995	min	-0.01995	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	F	Borda	Robustness	0.01596	min	-0.01596	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	F	Borda	Robustness	0.014464	min	-0.014464	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	F	Borda	Robustness	0.026434	min	-0.026434	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	F	Kemeny	Robustness	0.00399	min	-0.00399	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	F	Kemeny	Robustness	0.010973	min	-0.010973	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	F	Kemeny	Robustness	0.002993	min	-0.002993	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	F	Kemeny	Robustness	0.000499	min	-0.000499	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	F	Kemeny	Robustness	0.003491	min	-0.003491	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	F	Kemeny	Robustness	0.015461	min	-0.015461	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	F	Kemeny	Robustness	0.022444	min	-0.022444	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	F	Kemeny	Robustness	0.022943	min	-0.022943	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	F	Kemeny	Robustness	0.011471	min	-0.011471	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	F	Kemeny	Robustness	0.022444	min	-0.022444	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	F	RRF	Robustness	0.015461	min	-0.015461	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	F	RRF	Robustness	0.002494	min	-0.002494	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	F	RRF	Robustness	0.013965	min	-0.013965	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	F	RRF	Robustness	0.001995	min	-0.001995	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	F	RRF	Robustness	0.01197	min	-0.01197	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	F	RRF	Robustness	0.003491	min	-0.003491	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	F	RRF	Robustness	0.020449	min	-0.020449	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	F	RRF	Robustness	0.013965	min	-0.013965	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	F	RRF	Robustness	0.013965	min	-0.013965	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	F	RRF	Robustness	0.021945	min	-0.021945	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	F	Schulze	Robustness	0.00399	min	-0.00399	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	F	Schulze	Robustness	0.001995	min	-0.001995	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	F	Schulze	Robustness	0.004489	min	-0.004489	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	F	Schulze	Robustness	0.008978	min	-0.008978	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	F	Schulze	Robustness	0.017955	min	-0.017955	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	F	Schulze	Robustness	0.012469	min	-0.012469	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	F	Schulze	Robustness	0.021945	min	-0.021945	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	F	Schulze	Robustness	0.024938	min	-0.024938	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	F	Schulze	Robustness	0.01596	min	-0.01596	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	F	Schulze	Robustness	0.02394	min	-0.02394	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.002494	min	-0.002494	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.010474	min	-0.010474	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.021945	min	-0.021945	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.011471	min	-0.011471	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.013466	min	-0.013466	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.012968	min	-0.012968	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.01197	min	-0.01197	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.013466	min	-0.013466	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.013965	min	-0.013965	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.018953	min	-0.018953	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Borda	Robustness	0.332668	min	-0.332668	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Borda	Robustness	0.316209	min	-0.316209 kendall__mallows__exact__distance	0.387061 kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Borda	Robustness	0.314713	min	-0.314713 kendall__mallows__exact__distance	0.26951 kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Borda	Robustness	0.322195	min	-0.322195 kendall__mallows__exact__distance	0.301961 kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Borda	Robustness	0.334663	min	-0.334663 kendall__mallows__exact__distance	0.323871 kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Borda	Robustness	0.367082	min	-0.367082 kendall__mallows__exact__distance	0.359395 kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Borda	Robustness	0.374065	min	-0.374065 kendall__mallows__exact__distance	0.369441 kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Borda	Robustness	0.394015	min	-0.394015 kendall__mallows__exact__distance	0.369659 kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Borda	Robustness	0.38803	min	-0.38803 kendall__mallows__exact__distance	0.367942 kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Borda	Robustness	0.398504	min	-0.398504 kendall__mallows__exact__distance	0.370073 kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.332668	min	-0.332668 kendall__mallows__exact__distance	0.333723 kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.300249	min	-0.300249 kendall__mallows__exact__distance	0.387061 kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.306234	min	-0.306234 kendall__mallows__exact__distance	0.26951 kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.306234	min	-0.306234 kendall__mallows__exact__distance	0.301961 kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.343142	min	-0.343142 kendall__mallows__exact__distance	0.323871 kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.383042	min	-0.383042 kendall__mallows__exact__distance	0.359395 kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.401995	min	-0.401995 kendall__mallows__exact__distance	0.369441 kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.416459	min	-0.416459 kendall__mallows__exact__distance	0.369659 kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.404489	min	-0.404489 kendall__mallows__exact__distance	0.367942 kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.414963	min	-0.414963 kendall__mallows__exact__distance	0.370073 kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	RRF	Robustness	0.323192	min	-0.323192 kendall__mallows__exact__distance	0.333723 kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	RRF	Robustness	0.294763	min	-0.294763 kendall__mallows__exact__distance	0.387061 kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	RRF	Robustness	0.302244	min	-0.302244 kendall__mallows__exact__distance	0.26951 kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	RRF	Robustness	0.308728	min	-0.308728 kendall__mallows__exact__distance	0.301961 kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	RRF	Robustness	0.339152	min	- 0.339152	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	RRF	Robustness	0.353117	min	- 0.353117	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	RRF	Robustness	0.386035	min	- 0.386035	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	RRF	Robustness	0.395511	min	- 0.395511	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	RRF	Robustness	0.397007	min	- 0.397007	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	RRF	Robustness	0.403491	min	- 0.403491	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.332668	min	- 0.332668	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.315711	min	- 0.315711	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.302244	min	- 0.302244	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.308229	min	- 0.308229	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.34813	min	-0.34813	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.366085	min	- 0.366085	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.37207	min	-0.37207	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.408479	min	- 0.408479	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.400499	min	- 0.400499	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.408978	min	- 0.408978	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.399002	min	- 0.399002	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.319202	min	- 0.319202	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.327182	min	- 0.327182	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.321696	min	- 0.321696	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.329676	min	- 0.329676	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.332668	min	- 0.332668	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.330673	min	- 0.330673	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.33616	min	-0.33616	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.34015	min	-0.34015	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.352618	min	-0.352618	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Borda	Robustness	0.209476	min	-0.209476	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Borda	Robustness	0.218953	min	-0.218953	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Borda	Robustness	0.198504	min	-0.198504	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Borda	Robustness	0.21596	min	-0.21596	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Borda	Robustness	0.199002	min	-0.199002	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Borda	Robustness	0.195012	min	-0.195012	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Borda	Robustness	0.197007	min	-0.197007	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Borda	Robustness	0.18803	min	-0.18803	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Borda	Robustness	0.185536	min	-0.185536	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Borda	Robustness	0.173566	min	-0.173566	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.209476	min	-0.209476	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.220449	min	-0.220449	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.210973	min	-0.210973	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.221446	min	-0.221446	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.213466	min	-0.213466	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.208479	min	-0.208479	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.202494	min	-0.202494	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.183042	min	-0.183042	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.191521	min	-0.191521	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.182045	min	-0.182045	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	C	RRF	Robustness	0.223441	min	- 0.223441	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	C	RRF	Robustness	0.209975	min	- 0.209975	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	C	RRF	Robustness	0.201496	min	- 0.201496	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	C	RRF	Robustness	0.218454	min	- 0.218454	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	C	RRF	Robustness	0.209476	min	- 0.209476	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	C	RRF	Robustness	0.212968	min	- 0.212968	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	C	RRF	Robustness	0.193017	min	- 0.193017	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	C	RRF	Robustness	0.19601	min	-0.19601	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	C	RRF	Robustness	0.190524	min	- 0.190524	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	C	RRF	Robustness	0.181047	min	- 0.181047	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Schulze	Robustness	0.209476	min	- 0.209476	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Schulze	Robustness	0.218454	min	- 0.218454	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Schulze	Robustness	0.209476	min	- 0.209476	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Schulze	Robustness	0.209975	min	- 0.209975	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Schulze	Robustness	0.209975	min	- 0.209975	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Schulze	Robustness	0.199501	min	- 0.199501	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Schulze	Robustness	0.198005	min	- 0.198005	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Schulze	Robustness	0.187032	min	- 0.187032	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Schulze	Robustness	0.181047	min	- 0.181047	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Schulze	Robustness	0.177057	min	- 0.177057	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.21995	min	-0.21995	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.195511	min	- 0.195511	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.173566	min	- 0.173566	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.186035	min	-0.186035 kendall__mallows__exact__distance	-0.301961 kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.189526	min	-0.189526 kendall__mallows__exact__distance	-0.323871 kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.192519	min	-0.192519 kendall__mallows__exact__distance	-0.359395 kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.194015	min	-0.194015 kendall__mallows__exact__distance	-0.369441 kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.190524	min	-0.190524 kendall__mallows__exact__distance	-0.369659 kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.190025	min	-0.190025 kendall__mallows__exact__distance	-0.367942 kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.187032	min	-0.187032 kendall__mallows__exact__distance	-0.370073 kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.002494	min	-0.002494 kendall__mallows__exact__distance	-0.333723 kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.053367	min	-0.053367 kendall__mallows__exact__distance	-0.387061 kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.087781	min	-0.087781 kendall__mallows__exact__distance	-0.26951 kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.069825	min	-0.069825 kendall__mallows__exact__distance	-0.301961 kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.041895	min	-0.041895 kendall__mallows__exact__distance	-0.323871 kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.037905	min	-0.037905 kendall__mallows__exact__distance	-0.359395 kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.01995	min	-0.01995 kendall__mallows__exact__distance	-0.369441 kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.030424	min	-0.030424 kendall__mallows__exact__distance	-0.369659 kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.024439	min	-0.024439 kendall__mallows__exact__distance	-0.367942 kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.013965	min	-0.013965 kendall__mallows__exact__distance	-0.370073 kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.002494	min	-0.002494 kendall__mallows__exact__distance	-0.333723 kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.033915	min	-0.033915 kendall__mallows__exact__distance	-0.387061 kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.073317	min	-0.073317 kendall__mallows__exact__distance	-0.26951 kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.049377	min	-0.049377 kendall__mallows__exact__distance	-0.301961 kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.033915	min	-0.033915 kendall__mallows__exact__distance	-0.323871 kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.035411	min	-0.035411 kendall__mallows__exact__distance	-0.359395 kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.004988	min	- 0.004988	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.017955	min	- 0.017955	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.001496	min	- 0.001496	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.005486	min	- 0.005486	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.012968	min	- 0.012968	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.038903	min	- 0.038903	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.076309	min	- 0.076309	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.04788	min	-0.04788	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.042893	min	- 0.042893	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.022444	min	- 0.022444	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.01995	min	-0.01995	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.01596	min	-0.01596	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.021446	min	- 0.021446	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.014963	min	- 0.014963	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.002494	min	- 0.002494	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.054364	min	- 0.054364	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.081297	min	- 0.081297	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.063342	min	- 0.063342	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.037905	min	- 0.037905	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.032918	min	- 0.032918	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.020449	min	- 0.020449	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.005486	min	- 0.005486	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.014464	min	- 0.014464	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.01197	min	-0.01197	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.03192	min	-0.03192	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.125187	min	-	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.138155	min	-	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.139651	min	-	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.137157	min	-	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.12818	min	-0.12818	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.117207	min	-	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.114713	min	-	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.105736	min	-	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.096259	min	-	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Borda	Robustness	0.02394	min	-0.02394	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Borda	Robustness	0.02793	min	-0.02793	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Borda	Robustness	0.007481	min	-	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Borda	Robustness	0.008479	min	-	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Borda	Robustness	0.003491	min	-	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Borda	Robustness	0.002494	min	-	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Borda	Robustness	0	min	-0	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Borda	Robustness	0.001995	min	-	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Borda	Robustness	0.006983	min	-	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Borda	Robustness	0.006484	min	-	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.02394	min	-0.02394	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.034414	min	-	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.019451	min	-0.019451	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.021945	min	-0.021945	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.017955	min	-0.017955	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.004988	min	-0.004988	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.000998	min	-0.000998	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.002494	min	-0.002494	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.006983	min	-0.006983	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.002494	min	-0.002494	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	F	RRF	Robustness	0.037905	min	-0.037905	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	F	RRF	Robustness	0.021446	min	-0.021446	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	F	RRF	Robustness	0.008978	min	-0.008978	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	F	RRF	Robustness	0.021446	min	-0.021446	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	F	RRF	Robustness	0.009975	min	-0.009975	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	F	RRF	Robustness	0.018953	min	-0.018953	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	F	RRF	Robustness	0.001496	min	-0.001496	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	F	RRF	Robustness	0.006983	min	-0.006983	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	F	RRF	Robustness	0.005486	min	-0.005486	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	F	RRF	Robustness	0.001496	min	-0.001496	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Schulze	Robustness	0.02394	min	-0.02394	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Schulze	Robustness	0.026434	min	-0.026434	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Schulze	Robustness	0.018454	min	-0.018454	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Schulze	Robustness	0.013466	min	-0.013466	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Schulze	Robustness	0.002993	min	-0.002993	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Schulze	Robustness	0.006983	min	-0.006983	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Schulze	Robustness	0.000998	min	-0.000998	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Schulze	Robustness	0.001995	min	-0.001995	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Schulze	Robustness	0.00798	min	-0.00798	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Schulze	Robustness	0.000998	min	-0.000998	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.02394	min	-0.02394	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.011471	min	-0.011471	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0	min	-0	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.011471	min	-0.011471	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.009975	min	-0.009975	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.010973	min	-0.010973	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.009975	min	-0.009975	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.008479	min	-0.008479	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.00798	min	-0.00798	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.000998	min	-0.000998	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.357606	min	-0.357606	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.353616	min	-0.353616	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.371072	min	-0.371072	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.35611	min	-0.35611	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.380549	min	-0.380549	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.420449	min	-0.420449	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.407481	min	-0.407481	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.417456	min	-0.417456	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.438903	min	- 0.438903	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.447382	min	- 0.447382	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.357606	min	- 0.357606	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.353117	min	- 0.353117	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.351621	min	- 0.351621	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.364589	min	- 0.364589	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.404489	min	- 0.404489	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.432918	min	- 0.432918	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.43192	min	-0.43192	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.457855	min	- 0.457855	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.441397	min	- 0.441397	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.44389	min	-0.44389	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.362594	min	- 0.362594	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.343641	min	- 0.343641	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.341147	min	- 0.341147	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.37207	min	-0.37207	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.384539	min	- 0.384539	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.398504	min	- 0.398504	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.421945	min	- 0.421945	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.434913	min	- 0.434913	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.415461	min	- 0.415461	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.446384	min	- 0.446384	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.357606	min	- 0.357606	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.35212	min	-0.35212	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.347132	min	-0.347132	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.370075	min	-0.370075	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.393516	min	-0.393516	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.433416	min	-0.433416	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.406484	min	-0.406484	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.436908	min	-0.436908	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.450374	min	-0.450374	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.462344	min	-0.462344	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.401496	min	-0.401496	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.339152	min	-0.339152	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.346633	min	-0.346633	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.350125	min	-0.350125	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.352618	min	-0.352618	kendall__mallows__exact__distance	0.323871	-	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.354115	min	-0.354115	kendall__mallows__exact__distance	0.359395	-	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.353616	min	-0.353616	kendall__mallows__exact__distance	0.369441	-	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.365087	min	-0.365087	kendall__mallows__exact__distance	0.369659	-	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.365087	min	-0.365087	kendall__mallows__exact__distance	0.367942	-	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.371072	min	-0.371072	kendall__mallows__exact__distance	0.370073	-	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	C	Borda	Robustness	0.041397	min	-0.041397	kendall__mallows__exact__distance	0.333723	-	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	C	Borda	Robustness	0.060848	min	-0.060848	kendall__mallows__exact__distance	0.387061	-	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	C	Borda	Robustness	0.080299	min	-0.080299	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	C	Borda	Robustness	0.064838	min	-0.064838	kendall__mallows__exact__distance	0.301961	-	0.002	4732.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	C	Borda	Robustness	0.073815	min	- 0.073815	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	C	Borda	Robustness	0.071322	min	- 0.071322	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	C	Borda	Robustness	0.062843	min	- 0.062843	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	C	Borda	Robustness	0.06783	min	-0.06783	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	C	Borda	Robustness	0.067332	min	- 0.067332	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	C	Borda	Robustness	0.077805	min	- 0.077805	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	C	Kemeny	Robustness	0.041397	min	- 0.041397	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	C	Kemeny	Robustness	0.05586	min	-0.05586	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	C	Kemeny	Robustness	0.069825	min	- 0.069825	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	C	Kemeny	Robustness	0.053865	min	- 0.053865	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	C	Kemeny	Robustness	0.060349	min	- 0.060349	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	C	Kemeny	Robustness	0.049875	min	- 0.049875	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	C	Kemeny	Robustness	0.052868	min	- 0.052868	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	C	Kemeny	Robustness	0.054863	min	- 0.054863	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	C	Kemeny	Robustness	0.050873	min	- 0.050873	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	C	Kemeny	Robustness	0.057855	min	- 0.057855	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	C	RRF	Robustness	0.049377	min	- 0.049377	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	C	RRF	Robustness	0.069327	min	- 0.069327	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	C	RRF	Robustness	0.075312	min	- 0.075312	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	C	RRF	Robustness	0.057855	min	- 0.057855	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	C	RRF	Robustness	0.062344	min	- 0.062344	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	C	RRF	Robustness	0.057855	min	- 0.057855	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	C	RRF	Robustness	0.072818	min	- 0.072818	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	C	RRF	Robustness	0.050873	min	-0.050873	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	C	RRF	Robustness	0.057357	min	-0.057357	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	C	RRF	Robustness	0.059352	min	-0.059352	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	C	Schulze	Robustness	0.041397	min	-0.041397	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	C	Schulze	Robustness	0.061845	min	-0.061845	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	C	Schulze	Robustness	0.07182	min	-0.07182	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	C	Schulze	Robustness	0.063342	min	-0.063342	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	C	Schulze	Robustness	0.060349	min	-0.060349	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	C	Schulze	Robustness	0.064838	min	-0.064838	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	C	Schulze	Robustness	0.067332	min	-0.067332	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	C	Schulze	Robustness	0.058853	min	-0.058853	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	C	Schulze	Robustness	0.05985	min	-0.05985	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	C	Schulze	Robustness	0.062344	min	-0.062344	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	C	Simple Averaging	Robustness	0.036908	min	-0.036908	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	C	Simple Averaging	Robustness	0.099252	min	-0.099252	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	C	Simple Averaging	Robustness	0.113716	min	-0.113716	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	C	Simple Averaging	Robustness	0.101746	min	-0.101746	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	C	Simple Averaging	Robustness	0.098254	min	-0.098254	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	C	Simple Averaging	Robustness	0.094763	min	-0.094763	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	C	Simple Averaging	Robustness	0.091272	min	-0.091272	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	C	Simple Averaging	Robustness	0.089776	min	-0.089776	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	C	Simple Averaging	Robustness	0.090773	min	-0.090773	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	C	Simple Averaging	Robustness	0.094763	min	-0.094763	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Borda	Robustness	0.002993	min	- 0.002993	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Borda	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Borda	Robustness	0.016958	min	- 0.016958	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Borda	Robustness	0.01596	min	-0.01596	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Borda	Robustness	0.000499	min	- 0.000499	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Borda	Robustness	0.023441	min	- 0.023441	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Borda	Robustness	0.03591	min	-0.03591	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Borda	Robustness	0.030424	min	- 0.030424	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Borda	Robustness	0.031421	min	- 0.031421	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Borda	Robustness	0.034913	min	- 0.034913	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.002993	min	- 0.002993	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.025436	min	- 0.025436	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.031421	min	- 0.031421	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.014963	min	- 0.014963	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.009476	min	- 0.009476	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.018454	min	- 0.018454	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.028928	min	- 0.028928	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.033416	min	- 0.033416	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.035411	min	- 0.035411	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.038903	min	- 0.038903	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Cbar	RRF	Robustness	0.001496	min	- 0.001496	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Cbar	RRF	Robustness	0.034913	min	- 0.034913	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Cbar	RRF	Robustness	0.026933	min	- 0.026933	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Cbar	RRF	Robustness	0.012968	min	-0.012968	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Cbar	RRF	Robustness	0.002494	min	-0.002494	kendall__mallows__exact__distance	0.323871	0.323871	0.002	4689.6	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Cbar	RRF	Robustness	0.030424	min	-0.030424	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Cbar	RRF	Robustness	0.026434	min	-0.026434	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Cbar	RRF	Robustness	0.029925	min	-0.029925	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Cbar	RRF	Robustness	0.02793	min	-0.02793	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Cbar	RRF	Robustness	0.039401	min	-0.039401	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Schulze	Robustness	0.002993	min	-0.002993	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Schulze	Robustness	0.025935	min	-0.025935	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Schulze	Robustness	0.022943	min	-0.022943	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Schulze	Robustness	0.020948	min	-0.020948	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Schulze	Robustness	0.003491	min	-0.003491	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Schulze	Robustness	0.018454	min	-0.018454	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Schulze	Robustness	0.018454	min	-0.018454	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Schulze	Robustness	0.037905	min	-0.037905	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Schulze	Robustness	0.037406	min	-0.037406	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Schulze	Robustness	0.032918	min	-0.032918	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.000499	min	-0.000499	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.037905	min	-0.037905	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.055362	min	-0.055362	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.04788	min	-0.04788	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.046883	min	-0.046883	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.034913	min	-0.034913	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.01995	min	-0.01995	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.004489	min	-0.004489	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.001995	min	-0.001995	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.004988	min	-0.004988	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	F	Borda	Robustness	0.16409	min	-0.16409	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	F	Borda	Robustness	0.202494	min	-0.202494	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	F	Borda	Robustness	0.218953	min	-0.218953	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	F	Borda	Robustness	0.218454	min	-0.218454	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	F	Borda	Robustness	0.221446	min	-0.221446	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	F	Borda	Robustness	0.210474	min	-0.210474	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	F	Borda	Robustness	0.20399	min	-0.20399	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	F	Borda	Robustness	0.195511	min	-0.195511	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	F	Borda	Robustness	0.190025	min	-0.190025	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	F	Borda	Robustness	0.200998	min	-0.200998	kendall__mallows__exact__distance	0.370073	-	0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	F	Kemeny	Robustness	0.16409	min	-0.16409	kendall__mallows__exact__distance	0.333723	-	0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	F	Kemeny	Robustness	0.189526	min	-0.189526	kendall__mallows__exact__distance	0.387061	-	0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	F	Kemeny	Robustness	0.212469	min	-0.212469	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	F	Kemeny	Robustness	0.200499	min	-0.200499	kendall__mallows__exact__distance	0.301961	-	0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	F	Kemeny	Robustness	0.20399	min	-0.20399	kendall__mallows__exact__distance	0.323871	-	0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	F	Kemeny	Robustness	0.199501	min	-0.199501	kendall__mallows__exact__distance	0.359395	-	0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	F	Kemeny	Robustness	0.2	min	-0.2	kendall__mallows__exact__distance	0.369441	-	0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	F	Kemeny	Robustness	0.189027	min	-0.189027	kendall__mallows__exact__distance	0.369659	-	0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	F	Kemeny	Robustness	0.175062	min	-0.175062	kendall__mallows__exact__distance	0.367942	-	0.367942	0.002	4972.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	F	Kemeny	Robustness	0.188529	min	- 0.188529	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	F	RRF	Robustness	0.169077	min	- 0.169077	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	F	RRF	Robustness	0.206484	min	- 0.206484	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	F	RRF	Robustness	0.213965	min	- 0.213965	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	F	RRF	Robustness	0.205985	min	- 0.205985	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	F	RRF	Robustness	0.204988	min	- 0.204988	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	F	RRF	Robustness	0.198005	min	- 0.198005	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	F	RRF	Robustness	0.210474	min	- 0.210474	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	F	RRF	Robustness	0.18803	min	-0.18803	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	F	RRF	Robustness	0.185536	min	- 0.185536	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	F	RRF	Robustness	0.187032	min	- 0.187032	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	F	Schulze	Robustness	0.16409	min	-0.16409	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	F	Schulze	Robustness	0.203491	min	- 0.203491	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	F	Schulze	Robustness	0.208978	min	- 0.208978	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	F	Schulze	Robustness	0.207481	min	- 0.207481	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	F	Schulze	Robustness	0.214464	min	- 0.214464	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	F	Schulze	Robustness	0.197007	min	- 0.197007	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	F	Schulze	Robustness	0.204988	min	- 0.204988	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	F	Schulze	Robustness	0.197007	min	- 0.197007	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	F	Schulze	Robustness	0.188529	min	- 0.188529	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	F	Schulze	Robustness	0.186035	min	- 0.186035	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	F	Simple Averaging	Robustness	0.172569	min	- 0.172569	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	F	Simple Averaging	Robustness	0.230424	min	- 0.230424	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	F	Simple Averaging	Robustness	0.237406	min	-0.237406	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	F	Simple Averaging	Robustness	0.225935	min	-0.225935	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	F	Simple Averaging	Robustness	0.226933	min	-0.226933	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	F	Simple Averaging	Robustness	0.224938	min	-0.224938	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	F	Simple Averaging	Robustness	0.224938	min	-0.224938	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	F	Simple Averaging	Robustness	0.222444	min	-0.222444	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	F	Simple Averaging	Robustness	0.221945	min	-0.221945	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	F	Simple Averaging	Robustness	0.231421	min	-0.231421	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Borda	Robustness	0.24389	min	-0.24389	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Borda	Robustness	0.216958	min	-0.216958	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Borda	Robustness	0.24389	min	-0.24389	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Borda	Robustness	0.250374	min	-0.250374	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Borda	Robustness	0.261347	min	-0.261347	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Borda	Robustness	0.285786	min	-0.285786	kendall__mallows__exact__distance	0.359395	-0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Borda	Robustness	0.311721	min	-0.311721	kendall__mallows__exact__distance	0.369441	-0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Borda	Robustness	0.299252	min	-0.299252	kendall__mallows__exact__distance	0.369659	-0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Borda	Robustness	0.294763	min	-0.294763	kendall__mallows__exact__distance	0.367942	-0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Borda	Robustness	0.316708	min	-0.316708	kendall__mallows__exact__distance	0.370073	-0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.24389	min	-0.24389	kendall__mallows__exact__distance	0.333723	-0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.195511	min	-0.195511	kendall__mallows__exact__distance	0.387061	-0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.208479	min	-0.208479	kendall__mallows__exact__distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.239401	min	-0.239401	kendall__mallows__exact__distance	0.301961	-0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.277805	min	-0.277805	kendall__mallows__exact__distance	0.323871	-0.323871	0.002	4689.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.300249	min	- 0.300249	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.334165	min	- 0.334165	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.312219	min	- 0.312219	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.301247	min	- 0.301247	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.307731	min	- 0.307731	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Fbar	RRF	Robustness	0.214464	min	- 0.214464	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Fbar	RRF	Robustness	0.203491	min	- 0.203491	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Fbar	RRF	Robustness	0.230424	min	- 0.230424	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Fbar	RRF	Robustness	0.241895	min	- 0.241895	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Fbar	RRF	Robustness	0.268828	min	- 0.268828	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Fbar	RRF	Robustness	0.296259	min	- 0.296259	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Fbar	RRF	Robustness	0.307731	min	- 0.307731	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Fbar	RRF	Robustness	0.304738	min	- 0.304738	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Fbar	RRF	Robustness	0.306733	min	- 0.306733	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Fbar	RRF	Robustness	0.329676	min	- 0.329676	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Schulze	Robustness	0.24389	min	-0.24389	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Schulze	Robustness	0.214963	min	- 0.214963	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Schulze	Robustness	0.228928	min	- 0.228928	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Schulze	Robustness	0.239401	min	- 0.239401	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Schulze	Robustness	0.266334	min	- 0.266334	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Schulze	Robustness	0.307232	min	- 0.307232	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Schulze	Robustness	0.299751	min	- 0.299751	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Schulze	Robustness	0.308229	min	- 0.308229	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Schulze	Robustness	0.310224	min	- 0.310224	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Schulze	Robustness	0.318703	min	- 0.318703	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.303242	min	- 0.303242	kendall_ mallows_ exact_ distance	0.333723	- 0.333723	0.002	2821.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.195511	min	- 0.195511	kendall_ mallows_ exact_ distance	0.387061	- 0.387061	0.002	3763	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.215461	min	- 0.215461	kendall_ mallows_ exact_ distance	0.26951	-0.26951	0.002	4346.7	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.214963	min	- 0.214963	kendall_ mallows_ exact_ distance	0.301961	- 0.301961	0.002	4732.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.219451	min	- 0.219451	kendall_ mallows_ exact_ distance	0.323871	- 0.323871	0.002	4689.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.233915	min	- 0.233915	kendall_ mallows_ exact_ distance	0.359395	- 0.359395	0.002	4584.6	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.234414	min	- 0.234414	kendall_ mallows_ exact_ distance	0.369441	- 0.369441	0.002	4626.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.247382	min	- 0.247382	kendall_ mallows_ exact_ distance	0.369659	- 0.369659	0.002	4698.9	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.251372	min	- 0.251372	kendall_ mallows_ exact_ distance	0.367942	- 0.367942	0.002	4972.4	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.251372	min	- 0.251372	kendall_ mallows_ exact_ distance	0.370073	- 0.370073	0.002	4949.8	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	Borda	Quality	0.303741	max	0.303741	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	Borda	Quality	0.313217	max	0.313217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	Borda	Quality	0.291771	max	0.291771	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	Borda	Quality	0.308229	max	0.308229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	Borda	Quality	0.291771	max	0.291771	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	C	Borda	Quality	0.287781	max	0.287781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	C	Borda	Quality	0.291272	max	0.291272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	C	Borda	Quality	0.281796	max	0.281796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	C	Borda	Quality	0.278803	max	0.278803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	C	Borda	Quality	0.267332	max	0.267332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	Kemeny	Quality	0.303741	max	0.303741	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	Kemeny	Quality	0.314214	max	0.314214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	Kemeny	Quality	0.304738	max	0.304738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	Kemeny	Quality	0.316708	max	0.316708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	Kemeny	Quality	0.307731	max	0.307731	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	C	Kemeny	Quality	0.301247	max	0.301247	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	C	Kemeny	Quality	0.292768	max	0.292768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	C	Kemeny	Quality	0.276309	max	0.276309	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	C	Kemeny	Quality	0.287781	max	0.287781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	C	Kemeny	Quality	0.275312	max	0.275312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	RRF	Quality	0.315711	max	0.315711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	RRF	Quality	0.304239	max	0.304239	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	RRF	Quality	0.294264	max	0.294264	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	RRF	Quality	0.313217	max	0.313217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	RRF	Quality	0.302244	max	0.302244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	C	RRF	Quality	0.305736	max	0.305736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	C	RRF	Quality	0.287282	max	0.287282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	C	RRF	Quality	0.290274	max	0.290274	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	C	RRF	Quality	0.283791	max	0.283791	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	C	RRF	Quality	0.275312	max	0.275312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	Schulze	Quality	0.303741	max	0.303741	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	Schulze	Quality	0.312718	max	0.312718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	Schulze	Quality	0.302244	max	0.302244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	Schulze	Quality	0.303242	max	0.303242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	Schulze	Quality	0.302244	max	0.302244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	C	Schulze	Quality	0.293766	max	0.293766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	C	Schulze	Quality	0.289776	max	0.289776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	C	Schulze	Quality	0.2798	max	0.2798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	C	Schulze	Quality	0.276808	max	0.276808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	C	Schulze	Quality	0.269825	max	0.269825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	Simple Averaging	Quality	0.314214	max	0.314214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	Simple Averaging	Quality	0.288279	max	0.288279	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	Simple Averaging	Quality	0.266833	max	0.266833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	Simple Averaging	Quality	0.278803	max	0.278803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	Simple Averaging	Quality	0.282294	max	0.282294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	C	Simple Averaging	Quality	0.284788	max	0.284788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	C	Simple Averaging	Quality	0.287282	max	0.287282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	C	Simple Averaging	Quality	0.285287	max	0.285287	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	C	Simple Averaging	Quality	0.283791	max	0.283791	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	C	Simple Averaging	Quality	0.281297	max	0.281297	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Cbar	Borda	Quality	0.65586	min	-0.65586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Cbar	Borda	Quality	0.669825	min	- 0.669825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Cbar	Borda	Quality	0.697756	min	- 0.697756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Cbar	Borda	Quality	0.686284	min	- 0.686284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Cbar	Borda	Quality	0.683791	min	- 0.683791	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Cbar	Borda	Quality	0.700249	min	- 0.700249	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Cbar	Borda	Quality	0.693766	min	- 0.693766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Cbar	Borda	Quality	0.703242	min	- 0.703242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Cbar	Borda	Quality	0.712219	min	- 0.712219	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Cbar	Borda	Quality	0.722693	min	- 0.722693	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Cbar	Kemeny	Quality	0.65586	min	-0.65586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Cbar	Kemeny	Quality	0.669825	min	-0.669825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Cbar	Kemeny	Quality	0.674314	min	-0.674314	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Cbar	Kemeny	Quality	0.678304	min	-0.678304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Cbar	Kemeny	Quality	0.687781	min	-0.687781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Cbar	Kemeny	Quality	0.693766	min	-0.693766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Cbar	Kemeny	Quality	0.692768	min	-0.692768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Cbar	Kemeny	Quality	0.704239	min	-0.704239	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Cbar	Kemeny	Quality	0.698753	min	-0.698753	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Cbar	Kemeny	Quality	0.718204	min	-0.718204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Cbar	RRF	Quality	0.665835	min	-0.665835	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Cbar	RRF	Quality	0.660349	min	-0.660349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Cbar	RRF	Quality	0.672818	min	-0.672818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Cbar	RRF	Quality	0.6798	min	-0.6798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Cbar	RRF	Quality	0.679302	min	-0.679302	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Cbar	RRF	Quality	0.693766	min	-0.693766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Cbar	RRF	Quality	0.682793	min	-0.682793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Cbar	RRF	Quality	0.702244	min	-0.702244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Cbar	RRF	Quality	0.696758	min	-0.696758	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Cbar	RRF	Quality	0.717207	min	-0.717207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Cbar	Schulze	Quality	0.65586	min	-0.65586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Cbar	Schulze	Quality	0.667332	min	-0.667332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Cbar	Schulze	Quality	0.683292	min	- 0.683292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Cbar	Schulze	Quality	0.681297	min	- 0.681297	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Cbar	Schulze	Quality	0.688778	min	- 0.688778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Cbar	Schulze	Quality	0.694763	min	- 0.694763	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Cbar	Schulze	Quality	0.685287	min	- 0.685287	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Cbar	Schulze	Quality	0.706733	min	- 0.706733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Cbar	Schulze	Quality	0.705736	min	- 0.705736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Cbar	Schulze	Quality	0.717706	min	- 0.717706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Cbar	Simple Averaging	Quality	0.657855	min	- 0.657855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Cbar	Simple Averaging	Quality	0.737157	min	- 0.737157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Cbar	Simple Averaging	Quality	0.739152	min	- 0.739152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Cbar	Simple Averaging	Quality	0.736658	min	-0.736658	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Cbar	Simple Averaging	Quality	0.729676	min	-0.729676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Cbar	Simple Averaging	Quality	0.72818	min	-0.72818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Cbar	Simple Averaging	Quality	0.726185	min	-0.726185	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Cbar	Simple Averaging	Quality	0.728678	min	-0.728678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Cbar	Simple Averaging	Quality	0.731172	min	-0.731172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Cbar	Simple Averaging	Quality	0.73217	min	-0.73217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	F	Borda	Quality	0.080798	max	0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	F	Borda	Quality	0.084788	max	0.084788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	F	Borda	Quality	0.065337	max	0.065337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	F	Borda	Quality	0.066334	max	0.066334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	F	Borda	Quality	0.054364	max	0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	F	Borda	Quality	0.05586	max	0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	F	Borda	Quality	0.058354	max	0.058354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	F	Borda	Quality	0.060349	max	0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	F	Borda	Quality	0.06384	max	0.06384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	F	Borda	Quality	0.051372	max	0.051372	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	F	Kemeny	Quality	0.080798	max	0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	F	Kemeny	Quality	0.091272	max	0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	F	Kemeny	Quality	0.076808	max	0.076808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	F	Kemeny	Quality	0.078803	max	0.078803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	F	Kemeny	Quality	0.075312	max	0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	F	Kemeny	Quality	0.062843	max	0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	F	Kemeny	Quality	0.05586	max	0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	F	Kemeny	Quality	0.053367	max	0.053367	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	F	Kemeny	Quality	0.064339	max	0.064339	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	F	Kemeny	Quality	0.053367	max	0.053367	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	F	RRF	Quality	0.093766	max	0.093766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	F	RRF	Quality	0.077805	max	0.077805	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	F	RRF	Quality	0.066833	max	0.066833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	F	RRF	Quality	0.078803	max	0.078803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	F	RRF	Quality	0.06783	max	0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	F	RRF	Quality	0.076309	max	0.076309	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	F	RRF	Quality	0.058853	max	0.058853	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	F	RRF	Quality	0.063342	max	0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	F	RRF	Quality	0.06384	max	0.06384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	F	RRF	Quality	0.054863	max	0.054863	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	F	Schulze	Quality	0.080798	max	0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	F	Schulze	Quality	0.083292	max	0.083292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	F	Schulze	Quality	0.076309	max	0.076309	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	F	Schulze	Quality	0.071322	max	0.071322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	F	Schulze	Quality	0.061347	max	0.061347	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	F	Schulze	Quality	0.065835	max	0.065835	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	F	Schulze	Quality	0.056359	max	0.056359	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	F	Schulze	Quality	0.053367	max	0.053367	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	F	Schulze	Quality	0.062843	max	0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797 -	0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	F	Schulze	Quality	0.054364	max	0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139 -	0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	F	Simple Averaging	Quality	0.079302	max	0.079302	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523 -	0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	F	Simple Averaging	Quality	0.069327	max	0.069327	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355 -	0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	F	Simple Averaging	Quality	0.057855	max	0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462 -	0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	F	Simple Averaging	Quality	0.068329	max	0.068329	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775 -	0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	F	Simple Averaging	Quality	0.066833	max	0.066833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792 -	0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	F	Simple Averaging	Quality	0.06783	max	0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128 -	0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	F	Simple Averaging	Quality	0.068329	max	0.068329	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808 -	0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	F	Simple Averaging	Quality	0.066334	max	0.066334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101 -	0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	F	Simple Averaging	Quality	0.065835	max	0.065835	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	F	Simple Averaging	Quality	0.059352	max	0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Fbar	Borda	Quality	0.294264	min	- 0.294264	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Fbar	Borda	Quality	0.309726	min	- 0.309726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Fbar	Borda	Quality	0.342643	min	- 0.342643	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Fbar	Borda	Quality	0.325686	min	- 0.325686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Fbar	Borda	Quality	0.315711	min	- 0.315711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Fbar	Borda	Quality	0.332668	min	- 0.332668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Fbar	Borda	Quality	0.322693	min	- 0.322693	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Fbar	Borda	Quality	0.334165	min	- 0.334165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Fbar	Borda	Quality	0.337656	min	- 0.337656	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Fbar	Borda	Quality	0.357107	min	- 0.357107	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Fbar	Kemeny	Quality	0.294264	min	- 0.294264	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Fbar	Kemeny	Quality	0.314214	min	- 0.314214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Fbar	Kemeny	Quality	0.327182	min	- 0.327182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Fbar	Kemeny	Quality	0.319701	min	- 0.319701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Fbar	Kemeny	Quality	0.318703	min	- 0.318703	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Fbar	Kemeny	Quality	0.323192	min	- 0.323192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Fbar	Kemeny	Quality	0.325686	min	- 0.325686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Fbar	Kemeny	Quality	0.334663	min	- 0.334663	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Fbar	Kemeny	Quality	0.325686	min	- 0.325686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Fbar	Kemeny	Quality	0.348628	min	- 0.348628	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Fbar	RRF	Quality	0.312219	min	-0.312219	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Fbar	RRF	Quality	0.309726	min	-0.309726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Fbar	RRF	Quality	0.328678	min	-0.328678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Fbar	RRF	Quality	0.327182	min	-0.327182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Fbar	RRF	Quality	0.316708	min	-0.316708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Fbar	RRF	Quality	0.321197	min	-0.321197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Fbar	RRF	Quality	0.319701	min	-0.319701	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Fbar	RRF	Quality	0.33217	min	-0.33217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Fbar	RRF	Quality	0.329676	min	-0.329676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Fbar	RRF	Quality	0.354115	min	-0.354115	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Fbar	Schulze	Quality	0.294264	min	-0.294264	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Fbar	Schulze	Quality	0.307731	min	- 0.307731	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Fbar	Schulze	Quality	0.326683	min	- 0.326683	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Fbar	Schulze	Quality	0.323691	min	- 0.323691	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Fbar	Schulze	Quality	0.322195	min	- 0.322195	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Fbar	Schulze	Quality	0.328678	min	- 0.328678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Fbar	Schulze	Quality	0.311721	min	- 0.311721	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Fbar	Schulze	Quality	0.334663	min	- 0.334663	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Fbar	Schulze	Quality	0.34015	min	-0.34015	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Fbar	Schulze	Quality	0.351621	min	- 0.351621	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	Fbar	Simple Averaging	Quality	0.296758	min	- 0.296758	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	Fbar	Simple Averaging	Quality	0.38404	min	-0.38404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	Fbar	Simple Averaging	Quality	0.385536	min	-0.385536	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	Fbar	Simple Averaging	Quality	0.380549	min	-0.380549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	Fbar	Simple Averaging	Quality	0.376559	min	-0.376559	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	Fbar	Simple Averaging	Quality	0.374065	min	-0.374065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	Fbar	Simple Averaging	Quality	0.371571	min	-0.371571	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	Fbar	Simple Averaging	Quality	0.375561	min	-0.375561	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	Fbar	Simple Averaging	Quality	0.377057	min	-0.377057	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	Fbar	Simple Averaging	Quality	0.38005	min	-0.38005	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 255	C	Borda	Robustness	0.242893	min	-0.242893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 255	C	Borda	Robustness	0.234913	min	-0.234913	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 255	C	Borda	Robustness	0.222444	min	-0.222444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Borda	Robustness	0.237905	min	- 0.237905	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Borda	Robustness	0.227431	min	- 0.227431	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Borda	Robustness	0.221446	min	- 0.221446	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Borda	Robustness	0.233915	min	- 0.233915	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Borda	Robustness	0.232918	min	- 0.232918	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Borda	Robustness	0.226933	min	- 0.226933	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Borda	Robustness	0.224938	min	- 0.224938	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	Kemeny	Robustness	0.242893	min	- 0.242893	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	Kemeny	Robustness	0.241895	min	- 0.241895	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.229925	min	- 0.229925	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.248878	min	- 0.248878	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.307775	- 0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Kemeny	Robustness	0.236908	min	- 0.236908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Kemeny	Robustness	0.236409	min	- 0.236409	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Kemeny	Robustness	0.234414	min	- 0.234414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Kemeny	Robustness	0.226933	min	- 0.226933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Kemeny	Robustness	0.234414	min	- 0.234414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Kemeny	Robustness	0.229426	min	- 0.229426	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	RRF	Robustness	0.24788	min	-0.24788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	RRF	Robustness	0.230923	min	- 0.230923	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	RRF	Robustness	0.221446	min	- 0.221446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	RRF	Robustness	0.240399	min	- 0.240399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	RRF	Robustness	0.230424	min	- 0.230424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	RRF	Robustness	0.240898	min	-0.240898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	RRF	Robustness	0.22394	min	-0.22394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	RRF	Robustness	0.235411	min	-0.235411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	RRF	Robustness	0.22793	min	-0.22793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	RRF	Robustness	0.226933	min	-0.226933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	Schulze	Robustness	0.242893	min	-0.242893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	Schulze	Robustness	0.234414	min	-0.234414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	Schulze	Robustness	0.231421	min	-0.231421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Schulze	Robustness	0.232918	min	-0.232918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Schulze	Robustness	0.236409	min	-0.236409	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Schulze	Robustness	0.231421	min	-0.231421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Schulze	Robustness	0.232918	min	- 0.232918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Schulze	Robustness	0.230923	min	- 0.230923	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Schulze	Robustness	0.224439	min	- 0.224439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Schulze	Robustness	0.218953	min	- 0.218953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.245387	min	- 0.245387	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.220948	min	- 0.220948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.205486	min	- 0.205486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.216459	min	- 0.216459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.214464	min	- 0.214464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.218454	min	- 0.218454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.218454	min	- 0.218454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.218953	min	- 0.218953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.216459	min	- 0.216459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.217955	min	- 0.217955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.048878	min	- 0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.064838	min	- 0.064838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.099751	min	- 0.099751	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.069327	min	- 0.069327	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.072818	min	- 0.072818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.085287	min	- 0.085287	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.067332	min	- 0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.06783	min	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.087781	min	- 0.087781	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.076808	min	- 0.076808	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.048878	min	- 0.048878	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.052369	min	- 0.052369	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.076808	min	- 0.076808	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.081796	min	- 0.081796	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.063342	min	- 0.063342	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.077805	min	- 0.077805	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.071322	min	- 0.071322	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.076309	min	- 0.076309	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.068828	min	- 0.068828	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.406797	- 0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.077805	min	- 0.077805	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.04788	min	-0.04788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.053865	min	- 0.053865	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.070823	min	- 0.070823	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.068329	min	- 0.068329	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.067332	min	- 0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.078304	min	- 0.078304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.07182	min	-0.07182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.07182	min	-0.07182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.07182	min	-0.07182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.078803	min	- 0.078803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 255	Cbar	Schulze	Robustness	0.048878	min	-0.048878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 255	Cbar	Schulze	Robustness	0.062843	min	-0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 255	Cbar	Schulze	Robustness	0.090274	min	-0.090274	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 255	Cbar	Schulze	Robustness	0.075312	min	-0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 255	Cbar	Schulze	Robustness	0.078304	min	-0.078304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 255	Cbar	Schulze	Robustness	0.073317	min	-0.073317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 255	Cbar	Schulze	Robustness	0.060349	min	-0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 255	Cbar	Schulze	Robustness	0.080299	min	-0.080299	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 255	Cbar	Schulze	Robustness	0.083292	min	-0.083292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 255	Cbar	Schulze	Robustness	0.0798	min	-0.0798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.06783	min	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.106733	min	-0.106733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.115711	min	-0.115711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.110224	min	-0.110224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.098254	min	-0.098254	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.093766	min	-0.093766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.101247	min	-0.101247	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.101746	min	-0.101746	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.106733	min	-0.106733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.110224	min	-0.110224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 255	F	Borda	Robustness	0.06783	min	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 255	F	Borda	Robustness	0.061845	min	-0.061845	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	Borda	Robustness	0.04788	min	-0.04788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	Borda	Robustness	0.044888	min	- 0.044888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	Borda	Robustness	0.039401	min	- 0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	Borda	Robustness	0.037406	min	- 0.037406	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	Borda	Robustness	0.044888	min	- 0.044888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	Borda	Robustness	0.046883	min	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	Borda	Robustness	0.046883	min	- 0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	Borda	Robustness	0.037406	min	- 0.037406	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	Kemeny	Robustness	0.06783	min	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	Kemeny	Robustness	0.074314	min	- 0.074314	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	Kemeny	Robustness	0.054364	min	- 0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	Kemeny	Robustness	0.060848	min	-0.060848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	Kemeny	Robustness	0.05586	min	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	Kemeny	Robustness	0.047382	min	-0.047382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	Kemeny	Robustness	0.039401	min	-0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	Kemeny	Robustness	0.042893	min	-0.042893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	Kemeny	Robustness	0.050374	min	-0.050374	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	Kemeny	Robustness	0.042893	min	-0.042893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	RRF	Robustness	0.074813	min	-0.074813	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	RRF	Robustness	0.058354	min	-0.058354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	RRF	Robustness	0.045387	min	-0.045387	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	RRF	Robustness	0.058853	min	-0.058853	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	RRF	Robustness	0.048379	min	-0.048379	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	RRF	Robustness	0.059352	min	-0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	RRF	Robustness	0.04389	min	-0.04389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	RRF	Robustness	0.046384	min	-0.046384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	RRF	Robustness	0.046883	min	-0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	RRF	Robustness	0.041397	min	-0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	Schulze	Robustness	0.06783	min	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	Schulze	Robustness	0.060848	min	-0.060848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	Schulze	Robustness	0.054364	min	-0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.050374	min	-0.050374	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.04788	min	-0.04788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.050374	min	-0.050374	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	Schulze	Robustness	0.041397	min	-0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	Schulze	Robustness	0.043392	min	-0.043392	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	Schulze	Robustness	0.04788	min	-0.04788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	Schulze	Robustness	0.041895	min	-0.041895	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.061845	min	-0.061845	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.046883	min	-0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.040898	min	-0.040898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.049875	min	-0.049875	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.046883	min	-0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.049875	min	-0.049875	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.049377	min	- 0.049377	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.049377	min	- 0.049377	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.048878	min	- 0.048878	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.040898	min	- 0.040898	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.035411	min	- 0.035411	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.058354	min	- 0.058354	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.096259	min	- 0.096259	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.077307	min	- 0.077307	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.081796	min	- 0.081796	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.088778	min	- 0.088778	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.064339	min	- 0.064339	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.066833	min	- 0.066833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.080798	min	- 0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.066833	min	- 0.066833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.035411	min	- 0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.042893	min	- 0.042893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.073815	min	- 0.073815	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.083292	min	- 0.083292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.07182	min	-0.07182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.073815	min	- 0.073815	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.066833	min	- 0.066833	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.066334	min	- 0.066334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.06384	min	-0.06384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.064339	min	-0.064339	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.040898	min	-0.040898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.045885	min	-0.045885	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.080299	min	-0.080299	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.07182	min	-0.07182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.07182	min	-0.07182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.07581	min	-0.07581	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.069327	min	-0.069327	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.062843	min	-0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.066334	min	-0.066334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.069825	min	- 0.069825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.035411	min	- 0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.057855	min	- 0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.084289	min	- 0.084289	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.075312	min	- 0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.087781	min	- 0.087781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.076808	min	- 0.076808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.05586	min	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.076309	min	- 0.076309	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.077805	min	- 0.077805	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.068828	min	- 0.068828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.048379	min	- 0.048379	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.111222	min	- 0.111222	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.123691	min	- 0.123691	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.119701	min	- 0.119701	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.114713	min	- 0.114713	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.115711	min	- 0.115711	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.119701	min	- 0.119701	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.116209	min	- 0.116209	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.121696	min	- 0.121696	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.129676	min	- 0.129676	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	C	Borda	Robustness	0.180549	min	- 0.180549	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.316523	- 0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	C	Borda	Robustness	0.190524	min	-0.190524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	C	Borda	Robustness	0.17207	min	-0.17207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	C	Borda	Robustness	0.189027	min	-0.189027	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	C	Borda	Robustness	0.17207	min	-0.17207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	C	Borda	Robustness	0.169077	min	-0.169077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	C	Borda	Robustness	0.17207	min	-0.17207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	C	Borda	Robustness	0.161596	min	-0.161596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	C	Borda	Robustness	0.159601	min	-0.159601	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	C	Borda	Robustness	0.148628	min	-0.148628	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	C	Kemeny	Robustness	0.180549	min	-0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	C	Kemeny	Robustness	0.192519	min	-0.192519	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	C	Kemeny	Robustness	0.186035	min	- 0.186035	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	C	Kemeny	Robustness	0.197506	min	- 0.197506	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	C	Kemeny	Robustness	0.188529	min	- 0.188529	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	C	Kemeny	Robustness	0.181546	min	- 0.181546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	C	Kemeny	Robustness	0.174564	min	- 0.174564	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	C	Kemeny	Robustness	0.159102	min	- 0.159102	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	C	Kemeny	Robustness	0.169576	min	- 0.169576	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	C	Kemeny	Robustness	0.155611	min	- 0.155611	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	C	RRF	Robustness	0.196509	min	- 0.196509	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	C	RRF	Robustness	0.183042	min	- 0.183042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	C	RRF	Robustness	0.175561	min	- 0.175561	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	C	RRF	Robustness	0.193516	min	-0.193516	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	C	RRF	Robustness	0.182045	min	-0.182045	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	C	RRF	Robustness	0.186035	min	-0.186035	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	C	RRF	Robustness	0.166085	min	-0.166085	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	C	RRF	Robustness	0.173067	min	-0.173067	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	C	RRF	Robustness	0.166085	min	-0.166085	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	C	RRF	Robustness	0.155611	min	-0.155611	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	C	Schulze	Robustness	0.180549	min	-0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	C	Schulze	Robustness	0.190025	min	-0.190025	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	C	Schulze	Robustness	0.180549	min	-0.180549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	C	Schulze	Robustness	0.18404	min	-0.18404	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	C	Schulze	Robustness	0.183042	min	-0.183042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	C	Schulze	Robustness	0.173067	min	-0.173067	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	C	Schulze	Robustness	0.170075	min	-0.170075	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	C	Schulze	Robustness	0.160599	min	-0.160599	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	C	Schulze	Robustness	0.158105	min	-0.158105	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	C	Schulze	Robustness	0.149626	min	-0.149626	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.190524	min	-0.190524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.16808	min	-0.16808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.146633	min	-0.146633	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.158105	min	-0.158105	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.162095	min	-0.162095	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.16409	min	-0.16409	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.167581	min	-0.167581	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.165586	min	-0.165586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.16409	min	-0.16409	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.164589	min	-0.164589	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Borda	Robustness	0.075312	min	-0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Borda	Robustness	0.102743	min	-0.102743	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Borda	Robustness	0.115212	min	-0.115212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Borda	Robustness	0.111721	min	-0.111721	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Borda	Robustness	0.087781	min	-0.087781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Borda	Robustness	0.06783	min	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Borda	Robustness	0.080798	min	-0.080798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Borda	Robustness	0.073815	min	-0.073815	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Borda	Robustness	0.064838	min	-0.064838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Borda	Robustness	0.061347	min	-0.061347	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.075312	min	-0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.086783	min	-0.086783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.13217	min	-0.13217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.109726	min	-0.109726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.083791	min	-0.083791	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.066334	min	-0.066334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.071322	min	-0.071322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.070324	min	- 0.070324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.068828	min	- 0.068828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.052868	min	- 0.052868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	RRF	Robustness	0.078304	min	- 0.078304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	RRF	Robustness	0.093766	min	- 0.093766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	RRF	Robustness	0.114713	min	- 0.114713	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	RRF	Robustness	0.100249	min	- 0.100249	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	RRF	Robustness	0.086284	min	- 0.086284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	RRF	Robustness	0.073317	min	- 0.073317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	RRF	Robustness	0.070823	min	- 0.070823	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	RRF	Robustness	0.067332	min	- 0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	RRF	Robustness	0.072818	min	- 0.072818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	RRF	Robustness	0.062843	min	- 0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.075312	min	- 0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.103242	min	- 0.103242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.126185	min	- 0.126185	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.105736	min	- 0.105736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.088778	min	- 0.088778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.060349	min	- 0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.087781	min	- 0.087781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.054364	min	- 0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.057855	min	- 0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.061845	min	-0.061845	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.116209	min	-0.116209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.141147	min	-0.141147	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.144638	min	-0.144638	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.142643	min	-0.142643	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.139152	min	-0.139152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.141147	min	-0.141147	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.129676	min	-0.129676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.117207	min	-0.117207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.112219	min	-0.112219	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.110723	min	-0.110723	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	F	Borda	Robustness	0.00399	min	-0.00399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	F	Borda	Robustness	0.003491	min	-0.003491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	F	Borda	Robustness	0.014963	min	-0.014963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	F	Borda	Robustness	0.013466	min	-0.013466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	F	Borda	Robustness	0.025935	min	-0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	F	Borda	Robustness	0.022943	min	-0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	F	Borda	Robustness	0.01995	min	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	F	Borda	Robustness	0.01596	min	-0.01596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	F	Borda	Robustness	0.014464	min	-0.014464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	F	Borda	Robustness	0.026434	min	-0.026434	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	F	Kemeny	Robustness	0.00399	min	-0.00399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	F	Kemeny	Robustness	0.010973	min	- 0.010973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	F	Kemeny	Robustness	0.002993	min	- 0.002993	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	F	Kemeny	Robustness	0.000499	min	- 0.000499	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	F	Kemeny	Robustness	0.003491	min	- 0.003491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	F	Kemeny	Robustness	0.015461	min	- 0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	F	Kemeny	Robustness	0.022444	min	- 0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	F	Kemeny	Robustness	0.022943	min	- 0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	F	Kemeny	Robustness	0.011471	min	- 0.011471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	F	Kemeny	Robustness	0.022444	min	- 0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	F	RRF	Robustness	0.015461	min	- 0.015461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	F	RRF	Robustness	0.002494	min	- 0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	F	RRF	Robustness	0.013965	min	-0.013965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	F	RRF	Robustness	0.001995	min	-0.001995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	F	RRF	Robustness	0.01197	min	-0.01197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	F	RRF	Robustness	0.003491	min	-0.003491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	F	RRF	Robustness	0.020449	min	-0.020449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	F	RRF	Robustness	0.013965	min	-0.013965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	F	RRF	Robustness	0.013965	min	-0.013965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	F	RRF	Robustness	0.021945	min	-0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	F	Schulze	Robustness	0.00399	min	-0.00399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	F	Schulze	Robustness	0.001995	min	-0.001995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	F	Schulze	Robustness	0.004489	min	-0.004489	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	F	Schulze	Robustness	0.008978	min	-0.008978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	F	Schulze	Robustness	0.017955	min	-0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	F	Schulze	Robustness	0.012469	min	-0.012469	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	F	Schulze	Robustness	0.021945	min	-0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	F	Schulze	Robustness	0.024938	min	-0.024938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	F	Schulze	Robustness	0.01596	min	-0.01596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	F	Schulze	Robustness	0.02394	min	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.002494	min	-0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.010474	min	-0.010474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.021945	min	-0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.011471	min	-0.011471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.013466	min	-0.013466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.012968	min	-0.012968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.01197	min	-0.01197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.013466	min	-0.013466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.013965	min	-0.013965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.018953	min	-0.018953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Borda	Robustness	0.332668	min	-0.332668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Borda	Robustness	0.316209	min	-0.316209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Borda	Robustness	0.314713	min	-0.314713	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Borda	Robustness	0.322195	min	-0.322195	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Borda	Robustness	0.334663	min	-0.334663	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Borda	Robustness	0.367082	min	-0.367082	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Borda	Robustness	0.374065	min	-0.374065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Borda	Robustness	0.394015	min	-0.394015	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Borda	Robustness	0.38803	min	-0.38803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Borda	Robustness	0.398504	min	-0.398504	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.332668	min	-0.332668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.300249	min	-0.300249	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.306234	min	-0.306234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.306234	min	-0.306234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.343142	min	-0.343142	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.383042	min	-0.383042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.401995	min	- 0.401995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.416459	min	- 0.416459	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.404489	min	- 0.404489	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.414963	min	- 0.414963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	RRF	Robustness	0.323192	min	- 0.323192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	RRF	Robustness	0.294763	min	- 0.294763	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	RRF	Robustness	0.302244	min	- 0.302244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	RRF	Robustness	0.308728	min	- 0.308728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	RRF	Robustness	0.339152	min	- 0.339152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	RRF	Robustness	0.353117	min	- 0.353117	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	RRF	Robustness	0.386035	min	- 0.386035	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	RRF	Robustness	0.395511	min	-0.395511	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	RRF	Robustness	0.397007	min	-0.397007	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	RRF	Robustness	0.403491	min	-0.403491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.332668	min	-0.332668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.315711	min	-0.315711	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.302244	min	-0.302244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.308229	min	-0.308229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.34813	min	-0.34813	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.366085	min	-0.366085	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.37207	min	-0.37207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.408479	min	-0.408479	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.400499	min	-0.400499	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.408978	min	-0.408978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.399002	min	-0.399002	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.319202	min	-0.319202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.327182	min	-0.327182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.321696	min	-0.321696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.329676	min	-0.329676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.332668	min	-0.332668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.330673	min	-0.330673	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.33616	min	-0.33616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.34015	min	-0.34015	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.352618	min	-0.352618	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Borda	Robustness	0.209476	min	-0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Borda	Robustness	0.218953	min	-0.218953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Borda	Robustness	0.198504	min	-0.198504	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Borda	Robustness	0.21596	min	-0.21596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Borda	Robustness	0.199002	min	-0.199002	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Borda	Robustness	0.195012	min	-0.195012	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Borda	Robustness	0.197007	min	-0.197007	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Borda	Robustness	0.18803	min	-0.18803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Borda	Robustness	0.185536	min	-0.185536	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Borda	Robustness	0.173566	min	-0.173566	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.209476	min	-0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.220449	min	-0.220449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.210973	min	-0.210973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.221446	min	-0.221446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.213466	min	-0.213466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.208479	min	-0.208479	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.202494	min	-0.202494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.183042	min	-0.183042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.191521	min	-0.191521	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.182045	min	-0.182045	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	C	RRF	Robustness	0.223441	min	-0.223441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	C	RRF	Robustness	0.209975	min	-0.209975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	C	RRF	Robustness	0.201496	min	-0.201496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	C	RRF	Robustness	0.218454	min	-0.218454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	C	RRF	Robustness	0.209476	min	-0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	C	RRF	Robustness	0.212968	min	-0.212968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	C	RRF	Robustness	0.193017	min	-0.193017	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	C	RRF	Robustness	0.19601	min	-0.19601	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	C	RRF	Robustness	0.190524	min	-0.190524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	C	RRF	Robustness	0.181047	min	-0.181047	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Schulze	Robustness	0.209476	min	-0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Schulze	Robustness	0.218454	min	-0.218454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Schulze	Robustness	0.209476	min	-0.209476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Schulze	Robustness	0.209975	min	-0.209975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Schulze	Robustness	0.209975	min	-0.209975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Schulze	Robustness	0.199501	min	-0.199501	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Schulze	Robustness	0.198005	min	-0.198005	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Schulze	Robustness	0.187032	min	-0.187032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Schulze	Robustness	0.181047	min	-0.181047	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Schulze	Robustness	0.177057	min	-0.177057	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.21995	min	-0.21995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.195511	min	-0.195511	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.173566	min	-0.173566	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.186035	min	- 0.186035	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.189526	min	- 0.189526	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.192519	min	- 0.192519	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.194015	min	- 0.194015	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.190524	min	- 0.190524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.190025	min	- 0.190025	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.187032	min	- 0.187032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.002494	min	- 0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.053367	min	- 0.053367	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.087781	min	- 0.087781	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.069825	min	- 0.069825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.041895	min	-0.041895	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.037905	min	-0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.01995	min	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.030424	min	-0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.024439	min	-0.024439	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.013965	min	-0.013965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.002494	min	-0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.033915	min	-0.033915	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.073317	min	-0.073317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.049377	min	-0.049377	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.033915	min	-0.033915	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.035411	min	-0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.004988	min	-0.004988	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.017955	min	-0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.001496	min	-0.001496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.005486	min	-0.005486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.012968	min	-0.012968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.038903	min	-0.038903	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.076309	min	-0.076309	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.04788	min	-0.04788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.042893	min	-0.042893	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.022444	min	-0.022444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.01995	min	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.01596	min	-0.01596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.021446	min	- 0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.014963	min	- 0.014963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.002494	min	- 0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.054364	min	- 0.054364	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.081297	min	- 0.081297	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.063342	min	- 0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.037905	min	- 0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.032918	min	- 0.032918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.020449	min	- 0.020449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.005486	min	-0.005486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.014464	min	-0.014464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.01197	min	-0.01197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.03192	min	-0.03192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.125187	min	-0.125187	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.138155	min	-0.138155	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.139651	min	-0.139651	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.137157	min	-0.137157	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.12818	min	-0.12818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.117207	min	-0.117207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.114713	min	-0.114713	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.105736	min	-0.105736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.096259	min	-0.096259	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Borda	Robustness	0.02394	min	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Borda	Robustness	0.02793	min	-0.02793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Borda	Robustness	0.007481	min	-0.007481	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Borda	Robustness	0.008479	min	-0.008479	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Borda	Robustness	0.003491	min	-0.003491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Borda	Robustness	0.002494	min	-0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Borda	Robustness	0	min	-0	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Borda	Robustness	0.001995	min	-0.001995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Borda	Robustness	0.006983	min	-0.006983	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Borda	Robustness	0.006484	min	-0.006484	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.02394	min	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.034414	min	-0.034414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.019451	min	-0.019451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.021945	min	-0.021945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.017955	min	-0.017955	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.004988	min	-0.004988	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.000998	min	-0.000998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.002494	min	-0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.006983	min	-0.006983	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.002494	min	-0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	F	RRF	Robustness	0.037905	min	-0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	F	RRF	Robustness	0.021446	min	-0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	F	RRF	Robustness	0.008978	min	-0.008978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	F	RRF	Robustness	0.021446	min	-0.021446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	F	RRF	Robustness	0.009975	min	-0.009975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	F	RRF	Robustness	0.018953	min	-0.018953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	F	RRF	Robustness	0.001496	min	-0.001496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	F	RRF	Robustness	0.006983	min	-0.006983	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	F	RRF	Robustness	0.005486	min	-0.005486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	F	RRF	Robustness	0.001496	min	-0.001496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Schulze	Robustness	0.02394	min	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Schulze	Robustness	0.026434	min	-0.026434	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Schulze	Robustness	0.018454	min	-0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Schulze	Robustness	0.013466	min	-0.013466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Schulze	Robustness	0.002993	min	-0.002993	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Schulze	Robustness	0.006983	min	-0.006983	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Schulze	Robustness	0.000998	min	-0.000998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Schulze	Robustness	0.001995	min	-0.001995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Schulze	Robustness	0.00798	min	-0.00798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Schulze	Robustness	0.000998	min	-0.000998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.02394	min	-0.02394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.011471	min	-0.011471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0	min	-0	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.011471	min	- 0.011471	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.009975	min	- 0.009975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.010973	min	- 0.010973	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.009975	min	- 0.009975	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.008479	min	- 0.008479	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.00798	min	-0.00798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.000998	min	- 0.000998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.357606	min	- 0.357606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.353616	min	- 0.353616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.371072	min	- 0.371072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.35611	min	-0.35611	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.380549	min	-0.380549	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.420449	min	-0.420449	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.407481	min	-0.407481	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.417456	min	-0.417456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.438903	min	-0.438903	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.447382	min	-0.447382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.357606	min	-0.357606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.353117	min	-0.353117	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.351621	min	-0.351621	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.364589	min	-0.364589	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.404489	min	-0.404489	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.432918	min	-0.432918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.43192	min	-0.43192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.457855	min	-0.457855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.441397	min	-0.441397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.44389	min	-0.44389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.362594	min	-0.362594	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.343641	min	-0.343641	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.341147	min	-0.341147	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.37207	min	-0.37207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.384539	min	-0.384539	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.398504	min	-0.398504	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.421945	min	-0.421945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.434913	min	-0.434913	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.415461	min	-0.415461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.446384	min	-0.446384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.357606	min	-0.357606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.35212	min	-0.35212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.347132	min	-0.347132	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.370075	min	-0.370075	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.393516	min	-0.393516	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.433416	min	-0.433416	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.406484	min	-0.406484	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.436908	min	-0.436908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.450374	min	-0.450374	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.462344	min	-0.462344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.401496	min	-0.401496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.339152	min	-0.339152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.346633	min	-0.346633	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.350125	min	-0.350125	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.352618	min	-0.352618	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.354115	min	-0.354115	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.353616	min	-0.353616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.365087	min	-0.365087	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.365087	min	-0.365087	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.371072	min	-0.371072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	C	Borda	Robustness	0.041397	min	-0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	C	Borda	Robustness	0.060848	min	-0.060848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	C	Borda	Robustness	0.080299	min	-0.080299	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	C	Borda	Robustness	0.064838	min	-0.064838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	C	Borda	Robustness	0.073815	min	-0.073815	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	C	Borda	Robustness	0.071322	min	-0.071322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	C	Borda	Robustness	0.062843	min	-0.062843	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	C	Borda	Robustness	0.06783	min	-0.06783	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	C	Borda	Robustness	0.067332	min	-0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	C	Borda	Robustness	0.077805	min	-0.077805	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	C	Kemeny	Robustness	0.041397	min	-0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	C	Kemeny	Robustness	0.05586	min	-0.05586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	C	Kemeny	Robustness	0.069825	min	-0.069825	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	C	Kemeny	Robustness	0.053865	min	-0.053865	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	C	Kemeny	Robustness	0.060349	min	-0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	C	Kemeny	Robustness	0.049875	min	-0.049875	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	C	Kemeny	Robustness	0.052868	min	-0.052868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	C	Kemeny	Robustness	0.054863	min	-0.054863	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	C	Kemeny	Robustness	0.050873	min	-0.050873	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	C	Kemeny	Robustness	0.057855	min	- 0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	C	RRF	Robustness	0.049377	min	- 0.049377	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	C	RRF	Robustness	0.069327	min	- 0.069327	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	C	RRF	Robustness	0.075312	min	- 0.075312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	C	RRF	Robustness	0.057855	min	- 0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	C	RRF	Robustness	0.062344	min	- 0.062344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	C	RRF	Robustness	0.057855	min	- 0.057855	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	C	RRF	Robustness	0.072818	min	- 0.072818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	C	RRF	Robustness	0.050873	min	- 0.050873	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	C	RRF	Robustness	0.057357	min	- 0.057357	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	C	RRF	Robustness	0.059352	min	- 0.059352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	C	Schulze	Robustness	0.041397	min	-0.041397	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	C	Schulze	Robustness	0.061845	min	-0.061845	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	C	Schulze	Robustness	0.07182	min	-0.07182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	C	Schulze	Robustness	0.063342	min	-0.063342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	C	Schulze	Robustness	0.060349	min	-0.060349	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	C	Schulze	Robustness	0.064838	min	-0.064838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	C	Schulze	Robustness	0.067332	min	-0.067332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	C	Schulze	Robustness	0.058853	min	-0.058853	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	C	Schulze	Robustness	0.05985	min	-0.05985	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	C	Schulze	Robustness	0.062344	min	-0.062344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	C	Simple Averaging	Robustness	0.036908	min	-0.036908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	C	Simple Averaging	Robustness	0.099252	min	- 0.099252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	C	Simple Averaging	Robustness	0.113716	min	- 0.113716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	C	Simple Averaging	Robustness	0.101746	min	- 0.101746	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	C	Simple Averaging	Robustness	0.098254	min	- 0.098254	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	C	Simple Averaging	Robustness	0.094763	min	- 0.094763	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	C	Simple Averaging	Robustness	0.091272	min	- 0.091272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	C	Simple Averaging	Robustness	0.089776	min	- 0.089776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	C	Simple Averaging	Robustness	0.090773	min	- 0.090773	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	C	Simple Averaging	Robustness	0.094763	min	- 0.094763	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Borda	Robustness	0.002993	min	- 0.002993	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Borda	Robustness	0.023441	min	- 0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Borda	Robustness	0.016958	min	-0.016958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Borda	Robustness	0.01596	min	-0.01596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Borda	Robustness	0.000499	min	-0.000499	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Borda	Robustness	0.023441	min	-0.023441	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Borda	Robustness	0.03591	min	-0.03591	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Borda	Robustness	0.030424	min	-0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Borda	Robustness	0.031421	min	-0.031421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Borda	Robustness	0.034913	min	-0.034913	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.002993	min	-0.002993	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.025436	min	-0.025436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.031421	min	-0.031421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.014963	min	- 0.014963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.009476	min	- 0.009476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.018454	min	- 0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.028928	min	- 0.028928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.033416	min	- 0.033416	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.035411	min	- 0.035411	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.038903	min	- 0.038903	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Cbar	RRF	Robustness	0.001496	min	- 0.001496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Cbar	RRF	Robustness	0.034913	min	- 0.034913	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Cbar	RRF	Robustness	0.026933	min	- 0.026933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Cbar	RRF	Robustness	0.012968	min	- 0.012968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Cbar	RRF	Robustness	0.002494	min	-0.002494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Cbar	RRF	Robustness	0.030424	min	-0.030424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Cbar	RRF	Robustness	0.026434	min	-0.026434	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Cbar	RRF	Robustness	0.029925	min	-0.029925	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Cbar	RRF	Robustness	0.02793	min	-0.02793	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Cbar	RRF	Robustness	0.039401	min	-0.039401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Schulze	Robustness	0.002993	min	-0.002993	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Schulze	Robustness	0.025935	min	-0.025935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Schulze	Robustness	0.022943	min	-0.022943	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Schulze	Robustness	0.020948	min	-0.020948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Schulze	Robustness	0.003491	min	-0.003491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Schulze	Robustness	0.018454	min	-0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Schulze	Robustness	0.018454	min	-0.018454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Schulze	Robustness	0.037905	min	-0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Schulze	Robustness	0.037406	min	-0.037406	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Schulze	Robustness	0.032918	min	-0.032918	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.000499	min	-0.000499	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.037905	min	-0.037905	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.055362	min	-0.055362	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.04788	min	-0.04788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.046883	min	-0.046883	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.034913	min	-0.034913	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.01995	min	-0.01995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.004489	min	-0.004489	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.001995	min	-0.001995	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.004988	min	-0.004988	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	F	Borda	Robustness	0.16409	min	-0.16409	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	F	Borda	Robustness	0.202494	min	-0.202494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	F	Borda	Robustness	0.218953	min	-0.218953	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	F	Borda	Robustness	0.218454	min	-0.218454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	F	Borda	Robustness	0.221446	min	-0.221446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	F	Borda	Robustness	0.210474	min	-0.210474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	F	Borda	Robustness	0.20399	min	-0.20399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	F	Borda	Robustness	0.195511	min	-0.195511	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	F	Borda	Robustness	0.190025	min	-0.190025	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	F	Borda	Robustness	0.200998	min	-0.200998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	F	Kemeny	Robustness	0.16409	min	-0.16409	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	F	Kemeny	Robustness	0.189526	min	-0.189526	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	F	Kemeny	Robustness	0.212469	min	-0.212469	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	F	Kemeny	Robustness	0.200499	min	-0.200499	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	F	Kemeny	Robustness	0.20399	min	-0.20399	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	F	Kemeny	Robustness	0.199501	min	-0.199501	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	F	Kemeny	Robustness	0.2	min	-0.2	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	F	Kemeny	Robustness	0.189027	min	-0.189027	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	F	Kemeny	Robustness	0.175062	min	-0.175062	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	F	Kemeny	Robustness	0.188529	min	-0.188529	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	F	RRF	Robustness	0.169077	min	-0.169077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	F	RRF	Robustness	0.206484	min	-0.206484	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	F	RRF	Robustness	0.213965	min	-0.213965	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	F	RRF	Robustness	0.205985	min	-0.205985	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	F	RRF	Robustness	0.204988	min	-0.204988	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	F	RRF	Robustness	0.198005	min	-0.198005	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	F	RRF	Robustness	0.210474	min	-0.210474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	F	RRF	Robustness	0.18803	min	-0.18803	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	F	RRF	Robustness	0.185536	min	-0.185536	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	F	RRF	Robustness	0.187032	min	-0.187032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	F	Schulze	Robustness	0.16409	min	-0.16409	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	F	Schulze	Robustness	0.203491	min	-0.203491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	F	Schulze	Robustness	0.208978	min	-0.208978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	F	Schulze	Robustness	0.207481	min	-0.207481	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	F	Schulze	Robustness	0.214464	min	-0.214464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	F	Schulze	Robustness	0.197007	min	-0.197007	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	F	Schulze	Robustness	0.204988	min	-0.204988	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	F	Schulze	Robustness	0.197007	min	-0.197007	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	F	Schulze	Robustness	0.188529	min	-0.188529	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	F	Schulze	Robustness	0.186035	min	-0.186035	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	F	Simple Averaging	Robustness	0.172569	min	-0.172569	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	F	Simple Averaging	Robustness	0.230424	min	-0.230424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	F	Simple Averaging	Robustness	0.237406	min	-0.237406	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	F	Simple Averaging	Robustness	0.225935	min	-0.225935	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	F	Simple Averaging	Robustness	0.226933	min	-0.226933	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	F	Simple Averaging	Robustness	0.224938	min	-0.224938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	F	Simple Averaging	Robustness	0.224938	min	-0.224938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	F	Simple Averaging	Robustness	0.222444	min	-0.222444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	F	Simple Averaging	Robustness	0.221945	min	-0.221945	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	F	Simple Averaging	Robustness	0.231421	min	-0.231421	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Borda	Robustness	0.24389	min	-0.24389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Borda	Robustness	0.216958	min	-0.216958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Borda	Robustness	0.24389	min	-0.24389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Borda	Robustness	0.250374	min	-0.250374	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Borda	Robustness	0.261347	min	-0.261347	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Borda	Robustness	0.285786	min	-0.285786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Borda	Robustness	0.311721	min	-0.311721	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Borda	Robustness	0.299252	min	-0.299252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Borda	Robustness	0.294763	min	-0.294763	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Borda	Robustness	0.316708	min	-0.316708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.24389	min	-0.24389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.195511	min	-0.195511	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.208479	min	- 0.208479	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.239401	min	- 0.239401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	- 0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.277805	min	- 0.277805	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	- 0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.300249	min	- 0.300249	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.334165	min	- 0.334165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.312219	min	- 0.312219	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.301247	min	- 0.301247	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.307731	min	- 0.307731	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Fbar	RRF	Robustness	0.214464	min	- 0.214464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	- 0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Fbar	RRF	Robustness	0.203491	min	- 0.203491	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	- 0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Fbar	RRF	Robustness	0.230424	min	- 0.230424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	- 0.188462	0.002	3.4901e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Fbar	RRF	Robustness	0.241895	min	-0.241895	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Fbar	RRF	Robustness	0.268828	min	-0.268828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Fbar	RRF	Robustness	0.296259	min	-0.296259	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Fbar	RRF	Robustness	0.307731	min	-0.307731	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Fbar	RRF	Robustness	0.304738	min	-0.304738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Fbar	RRF	Robustness	0.306733	min	-0.306733	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Fbar	RRF	Robustness	0.329676	min	-0.329676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Schulze	Robustness	0.24389	min	-0.24389	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Schulze	Robustness	0.214963	min	-0.214963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Schulze	Robustness	0.228928	min	-0.228928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Schulze	Robustness	0.239401	min	-0.239401	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Schulze	Robustness	0.266334	min	-0.266334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Schulze	Robustness	0.307232	min	-0.307232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	-0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Schulze	Robustness	0.299751	min	-0.299751	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	-0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Schulze	Robustness	0.308229	min	-0.308229	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	-0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Schulze	Robustness	0.310224	min	-0.310224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	-0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Schulze	Robustness	0.318703	min	-0.318703	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	-0.409139	0.002	4.5102e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.303242	min	-0.303242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.316523	-0.316523	0.002	1.4978e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.195511	min	-0.195511	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.432355	-0.432355	0.002	2.8288e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.215461	min	-0.215461	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.188462	-0.188462	0.002	3.4901e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.214963	min	-0.214963	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.307775	-0.307775	0.002	4.1081e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.219451	min	-0.219451	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.306792	-0.306792	0.002	4.032e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.233915	min	- 0.233915	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.318128	- 0.318128	0.002	3.9095e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.234414	min	- 0.234414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.344808	- 0.344808	0.002	3.9751e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.247382	min	- 0.247382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.370101	- 0.370101	0.002	4.1092e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.251372	min	- 0.251372	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.406797	- 0.406797	0.002	4.5308e+05	11
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.251372	min	- 0.251372	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.409139	- 0.409139	0.002	4.5102e+05	11

Table 303: DermaMNIST–ResNet-18

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	False	True	3	True	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	C	False	True	3	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	C	True	True	3	False	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGGrad ient"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	False	True	5	True	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	7	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	8	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	9	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	10	Clean	C	False	True	5	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Clean	C	True	True	5	False	True	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGGrad ient"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	2	Clean	C	False	True	2	True	False	["Deconvolution", "GuidedBack prop"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	3	Clean	C	False	True	2	False	False	["Deconvolution", "GuidedBack prop", "Occlusion"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	4	Clean	C	False	True	2	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	5	Clean	C	False	True	2	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap"]
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	6	Clean	C	False	True	2	False	False	["Deconvolution", "GuidedBack prop", "Occlusion", "FeatureAb lation", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	11	Speckle 0.15	Fbar	True	True	3	False	True	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency', 'IntegratedGradients', 'LRP', 'InputXGradient']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	False	True	3	True	False	['Deconvolution', 'GuidedBackprop', 'Occlusion']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency', 'IntegratedGradients']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	C	False	True	3	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency', 'IntegratedGradients', 'LRP']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	C	True	True	3	False	True	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency', 'IntegratedGradients', 'LRP', 'InputXGradient']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	False	True	5	True	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	7	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	8	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	9	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency', 'IntegratedGradients']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	10	Clean	C	False	True	5	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency', 'IntegratedGradients', 'LRP']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Clean	C	True	True	5	False	True	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift', 'GradientShap', 'Saliency', 'IntegratedGradients', 'LRP', 'InputXGradient']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	2	Clean	C	False	True	2	True	False	['Deconvolution', 'GuidedBackprop']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	3	Clean	C	False	True	2	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	4	Clean	C	False	True	2	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	5	Clean	C	False	True	2	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap']
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	6	Clean	C	False	True	2	False	False	['Deconvolution', 'GuidedBackprop', 'Occlusion', 'FeatureAblation', 'DeepLiftShap', 'DeepLift']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Spearman	11	Speckle 0.15	Fbar	True	True	3	False	True	["Deconvolution", "GuidedBackprop", "Occlusion", "FeatureAb- lation", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGrad- ient"]

Table 304: DermaMNIST-ResNet-18

Cell	Q	Rule	Predicted Score	Theta	Mean Distance	Actual F	Predicted Q	NOISE Q	Actual Regret	Actual Near Optimal 95
DermaMNIST-ResNet-18	2	Borda	0.079488	3.473131	7.796509	0.080798	2	3	0.00399	True
DermaMNIST-ResNet-18	3	Borda	0.075917	2.868682	9.701579	0.084788	2	3	0.00399	True
DermaMNIST-ResNet-18	4	Borda	0.06702	2.779395	9.997506	0.065337	2	3	0.00399	False
DermaMNIST-ResNet-18	5	Borda	0.067695	2.560139	10.734564	0.066334	2	3	0.00399	False
DermaMNIST-ResNet-18	6	Borda	0.063538	2.527824	10.84414	0.054364	2	3	0.00399	False
DermaMNIST-ResNet-18	7	Borda	0.062884	2.557039	10.745066	0.05586	2	3	0.00399	False
DermaMNIST-ResNet-18	8	Borda	0.064287	2.45159	11.103304	0.058354	2	3	0.00399	False
DermaMNIST-ResNet-18	9	Borda	0.056301	2.428552	11.181768	0.060349	2	3	0.00399	False
DermaMNIST-ResNet-18	10	Borda	0.056401	2.265947	11.736509	0.06384	2	3	0.00399	False
DermaMNIST-ResNet-18	11	Borda	0.055125	2.243222	11.814056	0.051372	2	3	0.00399	False
DermaMNIST-ResNet-18	2	Kemeny	0.079488	3.473131	7.796509	0.080798	3	3	0	True
DermaMNIST-ResNet-18	3	Kemeny	0.085044	3.189314	8.666833	0.091272	3	3	0	True
DermaMNIST-ResNet-18	4	Kemeny	0.072131	2.989383	9.306484	0.076808	3	3	0	True
DermaMNIST-ResNet-18	5	Kemeny	0.067857	2.763681	10.049875	0.078803	3	3	0	True
DermaMNIST-ResNet-18	6	Kemeny	0.065763	2.722712	10.186783	0.075312	3	3	0	True
DermaMNIST-ResNet-18	7	Kemeny	0.061407	2.7404	10.12761	0.062843	3	3	0	False
DermaMNIST-ResNet-18	8	Kemeny	0.06129	2.609572	10.567332	0.05586	3	3	0	False
DermaMNIST-ResNet-18	9	Kemeny	0.059895	2.572839	10.691549	0.053367	3	3	0	False
DermaMNIST-ResNet-18	10	Kemeny	0.05797	2.395372	11.294863	0.064339	3	3	0	False
DermaMNIST-ResNet-18	11	Kemeny	0.054643	2.362634	11.406529	0.053367	3	3	0	False

Table 305: DermaMNIST–ResNet-18

					AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom						
Best Explanation	0.52243	0.7328	0.59023	0.97906	0.00598	0.00199	0.0329	0.00299	0.001	0.001
Simple Averaging	0.57328	0.71486	0.69492	0.95912	0.05284	0.03589	0.13061	0.00399	0.01097	0.00997
Borda (NAIVE)	0.51346	0.72981	0.58524	0.98405	0.00997	0.00798	0.08275	0.05384	0.01396	0.01894
Borda (THEORY)	0.49252	0.7328	0.5683	0.98205	0.00997	0.001	0.14058	0.00499	0.00698	0.01396
RRF (NAIVE)	0.52642	0.72981	0.61316	0.98205	0.00698	0.00499	0.07178	0.07079	0.001	0.00399
RRF (THEORY)	0.48455	0.72782	0.54237	0.98205	0.01296	0.04985	0.13759	0.001	0.00499	0.00199
Schulze (NAIVE)	0.55135	0.72981	0.66102	0.98106	0.01894	0.01795	0.06281	0.06281	0.00698	0.01795
Schulze (THEORY)	0.48953	0.73081	0.55334	0.98006	0.08375	0.1346	0.16052	0.02393	0.001	0.00199
Kemeny Young (NAIVE)	0.50548	0.72981	0.57527	0.98205	0.00997	0.02592	0.0987	0.04786	0.01496	0.00698
Kemeny Young (THEORY)	0.4995	0.72981	0.56929	0.98205	0.00499	0.01795	0.11864	0.02293	0.01296	0.00698

Table 306: DermaMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.52243	0.7328	0.59023	0.97906	0.00598	0.00199	0.0329	0.00299	0.001	0.001
Simple Averaging	0.57328	0.71486	0.69492	0.95912	0.05284	0.03589	0.13061	0.00399	0.01097	0.00997
Borda (NAIVE)	0.51346	0.72981	0.58524	0.98405	0.00997	0.00798	0.08275	0.05384	0.01396	0.01894
Borda (THEORY)	0.49252	0.7328	0.5683	0.98205	0.00997	0.001	0.14058	0.00499	0.00698	0.01396
RRF (NAIVE)	0.52642	0.72981	0.61316	0.98205	0.00698	0.00499	0.07178	0.07079	0.001	0.00399
RRF (THEORY)	0.48455	0.72782	0.54237	0.98205	0.01296	0.04985	0.13759	0.001	0.00499	0.00199
Schulze (NAIVE)	0.55135	0.72981	0.66102	0.98106	0.01894	0.01795	0.06281	0.06281	0.00698	0.01795
Schulze (THEORY)	0.48953	0.73081	0.55334	0.98006	0.08375	0.1346	0.16052	0.02393	0.001	0.00199
Kemeny Young (NAIVE)	0.50548	0.72981	0.57527	0.98205	0.00997	0.02592	0.0987	0.04786	0.01496	0.00698
Kemeny Young (THEORY)	0.4995	0.72981	0.56929	0.98205	0.00499	0.01795	0.11864	0.02293	0.01296	0.00698

Table 307: DermaMNIST-ResNet-18

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.54337	0.598205	0.728814	0.978066
Borda (n=3)	Ensemble	0.49651	0.549352	0.728814	0.978066
Borda (n=4)	Ensemble	0.491525	0.549352	0.724826	0.978066
Borda (n=5)	Ensemble	0.492522	0.568295	0.732802	0.982054
Borda (n=6)	Ensemble	0.499501	0.569292	0.729811	0.982054
Borda (n=7)	Ensemble	0.505484	0.575274	0.729811	0.982054
Borda (n=8)	Ensemble	0.51346	0.585244	0.729811	0.984048
Kemeny Young (n=2)	Ensemble	0.54337	0.598205	0.728814	0.978066
Kemeny Young (n=3)	Ensemble	0.49651	0.549352	0.728814	0.978066
Kemeny Young (n=4)	Ensemble	0.491525	0.549352	0.724826	0.978066
Kemeny Young (n=5)	Ensemble	0.492522	0.568295	0.732802	0.982054
Kemeny Young (n=6)	Ensemble	0.499501	0.569292	0.729811	0.982054
Kemeny Young (n=7)	Ensemble	0.505484	0.575274	0.729811	0.982054
Kemeny Young (n=8)	Ensemble	0.51346	0.585244	0.729811	0.984048
RRF (n=2)	Ensemble	0.520439	0.574277	0.727817	0.983051
RRF (n=3)	Ensemble	0.505484	0.554337	0.728814	0.982054
RRF (n=4)	Ensemble	0.484546	0.542373	0.727817	0.982054
RRF (n=5)	Ensemble	0.507478	0.588235	0.729811	0.984048
RRF (n=6)	Ensemble	0.512463	0.594217	0.727817	0.981057
RRF (n=7)	Ensemble	0.516451	0.591226	0.727817	0.982054
RRF (n=8)	Ensemble	0.526421	0.613161	0.729811	0.982054
Schulze (n=2)	Ensemble	0.542373	0.600199	0.727817	0.978066
Schulze (n=3)	Ensemble	0.502493	0.559322	0.728814	0.98006
Schulze (n=4)	Ensemble	0.489531	0.55334	0.730808	0.98006
Schulze (n=5)	Ensemble	0.548355	0.662014	0.730808	0.979063
Schulze (n=6)	Ensemble	0.549352	0.633101	0.731805	0.979063
Schulze (n=7)	Ensemble	0.550349	0.649053	0.731805	0.98006
Schulze (n=8)	Ensemble	0.551346	0.661017	0.729811	0.981057
Norm Ensemble (n=2)	Ensemble	0.57328	0.658026	0.701894	0.936191
Norm Ensemble (n=3)	Ensemble	0.580259	0.674975	0.705882	0.937188
Norm Ensemble (n=4)	Ensemble	0.572283	0.668993	0.71984	0.957129
Norm Ensemble (n=5)	Ensemble	0.569292	0.673978	0.716849	0.961117
Norm Ensemble (n=6)	Ensemble	0.556331	0.656032	0.722832	0.966102
Norm Ensemble (n=7)	Ensemble	0.569292	0.675972	0.723829	0.971087
Norm Ensemble (n=8)	Ensemble	0.57328	0.694915	0.714855	0.959123
Deconvolution	Single	0.558325	0.697906	0.731805	0.97009
Deconvolution	Single	0.558325	0.697906	0.731805	0.97009
DeepLIFT SHAP	Single	0.597208	0.700897	0.729811	0.977069
DeepLIFT SHAP	Single	0.597208	0.700897	0.729811	0.977069
Baselines Combined Zng	Single	0.597208	0.700897	0.729811	0.977069
DeepLIFT SHAP	Single	0.597208	0.700897	0.729811	0.977069
Baselines Combined Zng	Single	0.597208	0.700897	0.729811	0.977069
DeepLIFT SHAP	Single	0.664008	0.771685	0.732802	0.979063
Global Mean	Single	0.664008	0.771685	0.732802	0.979063
DeepLIFT Baselines	Single	0.664008	0.771685	0.732802	0.979063
Global Mean	Single	0.538385	0.638086	0.720837	0.955135
FeatureAblation Patch	Single	0.538385	0.638086	0.720837	0.955135
Size 14	Single	0.604187	0.725823	0.728814	0.977069
GradientShap Baselines	Single	0.604187	0.725823	0.728814	0.977069
Combined Zng N	Single	0.606181	0.723829	0.727817	0.976072
Samples 20	Single	0.606181	0.723829	0.727817	0.976072
GradientShap Baselines	Single	0.606181	0.723829	0.727817	0.976072
Combined Zng N	Single	0.680957	0.773679	0.729811	0.973081
Samples 40	Single	0.680957	0.773679	0.729811	0.973081
GuidedBackprop	Single	0.625125	0.761715	0.732802	0.966102
InputXGradient	Single	0.625125	0.761715	0.732802	0.966102
IntegratedGradients	Single	0.589232	0.708873	0.72682	0.97009
Baselines Zero N Steps	Single	0.589232	0.708873	0.72682	0.97009
200	Single	0.589232	0.708873	0.72682	0.97009
IntegratedGradients	Single	0.590229	0.710867	0.725823	0.969093
Baselines Zero N Steps	Single	0.590229	0.710867	0.725823	0.969093
50	Single	0.590229	0.710867	0.725823	0.969093
IntegratedGradients	Single	0.522433	0.590229	0.727817	0.966102
Baselines Zero N Steps	Single	0.522433	0.590229	0.727817	0.966102
14	Single	0.522433	0.590229	0.727817	0.966102

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.522433	0.590229	0.727817	0.966102
Global Mean Patch Size 14					
Saliency	Single	0.656032	0.82652	0.729811	0.969093
Saliency	Single	0.656032	0.82652	0.729811	0.969093

Table 308: DermaMNIST–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Salt Speckle Std 0.15	ConsRob Replace Top Salt Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Salt Speckle Std 0.15	ConsRob Replace Bottom Salt Speckle Std 0.15
Borda (n=2)	Ensemble	0.104686	0.073779	0.27318	0.113659	0.024925	0.016949	0.012961	0	0.105683	0.008973	0.010967	0.001994
Borda (n=3)	Ensemble	0.032901	0.007976	0.215354	0.071785	0.004985	0	0.011964	0.001994	0.110668	0.006979	0.007976	0.008973
Borda (n=4)	Ensemble	0.012961	0.008973	0.171486	0.036889	0.014955	0	0.008973	0.001994	0.104686	0.008973	0.003988	0.008973
Borda (n=5)	Ensemble	0.00997	0.000997	0.140578	0.004985	0.006979	0.013958	0.016949	0.002991	0.111665	0.003988	0.012961	0.003988
Borda (n=6)	Ensemble	0.004985	0.017946	0.118644	0.022931	0.012961	0.006979	0.013958	0.002991	0.109671	0.004985	0.008973	0.002991
Borda (n=7)	Ensemble	0.00997	0.025922	0.098704	0.047856	0.014955	0.006979	0.011964	0.001994	0.105683	0.002991	0.007976	0.003988
Borda (n=8)	Ensemble	0.00997	0.007976	0.082752	0.053838	0.013958	0.018943	0.010967	0.006979	0.107677	0.003988	0.007976	0.001994
Kemeny Young (n=2)	Ensemble	0.104686	0.073779	0.27318	0.113659	0.024925	0.016949	0.012961	0	0.105683	0.008973	0.010967	0.001994
Kemeny Young (n=3)	Ensemble	0.032901	0.007976	0.215354	0.071785	0.004985	0	0.011964	0.001994	0.110668	0.006979	0.007976	0.008973
Kemeny Young (n=4)	Ensemble	0.012961	0.008973	0.171486	0.036889	0.014955	0	0.008973	0.001994	0.104686	0.008973	0.003988	0.008973
Kemeny Young (n=5)	Ensemble	0.00997	0.000997	0.140578	0.004985	0.006979	0.013958	0.016949	0.002991	0.111665	0.003988	0.012961	0.003988
Kemeny Young (n=6)	Ensemble	0.004985	0.017946	0.118644	0.022931	0.012961	0.006979	0.013958	0.002991	0.109671	0.004985	0.008973	0.002991
Kemeny Young (n=7)	Ensemble	0.00997	0.025922	0.098704	0.047856	0.014955	0.006979	0.011964	0.001994	0.105683	0.002991	0.007976	0.003988
Kemeny Young (n=8)	Ensemble	0.00997	0.007976	0.082752	0.053838	0.013958	0.018943	0.010967	0.006979	0.107677	0.003988	0.007976	0.001994
RRF (n=2)	Ensemble	0.102692	0.059821	0.247258	0.097707	0.032901	0.006979	0.008973	0.000997	0.10668	0.003988	0.001994	0.001994
RRF (n=3)	Ensemble	0.05683	0.006979	0.209372	0.078764	0.018943	0.015952	0.008973	0.001994	0.109671	0.006979	0.003988	0.007976
RRF (n=4)	Ensemble	0.012961	0.04985	0.137587	0.000997	0.004985	0.001994	0.005982	0.001994	0.109671	0.001994	0.003988	0.003988
RRF (n=5)	Ensemble	0.006979	0.030907	0.123629	0.00997	0.014955	0.01994	0.006979	0.000997	0.109671	0.005982	0.00997	0.002991
RRF (n=6)	Ensemble	0.000997	0.022931	0.090728	0.031904	0.002991	0.010967	0.004985	0	0.108674	0.005982	0.003988	0.004985
RRF (n=7)	Ensemble	0.010967	0.027916	0.065803	0.074776	0.010967	0	0.005982	0.000997	0.108674	0.003988	0.005982	0.003988
RRF (n=8)	Ensemble	0.006979	0.004985	0.071785	0.070788	0.000997	0.003988	0.010967	0.000997	0.109671	0.004985	0.007976	0.000997
Schulze (n=2)	Ensemble	0.099701	0.070788	0.269192	0.118644	0.022931	0.021934	0.00997	0.004985	0.110668	0.008973	0.007976	0.004985
Schulze (n=3)	Ensemble	0.042871	0.016949	0.208375	0.078764	0.011964	0.008973	0.010967	0.002991	0.110668	0.004985	0.012961	0.000997
Schulze (n=4)	Ensemble	0.083749	0.134596	0.160518	0.023928	0.000997	0.001994	0.008973	0.001994	0.111665	0.003988	0.005982	0.000997
Schulze (n=5)	Ensemble	0.003988	0.000997	0.067797	0.058824	0.000997	0.004985	0.013958	0.000997	0.112662	0.002991	0.00997	0.006979
Schulze (n=6)	Ensemble	0.006979	0.030907	0.107677	0.02991	0.015952	0.006979	0.014955	0.002991	0.113659	0.003988	0.004985	0.004985
Schulze (n=7)	Ensemble	0.008973	0.002991	0.070788	0.053838	0.000997	0.012961	0.012961	0.000997	0.11665	0.003988	0.00997	0.003988
Schulze (n=8)	Ensemble	0.018943	0.017946	0.062812	0.062812	0.006979	0.017946	0.011964	0	0.111665	0.007976	0.006979	0.002991
Norm Ensemble (n=2)	Ensemble	0.061815	0.027916	0.216351	0.07677	0.015952	0.000997	0.011964	0.000997	0.115653	0.021934	0.013958	0.028913
Norm Ensemble (n=3)	Ensemble	0.085743	0.063809	0.179462	0.05683	0.014955	0	0.013958	0.005982	0.108674	0	0.010967	0.013958
Norm Ensemble (n=4)	Ensemble	0.072782	0.055833	0.176471	0.047856	0.00997	0.00997	0.034895	0.017946	0.11665	0.00997	0.011964	0.006979
Norm Ensemble (n=5)	Ensemble	0.067797	0.048853	0.151545	0.013958	0.025922	0.016949	0.025922	0.014955	0.110668	0.003988	0.002991	0.007976
Norm Ensemble (n=6)	Ensemble	0.047856	0.025922	0.123629	0.023928	0.015952	0.002991	0.023928	0.014955	0.112662	0.002991	0.020937	0.020937
Norm Ensemble (n=7)	Ensemble	0.058824	0.03988	0.128614	0.003988	0.022931	0.015952	0.021934	0.010967	0.109671	0.002991	0.020937	0.021934
Norm Ensemble (n=8)	Ensemble	0.052841	0.035892	0.130608	0.003988	0.010967	0.00997	0.011964	0.000997	0.101695	0.012961	0.008973	0.005982
Deconvolution	Single	0.038883	0.030907	0.032901	0.100698	0.000997	0.000997	0.01994	0.005982	0.111665	0.010967	0.010967	0.002991
Deconvolution	Single	0.038883	0.030907	0.032901	0.100698	0.000997	0.000997	0.01994	0.005982	0.111665	0.010967	0.010967	0.002991
DeepLIFT SHAP	Single	0.015952	0.00997	0.053838	0.068794	0.000997	0.004985	0.013958	0.001994	0.108674	0.005982	0.008973	0.004985
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.015952	0.00997	0.053838	0.068794	0.000997	0.004985	0.013958	0.001994	0.108674	0.005982	0.008973	0.004985
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.015952	0.00997	0.053838	0.068794	0.000997	0.004985	0.013958	0.001994	0.108674	0.005982	0.008973	0.004985
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.015952	0.00997	0.053838	0.068794	0.000997	0.004985	0.013958	0.001994	0.108674	0.005982	0.008973	0.004985
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.041874	0.007976	0.11665	0.023928	0.024925	0.006979	0.015952	0.005982	0.11665	0.007976	0.00997	0
Global Mean													
DeepLIFT Baselines	Single	0.041874	0.007976	0.11665	0.023928	0.024925	0.006979	0.015952	0.005982	0.11665	0.007976	0.00997	0
Global Mean													
FeatureAblation Patch	Single	0.010967	0.027916	0.118644	0.017946	0.001994	0.001994	0.012961	0.003988	0.115653	0.014955	0.004985	0.00997
Size 14													
FeatureAblation Patch	Single	0.010967	0.027916	0.118644	0.017946	0.001994	0.001994	0.012961	0.003988	0.115653	0.014955	0.004985	0.00997
Size 14													
GradientShap Baselines	Single	0.026919	0.014955	0.064806	0.055833	0.013958	0.011964	0.010967	0	0.111665	0.004985	0.006979	0.004985
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.026919	0.014955	0.064806	0.055833	0.013958	0.011964	0.010967	0	0.111665	0.004985	0.006979	0.004985
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.031904	0.022931	0.065803	0.054835	0.024925	0.030907	0.011964	0.002991	0.107677	0.001994	0.007976	0.003988
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.031904	0.022931	0.065803	0.054835	0.024925	0.030907	0.011964	0.002991	0.107677	0.001994	0.007976	0.003988
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.050847	0.045862	0.202393	0.135593	0.004985	0.005982	0.017946	0	0.117647	0.010967	0.007976	0.005982
GuidedBackprop	Single	0.050847	0.045862	0.202393	0.135593	0.004985	0.005982	0.017946	0	0.117647	0.010967	0.007976	0.005982
InputXGradient	Single	0.016949	0.007976	0.079761	0.033898	0.012961	0.015952	0.018943	0.00997	0.11665	0.007976	0.007976	0.001994
InputXGradient	Single	0.016949	0.007976	0.079761	0.033898	0.012961	0.015952	0.018943	0.00997	0.11665	0.007976	0.007976	0.001994
IntegratedGradients	Single	0.011964	0.002991	0.074776	0.0668	0.017946	0.007976	0.011964	0.002991	0.109671	0.002991	0.006979	0.000997
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.011964	0.002991	0.074776	0.0668	0.017946	0.007976	0.011964	0.002991	0.109671	0.002991	0.006979	0.000997
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.011964	0.004985	0.077767	0.063809	0.020937	0.00997	0.010967	0.003988	0.108674	0.003988	0.005982	0
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.011964	0.004985	0.077767	0.063809	0.020937	0.00997	0.010967	0.003988	0.108674	0.003988	0.005982	0
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 14	Single	0.101695	0.0668	0.246261	0.120638	0.010967	0.006979	0.013958	0.002991	0.108674	0.000997	0.005982	0.007976
Occlusion Baselines Global Mean Patch Size 14	Single	0.101695	0.0668	0.246261	0.120638	0.010967	0.006979	0.013958	0.002991	0.108674	0.000997	0.005982	0.007976
Saliency	Single	0.005982	0.001994	0.07677	0.002991	0.008973	0.010967	0.020937	0.007976	0.109671	0.004985	0.012961	0.003988
Saliency	Single	0.005982	0.001994	0.07677	0.002991	0.008973	0.010967	0.020937	0.007976	0.109671	0.004985	0.012961	0.003988

Table 309: DermaMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.59422	0.73679	0.69492	0.99003	0.001	0	0.01097	0.00698	0.001	0.00698
Simple Averaging	0.62413	0.72582	0.77069	0.98006	0.01196	0.00499	0.11665	0.00399	0.00598	0.00698
Borda (NAIVE)	0.57727	0.7338	0.67697	0.98804	0.01097	0.01994	0.07079	0.05783	0.01795	0.01296
Borda (THEORY)	0.55434	0.73579	0.62313	0.99003	0.01695	0.07079	0.1007	0.0658	0.0329	0.06082
RRF (NAIVE)	0.59721	0.73081	0.70489	0.98903	0.02393	0.00399	0.07278	0.04586	0.01894	0.01595
RRF (THEORY)	0.56032	0.7348	0.667	0.99202	0.01396	0.03988	0.07478	0.03988	0.00399	0.00698
Schulze (NAIVE)	0.61316	0.7338	0.74078	0.98903	0.01097	0.01097	0.08375	0.04387	0.001	0.01496
Schulze (THEORY)	0.5673	0.7338	0.62413	0.98305	0.001	0.06381	0.15354	0.00598	0.00499	0.01795
Kemeny Young (NAIVE)	0.57527	0.7338	0.67498	0.98804	0.00399	0.02891	0.07278	0.04187	0.01695	0.01296
Kemeny Young (THEORY)	0.55434	0.7348	0.62213	0.98903	0.01196	0.08873	0.08574	0.08973	0.00399	0.02193

Table 310: DermaMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.59422	0.73679	0.69492	0.99003	0.001	0	0.01097	0.00698	0.001	0.00698
Simple Averaging	0.637089	0.723829	0.74676	0.961117	0.01196	0.00499	0.11665	0.00399	0.00598	0.00698
Borda	0.554337	0.735793	0.623131	0.99003	0.01097	0.01994	0.07079	0.05783	0.01795	0.01296
RRF	0.566301	0.730808	0.63011	0.994018	0.02393	0.00399	0.07278	0.04586	0.01894	0.01595
Schulze	0.567298	0.733799	0.624128	0.983051	0.01097	0.01097	0.08375	0.04387	0.001	0.01496
Kemeny Young	0.554337	0.734796	0.622134	0.989033	0.00399	0.02891	0.07278	0.04187	0.01695	0.01296
Best Explanation (Decorr)	0.6181	0.7368	0.7926	0.988	0.005	0.003	0.011	0.007	0.001	0.002
SimpleAvg (Decorr)	0.6241	0.7258	0.7707	0.9801	0.012	0.005	0.1167	0.004	0.006	0.007
Borda (Decorr)	0.5543	0.7358	0.6231	0.99	0.0169	0.0708	0.1007	0.0658	0.0329	0.0608
RRF (Decorr)	0.5603	0.7348	0.667	0.992	0.014	0.0399	0.0748	0.0399	0.004	0.007
Schulze (Decorr)	0.5673	0.7338	0.6241	0.9831	0.001	0.0638	0.1535	0.006	0.005	0.0179
Kemeny Young (Decorr)	0.5543	0.7348	0.6221	0.989	0.012	0.0887	0.0857	0.0897	0.004	0.0219

Table 311: DermaMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.52243	0.7328	0.59023	0.97906	0.00598	0.00199	0.0329	0.00299	0.001	0.001
Simple Averaging	0.580259	0.705882	0.674975	0.937188	0.05284	0.03589	0.13061	0.00399	0.01097	0.00997
Borda	0.49651	0.728814	0.549352	0.978066	0.00997	0.00798	0.08275	0.05384	0.01396	0.01894
RRF	0.505484	0.728814	0.554337	0.982054	0.00698	0.00499	0.07178	0.07079	0.001	0.00399
Schulze	0.502493	0.728814	0.559322	0.98006	0.01894	0.01795	0.06281	0.06281	0.00698	0.01795
Kemeny Young	0.491525	0.724826	0.549352	0.978066	0.00997	0.02592	0.0987	0.04786	0.01496	0.00698
Best Explanation (Decorr)	0.5583	0.7328	0.6979	0.9731	0.006	0.002	0.0329	0.003	0.001	0.001
SimpleAvg (Decorr)	0.5733	0.7149	0.6949	0.9591	0.0528	0.0359	0.1306	0.004	0.011	0.01
Borda (Decorr)	0.4925	0.7328	0.5683	0.9821	0.01	0.001	0.1406	0.005	0.007	0.014
RRF (Decorr)	0.4845	0.7278	0.5424	0.9821	0.013	0.0499	0.1376	0.001	0.005	0.002
Schulze (Decorr)	0.4895	0.7308	0.5533	0.9801	0.0837	0.1346	0.1605	0.0239	0.001	0.002
Kemeny Young (Decorr)	0.4995	0.7298	0.5693	0.9821	0.005	0.0179	0.1186	0.0229	0.013	0.007

Table 312: DermaMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.4008	0.72782	0.43569	0.96112	0.00399	0.00299	0.03091	0.001	0.00199	0.00499
Simple Averaging	0.50748	0.69093	0.59422	0.91027	0.05882	0.0319	0.10369	0.0339	0.02293	0.01994
Borda (NAIVE)	0.44865	0.72682	0.50947	0.94915	0.00798	0.00199	0.09073	0.04586	0.01196	0.01196
Borda (THEORY)	0.37488	0.72582	0.41775	0.95513	0.07777	0.05484	0.2014	0.05484	0.03091	0.02493
RRF (NAIVE)	0.4656	0.72383	0.54337	0.95115	0.00997	0.01496	0.08275	0.04088	0.00997	0.01695
RRF (THEORY)	0.37886	0.72183	0.4327	0.95912	0.00399	0.01496	0.12164	0.01994	0.00199	0.00299
Schulze (NAIVE)	0.49153	0.72283	0.56929	0.94816	0.00299	0.001	0.0658	0.05982	0.00499	0.01695
Schulze (THEORY)	0.38485	0.72483	0.4327	0.95015	0.12064	0.16451	0.1665	0.02692	0.01795	0.01894
Kemeny Young (NAIVE)	0.43669	0.72483	0.49352	0.95015	0.00598	0.00299	0.10169	0.03689	0.001	0.00199
Kemeny Young (THEORY)	0.40279	0.72782	0.44666	0.96112	0.05683	0.03789	0.18445	0.04088	0.0319	0.02592

Table 313: DermaMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.4008	0.72782	0.43569	0.96112	0.00399	0.00299	0.03091	0.001	0.00199	0.00499
Simple Averaging	0.514457	0.678963	0.596211	0.895314	0.05882	0.0319	0.10369	0.0339	0.02293	0.01994
Borda	0.374875	0.725823	0.417747	0.955135	0.00798	0.00199	0.09073	0.04586	0.01196	0.01196
RRF	0.388833	0.723829	0.429711	0.959123	0.00997	0.01496	0.08275	0.04088	0.00997	0.01695
Schulze	0.39681	0.724826	0.443669	0.958126	0.00299	0.001	0.0658	0.05982	0.00499	0.01695
Kemeny Young	0.402792	0.727817	0.44666	0.961117	0.00598	0.00299	0.10169	0.03689	0.001	0.00199
Best Explanation (Decorr)	0.4965	0.7198	0.5693	0.9372	0.01	0.006	0.0309	0.001	0.007	0.004
SimpleAvg (Decorr)	0.5075	0.6909	0.5942	0.9103	0.0588	0.0319	0.1037	0.0339	0.0229	0.0199
Borda (Decorr)	0.3749	0.7258	0.4177	0.9551	0.0778	0.0548	0.2014	0.0548	0.0309	0.0249
RRF (Decorr)	0.3789	0.7218	0.4327	0.9591	0.004	0.015	0.1216	0.0199	0.002	0.003
Schulze (Decorr)	0.3848	0.7248	0.4327	0.9501	0.1206	0.1645	0.1665	0.0269	0.0179	0.0189
Kemeny Young (Decorr)	0.4028	0.7278	0.4467	0.9611	0.0568	0.0379	0.1844	0.0409	0.0319	0.0259

Table 314: DermaMNIST–ResNet-18

					AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom						
Best Explanation	0.64905	0.73679	0.78365	0.99601	0.001	0	0.06281	0.001	0	0
Simple Averaging	0.68096	0.73081	0.84945	0.98704	0.03888	0.01196	0.12164	0.001	0.01296	0.01396
Borda (NAIVE)	0.64407	0.7328	0.76471	0.99302	0.01296	0.0329	0.0997	0.03988	0.00997	0.01296
Borda (THEORY)	0.62213	0.7338	0.72981	0.99103	0.00399	0.05284	0.08275	0.07079	0.01894	0.04487
RRF (NAIVE)	0.64207	0.7318	0.78764	0.99801	0.01595	0.00897	0.08275	0.01994	0.00399	0.01296
RRF (THEORY)	0.61914	0.7338	0.74177	0.99601	0.00499	0.04586	0.08175	0.02991	0.01496	0.00499
Schulze (NAIVE)	0.66899	0.73081	0.81555	0.99501	0.02393	0.00997	0.09472	0.02094	0.01396	0.00299
Schulze (THEORY)	0.62812	0.7338	0.75673	0.99202	0.02193	0.10269	0.09771	0.01595	0.01196	0.00199
Kemeny Young (NAIVE)	0.6331	0.7338	0.74975	0.99302	0.00798	0.04487	0.09073	0.05284	0.00299	0.02592
Kemeny Young (THEORY)	0.62313	0.7318	0.72084	0.99402	0.00698	0.06181	0.09073	0.07777	0.00598	0.05484

Table 315: DermaMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.64905	0.73679	0.78365	0.99601	0.001	0	0.06281	0.001	0	0
Simple Averaging	0.667996	0.725823	0.794616	0.98006	0.03888	0.01196	0.12164	0.001	0.01296	0.01396
Borda	0.631107	0.731805	0.731805	0.993021	0.01296	0.0329	0.0997	0.03988	0.00997	0.01296
RRF	0.628116	0.732802	0.723829	0.993021	0.01595	0.00897	0.08275	0.01994	0.00399	0.01296
Schulze	0.63011	0.732802	0.73679	0.991027	0.02393	0.00997	0.09472	0.02094	0.01396	0.00299
Kemeny Young	0.623131	0.731805	0.720837	0.994018	0.00798	0.04487	0.09073	0.05284	0.00299	0.02592
Best Explanation (Decorr)	0.683	0.7368	0.8644	0.994	0.001	0	0.0628	0.004	0.003	0
SimpleAvg (Decorr)	0.681	0.7308	0.8495	0.987	0.0389	0.012	0.1216	0.001	0.013	0.014
Borda (Decorr)	0.6221	0.7338	0.7298	0.991	0.004	0.0528	0.0828	0.0708	0.0189	0.0449
RRF (Decorr)	0.6191	0.7338	0.7418	0.996	0.005	0.0459	0.0818	0.0299	0.015	0.005
Schulze (Decorr)	0.6281	0.7338	0.7567	0.992	0.0219	0.1027	0.0977	0.016	0.012	0.002
Kemeny Young (Decorr)	0.6231	0.7318	0.7208	0.994	0.007	0.0618	0.0907	0.0778	0.006	0.0548

Table 316: DermaMNIST–ResNet-18

					AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom						
Best Explanation	0.3001	0.72582	0.33001	0.95713	0.00399	0.00399	0.03689	0.001	0.001	0.00499
Simple Averaging	0.47757	0.67797	0.55932	0.87139	0.03888	0.03091	0.11864	0.01496	0.02293	0.02692
Borda (NAIVE)	0.38285	0.70987	0.44367	0.91326	0.01196	0.00598	0.06181	0.06481	0.01296	0.01196
Borda (THEORY)	0.29811	0.71785	0.34397	0.94018	0.10169	0.08375	0.15454	0.00897	0.03789	0.0349
RRF (NAIVE)	0.43071	0.70788	0.4995	0.91525	0.01296	0.01196	0.08574	0.04586	0.01496	0.01695
RRF (THEORY)	0.29212	0.70788	0.333	0.92522	0.06879	0.05982	0.14058	0.01595	0.01894	0.01496
Schulze (NAIVE)	0.46461	0.6989	0.52841	0.89731	0.001	0.00997	0.08774	0.04088	0.00499	0.001
Schulze (THEORY)	0.31904	0.71984	0.35494	0.94217	0.11964	0.09671	0.17149	0.00199	0.04586	0.0329
Kemeny Young (NAIVE)	0.37288	0.70588	0.41874	0.91525	0.00897	0.01595	0.07178	0.07478	0.01196	0.00997
Kemeny Young (THEORY)	0.32104	0.71087	0.35892	0.93519	0.11366	0.12064	0.16949	0.02692	0.02692	0.02493

Table 317: DermaMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.3001	0.72582	0.33001	0.95713	0.00399	0.00399	0.03689	0.001	0.001	0.00499
Simple Averaging	0.481555	0.662014	0.562313	0.859422	0.03888	0.03091	0.11864	0.01496	0.02293	0.02692
Borda	0.321037	0.710867	0.358923	0.935194	0.01196	0.00598	0.06181	0.06481	0.01296	0.01196
RRF	0.340977	0.707876	0.381854	0.925224	0.01296	0.01196	0.08574	0.04586	0.01496	0.01695
Schulze	0.331007	0.715852	0.36989	0.940179	0.001	0.00997	0.08774	0.04088	0.00499	0.001
Kemeny Young	0.346959	0.708873	0.391825	0.930209	0.00897	0.01595	0.07178	0.07478	0.01196	0.00997
Best Explanation (Decorr)	0.4487	0.6949	0.4945	0.8953	0.0319	0.0209	0.0459	0.001	0.002	0.005
SimpleAvg (Decorr)	0.4776	0.678	0.5593	0.8714	0.0389	0.0309	0.1186	0.015	0.0229	0.0269
Borda (Decorr)	0.2981	0.7178	0.344	0.9402	0.1017	0.0837	0.1545	0.009	0.0379	0.0349
RRF (Decorr)	0.2921	0.7079	0.333	0.9252	0.0688	0.0598	0.1406	0.016	0.0189	0.015
Schulze (Decorr)	0.319	0.7198	0.3549	0.9422	0.1196	0.0967	0.1715	0.002	0.0459	0.0329
Kemeny Young (Decorr)	0.321	0.7109	0.3589	0.9352	0.1137	0.1206	0.1695	0.0269	0.0269	0.0249

Table 318: DermaMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.61416	0.7338	0.76271	0.98006	0.001	0.00399	0.09073	0.00199	0	0
Simple Averaging	0.57129	0.70389	0.69691	0.94417	0.04287	0.01795	0.1655	0.04287	0.03689	0.0329
Borda (NAIVE)	0.53041	0.72782	0.63809	0.98006	0.04885	0.04088	0.18744	0.08674	0.01196	0.00299
Borda (THEORY)	0.50947	0.72981	0.58524	0.97507	0.06082	0.04786	0.1984	0.07577	0.02493	0.001
RRF (NAIVE)	0.55234	0.73081	0.67398	0.97807	0.04287	0.02991	0.16451	0.04487	0.00598	0.00598
RRF (THEORY)	0.50449	0.7318	0.58026	0.98704	0.09571	0.07278	0.20638	0.10269	0.0329	0.0339
Schulze (NAIVE)	0.59422	0.7318	0.72483	0.97607	0.0339	0.001	0.13958	0.02193	0.01097	0.01595
Schulze (THEORY)	0.51545	0.72881	0.61017	0.98006	0.07976	0.06481	0.21037	0.12562	0.02393	0.02493
Kemeny Young (NAIVE)	0.52642	0.73081	0.63111	0.98205	0.04686	0.04187	0.18245	0.07278	0.01894	0.01097
Kemeny Young (THEORY)	0.51147	0.73081	0.61715	0.98006	0.04985	0.04885	0.19242	0.08175	0.02094	0.01795

Table 319: DermaMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.61416	0.7338	0.76271	0.98006	0.001	0.00399	0.09073	0.00199	0	0
Simple Averaging	0.637089	0.723829	0.74676	0.961117	0.04287	0.01795	0.1655	0.04287	0.03689	0.0329
Borda	0.554337	0.735793	0.623131	0.99003	0.04885	0.04088	0.18744	0.08674	0.01196	0.00299
RRF	0.566301	0.730808	0.63011	0.994018	0.04287	0.02991	0.16451	0.04487	0.00598	0.00598
Schulze	0.567298	0.733799	0.624128	0.983051	0.0339	0.001	0.13958	0.02193	0.01097	0.01595
Kemeny Young	0.554337	0.734796	0.622134	0.989033	0.04686	0.04187	0.18245	0.07278	0.01894	0.01097
Best Explanation (Decorr)	0.6241	0.7338	0.7827	0.9771	0.01	0.004	0.0907	0.006	0.005	0.001
SimpleAvg (Decorr)	0.5713	0.7039	0.6969	0.9442	0.0429	0.0179	0.1655	0.0429	0.0369	0.0329
Borda (Decorr)	0.5095	0.7298	0.5852	0.9751	0.0608	0.0479	0.1984	0.0758	0.0249	0.001
RRF (Decorr)	0.5045	0.7318	0.5803	0.987	0.0957	0.0728	0.2064	0.1027	0.0329	0.0339
Schulze (Decorr)	0.5155	0.7288	0.6102	0.9801	0.0798	0.0648	0.2104	0.1256	0.0239	0.0249
Kemeny Young (Decorr)	0.5115	0.7308	0.6171	0.9801	0.0499	0.0489	0.1924	0.0818	0.0209	0.0179

Table 320: DermaMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.49651	0.73081	0.61216	0.95513	0.001	0.001	0.10269	0.00997	0.01196	0.001
Simple Averaging	0.4676	0.69591	0.55932	0.91525	0.03689	0.01595	0.16451	0.03888	0.01296	0.00299
Borda (NAIVE)	0.44068	0.72483	0.5334	0.96311	0.09472	0.09771	0.21735	0.0987	0.0339	0.03589
Borda (THEORY)	0.3679	0.72483	0.44666	0.96112	0.11167	0.10269	0.17747	0.09272	0.03689	0.03789
RRF (NAIVE)	0.48754	0.72782	0.5673	0.95813	0.07478	0.0658	0.20538	0.06281	0.02592	0.00299
RRF (THEORY)	0.36191	0.72782	0.4347	0.96311	0.09671	0.08175	0.18146	0.07178	0.03689	0.03888
Schulze (NAIVE)	0.51545	0.72183	0.61615	0.95513	0.04885	0.02792	0.19741	0.07178	0.001	0.00399
Schulze (THEORY)	0.36889	0.72682	0.44865	0.95912	0.10967	0.08973	0.17448	0.08973	0.02592	0.02891
Kemeny Young (NAIVE)	0.43769	0.72682	0.51645	0.96112	0.11864	0.10768	0.22433	0.09771	0.03689	0.03091
Kemeny Young (THEORY)	0.37886	0.72084	0.45065	0.95912	0.11266	0.09272	0.20239	0.0987	0.03789	0.0349

Table 321: DermaMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.49651	0.73081	0.61216	0.95513	0.001	0.001	0.10269	0.00997	0.01196	0.001
Simple Averaging	0.580259	0.705882	0.674975	0.937188	0.03689	0.01595	0.16451	0.03888	0.01296	0.00299
Borda	0.49651	0.728814	0.549352	0.978066	0.09472	0.09771	0.21735	0.0987	0.0339	0.03589
RRF	0.505484	0.728814	0.554337	0.982054	0.07478	0.0658	0.20538	0.06281	0.02592	0.00299
Schulze	0.502493	0.728814	0.559322	0.98006	0.04885	0.02792	0.19741	0.07178	0.001	0.00399
Kemeny Young	0.491525	0.724826	0.549352	0.978066	0.11864	0.10768	0.22433	0.09771	0.03689	0.03091
Best Explanation (Decorr)	0.4965	0.7308	0.6122	0.9482	0.005	0.005	0.1027	0.001	0.001	0.005
SimpleAvg (Decorr)	0.4676	0.6959	0.5593	0.9153	0.0369	0.016	0.1645	0.0389	0.013	0.003
Borda (Decorr)	0.3679	0.7248	0.4467	0.9611	0.1117	0.1027	0.1775	0.0927	0.0369	0.0379
RRF (Decorr)	0.3619	0.7278	0.4347	0.9631	0.0967	0.0818	0.1815	0.0718	0.0369	0.0389
Schulze (Decorr)	0.3689	0.7268	0.4487	0.9591	0.1097	0.0897	0.1745	0.0897	0.0259	0.0289
Kemeny Young (Decorr)	0.3789	0.7208	0.4506	0.9591	0.1127	0.0927	0.2024	0.0987	0.0379	0.0349

Table 322: DermaMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.31206	0.70189	0.37388	0.89731	0.02891	0.00798	0.08873	0.03091	0.01296	0.00598
Simple Averaging	0.37886	0.67697	0.45763	0.86341	0.06381	0.05085	0.1655	0.04088	0.03689	0.04187
Borda (NAIVE)	0.28814	0.71486	0.35793	0.91625	0.05982	0.04586	0.11964	0.00997	0.00199	0.00698
Borda (THEORY)	0.21735	0.72483	0.28415	0.93819	0.0668	0.04586	0.08574	0.02891	0.02293	0.02493
RRF (NAIVE)	0.36391	0.71685	0.43868	0.92722	0.11266	0.09571	0.17547	0.04088	0.03789	0.0339
RRF (THEORY)	0.20937	0.72383	0.25723	0.94217	0.05583	0.02891	0.0668	0.04187	0.01695	0.01396
Schulze (NAIVE)	0.3998	0.70688	0.48853	0.90828	0.08674	0.06481	0.18843	0.05683	0.05184	0.05184
Schulze (THEORY)	0.22732	0.70588	0.29711	0.91825	0.0658	0.04487	0.1007	0.01296	0.02991	0.0349
Kemeny Young (NAIVE)	0.29611	0.71785	0.3669	0.92522	0.07677	0.07278	0.12562	0.00399	0.01296	0.00798
Kemeny Young (THEORY)	0.22233	0.72084	0.28913	0.93121	0.04786	0.03888	0.08973	0.01595	0.02493	0.02193

Table 323: DermaMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.31206	0.70189	0.37388	0.89731	0.02891	0.00798	0.08873	0.03091	0.01296	0.00598
Simple Averaging	0.514457	0.678963	0.596211	0.895314	0.06381	0.05085	0.1655	0.04088	0.03689	0.04187
Borda	0.374875	0.725823	0.417747	0.955135	0.05982	0.04586	0.11964	0.00997	0.00199	0.00698
RRF	0.388833	0.723829	0.429711	0.959123	0.11266	0.09571	0.17547	0.04088	0.03789	0.0339
Schulze	0.39681	0.724826	0.443669	0.958126	0.08674	0.06481	0.18843	0.05683	0.05184	0.05184
Kemeny Young	0.402792	0.727817	0.44666	0.961117	0.07677	0.07278	0.12562	0.00399	0.01296	0.00798
Best Explanation (Decorr)	0.3121	0.6909	0.3739	0.8654	0.0189	0.013	0.0887	0.0309	0.012	0.012
SimpleAvg (Decorr)	0.3789	0.677	0.4576	0.8634	0.0638	0.0508	0.1655	0.0409	0.0369	0.0419
Borda (Decorr)	0.2173	0.7248	0.2841	0.9382	0.0668	0.0459	0.0857	0.0289	0.0229	0.0249
RRF (Decorr)	0.2094	0.7238	0.2572	0.9422	0.0558	0.0289	0.0668	0.0419	0.0169	0.014
Schulze (Decorr)	0.2273	0.7059	0.2971	0.9182	0.0658	0.0449	0.1007	0.013	0.0299	0.0349
Kemeny Young (Decorr)	0.2223	0.7208	0.2891	0.9312	0.0479	0.0389	0.0897	0.016	0.0249	0.0219

Table 324: DermaMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.668	0.7348	0.81854	0.99302	0.00199	0.00199	0.10369	0.00499	0.001	0.00199
Simple Averaging	0.64207	0.71785	0.78764	0.9651	0.04586	0.01795	0.16351	0.03988	0.01496	0.01994
Borda (NAIVE)	0.62014	0.7328	0.72981	0.99003	0.04387	0.00199	0.13759	0.01795	0.01994	0.01296
Borda (THEORY)	0.57827	0.7328	0.68893	0.99103	0.03091	0.02393	0.13958	0.02293	0.00199	0.00499
RRF (NAIVE)	0.61914	0.7338	0.75374	0.98804	0.03091	0.02393	0.13559	0.01894	0.00698	0.0319
RRF (THEORY)	0.58923	0.7328	0.69093	0.99003	0.04187	0.01396	0.18146	0.05783	0.00997	0.00499
Schulze (NAIVE)	0.65503	0.7338	0.80658	0.99003	0.03091	0.01196	0.12562	0.01595	0.01296	0.02493
Schulze (THEORY)	0.6012	0.73081	0.69791	0.98405	0.04487	0.01396	0.18644	0.0668	0.01595	0.00199
Kemeny Young (NAIVE)	0.63111	0.7328	0.74576	0.98604	0.05882	0.02094	0.15852	0.04985	0.0339	0.03689
Kemeny Young (THEORY)	0.58923	0.72981	0.6999	0.98804	0.03789	0.01795	0.13958	0.00698	0.00299	0.00399

Table 325: DermaMNIST–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.668	0.7348	0.81854	0.99302	0.00199	0.00199	0.10369	0.00499	0.001	0.00199
Simple Averaging	0.667996	0.725823	0.794616	0.98006	0.04586	0.01795	0.16351	0.03988	0.01496	0.01994
Borda	0.631107	0.731805	0.731805	0.993021	0.04387	0.00199	0.13759	0.01795	0.01994	0.01296
RRF	0.628116	0.732802	0.723829	0.993021	0.03091	0.02393	0.13559	0.01894	0.00698	0.0319
Schulze	0.63011	0.732802	0.73679	0.991027	0.03091	0.01196	0.12562	0.01595	0.01296	0.02493
Kemeny Young	0.623131	0.731805	0.720837	0.994018	0.05882	0.02094	0.15852	0.04985	0.0339	0.03689
Best Explanation (Decorr)	0.6859	0.7338	0.8614	0.989	0.008	0.004	0.1027	0.005	0.005	0.003
SimpleAvg (Decorr)	0.6421	0.7178	0.7876	0.9651	0.0459	0.0179	0.1635	0.0399	0.015	0.0199
Borda (Decorr)	0.5783	0.7328	0.6889	0.991	0.0309	0.0239	0.1396	0.0229	0.002	0.005
RRF (Decorr)	0.5892	0.7328	0.6909	0.99	0.0419	0.014	0.1815	0.0578	0.01	0.005
Schulze (Decorr)	0.6012	0.7308	0.6979	0.984	0.0449	0.014	0.1864	0.0668	0.016	0.002
Kemeny Young (Decorr)	0.5892	0.7298	0.6999	0.988	0.0379	0.0179	0.1396	0.007	0.003	0.004

Table 326: DermaMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.25424	0.66301	0.30808	0.83549	0.02293	0.001	0.07577	0.01196	0.00997	0.00199
Simple Averaging	0.31904	0.6321	0.40578	0.80658	0.03888	0.04088	0.14058	0.02493	0.00798	0.01695
Borda (NAIVE)	0.24925	0.69292	0.31306	0.87637	0.03789	0.02293	0.10169	0.01994	0.00499	0.00598
Borda (THEORY)	0.18046	0.70987	0.24626	0.90828	0.02393	0.01894	0.0668	0.03689	0.00698	0.00399
RRF (NAIVE)	0.28714	0.68495	0.35095	0.88136	0.07976	0.06481	0.12762	0.00299	0.01595	0.001
RRF (THEORY)	0.17149	0.69591	0.22134	0.90528	0.0349	0.02393	0.04287	0.05583	0.01196	0.01196
Schulze (NAIVE)	0.34497	0.67099	0.41775	0.85244	0.08475	0.07677	0.17348	0.03888	0.02592	0.02094
Schulze (THEORY)	0.18146	0.70788	0.24826	0.91226	0.04187	0.0319	0.05683	0.03888	0.01296	0.01196
Kemeny Young (NAIVE)	0.26122	0.7009	0.33101	0.88634	0.06082	0.05683	0.12064	0.00399	0.00399	0.01196
Kemeny Young (THEORY)	0.18245	0.70788	0.23928	0.91127	0.04686	0.03589	0.06281	0.03988	0.01695	0.02393

Table 327: DermaMNIST–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.25424	0.66301	0.30808	0.83549	0.02293	0.001	0.07577	0.01196	0.00997	0.00199
Simple Averaging	0.481555	0.662014	0.562313	0.859422	0.03888	0.04088	0.14058	0.02493	0.00798	0.01695
Borda	0.321037	0.710867	0.358923	0.935194	0.03789	0.02293	0.10169	0.01994	0.00499	0.00598
RRF	0.340977	0.707876	0.381854	0.925224	0.07976	0.06481	0.12762	0.00299	0.01595	0.001
Schulze	0.331007	0.715852	0.36989	0.940179	0.08475	0.07677	0.17348	0.03888	0.02592	0.02094
Kemeny Young	0.346959	0.708873	0.391825	0.930209	0.06082	0.05683	0.12064	0.00399	0.00399	0.01196
Best Explanation (Decorr)	0.2542	0.672	0.3081	0.8195	0.0229	0.001	0.0758	0.0369	0.01	0.002
SimpleAvg (Decorr)	0.319	0.6321	0.4058	0.8066	0.0389	0.0409	0.1406	0.0249	0.008	0.0169
Borda (Decorr)	0.1805	0.7099	0.2463	0.9083	0.0239	0.0189	0.0668	0.0369	0.007	0.004
RRF (Decorr)	0.1715	0.6959	0.2213	0.9053	0.0349	0.0239	0.0429	0.0558	0.012	0.012
Schulze (Decorr)	0.1815	0.7079	0.2483	0.9123	0.0419	0.0319	0.0568	0.0389	0.013	0.012
Kemeny Young (Decorr)	0.1825	0.7079	0.2393	0.9113	0.0469	0.0359	0.0628	0.0399	0.0169	0.0239

Table 328: DermaMNIST–ResNet-18

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.606181	0.684945	0.73679	0.986042
Borda (n=3)	Ensemble	0.554337	0.623131	0.735793	0.99003
Borda (n=4)	Ensemble	0.554337	0.622134	0.734796	0.989033
Borda (n=5)	Ensemble	0.562313	0.647059	0.734796	0.99003
Borda (n=6)	Ensemble	0.565304	0.662014	0.734796	0.988036
Borda (n=7)	Ensemble	0.575274	0.674975	0.733799	0.988036
Borda (n=8)	Ensemble	0.577268	0.676969	0.733799	0.988036
Kemeny Young (n=2)	Ensemble	0.606181	0.684945	0.73679	0.986042
Kemeny Young (n=3)	Ensemble	0.554337	0.623131	0.735793	0.99003
Kemeny Young (n=4)	Ensemble	0.554337	0.622134	0.734796	0.989033
Kemeny Young (n=5)	Ensemble	0.562313	0.647059	0.734796	0.99003
Kemeny Young (n=6)	Ensemble	0.565304	0.662014	0.734796	0.988036
Kemeny Young (n=7)	Ensemble	0.575274	0.674975	0.733799	0.988036
Kemeny Young (n=8)	Ensemble	0.577268	0.676969	0.733799	0.988036
RRF (n=2)	Ensemble	0.608175	0.680957	0.729811	0.991027
RRF (n=3)	Ensemble	0.566301	0.63011	0.730808	0.994018
RRF (n=4)	Ensemble	0.565304	0.644068	0.731805	0.99003
RRF (n=5)	Ensemble	0.560319	0.666999	0.734796	0.992024
RRF (n=6)	Ensemble	0.580259	0.67996	0.735793	0.991027
RRF (n=7)	Ensemble	0.586241	0.691924	0.735793	0.992024
RRF (n=8)	Ensemble	0.597208	0.704885	0.730808	0.989033
Schulze (n=2)	Ensemble	0.610169	0.688933	0.729811	0.986042
Schulze (n=3)	Ensemble	0.567298	0.624128	0.733799	0.983051
Schulze (n=4)	Ensemble	0.569292	0.639083	0.733799	0.991027
Schulze (n=5)	Ensemble	0.606181	0.737787	0.73679	0.989033
Schulze (n=6)	Ensemble	0.608175	0.730808	0.735793	0.991027
Schulze (n=7)	Ensemble	0.617149	0.740778	0.732802	0.992024
Schulze (n=8)	Ensemble	0.613161	0.740778	0.733799	0.989033
Norm Ensemble (n=2)	Ensemble	0.63011	0.727817	0.725823	0.967099
Norm Ensemble (n=3)	Ensemble	0.637089	0.74676	0.723829	0.961117
Norm Ensemble (n=4)	Ensemble	0.625125	0.740778	0.722832	0.976072
Norm Ensemble (n=5)	Ensemble	0.619143	0.734796	0.725823	0.977069
Norm Ensemble (n=6)	Ensemble	0.606181	0.733799	0.728814	0.981057
Norm Ensemble (n=7)	Ensemble	0.618146	0.752742	0.731805	0.986042
Norm Ensemble (n=8)	Ensemble	0.624128	0.770688	0.725823	0.98006
Deconvolution	Single	0.618146	0.792622	0.73679	0.985045
Deconvolution	Single	0.618146	0.792622	0.73679	0.985045
DeepLIFT SHAP	Single	0.659023	0.795613	0.734796	0.988036
Baselines Combined Zng	Single	0.659023	0.795613	0.734796	0.988036
DeepLIFT SHAP	Single	0.659023	0.795613	0.734796	0.988036
Baselines Combined Zng	Single	0.659023	0.795613	0.734796	0.988036
DeepLIFT SHAP	Single	0.659023	0.795613	0.734796	0.988036
Baselines Combined Zng	Single	0.684945	0.837488	0.734796	0.989033
DeepLIFT Baselines	Single	0.684945	0.837488	0.734796	0.989033
Global Mean	Single	0.594217	0.694915	0.722832	0.971087
FeatureAblation Patch Size 14	Single	0.594217	0.694915	0.722832	0.971087
GradientShap Baselines Combined Zng N Samples 20	Single	0.65005	0.801595	0.732802	0.99003
GradientShap Baselines Combined Zng N Samples 20	Single	0.65005	0.801595	0.732802	0.99003
GradientShap Baselines Combined Zng N Samples 40	Single	0.66002	0.797607	0.733799	0.985045
GradientShap Baselines Combined Zng N Samples 40	Single	0.66002	0.797607	0.733799	0.985045
GuidedBackprop	Single	0.717846	0.828514	0.735793	0.988036
GuidedBackprop	Single	0.717846	0.828514	0.735793	0.988036
InputXGradient	Single	0.659023	0.8335	0.732802	0.982054
InputXGradient	Single	0.659023	0.8335	0.732802	0.982054
IntegratedGradients	Single	0.652044	0.824526	0.732802	0.988036
Baselines Zero N Steps 200	Single	0.652044	0.824526	0.732802	0.988036
IntegratedGradients	Single	0.649053	0.820538	0.732802	0.988036
Baselines Zero N Steps 50	Single	0.649053	0.820538	0.732802	0.988036
IntegratedGradients	Single	0.649053	0.820538	0.732802	0.988036
Baselines Zero N Steps 50	Single	0.649053	0.820538	0.732802	0.988036
Occlusion Baselines Global Mean Patch Size 14	Single	0.618146	0.696909	0.729811	0.976072

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.618146	0.696909	0.729811	0.976072
Global Mean Patch Size 14					
Saliency	Single	0.696909	0.880359	0.732802	0.988036
Saliency	Single	0.696909	0.880359	0.732802	0.988036

Table 329: DermaMNIST–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Salt Speckle Std 0.15	ConsRob Replace Top Salt Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Salt Speckle Std 0.15	ConsRob Replace Bottom Salt Speckle Std 0.15
Borda (n=2)	Ensemble	0.031904	0.004985	0.201396	0.047856	0.008973	0.000997	0.017946	0.005982	0.11665	0.000997	0.008973	0.006979
Borda (n=3)	Ensemble	0.016949	0.070788	0.100698	0.065803	0.032901	0.060818	0.014955	0.000997	0.115653	0.004985	0.006979	0.001994
Borda (n=4)	Ensemble	0.011964	0.088734	0.085743	0.089731	0.003988	0.021934	0.016949	0.000997	0.115653	0.004985	0.006979	0.004985
Borda (n=5)	Ensemble	0.006979	0.057827	0.093719	0.044865	0.005982	0.003988	0.014955	0	0.114656	0.001994	0.006979	0.003988
Borda (n=6)	Ensemble	0.002991	0.035892	0.07677	0.043868	0.008973	0.006979	0.015952	0.001994	0.113659	0.001994	0.006979	0.005982
Borda (n=7)	Ensemble	0.003988	0.028913	0.072782	0.041874	0.016949	0.012961	0.014955	0.002991	0.113659	0.000997	0.006979	0.006979
Borda (n=8)	Ensemble	0.010967	0.01994	0.070788	0.057827	0.017946	0.012961	0.014955	0.002991	0.112662	0	0.007976	0.004985
Kemeny Young (n=2)	Ensemble	0.031904	0.004985	0.201396	0.047856	0.008973	0.000997	0.017946	0.005982	0.11665	0.000997	0.008973	0.006979
Kemeny Young (n=3)	Ensemble	0.016949	0.070788	0.100698	0.065803	0.032901	0.060818	0.014955	0.000997	0.115653	0.004985	0.006979	0.001994
Kemeny Young (n=4)	Ensemble	0.011964	0.088734	0.085743	0.089731	0.003988	0.021934	0.016949	0.000997	0.115653	0.004985	0.006979	0.004985
Kemeny Young (n=5)	Ensemble	0.006979	0.057827	0.093719	0.044865	0.005982	0.003988	0.014955	0	0.114656	0.001994	0.006979	0.003988
Kemeny Young (n=6)	Ensemble	0.002991	0.035892	0.07677	0.043868	0.008973	0.006979	0.015952	0.001994	0.113659	0.001994	0.006979	0.005982
Kemeny Young (n=7)	Ensemble	0.003988	0.028913	0.072782	0.041874	0.016949	0.012961	0.014955	0.002991	0.113659	0.000997	0.006979	0.006979
Kemeny Young (n=8)	Ensemble	0.010967	0.01994	0.070788	0.057827	0.017946	0.012961	0.014955	0.002991	0.112662	0	0.007976	0.004985
RRF (n=2)	Ensemble	0.044865	0.010967	0.204387	0.052841	0.012961	0.000997	0.011964	0.001994	0.107677	0.004985	0.004985	0.003988
RRF (n=3)	Ensemble	0.001994	0.048853	0.158524	0.013958	0.015952	0.010967	0.00997	0.008973	0.109671	0.007976	0.005982	0.000997
RRF (n=4)	Ensemble	0.000997	0.062812	0.118644	0.016949	0.004985	0.000997	0.008973	0.002991	0.110668	0.002991	0.006979	0.002991
RRF (n=5)	Ensemble	0.013958	0.03988	0.074776	0.03988	0.003988	0.006979	0.016949	0.003988	0.111665	0.003988	0.008973	0.001994
RRF (n=6)	Ensemble	0.008973	0.035892	0.085743	0.037886	0.01994	0.013958	0.016949	0.002991	0.112662	0.001994	0.008973	0.001994
RRF (n=7)	Ensemble	0.014955	0.008973	0.070788	0.043868	0.011964	0.004985	0.017946	0.002991	0.112662	0.003988	0.00997	0.001994
RRF (n=8)	Ensemble	0.023928	0.003988	0.072782	0.045862	0.018943	0.015952	0.011964	0	0.107677	0	0.003988	0.003988
Schulze (n=2)	Ensemble	0.033898	0.007796	0.211366	0.055833	0.010967	0.005982	0.012961	0.000997	0.109671	0.000997	0.006979	0.003988
Schulze (n=3)	Ensemble	0.000997	0.063809	0.153539	0.005982	0.004985	0.017946	0.013958	0.006979	0.112662	0.004985	0.010967	0.008973
Schulze (n=4)	Ensemble	0.051844	0.150548	0.118644	0.023928	0.004985	0.018943	0.012961	0.000997	0.111665	0	0.008973	0.002991
Schulze (n=5)	Ensemble	0.002991	0.01994	0.081755	0.042871	0.014955	0.016949	0.016949	0.000997	0.113659	0.000997	0.011964	0.001994
Schulze (n=6)	Ensemble	0.00997	0.028913	0.090728	0.024925	0.012961	0.008973	0.016949	0	0.112662	0.000997	0.00997	0.001994
Schulze (n=7)	Ensemble	0.021934	0.002991	0.087737	0.041874	0.021934	0.00997	0.012961	0.000997	0.109671	0.001994	0.007976	0.000997
Schulze (n=8)	Ensemble	0.010967	0.010967	0.083749	0.043868	0.000997	0.014955	0.014955	0.000997	0.110668	0.000997	0.006979	0.004985
Norm Ensemble (n=2)	Ensemble	0.041874	0.000997	0.178465	0.043868	0.00997	0.004985	0.021934	0.000997	0.11665	0.007976	0.023928	0.00997
Norm Ensemble (n=3)	Ensemble	0.065803	0.023928	0.155533	0.016949	0.006979	0.011964	0.020937	0.007976	0.105683	0.013958	0.017946	0.002991
Norm Ensemble (n=4)	Ensemble	0.051844	0.005982	0.138584	0.003988	0.005982	0.004985	0.01994	0.007976	0.105683	0.004985	0.004985	0.000997
Norm Ensemble (n=5)	Ensemble	0.043868	0.003988	0.137587	0.012961	0.008973	0.005982	0.022931	0.00997	0.10668	0.008973	0.001994	0.003988
Norm Ensemble (n=6)	Ensemble	0.027916	0.020937	0.109671	0.02991	0.006979	0.015952	0.028913	0.010967	0.112662	0.001994	0.011964	0.005982
Norm Ensemble (n=7)	Ensemble	0.02991	0.014955	0.117647	0.013958	0.011964	0.004985	0.02991	0.012961	0.11665	0.001994	0.014955	0.007976
Norm Ensemble (n=8)	Ensemble	0.011964	0.004985	0.11665	0.003988	0.005982	0.006979	0.020937	0.002991	0.109671	0.006979	0.008973	0.000997
Deconvolution	Single	0.026919	0.03988	0.010967	0.073779	0.013958	0.010967	0.016949	0.002991	0.117647	0.003988	0.00997	0.005982
Deconvolution	Single	0.026919	0.03988	0.010967	0.073779	0.013958	0.010967	0.016949	0.002991	0.117647	0.003988	0.00997	0.005982
DeepLIFT SHAP	Single	0.022931	0.016949	0.092722	0.026919	0.017946	0.011964	0.015952	0.001994	0.111665	0.000997	0.007976	0.002991
Baselines Combined Zng	Single	0.022931	0.016949	0.092722	0.026919	0.017946	0.011964	0.015952	0.001994	0.111665	0.000997	0.007976	0.002991
DeepLIFT SHAP	Single	0.022931	0.016949	0.092722	0.026919	0.017946	0.011964	0.015952	0.001994	0.111665	0.000997	0.007976	0.002991
Baselines Combined Zng	Single	0.022931	0.016949	0.092722	0.026919	0.017946	0.011964	0.015952	0.001994	0.111665	0.000997	0.007976	0.002991
DeepLIFT SHAP	Single	0.022931	0.016949	0.092722	0.026919	0.017946	0.011964	0.015952	0.001994	0.111665	0.000997	0.007976	0.002991
Baselines Combined Zng	Single	0.022931	0.016949	0.092722	0.026919	0.017946	0.011964	0.015952	0.001994	0.111665	0.000997	0.007976	0.002991
DeepLIFT Baselines	Single	0.012961	0	0.105683	0.010967	0.001994	0.00997	0.013958	0.001994	0.114656	0.001994	0.008973	0.000997
Global Mean	Single	0.012961	0	0.105683	0.010967	0.001994	0.00997	0.013958	0.001994	0.114656	0.001994	0.008973	0.000997
FeatureAblation Patch	Single	0.000997	0.046859	0.104686	0.055833	0.004985	0.015952	0.010967	0	0.104686	0.001994	0.001994	0.004985
Size 14	Single	0.000997	0.046859	0.104686	0.055833	0.004985	0.015952	0.010967	0	0.104686	0.001994	0.001994	0.004985
GradientShap Baselines	Single	0.008973	0.000997	0.077767	0.024925	0.011964	0.010967	0.011964	0	0.109671	0	0.004985	0.003988
Combined Zng N	Single	0.008973	0.000997	0.077767	0.024925	0.011964	0.010967	0.011964	0	0.109671	0	0.004985	0.003988
Samples 20	Single	0.008973	0.000997	0.077767	0.024925	0.011964	0.010967	0.011964	0	0.109671	0	0.004985	0.003988
GradientShap Baselines	Single	0.027916	0.003988	0.100698	0.021934	0.016949	0.012961	0.013958	0.003988	0.111665	0.005982	0.006979	0.007976
Combined Zng N	Single	0.027916	0.003988	0.100698	0.021934	0.016949	0.012961	0.013958	0.003988	0.111665	0.005982	0.006979	0.007976
Samples 40	Single	0.027916	0.003988	0.100698	0.021934	0.016949	0.012961	0.013958	0.003988	0.111665	0.005982	0.006979	0.007976
GradientShap Baselines	Single	0.027916	0.003988	0.100698	0.021934	0.016949	0.012961	0.013958	0.003988	0.111665	0.005982	0.006979	0.007976
Combined Zng N	Single	0.027916	0.003988	0.100698	0.021934	0.016949	0.012961	0.013958	0.003988	0.111665	0.005982	0.006979	0.007976
Samples 40	Single	0.027916	0.003988	0.100698	0.021934	0.016949	0.012961	0.013958	0.003988	0.111665	0.005982	0.006979	0.007976
GuidedBackprop	Single	0.028913	0.008973	0.160518	0.075773	0.010967	0.016949	0.014955	0.006979	0.117647	0.001994	0.00997	0.002991
GuidedBackprop	Single	0.028913	0.008973	0.160518	0.075773	0.010967	0.016949	0.014955	0.006979	0.117647	0.001994	0.00997	0.002991
InputXGradient	Single	0.004985	0.011964	0.081755	0.006979	0.000997	0.006979	0.015952	0.008973	0.109671	0	0.005982	0.002991
InputXGradient	Single	0.004985	0.011964	0.081755	0.006979	0.000997	0.006979	0.015952	0.008973	0.109671	0	0.005982	0.002991
IntegratedGradients	Single	0.023928	0.015952	0.105683	0.022931	0.020937	0.021934	0.011964	0	0.109671	0.002991	0.007976	0.003988
Baselines Zero N Steps	Single	0.023928	0.015952	0.105683	0.022931	0.020937	0.021934	0.011964	0	0.109671	0.002991	0.007976	0.003988
200	Single	0.023928	0.015952	0.105683	0.022931	0.020937	0.021934	0.011964	0	0.109671	0.002991	0.007976	0.003988
IntegratedGradients	Single	0.017946	0.008973	0.105683	0.024925	0.016949	0.01994	0.011964	0	0.109671	0.002991	0.007976	0.003988
Baselines Zero N Steps	Single	0.017946	0.008973	0.105683	0.024925	0.016949	0.01994	0.011964	0	0.109671	0.002991	0.007976	0.003988
50	Single	0.017946	0.008973	0.105683	0.024925	0.016949	0.01994	0.011964	0	0.109671	0.002991	0.007976	0.003988
IntegratedGradients	Single	0.017946	0.008973	0.105683	0.024925	0.016949	0.01994	0.011964	0	0.109671	0.002991	0.007976	0.003988
Baselines Zero N Steps	Single	0.017946	0.008973	0.105683	0.024925	0.016949	0.01994	0.011964	0	0.109671	0.002991	0.007976	0.003988
50	Single	0.017946	0.008973	0.105683	0.024925	0.016949	0.01994	0.011964	0				

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 14	Single	0.067797	0.024925	0.216351	0.078764	0.015952	0.006979	0.016949	0.000997	0.111665	0.003988	0.005982	0.003988
Occlusion Baselines Global Mean Patch Size 14	Single	0.067797	0.024925	0.216351	0.078764	0.015952	0.006979	0.016949	0.000997	0.111665	0.003988	0.005982	0.003988
Saliency	Single	0.020937	0.005982	0.095713	0.017946	0.01994	0.010967	0.017946	0.000997	0.112662	0.001994	0.002991	0.004985
Saliency	Single	0.020937	0.005982	0.095713	0.017946	0.01994	0.010967	0.017946	0.000997	0.112662	0.001994	0.002991	0.004985

Table 330: DermaMNIST–ResNet-18

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.435693	0.474576	0.724826	0.958126
Borda (n=3)	Ensemble	0.374875	0.417747	0.725823	0.955135
Borda (n=4)	Ensemble	0.402792	0.44666	0.727817	0.961117
Borda (n=5)	Ensemble	0.41675	0.465603	0.729811	0.959123
Borda (n=6)	Ensemble	0.421735	0.472582	0.727817	0.958126
Borda (n=7)	Ensemble	0.43669	0.493519	0.724826	0.95015
Borda (n=8)	Ensemble	0.448654	0.509472	0.72682	0.949153
Kemeny Young (n=2)	Ensemble	0.435693	0.474576	0.724826	0.958126
Kemeny Young (n=3)	Ensemble	0.374875	0.417747	0.725823	0.955135
Kemeny Young (n=4)	Ensemble	0.402792	0.44666	0.727817	0.961117
Kemeny Young (n=5)	Ensemble	0.41675	0.465603	0.729811	0.959123
Kemeny Young (n=6)	Ensemble	0.421735	0.472582	0.727817	0.958126
Kemeny Young (n=7)	Ensemble	0.43669	0.493519	0.724826	0.95015
Kemeny Young (n=8)	Ensemble	0.448654	0.509472	0.72682	0.949153
RRF (n=2)	Ensemble	0.37986	0.429711	0.727817	0.957129
RRF (n=3)	Ensemble	0.388833	0.429711	0.723829	0.959123
RRF (n=4)	Ensemble	0.378863	0.432702	0.721834	0.959123
RRF (n=5)	Ensemble	0.411765	0.467597	0.725823	0.956132
RRF (n=6)	Ensemble	0.423729	0.483549	0.725823	0.956132
RRF (n=7)	Ensemble	0.447657	0.507478	0.723829	0.953141
RRF (n=8)	Ensemble	0.465603	0.54337	0.723829	0.951147
Schulze (n=2)	Ensemble	0.401795	0.445663	0.722832	0.956132
Schulze (n=3)	Ensemble	0.39681	0.443669	0.724826	0.958126
Schulze (n=4)	Ensemble	0.384845	0.432702	0.724826	0.95015
Schulze (n=5)	Ensemble	0.497507	0.581256	0.724826	0.948156
Schulze (n=6)	Ensemble	0.474576	0.54337	0.723829	0.951147
Schulze (n=7)	Ensemble	0.481555	0.55334	0.71984	0.947159
Schulze (n=8)	Ensemble	0.491525	0.569292	0.722832	0.948156
Norm Ensemble (n=2)	Ensemble	0.509472	0.584247	0.665005	0.869392
Norm Ensemble (n=3)	Ensemble	0.514457	0.596211	0.678963	0.895314
Norm Ensemble (n=4)	Ensemble	0.510469	0.607178	0.692921	0.911266
Norm Ensemble (n=5)	Ensemble	0.501496	0.582253	0.706879	0.925224
Norm Ensemble (n=6)	Ensemble	0.499501	0.597208	0.705882	0.928215
Norm Ensemble (n=7)	Ensemble	0.492522	0.588235	0.713858	0.938185
Norm Ensemble (n=8)	Ensemble	0.507478	0.594217	0.690927	0.910269
Deconvolution	Single	0.49651	0.569292	0.71984	0.932203
Deconvolution	Single	0.49651	0.569292	0.71984	0.932203
DeepLIFT SHAP	Single	0.536391	0.621137	0.714855	0.934197
Baselines Combined Zng	Single	0.536391	0.621137	0.714855	0.934197
DeepLIFT SHAP	Single	0.536391	0.621137	0.714855	0.934197
Baselines Combined Zng	Single	0.536391	0.621137	0.714855	0.934197
DeepLIFT SHAP	Single	0.536391	0.621137	0.714855	0.934197
Baselines Combined Zng	Single	0.604187	0.706879	0.711864	0.940179
DeepLIFT Baselines	Single	0.604187	0.706879	0.711864	0.940179
Global Mean	Single	0.498504	0.566301	0.708873	0.9332
FeatureAblation Patch	Single	0.498504	0.566301	0.708873	0.9332
Size 14	Single	0.498504	0.566301	0.708873	0.9332
GradientShap Baselines	Single	0.525424	0.624128	0.713858	0.938185
Combined Zng N	Single	0.525424	0.624128	0.713858	0.938185
Samples 20	Single	0.525424	0.624128	0.713858	0.938185
GradientShap Baselines	Single	0.545364	0.628116	0.715852	0.937188
Combined Zng N	Single	0.545364	0.628116	0.715852	0.937188
Samples 40	Single	0.545364	0.628116	0.715852	0.937188
GradientShap Baselines	Single	0.614158	0.67996	0.715852	0.937188
Combined Zng N	Single	0.614158	0.67996	0.715852	0.937188
Samples 40	Single	0.614158	0.67996	0.715852	0.937188
GuidedBackprop	Single	0.589232	0.695912	0.712861	0.917248
InputXGradient	Single	0.589232	0.695912	0.712861	0.917248
IntegratedGradients	Single	0.531406	0.626122	0.712861	0.907278
Baselines Zero N Steps	Single	0.531406	0.626122	0.712861	0.907278
200	Single	0.531406	0.626122	0.712861	0.907278
IntegratedGradients	Single	0.532403	0.628116	0.714855	0.907278
Baselines Zero N Steps	Single	0.532403	0.628116	0.714855	0.907278
50	Single	0.532403	0.628116	0.714855	0.907278
IntegratedGradients	Single	0.532403	0.628116	0.714855	0.907278
Baselines Zero N Steps	Single	0.532403	0.628116	0.714855	0.907278
50	Single	0.532403	0.628116	0.714855	0.907278
Occlusion Baselines	Single	0.400798	0.435693	0.727817	0.961117
Global Mean Patch Size	Single	0.400798	0.435693	0.727817	0.961117
14	Single	0.400798	0.435693	0.727817	0.961117

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.400798	0.435693	0.727817	0.961117
Global Mean Patch Size 14					
Saliency	Single	0.634098	0.771685	0.704885	0.906281
Saliency	Single	0.634098	0.771685	0.704885	0.906281

Table 331: DermaMNIST–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.170489	0.137587	0.259222	0.099701	0.088734	0.067797	0.016949	0	0.119641	0.018943	0.012961	0.000997
Borda (n=3)	Ensemble	0.077767	0.054835	0.201396	0.054835	0.030907	0.024925	0.017946	0.005982	0.120638	0.016949	0.007976	0.006979
Borda (n=4)	Ensemble	0.05683	0.037886	0.184447	0.040877	0.031904	0.025922	0.020937	0.007976	0.121635	0.020937	0.012961	0.010967
Borda (n=5)	Ensemble	0.025922	0.012961	0.149551	0.013958	0.021934	0.007976	0.020937	0.000997	0.124626	0.018943	0.018943	0.013958
Borda (n=6)	Ensemble	0.014955	0.002991	0.10668	0.03988	0.005982	0.007976	0.018943	0.006979	0.12662	0.023928	0.011964	0.00997
Borda (n=7)	Ensemble	0.005982	0.002991	0.101695	0.036889	0.000997	0.001994	0.020937	0	0.12662	0.022931	0.011964	0.002991
Borda (n=8)	Ensemble	0.007976	0.001994	0.090728	0.045862	0.011964	0.011964	0.017946	0.005982	0.125623	0.025922	0.013958	0.000997
Kemeny Young (n=2)	Ensemble	0.170489	0.137587	0.259222	0.099701	0.088734	0.067797	0.016949	0	0.119641	0.018943	0.012961	0.000997
Kemeny Young (n=3)	Ensemble	0.077767	0.054835	0.201396	0.054835	0.030907	0.024925	0.017946	0.005982	0.120638	0.016949	0.007976	0.006979
Kemeny Young (n=4)	Ensemble	0.05683	0.037886	0.184447	0.040877	0.031904	0.025922	0.020937	0.007976	0.121635	0.020937	0.012961	0.010967
Kemeny Young (n=5)	Ensemble	0.025922	0.012961	0.149551	0.013958	0.021934	0.007976	0.020937	0.000997	0.124626	0.018943	0.018943	0.013958
Kemeny Young (n=6)	Ensemble	0.014955	0.002991	0.10668	0.03988	0.005982	0.007976	0.018943	0.006979	0.12662	0.023928	0.011964	0.00997
Kemeny Young (n=7)	Ensemble	0.005982	0.002991	0.101695	0.036889	0.000997	0.001994	0.020937	0	0.12662	0.022931	0.011964	0.002991
Kemeny Young (n=8)	Ensemble	0.007976	0.001994	0.090728	0.045862	0.011964	0.011964	0.017946	0.005982	0.125623	0.025922	0.013958	0.000997
RRF (n=2)	Ensemble	0.119641	0.098704	0.206381	0.061815	0.047856	0.041874	0.020937	0.001994	0.115653	0.017946	0.008973	0.004985
RRF (n=3)	Ensemble	0.085743	0.060818	0.18345	0.047856	0.008973	0.015952	0.013958	0.000997	0.120638	0.020937	0.005982	0
RRF (n=4)	Ensemble	0.003988	0.014955	0.121635	0.01994	0.001994	0.002991	0.011964	0	0.120638	0.022931	0.003988	0.000997
RRF (n=5)	Ensemble	0.00997	0.037886	0.095713	0.03988	0.006979	0.005982	0.024925	0.001994	0.120638	0.014955	0.00997	0.000997
RRF (n=6)	Ensemble	0.016949	0.03988	0.093719	0.04985	0.007976	0.011964	0.024925	0.003988	0.124626	0.023928	0.008973	0.006979
RRF (n=7)	Ensemble	0.000997	0.020937	0.084746	0.048853	0.007976	0.002991	0.01994	0	0.123629	0.01994	0.010967	0.005982
RRF (n=8)	Ensemble	0.00997	0.014955	0.082752	0.040877	0.00997	0.016949	0.014955	0.000997	0.119641	0.01994	0.010967	0.001994
Schulze (n=2)	Ensemble	0.129611	0.103689	0.225324	0.069791	0.042871	0.038883	0.012961	0.004985	0.109671	0.001994	0.007976	0.008973
Schulze (n=3)	Ensemble	0.092722	0.077767	0.2333	0.085743	0.023928	0.027916	0.00997	0.003988	0.112662	0.008973	0.010967	0.002991
Schulze (n=4)	Ensemble	0.120638	0.164506	0.1665	0.026919	0.017946	0.018943	0.016949	0.002991	0.125623	0.018943	0.005982	0.004985
Schulze (n=5)	Ensemble	0	0.006979	0.074776	0.045862	0.016949	0.015952	0.015952	0.006979	0.122632	0.018943	0.012961	0.002991
Schulze (n=6)	Ensemble	0.020937	0.02991	0.08674	0.032901	0.002991	0.004985	0.012961	0.003988	0.125623	0.025922	0.008973	0.004985
Schulze (n=7)	Ensemble	0.004985	0.010967	0.080758	0.045862	0.015952	0.017946	0.010967	0.000997	0.118644	0.021934	0.010967	0.005982
Schulze (n=8)	Ensemble	0.002991	0.000997	0.065803	0.059821	0.004985	0.016949	0.014955	0	0.124626	0.027916	0.012961	0.002991
Norm Ensemble (n=2)	Ensemble	0.095713	0.058824	0.238285	0.088734	0.031904	0.001994	0.012961	0.013958	0.115653	0.024925	0.000997	0.012961
Norm Ensemble (n=3)	Ensemble	0.105683	0.079761	0.200399	0.0668	0.020937	0.004985	0.014955	0.00997	0.114656	0.025922	0.015952	0.026919
Norm Ensemble (n=4)	Ensemble	0.102692	0.108674	0.182453	0.05683	0.017946	0.017946	0.020937	0.02991	0.117647	0.01994	0.003988	0.006979
Norm Ensemble (n=5)	Ensemble	0.083749	0.071785	0.150548	0	0.035892	0.021934	0.028913	0.028913	0.129611	0.018943	0.017946	0.002991
Norm Ensemble (n=6)	Ensemble	0.074776	0.084746	0.140578	0.011964	0.038883	0.046859	0.025922	0.022931	0.120638	0.015952	0.023928	0.025922
Norm Ensemble (n=7)	Ensemble	0.063809	0.050847	0.113659	0.017946	0.031904	0.046859	0.038883	0.030907	0.12662	0.022931	0.030907	0.031904
Norm Ensemble (n=8)	Ensemble	0.058824	0.031904	0.103689	0.033898	0.022931	0.01994	0.006979	0.004985	0.101695	0.001994	0	0
Deconvolution	Single	0.028913	0.034895	0.030907	0.129611	0.006979	0.007976	0.015952	0.001994	0.125623	0.036889	0.004985	0.004985
Deconvolution	Single	0.028913	0.034895	0.030907	0.129611	0.006979	0.007976	0.015952	0.001994	0.125623	0.036889	0.004985	0.004985
DeepLIFT SHAP	Single	0.003988	0.017946	0.032901	0.100698	0.001994	0.004985	0.010967	0.001994	0.114656	0.010967	0.003988	0.005982
Baselines Combined Zng	Single	0.003988	0.017946	0.032901	0.100698	0.001994	0.004985	0.010967	0.011964	0.114656	0.010967	0.003988	0.005982
DeepLIFT SHAP	Single	0.003988	0.017946	0.032901	0.100698	0.001994	0.004985	0.010967	0.011964	0.114656	0.010967	0.003988	0.005982
Baselines Combined Zng	Single	0.003988	0.017946	0.032901	0.100698	0.001994	0.004985	0.010967	0.011964	0.114656	0.010967	0.003988	0.005982
DeepLIFT SHAP	Single	0.003988	0.017946	0.032901	0.100698	0.001994	0.004985	0.010967	0.011964	0.114656	0.010967	0.003988	0.005982
Baselines Combined Zng	Single	0.025922	0.002991	0.131605	0.004985	0.014955	0.020937	0.013958	0.004985	0.113659	0.017946	0.000997	0.002991
DeepLIFT Baselines	Single	0.025922	0.002991	0.131605	0.004985	0.014955	0.020937	0.013958	0.004985	0.113659	0.017946	0.000997	0.002991
Global Mean	Single	0.025922	0.002991	0.131605	0.004985	0.014955	0.020937	0.013958	0.004985	0.113659	0.017946	0.000997	0.002991
FeatureAblation Patch	Single	0.062812	0.037886	0.214357	0.05683	0.022931	0.012961	0.001994	0.006979	0.12662	0.053838	0.001994	0.002991
Size 14	Single	0.062812	0.037886	0.214357	0.05683	0.022931	0.012961	0.001994	0.006979	0.12662	0.053838	0.001994	0.002991
FeatureAblation Patch	Single	0.005982	0.004985	0.037886	0.082752	0.014955	0.008973	0.021934	0.001994	0.117647	0.018943	0.013958	0.000997
Size 14	Single	0.005982	0.004985	0.037886	0.082752	0.014955	0.008973	0.021934	0.001994	0.117647	0.018943	0.013958	0.000997
GradientShap Baselines	Single	0.005982	0.004985	0.037886	0.082752	0.014955	0.008973	0.021934	0.001994	0.117647	0.018943	0.013958	0.000997
Combined Zng N	Single	0.017946	0.00997	0.060818	0.079761	0.018943	0.012961	0.014955	0.00997	0.119641	0.020937	0.008973	0.001994
Samples 20	Single	0.017946	0.00997	0.060818	0.079761	0.018943	0.012961	0.014955	0.00997	0.119641	0.020937	0.008973	0.001994
GradientShap Baselines	Single	0.017946	0.00997	0.060818	0.079761	0.018943	0.012961	0.014955	0.00997	0.119641	0.020937	0.008973	0.001994
Combined Zng N	Single	0.017946	0.00997	0.060818	0.079761	0.018943	0.012961	0.014955	0.00997	0.119641	0.020937	0.008973	0.001994
Samples 40	Single	0.017946	0.00997	0.060818	0.079761	0.018943	0.012961	0.014955	0.00997	0.119641	0.020937	0.008973	0.001994
GradientShap Baselines	Single	0.050847	0.03988	0.236291	0.165503	0.024925	0.014955	0.020937	0	0.118644	0.028913	0.007976	0.000997
Combined Zng N	Single	0.050847	0.03988	0.236291	0.165503	0.024925	0.014955	0.020937	0	0.118644	0.028913	0.007976	0.000997
Samples 40	Single	0.03988	0.025922	0.122632	0.016949	0.024925	0.017946	0.018943	0.002991	0.120638	0.006979	0.00997	0.005982
GuidedBackprop	Single	0.03988	0.025922	0.122632	0.016949	0.024925	0.017946	0.018943	0.002991	0.120638	0.006979	0.00997	0.005982
InputXGradient	Single	0.03988	0.025922	0.122632	0.016949	0.024925	0.017946	0.018943	0.002991	0.120638	0.006979	0.00997	0.005982
IntegratedGradients	Single	0.014955	0.012961	0.072782	0.057827	0.017946	0.013958	0.020937	0.017946	0.118644	0.001994	0.008973	0
Baselines Zero N Steps	Single	0.014955	0.012961	0.072782	0.057827	0.017946	0.013958	0.020937	0.017946	0.118644	0.001994	0.008973	0
200	Single	0.014955	0.012961	0.072782	0.057827	0.017946	0.013958	0.020937	0.017946	0.118644	0.001994	0.008973	0
IntegratedGradients	Single	0.014955	0.014955	0.068794	0.060818	0.013958	0.013958	0.024925	0.016949	0.121635	0.001994	0.010967	0.000997
Baselines Zero N Steps	Single	0.014955	0.014955	0.068794	0.060818	0.013958	0.013958	0.024925	0.016949	0.121635	0.001994	0.010967	0.000997
200	Single	0.014955	0.014955	0.068794	0.060818	0.013958	0.013958	0.024925	0.016949	0.121635	0.001994	0.010967	0.000997
IntegratedGradients	Single	0.014955	0.014955	0.068794	0.060818	0.013958	0.013958	0.024925	0.016949	0.121635	0.001994	0.010967	0.000997
Baselines Zero N Steps	Single	0.014955	0.014955	0.068794	0.060818	0.013958	0.013958	0.024925	0.016949	0.121635	0.001994	0.010967	0.000997
200	Single	0.014955	0.014955	0.068794	0.0608								

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 14	Single	0.119641	0.095713	0.214357	0.081755	0.040877	0.027916	0.020937	0.002991	0.110668	0.014955	0.011964	0.002991
Occlusion Baselines Global Mean Patch Size 14	Single	0.119641	0.095713	0.214357	0.081755	0.040877	0.027916	0.020937	0.002991	0.110668	0.014955	0.011964	0.002991
Saliency	Single	0.031904	0.031904	0.097707	0.000997	0.011964	0.01994	0.011964	0.015952	0.112662	0.006979	0.007976	0.011964
Saliency	Single	0.031904	0.031904	0.097707	0.000997	0.011964	0.01994	0.011964	0.015952	0.112662	0.006979	0.007976	0.011964

Table 332: DermaMNIST-ResNet-18

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.652044	0.767697	0.733799	0.991027
Borda (n=3)	Ensemble	0.631107	0.731805	0.731805	0.993021
Borda (n=4)	Ensemble	0.623131	0.720837	0.731805	0.994018
Borda (n=5)	Ensemble	0.622134	0.729811	0.733799	0.991027
Borda (n=6)	Ensemble	0.623131	0.741775	0.734796	0.993021
Borda (n=7)	Ensemble	0.633101	0.749751	0.733799	0.993021
Borda (n=8)	Ensemble	0.644068	0.764706	0.732802	0.993021
Kemeny Young (n=2)	Ensemble	0.652044	0.767697	0.733799	0.991027
Kemeny Young (n=3)	Ensemble	0.631107	0.731805	0.731805	0.993021
Kemeny Young (n=4)	Ensemble	0.623131	0.720837	0.731805	0.994018
Kemeny Young (n=5)	Ensemble	0.622134	0.729811	0.733799	0.991027
Kemeny Young (n=6)	Ensemble	0.623131	0.741775	0.734796	0.993021
Kemeny Young (n=7)	Ensemble	0.633101	0.749751	0.733799	0.993021
Kemeny Young (n=8)	Ensemble	0.644068	0.764706	0.732802	0.993021
RRF (n=2)	Ensemble	0.645065	0.761715	0.732802	0.996012
RRF (n=3)	Ensemble	0.628116	0.723829	0.732802	0.993021
RRF (n=4)	Ensemble	0.619143	0.741775	0.733799	0.996012
RRF (n=5)	Ensemble	0.628116	0.757727	0.732802	0.997009
RRF (n=6)	Ensemble	0.634098	0.765703	0.732802	0.996012
RRF (n=7)	Ensemble	0.636092	0.774676	0.731805	0.995015
RRF (n=8)	Ensemble	0.642074	0.787637	0.731805	0.998006
Schulze (n=2)	Ensemble	0.649053	0.765703	0.731805	0.992024
Schulze (n=3)	Ensemble	0.63011	0.73679	0.732802	0.991027
Schulze (n=4)	Ensemble	0.628116	0.75673	0.733799	0.992024
Schulze (n=5)	Ensemble	0.65005	0.822532	0.733799	0.994018
Schulze (n=6)	Ensemble	0.656032	0.811565	0.730808	0.995015
Schulze (n=7)	Ensemble	0.667996	0.82652	0.732802	0.992024
Schulze (n=8)	Ensemble	0.668993	0.815553	0.730808	0.995015
Norm Ensemble (n=2)	Ensemble	0.657029	0.784646	0.724826	0.974078
Norm Ensemble (n=3)	Ensemble	0.667996	0.794616	0.725823	0.98006
Norm Ensemble (n=4)	Ensemble	0.661017	0.800598	0.730808	0.982054
Norm Ensemble (n=5)	Ensemble	0.664008	0.818544	0.731805	0.988036
Norm Ensemble (n=6)	Ensemble	0.666002	0.820538	0.732802	0.989033
Norm Ensemble (n=7)	Ensemble	0.666999	0.837488	0.730808	0.989033
Norm Ensemble (n=8)	Ensemble	0.680957	0.849452	0.730808	0.987039
Deconvolution	Single	0.682951	0.864407	0.73679	0.99003
DeepLIFT SHAP	Single	0.697906	0.858425	0.733799	0.992024
Baselines Combined Zng	Single	0.697906	0.858425	0.733799	0.992024
DeepLIFT SHAP	Single	0.697906	0.858425	0.733799	0.992024
Baselines Combined Zng	Single	0.697906	0.858425	0.733799	0.992024
DeepLIFT SHAP	Single	0.697906	0.858425	0.733799	0.992024
Baselines Combined Zng	Single	0.696909	0.882353	0.732802	0.996012
DeepLIFT Baselines	Single	0.696909	0.882353	0.732802	0.996012
Global Mean	Single	0.649053	0.791625	0.728814	0.988036
FeatureAblation Patch Size 14	Single	0.649053	0.791625	0.728814	0.988036
GradientShap Baselines Combined Zng N Samples 20	Single	0.690927	0.865404	0.732802	0.994018
GradientShap Baselines Combined Zng N Samples 20	Single	0.690927	0.865404	0.732802	0.994018
GradientShap Baselines Combined Zng N Samples 40	Single	0.68993	0.847458	0.732802	0.994018
GradientShap Baselines Combined Zng N Samples 40	Single	0.68993	0.847458	0.732802	0.994018
GuidedBackprop	Single	0.729811	0.865404	0.73679	0.992024
GuidedBackprop	Single	0.729811	0.865404	0.73679	0.992024
InputXGradient	Single	0.692921	0.885344	0.730808	0.994018
InputXGradient	Single	0.692921	0.885344	0.730808	0.994018
IntegratedGradients	Single	0.691924	0.877368	0.734796	0.992024
Baselines Zero N Steps 200	Single	0.691924	0.877368	0.734796	0.992024
IntegratedGradients	Single	0.691924	0.877368	0.734796	0.991027
Baselines Zero N Steps 50	Single	0.691924	0.877368	0.734796	0.991027
IntegratedGradients	Single	0.691924	0.877368	0.734796	0.991027
Baselines Zero N Steps 50	Single	0.691924	0.877368	0.734796	0.991027
Occlusion Baselines	Single	0.654038	0.783649	0.729811	0.981057
Global Mean Patch Size 14	Single	0.654038	0.783649	0.729811	0.981057

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.654038	0.783649	0.729811	0.981057
Global Mean Patch Size 14					
Saliency	Single	0.704885	0.908275	0.732802	0.994018
Saliency	Single	0.704885	0.908275	0.732802	0.994018

Table 333: DermaMNIST–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Salt Speckle Std 0.15	ConsRob Replace Top Salt Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.034895	0.002991	0.145563	0.011964	0.012961	0.000997	0.013958	0.003988	0.110668	0.000997	0.005982	0.005982
Borda (n=3)	Ensemble	0.011964	0.047856	0.10668	0.051844	0	0.035892	0.011964	0.000997	0.111665	0.002991	0.004985	0.004985
Borda (n=4)	Ensemble	0.006979	0.061815	0.090728	0.077767	0.005982	0.054835	0.012961	0.000997	0.108674	0.001994	0.005982	0.003988
Borda (n=5)	Ensemble	0.003988	0.052841	0.082752	0.070788	0.018943	0.044865	0.014955	0.002991	0.112662	0	0.007976	0.006979
Borda (n=6)	Ensemble	0.001994	0.04985	0.083749	0.057827	0.015952	0.037886	0.015952	0.000997	0.112662	0	0.007976	0.003988
Borda (n=7)	Ensemble	0.007976	0.044865	0.090728	0.052841	0.002991	0.025922	0.014955	0.000997	0.112662	0.000997	0.006979	0.003988
Borda (n=8)	Ensemble	0.012961	0.032901	0.099701	0.03988	0.00997	0.012961	0.013958	0.000997	0.110668	0	0.006979	0.004985
Kemeny Young (n=2)	Ensemble	0.034895	0.002991	0.145563	0.011964	0.012961	0.000997	0.013958	0.003988	0.110668	0.000997	0.005982	0.005982
Kemeny Young (n=3)	Ensemble	0.011964	0.047856	0.10668	0.051844	0	0.035892	0.011964	0.000997	0.111665	0.002991	0.004985	0.004985
Kemeny Young (n=4)	Ensemble	0.006979	0.061815	0.090728	0.077767	0.005982	0.054835	0.012961	0.000997	0.108674	0.001994	0.005982	0.003988
Kemeny Young (n=5)	Ensemble	0.003988	0.052841	0.082752	0.070788	0.018943	0.044865	0.014955	0.002991	0.112662	0	0.007976	0.006979
Kemeny Young (n=6)	Ensemble	0.001994	0.04985	0.083749	0.057827	0.015952	0.037886	0.015952	0.000997	0.112662	0	0.007976	0.003988
Kemeny Young (n=7)	Ensemble	0.007976	0.044865	0.090728	0.052841	0.002991	0.025922	0.014955	0.000997	0.112662	0.000997	0.006979	0.003988
Kemeny Young (n=8)	Ensemble	0.012961	0.032901	0.099701	0.03988	0.00997	0.012961	0.013958	0.000997	0.110668	0	0.006979	0.004985
RRF (n=2)	Ensemble	0.025922	0.005982	0.144566	0.012961	0.012961	0.000997	0.012961	0.006979	0.111665	0.006979	0.005982	0.003988
RRF (n=3)	Ensemble	0.011964	0.061815	0.118644	0.024925	0.018943	0.000997	0.016949	0.003988	0.111665	0.000997	0.007976	0.000997
RRF (n=4)	Ensemble	0.004985	0.045862	0.081755	0.02991	0.014955	0.004985	0.013958	0.006979	0.113659	0.002991	0.008973	0.000997
RRF (n=5)	Ensemble	0.001994	0.046859	0.078764	0.038883	0.011964	0.002991	0.013958	0.006979	0.115653	0.002991	0.007976	0.000997
RRF (n=6)	Ensemble	0.001994	0.044865	0.083749	0.038883	0.007976	0.000997	0.011964	0.001994	0.115653	0.001994	0.007976	0
RRF (n=7)	Ensemble	0.016949	0.020937	0.078764	0.030907	0.004985	0.002991	0.010967	0.000997	0.113659	0.001994	0.006979	0.000997
RRF (n=8)	Ensemble	0.015952	0.008973	0.082752	0.01994	0.003988	0.012961	0.010967	0.003988	0.112662	0.003988	0.006979	0.001994
Schulze (n=2)	Ensemble	0.032901	0.006979	0.137587	0.007976	0.00997	0.002991	0.016949	0.001994	0.113659	0.000997	0.004985	0.000997
Schulze (n=3)	Ensemble	0.008973	0.052841	0.115653	0.018943	0.01994	0.004985	0.012961	0.003988	0.113659	0.001994	0.007976	0.002991
Schulze (n=4)	Ensemble	0.021934	0.102692	0.097707	0.015952	0.011964	0.001994	0.014955	0.000997	0.115653	0	0.007976	0.004985
Schulze (n=5)	Ensemble	0.00997	0.018943	0.089731	0.021934	0.005982	0.016949	0.013958	0	0.114656	0.000997	0.007976	0.003988
Schulze (n=6)	Ensemble	0.011964	0.025922	0.097707	0.00997	0.018943	0.010967	0.013958	0.001994	0.110668	0	0.002991	0.000997
Schulze (n=7)	Ensemble	0.023928	0.004985	0.09671	0.007976	0.013958	0.002991	0.016949	0.002991	0.113659	0.003988	0.005982	0.004985
Schulze (n=8)	Ensemble	0.023928	0.00997	0.094716	0.020937	0.013958	0.002991	0.014955	0	0.111665	0.000997	0.003988	0.001994
Norm Ensemble (n=2)	Ensemble	0.040877	0.002991	0.135593	0.006979	0.007976	0.000997	0.016949	0.00997	0.10668	0.005982	0.010967	0.002991
Norm Ensemble (n=3)	Ensemble	0.042871	0	0.127617	0.013958	0.012961	0.003988	0.017946	0.004985	0.105683	0.00997	0.00997	0.004985
Norm Ensemble (n=4)	Ensemble	0.024925	0.014955	0.124626	0.002991	0.005982	0.002991	0.021934	0.000997	0.111665	0.006979	0.00997	0.007976
Norm Ensemble (n=5)	Ensemble	0.027916	0.005982	0.131605	0.000997	0.015952	0.016949	0.021934	0	0.111665	0.004985	0.007976	0.000997
Norm Ensemble (n=6)	Ensemble	0.025922	0.00997	0.117647	0.00997	0.017946	0.003988	0.023928	0.002991	0.112662	0.004985	0.011964	0
Norm Ensemble (n=7)	Ensemble	0.025922	0.000997	0.120638	0.001994	0.013958	0.006979	0.022931	0.002991	0.111665	0.004985	0.00997	0
Norm Ensemble (n=8)	Ensemble	0.038883	0.011964	0.121635	0.000997	0.012961	0.013958	0.018943	0.001994	0.111665	0.006979	0.00997	0.001994
Deconvolution	Single	0.000997	0.041874	0.062812	0.050847	0.00997	0.014955	0.017946	0.002991	0.113659	0	0.008973	0.004985
Deconvolution	Single	0.000997	0.041874	0.062812	0.050847	0.00997	0.014955	0.017946	0.002991	0.113659	0	0.008973	0.004985
DeepLIFT SHAP	Single	0.021934	0.000997	0.118644	0.000997	0.007976	0.000997	0.012961	0.001994	0.112662	0.000997	0.005982	0.003988
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.021934	0.000997	0.118644	0.000997	0.007976	0.000997	0.012961	0.001994	0.112662	0.000997	0.005982	0.003988
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.021934	0.000997	0.118644	0.000997	0.007976	0.000997	0.012961	0.001994	0.112662	0.000997	0.005982	0.003988
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.021934	0.000997	0.118644	0.000997	0.007976	0.000997	0.012961	0.001994	0.112662	0.000997	0.005982	0.003988
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.005982	0	0.119641	0.01994	0	0	0.014955	0.000997	0.110668	0.005982	0.005982	0.000997
Global Mean													
DeepLIFT Baselines	Single	0.005982	0	0.119641	0.01994	0	0	0.014955	0.000997	0.110668	0.005982	0.005982	0.000997
Global Mean													
FeatureAblation Patch	Single	0.024925	0.008973	0.104686	0.030907	0.022931	0.015952	0.016949	0.003988	0.107677	0.011964	0.007976	0.003988
Size 14													
FeatureAblation Patch	Single	0.024925	0.008973	0.104686	0.030907	0.022931	0.015952	0.016949	0.003988	0.107677	0.011964	0.007976	0.003988
Size 14													
GradientShap Baselines	Single	0.035892	0.006979	0.113659	0.004985	0.001994	0.013958	0.013958	0.001994	0.111665	0.000997	0.005982	0.002991
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.035892	0.006979	0.113659	0.004985	0.001994	0.013958	0.013958	0.001994	0.111665	0.000997	0.005982	0.002991
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.038883	0.007976	0.105683	0.013958	0.004985	0.013958	0.014955	0.001994	0.112662	0.001994	0.005982	0.002991
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.038883	0.007976	0.105683	0.013958	0.004985	0.013958	0.014955	0.001994	0.112662	0.001994	0.005982	0.002991
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.017946	0.007976	0.141575	0.036889	0.002991	0.002991	0.015952	0.004985	0.115653	0.000997	0.010967	0.000997
GuidedBackprop	Single	0.017946	0.007976	0.141575	0.036889	0.002991	0.002991	0.015952	0.004985	0.115653	0.000997	0.010967	0.000997
InputXGradient	Single	0.018943	0.012961	0.100698	0.013958	0.011964	0.002991	0.013958	0.001994	0.111665	0.001994	0.001994	0.003988
InputXGradient	Single	0.018943	0.012961	0.100698	0.013958	0.011964	0.002991	0.013958	0.001994	0.111665	0.001994	0.001994	0.003988
IntegratedGradients	Single	0.024925	0.003988	0.117647	0.015952	0.017946	0.004985	0.016949	0.002991	0.114656	0.002991	0.008973	0.006979
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.024925	0.003988	0.117647	0.015952	0.017946	0.004985	0.016949	0.002991	0.114656	0.002991	0.008973	0.006979
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.025922	0.004985	0.117647	0.015952	0.01994	0.003988	0.016949	0.003988	0.114656	0.003988	0.008973	0.007976
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.025922	0.004985	0.117647	0.015952	0.01994	0.003988	0.016949	0.003988	0.114656	0.003988	0.008973	0.007976
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 14	Single	0.02991	0.005982	0.14656	0.037886	0.001994	0.016949	0.012961	0.005982	0.107677	0.001994	0.005982	0.006979
Occlusion Baselines Global Mean Patch Size 14	Single	0.02991	0.005982	0.14656	0.037886	0.001994	0.016949	0.012961	0.005982	0.107677	0.001994	0.005982	0.006979
Saliency	Single	0.016949	0.013958	0.10668	0.018943	0.010967	0	0.014955	0.001994	0.112662	0.002991	0.004985	0.000997
Saliency	Single	0.016949	0.013958	0.10668	0.018943	0.010967	0	0.014955	0.001994	0.112662	0.002991	0.004985	0.000997

2659

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.298106	0.343968	0.717846	0.940179
Borda (n=3)	Ensemble	0.321037	0.358923	0.710867	0.935194
Borda (n=4)	Ensemble	0.346959	0.391825	0.708873	0.930209
Borda (n=5)	Ensemble	0.360917	0.410768	0.70987	0.918245
Borda (n=6)	Ensemble	0.338983	0.381854	0.705882	0.917248
Borda (n=7)	Ensemble	0.372881	0.418744	0.705882	0.915254
Borda (n=8)	Ensemble	0.382851	0.443669	0.70987	0.91326
Kemeny Young (n=2)	Ensemble	0.298106	0.343968	0.717846	0.940179
Kemeny Young (n=3)	Ensemble	0.321037	0.358923	0.710867	0.935194
Kemeny Young (n=4)	Ensemble	0.346959	0.391825	0.708873	0.930209
Kemeny Young (n=5)	Ensemble	0.360917	0.410768	0.70987	0.918245
Kemeny Young (n=6)	Ensemble	0.338983	0.381854	0.705882	0.917248
Kemeny Young (n=7)	Ensemble	0.372881	0.418744	0.705882	0.915254
Kemeny Young (n=8)	Ensemble	0.382851	0.443669	0.70987	0.91326
RRF (n=2)	Ensemble	0.292124	0.333001	0.707876	0.925224
RRF (n=3)	Ensemble	0.340977	0.381854	0.707876	0.925224
RRF (n=4)	Ensemble	0.350947	0.402792	0.706879	0.926221
RRF (n=5)	Ensemble	0.384845	0.435693	0.706879	0.9233
RRF (n=6)	Ensemble	0.398804	0.460618	0.703888	0.920239
RRF (n=7)	Ensemble	0.420738	0.488534	0.707876	0.920239
RRF (n=8)	Ensemble	0.430708	0.499501	0.707876	0.915254
Schulze (n=2)	Ensemble	0.319043	0.354935	0.71984	0.942173
Schulze (n=3)	Ensemble	0.331007	0.36989	0.715852	0.940179
Schulze (n=4)	Ensemble	0.336989	0.381854	0.702891	0.919242
Schulze (n=5)	Ensemble	0.469591	0.540379	0.706879	0.907278
Schulze (n=6)	Ensemble	0.429711	0.494516	0.702891	0.910269
Schulze (n=7)	Ensemble	0.441675	0.504487	0.708873	0.908275
Schulze (n=8)	Ensemble	0.464606	0.528415	0.698903	0.897308
Norm Ensemble (n=2)	Ensemble	0.472582	0.551346	0.630804	0.814556
Norm Ensemble (n=3)	Ensemble	0.481555	0.562313	0.620214	0.859422
Norm Ensemble (n=4)	Ensemble	0.467597	0.570289	0.675972	0.875374
Norm Ensemble (n=5)	Ensemble	0.457627	0.544367	0.67996	0.88335
Norm Ensemble (n=6)	Ensemble	0.462612	0.548355	0.683948	0.89332
Norm Ensemble (n=7)	Ensemble	0.473579	0.553334	0.687936	0.887338
Norm Ensemble (n=8)	Ensemble	0.477567	0.559322	0.677966	0.871386
Deconvolution	Single	0.448654	0.494516	0.688933	0.877368
Deconvolution	Single	0.448654	0.494516	0.688933	0.877368
DeepLIFT SHAP	Single	0.510469	0.594217	0.693918	0.887338
Baselines Combined Zng	Single	0.510469	0.594217	0.693918	0.887338
DeepLIFT SHAP	Single	0.510469	0.594217	0.693918	0.887338
Baselines Combined Zng	Single	0.510469	0.594217	0.693918	0.887338
DeepLIFT SHAP	Single	0.510469	0.594217	0.693918	0.887338
Baselines Combined Zng	Single	0.569292	0.652044	0.690927	0.904287
Global Mean	Single	0.569292	0.652044	0.690927	0.904287
DeepLIFT Baselines	Single	0.569292	0.652044	0.690927	0.904287
Global Mean	Single	0.569292	0.652044	0.690927	0.904287
FeatureAblation Patch Size 14	Single	0.448654	0.511466	0.707876	0.905284
FeatureAblation Patch Size 14	Single	0.448654	0.511466	0.707876	0.905284
GradientShap Baselines Combined Zng N Samples 20	Single	0.506481	0.590229	0.692921	0.890329
GradientShap Baselines Combined Zng N Samples 20	Single	0.506481	0.590229	0.692921	0.890329
GradientShap Baselines Combined Zng N Samples 40	Single	0.500499	0.581256	0.694915	0.886341
GradientShap Baselines Combined Zng N Samples 40	Single	0.500499	0.581256	0.694915	0.886341
GuidedBackup	Single	0.501496	0.556331	0.694915	0.895314
GuidedBackup	Single	0.501496	0.556331	0.694915	0.895314
InputXGradient	Single	0.557328	0.658026	0.67996	0.864407
InputXGradient	Single	0.557328	0.658026	0.67996	0.864407
IntegratedGradients Baselines Zero N Steps 200	Single	0.500499	0.581256	0.688993	0.849452
IntegratedGradients Baselines Zero N Steps 200	Single	0.500499	0.581256	0.688993	0.849452
IntegratedGradients Baselines Zero N Steps 50	Single	0.50349	0.582253	0.671984	0.849452
IntegratedGradients Baselines Zero N Steps 50	Single	0.50349	0.582253	0.671984	0.849452
Occlusion Baselines Global Mean Patch Size 14	Single	0.3001	0.33001	0.725823	0.957129

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.3001	0.33001	0.725823	0.957129
Global Mean Patch Size 14					
Saliency	Single	0.62014	0.752742	0.66002	0.837488
Saliency	Single	0.62014	0.752742	0.66002	0.837488

Table 335: DermaMNIST–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.101695	0.083749	0.154536	0.008973	0.037886	0.004895	0.012961	0.006979	0.118644	0.028913	0	0.005982
Borda (n=3)	Ensemble	0.113659	0.120638	0.169492	0.026919	0.026919	0.024925	0.005982	0.001994	0.118644	0.042871	0.003988	0.005982
Borda (n=4)	Ensemble	0.088734	0.08674	0.17348	0.037886	0.008973	0.007976	0.006979	0.00997	0.121635	0.045862	0.000997	0.001994
Borda (n=5)	Ensemble	0.055833	0.04985	0.139581	0.004985	0.003988	0.002991	0.007976	0.014955	0.12662	0.044865	0.003988	0.002991
Borda (n=6)	Ensemble	0.030907	0.043868	0.065803	0.074776	0.002991	0.003988	0.005982	0.011964	0.12662	0.054835	0	0.001994
Borda (n=7)	Ensemble	0.008973	0.015952	0.071785	0.074776	0.011964	0.00997	0.008973	0.013958	0.12662	0.060818	0	0.001994
Borda (n=8)	Ensemble	0.011964	0.005982	0.061815	0.064806	0.012961	0.011964	0.013958	0.00997	0.138584	0.05683	0.002991	0.004985
Kemeny Young (n=2)	Ensemble	0.101695	0.083749	0.154536	0.008973	0.037886	0.034895	0.012961	0.006979	0.118644	0.028913	0	0.005982
Kemeny Young (n=3)	Ensemble	0.113659	0.120638	0.169492	0.026919	0.026919	0.024925	0.005982	0.001994	0.118644	0.042871	0.003988	0.005982
Kemeny Young (n=4)	Ensemble	0.088734	0.08674	0.17348	0.037886	0.008973	0.007976	0.006979	0.00997	0.121635	0.045862	0.000997	0.001994
Kemeny Young (n=5)	Ensemble	0.055833	0.04985	0.139581	0.004985	0.003988	0.002991	0.007976	0.014955	0.12662	0.044865	0.003988	0.002991
Kemeny Young (n=6)	Ensemble	0.030907	0.043868	0.065803	0.074776	0.002991	0.003988	0.005982	0.011964	0.12662	0.054835	0	0.001994
Kemeny Young (n=7)	Ensemble	0.008973	0.015952	0.071785	0.074776	0.011964	0.00997	0.008973	0.013958	0.12662	0.060818	0	0.001994
Kemeny Young (n=8)	Ensemble	0.011964	0.005982	0.061815	0.064806	0.012961	0.011964	0.013958	0.00997	0.138584	0.05683	0.002991	0.004985
RRF (n=2)	Ensemble	0.068794	0.059821	0.140578	0.015952	0.018943	0.014955	0.012961	0.012961	0.112662	0.006979	0.008973	0.023928
RRF (n=3)	Ensemble	0.07677	0.046859	0.169492	0.02991	0.014955	0.018943	0.006979	0.00997	0.124626	0.037886	0.001994	0.005982
RRF (n=4)	Ensemble	0.01994	0.002991	0.113659	0.015952	0.008973	0.012961	0.00997	0.011964	0.129611	0.045862	0.003988	0.006979
RRF (n=5)	Ensemble	0.012961	0.007976	0.101695	0.031904	0.013958	0.021934	0.00997	0.016949	0.12662	0.047856	0.000997	0.011964
RRF (n=6)	Ensemble	0	0.005982	0.095713	0.037886	0.016949	0.020937	0.007976	0.021934	0.123629	0.046859	0.002991	0.007976
RRF (n=7)	Ensemble	0.000997	0.001994	0.091725	0.035892	0.022931	0.020937	0.017946	0.027916	0.132602	0.046859	0.004985	0.010967
RRF (n=8)	Ensemble	0.012961	0.011964	0.085743	0.045862	0.014955	0.016949	0.016949	0.027916	0.129611	0.037886	0.002991	0.002991
Schulze (n=2)	Ensemble	0.119641	0.09671	0.171486	0.001994	0.045862	0.032901	0.014955	0.008973	0.10668	0.00997	0.010967	0.000997
Schulze (n=3)	Ensemble	0.100698	0.082752	0.182453	0.03988	0.027916	0.021934	0.010967	0.000997	0.110668	0.011964	0.002991	0.001994
Schulze (n=4)	Ensemble	0.131605	0.167498	0.150548	0.011964	0.034895	0.034895	0.006979	0.005982	0.130608	0.052841	0.001994	0.004985
Schulze (n=5)	Ensemble	0.010967	0.000997	0.078764	0.050847	0.027916	0.025922	0.006979	0.002991	0.134596	0.04985	0.003988	0.003988
Schulze (n=6)	Ensemble	0.020937	0.027916	0.089731	0.028913	0.002991	0.007976	0.006979	0.001994	0.141575	0.071785	0.001994	0.006979
Schulze (n=7)	Ensemble	0.004985	0.015952	0.087737	0.035892	0.007976	0.001994	0.013958	0.015952	0.143569	0.058824	0.00997	0.006979
Schulze (n=8)	Ensemble	0.000997	0.00997	0.087737	0.040877	0.004985	0.000997	0.010967	0	0.129611	0.053838	0.000997	0.002991
Norm Ensemble (n=2)	Ensemble	0.102692	0.093719	0.216351	0.084746	0.040877	0.026919	0.005982	0.016949	0.142572	0.052841	0.002991	0.016949
Norm Ensemble (n=3)	Ensemble	0.129611	0.124626	0.214357	0.084746	0.031904	0.017946	0.018943	0.026919	0.155533	0.07677	0.01994	0.032901
Norm Ensemble (n=4)	Ensemble	0.082752	0.097707	0.164506	0.063809	0.014955	0.024925	0.040877	0.058824	0.139581	0.051844	0.004985	0.000997
Norm Ensemble (n=5)	Ensemble	0.067797	0.064806	0.113659	0.002991	0.016949	0.003988	0.024925	0.045862	0.140578	0.055833	0.006979	0.001994
Norm Ensemble (n=6)	Ensemble	0.060818	0.052841	0.110668	0.015952	0.026919	0.025922	0.033898	0.047856	0.133599	0.052841	0.025922	0.030907
Norm Ensemble (n=7)	Ensemble	0.03988	0.03988	0.118644	0.016949	0.031904	0.031904	0.033898	0.038883	0.12662	0.03988	0.022931	0.027916
Norm Ensemble (n=8)	Ensemble	0.038883	0.030907	0.118644	0.014955	0.022931	0.026919	0.018943	0.020937	0.112662	0.026919	0.012961	0.002991
Deconvolution	Single	0.036889	0.035892	0.045862	0.161515	0.001994	0.004985	0.028913	0.022931	0.148554	0.087737	0.00997	0.006979
Deconvolution	Single	0.036889	0.035892	0.045862	0.161515	0.001994	0.004985	0.028913	0.022931	0.148554	0.087737	0.00997	0.006979
DeepLIFT SHAP	Single	0.007976	0.008973	0.036889	0.074776	0.006979	0.007976	0.016949	0.002991	0.139581	0.063809	0.012961	0.006979
Baselines Combined Zng	Single	0.007976	0.008973	0.036889	0.074776	0.006979	0.007976	0.016949	0.002991	0.139581	0.063809	0.012961	0.006979
DeepLIFT SHAP	Single	0.007976	0.008973	0.036889	0.074776	0.006979	0.007976	0.016949	0.002991	0.139581	0.063809	0.012961	0.006979
Baselines Combined Zng	Single	0.007976	0.008973	0.036889	0.074776	0.006979	0.007976	0.016949	0.002991	0.139581	0.063809	0.012961	0.006979
DeepLIFT SHAP	Single	0.007976	0.008973	0.036889	0.074776	0.006979	0.007976	0.016949	0.002991	0.139581	0.063809	0.012961	0.006979
Baselines Combined Zng	Single	0.026919	0.003988	0.177468	0.052841	0.024925	0.00997	0.011964	0.011964	0.112662	0.03988	0	0.004985
Global Mean	Single	0.026919	0.003988	0.177468	0.052841	0.024925	0.00997	0.011964	0.011964	0.112662	0.03988	0	0.004985
FeatureAblation Patch Size 14	Single	0.081755	0.068794	0.231306	0.069791	0.027916	0.017946	0.017946	0.014955	0.152542	0.084746	0.015952	0.006979
FeatureAblation Patch Size 14	Single	0.081755	0.068794	0.231306	0.069791	0.027916	0.017946	0.017946	0.014955	0.152542	0.084746	0.015952	0.006979
GradientShap Baselines Combined Zng N Samples 20	Single	0.003988	0.00997	0.065803	0.058824	0.003988	0.017946	0.022931	0.017946	0.144566	0.067797	0.010967	0.007976
GradientShap Baselines Combined Zng N Samples 20	Single	0.003988	0.00997	0.065803	0.058824	0.003988	0.017946	0.022931	0.017946	0.144566	0.067797	0.010967	0.007976
GradientShap Baselines Combined Zng N Samples 20	Single	0.007976	0.012961	0.051844	0.075773	0.000997	0.005982	0.023928	0.011964	0.140578	0.051844	0.015952	0.007976
GradientShap Baselines Combined Zng N Samples 40	Single	0.007976	0.012961	0.051844	0.075773	0.000997	0.005982	0.023928	0.011964	0.140578	0.051844	0.015952	0.007976
GradientShap Baselines Combined Zng N Samples 40	Single	0.007976	0.012961	0.051844	0.075773	0.000997	0.005982	0.023928	0.011964	0.140578	0.051844	0.015952	0.007976
GuidedBackprop	Single	0.071785	0.053838	0.211366	0.137587	0.015952	0.018943	0.016949	0.006979	0.134596	0.054835	0.006979	0.000997
GuidedBackprop	Single	0.071785	0.053838	0.211366	0.137587	0.015952	0.018943	0.016949	0.006979	0.134596	0.054835	0.006979	0.000997
InputXGradient	Single	0.048853	0.042871	0.119641	0.000997	0.025922	0.032901	0.008973	0.003988	0.122632	0.035892	0.004985	0.006979
InputXGradient	Single	0.048853	0.042871	0.119641	0.000997	0.025922	0.032901	0.008973	0.003988	0.122632	0.035892	0.004985	0.006979
IntegratedGradients	Single	0.01994	0.00997	0.07677	0.048853	0.020937	0.017946	0.007976	0.004985	0.114656	0.026919	0.006979	0.021934
Baselines Zero N Steps 200	Single	0.01994	0.00997	0.07677	0.048853	0.020937	0.017946	0.007976	0.004985	0.114656	0.026919	0.006979	0.021934
IntegratedGradients	Single	0.01994	0.00997	0.07677	0.048853	0.020937	0.017946	0.007976	0.004985	0.114656	0.026919	0.006979	0.021934
Baselines Zero N Steps 200	Single	0.01994	0.005982	0.077767	0.046859	0.027916	0.015952	0.00997	0.000997	0.117647	0.028913	0.003988	0.01994
IntegratedGradients	Single	0.01994	0.005982	0.077767	0.046859	0.027916	0.015952	0.00997	0.000997	0.117647	0.028913	0.003988	0.01994
Baselines Zero N Steps 50	Single	0.01994	0.005982	0.077767	0.046859	0.027916	0.015952	0.00997	0.000997	0.117647	0.028913	0.003988	0.01994
IntegratedGradients	Single	0.01994	0.005982	0.077767	0.046859	0.027916	0.015952	0.00997	0.000997	0.117647	0.028913	0.003988	0.01994
Baselines Zero N Steps 50	Single	0.01994	0.005982	0.077767	0.046859	0.027916	0.015952	0.00997	0.000997	0.117647	0.028913	0.003988	0.01994

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 14	Single	0.074776	0.053838	0.152542	0.011964	0.028913	0.016949	0.018943	0.004985	0.120638	0.034895	0.005982	0.002991
Occlusion Baselines Global Mean Patch Size 14	Single	0.074776	0.053838	0.152542	0.011964	0.028913	0.016949	0.018943	0.004985	0.120638	0.034895	0.005982	0.002991
Saliency	Single	0.058824	0.069791	0.129611	0.025922	0.031904	0.035892	0.000997	0.025922	0.10668	0.021934	0.006979	0.021934
Saliency	Single	0.058824	0.069791	0.129611	0.025922	0.031904	0.035892	0.000997	0.025922	0.10668	0.021934	0.006979	0.021934

Table 336: DermaMNIST–ResNet-18

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
DermaMNIST	ResNet-18	Saliency	1		1			
DermaMNIST	ResNet-18	InputXGradient	1		1			
DermaMNIST	ResNet-18	IntegratedGradients	1	true	1	1	0.038025	1.2722e+09
DermaMNIST	ResNet-18	GuidedBackprop	1		1			
DermaMNIST	ResNet-18	Deconvolution	1		1			
DermaMNIST	ResNet-18	FeatureAblation	1	true	1			
DermaMNIST	ResNet-18	Occlusion	1	true	1			
DermaMNIST	ResNet-18	DeepLift	1		1			
DermaMNIST	ResNet-18	GradientShap	1	true	1			
DermaMNIST	ResNet-18	DeepLiftShap	1	true	1	1	0.016703	4.4585e+08
DermaMNIST	ResNet-18	LRP	1	true	1			

Table 337: DermaMNIST–ResNet-18

Dataset	Model	Architecture	Split	Method	Sample Count	F	F	C	C	R_F^p	R_F^p	R_U^p	R_C^p	R_F^p	R_F^p	R_U^p	R_C^p
DermaMNIST	ResNet-18	CNN	Test	Best Individual	2005	0.076808	0.298254	0.314713	0.662344	0.000499	0.282294	0.046883	0.034414	0.000499	0.330673	0.072818	0.022444
DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	2005	0.059352	0.38005	0.281297	0.73217	0.018953	0.352618	0.164589	0.110723	0.000998	0.371072	0.187032	0.096259
DermaMNIST	ResNet-18	CNN	Test	Borda	2005	0.051372	0.357107	0.267332	0.722693	0.026434	0.398504	0.148628	0.061347	0.006484	0.447382	0.173566	0.013965
DermaMNIST	ResNet-18	CNN	Test	Kemeny	2005	0.053367	0.348628	0.275312	0.718204	0.022444	0.414963	0.155611	0.052868	0.002494	0.44389	0.182045	0.005486
DermaMNIST	ResNet-18	CNN	Test	RRF	2005	0.054863	0.354115	0.275312	0.717207	0.021945	0.403491	0.155611	0.062843	0.001496	0.446384	0.181047	0.014963
DermaMNIST	ResNet-18	CNN	Test	Schulze	2005	0.054364	0.351621	0.269825	0.717706	0.02394	0.408978	0.149626	0.061845	0.000998	0.462344	0.177057	0.01197

Table 338: DermaMNIST–ResNet-18

Dataset	Model	Architecture	Split	Method	R'_p	R'_s	R'_c	R''_p	R''_s	R''_c	R'''_p	R'''_s	Selected Sources
DermaMNIST	ResNet-18	CNN	Test	Best Individual	0.146633	0.138653	0.0399	0.00798	0.016958	0.025436	0.15212	0.025935	71be97485badf7c07dda 026914f9ea2a53b3385c a939e5aaa4e748c5fb75 4d55
DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	0.231421	0.251372	0.094763	0.004988	0.040898	0.129676	0.217955	0.110224	
DermaMNIST	ResNet-18	CNN	Test	Borda	0.200998	0.316708	0.077805	0.034913	0.037406	0.066833	0.224938	0.076808	
DermaMNIST	ResNet-18	CNN	Test	Kemeny	0.188529	0.307731	0.057855	0.038903	0.042893	0.064339	0.229426	0.077805	
DermaMNIST	ResNet-18	CNN	Test	RRF	0.187032	0.329676	0.059352	0.039401	0.041397	0.069825	0.226933	0.078803	
DermaMNIST	ResNet-18	CNN	Test	Schulze	0.186035	0.318703	0.062344	0.032918	0.041895	0.068828	0.218953	0.0798	

Table 339: DermaMNIST–ResNet-18

Dataset	Model	Architecture	Split	Method	Sample Count	F	F	C	C	R_F^p	R_F^p	R_U^p	R_C^p	R_F^p	R_F^p	R_U^p	R_C^p
DermaMNIST	ResNet-18	CNN	Test	Best Individual	2005	0.076808	0.298254	0.314713	0.662344	0.000499	0.282294	0.046883	0.034414	0.000499	0.330673	0.072818	0.022444
DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	2005	0.059352	0.38005	0.281297	0.73217	0.018953	0.352618	0.164589	0.110723	0.000998	0.371072	0.187032	0.096259
DermaMNIST	ResNet-18	CNN	Test	Borda	2005	0.051372	0.357107	0.267332	0.722693	0.026434	0.398504	0.148628	0.061347	0.006484	0.447382	0.173566	0.013965
DermaMNIST	ResNet-18	CNN	Test	Kemeny	2005	0.053367	0.348628	0.275312	0.718204	0.022444	0.414963	0.155611	0.052868	0.002494	0.44389	0.182045	0.005486
DermaMNIST	ResNet-18	CNN	Test	RRF	2005	0.054863	0.354115	0.275312	0.717207	0.021945	0.403491	0.155611	0.062843	0.001496	0.446384	0.181047	0.014963
DermaMNIST	ResNet-18	CNN	Test	Schulze	2005	0.054364	0.351621	0.269825	0.717706	0.02394	0.408978	0.149626	0.061845	0.000998	0.462344	0.177057	0.01197

Table 340: DermaMNIST–ResNet-18

Dataset	Model	Architecture	Split	Method	R'_p	R'_s	R'_c	R''_c	R''_p	R''_s	R''_c	R''_p	Selected Sources
DermaMNIST	ResNet-18	CNN	Test	Best Individual	0.146633	0.138653	0.0399	0.00798	0.016958	0.025436	0.15212	0.025935	71be97485badf7c07dda 026914f9ea2a53b3385c a939e5aaa4e748c5fb75 4d55
DermaMNIST	ResNet-18	CNN	Test	Simple Averaging	0.231421	0.251372	0.094763	0.004988	0.040898	0.129676	0.217955	0.110224	
DermaMNIST	ResNet-18	CNN	Test	Borda	0.200998	0.316708	0.077805	0.034913	0.037406	0.066833	0.224938	0.076808	
DermaMNIST	ResNet-18	CNN	Test	Kemeny	0.188529	0.307731	0.057855	0.038903	0.042893	0.064339	0.229426	0.077805	
DermaMNIST	ResNet-18	CNN	Test	RRF	0.187032	0.329676	0.059352	0.039401	0.041397	0.069825	0.226933	0.078803	
DermaMNIST	ResNet-18	CNN	Test	Schulze	0.186035	0.318703	0.062344	0.032918	0.041895	0.068828	0.218953	0.0798	

Table 341: DermaMNIST-ResNet-18

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
DermaMNIST	ResNet-18	Best Individual	Dataset Model	All	20	18						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	All	20	1	1	0	19			
DermaMNIST	ResNet-18	Borda	Dataset Model	All	20	0	1	0	19	11	0	9
DermaMNIST	ResNet-18	Kemeny	Dataset Model	All	20	1	1	0	19	10	0	10
DermaMNIST	ResNet-18	RRF	Dataset Model	All	20	0	1	0	19	10	0	10
DermaMNIST	ResNet-18	Schulze	Dataset Model	All	20	0	1	0	19	10	1	9
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Quality	4	4						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Quality	4	0	0	0	4			
DermaMNIST	ResNet-18	Borda	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Quality	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Robustness All	16	14						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Robustness All	16	1	1	0	15			
DermaMNIST	ResNet-18	Borda	Dataset Model	Robustness All	16	0	1	0	15	9	0	7
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Robustness All	16	1	1	0	15	8	0	8
DermaMNIST	ResNet-18	RRF	Dataset Model	Robustness All	16	0	1	0	15	8	0	8
DermaMNIST	ResNet-18	Schulze	Dataset Model	Robustness All	16	0	1	0	15	8	1	7
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Gaussian	4	4						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Gaussian	4	0	0	0	4			
DermaMNIST	ResNet-18	Borda	Dataset Model	Gaussian	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Gaussian	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Gaussian	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Gaussian	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Salt Pepper	4	3						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Salt Pepper	4	0	0	0	4			
DermaMNIST	ResNet-18	Borda	Dataset Model	Salt Pepper	4	0	1	0	3	2	0	2
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Salt Pepper	4	1	1	0	3	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Salt Pepper	4	0	1	0	3	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Salt Pepper	4	0	1	0	3	2	1	1
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Speckle	4	3						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Speckle	4	1	1	0	3			
DermaMNIST	ResNet-18	Borda	Dataset Model	Speckle	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Speckle	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Speckle	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Speckle	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Best Individual	Dataset Model	Adversarial	4	4						
DermaMNIST	ResNet-18	Simple Averaging	Dataset Model	Adversarial	4	0	0	0	4			
DermaMNIST	ResNet-18	Borda	Dataset Model	Adversarial	4	0	0	0	4	3	0	1
DermaMNIST	ResNet-18	Kemeny	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	RRF	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Schulze	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
DermaMNIST	ResNet-18	Best Individual	Overall	All	80	75						
DermaMNIST	ResNet-18	Simple Averaging	Overall	All	80	2	2	1	77			
DermaMNIST	ResNet-18	Borda	Overall	All	80	1	3	0	77	44	1	35
DermaMNIST	ResNet-18	Kemeny	Overall	All	80	1	1	0	79	41	4	35
DermaMNIST	ResNet-18	RRF	Overall	All	80	3	3	1	76	43	1	36
DermaMNIST	ResNet-18	Schulze	Overall	All	80	0	2	0	78	46	1	33
DermaMNIST	ResNet-18	Best Individual	Overall	Quality	16	15						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Quality	16	1	1	0	15			
DermaMNIST	ResNet-18	Borda	Overall	Quality	16	0	0	0	16	5	0	11
DermaMNIST	ResNet-18	Kemeny	Overall	Quality	16	0	0	0	16	4	1	11
DermaMNIST	ResNet-18	RRF	Overall	Quality	16	0	0	0	16	6	0	10
DermaMNIST	ResNet-18	Schulze	Overall	Quality	16	0	0	0	16	8	0	8
DermaMNIST	ResNet-18	Best Individual	Overall	Robustness All	64	60						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Robustness All	64	1	1	1	62			
DermaMNIST	ResNet-18	Borda	Overall	Robustness All	64	1	3	0	61	39	1	24
DermaMNIST	ResNet-18	Kemeny	Overall	Robustness All	64	1	1	0	63	37	3	24
DermaMNIST	ResNet-18	RRF	Overall	Robustness All	64	3	3	1	60	37	1	26
DermaMNIST	ResNet-18	Schulze	Overall	Robustness All	64	0	2	0	62	38	1	25
DermaMNIST	ResNet-18	Best Individual	Overall	Gaussian	16	15						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Gaussian	16	0	0	1	15			
DermaMNIST	ResNet-18	Borda	Overall	Gaussian	16	0	1	0	15	11	1	4
DermaMNIST	ResNet-18	Kemeny	Overall	Gaussian	16	0	0	0	16	9	1	6
DermaMNIST	ResNet-18	RRF	Overall	Gaussian	16	2	1	1	14	9	0	7
DermaMNIST	ResNet-18	Schulze	Overall	Gaussian	16	0	0	0	16	8	0	8
DermaMNIST	ResNet-18	Best Individual	Overall	Salt Pepper	16	15						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Salt Pepper	16	0	0	0	16			
DermaMNIST	ResNet-18	Borda	Overall	Salt Pepper	16	0	1	0	15	7	0	9
DermaMNIST	ResNet-18	Kemeny	Overall	Salt Pepper	16	1	1	0	15	6	2	8
DermaMNIST	ResNet-18	RRF	Overall	Salt Pepper	16	0	1	0	15	10	1	5
DermaMNIST	ResNet-18	Schulze	Overall	Salt Pepper	16	0	1	0	15	8	1	7
DermaMNIST	ResNet-18	Best Individual	Overall	Speckle	16	14						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Speckle	16	1	1	0	15			
DermaMNIST	ResNet-18	Borda	Overall	Speckle	16	1	1	0	15	12	0	4
DermaMNIST	ResNet-18	Kemeny	Overall	Speckle	16	0	0	0	16	12	0	4
DermaMNIST	ResNet-18	RRF	Overall	Speckle	16	1	1	0	15	10	0	6
DermaMNIST	ResNet-18	Schulze	Overall	Speckle	16	0	1	0	15	12	0	4
DermaMNIST	ResNet-18	Best Individual	Overall	Adversarial	16	16						
DermaMNIST	ResNet-18	Simple Averaging	Overall	Adversarial	16	0	0	0	16			
DermaMNIST	ResNet-18	Borda	Overall	Adversarial	16	0	0	0	16	9	0	7
DermaMNIST	ResNet-18	Kemeny	Overall	Adversarial	16	0	0	0	16	10	0	6
DermaMNIST	ResNet-18	RRF	Overall	Adversarial	16	0	0	0	16	8	0	8

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	0	0	16	10	0	6

Table 342: DermaMNIST-ResNet-18

Cell	Dataset	Model	q	Geometry	Center Rule	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Anchored Score	Theta	Mean Distance	Actual F	Q11 F	Gain Vs Q11	Fidelity Prefix Same q	Difference Vs Fidelity Prefix Same q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Spearman	borda	0	d0c36688556d95c48d6125f566d462e3212c17820e87caaec426126eca73a952	["Deconvolution Shap"]	0.053454	0.053152	3.296389	8.332918	0.05985	0.051372	0.008479	0.080798	-0.020948
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Spearman	borda	1	387c77b13949b9e07751dc7c211b8416ac05e2ba11506cd27267056a0b0faeeb	["Deconvolution Shap"]	0.053454	0.053152	3.120743	8.883957	0.05586	0.051372	0.004489	0.084788	-0.028928
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Spearman	borda	2	9d552256fd16da28df64cd5ce09a0f5130dbfec3ba7bfea4be1f6ac0ef1abfc	["Deconvolution Shap", "LRP"]	0.049055	0.060406	2.437402	11.151621	0.052369	0.051372	0.000998	0.065337	-0.012968
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Spearman	borda	3	c15b775a97f829378a3ab84b0194e494b8bf362f5c653458c037894cae9d1567	["Deconvolution Shap", "Integrated Gradients", "LRP"]	0.045493	0.037828	2.455564	11.089776	0.046883	0.051372	-0.004489	0.066334	-0.019451
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Spearman	borda	4	b13f3876429061011f746885203502caafaa79115d9bb7d4af156530968bb136a	["Deconvolution Shap", "DeepLift", "Integrated Gradients", "LRP"]	0.046715	0.055737	2.290844	11.651538	0.064339	0.051372	0.012968	0.054364	0.009975
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Spearman	borda	5	64f9a87b47eca8717d74b00aa3e9d16aa37cb9e489e3b1a79f4c5bf9db3ae2d	["Deconvolution Shap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]	0.045073	0.053654	2.232744	11.849804	0.054863	0.051372	0.003491	0.05586	-0.000998
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Spearman	borda	6	91780aa8c6fd36d94dcbb1942804b7fa6aac60c4425a9a715946f6683bf1bcc0b	["Deconvolution Shap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.044058	0.049329	2.252768	11.781484	0.048878	0.051372	-0.002494	0.058354	-0.009476
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Spearman	borda	7	3bf4c2653383ab0be8ae3a2376025673449a2a3b044850f874da7043947593c5	["Deconvolution Shap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.042081	0.047603	2.305862	11.600277	0.047382	0.051372	-0.00399	0.060349	-0.012968
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Spearman	borda	8	a1d7397afc20a747dc1a5b2b4ec939e7d6254e6fed929c3ad983622afb0b830	["Deconvolution Shap", "FeatureAbelation", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.043843	0.05173	2.268037	11.729377	0.05586	0.051372	0.004489	0.06384	-0.00798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Spearman	borda	9	56813d46a729e9d68a6771e77bded1ec9bb6619876c8ebbd03c0ad2d95482744	["Deconvolution Shap", "Occlusion", "FeatureAbelation", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.046683	0.055125	2.243222	11.814056	0.051372	0.051372	0	0.051372	0
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Spearman	borda	10	f155aed1755593c777643d435fdd91344d93c46392467550ab4421a0e772b71e	["Deconvolution Gradients"]	0.063955	0.049885	2.899539	9.6	0.046883	0.051372	-0.004489	0.080798	-0.033915
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Spearman	borda	11	d3915a0cbc79381bca0ff002a8f914ad1a86b67aeac6b264ea9022ed71cf2198	["Deconvolution Gradients"]	0.047883	0.041057	2.647299	10.440067	0.050873	0.051372	-0.000499	0.084788	-0.033915
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Spearman	borda	12	0a3b40b129c2c9f707ff1cd1aca25a84bf1c1811c7e9280b5b7b0b54bf3f2056	["Deconvolution prop", "Saliency", "Integrated Gradients"]	0.054229	0.058587	2.565778	10.715461	0.049875	0.051372	-0.001496	0.065337	-0.015461
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Spearman	borda	13	b2331145ef07b94ab5c243d9f059d1ceb1bbb08962c23ab29106d4c9092353fc	["Deconvolution prop", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.054372	0.046015	2.639474	10.466434	0.041895	0.051372	-0.009476	0.066334	-0.024439
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Spearman	borda	14	8fb5a518f2daa73f0dac27bce27059306fbde6837ab536187822d31ee4c0b45	["Deconvolution prop", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.054673	0.050515	2.594739	10.617456	0.050873	0.051372	-0.000499	0.054364	-0.003491
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Spearman	borda	15	b41d13d8751a19e3385d2fc11dc9547d34b05e9746de5f82ba5fcb72645a644d	["Deconvolution prop", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]	0.046673	0.057247	2.321495	11.546918	0.054364	0.051372	0.002993	0.05586	-0.001496
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Spearman	borda	16	2ff8428f9815b23ce0f9b08c39d612284297a76296d0a2068e26be94ed3012ca	["Deconvolution prop", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]	0.046643	0.051475	2.382787	11.337781	0.053367	0.051372	0.001995	0.058354	-0.004988
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Spearman	borda	17	237c06e72ea185fbc065957cb6eb47a0c72d482fc18ab01dccc271d65e6a2	["Deconvolution Shap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.045043	0.050465	2.358457	11.420781	0.044389	0.051372	-0.006983	0.060349	-0.01596
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Spearman	borda	18	04ff79342b289b58c68509520101c8ead73917fe8ca53bef489a90746bbe39	["Deconvolution Shap", "Occlusion", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.046233	0.051345	2.292178	11.646983	0.056858	0.051372	0.005486	0.06384	-0.006983

Cell	Dataset	Model	q	Geometry	Center Rule	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Anchored Score	Theta	Mean Distance	Actual F	Q11 F	Gain Vs Q11	Fidelity Prefix Same F	Difference Vs Fidelity Prefix Same q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Spearman	borda	19	206ca6282f94a4284b91d340fc127784a8c4abde9e9b4a00108a1e8f94c715ac	["DeepLiftShap", "Occlusion", "GradientShap", "Saliency", "LRP"]	0.046882	0.051869	3.86967	6.667332	0.053367	0.051372	0.001995	0.080798	-0.027431
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Spearman	borda	20	e6d7c3df8816916a119d2cf88e97b7cd94a96e8be4126e69c3eb34f99cda889d	["DeepLiftShap", "Occlusion", "GradientShap", "Integrated Gradients"]	0.044562	0.042592	3.495947	7.728678	0.04389	0.051372	-0.007481	0.084788	-0.040898
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Spearman	borda	21	bd730c4c09443a3ec1c1c63ff7d52c9e444d46a0ce0ac4811ac7312d0b654f3d	["Deconvolution", "DeepLiftShap", "Integrated Gradients"]	0.060747	0.041966	3.0947536	9.442768	0.057855	0.051372	0.006484	0.065337	-0.007481
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Spearman	borda	22	272d788de065709687c73e4cae3c63b4d7477c7091dc3d4c982c7c10b3c6d0bb	["Deconvolution", "Occlusion", "DeepLiftShap", "GradientShap", "Integrated Gradients"]	0.054774	0.04046749	2.580643	10.665137	0.053865	0.051372	0.002494	0.066334	-0.012469
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Spearman	borda	23	b670c8e0e09253b138b81190d93602d0159c5e805703ecbb88f1b3df9238a416	["Deconvolution", "Occlusion", "DeepLiftShap", "GradientShap", "Integrated Gradients", "LRP"]	0.046066	0.04051894	2.286679	11.665752	0.058354	0.051372	0.006983	0.054364	0.00399
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Spearman	borda	24	b6af80638b06f01d56ffa3ee7226ecf4bb4f0dc997c41af90c808b894ec2553	["Deconvolution", "Occlusion", "DeepLiftShap", "GradientShap", "Integrated Gradients", "LRP"]	0.045944	0.040781	2.280517	11.652654	0.049875	0.051372	-0.001496	0.05586	-0.005985
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Spearman	borda	25	17be92611d10609dbd71c612cdd5d98f4ffa28b1cb45e202171062e04c2f07a6	["Deconvolution", "Occlusion", "FeatureAbelation", "DeepLiftShap", "GradientShap", "Integrated Gradients", "LRP"]	0.054993	0.0460034	2.265246	11.738903	0.062843	0.051372	0.011471	0.058354	0.004489
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Spearman	borda	26	acc86fd0c7739fa83763f890138939bed897a7eac9640c90b0240870fb963ffa	["Deconvolution", "Occlusion", "FeatureAbelation", "DeepLiftShap", "GradientShap", "Integrated Gradients", "LRP", "InputXGradient"]	0.048769	0.04657511	2.209959	11.927515	0.056359	0.051372	0.004988	0.060349	-0.00399
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Spearman	borda	27	baefedf79b97325ead2d84dd929d190ea56b6297708d4361b1ff3f78690c857b9	["Deconvolution", "Occlusion", "FeatureAbelation", "DeepLiftShap", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.045823	0.0454646	2.211856	11.921047	0.057357	0.051372	0.005985	0.06384	-0.006484
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Spearman	borda	28	c95cf9341cbfb48a8b21f7942f152c60261a9f719e7d7000f57012d626f8ad8	["Occlusion", "GradientShap"]	0.0356074	0.056711	3.219733	8.571322	0.045387	0.051372	-0.005985	0.080798	-0.035411
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Spearman	borda	29	fb8893672fd8b65c10691231cba38973ec20fa663669ec6de763d48e81b0149	["Occlusion", "GradientShap", "InputXGradient"]	0.044067	0.037562	2.717524	10.204156	0.040399	0.051372	-0.010973	0.084788	-0.044389
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Spearman	borda	30	be8b77bb4930d03fb56b687a6ad5c1705588402100a3d2fa2759265a4d5ccdf	["Deconvolution", "Occlusion", "DeepLiftShap", "InputXGradient"]	0.049252	0.047248	2.500618	10.936534	0.053367	0.051372	0.001995	0.065337	-0.01197
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Spearman	borda	31	b94296d25592197bdc57226363a3b0bbac345a36f19902623721ccddae628269	["Deconvolution", "Occlusion", "DeepLiftShap", "Integrated Gradients", "InputXGradient"]	0.045566	0.036754	2.557872	10.742244	0.042893	0.051372	-0.008479	0.066334	-0.023441
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Spearman	borda	32	f489f6d4945b4eaaee984da38191a7a89d6f32d179ae4d7e08262eca457db28de	["Deconvolution", "Occlusion", "Saliency", "Integrated Gradients", "InputXGradient"]	0.044973	0.032775	2.550224	10.768163	0.044888	0.051372	-0.006484	0.054364	-0.009476
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Spearman	borda	33	5cc1f151ec886c3b2784a345758cbe9f5d08e13e403b1a0f278055ca18bbadad	["Deconvolution", "Occlusion", "GradientShap", "Saliency", "Integrated Gradients", "InputXGradient"]	0.048663	0.046539	2.451252	11.104453	0.049875	0.051372	-0.001496	0.05586	-0.005985
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Spearman	borda	34	4b84b0e5adaf103293b8827bb9a1463ef49b43596362b442cfbe81c3c18f1f5	["Deconvolution", "Occlusion", "DeepLiftShap", "GradientShap", "Saliency", "Integrated Gradients", "InputXGradient"]	0.048769	0.046116	2.443058	11.132357	0.050873	0.051372	-0.000499	0.058354	-0.007481
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Spearman	borda	35	2ce92b942d86db792649f4cd1517b941cb666f3b61c2b4beadb18fc069f1747f	["Deconvolution", "Occlusion", "DeepLiftShap", "GradientShap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.045993	0.049206	2.252912	11.780992	0.050374	0.051372	-0.000998	0.060349	-0.009975
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Spearman	borda	36	01eda48a80fe8494aa4854a0381c8581f83cafeb144dfb126a84947765cf8603	["FeatureAbelation", "GradientShap"]	0.048628	0.054419	3.035531	9.157107	0.056359	0.051372	0.004988	0.080798	-0.024439
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Spearman	borda	37	8db3bf961a9fee250ab6ab9334378d199c9b4da1f02511783b98214703290972	["FeatureAbelation", "GradientShap", "LRP"]	0.040067	0.055097	2.24817	11.797174	0.046883	0.051372	-0.004489	0.084788	-0.037905
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Spearman	borda	38	cfa4b13362160b1a141ffe1a5266514f3c96f49aeb5acc0b89b57565010ce91560	["FeatureAbelation", "GradientShap", "Saliency", "LRP"]	0.039027	0.052002	2.182733	12.020324	0.04788	0.051372	-0.003491	0.065337	-0.017456

Cell	Dataset	Model	q	Geometry	Center Rule	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Anchored Score	Theta	Mean Distance	Actual F	Q11 F	Gain Vs Q11	Fidelity Prefix Same Q	Difference Vs Fidelity Prefix Same Q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Spearman	borda	39	d973b7fd5f1bafc417f13eed779f4f03d49f50f8e9af175285e07114bd776b17	["Deconvolution", "Gradient Shap", "Saliency", "LRP"]	0.046584	0.059451	2.182638	12.020648	0.050374	0.051372	-0.000998	0.066334	-0.01596
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Spearman	borda	40	17644409800f0d8ff43ae4ba3169cb4fc0062d0a5bccc53c0bfe5cab8f6c5700	["Deconvolution", "DeepLift", "Gradient Shap", "Saliency", "LRP"]	0.047795	0.058142	2.184916	12.012884	0.061845	0.051372	0.010474	0.054364	0.007481
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Spearman	borda	41	4cfdec84d1eafc8d47b2c36393710b3add329973afa76e61632eb15cf8598b2c	["Deconvolution", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]	0.045085	0.053077	2.236649	11.83648	0.053367	0.051372	0.001995	0.05586	-0.002494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Spearman	borda	42	5132869c71fc45c41647333aac797fb2c75e2004b2c3992dbd39e1faa21f072	["Deconvolution", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.042245	0.049871	2.270964	11.719389	0.04389	0.051372	-0.007481	0.058354	-0.014464
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Spearman	borda	43	42ca156b8cf6d233ae25708f99b76eae8a290305a30c06db4b51c3f31d2fa6f3	["Deconvolution", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.044223	0.054659	2.239545	11.8266	0.050374	0.051372	-0.000998	0.060349	-0.009975
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Spearman	borda	44	73612ce221e17750e8175ab0dc97353ea8ef190e85d72e954026619b6b1ce23f9	["Deconvolution", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.045037	0.053466	2.270288	11.721696	0.053367	0.051372	0.001995	0.06384	-0.010474
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Spearman	borda	45	b08c5e7e7b1ec3d1dd5227ecf720eee51b006b1b0349597e28dc3eb3bbb2cb34	["Feature Ablation", "InputXGradient"]	0.038404	0.050357	2.706262	10.241895	0.036908	0.051372	-0.014464	0.080798	-0.04389
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Spearman	borda	46	a9ef9f823f255a053d40d76f94b5ccc322fd53e475129d7e430c8d029177c9d7	["Feature Ablation", "DeepLift", "InputXGradient"]	0.043059	0.046731	2.441746	11.136825	0.044389	0.051372	-0.006983	0.084788	-0.040399
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Spearman	borda	47	4c43f9220094e0cc90557f531c4db6bd0a05e4ae522c152f7960ea27df42daad	["Feature Ablation", "DeepLift", "LRP", "InputXGradient"]	0.03803	0.051518	2.054056	12.457731	0.038903	0.051372	-0.012469	0.065337	-0.026434
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Spearman	borda	48	b064d0d12a5aca623a47e8ce6c4f10b99a2a46c16b9582cb07fe55c7d479b5f7	["Deconvolution", "DeepLift", "LRP", "InputXGradient"]	0.045786	0.058763	2.028713	12.543541	0.062843	0.051372	0.011471	0.066334	-0.003491
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Spearman	borda	49	3efd741a7cddc2fe17e4bfd8af5322f4e1ed76fe8ccf4151fa9fe8ae4bc1f2f	["Deconvolution", "DeepLift", "LRP", "InputXGradient"]	0.042261	0.050466	2.1512201	12.158354	0.054863	0.051372	0.003491	0.054364	0.000499
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Spearman	borda	50	3f1de3d8bdab32b6ea412af084e2ce97a7c26486a09f0a49803843733ba4746	["Deconvolution", "DeepLift", "Integrated Gradients", "LRP", "InputXGradient"]	0.045813	0.050319	2.124514	12.218525	0.048878	0.051372	-0.002494	0.05586	-0.006983
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Spearman	borda	51	0b92c487888bbf838189cb3002c232cb160104182bc1b8678779fed04b8d0719	["Deconvolution", "Occlusion", "Feature Ablation", "DeepLift", "Integrated Gradients", "LRP", "InputXGradient"]	0.043521	0.0460454	2.109057	12.271072	0.052868	0.051372	0.001496	0.058354	-0.005486
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Spearman	borda	52	740129ff8a210ec3957ab8663b732ff758ab3db7f5ca4f1a15166e6eb9e093f4	["Deconvolution", "Occlusion", "Feature Ablation", "DeepLift", "Gradient Shap", "Integrated Gradients", "LRP", "InputXGradient"]	0.043433	0.053281	2.207895	11.934553	0.050374	0.051372	-0.000998	0.060349	-0.009975
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Spearman	borda	53	1c20b8096261bb1928389d659b8403ca8dbda8d1b00b35e1fafe7570862ddfa	["Deconvolution", "Occlusion", "Feature Ablation", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.046083	0.053271	2.206444	11.939501	0.059352	0.051372	0.00798	0.06384	-0.004489
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Spearman	borda	54	7e5aa98467a4246c3ed3a9e8d1d2feab4b2d2d0e37ed4c79af55941c9e121c77	["Deconvolution", "Integrated Gradients"]	0.053449	0.060776	2.684861	10.313716	0.068329	0.051372	0.016958	0.084788	-0.016459
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Spearman	borda	55	fc4b7b976f3087896379493f69a572be2238c23d537d1699336f03ad12d42931	["Deconvolution", "Gradient Shap", "Integrated Gradients"]	0.053271	0.051481	2.780893	9.992519	0.058354	0.051372	0.006983	0.065337	-0.006983
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Spearman	borda	56	bce374a7456604d063b3c745bd86b3cd8bd0ca5f03f8fdee660629f58f4338	["Deconvolution", "Feature Ablation", "Gradient Shap", "Integrated Gradients"]	0.056013	0.055059	2.505484	10.92	0.069825	0.051372	0.018454	0.066334	0.003491
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Spearman	borda	57	69de34b2b58ddead11fed40df20d0ee4920711e446b6ca42409f089cf94a7	["Deconvolution", "Feature Ablation", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.053601	0.057175	2.439745	11.143641	0.069327	0.051372	0.017955	0.054364	0.014963

Cell	Dataset	Model	q	Geometry	Center Rule	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Anchored Score	Theta	Mean Distance	Actual F	Q11 F	Gain Vs Q11	Fidelity Prefix Same Q	Difference Vs Fidelity Prefix Same Q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Spearman	borda	58	ecab674230261bd3ac1e7cfc897f931133fedcc4925cda6dbd3eddd41ff95ca	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.053361	0.035526	2.422971	11.200784	0.062843	0.051372	0.011471	0.05586	0.006983
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Spearman	borda	59	e10979b3e9bc43d9cd3580804774ff22ba63b8a48efdc3e5e2264e683a0d960f	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.054421	0.0361196	2.40352	11.267082	0.064339	0.051372	0.012968	0.058354	0.005985
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Spearman	borda	60	27151b8f8a543caeca7f252f6636c9a993cc64ea7592ce9238310eec34f1f0b6	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.054471	0.0356301	2.428552	11.181768	0.060349	0.051372	0.008978	0.060349	0
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Spearman	borda	61	9f43a3ded075e3dd0636571c162098961bce2b0b6f7d650434f651cfa2b1f5e6	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]	0.050441	0.0356401	2.265947	11.736509	0.06384	0.051372	0.012469	0.06384	0
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Spearman	borda	62	28591cd010f8bcf3465e0ab497906338c85c18cc5568c339c093b23e8a04ca1	["Gradient Shap", "Integrated Gradients"]	0.035411	0.03384	4.297345	5.575062	0.036908	0.051372	-0.014464	0.080798	-0.04389
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Spearman	borda	63	577670758d83c3742c68ee169b3d667e8ae90607b654bd01a1d21f0ed3e3ff6a	["GuidedBackprop", "Gradient Shap", "Integrated Gradients"]	0.048047	0.04684	3.098853	8.953782	0.046883	0.051372	-0.004489	0.084788	-0.037905
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Spearman	borda	64	40eb98c5b5984c4444b0dae7bf66316f19518dac06fc0566f3bbecefd130297	["GuidedBackprop", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.045012	0.039936	2.830717	9.827057	0.046384	0.051372	-0.004988	0.065337	-0.018953
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Spearman	borda	65	185227cc49adc3ed550ee206054178baa5ee98a5a4cfc84fe25669166cfab8a1	["GuidedBackprop", "Occlusion", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.04818	0.046702	2.56005	10.734863	0.044888	0.051372	-0.006484	0.066334	-0.021446
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Spearman	borda	66	0b8be9a0cef964a9e104df4fe772ba998df74f418a1a3646a45b41c31b2a19	["GuidedBackprop", "Occlusion", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.048878	0.052288	2.545884	10.782876	0.053865	0.051372	0.002494	0.054364	-0.000499
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Spearman	borda	67	dc4048125ab1625e44025d0cc7dc3ae66dc9ac5c58154aecbfe964bef9139b73	["GuidedBackprop", "Occlusion", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "InputXGradient"]	0.044674	0.0385	2.528549	10.841682	0.041397	0.051372	-0.009975	0.05586	-0.014464
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Spearman	borda	68	423468e081b1c25ebd072e65736b2408679cf50d7d89dd4ef799cccbe4611c6f	["Deconvolution", "prop", "Occlusion", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "InputXGradient"]	0.046941	0.045321	2.430758	11.174252	0.05187	0.051372	0.000499	0.058354	-0.006484
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Spearman	borda	69	0ee9857598ce2a8c2a9019fef359439ffe44ae3d88bc74f2a6d470c0f3d8896	["Deconvolution", "prop", "Occlusion", "DeepLiftShap", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "InputXGradient"]	0.048661	0.0350379	2.466929	11.051094	0.058354	0.051372	0.006983	0.060349	-0.001995
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Spearman	borda	70	00588cce972913ef2c314e00c7cb238a2d017ec5c182414426efd7a315c94012	["Occlusion", "Integrated Gradients"]	0.04585	0.050644	2.855182	9.746135	0.047382	0.051372	-0.00399	0.080798	-0.033416
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Spearman	borda	71	d98de0c1e9d2d48f9b4102293c37d591f79955e5eda134638b4bf0fec6fe337	["Occlusion", "Saliency", "Integrated Gradients"]	0.042574	0.04145	2.584564	10.65187	0.042394	0.051372	-0.008978	0.084788	-0.042394
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Spearman	borda	72	38e59dcd441b03d8cd8ecbab66732085d80b64d825addb93e0395b48a08f242	["GuidedBackprop", "Occlusion", "Saliency", "Integrated Gradients"]	0.050249	0.054607	2.471465	11.035661	0.054364	0.051372	0.002993	0.065337	-0.010973
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Spearman	borda	73	08b2d48a6d2a9a4b13a7340c40fac38af494aa0694dcd7b61b8c27d07b363090	["Deconvolution", "prop", "Occlusion", "Saliency", "Integrated Gradients"]	0.055641	0.0406234	2.421181	11.206883	0.055362	0.051372	0.00399	0.066334	-0.010973
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Spearman	borda	74	8dda602df90310922346aae168d84e93b54e84c5e82972a4876147fda2cb31c	["Deconvolution", "prop", "Occlusion", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.050841	0.0356463	2.48124	11.002411	0.057357	0.051372	0.005985	0.054364	0.002993
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Spearman	borda	75	8841107f9c4109c75c58ef3e2518142346e9c96ef95d8cf24ce106b899c3387	["Deconvolution", "prop", "Occlusion", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.054641	0.0357963	2.466094	11.053937	0.062344	0.051372	0.010973	0.05586	0.006484
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Spearman	borda	76	08c71e43e75a22fda26f63ead7d6a587e111f82fc03a2ac3a3cd0f224c10179	["Deconvolution", "prop", "Occlusion", "FeatureAb", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]	0.050441	0.0364181	2.232463	11.850762	0.065835	0.051372	0.014464	0.060349	0.005486
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Spearman	borda	77	b871eb4fee116ebc345972e90c7ca4a536e170c7e25491666f55e5aa78e020c	["DeepLiftShap", "LRP"]	0.054117	0.057063	5.178959	3.74389	0.049875	0.051372	-0.001496	0.080798	-0.030923

Cell	Dataset	Model	q	Geometry	Center Rule	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Anchored Score	Theta	Mean Distance	Actual F	Q11 F	Gain Vs Q11	Fidelity Prefix Same Q	Difference Vs Fidelity Prefix Same Q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Spearman	borda	78	b4d81bc64f788ca04b3fa0071888669901da75b812246cc6217f64f4665b29cf	["DeepLiftShap", "DeepLift", "LRP"]	0.044717	0.054898	3.97754	6.379219	0.047382	0.051372	-0.00399	0.084788	-0.037406
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Spearman	borda	79	87756ce4178da940ec2e60f8583dbed393bc4b3da1de851612d20868cab1ff8f	["Occlusion", "DeepLiftShap", "DeepLift", "LRP"]	0.051516	0.054898	3.97754	6.379219	0.047382	0.051372	0.000499	0.065337	-0.013466
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Spearman	borda	80	b216a27b290d297cb72a778fbc8208f9704a2842640248e49de5ec3110b090ac	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.066758	0.054898	3.97754	6.379219	0.047382	0.051372	0.008978	0.066334	-0.005985
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Spearman	borda	81	0fa0c591b78ba797ad5a129d6cb92b5f5c446ba4b914d1085a2878e598c0b46	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.068558	0.054898	3.97754	6.379219	0.047382	0.051372	0.012968	0.054364	0.009975
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Spearman	borda	82	10c3425b71ef5d93e696edb7486f250729b6cab09a38db718f76168dbd43fc19	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.061514	0.054898	3.97754	6.379219	0.047382	0.051372	0.004489	0.05586	0
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Spearman	borda	83	7f2b183c38c58c4dd1b24f574d28ba960d54b9437e7b1e7bde05877c667119a	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.068558	0.054898	3.97754	6.379219	0.047382	0.051372	0.000998	0.058354	-0.005985
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Spearman	borda	84	65fe032ef686cae2655e0fa185ea0e25c3bee21304517d4a48f6eb22ae1451fb	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.060532	0.054898	3.97754	6.379219	0.047382	0.051372	0.000499	0.060349	-0.008479
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Kendall	kemeny	0	5a90bfac281e21fe74aa8518f179ad828251bca1e87cd80cca23c63f6c2e666	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.058354	0.053152	3.296389	8.332918	0.05985	0.053367	0.006484	0.080798	-0.020948
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Kendall	kemeny	1	7a824c95fcec6dd2606276037b4065d9449fd7328ad6520e9aaccc1cf857ecb4	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.063491	0.054898	3.333369	8.219119	0.046384	0.053367	-0.006983	0.091272	-0.044888
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Kendall	kemeny	2	b2547f6a7f29ecf1ff7cb4f6b6666bea6976b2b4ba2ef435249643f29b33a9	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.049051	0.054898	2.64424	10.450374	0.060349	0.053367	0.006983	0.076808	-0.016459
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Kendall	kemeny	3	fc1611917c19fe08ded47f8314bf5ba7d430668d6a7b699b04fb763d7615edbb	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.044591	0.054898	2.655642	10.41197	0.049377	0.053367	-0.00399	0.078803	-0.029426
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Kendall	kemeny	4	3e0248a60df92189f15edb380581424e1486a3967da581719c089ac694b042c	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.046715	0.054898	2.477696	11.014464	0.053865	0.053367	0.000499	0.075312	-0.021446
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Kendall	kemeny	5	355c41a8553d2239f13f2b2bb0c45b0599594bc8d972176ca95f8e7d68de1f9f	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.045079	0.052555	2.399748	11.279943	0.061347	0.053367	0.00798	0.062843	-0.001496
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Kendall	kemeny	6	fe223231dea01a8cecff770343c4780c77ec7c0c91a4f90d59dc51de32095362	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.044058	0.0547395	2.404197	11.264776	0.050873	0.053367	-0.002494	0.05586	-0.004988
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Kendall	kemeny	7	873ebbbe2589e2bf075160d5108f3fc458316dc87848cc5db79cf569b6861e244	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.048081	0.0548439	2.452536	11.100083	0.050873	0.053367	-0.002494	0.053367	-0.002494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Kendall	kemeny	8	d99f0909857252bc29944dece0a466083bdb939832721eb9f0723a04c9d8cc	["Deconvolution", "FeatureAbstraction", "DeepLiftShap", "DeepLift", "LRP"]	0.046843	0.0550976	2.387723	11.320948	0.053865	0.053367	0.000499	0.064339	-0.010474
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	11	Kendall	kemeny	9	49dae64850c372182993d0cdbf02adf31004158c0187fa685fdacce4516d392	["Deconvolution", "Occlusion", "FeatureAbstraction", "DeepLiftShap", "DeepLift", "LRP"]	0.047608	0.054643	2.362634	11.406529	0.053367	0.053367	0	0.053367	0
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Kendall	kemeny	10	7711e5871feb1a92dc7dd955e4edc661020ea86d102e823cea7c4bea92bdcb59	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.053951	0.049885	2.899539	9.6	0.046883	0.053367	-0.006484	0.080798	-0.033915
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Kendall	kemeny	11	90444e186415ba317c5e35faadb9646b1e8eb9f985f42325c076d80f94f8dbe2	["Deconvolution", "DeepLiftShap", "DeepLift", "LRP"]	0.054788	0.055944	2.975395	9.351953	0.050374	0.053367	-0.002993	0.091272	-0.040898
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Kendall	kemeny	12	4f1aa9b73ac663b95ce155cedf84a3600bce5d4f0ef0c7426a5aadf6b96ff6c	["Deconvolution", "Occlusion", "Saliency", "Integrated Gradients"]	0.054241	0.0561649	2.741237	10.124813	0.057855	0.053367	0.004489	0.076808	-0.018953

Cell	Dataset	Model	q	Geometry	Center Rule	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Anchored Score	Theta	Mean Distance	Actual F	Q11 F	Gain Vs Q11	Fidelity Prefix Same Q	Difference Vs Fidelity Prefix Same q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Kendall	kemeny	13	ae7602d14a236a8a0f224327d7e30a1fd6bcb39237ac0da6a8d9087c1fb0b357	["Deconvolution", "prop", "Gradient", "Saliency", "Integrated Gradients"]	0.054872	0.050225	2.795134	9.945137	0.052868	0.053367	-0.000499	0.078803	-0.025935
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Kendall	kemeny	14	2f5d79df6b877919ec52e323ad68c232bad548ccd5d0d129c8e8a669c1c98339	["Deconvolution", "prop", "DeepLiftShap", "Gradient", "Saliency", "Integrated Gradients"]	0.054777	0.046666	2.706138	10.242311	0.048379	0.053367	-0.004988	0.075312	-0.026933
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Kendall	kemeny	15	aad6d56cdbeeb215514660502f6b085be955f8f1393b78020e86f85d66bfc62b	["Deconvolution", "prop", "DeepLiftShap", "Gradient", "Saliency", "Integrated Gradients", "LRP"]	0.046673	0.054425	2.451608	11.103242	0.062843	0.053367	0.009476	0.062843	0
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Kendall	kemeny	16	8ffe1dd98d8bd9a2bc61fa51a08088e5e7c136ec055bece0f1e050ecf3466e	["Deconvolution", "prop", "DeepLiftShap", "DeepLift", "Gradient", "Saliency", "Integrated Gradients", "LRP"]	0.048544	0.053484	2.506692	10.915898	0.05187	0.053367	-0.001496	0.05586	-0.00399
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Kendall	kemeny	17	93b4d3c94989b60adf39894e5e9b998af251dbde73c7cf9eecc91a3273a2c29c	["Deconvolution", "prop", "DeepLiftShap", "DeepLift", "Gradient", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.046054	0.048797	2.478478	11.011804	0.053367	0.053367	0	0.053367	0
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Kendall	kemeny	18	fe824e9beff72245a37267e6a391549379c325d9d5897a0417faa4c3012d5955	["Deconvolution", "prop", "Occlusion", "DeepLiftShap", "DeepLift", "Gradient", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.046833	0.048599	2.406519	11.256858	0.041895	0.053367	-0.011471	0.064339	-0.022444
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Kendall	kemeny	19	c50e27bd709470a9c8ed18b02e5a16c2aaf3f42775af240a2c3cb74d7d9ba955	["DeepLiftShap", "Occlusion", "Integrated Gradients"]	0.046833	0.051869	3.86967	6.667332	0.053367	0.053367	0	0.080798	-0.027431
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Kendall	kemeny	20	22522fe2fbc37727ecaf694666ee1bad7950e7e6f5908c439b4a9dd5c187395	["DeepLiftShap", "Occlusion", "Integrated Gradients"]	0.046833	0.045177	3.760792	6.966584	0.045387	0.053367	-0.00798	0.091272	-0.045885
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Kendall	kemeny	21	a01959ae90c215b4e2145b5b391ec181fed477e15d320973e134cf8ea4d9c23c	["Deconvolution", "prop", "Occlusion", "DeepLiftShap", "Gradient", "Saliency", "Integrated Gradients"]	0.060746	0.048111	3.44691	8.928055	0.048379	0.053367	-0.004988	0.076808	-0.028429
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Kendall	kemeny	22	90d5c6ca0c54baad5b7c2783fea036274a04950e442f1aa00450ef6b06497f49	["Deconvolution", "action", "DeepLiftShap", "Gradient", "Saliency", "Integrated Gradients"]	0.064776	0.048301	2.81664	9.873716	0.05586	0.053367	0.002494	0.078803	-0.022943
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Kendall	kemeny	23	6b092825371d773fc6903ede2677d7719cdf5727ccc4cf0c60de54778fe9ddde	["Deconvolution", "action", "DeepLiftShap", "Gradient", "Saliency", "Integrated Gradients", "LRP"]	0.046066	0.053702	2.470903	11.037573	0.049377	0.053367	-0.00399	0.075312	-0.025935
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Kendall	kemeny	24	1307ee4c4ec40d5d8e5491e27a55d48f3c491ea2f7e80dH7f3afed90e288673	["Deconvolution", "action", "DeepLiftShap", "Gradient", "Saliency", "Integrated Gradients", "LRP"]	0.048944	0.053889	2.454162	11.094549	0.059352	0.053367	0.005985	0.062843	-0.003491
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Kendall	kemeny	25	47e1d90957fe4e7eb14f5b0bdfc568b022e4708a4e72ac6145be19de37493480	["Deconvolution", "prop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "Gradient", "Saliency", "Integrated Gradients", "LRP"]	0.054895	0.059679	2.403428	11.267394	0.062344	0.053367	0.008978	0.05586	0.006484
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Kendall	kemeny	26	e68cc96d448cbceb091afdc03fdabca87636f9b494a08b0629b448111514e390	["Deconvolution", "prop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "Gradient", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.048769	0.054059	2.340203	11.48307	0.057357	0.053367	0.00399	0.053367	0.00399
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Kendall	kemeny	27	e507d357066f843c0795adf3e12943c3da08d6ed511d50f7b77ce734dee2fbce	["Deconvolution", "prop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "Gradient", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.048333	0.0461418	2.332012	11.511022	0.054364	0.053367	0.000998	0.064339	-0.009975
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Kendall	kemeny	28	a649f25b3467dd42e587224c74b4eb03418962040c012418dc1d0098881b0719	["Occlusion", "Gradient", "InputXGradient"]	0.035674	0.056711	3.219733	8.571322	0.045387	0.053367	-0.00798	0.080798	-0.035411
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Kendall	kemeny	29	044145006b879799d7569e189d4e31737f571f3fea4661437bde57d3defc3eb3	["Occlusion", "Gradient", "InputXGradient"]	0.034067	0.030357	3.085392	8.996841	0.036409	0.053367	-0.016958	0.091272	-0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Kendall	kemeny	30	82a54b6ada830c4338b71cea8bf26265a4003a4901c4e0267d1c85407793a913	["Deconvolution", "prop", "Occlusion", "FeatureAbelation", "DeepLiftShap", "Gradient", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.049252	0.045055	2.711842	10.223192	0.049377	0.053367	-0.00399	0.076808	-0.027431
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Kendall	kemeny	31	bf8eb68aa225060a1d7f4544d3500a288ce20683121bbd31787dbe4ab940fdb2	["Deconvolution", "Shap", "Integrated Gradients", "InputXGradient"]	0.045566	0.055655	2.798045	9.935461	0.050873	0.053367	-0.002494	0.078803	-0.02793
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Kendall	kemeny	32	4e03543b57bafeff3e6982e21291cbfa51fb2bbe6547eae96b492199c349aed7	["Deconvolution", "Shap", "Saliency", "Integrated Gradients", "InputXGradient"]	0.044973	0.049385	2.735406	10.144306	0.037406	0.053367	-0.01596	0.075312	-0.037905

Cell	Dataset	Model	q	Geometry	Center Rule	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Anchored Score	Theta	Mean Distance	Actual F	Q11 F	Gain Vs Q11	Fidelity Prefix Same F	Difference Vs Fidelity Prefix Same q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Kendall	kemeny	33	7eecd54ee5a9ba159e04601cea1ee8f47323dad616126cc409aec36a46fcd5a	["Deconvolution", "prop", "Occlusion", "Shap", "Saliency", "Integrated Gradients", "InputXGradient"]	0.048661	0.047306	2.615195	10.548343	0.050873	0.053367	-0.002494	0.062843	-0.01197
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Kendall	kemeny	34	702ebb228facb4005d07a49e54863109eeb3419b3e1f29bdee282cc795cc7717	["Deconvolution", "prop", "Occlusion", "Shap", "Saliency", "Integrated Gradients", "InputXGradient"]	0.048881	0.047334	2.569644	10.702369	0.050873	0.053367	-0.002494	0.05586	-0.004988
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Kendall	kemeny	35	2b5bbf7bca95f1c6fe36374c7b577d390370359108388dfbc6ab256f808ebb52	["Deconvolution", "prop", "Occlusion", "Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.045963	0.04855	2.377251	11.356664	0.053865	0.053367	0.000499	0.053367	0.000499
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Kendall	kemeny	36	db7e75b1133004c313287c3828aabc6ee88182d9d1f741289735a129ca3b7369	["FeatureAbelation", "GradientShap"]	0.048628	0.054419	3.035531	9.157107	0.056359	0.053367	0.002993	0.080798	-0.024439
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Kendall	kemeny	37	08ca2ee83f4024e57c76944c15a659b181b93769499acab04b1844ae9581620	["FeatureAbelation", "GradientShap", "LRP"]	0.040067	0.058118	2.588151	10.639734	0.050873	0.053367	-0.002494	0.091272	-0.040399
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Kendall	kemeny	38	09eda6aac9c922d4ff1ee9fa92af0d386d38849b2c3552f0da976f71d74f0956	["FeatureAbelation", "GradientShap", "Saliency", "LRP"]	0.039027	0.055303	2.423274	11.199751	0.04389	0.053367	-0.009476	0.076808	-0.032918
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Kendall	kemeny	39	359c0420035395dbcab1e3de8beabbb309d21aa9fd4397b66567e2df23530cb5	["Deconvolution", "prop", "Occlusion", "Shap", "Saliency", "LRP"]	0.046584	0.063102	2.393003	11.302943	0.065337	0.053367	0.01197	0.078803	-0.013466
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Kendall	kemeny	40	cd481632e133815b1ed88998fe79cbef4323d3dfd7071c4b8e6255eb9975dce5f	["Deconvolution", "prop", "Occlusion", "Shap", "Saliency", "LRP"]	0.043795	0.053797	2.353731	11.436908	0.056858	0.053367	0.003491	0.075312	-0.018454
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Kendall	kemeny	41	38afcd15afc171ca4c5f10e98bd8955ed8441f251a0cfcaa3de60c5e484241383	["Deconvolution", "prop", "Occlusion", "Shap", "Saliency", "Integrated Gradients", "LRP"]	0.045085	0.053098	2.402297	11.27125	0.054863	0.053367	0.001496	0.062843	-0.00798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Kendall	kemeny	42	61134b61a19c357b369b85ced8fcd1bdae5f0b1ec16bad23cfd777afa92b347	["Deconvolution", "prop", "Occlusion", "Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.042245	0.045875	2.419853	11.211409	0.055362	0.053367	0.001995	0.05586	-0.000499
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Kendall	kemeny	43	8b1fe02b59c959c7b1eab7c365f8b6d758c201272e603b19d70e864610d1bd54	["Deconvolution", "prop", "Occlusion", "Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.044223	0.052853	2.352141	11.339983	0.050374	0.053367	-0.002993	0.053367	-0.002993
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Kendall	kemeny	44	24cba65b07d97341ab0a733977b3d00c8deebc9cda0273ee61885a0f6fab75c8	["Deconvolution", "prop", "Occlusion", "Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.045037	0.052955	2.405144	11.261546	0.052369	0.053367	-0.000998	0.064339	-0.01197
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Kendall	kemeny	45	5063cd0d8447caf7ba3f6e0ce24225ed29211d8f5ccc2366b2fab538f24db7a8	["FeatureAbelation", "InputXGradient"]	0.038404	0.050357	2.706262	10.241895	0.036908	0.053367	-0.016459	0.080798	-0.04389
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Kendall	kemeny	46	8c576b838d41c342276cf279a442e603523f0efb0a68604be815d354d573c58f	["FeatureAbelation", "DeepLift", "InputXGradient"]	0.043059	0.049812	2.793534	9.950457	0.037905	0.053367	-0.015461	0.091272	-0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Kendall	kemeny	47	7a7a98e0157dfbba8379fc04b991f4436b4ae935be041b186e7f6ee89b331620	["FeatureAbelation", "DeepLift", "LRP", "InputXGradient"]	0.03803	0.051346	2.272297	11.714838	0.043392	0.053367	-0.009975	0.076808	-0.033416
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Kendall	kemeny	48	54eb7c3b1017f0f338536a1bb075d4dc830a262186e913811f334199903b4f00	["Deconvolution", "prop", "Occlusion", "Shap", "Saliency", "LRP", "InputXGradient"]	0.045786	0.065079	2.209881	11.927781	0.053367	0.053367	0	0.078803	-0.025436
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Kendall	kemeny	49	a722595749b2a2a25f12d2ae9c10fb23a20a28299fe397f7eec50ec36a6086e8	["Deconvolution", "prop", "Occlusion", "Shap", "Saliency", "LRP", "InputXGradient"]	0.042261	0.050451	2.309416	11.622278	0.055362	0.053367	0.001995	0.075312	-0.01995
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Kendall	kemeny	50	02f228641d1069fe5da9c17756b12c105b052354125eb3f484702e02ddc569c3	["Deconvolution", "prop", "Occlusion", "Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.045814	0.053606	2.273566	11.710509	0.062843	0.053367	0.009476	0.062843	0
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Kendall	kemeny	51	5dcbb7432ad42c27d2790a2a56af4b5122b8efdf04528d9b537c7948e20dd4994	["Deconvolution", "prop", "Occlusion", "FeatureAbelation", "DeepLift", "Integrated Gradients", "LRP", "InputXGradient"]	0.040851	0.059832	2.236286	11.837718	0.053865	0.053367	0.000499	0.05586	-0.001995
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Kendall	kemeny	52	eac5573a2aa001879e8ea6e29228bd9f5303852f4a21d1f5beb02472e84920dd	["Deconvolution", "prop", "Occlusion", "FeatureAbelation", "DeepLift", "GradientShap", "Integrated Gradients", "LRP", "InputXGradient"]	0.048843	0.054131	2.340999	11.480355	0.055362	0.053367	0.001995	0.053367	0.001995

Cell	Dataset	Model	q	Geometry	Center Rule	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Anchored Score	Theta	Mean Distance	Actual F	Q11 F	Gain Vs Q11	Fidelity Prefix Same F	Difference Vs Fidelity Prefix Same q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Kendall	kemeny	53	b5a541211e572dcff9248c8b89ea96e031bfc4ec38f9234668eb37b4c863d250	["Deconvolution", "Occlusion", "Feature Ablation", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP", "InputXGradient"]	0.046881	0.0356692	2.327117	11.527731	0.058354	0.053367	0.004988	0.064339	-0.005985
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Kendall	kemeny	54	625d13b054ae86ec428b68785fb45ba0a5bbce59c0478a3bd0627b6ef57b94f9	["Deconvolution", "Occlusion", "Feature Ablation", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.060340	0.0367668	2.96605	9.382377	0.082294	0.053367	0.028928	0.091272	-0.008978
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Kendall	kemeny	55	286f729b8e74bb965d641a337e477f1c74836c379cc4f11ca3f68f19e4776b7	["Deconvolution", "Occlusion", "Feature Ablation", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.055327	0.0349488	2.914314	9.551496	0.064339	0.053367	0.010973	0.076808	-0.012469
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Kendall	kemeny	56	6fac351535b3dbe36b5c3ccdac31b647683d5b3cb4d51dee60c1056d271e0dab	["Deconvolution", "Occlusion", "Feature Ablation", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.056661	0.0357456	2.715757	10.210075	0.064838	0.053367	0.011471	0.078803	-0.013965
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Kendall	kemeny	57	4b6f1b679a0ec743f84050bf4fc2699e07b052c522da173c133e973f11d746ec	["Deconvolution", "Occlusion", "Feature Ablation", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.053360	0.0350905	2.613411	10.554364	0.06384	0.053367	0.010474	0.075312	-0.011471
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Kendall	kemeny	58	887d2970fd5c6f3b79f90a3197739aad8700627ea1306e0a746b037da7c9cfe	["Deconvolution", "Occlusion", "Feature Ablation", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.053360	0.0352715	2.578373	10.672818	0.059352	0.053367	0.005985	0.062843	-0.003491
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Kendall	kemeny	59	d4ebfab068e5d9d8747955bbf7447f9a38fb824ee72ca65d384e6b932456141	["Deconvolution", "Occlusion", "Feature Ablation", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.054401	0.0357218	2.545854	10.78298	0.069825	0.053367	0.016459	0.05586	0.013965
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Kendall	kemeny	60	4d72e0c125b7fbc3a8dc58c58223cea46f7d0cbddcd134c8b6fa70e11a23336	["Deconvolution", "Occlusion", "Feature Ablation", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.054401	0.0359895	2.572839	10.691549	0.053367	0.053367	0	0.053367	0
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	10	Kendall	kemeny	61	98ad4b875bfc8448d7d1374160949d8424b53a7426ea5a78f22b5654fd79a4a	["Deconvolution", "Occlusion", "Feature Ablation", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]	0.054444	0.035797	2.395372	11.294863	0.064339	0.053367	0.010973	0.064339	0
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Kendall	kemeny	62	592a89f695176d5f40614904b792945fd98482f4bf12a913fcf41883ac8e45e	["Gradient Shap", "Integrated Gradients"]	0.035411	0.03384	4.297345	5.575062	0.036908	0.053367	-0.016459	0.080798	-0.04389
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Kendall	kemeny	63	c266d75cb970ecbd1ec7795dc4df53438d7cd727157926cb466999268df53b2	["GuidedBackprop", "Gradient Shap", "Integrated Gradients"]	0.048047	0.046284	3.404512	8.002494	0.047382	0.053367	-0.005985	0.091272	-0.04389
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Kendall	kemeny	64	069af6f0493fc85360e9b102cfa5c0efb877daed4969f7d753ca2b13d2a5af65	["GuidedBackprop", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.045012	0.040023	2.993031	9.294638	0.042394	0.053367	-0.010973	0.076808	-0.034414
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Kendall	kemeny	65	43ce9a3a9d2bb3388f50185dc4d7cb670f396a6545a479be4f4761d13e2da933	["GuidedBackprop", "Occlusion", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.04818	0.04524	2.778047	10.001995	0.05586	0.053367	0.002494	0.078803	-0.022943
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Kendall	kemeny	66	cc50014a516ba63f2a193f7f84cebea04caf19d27bb14dfd53d34b5fac57319a	["GuidedBackprop", "Occlusion", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients"]	0.048878	0.044957	2.719832	10.196426	0.04389	0.053367	-0.009476	0.075312	-0.031421
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Kendall	kemeny	67	5c05aac629521e09bdb1ad362b89e7baac59fde49efc661bf8bd627530f7cda	["GuidedBackprop", "Occlusion", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "InputXGradient"]	0.044674	0.038539	2.689762	10.297257	0.054364	0.053367	0.000998	0.062843	-0.008479
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Kendall	kemeny	68	24887a42052c5c36c44989b08b792b6c4e0b6597ffda0ee078edefb0bd291403	["Deconvolution", "Occlusion", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "InputXGradient"]	0.046041	0.0344909	2.558287	10.740835	0.046384	0.053367	-0.006983	0.05586	-0.009476
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Kendall	kemeny	69	ff6630ab8fa644d3e14c38c5eb7fd4d46055a022dc9182d22fac95d3f7b0e167	["Deconvolution", "Occlusion", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "InputXGradient"]	0.040360	0.0350162	2.593313	10.622278	0.057855	0.053367	0.004489	0.053367	0.004489
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Kendall	kemeny	70	4a1c3454bc6f239cc4f5041c85a50918f1713384ec353d891451b6fd8331fbbc	["Occlusion", "Integrated Gradients"]	0.045685	0.050644	2.855182	9.746135	0.047382	0.053367	-0.005985	0.080798	-0.033416
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Kendall	kemeny	71	22ee872976054693ce12ab7a40b2993ab720d8b228c3daf94f0e4257284071f8	["Occlusion", "Saliency", "Integrated Gradients"]	0.042556	0.044220	2.944953	9.451205	0.040898	0.053367	-0.012469	0.091272	-0.050374

Cell	Dataset	Model	q	Geometry	Center Rule	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Anchored Score	Theta	Mean Distance	Actual F	Q11 F	Gain Vs Q11	Fidelity Prefix Same F	Difference Vs Fidelity Prefix Same q
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Kendall	kemeny	72	d0d1ee79639d3d916fc6d71fe828185cade6549b7cb7f4d88a70edd205844074	["GuidedBackprop", "Occlusion", "Saliency", "Integrated Gradients"]	0.050249	0.056832	2.69708	10.272693	0.05187	0.053367	-0.001496	0.076808	-0.024938
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Kendall	kemeny	73	84ebde5a4fa35292f8f8f21fe15cabb47b391cb662478a4e194fe486d2580b35	["Deconvolution", "prop", "Occlusion", "Saliency", "Integrated Gradients"]	0.056641	0.061826	2.61901	10.535461	0.069327	0.053367	0.01596	0.078803	-0.009476
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Kendall	kemeny	74	9cb09658e70aaf35aab0ca29e5d2dc0ea33ee9a768a1d664a3f52b77d40656bc	["Deconvolution", "prop", "Occlusion", "Saliency", "Integrated Gradients"]	0.050041	0.056658	2.647571	10.439152	0.068329	0.053367	0.014963	0.075312	-0.006983
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Kendall	kemeny	75	865aac23e30fdb62329e32cae8ed2c1f60d7b726caf7f2eeaffcb43e2989bfla	["Deconvolution", "prop", "Occlusion", "Saliency", "Integrated Gradients"]	0.050041	0.052592	2.610637	10.563734	0.054364	0.053367	0.000998	0.062843	-0.008479
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Kendall	kemeny	76	eb71812a425586d2cf8d7ef9d8e29dad7290c0e72375fece98de8b01b2b37d4b	["Deconvolution", "prop", "Occlusion", "Feature Ablation", "DeepLift", "Gradient Shap", "Saliency", "Integrated Gradients", "LRP"]	0.050041	0.060624	2.360861	11.41258	0.055362	0.053367	0.001995	0.053367	0.001995
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Kendall	kemeny	77	97084dfd66c5fc3e7174f883823c89735e46eb327aff117c55c492a021c2cfd27	["DeepLiftShap", "Occlusion", "Saliency", "Integrated Gradients", "LRP"]	0.059117	0.057063	5.178959	3.74389	0.049875	0.053367	-0.003491	0.080798	-0.030923
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Kendall	kemeny	78	de30e352b91b66bc73d15cd58fdbec349647530b4d7af773a161ad567b55f8c3e	["DeepLiftShap", "Occlusion", "Saliency", "Integrated Gradients", "LRP"]	0.049711	0.054022	4.249826	5.689776	0.04788	0.053367	-0.005486	0.091272	-0.043392
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	4	Kendall	kemeny	79	4716eb3500b1a550174ee56b934b85c564bfabe20b204fbc0cb9a6605eef045f	["Occlusion", "DeepLiftShap"]	0.050249	0.057951	3.439941	7.868579	0.058853	0.053367	0.005486	0.076808	-0.017955
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	5	Kendall	kemeny	80	02b30e1a6acfd1105edd8df926c709ea4cdc77757c49a141fbecb88039f90ee	["Deconvolution", "Shap"]	0.050768	0.050431	0.050768	9.058857	0.058857	0.053367	-0.000499	0.078803	-0.025935
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	6	Kendall	kemeny	81	e44bd297c5ecb63ad4297805323af49daa0839f8a06cc50435598d809d84a83	["Deconvolution", "action", "DeepLiftShap", "DeepLift", "Gradient Shap"]	0.056858	0.053778	2.618968	9.766667	0.053865	0.053367	0.000499	0.075312	-0.021446
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	7	Kendall	kemeny	82	543b47867f6af90311b4998fdfdb73d2399ba975e12ac715fd486aa7928cecf	["Deconvolution", "Shap", "InputXGradient"]	0.051544	0.055509	2.681488	10.325045	0.049875	0.053367	-0.003491	0.062843	-0.012968
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	8	Kendall	kemeny	83	4f3c94c35693a772a6b77453ae172cd4c168c0c17fb51d3927844aff05fcd60	["Deconvolution", "action", "DeepLiftShap", "DeepLift", "Gradient Shap", "Integrated Gradients", "InputXGradient"]	0.048941	0.076319	2.650754	10.428429	0.048878	0.053367	-0.004489	0.05586	-0.006983
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	Kendall	kemeny	84	e573babe613d88ec305f7e85f6acflc7506f4689929ddc598105621b3f51d57d	["Deconvolution", "action", "DeepLiftShap", "DeepLift", "Gradient Shap", "Integrated Gradients", "LRP", "InputXGradient"]	0.048052	0.078117	2.4051185	11.104683	0.046883	0.053367	-0.006484	0.053367	-0.006484

Table 343: DermaMNIST-ResNet-18

[illegible]

Cell	Dataset	Model	q	Selected Order Count
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	9	0

Table 344: DermaMNIST-ResNet-18

Geometry	Analysis	Predictor	Outcome	Controls	N	Coefficient	P Value	Base R2	Full R2	Delta R2
Spearman	pearson	anchored_ score	Actual F		85	0.641469	3.7315e-11			
Spearman	spearman	anchored_ score	Actual F		85	0.623207	1.8946e-10			
Spearman	pearson	mean_ individual_ clean_F	Actual F		85	0.672752	1.7663e-12			
Spearman	spearman	mean_ individual_ clean_F	Actual F		85	0.621174	2.2556e-10			
Spearman	partial_ pearson	anchored_ score	Actual F	mean_ individual_ clean_F,q	85	0.427706	4.4485e-05			
Spearman	incremental_ ols	anchored_ score	Actual F	mean_ individual_ clean_F,q	85			0.552119	0.634051	0.081932
Spearman	pearson	anchored_ score	Gain Vs Q11		85	0.641469	3.7315e-11			
Spearman	spearman	anchored_ score	Gain Vs Q11		85	0.623207	1.8946e-10			
Spearman	pearson	mean_ individual_ clean_F	Gain Vs Q11		85	0.672752	1.7663e-12			
Spearman	spearman	mean_ individual_ clean_F	Gain Vs Q11		85	0.621174	2.2556e-10			
Spearman	partial_ pearson	anchored_ score	Gain Vs Q11	mean_ individual_ clean_F,q	85	0.427706	4.4485e-05			
Spearman	incremental_ ols	anchored_ score	Gain Vs Q11	mean_ individual_ clean_F,q	85			0.552119	0.634051	0.081932
Kendall	pearson	anchored_ score	Actual F		85	0.601251	1.1682e-09			
Kendall	spearman	anchored_ score	Actual F		85	0.547487	5.8843e-08			
Kendall	pearson	mean_ individual_ clean_F	Actual F		85	0.589638	2.8953e-09			
Kendall	spearman	mean_ individual_ clean_F	Actual F		85	0.456956	1.1023e-05			
Kendall	partial_ pearson	anchored_ score	Actual F	mean_ individual_ clean_F,q	85	0.446127	1.8756e-05			
Kendall	incremental_ ols	anchored_ score	Actual F	mean_ individual_ clean_F,q	85			0.407121	0.525121	0.118
Kendall	pearson	anchored_ score	Gain Vs Q11		85	0.601251	1.1682e-09			
Kendall	spearman	anchored_ score	Gain Vs Q11		85	0.547487	5.8843e-08			
Kendall	pearson	mean_ individual_ clean_F	Gain Vs Q11		85	0.589638	2.8953e-09			
Kendall	spearman	mean_ individual_ clean_F	Gain Vs Q11		85	0.456956	1.1023e-05			
Kendall	partial_ pearson	anchored_ score	Gain Vs Q11	mean_ individual_ clean_F,q	85	0.446127	1.8756e-05			
Kendall	incremental_ ols	anchored_ score	Gain Vs Q11	mean_ individual_ clean_F,q	85			0.407121	0.525121	0.118

Table 345: DermaMNIST–ResNet-18

Cell	Dataset	Model	Geometry	Center Rule	Random Order Index	Order Methods	Selected Candidate Digest	Selected Q	Selected Anchored Score	Selected Actual _F	NOISE Q	NOISE Actual _F	Selection Regret	Selected _Q Matches NOISE	NOISE Q	NOISE Actual _F	Selected Minus NOISE _F
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Spearman	borda	0	["Deconvolution", "DeepLift", "Gradients", "FeatureAb", "Saliency", "InputXGradient", "DeepLiftShap", "GuidedBackprop", "Occlusion"]	916522564f16da28df64c4d384079b0f54904dec3b2b444de1f6ac0ef1	4	0.060196	0.052369	6	0.064339	0.01197	False	2	0.080798	-0.028429
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Spearman	borda	1	["Integrated Gradients", "DeepLiftShap", "GuidedBackprop", "GradientShap", "DeepLiftShap", "LRP", "DeepLift", "InputXGradient", "Occlusion", "FeatureAb", "Occlusion"]	0a3b40b129c2c9f707f125585b11c8511, "GuidedBackprop", "GradientShap", "DeepLiftShap", "LRP", "DeepLift", "InputXGradient", "Occlusion", "FeatureAb", "Occlusion"]	4	0.058587	0.049875	10	0.056858	0.006983	False	2	0.080798	-0.030923
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Spearman	borda	2	["GradientShap", "DeepLiftShap", "Gradients", "DeepLiftShap", "Occlusion", "LRP", "Occlusion", "GuidedBackprop", "InputXGradient", "Saliency", "DeepLift"]	17be92611d10609dbd7131494154062171f62c0a21bl	8	0.060034	0.062843	8	0.062843	0	True	2	0.080798	-0.017955
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Spearman	borda	3	["Occlusion", "GuidedBackprop", "DeepLiftShap", "InputXGradient", "Deconvolution", "Saliency", "GuidedBackprop", "DeepLiftShap", "LRP", "FeatureAb", "Occlusion", "DeepLift"]	31494154062171f62c0a21bl, "Occlusion", "GuidedBackprop", "DeepLiftShap", "InputXGradient", "Deconvolution", "Saliency", "GuidedBackprop", "DeepLiftShap", "LRP", "FeatureAb", "Occlusion", "DeepLift"]	2	0.056711	0.045387	10	0.057357	0.01197	False	2	0.080798	-0.035411
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Spearman	borda	4	["FeatureAb", "GradientShap", "LRP", "DeepLiftShap", "Integrated Gradients", "InputXGradient", "Occlusion", "DeepLift", "GuidedBackprop"]	d973b7fd5f1bafc417f13eed779f4f03d49f50f8, "DeepLiftShap", "Integrated Gradients", "InputXGradient", "Occlusion", "DeepLift", "GuidedBackprop"]	5	0.059451	0.050374	6	0.061845	0.011471	False	2	0.080798	-0.030424
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Spearman	borda	5	["FeatureAb", "InputXGradient", "DeepLiftShap", "GuidedBackprop", "GradientShap", "Saliency", "DeepLiftShap"]	0b92c487888bbf838189c3a002e232cb16010418, "DeepLiftShap", "GuidedBackprop", "GradientShap", "Saliency", "DeepLiftShap"]	8	0.060454	0.052868	5	0.062843	0.009975	False	2	0.080798	-0.02793
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Spearman	borda	6	["Deconvolution", "GuidedBackprop", "GradientShap", "FeatureAb", "Occlusion", "Saliency", "DeepLift", "Occlusion", "DeepLiftShap", "LRP", "InputXGradient"]	67079b0d943d9cd35808087f1f22ba63b8a4, "GuidedBackprop", "GradientShap", "FeatureAb", "Occlusion", "Saliency", "DeepLift", "Occlusion", "DeepLiftShap", "LRP", "InputXGradient"]	8	0.061196	0.064339	5	0.069825	0.005486	False	2	0.080798	-0.016459
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Spearman	borda	7	["Integrated Gradients", "GradientShap", "GuidedBackprop", "Saliency", "DeepLiftShap", "Occlusion", "DeepLift", "InputXGradient", "Deconvolution", "DeepLiftShap", "LRP", "FeatureAb", "Occlusion"]	56813d46a729e9d68a671ef77bde1ec9bb66198, "GradientShap", "GuidedBackprop", "Saliency", "DeepLiftShap", "Occlusion", "DeepLift", "InputXGradient", "Deconvolution", "DeepLiftShap", "LRP", "FeatureAb", "Occlusion"]	11	0.055125	0.051372	9	0.058354	0.006983	False	2	0.080798	-0.029426
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Spearman	borda	8	["Occlusion", "InputXGradient", "Saliency", "DeepLiftShap", "Occlusion", "DeepLiftShap", "LRP", "InputXGradient", "Occlusion", "DeepLiftShap", "LRP", "FeatureAb", "Occlusion"]	08c71e43e75a22fda26f68c9d77b8b71d1d82f, "Occlusion", "DeepLiftShap", "LRP", "FeatureAb", "Occlusion", "DeepLiftShap", "LRP", "InputXGradient", "Occlusion", "DeepLiftShap", "LRP", "FeatureAb", "Occlusion"]	9	0.064181	0.065835	9	0.065835	0	True	2	0.080798	-0.014963
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Spearman	borda	9	["DeepLiftShap", "Occlusion", "InputXGradient", "Integrated Gradients", "LRP", "Saliency", "GuidedBackprop"]	12677f1f29ecf1ff7cc1483b6c606a697b2, "DeepLiftShap", "Occlusion", "InputXGradient", "Integrated Gradients", "LRP", "Saliency", "GuidedBackprop"]	6	0.063512	0.064339	6	0.064339	0	True	2	0.080798	-0.016459
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	kemeny	0	["Deconvolution", "DeepLiftShap", "Gradients", "FeatureAb", "Saliency", "InputXGradient", "DeepLiftShap", "GuidedBackprop", "Occlusion"]	2677f1f29ecf1ff7cc1483b6c606a697b2, "DeepLiftShap", "Gradients", "FeatureAb", "Saliency", "InputXGradient", "DeepLiftShap", "GuidedBackprop", "Occlusion"]	4	0.057139	0.060349	7	0.061347	0.000998	False	3	0.091272	-0.030923
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	kemeny	1	["Integrated Gradients", "DeepLiftShap", "GuidedBackprop", "GradientShap", "DeepLiftShap", "LRP", "DeepLift", "InputXGradient", "Occlusion", "FeatureAb", "Occlusion"]	4f1aa9b73ac663b95ce155ced184a360b6f54, "GuidedBackprop", "GradientShap", "DeepLiftShap", "LRP", "DeepLift", "InputXGradient", "Occlusion", "FeatureAb", "Occlusion"]	4	0.061649	0.057855	7	0.062843	0.004988	False	3	0.091272	-0.033416
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	kemeny	2	["GradientShap", "DeepLiftShap", "Gradients", "DeepLiftShap", "Occlusion", "LRP", "Occlusion", "GuidedBackprop", "InputXGradient", "Saliency", "DeepLift"]	e507d357066f843c079531494154062171f62c0a21bl, "DeepLiftShap", "Gradients", "DeepLiftShap", "Occlusion", "LRP", "Occlusion", "GuidedBackprop", "InputXGradient", "Saliency", "DeepLift"]	10	0.061418	0.054364	8	0.062344	0.00798	False	3	0.091272	-0.036908
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	Kendall	kemeny	3	["Occlusion", "GuidedBackprop", "DeepLiftShap", "InputXGradient", "Deconvolution", "Saliency", "GuidedBackprop", "DeepLiftShap", "LRP", "FeatureAb", "Occlusion", "DeepLift"]	ed17d857066f843c079531494154062171f62c0a21bl, "Occlusion", "GuidedBackprop", "DeepLiftShap", "InputXGradient", "Deconvolution", "Saliency", "GuidedBackprop", "DeepLiftShap", "LRP", "FeatureAb", "Occlusion", "DeepLift"]	10	0.061418	0.054364	10	0.054364	0	True	3	0.091272	-0.036908

Cell	Dataset	Model	Geometry	Center Rule	Random Order Index	Order Methods	Selected Candidate Digest	Selected Q	Selected Anchored Score	Selected Actual F	NOISE Q	NOISE Actual F	Selection Regret	Selected Q Matches NOISE	NOISE Q	NOISE Actual F	Selected Minus NOISE F
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	kemeny	4	["FeatureAb", "Gradient", "LRP", "Saliency", "DeepLift", "Occlusion", "GuidedBackprop"]	359c0420035395dbcab1e3de8beabbb309d21aa9314497b56767a2d1a53n", "DeepLiftShap", "IntegratedGradients", "InputXGradients", "Occlusion", "DeepLift", "GuidedBackprop"]	5	0.063102	0.065337	5	0.065337	0	True	3	0.091272	-0.025935
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	kemeny	5	["FeatureAb", "Gradient", "LRP", "Saliency", "DeepLift", "Occlusion", "GuidedBackprop"]	54eb7e3b1017f0f338530a1bb075d4dc830a26218113381d6234199903a", "Occlusion", "IntegratedGradients", "GuidedBackprop", "GradientShap", "DeepLiftShap"]	5	0.065079	0.053367	7	0.062843	0.009476	False	3	0.091272	-0.037905
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	kemeny	6	["Deconvolut", "Gradient", "LRP", "Saliency", "DeepLift", "Occlusion", "GuidedBackprop", "FeatureAb", "GradientShap", "Saliency", "DeepLiftShap"]	625d049054de86ec428b687556345ba0a5bbce59c0478a3bd0627b6ef57b04f9", "FeatureAb", "GradientShap", "Saliency", "DeepLift", "Occlusion", "DeepLiftShap", "LRP", "InputXGradients"]	3	0.067668	0.082294	3	0.082294	0	True	3	0.091272	-0.008978
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	kemeny	7	["IntegratedGradients", "GradientShap", "GuidedBackprop", "Saliency", "DeepLift", "Occlusion", "Deconvolution", "DeepLiftShap", "LRP", "FeatureAb"]	49dae64850c37218299340cbbf02adff31004158e6187fa85fdacce4516d392", "Occlusion", "DeepLift", "InputXGradients", "Deconvolution", "DeepLiftShap", "LRP", "FeatureAb"]	11	0.054643	0.053367	9	0.057855	0.004489	False	3	0.091272	-0.037905
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	kemeny	8	["Occlusion", "IntegratedGradients", "Saliency", "DeepLift", "Occlusion", "GuidedBackprop", "Deconvolution", "DeepLiftShap", "LRP", "FeatureAb"]	849ade6a4fa35292f8f8621fe75c1a1d475301cb6224785469a46e486d2580b35", "DeepLiftShap", "LRP", "InputXGradients", "DeepLiftShap"]	5	0.061826	0.069327	8	0.069825	0.000499	False	3	0.091272	-0.021945
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	Kendall	kemeny	9	["DeepLift", "Occlusion", "IntegratedGradients", "LRP", "InputXGradients", "DeepLiftShap", "Occlusion", "DeepLiftShap", "LRP", "FeatureAb"]	9709c5366c57c3a7b74f853333c0035e146b13f7", "Occlusion", "DeepLiftShap", "LRP", "InputXGradients", "Occlusion", "DeepLiftShap", "LRP", "FeatureAb"]	2	0.057063	0.049875	4	0.058853	0.008978	False	3	0.091272	-0.041397

Table 346: DermaMNIST–ResNet-18

Cell	Dataset	Model	Q11 F	Selected Gain Vs Q11
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.051372	0.000998
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.051372	-0.001496
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.051372	0.011471
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.051372	-0.005985
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.051372	-0.000998
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.051372	0.001496
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.051372	0.012968
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.051372	0
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.051372	0.014464
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.051372	0.012968
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.053367	0.006983
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.053367	0.004489
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.053367	0.000998
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.053367	0.000998
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.053367	0.01197
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.053367	0
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.053367	0.028928
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.053367	0
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.053367	0.01596
DermaMNIST–ResNet-18	DermaMNIST	ResNet-18	0.053367	-0.003491

Table 347: DermaMNIST-ResNet-18

Cell	Metric	Geometry	Random Order Index	Selected Q	Rule	Candidate Value	NOISE Value	Oriented Delta Vs NOISE	Outcome Vs NOISE	NAIVE Q=11 Value	Oriented Delta Vs NAIVE Q=11	Outcome Vs NAIVE Q=11
DermaMNIST-ResNet-18	F	Spearman	0	4	Simple Averaging	0.053367	0.079302	-0.025935	loss	0.059352	-0.005985	loss
DermaMNIST-ResNet-18	Fbar	Spearman	0	4	Simple Averaging	0.368579	0.296758	-0.07182	loss	0.38005	0.011471	win
DermaMNIST-ResNet-18	C	Spearman	0	4	Simple Averaging	0.261347	0.314214	-0.052868	loss	0.281297	-0.01995	loss
DermaMNIST-ResNet-18	Cbar	Spearman	0	4	Simple Averaging	0.733666	0.657855	-0.07581	loss	0.73217	-0.001496	loss
DermaMNIST-ResNet-18	F	Spearman	0	4	Borda	0.052369	0.080798	-0.028429	loss	0.051372	0.000998	win
DermaMNIST-ResNet-18	Fbar	Spearman	0	4	Borda	0.353117	0.294264	-0.058853	loss	0.357107	0.00399	win
DermaMNIST-ResNet-18	C	Spearman	0	4	Borda	0.266334	0.303741	-0.037406	loss	0.267332	-0.000998	loss
DermaMNIST-ResNet-18	Cbar	Spearman	0	4	Borda	0.717706	0.65586	-0.061845	loss	0.722693	0.004988	win
DermaMNIST-ResNet-18	F	Spearman	0	4	RRF	0.06384	0.093766	-0.029925	loss	0.054863	0.008978	win
DermaMNIST-ResNet-18	Fbar	Spearman	0	4	RRF	0.355611	0.312219	-0.043392	loss	0.354115	-0.001496	loss
DermaMNIST-ResNet-18	C	Spearman	0	4	RRF	0.275312	0.315711	-0.040399	loss	0.275312	0	tie
DermaMNIST-ResNet-18	Cbar	Spearman	0	4	RRF	0.724688	0.665835	-0.058853	loss	0.717207	-0.007481	loss
DermaMNIST-ResNet-18	F	Spearman	0	4	Kemeny	0.060349	0.080798	-0.020449	loss	0.053367	0.006983	win
DermaMNIST-ResNet-18	Fbar	Spearman	0	4	Kemeny	0.35212	0.294264	-0.057855	loss	0.348628	-0.003491	loss
DermaMNIST-ResNet-18	C	Spearman	0	4	Kemeny	0.271322	0.303741	-0.032419	loss	0.275312	-0.00399	loss
DermaMNIST-ResNet-18	Cbar	Spearman	0	4	Kemeny	0.729676	0.65586	-0.073815	loss	0.718204	-0.011471	loss
DermaMNIST-ResNet-18	F	Spearman	0	4	Schulze	0.049377	0.080798	-0.031421	loss	0.054364	-0.004988	loss
DermaMNIST-ResNet-18	Fbar	Spearman	0	4	Schulze	0.353117	0.294264	-0.058853	loss	0.351621	-0.001496	loss
DermaMNIST-ResNet-18	C	Spearman	0	4	Schulze	0.268329	0.303741	-0.035411	loss	0.269825	-0.001496	loss
DermaMNIST-ResNet-18	Cbar	Spearman	0	4	Schulze	0.725686	0.65586	-0.069825	loss	0.717706	-0.00798	loss
DermaMNIST-ResNet-18	F	Spearman	1	4	Simple Averaging	0.057357	0.079302	-0.021945	loss	0.059352	-0.001995	loss
DermaMNIST-ResNet-18	Fbar	Spearman	1	4	Simple Averaging	0.335162	0.296758	-0.038404	loss	0.38005	0.044888	win
DermaMNIST-ResNet-18	C	Spearman	1	4	Simple Averaging	0.273815	0.314214	-0.040399	loss	0.281297	-0.007481	loss
DermaMNIST-ResNet-18	Cbar	Spearman	1	4	Simple Averaging	0.695262	0.657855	-0.037406	loss	0.73217	0.036908	win
DermaMNIST-ResNet-18	F	Spearman	1	4	Borda	0.049875	0.080798	-0.030923	loss	0.051372	-0.001496	loss
DermaMNIST-ResNet-18	Fbar	Spearman	1	4	Borda	0.335661	0.294264	-0.041397	loss	0.357107	0.021446	win
DermaMNIST-ResNet-18	C	Spearman	1	4	Borda	0.262843	0.303741	-0.040898	loss	0.267332	-0.004489	loss
DermaMNIST-ResNet-18	Cbar	Spearman	1	4	Borda	0.691771	0.65586	-0.03591	loss	0.722693	0.030923	win
DermaMNIST-ResNet-18	F	Spearman	1	4	RRF	0.056359	0.093766	-0.037406	loss	0.054863	0.001496	win
DermaMNIST-ResNet-18	Fbar	Spearman	1	4	RRF	0.343641	0.312219	-0.031421	loss	0.354115	0.010474	win
DermaMNIST-ResNet-18	C	Spearman	1	4	RRF	0.280798	0.315711	-0.034913	loss	0.275312	0.005486	win
DermaMNIST-ResNet-18	Cbar	Spearman	1	4	RRF	0.685287	0.665835	-0.019451	loss	0.717207	0.03192	win
DermaMNIST-ResNet-18	F	Spearman	1	4	Kemeny	0.057855	0.080798	-0.022943	loss	0.053367	0.004489	win
DermaMNIST-ResNet-18	Fbar	Spearman	1	4	Kemeny	0.324688	0.294264	-0.030424	loss	0.348628	0.02394	win
DermaMNIST-ResNet-18	C	Spearman	1	4	Kemeny	0.284289	0.303741	-0.019451	loss	0.275312	0.008978	win
DermaMNIST-ResNet-18	Cbar	Spearman	1	4	Kemeny	0.676808	0.65586	-0.020948	loss	0.718204	0.041397	win
DermaMNIST-ResNet-18	F	Spearman	1	4	Schulze	0.043392	0.080798	-0.037406	loss	0.054364	-0.010973	loss
DermaMNIST-ResNet-18	Fbar	Spearman	1	4	Schulze	0.331172	0.294264	-0.036908	loss	0.351621	0.020449	win
DermaMNIST-ResNet-18	C	Spearman	1	4	Schulze	0.263342	0.303741	-0.040399	loss	0.269825	-0.006484	loss
DermaMNIST-ResNet-18	Cbar	Spearman	1	4	Schulze	0.685786	0.65586	-0.029925	loss	0.717706	0.03192	win
DermaMNIST-ResNet-18	F	Spearman	2	8	Simple Averaging	0.065337	0.079302	-0.013965	loss	0.059352	0.005985	win
DermaMNIST-ResNet-18	Fbar	Spearman	2	8	Simple Averaging	0.381047	0.296758	-0.084289	loss	0.38005	-0.000998	loss
DermaMNIST-ResNet-18	C	Spearman	2	8	Simple Averaging	0.283791	0.314214	-0.030424	loss	0.281297	0.002494	win
DermaMNIST-ResNet-18	Cbar	Spearman	2	8	Simple Averaging	0.731172	0.657855	-0.073317	loss	0.73217	0.000998	win
DermaMNIST-ResNet-18	F	Spearman	2	8	Borda	0.062843	0.080798	-0.017955	loss	0.051372	0.011471	win
DermaMNIST-ResNet-18	Fbar	Spearman	2	8	Borda	0.331172	0.294264	-0.036908	loss	0.357107	0.025935	win
DermaMNIST-ResNet-18	C	Spearman	2	8	Borda	0.281297	0.303741	-0.022444	loss	0.267332	0.013965	win
DermaMNIST-ResNet-18	Cbar	Spearman	2	8	Borda	0.696259	0.65586	-0.040399	loss	0.722693	0.026434	win
DermaMNIST-ResNet-18	F	Spearman	2	8	RRF	0.073815	0.093766	-0.01995	loss	0.054863	0.018953	win
DermaMNIST-ResNet-18	Fbar	Spearman	2	8	RRF	0.334663	0.312219	-0.022444	loss	0.354115	0.019451	win
DermaMNIST-ResNet-18	C	Spearman	2	8	RRF	0.295761	0.315711	-0.01995	loss	0.275312	0.020449	win
DermaMNIST-ResNet-18	Cbar	Spearman	2	8	RRF	0.700249	0.665835	-0.034414	loss	0.717207	0.016958	win
DermaMNIST-ResNet-18	F	Spearman	2	8	Kemeny	0.062344	0.080798	-0.018454	loss	0.053367	0.008978	win
DermaMNIST-ResNet-18	Fbar	Spearman	2	8	Kemeny	0.335661	0.294264	-0.041397	loss	0.348628	0.012968	win
DermaMNIST-ResNet-18	C	Spearman	2	8	Kemeny	0.285287	0.303741	-0.018454	loss	0.275312	0.009975	win
DermaMNIST-ResNet-18	Cbar	Spearman	2	8	Kemeny	0.703242	0.65586	-0.047382	loss	0.718204	0.014963	win
DermaMNIST-ResNet-18	F	Spearman	2	8	Schulze	0.065835	0.080798	-0.014963	loss	0.054364	0.011471	win
DermaMNIST-ResNet-18	Fbar	Spearman	2	8	Schulze	0.330673	0.294264	-0.036409	loss	0.351621	0.020948	win
DermaMNIST-ResNet-18	C	Spearman	2	8	Schulze	0.287282	0.303741	-0.016459	loss	0.269825	0.017456	win
DermaMNIST-ResNet-18	Cbar	Spearman	2	8	Schulze	0.692768	0.65586	-0.036908	loss	0.717706	0.024938	win
DermaMNIST-ResNet-18	F	Spearman	3	2	Simple Averaging	0.056858	0.079302	-0.022444	loss	0.059352	-0.002494	loss
DermaMNIST-ResNet-18	Fbar	Spearman	3	2	Simple Averaging	0.39601	0.296758	-0.099252	loss	0.38005	-0.01596	loss
DermaMNIST-ResNet-18	C	Spearman	3	2	Simple Averaging	0.277307	0.314214	-0.036908	loss	0.281297	-0.00399	loss
DermaMNIST-ResNet-18	Cbar	Spearman	3	2	Simple Averaging	0.749127	0.657855	-0.091272	loss	0.73217	-0.016958	loss
DermaMNIST-ResNet-18	F	Spearman	3	2	Borda	0.045387	0.080798	-0.035411	loss	0.051372	-0.005985	loss
DermaMNIST-ResNet-18	Fbar	Spearman	3	2	Borda	0.379551	0.294264	-0.085287	loss	0.357107	-0.022444	loss
DermaMNIST-ResNet-18	C	Spearman	3	2	Borda	0.262843	0.303741	-0.040898	loss	0.267332	-0.004489	loss
DermaMNIST-ResNet-18	Cbar	Spearman	3	2	Borda	0.737157	0.65586	-0.081297	loss	0.722693	-0.014464	loss
DermaMNIST-ResNet-18	F	Spearman	3	2	RRF	0.051372	0.093766	-0.042394	loss	0.054863	-0.003491	loss
DermaMNIST-ResNet-18	Fbar	Spearman	3	2	RRF	0.375561	0.312219	-0.063342	loss	0.354115	-0.021446	loss
DermaMNIST-ResNet-18	C	Spearman	3	2	RRF	0.266833	0.315711	-0.048878	loss	0.275312	-0.008479	loss
DermaMNIST-ResNet-18	Cbar	Spearman	3	2	RRF	0.738155	0.665835	-0.072319	loss	0.717207	-0.020948	loss
DermaMNIST-ResNet-18	F	Spearman	3	2	Kemeny	0.045387	0.080798	-0.035411	loss	0.053367	-0.00798	loss
DermaMNIST-ResNet-18	Fbar	Spearman	3	2	Kemeny	0.379551	0.294264	-0.085287	loss	0.348628	-0.030923	loss
DermaMNIST-ResNet-18	C	Spearman	3	2	Kemeny	0.262843	0.303741	-0.040898	loss	0.275312	-0.012469	loss
DermaMNIST-ResNet-18	Cbar	Spearman	3	2	Kemeny	0.737157	0.65586	-0.081297	loss	0.718204	-0.018953	loss
DermaMNIST-ResNet-18	F	Spearman	3	2	Schulze	0.045387	0.080798	-0.035411	loss	0.054364	-0.008978	loss
DermaMNIST-ResNet-18	Fbar	Spearman	3	2	Schulze	0.379551	0.294264	-0.085287	loss	0.351621	-0.02793	loss
DermaMNIST-ResNet-18	C	Spearman	3	2	Schulze	0.262843	0.303741	-0.040898	loss	0.269825	-0.006683	loss
DermaMNIST-ResNet-18	Cbar	Spearman	3	2	Schulze	0.737157	0.65586	-0.081297	loss	0.717706	-0.019451	loss

Cell	Metric	Geometry	Random Order Index	Selected Q	Rule	Candidate Value	NOISE Value	Oriented Delta Vs NOISE	Outcome Vs NOISE	NAIVE Q=11 Value	Oriented Delta Vs NAIVE Q=11	Outcome Vs NAIVE Q=11
DermaMNIST-ResNet-18	F	Spearman	4	5	Simple Averaging	0.057855	0.079302	-0.021446	loss	0.059352	-0.001496	loss
DermaMNIST-ResNet-18	Fbar	Spearman	4	5	Simple Averaging	0.385536	0.296758	-0.088778	loss	0.38005	-0.005486	loss
DermaMNIST-ResNet-18	C	Spearman	4	5	Simple Averaging	0.261845	0.314214	-0.052369	loss	0.281297	-0.019451	loss
DermaMNIST-ResNet-18	Cbar	Spearman	4	5	Simple Averaging	0.735162	0.657855	-0.077307	loss	0.73217	-0.002993	loss
DermaMNIST-ResNet-18	F	Spearman	4	5	Borda	0.050374	0.080798	-0.030424	loss	0.051372	-0.000998	loss
DermaMNIST-ResNet-18	Fbar	Spearman	4	5	Borda	0.329676	0.294264	-0.035411	loss	0.357107	0.027431	win
DermaMNIST-ResNet-18	C	Spearman	4	5	Borda	0.26783	0.303741	-0.03591	loss	0.267332	0.000499	win
DermaMNIST-ResNet-18	Cbar	Spearman	4	5	Borda	0.696259	0.65586	-0.040399	loss	0.722693	0.026434	win
DermaMNIST-ResNet-18	F	Spearman	4	5	RRF	0.054863	0.093766	-0.038903	loss	0.054863	0	tie
DermaMNIST-ResNet-18	Fbar	Spearman	4	5	RRF	0.341646	0.312219	-0.029426	loss	0.354115	0.012469	win
DermaMNIST-ResNet-18	C	Spearman	4	5	RRF	0.276309	0.315711	-0.039401	loss	0.275312	0.000998	win
DermaMNIST-ResNet-18	Cbar	Spearman	4	5	RRF	0.699751	0.665835	-0.033915	loss	0.717207	0.017456	win
DermaMNIST-ResNet-18	F	Spearman	4	5	Kemeny	0.065337	0.080798	-0.015461	loss	0.053367	0.01197	win
DermaMNIST-ResNet-18	Fbar	Spearman	4	5	Kemeny	0.336658	0.294264	-0.042394	loss	0.348628	0.01197	win
DermaMNIST-ResNet-18	C	Spearman	4	5	Kemeny	0.281297	0.303741	-0.022444	loss	0.275312	0.005985	win
DermaMNIST-ResNet-18	Cbar	Spearman	4	5	Kemeny	0.691771	0.65586	-0.03591	loss	0.718204	0.026434	win
DermaMNIST-ResNet-18	F	Spearman	4	5	Schulze	0.057357	0.080798	-0.023441	loss	0.054364	0.002993	win
DermaMNIST-ResNet-18	Fbar	Spearman	4	5	Schulze	0.338653	0.294264	-0.044389	loss	0.351621	0.012968	win
DermaMNIST-ResNet-18	C	Spearman	4	5	Schulze	0.268828	0.303741	-0.034913	loss	0.269825	-0.000998	loss
DermaMNIST-ResNet-18	Cbar	Spearman	4	5	Schulze	0.692269	0.65586	-0.036409	loss	0.717706	0.025436	win
DermaMNIST-ResNet-18	F	Spearman	5	8	Simple Averaging	0.06384	0.079302	-0.015461	loss	0.059352	0.004489	win
DermaMNIST-ResNet-18	Fbar	Spearman	5	8	Simple Averaging	0.382544	0.296758	-0.085786	loss	0.38005	-0.002494	loss
DermaMNIST-ResNet-18	C	Spearman	5	8	Simple Averaging	0.278304	0.314214	-0.03591	loss	0.281297	-0.002993	loss
DermaMNIST-ResNet-18	Cbar	Spearman	5	8	Simple Averaging	0.734663	0.657855	-0.076808	loss	0.73217	-0.002494	loss
DermaMNIST-ResNet-18	F	Spearman	5	8	Borda	0.052868	0.080798	-0.02793	loss	0.051372	0.001496	win
DermaMNIST-ResNet-18	Fbar	Spearman	5	8	Borda	0.357606	0.294264	-0.063342	loss	0.357107	-0.000499	loss
DermaMNIST-ResNet-18	C	Spearman	5	8	Borda	0.26783	0.303741	-0.03591	loss	0.267332	0.000499	win
DermaMNIST-ResNet-18	Cbar	Spearman	5	8	Borda	0.721197	0.65586	-0.065337	loss	0.722693	0.001496	win
DermaMNIST-ResNet-18	F	Spearman	5	8	RRF	0.071322	0.093766	-0.022444	loss	0.054863	0.016459	win
DermaMNIST-ResNet-18	Fbar	Spearman	5	8	RRF	0.347132	0.312219	-0.034913	loss	0.354115	0.006983	win
DermaMNIST-ResNet-18	C	Spearman	5	8	RRF	0.280299	0.315711	-0.035411	loss	0.275312	0.004988	win
DermaMNIST-ResNet-18	Cbar	Spearman	5	8	RRF	0.705237	0.665835	-0.039401	loss	0.717207	0.01197	win
DermaMNIST-ResNet-18	F	Spearman	5	8	Kemeny	0.053865	0.080798	-0.026933	loss	0.053367	0.000499	win
DermaMNIST-ResNet-18	Fbar	Spearman	5	8	Kemeny	0.337157	0.294264	-0.042893	loss	0.348628	0.011471	win
DermaMNIST-ResNet-18	C	Spearman	5	8	Kemeny	0.282793	0.303741	-0.020948	loss	0.275312	0.007481	win
DermaMNIST-ResNet-18	Cbar	Spearman	5	8	Kemeny	0.698254	0.65586	-0.042394	loss	0.718204	0.01995	win
DermaMNIST-ResNet-18	F	Spearman	5	8	Schulze	0.057357	0.080798	-0.023441	loss	0.054364	0.002993	win
DermaMNIST-ResNet-18	Fbar	Spearman	5	8	Schulze	0.347132	0.294264	-0.052868	loss	0.351621	0.004489	win
DermaMNIST-ResNet-18	C	Spearman	5	8	Schulze	0.270324	0.303741	-0.033416	loss	0.269825	0.000499	win
DermaMNIST-ResNet-18	Cbar	Spearman	5	8	Schulze	0.709227	0.65586	-0.053367	loss	0.717706	0.008479	win
DermaMNIST-ResNet-18	F	Spearman	6	8	Simple Averaging	0.071322	0.079302	-0.00798	loss	0.059352	0.01197	win
DermaMNIST-ResNet-18	Fbar	Spearman	6	8	Simple Averaging	0.38005	0.296758	-0.083292	loss	0.38005	0	tie
DermaMNIST-ResNet-18	C	Spearman	6	8	Simple Averaging	0.280798	0.314214	-0.033416	loss	0.281297	-0.000499	loss
DermaMNIST-ResNet-18	Cbar	Spearman	6	8	Simple Averaging	0.732668	0.657855	-0.074813	loss	0.73217	-0.000499	loss
DermaMNIST-ResNet-18	F	Spearman	6	8	Borda	0.064339	0.080798	-0.016459	loss	0.051372	0.012968	win
DermaMNIST-ResNet-18	Fbar	Spearman	6	8	Borda	0.334663	0.294264	-0.040399	loss	0.357107	0.022444	win
DermaMNIST-ResNet-18	C	Spearman	6	8	Borda	0.277307	0.303741	-0.026434	loss	0.267332	0.009975	win
DermaMNIST-ResNet-18	Cbar	Spearman	6	8	Borda	0.703741	0.65586	-0.04788	loss	0.722693	0.018953	win
DermaMNIST-ResNet-18	F	Spearman	6	8	RRF	0.057357	0.093766	-0.036409	loss	0.054863	0.002494	win
DermaMNIST-ResNet-18	Fbar	Spearman	6	8	RRF	0.33217	0.312219	-0.01995	loss	0.354115	0.021945	win
DermaMNIST-ResNet-18	C	Spearman	6	8	RRF	0.286284	0.315711	-0.029426	loss	0.275312	0.010973	win
DermaMNIST-ResNet-18	Cbar	Spearman	6	8	RRF	0.698254	0.665835	-0.032419	loss	0.717207	0.018953	win
DermaMNIST-ResNet-18	F	Spearman	6	8	Kemeny	0.069825	0.080798	-0.010973	loss	0.053367	0.016459	win
DermaMNIST-ResNet-18	Fbar	Spearman	6	8	Kemeny	0.320698	0.294264	-0.026434	loss	0.348628	0.02793	win
DermaMNIST-ResNet-18	C	Spearman	6	8	Kemeny	0.282793	0.303741	-0.020948	loss	0.275312	0.007481	win
DermaMNIST-ResNet-18	Cbar	Spearman	6	8	Kemeny	0.688279	0.65586	-0.032419	loss	0.718204	0.029925	win
DermaMNIST-ResNet-18	F	Spearman	6	8	Schulze	0.061845	0.080798	-0.018953	loss	0.054364	0.007481	win
DermaMNIST-ResNet-18	Fbar	Spearman	6	8	Schulze	0.329177	0.294264	-0.034913	loss	0.351621	0.022444	win
DermaMNIST-ResNet-18	C	Spearman	6	8	Schulze	0.281796	0.303741	-0.021945	loss	0.269825	0.01197	win
DermaMNIST-ResNet-18	Cbar	Spearman	6	8	Schulze	0.694264	0.65586	-0.038404	loss	0.717706	0.023441	win
DermaMNIST-ResNet-18	F	Spearman	7	11	Simple Averaging	0.059352	0.079302	-0.01995	loss	0.059352	0	tie
DermaMNIST-ResNet-18	Fbar	Spearman	7	11	Simple Averaging	0.38005	0.296758	-0.083292	loss	0.38005	0	tie
DermaMNIST-ResNet-18	C	Spearman	7	11	Simple Averaging	0.281297	0.314214	-0.032918	loss	0.281297	0	tie
DermaMNIST-ResNet-18	Cbar	Spearman	7	11	Simple Averaging	0.73217	0.657855	-0.074314	loss	0.73217	0	tie
DermaMNIST-ResNet-18	F	Spearman	7	11	Borda	0.051372	0.080798	-0.029426	loss	0.051372	0	tie
DermaMNIST-ResNet-18	Fbar	Spearman	7	11	Borda	0.357107	0.294264	-0.062843	loss	0.357107	0	tie
DermaMNIST-ResNet-18	C	Spearman	7	11	Borda	0.267332	0.303741	-0.036409	loss	0.267332	0	tie
DermaMNIST-ResNet-18	Cbar	Spearman	7	11	Borda	0.722693	0.65586	-0.066833	loss	0.722693	0	tie
DermaMNIST-ResNet-18	F	Spearman	7	11	RRF	0.054863	0.093766	-0.038903	loss	0.054863	0	tie
DermaMNIST-ResNet-18	Fbar	Spearman	7	11	RRF	0.354115	0.312219	-0.041895	loss	0.354115	0	tie
DermaMNIST-ResNet-18	C	Spearman	7	11	RRF	0.275312	0.315711	-0.040399	loss	0.275312	0	tie
DermaMNIST-ResNet-18	Cbar	Spearman	7	11	RRF	0.717207	0.665835	-0.051372	loss	0.717207	0	tie
DermaMNIST-ResNet-18	F	Spearman	7	11	Kemeny	0.053367	0.080798	-0.027431	loss	0.053367	0	tie
DermaMNIST-ResNet-18	Fbar	Spearman	7	11	Kemeny	0.348628	0.294264	-0.054364	loss	0.348628	0	tie
DermaMNIST-ResNet-18	C	Spearman	7	11	Kemeny	0.275312	0.303741	-0.028429	loss	0.275312	0	tie
DermaMNIST-ResNet-18	Cbar	Spearman	7	11	Kemeny	0.718204	0.65586	-0.062344	loss	0.718204	0	tie
DermaMNIST-ResNet-18	F	Spearman	7	11	Schulze	0.054364	0.080798	-0.026434	loss	0.054364	0	tie
DermaMNIST-ResNet-18	Fbar	Spearman	7	11	Schulze	0.351621	0.294264	-0.057357	loss	0.351621	0	tie
DermaMNIST-ResNet-18	C	Spearman	7	11	Schulze	0.269825	0.303741	-0.033915	loss	0.269825	0	tie
DermaMNIST-ResNet-18	Cbar	Spearman	7	11	Schulze	0.717706	0.65586	-0.061845	loss	0.717706	0	tie
DermaMNIST-ResNet-18	F	Spearman	8	9	Simple Averaging	0.068828	0.079302	-0.010474	loss	0.059352	0.009476	win
DermaMNIST-ResNet-18	Fbar	Spearman	8	9	Simple Averaging	0.373067	0.296758	-0.076309	loss	0.38005	0.006983	win
DermaMNIST-ResNet-18	C	Spearman	8	9	Simple Averaging	0.280299	0.314214	-0.033915	loss	0.281297	-0.000998	loss

Cell	Metric	Geometry	Random Order Index	Selected Q	Rule	Candidate Value	NOISE Value	Oriented Delta Vs NOISE	Outcome Vs NOISE	NAIVE Q=11 Value	Oriented Delta Vs NAIVE Q=11	Outcome Vs NAIVE Q=11
DermaMNIST-ResNet-18	Cbar	Spearman	8	9	Simple Averaging	0.727681	0.657855	-0.069825	loss	0.73217	0.004489	win
DermaMNIST-ResNet-18	F	Spearman	8	9	Borda	0.065835	0.080798	-0.014963	loss	0.051372	0.014464	win
DermaMNIST-ResNet-18	Fbar	Spearman	8	9	Borda	0.320698	0.294264	-0.026434	loss	0.357107	0.036409	win
DermaMNIST-ResNet-18	C	Spearman	8	9	Borda	0.279302	0.303741	-0.024439	loss	0.267332	0.01197	win
DermaMNIST-ResNet-18	Cbar	Spearman	8	9	Borda	0.689776	0.65586	-0.033915	loss	0.722693	0.032918	win
DermaMNIST-ResNet-18	F	Spearman	8	9	RRF	0.062843	0.093766	-0.030923	loss	0.054863	0.00798	win
DermaMNIST-ResNet-18	Fbar	Spearman	8	9	RRF	0.32419	0.312219	-0.01197	loss	0.354115	0.029925	win
DermaMNIST-ResNet-18	C	Spearman	8	9	RRF	0.276808	0.315711	-0.038903	loss	0.275312	0.001496	win
DermaMNIST-ResNet-18	Cbar	Spearman	8	9	RRF	0.687781	0.665835	-0.021945	loss	0.717207	0.029426	win
DermaMNIST-ResNet-18	F	Spearman	8	9	Kemeny	0.055362	0.080798	-0.025436	loss	0.053367	0.001995	win
DermaMNIST-ResNet-18	Fbar	Spearman	8	9	Kemeny	0.326683	0.294264	-0.032419	loss	0.348628	0.021945	win
DermaMNIST-ResNet-18	C	Spearman	8	9	Kemeny	0.288279	0.303741	-0.015461	loss	0.275312	0.012968	win
DermaMNIST-ResNet-18	Cbar	Spearman	8	9	Kemeny	0.691771	0.65586	-0.03591	loss	0.718204	0.026434	win
DermaMNIST-ResNet-18	F	Spearman	8	9	Schulze	0.060848	0.080798	-0.01995	loss	0.054364	0.006484	win
DermaMNIST-ResNet-18	Fbar	Spearman	8	9	Schulze	0.318703	0.294264	-0.024439	loss	0.351621	0.032918	win
DermaMNIST-ResNet-18	C	Spearman	8	9	Schulze	0.283292	0.303741	-0.020449	loss	0.269825	0.013466	win
DermaMNIST-ResNet-18	Cbar	Spearman	8	9	Schulze	0.687781	0.65586	-0.03192	loss	0.717706	0.029925	win
DermaMNIST-ResNet-18	F	Spearman	9	6	Simple Averaging	0.068828	0.079302	-0.010474	loss	0.059352	0.009476	win
DermaMNIST-ResNet-18	Fbar	Spearman	9	6	Simple Averaging	0.380549	0.296758	-0.083791	loss	0.38005	-0.000499	loss
DermaMNIST-ResNet-18	C	Spearman	9	6	Simple Averaging	0.273317	0.314214	-0.040898	loss	0.281297	-0.00798	loss
DermaMNIST-ResNet-18	Cbar	Spearman	9	6	Simple Averaging	0.733167	0.657855	-0.075312	loss	0.73217	-0.000998	loss
DermaMNIST-ResNet-18	F	Spearman	9	6	Borda	0.064339	0.080798	-0.016459	loss	0.051372	0.012968	win
DermaMNIST-ResNet-18	Fbar	Spearman	9	6	Borda	0.340648	0.294264	-0.046384	loss	0.357107	0.016459	win
DermaMNIST-ResNet-18	C	Spearman	9	6	Borda	0.283292	0.303741	-0.020449	loss	0.267332	0.01596	win
DermaMNIST-ResNet-18	Cbar	Spearman	9	6	Borda	0.709726	0.65586	-0.053865	loss	0.722693	0.012968	win
DermaMNIST-ResNet-18	F	Spearman	9	6	RRF	0.062344	0.093766	-0.031421	loss	0.054863	0.007481	win
DermaMNIST-ResNet-18	Fbar	Spearman	9	6	RRF	0.34015	0.312219	-0.02793	loss	0.354115	0.013965	win
DermaMNIST-ResNet-18	C	Spearman	9	6	RRF	0.2798	0.315711	-0.03591	loss	0.275312	0.004489	win
DermaMNIST-ResNet-18	Cbar	Spearman	9	6	RRF	0.709726	0.665835	-0.04389	loss	0.717207	0.007481	win
DermaMNIST-ResNet-18	F	Spearman	9	6	Kemeny	0.053865	0.080798	-0.026933	loss	0.053367	0.000499	win
DermaMNIST-ResNet-18	Fbar	Spearman	9	6	Kemeny	0.344638	0.294264	-0.050374	loss	0.348628	0.00399	win
DermaMNIST-ResNet-18	C	Spearman	9	6	Kemeny	0.278803	0.303741	-0.024938	loss	0.275312	0.003491	win
DermaMNIST-ResNet-18	Cbar	Spearman	9	6	Kemeny	0.715212	0.65586	-0.050352	loss	0.718204	0.002993	win
DermaMNIST-ResNet-18	F	Spearman	9	6	Schulze	0.063342	0.080798	-0.017456	loss	0.054364	0.008978	win
DermaMNIST-ResNet-18	Fbar	Spearman	9	6	Schulze	0.33616	0.294264	-0.041895	loss	0.351621	0.015461	win
DermaMNIST-ResNet-18	C	Spearman	9	6	Schulze	0.292768	0.303741	-0.010973	loss	0.269825	0.022943	win
DermaMNIST-ResNet-18	Cbar	Spearman	9	6	Schulze	0.707232	0.65586	-0.051372	loss	0.717706	0.010474	win
DermaMNIST-ResNet-18	F	Kendall	0	4	Simple Averaging	0.053367	0.069327	-0.01596	loss	0.059352	-0.005985	loss
DermaMNIST-ResNet-18	Fbar	Kendall	0	4	Simple Averaging	0.368579	0.38404	0.015461	win	0.38005	0.011471	win
DermaMNIST-ResNet-18	C	Kendall	0	4	Simple Averaging	0.261347	0.288279	-0.026933	loss	0.281297	-0.01995	loss
DermaMNIST-ResNet-18	Cbar	Kendall	0	4	Simple Averaging	0.733666	0.737157	0.003491	win	0.73217	-0.001496	loss
DermaMNIST-ResNet-18	F	Kendall	0	4	Borda	0.052369	0.084788	-0.032419	loss	0.051372	0.000998	win
DermaMNIST-ResNet-18	Fbar	Kendall	0	4	Borda	0.353117	0.309726	-0.043392	loss	0.357107	0.00399	win
DermaMNIST-ResNet-18	C	Kendall	0	4	Borda	0.266334	0.313217	-0.046883	loss	0.267332	-0.000998	loss
DermaMNIST-ResNet-18	Cbar	Kendall	0	4	Borda	0.717706	0.669825	-0.04788	loss	0.722693	0.004988	win
DermaMNIST-ResNet-18	F	Kendall	0	4	RRF	0.06384	0.077805	-0.013965	loss	0.054863	0.008978	win
DermaMNIST-ResNet-18	Fbar	Kendall	0	4	RRF	0.355611	0.309726	-0.045885	loss	0.354115	-0.001496	loss
DermaMNIST-ResNet-18	C	Kendall	0	4	RRF	0.275312	0.304239	-0.028928	loss	0.275312	0	tie
DermaMNIST-ResNet-18	Cbar	Kendall	0	4	RRF	0.724688	0.660349	-0.064339	loss	0.717207	-0.007481	loss
DermaMNIST-ResNet-18	F	Kendall	0	4	Kemeny	0.060349	0.091272	-0.030923	loss	0.053367	0.006983	win
DermaMNIST-ResNet-18	Fbar	Kendall	0	4	Kemeny	0.35212	0.314214	-0.037905	loss	0.348628	-0.003491	loss
DermaMNIST-ResNet-18	C	Kendall	0	4	Kemeny	0.271322	0.314214	-0.042893	loss	0.275312	-0.00399	loss
DermaMNIST-ResNet-18	Cbar	Kendall	0	4	Kemeny	0.729676	0.669825	-0.05985	loss	0.718204	-0.011471	loss
DermaMNIST-ResNet-18	F	Kendall	0	4	Schulze	0.049377	0.083292	-0.033915	loss	0.054364	-0.004988	loss
DermaMNIST-ResNet-18	Fbar	Kendall	0	4	Schulze	0.353117	0.307731	-0.045387	loss	0.351621	-0.001496	loss
DermaMNIST-ResNet-18	C	Kendall	0	4	Schulze	0.268329	0.312718	-0.044389	loss	0.269825	-0.001496	loss
DermaMNIST-ResNet-18	Cbar	Kendall	0	4	Schulze	0.725686	0.667332	-0.058354	loss	0.717706	-0.00798	loss
DermaMNIST-ResNet-18	F	Kendall	1	4	Simple Averaging	0.057357	0.069327	-0.01197	loss	0.059352	-0.001995	loss
DermaMNIST-ResNet-18	Fbar	Kendall	1	4	Simple Averaging	0.335162	0.38404	0.048878	win	0.38005	0.044888	win
DermaMNIST-ResNet-18	C	Kendall	1	4	Simple Averaging	0.273815	0.288279	-0.014464	loss	0.281297	-0.007481	loss
DermaMNIST-ResNet-18	Cbar	Kendall	1	4	Simple Averaging	0.695262	0.737157	0.041895	win	0.73217	0.036908	win
DermaMNIST-ResNet-18	F	Kendall	1	4	Borda	0.049875	0.084788	-0.034913	loss	0.051372	-0.001496	loss
DermaMNIST-ResNet-18	Fbar	Kendall	1	4	Borda	0.335661	0.309726	-0.025935	loss	0.357107	0.021446	win
DermaMNIST-ResNet-18	C	Kendall	1	4	Borda	0.262843	0.313217	-0.050374	loss	0.267332	-0.004489	loss
DermaMNIST-ResNet-18	Cbar	Kendall	1	4	Borda	0.691771	0.669825	-0.021945	loss	0.722693	0.030923	win
DermaMNIST-ResNet-18	F	Kendall	1	4	RRF	0.056359	0.077805	-0.021446	loss	0.054863	0.001496	win
DermaMNIST-ResNet-18	Fbar	Kendall	1	4	RRF	0.343641	0.309726	-0.033915	loss	0.354115	0.010474	win
DermaMNIST-ResNet-18	C	Kendall	1	4	RRF	0.280798	0.304239	-0.023441	loss	0.275312	0.005486	win
DermaMNIST-ResNet-18	Cbar	Kendall	1	4	RRF	0.685287	0.660349	-0.024938	loss	0.717207	0.03192	win
DermaMNIST-ResNet-18	F	Kendall	1	4	Kemeny	0.057855	0.091272	-0.033416	loss	0.053367	0.004489	win
DermaMNIST-ResNet-18	Fbar	Kendall	1	4	Kemeny	0.324688	0.314214	-0.010474	loss	0.348628	0.02394	win
DermaMNIST-ResNet-18	C	Kendall	1	4	Kemeny	0.284289	0.314214	-0.029925	loss	0.275312	0.008978	win
DermaMNIST-ResNet-18	Cbar	Kendall	1	4	Kemeny	0.676808	0.669825	-0.006983	loss	0.718204	0.041397	win
DermaMNIST-ResNet-18	F	Kendall	1	4	Schulze	0.043392	0.083292	-0.0399	loss	0.054364	-0.010973	loss
DermaMNIST-ResNet-18	Fbar	Kendall	1	4	Schulze	0.331172	0.307731	-0.023441	loss	0.351621	0.020449	win
DermaMNIST-ResNet-18	C	Kendall	1	4	Schulze	0.263342	0.312718	-0.049377	loss	0.269825	-0.006484	loss
DermaMNIST-ResNet-18	Cbar	Kendall	1	4	Schulze	0.685786	0.667332	-0.018454	loss	0.717706	0.03192	win
DermaMNIST-ResNet-18	F	Kendall	2	10	Simple Averaging	0.064339	0.069327	-0.004988	loss	0.059352	0.004988	win
DermaMNIST-ResNet-18	Fbar	Kendall	2	10	Simple Averaging	0.379052	0.38404	0.004988	win	0.38005	0.000998	win
DermaMNIST-ResNet-18	C	Kendall	2	10	Simple Averaging	0.274813	0.288279	-0.013466	loss	0.281297	-0.006484	loss
DermaMNIST-ResNet-18	Cbar	Kendall	2	10	Simple Averaging	0.727681	0.737157	0.009476	win	0.73217	0.004489	win
DermaMNIST-ResNet-18	F	Kendall	2	10	Borda	0.057357	0.084788	-0.027431	loss	0.051372	0.005985	win
DermaMNIST-ResNet-18	Fbar	Kendall	2	10	Borda	0.365586	0.309726	-0.05586	loss	0.357107	-0.008479	loss

Cell	Metric	Geometry	Random Order Index	Selected Q	Rule	Candidate Value	NOISE Value	Oriented Delta Vs NOISE	Outcome Vs NOISE	NAIVE Q=11 Value	Oriented Delta Vs NAIVE Q=11	Outcome Vs NAIVE Q=11
DermaMNIST-ResNet-18	C	Kendall	2	10	Borda	0.273317	0.313217	-0.0399	loss	0.267332	0.005985	win
DermaMNIST-ResNet-18	Cbar	Kendall	2	10	Borda	0.72419	0.669825	-0.054364	loss	0.722693	-0.001496	loss
DermaMNIST-ResNet-18	F	Kendall	2	10	RRF	0.048878	0.077805	-0.028928	loss	0.054863	-0.005985	loss
DermaMNIST-ResNet-18	Fbar	Kendall	2	10	RRF	0.356608	0.309726	-0.046883	loss	0.354115	-0.002494	loss
DermaMNIST-ResNet-18	C	Kendall	2	10	RRF	0.266833	0.304239	-0.037406	loss	0.275312	-0.008479	loss
DermaMNIST-ResNet-18	Cbar	Kendall	2	10	RRF	0.714214	0.660349	-0.053865	loss	0.717207	0.002993	win
DermaMNIST-ResNet-18	F	Kendall	2	10	Kemeny	0.054364	0.091272	-0.036908	loss	0.053367	0.000998	win
DermaMNIST-ResNet-18	Fbar	Kendall	2	10	Kemeny	0.357606	0.314214	-0.043392	loss	0.348628	-0.008978	loss
DermaMNIST-ResNet-18	C	Kendall	2	10	Kemeny	0.271322	0.314214	-0.042893	loss	0.275312	-0.00399	loss
DermaMNIST-ResNet-18	Cbar	Kendall	2	10	Kemeny	0.717207	0.669825	-0.047382	loss	0.718204	0.000998	win
DermaMNIST-ResNet-18	F	Kendall	2	10	Schulze	0.051372	0.083292	-0.03192	loss	0.054364	-0.002993	loss
DermaMNIST-ResNet-18	Fbar	Kendall	2	10	Schulze	0.362095	0.307731	-0.054364	loss	0.351621	-0.010474	loss
DermaMNIST-ResNet-18	C	Kendall	2	10	Schulze	0.264339	0.312718	-0.048379	loss	0.269825	-0.005486	loss
DermaMNIST-ResNet-18	Cbar	Kendall	2	10	Schulze	0.713217	0.667332	-0.045885	loss	0.717706	0.004489	win
DermaMNIST-ResNet-18	F	Kendall	3	10	Simple Averaging	0.064339	0.069327	-0.004988	loss	0.059352	0.004988	win
DermaMNIST-ResNet-18	Fbar	Kendall	3	10	Simple Averaging	0.379052	0.38404	0.004988	win	0.38005	0.000998	win
DermaMNIST-ResNet-18	C	Kendall	3	10	Simple Averaging	0.274813	0.288279	-0.013466	loss	0.281297	-0.006484	loss
DermaMNIST-ResNet-18	Cbar	Kendall	3	10	Simple Averaging	0.727681	0.737157	0.009476	win	0.73217	0.004489	win
DermaMNIST-ResNet-18	F	Kendall	3	10	Borda	0.057357	0.084788	-0.027431	loss	0.051372	0.005985	win
DermaMNIST-ResNet-18	Fbar	Kendall	3	10	Borda	0.365586	0.309726	-0.05586	loss	0.357107	-0.008479	loss
DermaMNIST-ResNet-18	C	Kendall	3	10	Borda	0.273317	0.313217	-0.0399	loss	0.267332	0.005985	win
DermaMNIST-ResNet-18	Cbar	Kendall	3	10	Borda	0.72419	0.669825	-0.054364	loss	0.722693	-0.001496	loss
DermaMNIST-ResNet-18	F	Kendall	3	10	RRF	0.048878	0.077805	-0.028928	loss	0.054863	-0.005985	loss
DermaMNIST-ResNet-18	Fbar	Kendall	3	10	RRF	0.356608	0.309726	-0.046883	loss	0.354115	-0.002494	loss
DermaMNIST-ResNet-18	C	Kendall	3	10	RRF	0.266833	0.304239	-0.037406	loss	0.275312	-0.008479	loss
DermaMNIST-ResNet-18	Cbar	Kendall	3	10	RRF	0.714214	0.660349	-0.053865	loss	0.717207	0.002993	win
DermaMNIST-ResNet-18	F	Kendall	3	10	Kemeny	0.054364	0.091272	-0.036908	loss	0.053367	0.000998	win
DermaMNIST-ResNet-18	Fbar	Kendall	3	10	Kemeny	0.357606	0.314214	-0.043392	loss	0.348628	-0.008978	loss
DermaMNIST-ResNet-18	C	Kendall	3	10	Kemeny	0.271322	0.314214	-0.042893	loss	0.275312	-0.00399	loss
DermaMNIST-ResNet-18	Cbar	Kendall	3	10	Kemeny	0.717207	0.669825	-0.047382	loss	0.718204	0.000998	win
DermaMNIST-ResNet-18	F	Kendall	3	10	Schulze	0.051372	0.083292	-0.03192	loss	0.054364	-0.002993	loss
DermaMNIST-ResNet-18	Fbar	Kendall	3	10	Schulze	0.362095	0.307731	-0.054364	loss	0.351621	-0.010474	loss
DermaMNIST-ResNet-18	C	Kendall	3	10	Schulze	0.264339	0.312718	-0.048379	loss	0.269825	-0.005486	loss
DermaMNIST-ResNet-18	Cbar	Kendall	3	10	Schulze	0.713217	0.667332	-0.045885	loss	0.717706	0.004489	win
DermaMNIST-ResNet-18	F	Kendall	4	5	Simple Averaging	0.057855	0.069327	-0.011471	loss	0.059352	-0.001496	loss
DermaMNIST-ResNet-18	Fbar	Kendall	4	5	Simple Averaging	0.385536	0.38404	-0.001496	loss	0.38005	-0.005486	loss
DermaMNIST-ResNet-18	C	Kendall	4	5	Simple Averaging	0.261845	0.288279	-0.026434	loss	0.281297	-0.019451	loss
DermaMNIST-ResNet-18	Cbar	Kendall	4	5	Simple Averaging	0.735162	0.737157	0.001995	win	0.73217	-0.002993	loss
DermaMNIST-ResNet-18	F	Kendall	4	5	Borda	0.050374	0.084788	-0.034414	loss	0.051372	-0.000998	loss
DermaMNIST-ResNet-18	Fbar	Kendall	4	5	Borda	0.329676	0.309726	-0.01995	loss	0.357107	0.027431	win
DermaMNIST-ResNet-18	C	Kendall	4	5	Borda	0.26783	0.313217	-0.045387	loss	0.267332	0.000499	win
DermaMNIST-ResNet-18	Cbar	Kendall	4	5	Borda	0.696259	0.669825	-0.026434	loss	0.722693	0.026434	win
DermaMNIST-ResNet-18	F	Kendall	4	5	RRF	0.054863	0.077805	-0.022943	loss	0.054863	0	tie
DermaMNIST-ResNet-18	Fbar	Kendall	4	5	RRF	0.341646	0.309726	-0.03192	loss	0.354115	0.012469	win
DermaMNIST-ResNet-18	C	Kendall	4	5	RRF	0.276309	0.304239	-0.02793	loss	0.275312	0.000998	win
DermaMNIST-ResNet-18	Cbar	Kendall	4	5	RRF	0.699751	0.660349	-0.039401	loss	0.717207	0.017456	win
DermaMNIST-ResNet-18	F	Kendall	4	5	Kemeny	0.065337	0.091272	-0.025935	loss	0.053367	0.01197	win
DermaMNIST-ResNet-18	Fbar	Kendall	4	5	Kemeny	0.336658	0.314214	-0.022444	loss	0.348628	0.01197	win
DermaMNIST-ResNet-18	C	Kendall	4	5	Kemeny	0.281297	0.314214	-0.032918	loss	0.275312	0.005985	win
DermaMNIST-ResNet-18	Cbar	Kendall	4	5	Kemeny	0.691771	0.669825	-0.021945	loss	0.718204	0.026434	win
DermaMNIST-ResNet-18	F	Kendall	4	5	Schulze	0.057357	0.083292	-0.025935	loss	0.054364	0.002993	win
DermaMNIST-ResNet-18	Fbar	Kendall	4	5	Schulze	0.338653	0.307731	-0.030923	loss	0.351621	0.012968	win
DermaMNIST-ResNet-18	C	Kendall	4	5	Schulze	0.268828	0.312718	-0.04389	loss	0.269825	-0.000998	loss
DermaMNIST-ResNet-18	Cbar	Kendall	4	5	Schulze	0.692269	0.667332	-0.024938	loss	0.717706	0.025436	win
DermaMNIST-ResNet-18	F	Kendall	5	5	Simple Averaging	0.057357	0.069327	-0.01197	loss	0.059352	-0.001995	loss
DermaMNIST-ResNet-18	Fbar	Kendall	5	5	Simple Averaging	0.390524	0.38404	-0.006484	loss	0.38005	-0.010474	loss
DermaMNIST-ResNet-18	C	Kendall	5	5	Simple Averaging	0.264339	0.288279	-0.02394	loss	0.281297	-0.016958	loss
DermaMNIST-ResNet-18	Cbar	Kendall	5	5	Simple Averaging	0.742145	0.737157	-0.004988	loss	0.73217	-0.009975	loss
DermaMNIST-ResNet-18	F	Kendall	5	5	Borda	0.062843	0.084788	-0.021945	loss	0.051372	0.011471	win
DermaMNIST-ResNet-18	Fbar	Kendall	5	5	Borda	0.365087	0.309726	-0.055362	loss	0.357107	-0.00798	loss
DermaMNIST-ResNet-18	C	Kendall	5	5	Borda	0.26783	0.313217	-0.045387	loss	0.267332	0.000499	win
DermaMNIST-ResNet-18	Cbar	Kendall	5	5	Borda	0.722693	0.669825	-0.052868	loss	0.722693	0	tie
DermaMNIST-ResNet-18	F	Kendall	5	5	RRF	0.049377	0.077805	-0.028429	loss	0.054863	-0.005486	loss
DermaMNIST-ResNet-18	Fbar	Kendall	5	5	RRF	0.373566	0.309726	-0.06384	loss	0.354115	-0.019451	loss
DermaMNIST-ResNet-18	C	Kendall	5	5	RRF	0.256359	0.304239	-0.04788	loss	0.275312	-0.018953	loss
DermaMNIST-ResNet-18	Cbar	Kendall	5	5	RRF	0.732668	0.660349	-0.072319	loss	0.717207	-0.015461	loss
DermaMNIST-ResNet-18	F	Kendall	5	5	Kemeny	0.053367	0.091272	-0.037905	loss	0.053367	0	tie
DermaMNIST-ResNet-18	Fbar	Kendall	5	5	Kemeny	0.362095	0.314214	-0.04788	loss	0.348628	-0.013466	loss
DermaMNIST-ResNet-18	C	Kendall	5	5	Kemeny	0.261347	0.314214	-0.052868	loss	0.275312	-0.013965	loss
DermaMNIST-ResNet-18	Cbar	Kendall	5	5	Kemeny	0.733666	0.669825	-0.06384	loss	0.718204	-0.015461	loss
DermaMNIST-ResNet-18	F	Kendall	5	5	Schulze	0.050873	0.083292	-0.032419	loss	0.054364	-0.003491	loss
DermaMNIST-ResNet-18	Fbar	Kendall	5	5	Schulze	0.37606	0.307731	-0.068329	loss	0.351621	-0.024439	loss
DermaMNIST-ResNet-18	C	Kendall	5	5	Schulze	0.267332	0.312718	-0.045387	loss	0.269825	-0.002494	loss
DermaMNIST-ResNet-18	Cbar	Kendall	5	5	Schulze	0.736658	0.667332	-0.069327	loss	0.717706	-0.018953	loss
DermaMNIST-ResNet-18	F	Kendall	6	3	Simple Averaging	0.056858	0.069327	-0.012469	loss	0.059352	-0.002494	loss
DermaMNIST-ResNet-18	Fbar	Kendall	6	3	Simple Averaging	0.349127	0.38404	0.034913	win	0.38005	0.030923	win
DermaMNIST-ResNet-18	C	Kendall	6	3	Simple Averaging	0.287781	0.288279	-0.000499	loss	0.281297	0.006484	win
DermaMNIST-ResNet-18	Cbar	Kendall	6	3	Simple Averaging	0.710723	0.737157	0.026434	win	0.73217	0.021446	win
DermaMNIST-ResNet-18	F	Kendall	6	3	Borda	0.068329	0.084788	-0.016958	loss	0.051372	0.015958	win
DermaMNIST-ResNet-18	Fbar	Kendall	6	3	Borda	0.351621	0.309726	-0.041895	loss	0.357107	0.005486	win
DermaMNIST-ResNet-18	C	Kendall	6	3	Borda	0.284788	0.313217	-0.028429	loss	0.267332	0.017456	win
DermaMNIST-ResNet-18	Cbar	Kendall	6	3	Borda	0.706733	0.669825	-0.036908	loss	0.722693	0.01596	win
DermaMNIST-ResNet-18	F	Kendall	6	3	RRF	0.084788	0.077805	0.006983	win	0.054863	0.029925	win

Cell	Metric	Geometry	Random Order Index	Selected Q	Rule	Candidate Value	NOISE Value	Oriented Delta Vs NOISE	Outcome Vs NOISE	NAIVE Q=11 Value	Oriented Delta Vs NAIVE Q=11	Outcome Vs NAIVE Q=11
DermaMNIST-ResNet-18	Fbar	Kendall	6	3	RRF	0.341147	0.309726	-0.031421	loss	0.354115	0.012968	win
DermaMNIST-ResNet-18	C	Kendall	6	3	RRF	0.303741	0.304239	-0.000499	loss	0.275312	0.028429	win
DermaMNIST-ResNet-18	Cbar	Kendall	6	3	RRF	0.690773	0.660349	-0.030424	loss	0.717207	0.026434	win
DermaMNIST-ResNet-18	F	Kendall	6	3	Kemeny	0.082294	0.091272	-0.008978	loss	0.053367	0.028928	win
DermaMNIST-ResNet-18	Fbar	Kendall	6	3	Kemeny	0.334663	0.314214	-0.020449	loss	0.348628	0.013965	win
DermaMNIST-ResNet-18	C	Kendall	6	3	Kemeny	0.300249	0.314214	-0.013965	loss	0.275312	0.024938	win
DermaMNIST-ResNet-18	Cbar	Kendall	6	3	Kemeny	0.687781	0.669825	-0.017955	loss	0.718204	0.030424	win
DermaMNIST-ResNet-18	F	Kendall	6	3	Schulze	0.068329	0.083292	-0.014963	loss	0.054364	0.013965	win
DermaMNIST-ResNet-18	Fbar	Kendall	6	3	Schulze	0.349127	0.307731	-0.041397	loss	0.351621	0.002494	win
DermaMNIST-ResNet-18	C	Kendall	6	3	Schulze	0.286783	0.312718	-0.025935	loss	0.269825	0.016958	win
DermaMNIST-ResNet-18	Cbar	Kendall	6	3	Schulze	0.704738	0.667332	-0.037406	loss	0.717706	0.012968	win
DermaMNIST-ResNet-18	F	Kendall	7	11	Simple Averaging	0.059352	0.069327	-0.009975	loss	0.059352	0	tie
DermaMNIST-ResNet-18	Fbar	Kendall	7	11	Simple Averaging	0.380005	0.38404	0.00399	win	0.380005	0	tie
DermaMNIST-ResNet-18	C	Kendall	7	11	Simple Averaging	0.281297	0.288279	-0.006983	loss	0.281297	0	tie
DermaMNIST-ResNet-18	Cbar	Kendall	7	11	Simple Averaging	0.73217	0.737157	0.004988	win	0.73217	0	tie
DermaMNIST-ResNet-18	F	Kendall	7	11	Borda	0.051372	0.084788	-0.033416	loss	0.051372	0	tie
DermaMNIST-ResNet-18	Fbar	Kendall	7	11	Borda	0.357107	0.309726	-0.047382	loss	0.357107	0	tie
DermaMNIST-ResNet-18	C	Kendall	7	11	Borda	0.267332	0.313217	-0.045885	loss	0.267332	0	tie
DermaMNIST-ResNet-18	Cbar	Kendall	7	11	Borda	0.722693	0.669825	-0.052868	loss	0.722693	0	tie
DermaMNIST-ResNet-18	F	Kendall	7	11	RRF	0.054863	0.077805	-0.022943	loss	0.054863	0	tie
DermaMNIST-ResNet-18	Fbar	Kendall	7	11	RRF	0.354115	0.309726	-0.044389	loss	0.354115	0	tie
DermaMNIST-ResNet-18	C	Kendall	7	11	RRF	0.275312	0.304239	-0.028928	loss	0.275312	0	tie
DermaMNIST-ResNet-18	Cbar	Kendall	7	11	RRF	0.717207	0.660349	-0.056858	loss	0.717207	0	tie
DermaMNIST-ResNet-18	F	Kendall	7	11	Kemeny	0.053367	0.091272	-0.037905	loss	0.053367	0	tie
DermaMNIST-ResNet-18	Fbar	Kendall	7	11	Kemeny	0.348628	0.314214	-0.034414	loss	0.348628	0	tie
DermaMNIST-ResNet-18	C	Kendall	7	11	Kemeny	0.275312	0.314214	-0.038903	loss	0.275312	0	tie
DermaMNIST-ResNet-18	Cbar	Kendall	7	11	Kemeny	0.718204	0.669825	-0.048379	loss	0.718204	0	tie
DermaMNIST-ResNet-18	F	Kendall	7	11	Schulze	0.054364	0.083292	-0.028928	loss	0.054364	0	tie
DermaMNIST-ResNet-18	Fbar	Kendall	7	11	Schulze	0.351621	0.307731	-0.04389	loss	0.351621	0	tie
DermaMNIST-ResNet-18	C	Kendall	7	11	Schulze	0.269825	0.312718	-0.042893	loss	0.269825	0	tie
DermaMNIST-ResNet-18	Cbar	Kendall	7	11	Schulze	0.717706	0.667332	-0.050374	loss	0.717706	0	tie
DermaMNIST-ResNet-18	F	Kendall	8	5	Simple Averaging	0.059352	0.069327	-0.009975	loss	0.059352	0.000499	win
DermaMNIST-ResNet-18	Fbar	Kendall	8	5	Simple Averaging	0.381047	0.38404	0.002993	win	0.380005	-0.000998	loss
DermaMNIST-ResNet-18	C	Kendall	8	5	Simple Averaging	0.278304	0.288279	-0.009975	loss	0.281297	-0.002993	loss
DermaMNIST-ResNet-18	Cbar	Kendall	8	5	Simple Averaging	0.731172	0.737157	0.005985	win	0.73217	0.000998	win
DermaMNIST-ResNet-18	F	Kendall	8	5	Borda	0.055362	0.084788	-0.029426	loss	0.051372	0.00399	win
DermaMNIST-ResNet-18	Fbar	Kendall	8	5	Borda	0.318204	0.309726	-0.008479	loss	0.357107	0.038903	win
DermaMNIST-ResNet-18	C	Kendall	8	5	Borda	0.268828	0.313217	-0.044389	loss	0.267332	0.001496	win
DermaMNIST-ResNet-18	Cbar	Kendall	8	5	Borda	0.67581	0.669825	-0.005985	loss	0.722693	0.046883	win
DermaMNIST-ResNet-18	F	Kendall	8	5	RRF	0.060848	0.077805	-0.016958	loss	0.054863	0.005985	win
DermaMNIST-ResNet-18	Fbar	Kendall	8	5	RRF	0.335162	0.309726	-0.025436	loss	0.354115	0.018953	win
DermaMNIST-ResNet-18	C	Kendall	8	5	RRF	0.280798	0.304239	-0.023441	loss	0.275312	0.005486	win
DermaMNIST-ResNet-18	Cbar	Kendall	8	5	RRF	0.686783	0.660349	-0.026434	loss	0.717207	0.030424	win
DermaMNIST-ResNet-18	F	Kendall	8	5	Kemeny	0.069327	0.091272	-0.021945	loss	0.053367	0.01596	win
DermaMNIST-ResNet-18	Fbar	Kendall	8	5	Kemeny	0.331172	0.314214	-0.016958	loss	0.348628	0.017456	win
DermaMNIST-ResNet-18	C	Kendall	8	5	Kemeny	0.292269	0.314214	-0.021945	loss	0.275312	0.016958	win
DermaMNIST-ResNet-18	Cbar	Kendall	8	5	Kemeny	0.684289	0.669825	-0.014464	loss	0.718204	0.033915	win
DermaMNIST-ResNet-18	F	Kendall	8	5	Schulze	0.062843	0.083292	-0.020449	loss	0.054364	0.008479	win
DermaMNIST-ResNet-18	Fbar	Kendall	8	5	Schulze	0.330673	0.307731	-0.022943	loss	0.351621	0.020948	win
DermaMNIST-ResNet-18	C	Kendall	8	5	Schulze	0.277307	0.312718	-0.035411	loss	0.269825	0.007481	win
DermaMNIST-ResNet-18	Cbar	Kendall	8	5	Schulze	0.683292	0.667332	-0.01596	loss	0.717706	0.034414	win
DermaMNIST-ResNet-18	F	Kendall	9	2	Simple Averaging	0.058354	0.069327	-0.010973	loss	0.059352	-0.000998	loss
DermaMNIST-ResNet-18	Fbar	Kendall	9	2	Simple Averaging	0.379551	0.38404	0.004489	win	0.380005	0.000499	win
DermaMNIST-ResNet-18	C	Kendall	9	2	Simple Averaging	0.270324	0.288279	-0.017955	loss	0.281297	-0.010973	loss
DermaMNIST-ResNet-18	Cbar	Kendall	9	2	Simple Averaging	0.754613	0.737157	-0.017456	loss	0.73217	-0.022444	loss
DermaMNIST-ResNet-18	F	Kendall	9	2	Borda	0.049875	0.084788	-0.034913	loss	0.051372	-0.001496	loss
DermaMNIST-ResNet-18	Fbar	Kendall	9	2	Borda	0.374564	0.309726	-0.064838	loss	0.357107	-0.017456	loss
DermaMNIST-ResNet-18	C	Kendall	9	2	Borda	0.266334	0.313217	-0.046883	loss	0.267332	-0.000998	loss
DermaMNIST-ResNet-18	Cbar	Kendall	9	2	Borda	0.753616	0.669825	-0.083791	loss	0.722693	-0.030923	loss
DermaMNIST-ResNet-18	F	Kendall	9	2	RRF	0.054863	0.077805	-0.022943	loss	0.054863	0	tie
DermaMNIST-ResNet-18	Fbar	Kendall	9	2	RRF	0.371571	0.309726	-0.061845	loss	0.354115	-0.017456	loss
DermaMNIST-ResNet-18	C	Kendall	9	2	RRF	0.270823	0.304239	-0.033416	loss	0.275312	-0.004489	loss
DermaMNIST-ResNet-18	Cbar	Kendall	9	2	RRF	0.747631	0.660349	-0.087282	loss	0.717207	-0.030424	loss
DermaMNIST-ResNet-18	F	Kendall	9	2	Kemeny	0.049875	0.091272	-0.041397	loss	0.053367	-0.003491	loss
DermaMNIST-ResNet-18	Fbar	Kendall	9	2	Kemeny	0.374564	0.314214	-0.060349	loss	0.348628	-0.025935	loss
DermaMNIST-ResNet-18	C	Kendall	9	2	Kemeny	0.266334	0.314214	-0.04788	loss	0.275312	-0.008978	loss
DermaMNIST-ResNet-18	Cbar	Kendall	9	2	Kemeny	0.753616	0.669825	-0.083791	loss	0.718204	-0.035411	loss
DermaMNIST-ResNet-18	F	Kendall	9	2	Schulze	0.049875	0.083292	-0.033416	loss	0.054364	-0.004489	loss
DermaMNIST-ResNet-18	Fbar	Kendall	9	2	Schulze	0.374564	0.307731	-0.066833	loss	0.351621	-0.022943	loss
DermaMNIST-ResNet-18	C	Kendall	9	2	Schulze	0.266334	0.312718	-0.046384	loss	0.269825	-0.003491	loss
DermaMNIST-ResNet-18	Cbar	Kendall	9	2	Schulze	0.753616	0.667332	-0.086284	loss	0.717706	-0.03591	loss

Table 348: DermaMNIST–ResNet-18

Group Dimension	Group Value	Endpoints	Wins	Ties	Losses	Mean Oriented Delta	Median Oriented Delta
Geometry	Kendall	200	10	1	189	-0.029531	-0.022943
Geometry	Spearman	200	0	0	200	-0.066893	-0.058603
Metric	C	100	1	1	98	-0.043636	-0.040399
Metric	Cbar	100	3	0	97	-0.061297	-0.05611
Metric	F	100	2	0	98	-0.026653	-0.024439
Metric	Fbar	100	4	0	96	-0.061262	-0.058105
Overall	All	400	10	1	389	-0.048212	-0.038404
Rule	Borda	80	1	0	79	-0.052026	-0.039152
Rule	Kemeny	80	1	0	79	-0.050991	-0.040399
Rule	RRF	80	2	0	78	-0.047475	-0.043392
Rule	Schulze	80	0	0	80	-0.052257	-0.039152
Rule	Simple Averaging	80	6	1	73	-0.03831	-0.018703

Table 349: DermaMNIST-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate Ks	Reference Ks	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Simple Averaging	max	0.061845
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Simple Averaging	min	0.414464
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Simple Averaging	max	0.268828
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Simple Averaging	min	0.767581
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Borda	max	0.055362
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Borda	min	0.404489
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Borda	max	0.227431
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Borda	min	0.756608
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	RRF	max	0.051372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	RRF	min	0.405486
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	RRF	max	0.237905
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	RRF	min	0.754613
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Kemeny	max	0.055362
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Kemeny	min	0.404489
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Kemeny	max	0.227431
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Kemeny	min	0.756608
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Schulze	max	0.055362
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Schulze	min	0.404489
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Schulze	max	0.227431
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	0	32a4cfcd64ea8efb52af6e8b1dfd41eabf882c3a056869694a7dad9328d61cc	["Occlusion", "GuidedBackprop", "Saliency"]	0.841395	["Deconvolution", "GuidedBackprop"]	0.825062	0.079419	0.168021	Schulze	min	0.756608
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11cfd6a664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.825062	0.155803	0.168021	Simple Averaging	max	0.060848

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate Ks	Reference Ks	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Simple Averaging	min	0.323192
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Simple Averaging	max	0.279302
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Simple Averaging	min	0.686783
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Borda	max	0.045387
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Borda	min	0.328678
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Borda	max	0.261347
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Borda	min	0.687282
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	RRF	max	0.050374
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	RRF	min	0.33217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	RRF	max	0.262344
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	RRF	min	0.689776
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Kemeny	max	0.045387
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Kemeny	min	0.328678
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Kemeny	max	0.261347
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Kemeny	min	0.687282
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Schulze	max	0.045387
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Schulze	min	0.328678
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Schulze	max	0.261347
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	1	93c2e26ecc7a4d4aa38e94e265c62f11ccfdda664f7776e41f5dd42227c67a8c	["GuidedBackprop", "Saliency"]	0.054613	["Deconvolution", "GuidedBackprop"]	0.054613	0.155803	0.168021	Schulze	min	0.687282
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "TopDown"]	0.027034	["Deconvolution", "GuidedBackprop"]	0.027034	0.149019	0.168021	Simple Averaging	max	0.026434
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "TopDown"]	0.027034	["Deconvolution", "GuidedBackprop"]	0.027034	0.149019	0.168021	Simple Averaging	min	0.456359

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	Simple Averaging	max	0.205486
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	Simple Averaging	min	0.798504
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	Borda	max	0.024938
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	Borda	min	0.462843
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	Borda	max	0.195012
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	Borda	min	0.801995
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	RRF	max	0.023441
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	RRF	min	0.464339
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	RRF	max	0.199002
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	RRF	min	0.804988
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	Kemeny	max	0.024938
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	Kemeny	min	0.462843
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	Kemeny	max	0.195012
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	Kemeny	min	0.801995
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	Schulze	max	0.024938
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	Schulze	min	0.462843
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	Schulze	max	0.195012
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	2	9f1b3a2cebe9eeae7f250be7ba889301b87006c8cd97504d346f31e2f62c7131	["Saliency", "LipNet"]	0.027684	["Deconvolution", "Guided"]	0.025062	0.149019	0.168021	Schulze	min	0.801995

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	Simple Averaging	max	0.025935
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	Simple Averaging	min	0.414464
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	Simple Averaging	max	0.245885
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	Simple Averaging	min	0.775561
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	Borda	max	0.024439
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	Borda	min	0.428429
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	Borda	max	0.223441
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	Borda	min	0.783541
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	RRF	max	0.037905
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	RRF	min	0.428429
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	RRF	max	0.237406
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	RRF	min	0.786534
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	Kemeny	max	0.024439
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	Kemeny	min	0.428429
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLift", "DeepLift"]	0.63500	["Deconvolution", "Guided Backprop"]	0.62506	0.154649	0.168021	Kemeny	max	0.223441

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.154649	0.168021	Kemeny	min	0.783541
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.154649	0.168021	Schulze	max	0.024439
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.154649	0.168021	Schulze	min	0.428429
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.154649	0.168021	Schulze	max	0.223441
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	3	768442c6e5 512c2025ba 32953d6b2e 6d1d042b3f e3b39336d5 d48da3703e38c0	["DeepLift", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.154649	0.168021	Schulze	min	0.783541
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	4	7625efb8aa9a4c5e6e1b 0236308a42 d4c8d8b068 7e7e9b389b b1f25d7de5bedd	["FeatureAblation", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.108398	0.168021	Simple Averaging	max	0.060349
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	4	7625efb8aa9a4c5e6e1b 0236308a42 d4c8d8b068 7e7e9b389b b1f25d7de5bedd	["FeatureAblation", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.108398	0.168021	Simple Averaging	min	0.400499
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	4	7625efb8aa9a4c5e6e1b 0236308a42 d4c8d8b068 7e7e9b389b b1f25d7de5bedd	["FeatureAblation", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.108398	0.168021	Simple Averaging	max	0.264838
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	4	7625efb8aa9a4c5e6e1b 0236308a42 d4c8d8b068 7e7e9b389b b1f25d7de5bedd	["FeatureAblation", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.108398	0.168021	Simple Averaging	min	0.749626
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	4	7625efb8aa9a4c5e6e1b 0236308a42 d4c8d8b068 7e7e9b389b b1f25d7de5bedd	["FeatureAblation", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.108398	0.168021	Borda	max	0.05187
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	4	7625efb8aa9a4c5e6e1b 0236308a42 d4c8d8b068 7e7e9b389b b1f25d7de5bedd	["FeatureAblation", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.108398	0.168021	Borda	min	0.374065
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	4	7625efb8aa9a4c5e6e1b 0236308a42 d4c8d8b068 7e7e9b389b b1f25d7de5bedd	["FeatureAblation", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.108398	0.168021	Borda	max	0.27182
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	4	7625efb8aa9a4c5e6e1b 0236308a42 d4c8d8b068 7e7e9b389b b1f25d7de5bedd	["FeatureAblation", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.108398	0.168021	Borda	min	0.743641
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	4	7625efb8aa9a4c5e6e1b 0236308a42 d4c8d8b068 7e7e9b389b b1f25d7de5bedd	["FeatureAblation", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.108398	0.168021	RRF	max	0.053865
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	4	7625efb8aa9a4c5e6e1b 0236308a42 d4c8d8b068 7e7e9b389b b1f25d7de5bedd	["FeatureAblation", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.108398	0.168021	RRF	min	0.373067
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	4	7625efb8aa9a4c5e6e1b 0236308a42 d4c8d8b068 7e7e9b389b b1f25d7de5bedd	["FeatureAblation", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.108398	0.168021	RRF	max	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	4	7625efb8aa9a4c5e6e1b 0236308a42 d4c8d8b068 7e7e9b389b b1f25d7de5bedd	["FeatureAblation", "DeepLiftShap"]	0.055611	["Deconvolution", "GuidedBackprop"]	0.1625062	0.108398	0.168021	RRF	min	0.735661

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	4	7625efb8aa9a4c5e6e1b0236308a42d4c8d8b0687e7e9b389bb1f25d7de5bedd	["FeatureAb", "DeepLiftShap"]	0.055611	["Deconvolution", "Guido"]	0.055611	0.108398	0.168021	Kemeny	max	0.05187
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	4	7625efb8aa9a4c5e6e1b0236308a42d4c8d8b0687e7e9b389bb1f25d7de5bedd	["FeatureAb", "DeepLiftShap"]	0.055611	["Deconvolution", "Guido"]	0.055611	0.108398	0.168021	Kemeny	min	0.374065
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	4	7625efb8aa9a4c5e6e1b0236308a42d4c8d8b0687e7e9b389bb1f25d7de5bedd	["FeatureAb", "DeepLiftShap"]	0.055611	["Deconvolution", "Guido"]	0.055611	0.108398	0.168021	Kemeny	max	0.27182
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	4	7625efb8aa9a4c5e6e1b0236308a42d4c8d8b0687e7e9b389bb1f25d7de5bedd	["FeatureAb", "DeepLiftShap"]	0.055611	["Deconvolution", "Guido"]	0.055611	0.108398	0.168021	Kemeny	min	0.743641
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	4	7625efb8aa9a4c5e6e1b0236308a42d4c8d8b0687e7e9b389bb1f25d7de5bedd	["FeatureAb", "DeepLiftShap"]	0.055611	["Deconvolution", "Guido"]	0.055611	0.108398	0.168021	Schulze	max	0.05187
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	4	7625efb8aa9a4c5e6e1b0236308a42d4c8d8b0687e7e9b389bb1f25d7de5bedd	["FeatureAb", "DeepLiftShap"]	0.055611	["Deconvolution", "Guido"]	0.055611	0.108398	0.168021	Schulze	min	0.374065
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	4	7625efb8aa9a4c5e6e1b0236308a42d4c8d8b0687e7e9b389bb1f25d7de5bedd	["FeatureAb", "DeepLiftShap"]	0.055611	["Deconvolution", "Guido"]	0.055611	0.108398	0.168021	Schulze	max	0.27182
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	4	7625efb8aa9a4c5e6e1b0236308a42d4c8d8b0687e7e9b389bb1f25d7de5bedd	["FeatureAb", "DeepLiftShap"]	0.055611	["Deconvolution", "Guido"]	0.055611	0.108398	0.168021	Schulze	min	0.743641
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	5	9c46d5803c8004e195877c018152fc5520290227fe4e0d4f97d7ba14d8154341	["Deconvolution", "Guido"]	0.0745835	["Deconvolution", "Guido"]	0.0745835	0.128617	0.168021	Simple Averaging	max	0.077307
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	5	9c46d5803c8004e195877c018152fc5520290227fe4e0d4f97d7ba14d8154341	["Deconvolution", "Guido"]	0.0745835	["Deconvolution", "Guido"]	0.0745835	0.128617	0.168021	Simple Averaging	min	0.397007
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	5	9c46d5803c8004e195877c018152fc5520290227fe4e0d4f97d7ba14d8154341	["Deconvolution", "Guido"]	0.0745835	["Deconvolution", "Guido"]	0.0745835	0.128617	0.168021	Simple Averaging	max	0.26384
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	5	9c46d5803c8004e195877c018152fc5520290227fe4e0d4f97d7ba14d8154341	["Deconvolution", "Guido"]	0.0745835	["Deconvolution", "Guido"]	0.0745835	0.128617	0.168021	Simple Averaging	min	0.749127
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	5	9c46d5803c8004e195877c018152fc5520290227fe4e0d4f97d7ba14d8154341	["Deconvolution", "Guido"]	0.0745835	["Deconvolution", "Guido"]	0.0745835	0.128617	0.168021	Borda	max	0.049875
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	5	9c46d5803c8004e195877c018152fc5520290227fe4e0d4f97d7ba14d8154341	["Deconvolution", "Guido"]	0.0745835	["Deconvolution", "Guido"]	0.0745835	0.128617	0.168021	Borda	min	0.336658
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	5	9c46d5803c8004e195877c018152fc5520290227fe4e0d4f97d7ba14d8154341	["Deconvolution", "Guido"]	0.0745835	["Deconvolution", "Guido"]	0.0745835	0.128617	0.168021	Borda	max	0.232419
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	5	9c46d5803c8004e195877c018152fc5520290227fe4e0d4f97d7ba14d8154341	["Deconvolution", "Guido"]	0.0745835	["Deconvolution", "Guido"]	0.0745835	0.128617	0.168021	Borda	min	0.700748
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	5	9c46d5803c8004e195877c018152fc5520290227fe4e0d4f97d7ba14d8154341	["Deconvolution", "Guido"]	0.0745835	["Deconvolution", "Guido"]	0.0745835	0.128617	0.168021	RRF	max	0.05586
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	5	9c46d5803c8004e195877c018152fc5520290227fe4e0d4f97d7ba14d8154341	["Deconvolution", "Guido"]	0.0745835	["Deconvolution", "Guido"]	0.0745835	0.128617	0.168021	RRF	min	0.351621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	5	9c46d5803c8004e195877c018152fc5520290227fe4e0d4f97d7ba14d8154341	["Deconvolution", "Guido"]	0.0745835	["Deconvolution", "Guido"]	0.0745835	0.128617	0.168021	RRF	max	0.247382
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	5	9c46d5803c8004e195877c018152fc5520290227fe4e0d4f97d7ba14d8154341	["Deconvolution", "Guido"]	0.0745835	["Deconvolution", "Guido"]	0.0745835	0.128617	0.168021	RRF	min	0.709227

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	5	9c46d5803c 8004e195877c018152fc 5520290227fe4e0d4f97 d7ba14d8154341	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.128617	0.168021	Kemeny	max	0.049875
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	5	9c46d5803c 8004e195877c018152fc 5520290227fe4e0d4f97 d7ba14d8154341	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.128617	0.168021	Kemeny	min	0.336658
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	5	9c46d5803c 8004e195877c018152fc 5520290227fe4e0d4f97 d7ba14d8154341	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.128617	0.168021	Kemeny	max	0.232419
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	5	9c46d5803c 8004e195877c018152fc 5520290227fe4e0d4f97 d7ba14d8154341	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.128617	0.168021	Kemeny	min	0.700748
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	5	9c46d5803c 8004e195877c018152fc 5520290227fe4e0d4f97 d7ba14d8154341	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.128617	0.168021	Schulze	max	0.049875
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	5	9c46d5803c 8004e195877c018152fc 5520290227fe4e0d4f97 d7ba14d8154341	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.128617	0.168021	Schulze	min	0.336658
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	5	9c46d5803c 8004e195877c018152fc 5520290227fe4e0d4f97 d7ba14d8154341	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.128617	0.168021	Schulze	max	0.232419
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	5	9c46d5803c 8004e195877c018152fc 5520290227fe4e0d4f97 d7ba14d8154341	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.128617	0.168021	Schulze	min	0.700748
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAbstraction", "DeepLift"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.10231	0.168021	Simple Averaging	max	0.054863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAbstraction", "DeepLift"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.10231	0.168021	Simple Averaging	min	0.394514
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAbstraction", "DeepLift"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.10231	0.168021	Simple Averaging	max	0.262344
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAbstraction", "DeepLift"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.10231	0.168021	Simple Averaging	min	0.743641
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAbstraction", "DeepLift"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.10231	0.168021	Borda	max	0.052369
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAbstraction", "DeepLift"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.10231	0.168021	Borda	min	0.362095
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAbstraction", "DeepLift"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.10231	0.168021	Borda	max	0.273815
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAbstraction", "DeepLift"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.10231	0.168021	Borda	min	0.729676
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAbstraction", "DeepLift"]	0.054863	["Deconvolution", "Guided Deconvolution", "PropNet"]	0.054863	0.10231	0.168021	RRF	max	0.052369

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAb lation", "Deep Lift"]	0.054863	["Deconvolution", "Guid prop"]	0.1625062	0.10231	0.168021	RRF	min	0.359102
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAb lation", "Deep Lift"]	0.054863	["Deconvolution", "Guid prop"]	0.1625062	0.10231	0.168021	RRF	max	0.262843
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAb lation", "Deep Lift"]	0.054863	["Deconvolution", "Guid prop"]	0.1625062	0.10231	0.168021	RRF	min	0.731172
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAb lation", "Deep Lift"]	0.054863	["Deconvolution", "Guid prop"]	0.1625062	0.10231	0.168021	Kemeny	max	0.052369
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAb lation", "Deep Lift"]	0.054863	["Deconvolution", "Guid prop"]	0.1625062	0.10231	0.168021	Kemeny	min	0.362095
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAb lation", "Deep Lift"]	0.054863	["Deconvolution", "Guid prop"]	0.1625062	0.10231	0.168021	Kemeny	max	0.273815
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAb lation", "Deep Lift"]	0.054863	["Deconvolution", "Guid prop"]	0.1625062	0.10231	0.168021	Kemeny	min	0.729676
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAb lation", "Deep Lift"]	0.054863	["Deconvolution", "Guid prop"]	0.1625062	0.10231	0.168021	Schulze	max	0.052369
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAb lation", "Deep Lift"]	0.054863	["Deconvolution", "Guid prop"]	0.1625062	0.10231	0.168021	Schulze	min	0.362095
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAb lation", "Deep Lift"]	0.054863	["Deconvolution", "Guid prop"]	0.1625062	0.10231	0.168021	Schulze	max	0.273815
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	6	100d7d3f76 d8ed3462ac 80e747c767 e436625876 0d31728218e650a06f89 4d20	["FeatureAb lation", "Deep Lift"]	0.054863	["Deconvolution", "Guid prop"]	0.1625062	0.10231	0.168021	Schulze	min	0.729676
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	7	cca10baf38fb86071862 38a3e930fad3b14034c1 095b9625caef15c9f9c7 8af8	["Deconvolut ion", "Deep Lift"]	0.0583544	["Deconvolution", "Guid prop"]	0.1625062	0.157853	0.168021	Simple Averaging	max	0.052369
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	7	cca10baf38fb86071862 38a3e930fad3b14034c1 095b9625caef15c9f9c7 8af8	["Deconvolut ion", "Deep Lift"]	0.0583544	["Deconvolution", "Guid prop"]	0.1625062	0.157853	0.168021	Simple Averaging	min	0.378055
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	7	cca10baf38fb86071862 38a3e930fad3b14034c1 095b9625caef15c9f9c7 8af8	["Deconvolut ion", "Deep Lift"]	0.0583544	["Deconvolution", "Guid prop"]	0.1625062	0.157853	0.168021	Simple Averaging	max	0.260848
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	7	cca10baf38fb86071862 38a3e930fad3b14034c1 095b9625caef15c9f9c7 8af8	["Deconvolut ion", "Deep Lift"]	0.0583544	["Deconvolution", "Guid prop"]	0.1625062	0.157853	0.168021	Simple Averaging	min	0.737157
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	7	cca10baf38fb86071862 38a3e930fad3b14034c1 095b9625caef15c9f9c7 8af8	["Deconvolut ion", "Deep Lift"]	0.0583544	["Deconvolution", "Guid prop"]	0.1625062	0.157853	0.168021	Borda	max	0.05985
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	7	cca10baf38fb86071862 38a3e930fad3b14034c1 095b9625caef15c9f9c7 8af8	["Deconvolut ion", "Deep Lift"]	0.0583544	["Deconvolution", "Guid prop"]	0.1625062	0.157853	0.168021	Borda	min	0.375561

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	7	cca10baf38fb8607186238a3e930fad3b14034c1095b9625caef15c9f9c78af8	["Deconvolution", "Shap"]	0.0758354	["Deconvolution", "Guido"]	0.0758354	0.157853	0.168021	Borda	max	0.268828
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	7	cca10baf38fb8607186238a3e930fad3b14034c1095b9625caef15c9f9c78af8	["Deconvolution", "Shap"]	0.0758354	["Deconvolution", "Guido"]	0.0758354	0.157853	0.168021	Borda	min	0.731671
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	7	cca10baf38fb8607186238a3e930fad3b14034c1095b9625caef15c9f9c78af8	["Deconvolution", "Shap"]	0.0758354	["Deconvolution", "Guido"]	0.0758354	0.157853	0.168021	RRF	max	0.065337
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	7	cca10baf38fb8607186238a3e930fad3b14034c1095b9625caef15c9f9c78af8	["Deconvolution", "Shap"]	0.0758354	["Deconvolution", "Guido"]	0.0758354	0.157853	0.168021	RRF	min	0.381546
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	7	cca10baf38fb8607186238a3e930fad3b14034c1095b9625caef15c9f9c78af8	["Deconvolution", "Shap"]	0.0758354	["Deconvolution", "Guido"]	0.0758354	0.157853	0.168021	RRF	max	0.267332
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	7	cca10baf38fb8607186238a3e930fad3b14034c1095b9625caef15c9f9c78af8	["Deconvolution", "Shap"]	0.0758354	["Deconvolution", "Guido"]	0.0758354	0.157853	0.168021	RRF	min	0.733167
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	7	cca10baf38fb8607186238a3e930fad3b14034c1095b9625caef15c9f9c78af8	["Deconvolution", "Shap"]	0.0758354	["Deconvolution", "Guido"]	0.0758354	0.157853	0.168021	Kemeny	max	0.05985
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	7	cca10baf38fb8607186238a3e930fad3b14034c1095b9625caef15c9f9c78af8	["Deconvolution", "Shap"]	0.0758354	["Deconvolution", "Guido"]	0.0758354	0.157853	0.168021	Kemeny	min	0.375561
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	7	cca10baf38fb8607186238a3e930fad3b14034c1095b9625caef15c9f9c78af8	["Deconvolution", "Shap"]	0.0758354	["Deconvolution", "Guido"]	0.0758354	0.157853	0.168021	Kemeny	max	0.268828
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	7	cca10baf38fb8607186238a3e930fad3b14034c1095b9625caef15c9f9c78af8	["Deconvolution", "Shap"]	0.0758354	["Deconvolution", "Guido"]	0.0758354	0.157853	0.168021	Kemeny	min	0.731671
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	7	cca10baf38fb8607186238a3e930fad3b14034c1095b9625caef15c9f9c78af8	["Deconvolution", "Shap"]	0.0758354	["Deconvolution", "Guido"]	0.0758354	0.157853	0.168021	Schulze	max	0.05985
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	7	cca10baf38fb8607186238a3e930fad3b14034c1095b9625caef15c9f9c78af8	["Deconvolution", "Shap"]	0.0758354	["Deconvolution", "Guido"]	0.0758354	0.157853	0.168021	Schulze	min	0.375561
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	7	cca10baf38fb8607186238a3e930fad3b14034c1095b9625caef15c9f9c78af8	["Deconvolution", "Shap"]	0.0758354	["Deconvolution", "Guido"]	0.0758354	0.157853	0.168021	Schulze	max	0.268828
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	7	cca10baf38fb8607186238a3e930fad3b14034c1095b9625caef15c9f9c78af8	["Deconvolution", "Shap"]	0.0758354	["Deconvolution", "Guido"]	0.0758354	0.157853	0.168021	Schulze	min	0.731671
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	8	76699b2b1b515fd0b659e3c808da398832a73a05a3e48b77683215a1b689a180	["DeepLiftShap"]	0.0468893	["Deconvolution", "Guido"]	0.0468893	0.157018	0.168021	Simple Averaging	max	0.044888
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	8	76699b2b1b515fd0b659e3c808da398832a73a05a3e48b77683215a1b689a180	["DeepLiftShap"]	0.0468893	["Deconvolution", "Guido"]	0.0468893	0.157018	0.168021	Simple Averaging	min	0.384539
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	8	76699b2b1b515fd0b659e3c808da398832a73a05a3e48b77683215a1b689a180	["DeepLiftShap"]	0.0468893	["Deconvolution", "Guido"]	0.0468893	0.157018	0.168021	Simple Averaging	max	0.260848
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	8	76699b2b1b515fd0b659e3c808da398832a73a05a3e48b77683215a1b689a180	["DeepLiftShap"]	0.0468893	["Deconvolution", "Guido"]	0.0468893	0.157018	0.168021	Simple Averaging	min	0.753117
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	8	76699b2b1b515fd0b659e3c808da398832a73a05a3e48b77683215a1b689a180	["DeepLiftShap"]	0.0468893	["Deconvolution", "Guido"]	0.0468893	0.157018	0.168021	Borda	max	0.053367

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	Borda	min	0.382045
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	Borda	max	0.260349
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	Borda	min	0.747132
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	RRF	max	0.052868
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	RRF	min	0.381047
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	RRF	max	0.260349
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	RRF	min	0.747132
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	Kemeny	max	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	Kemeny	min	0.382045
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	Kemeny	max	0.260349
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	Kemeny	min	0.747132
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	Schulze	max	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	Schulze	min	0.382045
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	Schulze	max	0.260349
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	8	76699b2b1b 515fd0b659 e3c808da39 8832a73a05 a3e48b7768 3215a1b689a180	["DeepLiftShap"]	0.46890	["Deconvolution", "Guido prop"]	0.62506	0.157018	0.168021	Schulze	min	0.747132

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Simple Averaging	max	0.06783
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Simple Averaging	min	0.394015
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Simple Averaging	max	0.271322
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Simple Averaging	min	0.74813
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Borda	max	0.064838
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Borda	min	0.402494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Borda	max	0.26384
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Borda	min	0.751621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	RRF	max	0.061845
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	RRF	min	0.399501
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	RRF	max	0.270324
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	RRF	min	0.749626
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Kemeny	max	0.064838
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Kemeny	min	0.402494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Kemeny	max	0.26384
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Kemeny	min	0.751621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Schulze	max	0.064838
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Schulze	min	0.402494
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Schulze	max	0.26384
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	Spearman	9	ba7256b74f 419bd681a04768f16cfl a53f560f434829ea5e09 6ed0dadcf42103	["Occlusion", prop"]	0.659102	["Deconvolution", prop"]	0.659102	0.084467	0.168021	Schulze	min	0.751621
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	0	f37e0f5cac519655c078 b00ea9888f 5383d58074 8d87ab9fac70701c05a1 7798	["GuidedBackprop", "Occlusion", Gradient", Occlusion"]	0.058022	["Deconvolution", prop", Occlusion"]	0.058022	0.160422	0.170072	Simple Averaging	max	0.072818
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	0	f37e0f5cac519655c078 b00ea9888f 5383d58074 8d87ab9fac70701c05a1 7798	["GuidedBackprop", "Occlusion", Gradient", Occlusion"]	0.058022	["Deconvolution", prop", Occlusion"]	0.058022	0.160422	0.170072	Simple Averaging	min	0.387032

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	Simple Averaging	max	0.288279
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	Simple Averaging	min	0.743142
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	Borda	max	0.068329
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	Borda	min	0.325187
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	Borda	max	0.291771
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	Borda	min	0.691272
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	RRF	max	0.072319
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	RRF	min	0.324688
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	RRF	max	0.294763
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	RRF	min	0.688778
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	Kemeny	max	0.071322
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	Kemeny	min	0.327182
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	Kemeny	max	0.297257
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	Kemeny	min	0.691771
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	Schulze	max	0.068329
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	Schulze	min	0.324688
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	Schulze	max	0.293267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	0	f37e0f5cac519655c078b00ea9888f5383d580748d87ab9fac70701c05a17798	["GuidedBackprop", "Occlusion", "GradientShap"]	0.058022	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.160422	0.170072	Schulze	min	0.689776

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Mean Individual Clean F	Candidates	Reference K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	Simple Averaging	max	0.2798	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	Simple Averaging	min	0.747132	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	Borda	max	0.061347	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	Borda	min	0.338653	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	Borda	max	0.289776	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	Borda	min	0.708229	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	RRF	max	0.069825	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	RRF	min	0.351621	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	RRF	max	0.297756	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	RRF	min	0.714713	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	Kemeny	max	0.070324	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	Kemeny	min	0.335162	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	Kemeny	max	0.296758	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	Kemeny	min	0.700249	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	Schulze	max	0.060848	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	Schulze	min	0.338155	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	Schulze	max	0.289277	
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	2	8900c156fd47e91f49fb322a7f6db8b10a76eab7d3899003805368e83e8fcde8	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	["Deconvolution", "DeepLift", "GuidoProp", "Occlusion"]	0.63342	0.153088	0.170072	Schulze	min	0.707731	

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Simple Averaging	max	0.070324
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Simple Averaging	min	0.38803
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Simple Averaging	max	0.285287
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Simple Averaging	min	0.745137
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Borda	max	0.064339
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Borda	min	0.333167
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Borda	max	0.280798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Borda	min	0.691771
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	RRF	max	0.070823
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	RRF	min	0.318703
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	RRF	max	0.294264
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	RRF	min	0.683791
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Kemeny	max	0.069327
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Kemeny	min	0.323691
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Kemeny	max	0.291771
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Kemeny	min	0.686783
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Schulze	max	0.06384
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Schulze	min	0.334165
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Schulze	max	0.281796
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	3	c9068af39810750a572a8b585f2f0c5e7b8eb164f3b03833685057317c3f4376	["GuidedBackprop", "Occlusion", "Salmap", "Deconvolution"]	0.056692	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166406	0.170072	Schulze	min	0.693267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap", "Deconvolution"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Simple Averaging	max	0.064838
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap", "Deconvolution"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Simple Averaging	min	0.395012

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Simple Averaging	max	0.266334
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Simple Averaging	min	0.74414
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Borda	max	0.047382
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Borda	min	0.387531
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Borda	max	0.259352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Borda	min	0.746633
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	RRF	max	0.057357
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	RRF	min	0.354115
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	RRF	max	0.260848
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	RRF	min	0.713217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Kemeny	max	0.066833
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Kemeny	min	0.375062
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Kemeny	max	0.268329
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Kemeny	min	0.734663
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Schulze	max	0.04788
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Schulze	min	0.386534
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Schulze	max	0.260349
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	4	f4423bd9a4f6ce2a4f8f4e5b400a176a7a775fd887ed3137f08579077262fd43	["FeatureAbstraction", "DeepLiftShap"]	0.049044	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166289	0.170072	Schulze	min	0.745137
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	5	5b68a849afee794ce38b1541a540c59a56b060d9b671fdab5deedb5f8267c404	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.057956	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166728	0.170072	Simple Averaging	max	0.068329
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	5	5b68a849afee794ce38b1541a540c59a56b060d9b671fdab5deedb5f8267c404	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.057956	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166728	0.170072	Simple Averaging	min	0.4
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	5	5b68a849afee794ce38b1541a540c59a56b060d9b671fdab5deedb5f8267c404	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.057956	["Deconvolution", "GuidedBackprop", "Occlusion"]	0.1620324	0.166728	0.170072	Simple Averaging	max	0.273815

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	Simple Averaging	min	0.752618
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	Borda	max	0.061845
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	Borda	min	0.33217
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	Borda	max	0.276309
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	Borda	min	0.693267
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	RRF	max	0.069327
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	RRF	min	0.331172
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	RRF	max	0.285786
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	RRF	min	0.691771
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	Kemeny	max	0.060349
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	Kemeny	min	0.343641
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	Kemeny	max	0.277307
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	Kemeny	min	0.700249
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	Schulze	max	0.061845
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	Schulze	min	0.330673
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	Schulze	max	0.276808
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	5	5b68a849afee794ce38b 1541a540c5 9a56b060d9 b671fdab5d eedb5f8267c404	["Deconvolution", "Occlusion"]	0.166728	["Deconvolution", "Occlusion"]	0.166728	0.166728	0.170072	Schulze	min	0.692768
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	6	251b3ebec9 dd8a9448f20e72e3c5a f85e6cee1d2775339bf5 b55b4dcd59cc4	["Occlusion", "Deconvolution", "Gradients"]	0.165708	["Deconvolution", "Occlusion"]	0.165708	0.165708	0.170072	Simple Averaging	max	0.058354

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Simple Averaging	min	0.393017
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Simple Averaging	max	0.265835
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Simple Averaging	min	0.746633
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Borda	max	0.042394
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Borda	min	0.422943
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Borda	max	0.237406
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Borda	min	0.771072
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	RRF	max	0.053367
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	RRF	min	0.416958
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	RRF	max	0.237905
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	RRF	min	0.758603
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Kemeny	max	0.040898
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Kemeny	min	0.416459
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Kemeny	max	0.237905
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Kemeny	min	0.7601
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Schulze	max	0.041397
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Schulze	min	0.421945
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Schulze	max	0.23591
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	6	251b3ebee9 dd8a9448f20e72e33c5a f85e6cee1d2775339bf5 b55b4dcde59cc4	["Occlusion", Gradients"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.165708	0.165708	0.170072	Schulze	min	0.770075
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	7	5c5eb1ca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAbi lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.167854	0.167854	0.170072	Simple Averaging	max	0.052868
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	7	5c5eb1ca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAbi lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", prop", "Occlusion"]	0.167854	0.167854	0.170072	Simple Averaging	min	0.387032

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	Simple Averaging	max	0.251372
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	Simple Averaging	min	0.735661
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	Borda	max	0.044389
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	Borda	min	0.366584
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	Borda	max	0.252868
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	Borda	min	0.718703
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	RRF	max	0.052868
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	RRF	min	0.369077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	RRF	max	0.257357
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	RRF	min	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	Kemeny	max	0.052868
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	Kemeny	min	0.378055
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	Kemeny	max	0.259352
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	Kemeny	min	0.737157
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	7	5c5eblca34 d87a167017 4e0dbdbf12 9094dd01a7 bbaaae9d62 bada71178535cd	["FeatureAb lation", "Gradient Shap", "Saliency"]	0.044389	["Deconvolution", "Guid prop", "Occlusion"]	0.167854	0.167854	0.170072	Schulze	max	0.044888

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidates Ks	Reference Ks	Reference Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	7	5c5eb1ca34d87a1670174e0dbdbf129094dd01a7bbaaae9d62bada71178535cd	["FeatureAbstraction", "Gradient Shap", "Saliency"]	0.044388	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.167854	0.170072	Schulze	min	0.369077
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	7	5c5eb1ca34d87a1670174e0dbdbf129094dd01a7bbaaae9d62bada71178535cd	["FeatureAbstraction", "Gradient Shap", "Saliency"]	0.044388	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.167854	0.170072	Schulze	max	0.254863
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	7	5c5eb1ca34d87a1670174e0dbdbf129094dd01a7bbaaae9d62bada71178535cd	["FeatureAbstraction", "Gradient Shap", "Saliency"]	0.044388	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.167854	0.170072	Schulze	min	0.720698
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	Simple Averaging	max	0.058853
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	Simple Averaging	min	0.386035
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	Simple Averaging	max	0.278803
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	Simple Averaging	min	0.741646
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	Borda	max	0.062843
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	Borda	min	0.343641
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	Borda	max	0.280299
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	Borda	min	0.706234
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	RRF	max	0.05985
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	RRF	min	0.346135
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	RRF	max	0.280798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	RRF	min	0.702743
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	Kemeny	max	0.06384
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	Kemeny	min	0.350623
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	Kemeny	max	0.273317
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	Kemeny	min	0.710723
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	Schulze	max	0.062843
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fbe0b174892d8c6f9cac1df1b08	["Deconvolution", "Guided Grad", "Occlusion"]	0.059086	["Deconvolution", "Guided Grad", "Occlusion"]	0.1620324	0.161209	0.170072	Schulze	min	0.342643

Cell	Dataset	Model	q	Condition	Metric	Geometry	Candidate Position	Candidate Digest	Methods	Mean Individual Clean F	Reference Methods	Reference Mean Individual Clean F	Candidate K_s	Reference K_s	Reference Rule	Direction	Candidate Value
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fb0b174892d8c6f9cac1df1b08	["Deconvolution", "Shap"]	0.059086	["Deconvolution", "Shap"]	0.059086	0.161209	0.170072	Schulze	max	0.280798
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	8	4ee3e9d3ba9ec193cb3be223f224c5649f0e6fb0b174892d8c6f9cac1df1b08	["Deconvolution", "Shap"]	0.059086	["Deconvolution", "Shap"]	0.059086	0.161209	0.170072	Schulze	min	0.705237
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Simple Averaging	max	0.053865
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Simple Averaging	min	0.387032
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Simple Averaging	max	0.257357
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Simple Averaging	min	0.735661
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Borda	max	0.061845
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Borda	min	0.355112
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Borda	max	0.284788
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Borda	min	0.718204
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	RRF	max	0.073815
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	RRF	min	0.34813
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	RRF	max	0.296259
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	RRF	min	0.708728
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Kemeny	max	0.073317
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Kemeny	min	0.361596
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Kemeny	max	0.298753
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Kemeny	min	0.711222
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Schulze	max	0.062843
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Schulze	min	0.35611
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Schulze	max	0.284788
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	Kendall	9	12eb85683ffab267f5a93ed448e3430aa34a998fe2826a222f	["Deconvolution", "DeepLift"]	0.062168	["Deconvolution", "DeepLift"]	0.062168	0.166032	0.170072	Schulze	min	0.718703

2713

Cell	Dataset	Model	q	Condition	Metric	Reference Value	Oriented Delta	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.079302	-0.017456	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.296758	-0.117706	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.314214	-0.045387	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.657855	-0.109726	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.025436	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.110224	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.076309	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.100748	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.093766	-0.042394	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.312219	-0.093267	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.315711	-0.077805	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.665835	-0.088778	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.025436	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.110224	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.076309	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.100748	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.025436	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.110224	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.076309	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.100748	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.079302	-0.018454	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.296758	-0.026434	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.314214	-0.034913	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.657855	-0.028928	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.035411	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.034414	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.042394	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.031421	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.093766	-0.043392	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.312219	-0.01995	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.315711	-0.053367	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.665835	-0.02394	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.035411	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.034414	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.042394	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.031421	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.079302	-0.052868	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.296758	-0.159601	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.314214	-0.108728	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.657855	-0.140648	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.05586	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.168579	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.108728	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.146135	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.093766	-0.070324	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.312219	-0.15212	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.315711	-0.116708	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.665835	-0.139152	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.05586	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.168579	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.108728	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.146135	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.05586	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.168579	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.108728	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.146135	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.079302	-0.053367	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.296758	-0.117706	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.314214	-0.068329	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.657855	-0.117706	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.056359	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.134165	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.080299	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.127681	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.093766	-0.05586	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.312219	-0.116209	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.315711	-0.078304	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.665835	-0.120698	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.056359	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.134165	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.080299	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.127681	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.079302	-0.018953	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.296758	-0.103741	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.314214	-0.049377	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.657855	-0.091771	Loss

2714

Cell	Dataset	Model	q	Condition	Metric	Reference Value	Oriented Delta	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.665835	-0.081297	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.027431	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.087781	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.043392	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.091272	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.027431	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.087781	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.043392	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.091272	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.079302	-0.011471	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.296758	-0.097257	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.314214	-0.042893	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.657855	-0.090274	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.01596	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.108229	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.0399	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.095761	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.093766	-0.03192	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.312219	-0.087282	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.315711	-0.045387	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.665835	-0.083791	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.01596	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.108229	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.0399	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.095761	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	F	0.080798	-0.01596	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Fbar	0.294264	-0.108229	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	C	0.303741	-0.0399	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	2	Clean	Cbar	0.65586	-0.095761	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.069327	0.003491	Win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.38404	-0.002993	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.288279	0	Tie
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.737157	-0.005985	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.084788	-0.016459	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.015461	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.313217	-0.021446	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.021446	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.077805	-0.005486	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.014963	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.304239	-0.009476	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.660349	-0.028429	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.091272	-0.01995	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.314214	-0.012968	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.314214	-0.016958	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.021945	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.083292	-0.014963	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.307731	-0.016958	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.312718	-0.019451	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.667332	-0.022444	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.069327	-0.003491	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.38404	0.005985	Win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.288279	-0.014464	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.737157	0.009975	Win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.084788	-0.016958	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	0.000499	Win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.313217	-0.012968	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.009476	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.077805	-0.013466	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	0.00798	Win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.304239	0.004489	Win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.660349	-0.018454	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.091272	-0.024439	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.314214	0.010973	Win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.314214	-0.017456	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.005985	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.083292	-0.01596	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.307731	-0.001496	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.312718	-0.012968	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.667332	-0.01197	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.069327	-0.010474	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.38404	-0.002993	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.288279	-0.008479	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.737157	-0.009975	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.084788	-0.023441	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.028928	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.313217	-0.023441	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.038404	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.077805	-0.00798	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.041895	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.304239	-0.006484	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.660349	-0.054364	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.091272	-0.020948	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.314214	-0.020948	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.314214	-0.017456	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.030424	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.083292	-0.022444	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.307731	-0.030424	Loss

Cell	Dataset	Model	q	Condition	Metric	Reference Value	Oriented Delta	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.312718	-0.023441	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.667332	-0.040399	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.069327	0.000998	Win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.38404	-0.00399	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.288279	-0.002993	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.737157	-0.00798	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.084788	-0.020449	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.023441	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.313217	-0.032419	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.021945	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.077805	-0.006983	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.008978	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.304239	-0.009975	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.660349	-0.023441	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.091272	-0.021945	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.314214	-0.009476	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.314214	-0.022444	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.016958	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.083292	-0.019451	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.307731	-0.026434	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.312718	-0.030923	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.667332	-0.025935	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.069327	-0.004489	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.38404	-0.010973	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.288279	-0.021945	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.737157	-0.006983	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.084788	-0.037406	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.077805	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.313217	-0.053865	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.076808	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.077805	-0.020449	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.044389	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.304239	-0.043392	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.660349	-0.052868	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.091272	-0.024439	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.314214	-0.060848	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.314214	-0.045885	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.064838	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.083292	-0.035411	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.307731	-0.078803	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.312718	-0.052369	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.667332	-0.077805	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.069327	-0.000998	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.38404	-0.01596	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.288279	-0.014464	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.737157	-0.015461	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.084788	-0.022943	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.022444	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.313217	-0.036908	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.023441	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.077805	-0.008479	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.021446	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.304239	-0.018454	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.660349	-0.031421	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.091272	-0.030923	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.314214	-0.029426	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.314214	-0.036908	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.030424	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.083292	-0.021446	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.307731	-0.022943	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.312718	-0.03591	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.667332	-0.025436	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.069327	-0.010973	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.38404	-0.008978	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.288279	-0.022444	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.737157	-0.009476	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.084788	-0.042394	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.113217	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.313217	-0.07581	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.101247	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.077805	-0.024439	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.107232	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.304239	-0.066334	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.660349	-0.098254	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.091272	-0.050374	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.314214	-0.102244	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.314214	-0.076309	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.090274	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.083292	-0.041895	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.307731	-0.114214	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.312718	-0.076808	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.667332	-0.102743	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.069327	-0.016459	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.38404	-0.002993	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.288279	-0.036908	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.737157	0.001496	Win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.084788	-0.040399	Loss

Cell	Dataset	Model	q	Condition	Metric	Reference Value	Oriented Delta	Outcome
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.056858	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.313217	-0.060349	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.048878	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.077805	-0.024938	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.059352	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.304239	-0.046883	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.660349	-0.057855	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.091272	-0.038404	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.314214	-0.06384	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.314214	-0.054863	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.067332	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.083292	-0.038404	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.307731	-0.061347	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.312718	-0.057855	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.667332	-0.053367	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.069327	-0.010474	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.38404	-0.001995	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.288279	-0.009476	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.737157	-0.004489	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.084788	-0.021945	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.033915	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.313217	-0.032918	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.036409	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.077805	-0.017955	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.036409	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.304239	-0.023441	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.660349	-0.042394	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.091272	-0.027431	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.314214	-0.036409	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.314214	-0.040898	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.040898	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.083292	-0.020449	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.307731	-0.034913	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.312718	-0.03192	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.667332	-0.037905	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.069327	-0.015461	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.38404	-0.002993	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.288279	-0.030923	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.737157	0.001496	Win
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.084788	-0.022943	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.045387	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.313217	-0.028429	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.048379	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.077805	-0.00399	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.309726	-0.038404	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.304239	-0.00798	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.660349	-0.048379	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.091272	-0.017955	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.314214	-0.047382	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.314214	-0.015461	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.669825	-0.041397	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	F	0.083292	-0.020449	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Fbar	0.307731	-0.048379	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	C	0.312718	-0.02793	Loss
DermaMNIST-ResNet-18	DermaMNIST	ResNet-18	3	Clean	Cbar	0.667332	-0.051372	Loss

Table 351: DermaMNIST–ResNet-50

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
DermaMNIST	ResNet-50	Saliency	1		1			
DermaMNIST	ResNet-50	InputXGradient	1		1			
DermaMNIST	ResNet-50	IntegratedGradients	1	true	1	1	0.072131	4.5233e+09
DermaMNIST	ResNet-50	GuidedBackprop	1	true	1			
DermaMNIST	ResNet-50	Deconvolution	1		1			
DermaMNIST	ResNet-50	FeatureAblation	1	true	1			
DermaMNIST	ResNet-50	Occlusion	1	true	1			
DermaMNIST	ResNet-50	DeepLift	1		1			
DermaMNIST	ResNet-50	GradientShap	1	true	1			
DermaMNIST	ResNet-50	DeepLiftShap	1	true	1	1	0.027318	1.2474e+09
DermaMNIST	ResNet-50	LRP	1	true	1			